FOR OFFICIAL USE.

1923. No. 1.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 6TH JANUARY, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 23 Forth Street, Edinburgh.
1923

Price 1s Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 6TH JANUARY, 1923.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the first week of the year numbered 8,274, and corresponded to an annual rate of 22·6 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,911 and corresponded to an annual rate of 13·4 per 1,000 of their aggregate civilian population, which is estimated at 19,052,710 in the year 1921. In the preceding three weeks the rates had been 12·9, 12·6, and 12·5. Infant mortality was 79 per 1,000 births against 93, 99, and 101 in the preceding three weeks.

In London (Administrative County including the City of London) there were 2,099 births, corresponding to a rate of 24·2 per 1,000, and 1,119 deaths of civilians, corresponding to a rate of 12·9, as against 13·3, 12·3, and 12·0 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 12·6 per 1,000. The infant mortality was 57 as against 86, 76, and 81 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 353 in the total deaths last week. In London the number of deaths from all causes rose from 1,035 to 1,119; while the deaths from diphtheria, which had been 21, 21, and 16 in the preceding three weeks, rose to 23 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 6th January, 1923.

TOWNS.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.
105 Great Towns ..	19,052,710*	8,274	4,911	652	5	72	14	38	58	66	57
London	4,514,405*	2,099	1,119	119	4	1	4	4	23	14	9
Towns in Outer Ring.											
Croydon C.B. ..	191,500	65	37	6	–	–	–	–	–	–	1
Wimbledon ..	61,700	17	10	1	–	–	–	–	–	–	–
Ealing	67,800	30	14	1	–	–	–	–	–	–	–
Acton	62,000	30	12	2	–	–	–	–	–	–	1
Willesden ..	167,200	65	44	7	–	–	–	–	2	–	1
Hendon	55,500	15	12	1	–	–	–	–	–	–	–
Hornsey	87,600	28	20	2	–	–	–	–	1	1	–
Wood Green ..	51,100	18	14	–	–	–	–	–	–	–	–
Tottenham ..	149,200	67	46	10	–	–	–	–	–	–	–
Edmonton ..	67,800	46	14	2	–	–	–	–	–	–	–
Enfield	61,400	25	7	1	–	–	–	–	1	–	–
West Ham C.B. ..	307,000	183	72	13	1	–	–	1	1	1	1
East Ham C.B. ..	145,500	78	25	1	–	–	–	–	–	–	2
Leyton	130,100	62	27	1	–	–	–	–	–	–	1
Walthamstow ..	129,800	41	31	5	–	–	–	–	–	–	3
Ilford	85,500	25	17	3	–	–	–	1	–	–	–
Gillingham	48,149*	21	8	–	–	–	–	–	–	–	–
Canterbury C.B. ..	23,680	10	6	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	15	13	1	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,600	7	10	–	–	–	–	–	–	–	–
Brighton C.B. ..	134,800	55	42	5	–	–	–	–	–	–	–
Portsmouth C.B. ..	233,929*	110	53	7	–	–	1	–	–	–	2
Bournemouth C.B. ..	81,200	25	32	2	–	1	–	–	–	–	–
Southampton C.B. ..	162,200	50	42	2	–	–	–	–	–	–	–
Reading C.B.	92,600	33	21	4	–	–	1	–	–	1	–
Oxford C.B.	56,400	20	16	1	–	–	2	–	–	–	–
Northampton C.B. ..	92,300	34	20	1	–	2	–	–	–	–	–
Luton	57,800	29	11	2	–	–	–	–	–	1	–
Cambridge	58,900	16	15	1	–	–	–	–	1	–	–
Southend-on-Sea C.B.	90,500	34	23	1	–	–	–	–	–	–	–
Ipswich C.B.	80,100	30	20	2	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	20	15	2	–	–	–	–	–	–	–
Norwich C.B. ..	122,400	61	26	1	–	–	–	1	–	–	1
Swindon	55,500	23	16	2	–	–	–	–	–	–	–
Exeter C.B.	59,500	21	19	3	–	–	–	–	–	1	–
Plymouth C.B. ..	199,869*	95	62	2	–	–	–	–	–	1	–
Bath C.B.	68,300	18	25	–	–	–	–	–	–	–	–
Bristol C.B.	381,700	160	95	8	–	1	2	–	1	–	1
Gloucester C.B. ..	51,800	18	15	1	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	273,238	152	99	18	–	12	–	–	–	1	2
Burton-upon-Trent C.B.	49,410	22	15	1	–	–	–	1	–	–	1
Wolverhampton C.B.	104,000	61	32	4	–	2	–	–	–	–	–
Walsall C.B.	98,800	56	38	9	–	2	–	3	–	–	–
West Bromwich C.B.	75,300	30	24	7	–	–	1	–	4	–	–
Worcester C.B. ..	49,160	22	9	–	–	–	–	–	–	–	–
Dudley C.B.	57,100	34	9	–	–	–	–	–	–	–	1
Birmingham C.B. ..	936,000	417	204	29	–	–	–	–	2	5	1
Smethwick C.B. ..	77,400	41	17	1	–	–	–	–	1	1	–
Coventry C.B. ..	130,300	51	38	7	–	2	–	1	–	–	–
Leicester C.B. ..	237,900	90	61	12	–	3	–	2	–	1	–
Lincoln C.B.	66,600	23	10	1	–	1	–	–	–	–	–
Grimsby C.B.	83,600	42	12	4	–	–	–	–	–	1	–
Nottingham C.B. ..	266,400	134	78	9	–	6	–	2	–	–	–
Derby C.B.	131,800	55	25	6	–	–	–	–	–	1	–
Chesterfield ..	62,400	24	15	2	–	–	–	–	–	–	–
Stockport C.B. ..	125,500	40	35	2	–	–	–	–	2	–	–
Chester C.B.	41,030	11	18	2	–	–	–	–	–	–	–
Birkenhead C.B. ..	147,800	62	40	4	–	–	–	–	1	2	–
Wallasey C.B. ..	89,600	27	17	–	–	–	–	–	–	–	–
Liverpool C.B. ..	817,000	391	262	59	–	1	–	3	6	11	2
Bootle C.B.	77,800	36	30	4	–	–	–	–	–	–	–
St. Helens C.B. ..	104,900	58	41	3	–	–	–	–	–	1	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION, Mid. 1921.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from						
					Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	71,900	17	20	1	–	–	–	–	–	–	1
WIGAN C.B.	91,200	41	20	5	–	–	–	–	–	–	1
WARRINGTON C.B. ..	78,600	32	15	1	–	1	–	–	–	–	–
BOLTON C.B.	182,200	59	53	7	–	–	1	–	–	1	–
BURY C.B.	57,600	29	21	1	–	–	–	1	–	–	–
MANCHESTER C.B. ..	744,000	312	211	32	–	2	–	2	1	3	3
SALFORD C.B.	239,100	77	62	13	–	–	–	–	2	1	1
OLDHAM C.B.	148,300	52	40	7	–	–	1	–	1	–	2
ROCHDALE C.B... ..	92,700	33	26	–	–	–	–	–	1	–	1
BURNLEY C.B.	105,300	45	31	3	–	4	–	–	–	–	–
BLACKBURN C.B.‡ ..	129,682	39	38	5	–	2	–	–	–	–	1
PRESTON C.B.	119,900	55	41	2	–	1	–	2	–	–	–
BLACKPOOL C.B. ..	73,800	16	16	1	–	–	–	–	–	–	–
BARROW-IN-FURNESS C.B.	75,200	24	16	4	–	–	–	–	–	–	–
HUDDERSFIELD C.B. ..	111,900	43	29	7	–	–	–	–	–	–	1
HALIFAX C.B.	100,700	32	29	7	–	–	–	–	–	–	–
BRADFORD C.B. ..	291,100	112	60	4	–	–	–	–	–	–	–
LEEDS C.B.	465,500	199	125	15	–	5	–	–	3	1	–
DEWSBURY C.B. ..	55,100	21	7	1	–	–	–	–	–	–	–
WAKEFIELD C.B. ..	53,763	31	17	4	–	2	–	–	–	–	–
BARNSLEY C.B. ..	68,991	29	18	2	–	2	–	–	–	–	1
SHEFFIELD C.B. ..	519,239	192	116	16	–	–	–	3	–	3	3
ROTHERHAM C.B. ..	69,100	39	18	6	–	–	–	–	–	1	–
DONCASTER	54,700	23	18	3	–	–	–	–	–	–	–
YORK C.B.	84,500	37	16	2	–	1	–	–	–	–	–
HULL C.B.	291,800	160	59	8	–	2	–	1	1	1	1
MIDDLESBROUGH C.B.	133,400	66	31	10	–	–	–	–	–	–	2
DARLINGTON C.B. ..	66,400	23	21	4	–	4	1	–	–	1	–
STOCKTON-ON-TEES ..	65,000	34	20	6	–	–	–	–	–	–	–
WEST HARTLEPOOL C.B.	69,300	30	16	3	–	–	–	–	–	1	–
SUNDERLAND C.B. ..	161,100	78	66	12	–	7	–	3	–	1	1
SOUTH SHIELDS C.B. ..	120,376	54	39	6	–	–	–	5	–	1	1
GATESHEAD C.B. ..	126,700	38	26	3	–	–	–	–	–	–	–
NEWCASTLE-ON-TYNE C.B.	278,400	137	89	14	–	–	–	–	–	1	–
TYNEMOUTH C.B. ..	63,900	27	11	1	–	–	–	–	–	–	–
CARLISLE C.B.	53,200	19	14	1	–	–	–	–	1	–	–
NEWPORT (MON.) C.B.	93,700	44	27	5	–	2	–	–	–	1	3
CARDIFF C.B.§	222,089	117	55	6	–	1	–	1	1	–	–
RHONDDA	166,600	45	43	6	–	2	–	–	–	2	1
MERTHYR TYDFIL C.B.	81,800	32	17	1	–	–	–	1	1	–	–
ABERDARE	56,100	33	14	3	–	–	–	–	–	1	1
SWANSEA C.B.	159,600	70	45	7	–	–	–	–	–	2	1
GREATER LONDON ..	7,523,963*	3,328	1,792	194	5	1	4	7	32	17	22
OUTER RING	3,009,558*	1,229	673	75	1	–	–	3	9	3	13
16 GREAT TOWNS IN OUTER RING	1,820,700	795	402	56	1	–	–	2	5	2	10
REMAINDER OF OUTER RING	1,188,858*	434	271	19	–	–	–	1	4	1	3
EDINBURGH†	426,000	181	126	22	–	5	–	2	3	3	2
GLASGOW†	1,041,300	526	297	50	–	–	3	6	1	6	2
DUBLIN (REGISTRATION AREA)†	431,000	214	144	26	–	–	2	2	–	2	1
BELFAST†	429,000	212	104	19	–	1	–	1	1	1	2

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

‡ As extended on 1st October, 1922. § As extended on 9th November, 1922.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available period.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,514,405	1922-23. Jan. 6	2099	1119	12·9	4	–	1	4	4	23	14	9
CALCUTTA	896,067	Nov. 25	?	483§	27·7	?	2	?	?	?	?	?	9
BOMBAY	1,200,473	Dec. 2	434‖	723§	31·3	3	2	1	?	–	–	38	10
MADRAS	526,911	Nov. 25	474	504§	49·7	1	4	1	?	2	–	37	–
SYDNEY AND SUBURBS	926,400												
BRISBANE (Metropolitan Area).	217,714												
PERTH (Metropolitan Area).	155,939	Nov. 11	72	21	7·0	–	–	–	–	–	–	–	–
AUCKLAND (Urban Area).	164,450												
WELLINGTON (Urban Area).	110,680												
CHRISTCHURCH (Urban Area).	110,200												
CAPE TOWN	104,400	Nov. 18	46	18	9·0	–	–	–	–	–	–	–	–
JOHANNESBURG	153,825	„ 25	81	37	12·5	–	–	–	–	–	–	4	–
DURBAN	49,043	„ 25	21	16	17·0	2	–	–	–	–	–	3	–
PARIS	2,906,472	Dec. 20 (10 days)	1386	1142	14·3	2	–	2	1	2	4	20	4
ANTWERP	302,150												
AMSTERDAM	695,347	Dec. 16	273	108	8·1	1	–	1	–	1	1	–	1
COPENHAGEN	562,600	„ 23	199	140	12·9	–	–	–	–	8	2	1	1
STOCKHOLM	422,042	„ 23	113	86	10·6	–	–	–	–	1	1	–	–
GOTHENBURG	228,052	„ 2	?	45	10·3	1	–	–	–	1	–	1	1
CHRISTIANIA	258,933	„ 23	94	76	15·2	1	–	–	–	2	–	3	1
BERLIN	1,974,000	Nov. 25	392	511	13·5	–	?	2	–	3	3	13	7
BRESLAU	557,000	„ 25	212	155	14·5	1	?	–	–	–	–	1	6
COLOGNE	692,000	„ 25	260	161	12·1	–	?	17	–	–	1	6	4
DRESDEN	608,000	„ 25	147	136	11·6	–	?	3	1	–	1	1	1
FRANKFORT-ON-MAIN..	476,000	„ 25	142	63	6·9	–	?	–	1	–	–	–	–
HAMBURG	1,071,000	„ 25	311	269	14·1	1	?	–	1	1	1	3	14
LEIPZIG	676,000	„ 25	211	155	11·9	1	?	–	–	–	–	3	2
MUNICH	682,000	„ 25	188	184	14·0	–	?	–	–	1	–	3	2
VIENNA	1,842,005												
PRAGUE AND SUBURBS	689,262	Nov. 18	208	185	13·6	1	?	–	–	1	1	8	–
BUDAPEST	940,000	Oct. 14	318	297	16·4	6	?	–	3	1	1	17	1
WARSAW	956,087	Nov. 18	363	278	15·1	3	–	4	8	2	3	16	2
CAIRO	777,500	Oct. 21	715	355	23·7	6	–	–	–	?	4	36	?
ALEXANDRIA	456,300	„ 21	349	230	26·2	2	–	–	–	?	1	36	?
NEW YORK	5,839,738												
CHICAGO	2,833,288	Dec. 9	?	599	11·0	–	–	–	2	4	12	16	1
RIO DE JANEIRO ..	1,256,370	Nov. 11	697	464	19·2	4	2	20	–	10	3	?	
MONTEVIDEO	349,293	Sept. 9	197	125	18·4	–	–	–	–	–	–	–	

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienn Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children und* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 2 deaths from *Asiatic Cholera* in Calcutta, and 1 in Madras, and from *Plague*, 6 in Bombay, and 1 Madras.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 6th January, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1119	119	30	29	36	49	34	104	124	171	189	234
Enteric fever	4	–	–	–	–	–	1	1	1	1	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	–	–	–	–	–	–
Scarlet fever	4	–	1	1	2	–	–	–	–	–	–	–
Whooping cough	4	2	2	–	–	–	–	–	–	–	–	–
Diphtheria	23	–	1	13	7	2	–	–	–	–	–	–
Influenza	9	1	–	–	–	1	–	2	1	–	1	3
Erysipelas	2	1	–	–	–	–	–	–	1	–	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	1	–	–	1	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	90	2	1	1	2	23	10	23	14	6	6	2
Nervous system..	8	1	3	1	1	2	–	–	–	–	–	–
Intestines and peritoneum	3	–	1	–	2	–	–	–	–	–	–	–
Other forms	7	–	1	2	1	1	1	–	1	–	–	–
Venereal diseases	6	4	–	–	–	1	–	–	–	1	–	–
Cancer	130	–	–	–	–	1	2	14	27	36	34	16
Rheumatic fever	3	–	–	–	2	–	1	–	–	–	–	–
Diabetes	14	–	–	–	1	–	1	5	–	3	–	4
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	5	1	–	1	2	–	–	1	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	43	–	–	–	–	–	1	1	4	6	18	13
Epilepsy	5	–	–	–	2	–	–	1	2	–	–	–
"Convulsions" (not puerperal) ..	5	5	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	34	–	1	1	4	1	3	3	4	11	2	4
Pericarditis	2	–	–	–	1	1	–	–	–	–	–	–
Acute endocarditis	5	–	–	–	–	–	2	2	–	–	1	–
Other diseases of heart	156	–	–	–	–	2	1	9	22	32	43	47
Other diseases of circulatory system	42	–	–	–	–	1	–	1	2	4	12	22
Bronchitis	100	4	3	–	–	–	2	5	3	22	19	42
Broncho-pneumonia	59	18	7	5	–	1	–	2	3	5	7	11
Lobar pneumonia	34	2	1	2	1	3	1	7	7	3	6	1
Pneumonia (type not distinguished) ..	29	1	1	–	–	4	–	4	2	9	3	5
Other diseases of respiratory system	14	1	1	–	–	–	–	2	2	3	1	4
Diarrhœa and enteritis	18	11	3	–	1	–	–	2	1	–	–	–
Appendicitis, Typhlitis	1	–	–	–	1	–	–	–	–	–	–	–
Hernia, Intestinal obstruction	6	1	–	–	–	–	1	1	–	1	1	1
Cirrhosis of liver	6	–	–	–	–	–	–	–	1	3	2	–
Other diseases of digestive system ..	16	–	–	–	–	–	1	3	4	2	–	6
Acute nephritis	1	–	–	–	–	–	1	–	–	–	–	–
Chronic Bright's disease	27	–	–	–	–	–	–	3	4	8	8	4
Other diseases of genito-urinary system.	20	–	–	–	–	–	1	3	4	1	6	5
Puerperal sepsis	1	–	–	–	–	–	–	–	1	–	–	–
Other causes incident to childbirth ..	2	–	–	–	–	–	1	1	–	–	–	–
Congenital malformations	2	2	–	–	–	–	–	–	–	–	–	–
Premature birth	33	33	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	11	11	–	–	–	–	–	–	–	–	–	–
Old age..	42	–	–	–	–	–	–	–	–	–	8	34
Suicide	12	–	–	–	–	2	–	4	4	2	–	–
Burns and scalds	2	–	1	–	–	–	–	–	–	1	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	12	–	–	1	2	–	1	–	2	2	2	2
Other deaths by violence	19	1	1	–	3	1	–	–	3	4	5	1
Other specified causes	45	16	–	–	1	2	2	4	4	5	4	7
Ill defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 6th January, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	285	273	7	104	C. 5 D. 1 E. 1 G. 6 M.16
Metropolitan Boroughs :—						
†BATTERSEA ...	–	10	17	–	6	C. 1
†BERMONDSEY ...	–	10	24	–	1	–
†BETHNAL GREEN	–	4	13	–	3	–
†CAMBERWELL ...	–	15	27	–	5	–
†CHELSEA	–	5	1	–	3	–
†DEPTFORD ...	–	13	16	–	–	–
†FINSBURY ...	–	2	5	–	4	–
†FULHAM	–	20	7	–	8	G. 1
†GREENWICH ...	–	8	8	–	1	M. 1
†HACKNEY ...	–	13	14	–	1	M. 1
†HAMMERSMITH ...	–	8	8	–	4	C. 1 M. 1
†HAMPSTEAD ...	–	2	4	1	2	–
†HOLBORN... ...	–	2	2	–	1	G. 1
†ISLINGTON ...	–	31	20	–	4	M. 2
†KENSINGTON ...	–	5	5	–	–	–
†LAMBETH ...	–	30	14	–	2	M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	17	3	–	5	D. 1 G. 3
†PADDINGTON ...	–	10	6	–	7	M. 1
†POPLAR	–	5	9	–	12	M. 1
†ST. MARYLEBONE	–	6	4	–	2	M. 1
†ST. PANCRAS ...	–	22	19	1	10	M. 3
†SHOREDITCH ...	–	6	5	–	5	C. 2 M. 1
†SOUTHWARK ...	–	13	14	–	5	–
†STEPNEY	–	10	11	4	4	–
†STOKE NEWINGTON	–	–	1	–	–	–
†WANDSWORTH ...	–	15	8	–	4	C. 1 M. 3
†WESTMINSTER, CITY OF	–	2	3	–	1	E. 1 G. 1
†WOOLWICH ...	–	1	5	1	4	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	3	10	–	1	–
Boroughs and Urban Districts:—						
Ampthill ...	–	–	1	–	–	–
†Bedford ...	–	2	–	–	1	–
Leighton Buzzard	–	–	1	–	–	–
†Luton	–	–	1	–	–	–
Rural Districts:—						
Ampthill ...	–	1	1	–	–	–
Bedford ...	–	–	4	–	–	–
Eaton Socon ...	–	–	1	–	–	–
Luton	–	–	1	–	–	–
BERKS	–	43	7	–	2	M. 1
†Reading C.B. ..	–	29	3	–	2	–
Boroughs and Urban Districts:—						
Abingdon ...	–	10	1	–	–	–
†Maidenhead ...	–	1	–	–	–	–
†Newbury ...	–	1	–	–	–	–
Wantage ...	–	1	1	–	–	–
Rural Districts:—						
Abingdon ...	–	–	1	–	–	–
Easthampstead	–	–	1	–	–	–
Wantage ...	–	1	–	–	–	–
Windsor... ...	–	–	–	–	–	M 1
BUCKINGHAM ...	–	9	–	–	3	–
Boroughs and Urban Districts:—						
Beaconsfield ...	–	1	–	–	–	–
†Chepping Wycombe ...	–	1	–	–	–	–
Chesham ...	–	1	–	–	–	–
Marlow	*	*	*	*	*	*
Rural Districts:—						
Amersham ...	–	–	–	–	1	–
Eton	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts—*cont.*						
Newport Pagnell	–	2	–	–	–	–
Wycombe ...	–	3	–	–	2	–
CAMBRIDGE ...	–	6	19	–	–	–
Borough:—						
†Cambridge ...	–	–	11	–	–	–
Rural Districts:—						
Chesterton ...	–	–	6	–	–	–
Melbourn ...	–	6	–	–	–	–
Newmarket ...	–	–	2	–	–	–
CHESTER	–	56	27	1	33	C. 1 M. 1
†Birkenhead C.B.	–	7	4	–	16	C. 1 M. 1
†Chester C. B. ...	–	–	–	–	1	–
†Stockport C.B.	–	2	5	–	–	–
†Wallasey C.B ..	–	2	2	–	3	–
Boroughs and Urban Districts:—						
†Altrincham ...	–	2	–	–	–	–
Ashton upon Mersey	–	1	–	–	–	–
†Bebington and Bromborough	–	1	1	–	–	–
Bredbury and Romiley	–	–		–	6	–
Buglawton ...	–	1	–	–	–	–
†Cheadle and Gatley	–	–	–	–	1	–
†Congleton ...	–	2	–	–	1	–
†Crewe	–	4	–	–	–	–
†Dukinfield ...	–	–	1	–	–	–
†Ellesmere Port and Whitby	–	–	1	–	–	–
Hale	–	1	–	–	–	–
Hoole	–	1	–	–	–	–
†Hoylake and West Kirby	–	–	1	–	–	–
†Hyde	–	4	–	–	2	–
Lymm	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Macclesfield ...	–	1	–	–	–	–
Middlewich ...	–	–	4	–	–	–
†Northwich ...	–	3	–	–	–	–
†Runcorn... ...	–	9	–	–	3	–
Wilmslow ...	–	–	1	–	–	–
†Winsford ...	–	2	–	–	–	–
Rural Districts:—						
Bucklow ...	–	1	1	–	–	–
Chester	–	1	–	–	–	–
Congleton ...	–	1	1	–	–	–
Macclesfield ...	–	2	1	–	–	–
Nantwich ...	–	–	2	–	–	–
Northwich ...	–	3	–	–	–	–
Runcorn ...	–	3	–	–	–	–
Tarvin	–	–	1	–	–	–
Wirral	–	2	1	–	–	–
CORNWALL ...	–	6	2	1	–	–
Boroughs and Urban Districts:—						
Bodmin	–	1	–	–	–	–
†Falmouth ...	–	–	–	1	–	–
Liskeard ...	–	1	–	–	–	–
†Penzance ...	–	–	1	–	–	–
Phillack ...	–	–	1	–	–	–
Torpoint ...	–	1	–	–	–	–
Wadebridge ...	–	1	–	–	–	–
Rural Districts:—						
Saint Austell...	–	1	–	–	–	–
Saint Germans	–	1	–	–	–	–
CUMBERLAND ...	–	13	9	–	6	–
†Carlisle C.B. ...	–	3	3	–	2	–
Boroughs and Urban Districts:—						
Arlecdon and Frizington.	–	–	1	–	–	–
Aspatria ...	–	–	–	–	1	–
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
Harrington ...	–	1	–	–	–	–
†Maryport ...	–	–	–	–	3	–
Millom	–	1	–	–	–	–
Penrith	–	1	–	–	–	–
†Workington ...	–	–	3	–	–	–
Rural Districts:—						
Bootle	–	2	–	–	–	–
Carlisle ...	–	–	1	–	–	–
Cockermouth...	–	3	–	–	–	–
Penrith	–	2	1	–	–	–
DERBY	4	32	13	1	29	C. 1 D. 1 G. 1
†Derby C.B. ...	–	13	4	–	17	C. 1 G. 1
Boroughs and Urban Districts:—						
†Alfreton ...	*	*	*	*	*	*
†Belper	–	–	1	–	–	–
†Bolsover ...	–	1	1	–	1	–
Brampton and Walton	–	–	1	–	–	–
†Chesterfield ...	–	1	2	–	1	–
†Heanor	4	2	–	–	–	–
†Long Eaton ...	–	5	–	–	3	–
New Mills ...	–	2	–	–	1	–
†Swadlincote District	–	1	–	–	–	–
Rural Districts:—						
Ashbourne ...	–	1	–	–	–	–
Bakewell ...	–	1	1	–	1	–
Belper	–	–	–	1	–	D. 1
Blackwell ...	–	1	–	–	2	–
Chapel en le Frith	–	–	1	–	–	–
Chesterfield ...	–	4	–	–	2	–
Hartshorn and Seals	–	–	1	–	–	–
Shardlow ...	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	17	10	–	5	M. 1
†EXETER C.B. ...	–	1	1	–	–	M. 1
†PLYMOUTH C.B.	–	9	4	–	2	–
Boroughs and Urban Districts:—						
ASHBURTON ...	–	–	–	–	1	–
OKEHAMPTON ...	–	2	–	–	–	–
OTTERY ST. MARY	–	1	–	–	–	–
SOUTH MOLTON	–	–	–	–	1	–
†TORQUAY	–	2	1	–	–	–
Rural Districts:—						
HONITON	–	–	1	–	–	–
KINGSBRIDGE ...	–	–	1	–	–	–
PLYMPTON ST. MARY	–	1	–	–	1	–
ST. THOMAS ...	–	1	1	–	–	–
TAVISTOCK ...	–	–	1	–	–	–
DORSET	–	7	–	–	1	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	–	–
†POOLE	–	1	–	–	1	–
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	–	–
Rural Districts:—						
BRIDPORT ...	*	*	*	*	*	*
DORCHESTER ...	–	1	–		–	–
POOLE	–	1	–	–	–	–
STURMINSTER ...	–	2	–	–	–	–
DURHAM	–	70	23	–	62	C. 2 G. 1 M. 5
†DARLINGTON C.B.	–	4	1	–	2	–
†GATESHEAD C.B.	–	5	3	–	1	C. 1
†SOUTH SHIELDS C.B.	–	1	3	–	12	G. 1
SUNDERLAND C.B.	–	6	2	–	8	–
†WEST HARTLEPOOL C.B.	–	2	1	–	5	–
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	1	–	–	–
BARNARD CASTLE	–	–	–	–	2	–
BENFIELDSIDE ...	–	–	–	–	1	–
†BLAYDON... ..	–	2	1	–	–	–
†CHESTER LE STREET	–	–	2	–	2	–
†CONSETT	–	2	–	–	–	–
†CROOK	–	1	–	–	–	–
†DURHAM	–	–	–	–	2	–
†FELLING	–	–	–	–	4	–
†HEBBURN ...	–	3	–	–	–	–
†HETTON... ...	–	2	–	–	2	–
†HOUGHTON LE SPRING	–	1	–	–	2	–
†JARROW	–	1	–	–	2	C. 1
†RYTON	–	2	–	–	–	–
†SOUTHWICK ON WEAR	–	2	–	–	1	–
†STANLEY	–	3	1	–	–	–
†STOCKTON ON TEES	–	3	1	–	1	–
†TANFIELD ...	–	2	–	–	–	M. 1
†WASHINGTON ...	–	–	1	–	–	–
†WHICKHAM ...	–	–	–	–	4	–
Rural Districts:—						
AUCKLAND ...	–	7	1	–	2	–
CHESTER LE STREET	–	2	1	–	–	–
DURHAM	–	5	–	–	–	–
EASINGTON ...	–	4	2	–	2	M. 4
HOUGHTON LE SPRING	–	1	–	–	2	–
LANCHESTER ...	–	2	1	–	1	–
SEDGEFIELD ...	–	4	1	–	2	
STOCKTON ...	–	2	–	–	–	–
SUNDERLAND ...	–	1	–	–	2	–
ESSEX	–	63	55	1	8	G. 1 M. 2
†EAST HAM C.B. ...	–	5	7	–	2	–
†SOUTHEND ON SEA C.B.	–	7	1	–	4	–
†WEST HAM C.B....	–	11	15	1	1	M. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN	–	5	1	–	–	–
BRAINTREE ...	–	1	–	–	–	–
BRENTWOOD ...	–	4	–	–	–	–
†CHELMSFORD ...	–	–	1	–	–	–
CHINGFORD ...	–	–	2	–	–	–
†CLACTON	*	*	*	*	*	*
†COLCHESTER ...	–	–	6	–	–	–
FRINTON ON SEA	–	1	–	–	–	–
†GRAYS THURROCK	–	–	1	–	–	–
†ILFORD	–	4	3	–	–	–
†LEYTON	–	3	7	–	–	–
LOUGHTON ...	–	4	–	–	–	–
†ROMFORD ...	–	–	1	–	–	–
TILBURY	–	1	–	–	–	–
†WALTHAMSTOW ...	–	4	5	–	–	–
†WANSTEAD ...	–	2	–	–	–	G. 1
†WOODFORD ...	–	3	–	–	–	–
Rural Districts:—						
BELCHAMP ...	–	3	–	–	–	–
BILLERICAY ...	–	1	–	–	–	–
EPPING	–	2	–	–	1	–
ORSETT	–	1	1	–	–	–
ROCHFORD ...	–	1	–	–	–	–
ROMFORD ...	–	–	4	–	–	–
TENDRING ...	*	*	*	*	*	*
GLOUCESTER ...	–	61	28	2	14	D. 1 M. 6
†BRISTOL C.B. ...	–	37	24	2	11	D. 1 M. 6
†GLOUCESTER C.B.	–	–	2	–	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	4	–	–	–	–
†KINGSWOOD ...	–	1	–	–	–	–
WESTBURY ON SEVERN	–	–	–	–	1	–
Rural Districts:—						
CHIPPING SODBURY	–	1	–	–	2	–
CIRENCESTER ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts—*cont.*						
EAST DEAN AND UNITED PARISHES	–	7	–	–	–	–
GLOUCESTER ...	–	1	–	–	–	–
THORNBURY ..	–	2	–	–	–	–
WARMLEY ...	–	3	–	–	–	–
WEST DEAN ...	–	3	2	–	–	–
WINCHCOMB (part)	–	1	–	–	–	–
HEREFORD ...	–	8	6	–	3	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	–	–	1	–
†HEREFORD ...	–	2	–	–	1	–
Rural Districts:—						
KINGTON	–	4	–	–	–	–
LEDBURY ...	–	1	6	–	–	–
ROSS	–	1	–	–	–	–
WEOBLEY ...	–	–	–	–	1	–
HERTFORD ...	–	6	3	–	9	M. 1
Boroughs and Urban Districts:—						
BALDOCK ...	–	–	–	–	1	–
†BARNET	–	–	2	–	–	–
HARPENDEN ...	–	1	–	–	–	–
†LETCHWORTH ..	–	1	–	–	–	–
ROYSTON	–	1	–	–	1	–
STEVENAGE ...	–	–	–	–	–	M. 1
†WATFORD ...	–	2	1	–	6	–
Rural Districts:—						
ASHWELL ...	–	–	–	–	1	–
WATFORD ...	–	1	–	–	–	–
HUNTINGDON ...	–	–	–	–	1	–
Rural Districts:—						
ST. IVES	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	45	15	7	17	C. 2 M. 2
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1	1	–	2	–
†BEXLEY	–	3	–	–	–	–
†BROMLEY ...	–	2	2	–	–	–
†CHATHAM ...	–	3	1	–	–	–
†DARTFORD ...		2	1	4	1	–
†DOVER	–	1	1	–	–	C. 1
†FAVERSHAM ...	–	3	1	–	1	–
†FOLKESTONE ...	–	–	–	–	3	–
†GILLINGHAM ...	–	4	–	–	1	–
†GRAVESEND ...	–	3	3	1	–	–
†MAIDSTONE ...	–	–	1	–	–	–
†MARGATE ...	–	2	–	–	–	–
†PENGE	–	1	1	–	1	–
QUEENBOROUGH	–	2	–	–	–	–
†RAMSGATE ...	–	1	–	–	1	–
†ROCHESTER ...	–	4	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	2	M. 1
†SHEERNESS ...	–	–	–	–	–	C. 1
SIDCUP	–	1	1	1	–	–
SITTINGBOURNE	–	1	–	–	–	M. 1
WHITSTABLE ...	–	–	–	–	1	–
Rural Districts:—						
BROMLEY ...	–	3	–	–	–	–
EAST ASHFORD ...	–	3	1	–	–	–
HOLLINGBOURNE	–	–	–	1	–	–
MAIDSTONE ...	–	1	–	–	–	–
MALLING	–	3	1	–	–	–
SEVENOAKS ...	–	–	–	–	2	–
SHEPPEY	–	–	–	–	2	–
LANCASTER ..	–	393	107	3	216	C. 9 D. 1 E. 1 F. 1 L. 5 M. 24
†BARROW IN FURNESS C.B.	–	9	–	–	–	–
†BLACKBURN C.B.	–	9	2	–	4	–
†BLACKPOOL C.B.	–	2	2	–	2	M. 1
†BOLTON C.B. ...	–	18	3	–	3	–
†BOOTLE C.B. ...	–	5	–	–	3	–
†BURNLEY C.B. ...	–	37	2	–	2	–
†BURY C.B. ...	–	4	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†LIVERPOOL C.B. ...	–	39	23	–	48	C. 1 M. 11
†MANCHESTER C.B.	–	57	18	–	42	C. 3 D. 1 M. 5
†OLDHAM C.B. ...	–	10	4	–	5	–
†PRESTON C.B. ...	–	8	3	–	2	–
†ROCHDALE C.B. ...	–	18	2	–	1	–
†ST. HELENS C.B.	–	11	5	–	4	C. 1 M. 1
†SALFORD C.B. ...	–	27	15	–	3	–
†SOUTHPORT C.B.	–	–	2	–	1	–
†WARRINGTON C.B.	–	5	1	–	4	M. 1
†WIGAN C.B. ...	–	5	1	–	4	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	–	–	–	–
†ASHTON IN MAKERFIELD	–	2	1	–	4	–
†ASHTON UNDER LYNE	–	4	1	–	4	M. 1
†ATHERTON ...	–	3	1	–	1	–
AUDENSHAW ...	–	2	–	–	–	–
BARROWFORD ...	–	–	–	–	2	–
BLACKROD ...	–	–	–	–	1	–
†CHADDERTON ...	–	1	–	–	1	–
†CHORLEY	–	1	1	–	1	–
CHURCH	–	1	–	–	–	–
†COLNE	–	–	–	–	1	–
†CROMPTON ...	–	1	1	–	–	–
†DALTON IN FURNESS	–	2	–	–	1	–
†DARWEN ...	–	11	–	–	–	M. 1
†DENTON	–	2	1	–	2	–
†DROYLSDEN ...	–	1	–	–	1	C. 1
†ECCLES	–	3	–	–	2	C. 2
†FAILSWORTH ...	–	1	–	–	–	–
†FLEETWOOD ...	–	2	–	–	3	–
GRANGE	–	1	–	–	–	–
†HASLINGDEN ...	–	1	–	–	1	–
†HAYDOCK... ...	–	2	–	–	–	–
†HEYWOOD ...	–	6	–	–	1	–
†HINDLEY ...	–	3	–	–	4	M. 1
†HORWICH ...	–	–	–	–	4	–
†INCE IN MAKERFIELD	–	4	–	–	2	–
IRLAM	–	–	–	–	1	–
KEARSLEY ..	–	2	–	–	1	–
†LANCASTER ...	–	–	1	–		M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Lathom and Burscough	–	1	–	–	–	M. 1
†Leigh	–	5	1	–	2	–
†Litherland ...	–	3	–	–	–	–
†Littleborough	–	1	–	–	–	–
Little Hulton	–	–	–	–	1	–
Little Lever ...	–	–	–	–	1	–
†Middleton ...	–	–	–	–	1	–
Milnrow ...	–	1	–	–	–	–
†Mossley	–	2	–	–	–	–
†Nelson	–	–	1	–	2	–
†Newton in Makerfield	–	1	–	–	1	–
†Oswaldtwistle	–	–	–	1	1	–
Prescot	–	–	1	–	–	–
†Prestwich ...	–	1	–	–	–	–
†Radcliffe ...	–	2	1	1	2	C 1 E. 1
Rainford ...	–	–	1	–	–	–
†Ramsbottom ...	–	–	–	–	1	–
Rishton	–	2	1	–	1	–
†Royton	–	–	–	–	5	–
Standish with Langtree	–	–	–	–	2	–
†Stretford ...	–	6	1	–	–	–
†Swinton and Pendlebury	–	1	1	–	2	–
Tottington ...	–	–	–	–	4	F. 1
†Turton	–	3	–	–	–	–
†Tyldesley with Shakerley	–	5	–	–	1	–
†Ulverston ...	–	5	–	–	–	–
†Waterloo with Seaforth	–	2	–	–	1	–
†Westhoughton	–	–	–	1	1	–
Whitefield ...	–	6	–	–	2	–
Whitworth ...	–	–	–	–	2	–
†Widnes	–	5	4	–	5	–
Withnell ...	*	*	*	*	*	*
Rural Districts:—						
Blackburn ...	–	1	–	–	–	–
Bury	–	3	–	–	–	–
Clitheroe ...	–	3	–	–	–	L. 5
Fylde	–	–	2	–	–	–
Garstang ...	–	–	1	–	–	–
Lancaster ...	–	1	–	–	–	–
Leigh	–	4	2	–	2	–
LANCASTER—*cont.*						
Rural Districts—*cont.*						
Limehurst ...	–	4	–	–	3	–
Preston	–	1	–	–	–	–
Ulverston ...	–	1	–	–	–	–
West Lancashire	–	–	–	–	1	–
Whiston ...	–	2	–	–	–	–
Wigan	–	–	–	–	2	–
LEICESTER... ...	–	24	9	1	7	–
†Leicester C.B. ...	–	17	–	1	4	–
Boroughs and Urban Districts:—						
Ashby de la Zouch	*	*	*	*	*	*
Ashby Woulds...	–	–	–	–	1	–
†Coalville ..	–	–	1	–	–	–
†Hinckley ...	–	3	–	–	–	–
†Loughborough	–	–	1	–	–	–
Oadby	–	–	1	–	–	–
Quorndon ...	–	–	–	–	1	–
Wigston Magna	–	–	2	–	–	–
Rural Districts:—						
Ashby de la Zouch	–	–	2	–	–	–
Belvoir	–	1	–	–	–	–
Billesdon ...	–	1	–	–	–	–
Market Bosworth	–	–	2	–	–	–
Market Harborough	–	2	–	–	–	–
Melton Mowbray	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	1	3	–	–	–
Boroughs and Urban Districts:—						
†Boston	–	–	1	–	–	–
†Spalding ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
BOSTON	–	1	–	–	–	–
CROWLAND ...	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	–	1	3	1	M. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	1	–	M. 1
SLEAFORD ...	–	–	1	–	1	–
STAMFORD ...	–	–	–	1	–	–
Rural District:—						
SLEAFORD ...	–	–	–	1	–	–
LINCOLN (parts of Lindsey).	–	18	10	–	2	–
†GRIMSBY C.B. ...	–	6	3	–	–	–
†LINCOLN C.B. ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	1	–	–	–
BRIGG	–	–	1	–	–	–
†CLEETHORPES ...	–	7	2	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	2	1	–	–	–
WINTERTON ...	*	*	*	*	*	*
Rural Districts:—						
GAINSBOROUGH ...	–	1	–	–	–	–
GLANFORD BRIGG	–	–	1	–	1	–
WELTON	–	1	–	–	–	–
MIDDLESEX ...	–	63	46	–	27	C. 5 L. 1 M. 3
Boroughs and Urban Districts:—						
†ACTON	–	8	–	–	1	–
†BRENTFORD ...	–	2	–	–	–	–
†CHISWICK ...	–	3	1	–	1	–
†EALING	–	4	–	–	–	–
†EDMONTON ...	–	4	2	–	1	M. 1
†ENFIELD	–	2	1	–	3	–
FELTHAM... ...	–	6	5	–	–	–
†FINCHLEY ...	–	2	2	–	–	–
†HAMPTON ...	–	–	1	–	1	–
†HANWELL	–	5	1	–	–	C. 1
HAYES	–	1	–	–	–	–
†HENDON	–	2	5	–	3	C. 1 M. 1
†HESTON AND ISLEWORTH	–	–	2	–	1	C. 1
†HORNSEY... ...	–	–	3	–	3	–
†SOUTHALL NORWOOD	–	–	–	–	–	L. 1
†SOUTHGATE ...	–	1	1	–	2	–
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	10	5	–	5	C. 2
†TWICKENHAM ...	–	–	2	–	–	–
†UXBRIDGE ...	–	–	–	–	1	–
†WEALDSTONE ...	–	–	1	–	–	–
†WEMBLEY ...	–	–	1	–	2	–
†WILLESDEN ...	–	8	11	–	2	M. 1
†WOOD GREEN ...	–	4	–	–	–	–
Rural Districts:—						
HENDON	–	–	–	–	1	–
STAINES	–	–	2	–	–	–
NORFOLK	–	36	16	1	–	M. 5
†GREAT YARMOUTH C.B....	–	5	2	–	–	M. 1
†NORWICH C.B. ...	–	23	9	–	–	M. 3
Boroughs and Urban Districts:—						
NORTH WALSHAM	–	–	–	–	–	M. 1
THETFORD ...	–	–	3	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
AYLSHAM ...	–	1	–	–	–	–
BLOFIELD ...	–	–	1	–	–	–
DEPWADE ...	–	–	–	1	–	–
ERPINGHAM ...	–	1	–	–	–	–
MARSHLAND ...	–	1	–	–	–	–
MITFORD AND LAUNDITCH	–	4	1	–	–	–
SMALLBURGH ...	–	1	–	–	–	–
NORTHAMPTON ...	–	10	1	–	14	M. 3.
†NORTHAMPTON C.B.	–	4	–	–	8	M. 2.
Boroughs and Urban Districts:—						
BRACKLEY ...	–	–	–	–	1	–
FINEDON	–	1	–	–	–	–
IRTHLINGBOROUGH	–	1	–	–	–	–
†KETTERING ...	–	–	–	–	–	M. 1.
†WELLINGBOROUGH	–	3	–	–	2	–
Rural Districts:—						
EASTON ON THE HILL	–	–	1	–	–	–
HARDINGSTONE ...	–	–	–	–	3	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND	–	40	12	–	26	G. 1. M. 1.
†NEWCASTLE UPON TYNE C.B.	–	9	7	–	14	M. 1
†TYNEMOUTH C.B.	–	4	2	–	4	–
Boroughs and Urban Districts:—						
ALNWICK... ...	–	1	–	–	–	–
AMBLE	*	*	*	*	*	*
†ASHINGTON ...	–	3	–	–	–	–
†BEDLINGTONSHIRE	–	4	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BERWICK UPON TWEED	–	1	–	–	–	–
†BLYTH	–	5	–	–	2	–
CRAMLINGTON ...	–	2	–	–	–	–
†EARSDON	–	1	–	–	–	–
MORPETH ..	–	1	–	–	–	–
†NEWBURN ...	–	1	–	–	–	–
PRUDHOE ...	–	–	–	–	1	–
SEATON DELAVAL	–	2	2	–	–	–
†WALLSEND ...	–	2	–	–	2	–
WEETSLADE ...	–	2	–	–	–	–
Rural Districts:—						
CASTLE WARD ...	–	1	1	–	–	–
MORPETH... ...	–	–	–	–	–	G. 1
NORHAM AND ISLANDSHIRES	–	1	–	–	1	–
NOTTINGHAM ..	3	29	8	–	18	C. 1 M. 5
†NOTTINGHAM C.B.	–	20	1	–	9	M. 4
Boroughs and Urban Districts:—						
†ARNOLD	–	–	–	–	3	
†BEESTON	–	1	–	–	–	–
†CARLTON	–	–	3	–	4	–
†EAST RETFORD ...	–	1	–	–	–	–
†HUCKNALL ...	–	1	–	–	–	–
†KIRKBY IN ASHFIELD	–	3	–	–	–	–
†MANSFIELD ...	–	1	–	–	1	–
†MANSFIELD WOODHOUSE	–	1	–	–	1	–
†SUTTON IN ASHFIELD	–	1		–	–	C. 1
WARSOP	*	*	*	*	*	*
†WEST BRIDGFORD	–	–	4	–	–	–
†WORKSOP... ...	–	–	–	–	–	M. 1
Rural Disrict:—						
BASFORD	3	–	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	21	–	–	2	–
†OXFORD C.B. ...	–	6	–	–	1	–
Boroughs and Urban Districts:—						
†BANBURY... ...	–	–	–	–	1	–
WITNEY	–	1	–	–	–	–
Rural Districts:—						
CULHAM	–	6	–	–	–	–
HEADINGTON ...	–	4	–	–	–	–
WITNEY	–	4	–	–	–	–
PETERBOROUGH (Soke of)	–	1	2	–	–	C. 1
Borough:—						
†PETERBOROUGH...	–	1	1	–	–	C. 1
Rural District:—						
PETERBOROUGH	–	–	1	–	–	–
SALOP	–	13	7	–	3	M. 1.
Boroughs and Urban Districts:—						
BRIDGNORTH ..	–	–	1	–	–	–
LUDLOW	–	–	3	–	–	–
MARKET DRAYTON	–	–	–	–	1	–
†OAKENGATES ...	–	1	–	–	–	–
OSWESTRY ...	–	7	–	–	–	–
†SHREWSBURY ...	–	–	–	–	1	M. 1.
Rural Districts:—						
ATCHAM	–	–	1	–	–	–
BURFORD... ...	–	–	–	–	1	–
LUDLOW	–	1	–	–	–	–
OSWESTRY ...	–	4	–	–	–	–
WELLINGTON ...	–	–	2	–	–	–
SOMERSET	–	23	7	1	5	C. 1. D. 1.
†BATH C.B. ...	–	6	5	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
CLEVEDON ...	–	–	–	–	1	–
PORTISHEAD ...	*	*	*	*	*	*
RADSTOCK ...	–	1	–	–	–	–
†TAUNTON... ...	–	1	–	–	–	–
†WESTON SUPER MARE	–	1	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	4	–	–	–	–
BRIDGWATER ...	–	–	–	–	–	D. 1
CLUTTON	–	–	1	–	–	–
KEYNSHAM ...	–	–	1	–	–	–
LANGPORT ...	–	4	–	–	–	–
LONG ASHTON ...	–	5	–	–	3	–
YEOVIL	–	–	–	–	1	C. 1
SOUTHAMPTON ...	–	52	24	1	7	M. 5
†BOURNEMOUTH C.B.	–	10	–	–	–	M. 2
†PORTSMOUTH C.B.	–	19	13	–	1	M. 1
†SOUTHAMPTON C.B	–	6	1	–	5	–
Boroughs and Urban Districts:—						
†BASINGSTOKE ...	–	2	3	–	–	–
†FAREHAM ...	–	1	–	1	–	–
†GOSPORT	–	–	4	–	1	M. 1
†WINCHESTER ...	–	1	1	–	–	–
Rural Districts:—						
ALRESFORD ...	–	1	–	–	–	–
ANDOVER... ...	–	1	–	–	–	–
CATHERINGTON ...	–	1	–	–	–	–
KINGSCLERE ...	–	3	–	–	–	–
LYMINGTON ...	–	1	–	–	–	–
PETERSFIELD .	–	–	–	–	–	M. 1
RINGWOOD ...	–	3	–	–	–	–
SOUTH STONEHAM	–	1	1	–	–	–
WHITCHURCH ...	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD	1	103	33	7	65	C. 5 D. 1 M. 7
†BURTON UPON TRENT C.B.	–	1	–	–	1	–
†SMETHWICK C.B.	–	8	5	–	4	–
†STOKE-ON-TRENT C.B.	–	28	7	–	46	C. 2 D. 1 M. 5
†WALSALL C.B. ...	–	5	–	–	2	–
†WEST BROMWICH C.B.	–	9	13	–	2	–
†WOLVERHAMPTON C.B.	–	5	1	1	1	–
Boroughs and Urban Districts:—						
†AUDLEY	–	–	–	–	–	M. 2
BIDDULPH ...	–	3	–	–	–	–
†BILSTON	1	7	1	–	2	–
†BRIERLEY HILL ...	–	2	–	–	–	–
†BROWNHILLS ...	–	1	–	–	–	C. 2
†CANNOCK	–	1	–	–	–	–
†COSELEY	–	3	–	–	–	–
†LEEK	–	2	–	–	–	–
†NEWCASTLE UNDER LYME	–	–	1	–	–	–
QUARRY BANK ...	–	2	–	–	–	–
†ROWLEY REGIS ...	–	1	1	–	1	–
RUGELEY	–	2	–	–	1	–
†SEDGLEY	–	–	1	–	–	–
†STAFFORD ...	–	3	1	–	–	–
†TIPTON	–	3	–	–	–	–
†WEDNESBURY ...	–	3	1	–	1	–
†WILLENHALL ...	–	1	–	–	3	–
†WOLSTANTON UNITED	–	3	–	–	–	–
Rural Districts:—						
CANNOCK	–	2	–	–	–	–
CHEADLE	–	–	1	–	–	C. 1
KINGSWINFORD ...	–	–	–	6	–	–
LEEK	–	5	–	–	1	–
SEISDON	–	1	–	–	–	–
TAMWORTH (part)	–	1	–	–	–	–
UTTOXETER ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST ...	–	10	2	–	4	–
Boroughs and Urban Districts:—						
BECCLES	–	2	–	–	–	–
†FELIXSTOWE ...	–	1	–	–	–	–
†LOWESTOFT ...	–	2	2	–	3	–
Rural Districts:—						
BLYTHING ...	–	3	–	–	–	–
EAST STOW ...	–	–	–	–	1	–
WOODBRIDGE ...	–	2	–	–	–	–
SUFFOLK, WEST ...	–	4	–	–	1	–
Rural Districts:—						
CLARE	–	1	–	–	–	–
COSFORD	–	–	–	–	1	–
MELFORD... ...	–	3	–	–	–	–
SURREY	–	53	24	–	8	C. 1 L. 2 M. 2
†CROYDON C.B. ...	–	18	4	–	3	–
Boroughs and Urban Districts:—						
†BARNES	–	–	–	–	–	C. 1 M. 1
†BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
†CARSHALTON ...	–	3	1	–	–	–
†COULSDON AND PURLEY	–	1	1	–	–	L. 2
DORKING	–	–	–	–	1	–
EAST AND WEST MOLESEY	–	–	2	–	–	–
†EGHAM	–	1	1	–	–	–
†FARNHAM ...	–	1	1	–	–	–
†FRIMLEY	–	1	–	–	–	–
†GUILDFORD ...	–	1	–	–	2	–
†KINGSTON ON THAMES	–	6	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MERTON AND MORDEN	–	3	–	–	–	–
†MITCHAM... ...	–	1	1	–	–	–
REIGATE	–	–	1	–	–	–
†RICHMOND ...	–	2	2	–	1	–
†SURBITON ...	–	2	–	–	–	–
†SUTTON	–	3	1	–	–	–
†THE MALDENS AND COOMBE	–	2	–	–	–	–
†WALTON UPON THAMES	–	1	3	–	–	–
†WIMBLEDON ...	–	1	–	–	–	–
†WOKING	–	1	–	–	–	–
Rural Districts:—						
DORKING	–	1	–	–	–	M. 1
FARNHAM ...	–	1	1	–	–	–
GODSTONE ...	–	2	4	–	–	–
GUILDFORD ...	–	–	–	–	1	–
SUSSEX, EAST ...	–	11	4	–	5	–
†BRIGHTON C.B. ...	–	5	4	–	1	–
†EASTBOURNE C.B.	–	–	–	–	2	–
†HASTINGS C.B. ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
PORTSLADE BY SEA	–	2	–	–	–	–
RYE	–	1	–	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	2	–	–	–	–
UCKFIELD ...	–	1	–	–	–	–
SUSSEX, WEST ...	–	7	–	–	1	M. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	1	–	–	–	–
†HORSHAM ...	–	5	–	–	–	–
†LITTLEHAMPTON	–	–	–	–	1	–
SUSSEX, WEST—*cont.*						
Rural Districts:—						
STEYNING WEST	–	1	–	–	–	–
WESTBOURNE ...	–	–	–	–	–	M. 1
WARWICK	–	97	40	–	49	C. 8 G. 1 M. 11
†BIRMINGHAM C.B.	–	56	33	–	44	C. 8 M. 11
†COVENTRY C.B. ...	–	7	–	–	1	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	1	–	–	1	–
†ROYAL LEAMINGTON SPA	–	–	1	–	–	–
†RUGBY	–	4	–	–	–	–
STRATFORD ON AVON	–	1	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	–	2	–	–	–
ATHERSTONE ...	–	3	1	–	–	–
COVENTRY ...	–	1	–	–	–	–
FOLESHILL ...	–	8	–	–	–	–
MERIDEN ...	–	2	1	–	1	–
NUNEATON ...	–	–	–	–	–	G. 1
RUGBY	–	2	–	–	–	–
SOLIHULL ...	–	6	–	–	1	–
SOUTHAM ...	–	–	1	–	–	–
TAMWORTH (part)	–	6	1	–	–	–
WARWICK ...	–	–	–	–	1	–
WESTMORLAND ...	–	1	–	–	1	–
Rural District:—						
SOUTH WESTMORLAND	–	1	–	–	1	–
WIGHT, ISLE OF ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
†NEWPORT ...	–	1	–	–	–	–
†RYDE	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	9	8	–	7	M. 4
Boroughs and Urban Districts:—						
†SWINDON ..	–	4	–	–	5	M. 2
Rural Districts:—						
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
PEWSEY	–	–	–	–	–	M. 1
RAMSBURY ...	–	–	8	–	1	–
SALISBURY ...	–	–	–	–	1	–
TISBURY	–	4	–	–	–	–
WILTON	–	–	–	–	–	M. 1
WORCESTER ...	–	18	8	2	5	M. 1
†WORCESTER C.B.	–	4	2	–	1	–
Boroughs and Urban Districts:—						
†KIDDERMINSTER	–	3	–	–	1	–
†LYE AND WOLLESCOTE	–	1	–	–	3	–
†MALVERN ...	–	1	–	1	–	–
†OLDBURY ...	–	2	5	–	–	–
†REDDITCH ...	–	3	–	–	–	–
†STOURBRIDGE ...	–	1	–	–	–	–
STOURPORT ...	–	1	–	–	–	–
Rural Districts:—						
DROITWICH ...	–	–	–	1	–	–
EVESHAM	–	–	1	–	–	–
HALESOWEN ...	–	1	–	–	–	M. 1
PERSHORE ...	–	1	–	–	–	–
YORKS ... ... (**East Riding**).	–	8	22	–	5	–
†KINGSTON UPON HULL C.B.	–	5	17	–	3	–
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	2	–
COTTINGHAM ...	–	2	–	–	–	–
HESSLE	–	–	1	–	–	–
HORNSEA ...	–	–	1	–	–	–
Rural Districts:—						
BEVERLEY ...	*	*	*	*	*	*
DRIFFIELD ...	–	–	1	–	–	–
HOWDEN	–	1	–	–	–	–
PATRINGTON ...	*	*	*	*	*	*
SCULCOATES ...	–	–	1	–	–	–
SHERBURN ...	–	–	1	–	–	–
YORKS ... ... (**North Riding**).	2	39	6	–	9	C. 1 G. 1
†MIDDLESBROUGH C.B.	2	19	3	–	6	C. 1 G. 1
Boroughs and Urban Districts:—						
†ESTON	–	13	–	–	–	–
GUISBOROUGH ..	–	–	–	–	1	–
LOFTUS	–	1	–	–	–	–
†REDCAR	–	–	1	–	1	–
SALTBURN BY THE SEA	–	1	–	–	–	–
†SKELTON AND BROTTON	–	1	–	–	–	–
Rural Districts:—						
AYSGARTH ...	–	1	–	–	–	–
CROFT	–	1	–	–	–	–
FLAXTON	–	1	1	–	–	–
GUISBOROUGH ...	–	1	–	–	–	–
HELMSLEY ...	*	*	*	*	*	*
KIRKBY MOORSIDE	–	–	1	–	–	–
STOKESLEY ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	2	272	82	4	120	D. 1 G. 1 J. 1 L. 1 M. 10
†Barnsley C.B. ...	–	–	1	–	1	M. 1
†Bradford C.B. ...	–	26	8	2	6	L. 1
†Dewsbury C.B....	–	6	1	–	1	–
†Halifax C.B. ...	–	5	1	–	–	–
†Huddersfield C.B.	–	3	2	1	3	–
†Leeds C.B. ...	–	72	14	–	12	M. 3
†Rotherham C.B.	–	6	4	–	4	–
†Sheffield C.B....	–	33	18	–	66	D. 1 J. 1 M. 4
†Wakefield C.B.	–	9	2		–	–
Boroughs and Urban Districts:—						
†Adwick le Street	–	–	1	–	1	–
Altofts	–	1	–	–	3	–
Ardsley, East and West	–	1	–	–	–	–
†Batley	–	2	–	–	–	–
†Bentley with Arksey	1	2	–	–	–	–
†Bingley	–	1	–	–	1	–
†Bolton upon Dearne	–	6	1	–	1	–
†Brighouse ...	–	1	–	–	1	–
†Castleford ...	–	3	–	–	–	–
†Conisbrough ...	–	2	–	–	–	–
Cudworth ...	–	1	–	–	–	–
Darfield ...	–	1	–	–	2	–
†Darton	–	2	1	–	–	–
†Doncaster ...	1	2	–	–	1	–
Drighlington ...	–	1	–	–	–	–
Earby	–	–	1	–	–	–
†Elland	–	–	1	–	–	–
†Golcar	–	–	1	–	–	–
†Goole	–	1	4	–	–	–
Hebden Bridge	–	4	1	–	–	–
Heckmondwike	–	1	–	–	–	–
Hipperholme ...	–	2	–	–	–	–
Horsforth ...	–	5	–	–	–	–
Lepton	–	–	–	–	1	–
Methley ...	–	1	–	–	–	–
†Mexborough ...	–	4	1	–	–	–
Midgley... ...	–	–	1	–	–	–
†Morley	–	4	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) *—cont.*						
Boroughs and Urban Districts— *cont.*						
New Mill ...	–	–	1	–	–	–
†Normanton ...	–	–	1	–	–	–
Oakworth ...	–	1	–	–	–	–
†Ossett	–	2	–	–	–	M. 2
Otley	–	–	–	–	1	–
†Pontefract ...	–	1	1	–	–	–
†Pudsey	–	2	–	–	–	–
Rawdon	–	3	–	–	–	–
†Rawmarsh ...	–	2	–	–	–	–
†Rothwell ...	–	2	–	–	–	–
†Saddleworth ...	–	1	–	–	–	–
†Shipley	–	1	–	–	–	–
Skelmanthorpe	–	–	1	–	–	–
†Skipton	–	1	–	–	1	–
†Sowerby Bridge	–	1	–	–	–	–
†Spenborough ...	–	4	–	–	1	–
Stainland with Old Lindley	–	–	–	–	1	–
†Stanley	–	2	–	–	1	–
Stocksbridge ...	–	–	–	–	2	–
†Swinton	–	–	1	–	–	–
Thurlstone ...	–	–	–	–	1	–
Thurnscoe ...	–	1	–	–	–	–
†Todmorden ...	–	4	–	–	1	G. 1
†Wath upon Dearne	–	1	–	–	–	–
†Wombwell ...	–	1	–	–	1	–
†Worsborough ...	–	2	–	–	1	–
Yeadon	–	1	–	–	–	
Rural Districts:—						
Doncaster ...	–	2	2	–	1	–
Hemsworth ...	–	8	3	–	3	–
Hunslet	–	1	–	–	–	–
Keighley ...	–	2	–	–	–	–
Pateley Bridge	–	–	3	1	–	–
Pontefract ..	–	3	–	–	–	–
Rotherham ...	–	6	1	–	1	–
Selby	–	2	–	–	–	–
Skipton	–	3	–	–	–	–
Tadcaster ...	–	1	–	–	–	–
Thorne	–	–	1	–	–	–
Wakefield ...		1	2	–	–	–
Wortley... ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
County Borough :—						
§†YORK C.B. ...	–	14	–	–	–	–
WALES.						
ANGLESEY	–	3	3	–	–	–
Boroughs and Urban Districts :—						
†HOLYHEAD ...	–	3	–	–	–	–
Rural Districts :—						
AETHWY	–	–	3	–	–	–
BRECKNOCK ...	–	–	1	–	–	–
Rural Districts :—						
BRECKNOCK (DEVYNOCK)	–	–	1	–	–	–
CARDIGAN	–	7	–	–	1	–
Boroughs and Urban Districts :—						
†ABERYSTWYTH ...	–	–	–	–	1	–
CARDIGAN ...	–	1	–	–	–	–
LAMPETER ...	*	*	*	*	*	*
Rural Districts :—						
ABERYSTWYTH (South)	–	1	–	–	–	–
TREGARON ...	–	5	–	–	–	–
CARMARTHEN ...	–	8	10	–	6	C. 1 E. 1
Boroughs and Urban Districts :—						
CWMAMMAN ...	–	–	1	–	–	–
LLANDOVERY ...	–	–	1	–	–	–
†LLANELLY ...	–	2	2	–	4	C. 1 E. 1
Rural Districts :—						
CARMARTHEN ...	–	2	1	–	–	–
LLANDILO FAWR	–	3	1	–	–	–
LLANELLY ...	–	1	4	–	1	–
LLANYBYTHER ...	–	–	–	–	1	–
WHITLAND ...	*	*	*	*	*	*
CARNARVON ...	–	1	1	–	1	–
Boroughs and Urban Districts :—						
†BANGOR	–	1	–	–	–	–
Rural Districts :—						
GWYRFAI... ...	–	–	1	–	–	–
LLEYN	–	–	–	–	1	–
DENBIGH	–	7	2	–	3	–
Boroughs and Urban Districts :—						
†COLWYN BAY AND COLWYN	–	1	–	–	–	–
†WREXHAM ...	–	1	1	–	–	–
Rural Districts :—						
RUTHIN	–	–	–	–	2	–
ST. ASAPH (DENBIGH)	–	1	–	–	–	–
WREXHAM ...	–	4	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

§ York C.B. is a County of itself, outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	4	–	–	2	–
Boroughs and Urban Districts:—						
HOLYWELL ...	–	1	–	–	–	–
†RHYL	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ..	–	1	–	–	2	–
ST. ASAPH (FLINT)	–	1	–	–	–	–
GLAMORGAN ...	–	107	45	–	35	C. 2 M. 3
†CARDIFF C.B. ...	–	10	12	–	4	M. 2
†MERTHYR TYDFIL C.B.	–	–	1	–	–	C. 1
SWANSEA C.B. ...	–	1	9	–	1	C. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	8	3	–	6	–
†BARRY	–	2	–	–	9	–
†CAERPHILLY ...	–	1	1	–	–	–
†GELLIGAER ...	–	2	2	–	–	–
†GLYNCORWG ...	–	–	2	–	1	–
†MAESTEG... ...	–	–	1	–	–	M. 1
†MOUNTAIN ASH ...	–	14	–	–	2	–
†NEATH	–	–	1	–	–	–
†OGMORE AND GARW	–	20	1	–	–	–
†PONTYPRIDD ...	–	2	1	–	–	–
PORTHCAWL ...	–	–	4	–	–	–
†PORT TALBOT ...	–	2	2	–	–	
†RHONDDA ...	–	27	3	–	10	–
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
COWBRIDGE ...	–	3	–	–	–	–
GOWER	–	–	1	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	6	1	–	–	–
NEATH	–	6	–	–	2	–
SWANSEA... ...	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MERIONETH ...	–	7	–	–	5	–
Urban Districts:—						
BALA	–	–	–	–	1	–
FESTINIOG ...	–	3	–	–	–	–
TOWYN	–	–	–	–	1	–
Rural Districts:—						
EDEIRNION ...	–	3	–	–	–	–
PENLLYN	–	1	–	–	3	–
MONMOUTH ...	–	15	10	–	4	M. 2
†NEWPORT C.B. ...	–	4	1	–	1	M. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	–	1	1	–	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	1	1	–	2	–
BEDWAS AND MACHEN	–	–	–	–	–	M. 1
†BEDWELLTY ...	–	2	2	–	–	–
CHEPSTOW ...	–	1	2	–	–	–
†EBBW VALE ...	–	–	1	–	–	–
†NANTYGLO AND BLAINA	–	1	–	–	1	–
†RISCA	–	1	1	–	–	–
†TREDEGAR ...	–	3	1	–	–	–
MONTGOMERY ...	–	7	4	–	2	–
Boroughs and Urban Districts:—						
WELSHPOOL ...	–	3	–	–	–	–
Rural Districts:—						
FORDEN... ...	–	2	–	–	–	–
LLANFYLLIN ...	–	2	–	–	2	–
NEWTOWN AND LLANIDLOES	–	–	4	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
PEMBROKE	–	2	–	–	–	–
Boroughs and Urban Districts:—						
NEYLAND... ...	*	*	*	*	*	*
†PEMBROKE ...	–	1	–	–	–	–
TENBY	–	1	–	–	–	–
RADNOR	–	–	4	–	–	–
Urban District:—						
PRESTEIGNE ...		–	4	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Total of Part II. ...	12	1984	789	36	863	C. 41 D. 6 E. 2 F. 1 G. 7 J. 1 L. 9 M. 108

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
FALMOUTH AND TRURO	–	–	–	–	1	–

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LIVERPOOL	–	–	1	–	–	–
Total of Part III.—	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	285	273	7	104	C. 5 D. 1 E. 1 G. 6 M. 16
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	12	1984	789	36	863	C. 41 D. 6 E. 2 F. 1 G. 7 J. 1 L. 9 M. 108
Total of Part III.—Port Sanitary Districts	–	–	1	–	1	–
Total (*i.e.*, of returns received), England and Wales ...	12	2269	1063	43	968	C. 46 D. 7 E. 3 F. 1 G. 13 J. 1 L. 9 M. 124

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-cephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ver; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. elve cases of Small-pox were notified, which appear on pages 10, 16, 18, 20, and 21.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Oct. 14.	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.
LONDON:—													
DEATHS—all ages	842	863	946	1,025	1,083	1,155	1,240	1,129	1,130	1,148	1,068	1,035	1,119
„ 0 to 1 year ..	90	88	114	117	103	123	131	149	139	153	127	123	119
GREAT TOWNS, aggregate (including London):—													
BIRTHS	7,433	7,096	7,390	6,784	7,141	7,086	7,281	7,058	7,107	7,339	6,910	6,277	8,274
DEATHS—all ages	3,604	3,749	3,961	4,205	4,605	4,710	4,599	4,596	4,464	4,726	4,590	4,558	4,911
„ 0 to 1 year ..	436	504	490	456	541	585	602	604	592	680	687	635	652
ENTERIC FEVER—Cases	17	14	29	27	22	13	24	25	24	15	15	14	16
„ Deaths	1	3	3	2	3	1	1	4	1	6	3	4	5
SMALL POX—Cases ..	7	2	4	37	11	6	14	13	13	2		11	3
„ Deaths ..	1	—	—	1	12	3	1	—	—	—	—	—	—
SCARLET FEVER—Cases	1,228	1,420	1,374	1,317	1,486	1,426	1,358	1,374	1,444	1,377	1,204	1,161	1,291
„ Deaths	9	13	15	15	12	13	18	8	18	20	22	19	14
DIPHTHERIA—Cases ..	685	720	764	632	631	653	662	759	783	671	661	2	711
„ Deaths ..	44	51	49	61	45	40	35	35	42	59	54	45	58
MEASLES—Deaths ..	27	49	62	62	69	95	88	85	75	76	74	75	72
INFLUENZA—Deaths ..	31	43	41	48	71	64	71	60	52	68	61	51	57

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 6th January, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	52	28	46·4	35·4	21
BRIGHTON ..	50	31	45·7	37·4	34
PORTSMOUTH ..	51	32	47·7	37·7	31
NORWICH (EATON).	51	29	44·4	34·4	23
PLYMOUTH ..	52	32	48·9	38·7	43
BRISTOL (CLIFTON).	53	31	47·7	36·0	31
BIRMINGHAM ..	50	34	44·1	36·9	32
NOTTINGHAM ..	54	31	45·1	35·4	20
BIRKENHEAD (BIDSTON).	–	37	–	39·3	16
MANCHESTER ..	53	29	45·0	37·1	24
BURNLEY.. ..	51	26	45·4	33·0	39
HUDDERSFIELD	52	29	44·7	35·9	18
BRADFORD ..	52	30	45·7	34·9	23
SHEFFIELD ..	52	35	45·1	37·4	18
YORK (MUSEUM)	52	29	44·4	34·1	18
HULL (PEARSON PARK).	50	30	44·9	34·7	19
TYNEMOUTH ..	51	34	43·1	36·4	14
CARDIFF	52	33	47·1	36·6	35
EDINBURGH ..	52·0	33·0	43·4	35·4	17
GLASGOW ..	50·8	31·0	46·4	35·5	33
DUBLIN (PHŒNIX PARK).	53·6	25·7	47·0	33·6	22
FITZWILLIAM SQUARE.†	54·1	29·8	46·2	36·4	21
BELFAST	Not received.				

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 6th January, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1922. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
DECEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY 1923. JANUARY.	31	..	28·995	42·9	38·0	4·9	39·9	+ 1·2	37·8	2·1	3·5	0·0	92	41·0	33·7	44·1	Calm & NW.	NW	1·1	0·0	0·1	230	− 101	0·52
MONDAY -	1	..	29·745	42·8	32·4	10·4	37·3	− 1·3	34·2	3·1	6·3	1·3	88	46·3	29·0	44·0	NW & SW.	SW & SSW.	0·9	0·0	0·0	206	− 119	0·00
TUESDAY -	2	Greatest Declination N.	29·580	51·8	42·8	9·0	48·3	+ 9·9	45·4	2·9	4·7	0·8	90	54·5	38·9	44·1	SSW & SW.	SW	5·9	0·0	0·5	465	+ 143	0·17
WEDNESDAY	3	Full	29·517	49·9	39·1	10·8	44·4	+ 6·1	38·8	5·6	9·9	0·0	81	62·0	30·5	44·1	SW	WSW	3·0	0·0	0·3	400	+ 80	0·00
THURSDAY -	4	..	29·897	43·8	30·4	13·4	38·5	+ 0·2	35·0	3·5	7·5	1·0	88	47·4	27·6	43·9	WSW & W.	NNW : SW & Calm.	0·4	0·0	0·0	168	152	0·00
FRIDAY -	5	..	29·592	45·0	28·2	16·8	39·7	+ 1·5	36·5	3·2	7·4	0·0	89	55·0	27·0	43·9	Calm & S.	S & WNW.	3·0	0·0	0·3	353	+ 31	0·15
SATURDAY -	6	..	29·884	42·3	33·7	8·6	37·5	− 0·7	33·0	4·5	7·7	1·5	84	42·0	27·0	43·8	NW, WNW & W.	WNW : WSW & SW.	3·0	0·0	0·2	317	− 6	0·00
MEANS -		..	29·601	45·5	34·9	10·6	40·8	+ 2·4	37·2	3·6	6·7	0·7	87	49·7	30·5	44·0	SW		..	..	..	Sum 2,139	Sum − 124	Sum 0·84
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. DECEMBER 1922.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	31	No register	0·0	7·8	Overcast except for a few breaks after 20h., rain generally till 16h. 30m.
JANUARY 1923.					
MONDAY ..	1	w.P. generally	3·6	7·8	Nearly overcast till 2h., partially cloudy till 5h., nearly overcast till 7h., becoming cloudless generally by 8h. Thin cloud prevalent from 18h., becoming overcast by 22h. Hoar frost in morning. Misty from 7h. till evening. Lunar halo about 21h.
TUESDAY ..	2	w.P. generally	0·0	7·9	Overcast till 22h., then clearing to nearly cloudless. Rain till 2h., and slight rain or damping generally 6h. to 17h. 30m. Rain till 20h., squall at 18h. 15m. Brisk wind noon till 19h.
WEDNESDAY	3	m.P. generally	3·5	7·9	Nearly cloudless generally till noon, very cloudy or overcast till 15h., with slight rain, becoming nearly cloudless by 16h., partially cloudy from 21h.
THURSDAY	4	v.P. throughout	0·4	7·9	Nearly cloudless generally till 7h., overcast generally by 7h. 30m. Nearly cloudless by 11h. 30m., but misty and hazy with slight fog and hoar frost. Dew in morning. Lunar halo at 2h.
FRIDAY ..	5	Register imperfect	0·0	7·9	Nearly cloudless till 8h. with haze and hoar frost, fog till 3h., then misty. Overcast from 8h. 30m. Rain or damping from 15h. to 23h., rain heavier between 17h. 30m. and 22h.
SATURDAY	6	v.P. generally	2·0	8·0	Overcast till 4h., then cloudless generally with hoar frost, mist and haze throughout the day. Hoar frost again at night.
			Sum 9·5	Sum 55·2	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 28·74 in. at the beginning of the week to 29·84 in. by 19h. on January 1; decreased to 29·47 in. by midnight on January 2; increased to 29·98 in. by 23h. on January 4; decreased to 29·38 in. by 20h. on January 5; increased to 30·01 in. by 22h. on January 6; and was 29·99 in. at midnight on the same day.

Printed and published by His Majesty's Stationery Office Press.
11 17, Hare Street, E 2

(39971) Wt. 15—P 11 2,250 1/23 H. St G.

FOR OFFICIAL USE.

1923. No. 2.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 13TH JANUARY, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 23 Forth Street, Edinburgh.
1923

Price 1s. Net,

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 13TH JANUARY, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the second week of the year numbered 8,409, and corresponded to an annual rate of 23·0 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,843 and corresponded to an annual rate of 13·3 per 1,000 of their aggregate civilian population, which is estimated at 19,052,710 in the year 1921. In the preceding three weeks the rates had been 12·6, 12·5, and 13·4. Infant mortality was 83 per 1,000 births against 99, 101, and 79 in the preceding three weeks.

In London (Administrative County including the City of London) there were 2,041 births, corresponding to a rate of 23·5 per 1,000, and 1,124 deaths of civilians, corresponding to a rate of 13·0, as against 12·3, 12·0, and 12·9 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 12·6 per 1,000. The infant mortality was 65 as against 76, 81, and 57 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 67 in the total deaths last week. In London the number of deaths from all causes rose from 1,119 to 1,124; while the deaths from diphtheria, which had been 21, 16, and 23 in the preceding three weeks, fell to 16 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 13th January, 1923.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.
105 Great Towns ..	19,052,710*	8,409	4,843	698	2	62	27	24	45	90	69
London	4,514,405*	2,041	1,124	132	1	1	6	5	16	21	13
Towns in Outer Ring.											
Croydon C.B. ..	191,500	73	42	2	–	–	–	–	1	–	1
Wimbledon ..	61,700	19	8	–	–	–	–	–	–	–	–
Ealing	67,800	23	12	–	–	–	–	–	–	–	–
Acton	62,000	21	10	–	–	–	–	–	–	–	–
Willesden ..	167,200	71	25	1	–	–	–	–	–	–	1
Hendon	55,500	14	12	–	–	–	–	1	1	–	1
Hornsey	87,600	22	26	3	–	–	–	–	–	–	2
Wood Green ..	51,100	13	5	–	–	–	–	–	–	–	–
Tottenham ..	149,200	63	31	6	–	–	–	3	–	–	–
Edmonton ..	67,800	38	10	1	–	–	–	–	–	–	–
Enfield	61,400	20	13	3	–	–	–	–	–	–	–
West Ham C.B. ..	307,000	167	80	11	–	–	–	–	2	2	2
East Ham C.B. ..	145,500	61	31	5	–	–	–	–	–	1	1
Leyton	130,100	44	28	3	–	–	–	–	–	–	–
Walthamstow ..	129,800	44	23	3	–	–	–	–	1	–	–
Ilford	85,500	40	15	–	–	–	–	–	–	–	1
Gillingham	48,149*	36	15	3	–	–	–	–	–	1	–
Canterbury C.B. ..	23,680	16	2	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	28	19	–	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,600	12	11	1	–	–	–	–	–	–	1
Brighton C.B. ..	134,800	43	35	7	–	1	–	–	–	1	–
Portsmouth C.B. ..	233,929*	108	70	5	1	–	–	–	1	–	3
Bournemouth C.B. ..	81,200	21	18	1	–	–	–	–	–	–	–
Southampton C.B. ..	162,200	55	27	5	–	–	–	–	–	–	–
Reading C.B.	92,600	41	33	4	–	–	–	–	–	–	–
Oxford C.B.	56,400	20	13	–	–	–	–	–	–	–	1
Northampton C.B. ..	92,300	30	20	1	–	–	–	–	–	–	–
Luton	57,800	17	11	1	–	–	–	–	–	–	–
Cambridge	58,900	23	18	–	–	–	–	–	2	–	–
Southend-on-Sea C.B.	90,500	23	19	1	–	–	–	–	–	–	–
Ipswich C.B.	80,100	31	16	–	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	13	8	–	–	1	–	–	–	–	–
Norwich C.B. ..	122,400	44	34	5	–	–	1	–	–	1	–
Swindon	55,500	18	8	–	–	–	–	–	–	–	–
Exeter C.B.	59,500	16	14	4	–	1	–	–	–	1	–
Plymouth C.B. ..	199,869*	86	57	3	–	–	–	–	–	–	–
Bath C.B.	68,300	18	22	–	–	–	–	–	–	–	–
Bristol C.B.	381,700	152	105	12	–	–	–	1	–	1	2
Gloucester C.B. ..	51,800	20	6	–	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	273,238	151	84	23	–	7	–	–	–	4	–
Burton-upon-Trent C.B.	49,410	23	11	–	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	46	24	2	–	–	–	–	–	–	–
Walsall C.B.	98,800	44	26	5	–	–	–	2	–	–	–
West Bromwich C.B.	75,300	27	15	2	–	–	1	–	–	–	1
Worcester C.B. ..	49,160	21	17	4	–	–	–	–	–	3	–
Dudley C.B.	57,100	38	8	2	–	–	–	–	–	1	–
Birmingham C.B. ..	936,000	379	209	36	–	2	1	–	3	8	5
Smethwick C.B. ..	77,400	46	14	2	–	–	1	–	–	–	–
Coventry C.B. ..	130,300	52	28	4	–	–	–	–	–	1	–
Leicester C.B. ..	237,900	92	49	10	–	–	–	–	–	4	–
Lincoln C.B.	66,600	24	19	–	–	–	–	–	–	–	1
Grimsby C.B.	83,600	47	20	7	–	–	1	–	–	1	–
Nottingham C.B. ..	266,400	135	92	16	–	7	–	–	–	2	1
Derby C.B.	131,800	69	46	9	–	–	–	–	–	1	1
Chesterfield ..	62,400	30	23	3	–	–	–	–	–	–	1
Stockport C.B. ..	125,500	30	34	2	–	–	–	–	–	1	–
Chester C.B.	41,030	19	10	1	–	–	–	–	–	–	–
Birkenhead C.B. ..	147,800	67	31	5	–	–	–	–	–	1	–
Wallasey C.B. ..	89,600	28	18	–	–	–	–	–	–	–	2
Liverpool C.B. ..	817,000	443	239	55	–	3	1	–	5	11	–
Bootle C.B.	77,800	35	12	4	–	–	–	–	–	–	1
St. Helens C.B. ..	104,900	53	20	3	–	–	–	–	–	–	2

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION, Mid. 1921.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	71,900	29	19	–	–	–	–	–	–	–	–
WIGAN C.B.	91,200	52	24	4	–	–	–	–	–	1	–
WARRINGTON C.B. ..	78,600	23	23	3	–	4	–	–	–	–	–
BOLTON C.B.	182,200	74	33	7	–	–	–	–	–	–	–
BURY C.B.	57,600	25	20	3	–	–	1	–	–	–	1
MANCHESTER C.B. ..	744,000	372	212	45	–	–	1	1	3	6	7
SALFORD C.B.	239,100	111	73	17	–	–	2	–	2	–	1
OLDHAM C.B.	148,300	56	41	5	–	2	–	–	–	–	1
ROCHDALE C.B... ..	92,700	37	31	–	–	–	1	–	–	1	–
BURNLEY C.B.	105,300	42	30	2	–	1	1	–	1	–	2
BLACKBURN C.B. ..	129,682	51	37	3	–	–	–	–	–	–	2
PRESTON C.B.	119,900	51	40	7	–	1	1	1	–	2	–
BLACKPOOL C.B. ..	73,800	26	29	2	–	–	–	–	–	–	1
BARROW-IN-FURNESS C.B.	75,200	35	20	6	–	–	–	–	–	–	–
HUDDERSFIELD C.B. ..	111,900	41	27	2	–	–	–	–	–	–	–
HALIFAX C.B.	100,700	29	27	2	–	–	–	–	–	–	–
BRADFORD C.B. ..	291,100	93	87	11	–	–	1	–	–	2	–
LEEDS C.B.	465,500	177	129	19	–	9	4	1	–	–	–
DEWSBURY C.B. ..	55,100	17	13	4	–	2	–	1	–	–	1
WAKEFIELD C.B. ..	53,763	16	19	2	–	–	–	–	–	–	–
BARNSLEY C.B. ..	68,991	40	18	6	–	–	–	–	–	2	1
SHEFFIELD C.B. ..	519,239	238	109	16	–	–	–	–	2	1	2
ROTHERHAM C.B. ..	69,100	31	11	1	–	–	–	–	–	2	–
DONCASTER	54,700	31	13	–	–	2	–	–	–	–	–
YORK C.B.	84,500	46	21	1	–	–	–	–	–	–	1
HULL C.B.	291,800	133	77	14	–	1	–	–	2	1	1
MIDDLESBROUGH C.B.	133,400	80	44	8	–	–	–	–	–	–	–
DARLINGTON C.B. ..	66,400	25	21	3	–	1	–	–	–	–	–
STOCKTON-ON-TEES ..	65,000	48	17	2	–	–	–	–	–	–	–
WEST HARTLEPOOL C.B.	69,300	31	26	7	–	1	–	–	–	–	–
SUNDERLAND C.B. ..	161,100	77	71	15	–	12	1	1	–	1	–
SOUTH SHIELDS C.B. ..	120,376	72	47	11	–	–	–	1	1	1	–
GATESHEAD C.B. ..	126,700	86	30	2	–	–	–	–	–	–	–
NEWCASTLE-ON-TYNE C.B.	278,400	142	61	8	–	–	–	3	1	–	–
TYNEMOUTH C.B. ..	63,900	30	18	3	–	–	–	–	1	–	–
CARLISLE C.B.	53,200	21	20	3	–	–	–	–	–	–	–
NEWPORT (MON.) C.B.	93,700	49	28	8	–	1	–	1	–	–	–
CARDIFF C.B.	222,089	114	47	9	–	1	1	1	–	1	1
RHONDDA	166,600	75	41	6	–	1	1	–	–	1	1
MERTHYR TYDFIL C.B.	81,800	37	17	4	–	–	–	1	–	1	–
ABERDARE	56,100	16	10	1	–	–	–	–	–	–	1
SWANSEA C.B.	159,600	86	37	8	–	–	–	–	–	–	1
GREATER LONDON ..	7,523,963*	3,224	1,745	199	2	1	6	9	27	24	34
OUTER RING	3,009,558*	1,183	621	67	1	–	–	4	11	3	21
16 GREAT TOWNS IN OUTER RING	1,820,700	733	371	38	–	–	–	4	5	3	9
REMAINDER OF OUTER RING	1,188,858*	450	250	29	1	–	–	–	6	–	12
EDINBURGH†	426,000	181	139	27	–	1	1	3	1	2	1
GLASGOW†	1,041,300	570	299	54	–	2	1	8	5	1	2
DUBLIN (REGISTRATION AREA)†	431,000	257	128	23	–	–	1	–	1	2	–
BELFAST†	429,000	212	109	20	–	–	–	2	1	–	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available peri

Cities *	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
London‡	4.514,405	1922-23. Jan. 13	2041	1124	13·0	1	–	1	6	5	16	21
Calcutta	896,067	Dec. 2	?	507§	29·0	?	5	?	?	?	?	?
Bombay	1,200,473	„ 9	524‖	740§	32·0	1	1	–	?	–	–	54
Madras	526,911	„ 2	465	437	43·1	–	3	1	?	1	–	29
Sydney and Suburbs	926,400											
Brisbane (Metropolitan Area).	217,714											
Perth (Metropolitan Area).	155,939	Nov. 18	82	37	12·3	–	–	–	–	–	–	2
Auckland (Urban Area).	164,450	Oct. (31 days)	271	148	10·8	–	–	–	–	–	–	–
Wellington (Urban Area).	110.680	„ „	185	80	8·6	–	–	–	–	–	–	–
Christchurch (Urban Area).	110,200	„ „	206	68	7·3	–	–	–	1	–	–	–
Cape Town	104,400	Nov. 25	43	22	11·0	–	–	–	–	–	–	1
Johannesburg	153,825	Dec. 2	49	35	11·8	–	–	–	–	–	–	–
Durban	49,043	„ 2	26	34	36·0	–	–	–	–	–	–	8
Paris	2,906,472											
Antwerp	302,150											
Amsterdam	695,347	Dec. 23	302	122	9·2	3	–	–	–	–	1	–
Copenhagen	562,600	„ 30	221	139	12·9	–	–	–	–	6	2	–
Stockholm	422,042	„ 30	107	92	11·3	–	–	–	–	1	–	–
Gothenburg	228,052	„ 9	?	47	10·7	–	–	–	–	–	1	1
Christiania	258,933	„ 30	74	70	14·1	–	–	–	–	–	–	1
Berlin	1,974,000	„ 2	362	548	14·4	1	?	2	–	2	1	8
Breslau	557,000	„ 2	193	151	14·1	–	?	1	–	–	1	–
Cologne	692,000	„ 2	257	179	13·5	–	?	10	–	6	–	4
Dresden	608,000	„ 2	180	168	14·4	–	?	3	–	1	1	–
Frankfort-on-Main..	476,000	„ 2	108	100	10·9	–	?	–	1	–	1	–
Hamburg	1,071,000	„ 2	256	271	13·2	–	?	–	–	1	1	3
Leipzig	676,000	„ 2	176	184	14·2	–	?	–	–	–	1	4
Munich	682,000	„ 2	198	149	11·4	–	?	–	–	–	1	3
Vienna	1,842,005											
Prague and Suburbs	689,262	Nov. 25	255	178	13·1	–	?	–	2	1	1	6
Budapest	940,000	Oct. 21	288	286	15·8	9	?	2	3	–	3	14
Warsaw	956,087	Nov. 25	362	261	14·2	5	–	13	9	–	1	14
Cairo	777,500	Oct. 28	703	360	24·1	7	–	–	–	?	4	52
Alexandria	456,300	„ 28	406	214§	24·4	2	–	–	–	?	1	29
New York	5,839,738	Dec. 9	2432	1259	11·2	3	–	3	1	1	13	17
Chicago	2,833,288	„ 16	?	597	11·0	3	–	2	1	4	15	20
Rio de Janeiro ..	1,256,370	Nov. 18	640	421	17·5	4	3	15	–	4	2	?
Montevideo	349,293	Sept. 16	210	131	18·4	1	–	–	–	–	–	1

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vien Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children un* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 18 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 4 in Bombay, and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 13th January, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1124	132	30	29	28	44	61	70	119	181	222	208
Enteric fever	1	–	–	–	–	1	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	–	–	–	–	–	–
Scarlet fever	6	–	1	2	3	–	–	–	–	–	–	–
Whooping cough	5	–	3	2	–	–	–	–	–	–	–	–
Diphtheria	16	1	4	8	2	1	–	–	–	–	–	–
Influenza	13	1	–	–	1	–	2	–	3	2	1	3
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	2	–	–	–	–	–	1	–	1	–	–	–
Meningococcal meningitis	2	–	–	–	1	–	–	–	1	–	–	–
Tuberculosis :—												
Respiratory system	84	1	–	–	5	12	17	14	16	12	5	2
Nervous system..	8	1	2	3	–	–	2	–	–	–	–	–
Intestines and peritoneum	1	–	–	1	–	–	–	–	–	–	–	–
Other forms	9	–	–	–	1	2	1	1	1	3	–	–
Venereal diseases	5	3	–	–	–	–	–	1	–	1	–	–
Cancer	126	–	–	–	1	–	7	8	21	42	26	21
Rheumatic fever	6	–	–	–	2	3	–	1	–	–	–	–
Diabetes	11	–	–	–	–	–	2	2	4	2	–	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	7	3	1	1	–	–	–	–	2	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	66	–	–	–	–	–	–	1	4	12	26	23
Epilepsy	4	–	–	–	–	–	1	–	2	–	1	–
"Convulsions" (not puerperal) ..	3	3	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	28	1	–	2	1	2	5	3	5	3	4	2
Pericarditis	1	–	–	–	1	–	–	–	–	–	–	–
Acute endocarditis	5	–	–	–	–	2	–	2	–	1	–	–
Other diseases of heart	154	–	–	–	–	3	7	6	15	26	51	46
Other diseases of circulatory system	47	–	–	–	–	–	–	2	–	9	15	21
Bronchitis	109	7	1	–	–	2	2	4	8	18	35	32
Broncho-pneumonia	50	18	7	5	–	–	1	3	–	4	4	8
Lobar pneumonia	34	–	2	–	–	3	2	1	10	7	7	2
Pneumonia (type not distinguished) ..	22	2	2	1	1	1	–	4	3	4	3	1
Other diseases of respiratory system	14	2	1	–	–	2	–	1	1	4	2	1
Diarrhœa and enteritis	23	18	3	–	–	–	–	–	–	1	1	–
Appendicitis, Typhlitis	7	–	–	1	2	2	–	–	1	1	–	–
Hernia, Intestinal obstruction	12	–	–	–	–	–	–	1	2	5	3	1
Cirrhosis of liver	3	–	–	–	–	–	–	–	1	2	–	–
Other diseases of digestive system ..	23	3	–	–	–	1	2	1	2	6	5	3
Acute nephritis	4	–	–	–	–	2	–	–	–	1	1	–
Chronic Bright's disease	32	–	–	–	–	1	2	2	5	6	9	7
Other diseases of genito-urinary system.	13	1	1	–	–	–	1	3	3	1	2	1
Puerperal sepsis	4	–	–	–	–	1	2	1	–	–	–	–
Other causes incident to childbirth ..	–	–	–	–	–	–	–	–	–	–	–	–
Congenital malformations	8	7	–	–	–	1	–	–	–	–	–	–
Premature birth	34	34	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	10	10	–	–	–	–	–	–	–	–	–	–
Old age..	41	–	–	–	–	–	–	–	–	–	10	31
Suicide	12	–	–	–	–	1	2	3	1	3	2	–
Burns and scalds	3	–	–	2	–	–	–	–	1	–	–	–
Drowning	1	–	–	–	–	–	–	–	1	–	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	8	–	–	–	3	–	–	1	2		2	–
Other deaths by violence	11	–	–	–	–	–	1	2	1	3	2	2
Other specified causes	34	15	1	1	4	1	1	2	2	2	5	–
Ill defined causes	1	1	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 13th January, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	–	200	272	3	134	C. 6 D. 2 E. 1 G. 1 M. 19
†CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	4	21	–	9	M. 3
†BERMONDSEY ...	–	7	16	–	9	–
†BETHNAL GREEN	–	7	14	–	3	C. 2 M. 1
†CAMBERWELL ...	–	10	22	–	1	M. 2
†CHELSEA	–	2	2	–	–	–
†DEPTFORD ...	–	7	9	–	2	–
†FINSBURY ...	–	2	4	–	1	–
†FULHAM	–	11	6	–	5	M. 1
†GREENWICH ...	–	10	15	–	1	–
†HACKNEY ...	–	3	14	–	1	E. 1 G. 1
†HAMMERSMITH ...	–	8	5	1	3	M. 1
†HAMPSTEAD ...	–	6	2	–	–	–
†HOLBORN... ...	–	2	3	–	–	–
†ISLINGTON ...	–	14	20	–	5	C. 1 M. 1
†KENSINGTON ...	–	10	6	–	4	M. 1
†LAMBETH ...		21	11	–	3	M. 4

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	5	9	–	1	M. 1
†PADDINGTON ...	–	11	5	–	12	–
†POPLAR	–	2	10	1	17	–
†ST. MARYLEBONE	–	1	11	–	1	–
†ST. PANCRAS ...	–	11	8	–	19	–
†SHOREDITCH ...	–	5	5	–	4	M. 2
†SOUTHWARK ...	–	5	21	–	6	–
†STEPNEY	–	11	9	–	5	C. 2 M. 1
†STOKE NEWINGTON	–	2	2	–	–	–
†WANDSWORTH ...	–	14	15	1	17	D. 1 M. 1
†WESTMINSTER, CITY OF	–	8	2	–	1	C. 1
†WOOLWICH ...	–	–	5	–	4	D. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	6	4	–	–	C. 1
Boroughs and Urban Districts:—						
†Bedford ...	–	1	–	–	–	–
Dunstable ...	–	–	1	–	–	–
Leighton Buzzard	–	2	–	–	–	–
†Luton	–	–	–	–	–	C. 1
Rural Districts:—						
Ampthill ...	–	–	1	–	–	–
Bedford ...	–	1	2	–	–	–
Biggleswade ...	–	2	–	–	–	–
BERKS	–	19	6	–	–	M. 1
†Reading C.B. ...	–	6	2	–	–	M. 1
Boroughs and Urban Districts:—						
Abingdon ...	–	7	–	–	–	–
Wallingford ...	–	–	1	–	–	–
Rural Districts:—						
Abingdon ...	–	2	2	–	–	–
Cookham ...	–	2	–	–	–	–
Wantage ...	–	2	–	–	–	–
Wokingham ...	–	–	1	–	–	–
BUCKINGHAM ...	–	15	2	1	2	–
Boroughs and Urban Districts:—						
†Chepping Wycombe ...	–	2	–	–	–	–
Chesham ...	–	1	–	–	–	–
Newport Pagnell	–	2	–	–	–	–
†Slough	–	–	1	–	–	–
Rural Districts:—						
Eton	–	2	1	–	1	–
Long Crendon...	–	–	–	1	–	–
Newport Pagnell	–	2	–	–	–	–
Wycombe ...	–	6	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	1	3	–	–	–
Borough:—						
†Cambridge ...	–	–	3	–	–	–
Rural District:—						
Melbourn ...	–	1	–	–	–	–
CHESTER	–	52	32	–	19	C. 1 M. 3
†Birkenhead C. B.	–	–	4	–	4	–
†Chester C. B. ...	–	1	1	–	2	–
†Stockport C.B.	–	4	5	–	–	M. 3
†Wallasey C.B ...	–	5	2	–	3	C. 1
Boroughs and Urban Districts:—						
†Altrincham ...	–	4	1	–	–	–
Bollington ...	–	–	–	–	1	–
Bredbury and Romiley	–	–		–	2	–
†Cheadle and Gatley	–	–	1	–	–	–
Compstall ...	–	–	1	–	–	–
†Congleton ...	–	–	2	–	1	–
†Crewe	–	3	–	–	–	–
†Dukinfield ...	–	–	–	–	1	–
†Ellesmere Port and Whitby	–	1	–	–	–	–
Hale	–	–	–	–	1	–
†Hazel Grove and Bramhall	–	1	–	–	1	–
Hoole	–	–	1	–	–	–
†Hoylake and West Kirby	–	1	–	–	–	–
†Hyde	–	5	1	–	1	–
Knutsford ...	–	2	–	–	–	–
†Macclesfield ...	–	4	1	–	–	–
Middlewich ...	–	–	1	–	–	–
Nantwich ...	–	1	–	–	–	–
†Northwich ...	–	4	–	–	–	–
†Runcorn... ...	–	3	1	–	1	–
Sandbach ...	–	1	–	–	–	–
Wilmslow ...	–	1	–	–	–	–
†Winsford ...	–	4	3	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	1	2	–	–	–
CHESTER	–	1	–	–	–	–
CONGLETON ...	–	–	2	–	–	–
MACCLESFIELD ...	–	1	1	–	–	–
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...	–	1	1	–	–	–
RUNCORN ...	–	2	–	–	1	–
WIRRAL	–	–	1	–	–	–
CORNWALL ...	–	8	3	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
NEWQUAY ...	*	*	*	*	*	*
PENRYN	–	–	–	–	–	C. 1
†PENZANCE ...	–	–	–	–	–	M. 1
SALTASH... ...	–	–	–	–	1	–
Rural Districts:—						
BODMIN	–	5	–	–	–	–
CALSTOCK ...	–	1	–	–	–	–
LAUNCESTON ...	–	–	1	–	–	–
SAINT AUSTELL...	–	2	–	–	–	–
SAINT COLUMB MAJOR	*	*	*	*	*	*
WEST PENWITH...	–	–	2	–	–	–
CUMBERLAND ...	–	18	13	–	6	–
†CARLISLE C.B. ...	–	6	1	–	4	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	*	*	*	*	*	*
ASPATRIA ...	–	–	–	–	1	–
COCKERMOUTH ...	–	2	–	–	–	–
KESWICK	–	1	–	–	–	–
†MARYPORT ...	*	*	*	*	*	*
MILLOM	–	1	–	–	–	–
†WORKINGTON ...	–	3	10	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
COCKERMOUTH ...	–	4	1	–	–	–
LONGTON ...	*	*	*	*	*	*
WHITEHAVEN ...	–	1	1	–	–	–
WIGTON	–	–	–	–	1	–
DERBY	22	41	10	–	25	D. 1 M. 1
†DERBY C.B. ...	–	7	4	–	16	D. 1 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	2	1	–	–	–	–
ALVASTON AND BOULTON	–	–	–	–	1	–
†BELPER	–	1	–	–	–	–
†BOLSOVER ...	–	1	–	–	–	–
†CHESTERFIELD ..	–	1	2	–	–	–
†GLOSSOP	–	3	1	–	–	–
†HEANOR	13	1	–	–	1	–
†ILKESTON ...	3	–	1	–	1	–
†LONG EATON ...	–	1	–	–	1	–
†SWADLINCOTE DISTRICT	–	7	–	–	1	–
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	1	–
BELPER	–	5	–	–	–	–
BLACKWELL ...	–	5	–	–	2	–
CHAPEL EN LE FRITH	–	4	–	–	–	–
CHESTERFIELD ..	–	3	–	–	1	–
CLOWNE	4	–	–	–	–	–
CODNOR PARK AND SHIPLEY (PARISHES) ...	–	1	–	–	–	–
NORTON	–	–	1	–	–	–
SHARDLOW ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	24	13	1	5	D. 1 M. 4
†Exeter C.B. ...	–	3	2	–	1	–
†Plymouth C.B....	–	12	5	–	–	D. 1 M. 3
Boroughs and Urban Districts:—						
Bampton... ...	–	1	–	–	–	–
†Barnstaple ...	–	–	1	–	–	M. 1
†Ilfracombe ...	–	–	1	–	–	–
†Newton Abbot...	–	–	1	–	–	–
Ottery St. Mary	–	3	–	–	–	–
†Teignmouth ...	–	–	1	–	–	–
†Torquay... ...	–	1	1	–	–	–
Rural Districts:—						
Honiton... ...	–	–	1	–	–	–
Newton Abbot	–	–	–	–	1	–
Okehampton ...	–	–	–	1	–	–
Plympton St. Mary	–	3	–	–	3	–
Tiverton ...	–	1	–	–	–	–
DORSET	–	3	1	–	1	M. 1
Boroughs and Urban Districts:—						
Dorchester ...	–	1	–	–	–	–
†Poole	–	–	–	–	1	–
Swanage ...	–	–	–	–	–	M. 1
†Weymouth and Melcombe Regis	–	1	–	–	–	–
Rural Districts:—						
Dorchester ...	–	1	–	–	–	–
Shaftesbury ...	–	–	1	–	–	–
DURHAM	1	82	24	1	52	C. 3 M. 7
†Darlington C B	–	1	–	–	2	C. 1
†Gateshead C.B.	–	4	2	–	2	C. 1 M. 1
†South Shields C.B.	–	2	–	–	11	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Sunderland C.B.	–	16	2	–	5	M. 3
†West Hartlepool C.B.	–	5	2	–	–	–
Boroughs and Urban Districts:—						
†Annfield Plain	–	1	2	–	1	M. 1
†Bishop Auckland	–	1	–	–	–	–
†Blaydon... ..	–	1	–	–	–	–
†Brandon and Byshottles	–	3	–	–	–	–
†Chester le Street	–	1	–	–	–	–
†Consett	–	1	–	–	–	–
†Durham	–	–	–	–	2	–
†Felling	–	–	–	–	4	–
†Hartlepool ...	–	1	–	–	–	–
†Hebburn ...	–	2	–	–	1	–
†Hetton... ...	–	1	–	–	–	–
†Houghton le Spring	–	–	–	–	1	–
†Jarrow	–	1	–	–	2	–
Leadgate ...	–	1	–	–	–	–
†Ryton	–	2	–	–	1	–
†Shildon	–	–	1	–	–	–
†Southwick on Wear	–	–	–	1	–	–
†Stanley	–	3	2	–	1	–
†Stockton on Tees	1	4	–	–	5	–
†Tanfield ...	–	1	1	–	–	–
†Washington ...	–	–	4	–	–	–
Willington ...	–	1	–	–	–	–
Rural Districts:—						
Auckland ...	–	9	3	–	–	–
Chester le Street	–	6	–	–	1	–
Durham	–	1	–	–	–	–
Easington ...	–	4	4	–	9	–
Houghton le Spring	–	1	–	–	3	M 1
Lanchester ...	–	1	–	–	–	C. 1
Sedgefield ...	–	2	1	–	–	–
South Shields...	–	1	–	–	–	–
Stockton ...	–	4	–	–	1	–
Sunderland ...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY ..	–	–	–	1	1	C. 1
Boroughs and Urban Districts:—						
Ely	–	–	–	–	1	–
Whittlesey ...	–	–	–	–	–	C. 1
†Wisbech ...	–	–	–	1	–	–
ESSEX	–	51	55	3	26	C. 2 E. 1 L. 1 M. 1
†East Ham C.B. ...	–	3	7	–	–	–
†Southend on Sea C.B.	–	11	–	–	4	E. 1
†West Ham C.B. ...	–	7	25	1	7	–
Boroughs and Urban Districts:—						
†Barking Town	–	–	–	–	2	–
Braintree ...	–	2	–	–	1	–
Brightlingsea	–	–	–	–	–	L. 1
†Colchester ...	–	1	3	–	2	–
Frinton on Sea	–	1	–	–	–	–
†Grays Thurrock	–	–	1	–	–	–
†Harwich ...	–	–	1	–	–	–
†Ilford	–	2	4	–	–	–
†Leyton	–	2	6	–	2	C. 1
Loughton ...	–	1	–	–	–	–
Maldon	*	*	*	*	*	*
†Romford ...	–	1	3	–	1	–
Shoeburyness ...	–	–	–	–	1	–
†Walthamstow ...	–	8	3	1	1	M. 1
Walton-on-the Naze.	–	–	–	1	–	–
Witham	–	–	–	–	1	–
†Woodford ...	–	1	–	–	–	–
Rural Districts:—						
Belchamp ...	–	1	–	–	–	–
Billericay ...	–	1	–	–	–	–
Braintree ...	–	–	–	–	2	–
Dunmow... ...	–	–	–	–	1	–
Epping	–	1	–	–	1	–
Lexden and Winstree	–	2	1	–	–	–
Orsett	–	4	1	–	–	C. 1
Rochford ...		2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	–	68	34	1	17	C. 1 F. 1 G. 2
†Bristol C.B. ...	–	50	25	–	13	C. 1 G. 1
†Gloucester C.B.	–	–	3	–	1	G. 1
Boroughs and Urban Districts:—						
†Cheltenham ...	–	4	1	–	1	–
†Kingswood ...	–	1	–	–	–	–
Newnham ...	–	1	–	–	–	–
Stow on the Wold	–	–	–	–	–	F. 1
Rural Districts:—						
Campden ...	–	1	–	–	–	–
Chipping Sodbury	–	1	–	–	–	–
Cirencester ...	–	–	1	–	–	–
Dursley	–	1	1	–	–	–
Gloucester ...	–	–	1	1	–	–
Lydney	–	1	–	–	–	–
Northleach ...	–	2	–	–	–	–
Stroud	–	–	1	–	–	–
Thornbury ...	–	–	–	–	1	–
Warmley ...	–	4	–	–	1	–
West Dean ...	–	2	1	–	–	–
HEREFORD ...	–	2	3	1	2	C. 1
Boroughs and Urban Districts:—						
†Hereford ...	–	–	1	–	–	C. 1
Kington... ...	–	1	–	–	–	–
Ross	–	–	–	1	–	–
Rural Districts:—						
Kington	–	1	–	–	–	–
Ross	–	–	–	–	1	–
Weobley ...	–	–	2	–	1	–
HERTFORD ..	–	19	5	–	5	M. 1
Boroughs and Urban Districts:—						
†Barnet	–	–	3	–	–	–
Bushey ...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
HARPENDEN ...	–	2	1	–	–	–
RICKMANSWOTRH	–	1	–	–	–	–
ROYSTON	–	6	–	–	–	–
†ST. ALBAN'S ...	–	–	–	–	–	M. 1
SAWBRIDGEWORTH	–	–	–	–	1	–
†WATFORD ...	–	1	–	–	3	–
Rural Districts:—						
BARNET	–	1	–	–	–	–
BUNTINGFORD ...	–	2	–	–	–	–
WARE	–	–	1	–	1	–
WATFORD ...	–	3	–	–	–	–
HUNTINGDON ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	1	–	–	1	–
Rural Districts:—						
HUNTINGDON ...	*	*	*	*	*	*
ST. NEOT'S No. 2	*	*	*	*	*	*
KENT	–	42	15	2	26	C. 1 G. 1 L. 1 M. 4
†CANTERBURY, C.B.	–	1	–	–	2	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1	2	–	–	G. 1
†BROADSTAIRS AND ST. PETER'S ...	–	–	–	–	3	C. 1
†BROMLEY ...	–	2	1	–	2	–
†CHATHAM ...	–	1	–	1	1	–
CHERITON ...	–	–	–	–	1	–
†DARTFORD ...		1	–	–	1	L. 1
†DOVER	–	1	2	–	4	M. 2
†FOLKESTONE ...	–	–	1	–	2	–
†GILLINGHAM ...	–	3	1	–	1	–
†GRAVESEND ...	–	2	–	–	–	M. 1
†HERNE BAY ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
HYTHE	–	3	–	–	1	–
†MAIDSTONE ...	–	–	–	–	1	–
†MARGATE ...	–	1	–	–	–	–
†NORTHFLEET ...	–	1	–	–	–	–
†ROCHESTER ...	*	*	*	*	*	*
†SHEERNESS ...	–	5	–	1	1	–
SIDCUP	–	–	–	–	–	M. 1
†TONBRIDGE ...	–	4	–	–	–	–
WHITSTABLE ...	–	1	–	–	–	–
Rural Districts:—						
BRIDGE	–	–	1	–	–	–
BROMLEY ...	–	3	1	–	–	–
CRANBROOK ...	–	1	–	–	–	–
DARTFORD ..	–	–	–	–	4	–
EAST ASHFORD ...	–	4	–	–	–	–
EASTRY	–	–	1	–	–	–
HOLLINGBOURNE	–	2	–	–	–	–
ISLE OF THANET	–	1	–	–	–	–
MAIDSTONE ...	–	1	–	–	–	–
MALLING	–	2	–	–	2	–
MILTON	–	–	4	–	–	–
STROOD	–	1	–	–	–	–
LANCASTER ...	–	356	106	6	215	C. 7 D. 2 E. 1 G. 3 L. 6 M. 37
†BARROW IN FURNESS C.B.	–	8	–	–	–	–
†BLACKBURN C.B.	–	8	2	–	7	M. 1
†BLACKPOOL C.B.	–	2	–	–	–	M. 1
†BOLTON C.B. ...	–	16	1	–	3	–
†BOOTLE C.B. ...	–	5	3	–	–	C. 1 G. 1 M. 2
†BURNLEY C.B. ...	–	36	5	–	1	M. 2
†BURY C.B. ...	–	3	–	–	4	M. 1
†LIVERPOOL C.B. ...	–	37	23	1	49	C. 1 E. 1 M. 16
†MANCHESTER C.B.	–	36	23	1	46	C. 2 M. 3

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†Oldham C.B. ...	–	4	2	–	5	–
†Preston C.B. ...	–	9	2	–	–	–
†Rochdale C.B. ...	–	11	3	–	1	M. 1
†St. Helens C.B.	–	8	–	–	5	G. 1 M. 1
†Salford C.B. ...	–	35	12	1	9	C. 1
†Southport C.B.	–	2	1	–	2	M. 1
†Warrington C.B.	–	6	3	–	3	–
†Wigan C.B. ...	–	5	1	1	4	–
Boroughs and Urban Districts:—						
†Accrington ...	–	4	–	–	1	–
Adlington ...	–	1	–	–	–	–
†Ashton in Makerfield	–	1	1	–	2	–
†Ashton under Lyne	–	2	–	–	3	G. 1
Aspull	–	1	1	–	–	–
†Atherton ...	–	5	1	–	1	M. 1
Barrowford ...	–	–	–	–	1	–
Blackrod ...	–	–	1	–	1	–
†Chadderton ...	–	1	3	–	–	–
†Chorley	–	1	–	–	–	–
Church	–	3	–	–	–	–
†Colne	–	3	–	–	–	–
†Crompton ...	–	–	1	–	1	–
†Dalton in Furness	–	1	–	–	1	–
†Darwen ...	–	6	–	–	–	–
†Denton	–	2	–	–	–	–
†Droylsden ...	–	1	–	–	1	–
†Eccles	–	3	–	–	–	–
†Failsworth ...	–	2	–	–	3	–
†Great Harwood	–	1	–	–	–	–
†Haslingden ...	–	1	–	–	1	–
†Haydock... ...	–	2	–	–	–	–
†Heywood ...	–	4	1	–	2	C. 1 M. 1
†Hindley ...	–	1	1	–	7	–
†Horwich ...	–	–	2	–	4	–
Hurst	–	–	–	–	1	–
Kearsley ..	–	–	–	1	–	–
†Lancaster ...	–	–	1	–	2	M. 2
Lathom and Burscough	–	1	–	–	–	M. 1
†Leigh	–	4	–	–	–	D. 1 M. 2
†Litherland ...	–	7	–	–	–	–
Little Hulton	–	–	–	–	1	–
Little Lever ...	–	1		–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Middleton ...	–	3	1	–	2	–
Milnrow ...	–	1	–	–	–	–
†Morecambe ...	–	1	–	–	–	–
†Mossley	–	1	–	–	–	–
†Nelson	–	–	–	–	2	–
†Newton in Makerfield	–	2	–	–	2	–
Ormskirk ...	–	–	–	–	–	M. 1
Prescot	–	1	–	–	–	–
†Radcliffe ...	–	1	–	–	2	–
†Ramsbottom ...	–	–	2	–	2	–
†Rawtenstall ...	–	2	–	–	–	–
Rishton	*	*	*	*	*	*
†Royton	–	–	–	–	3	–
Skelmersdale..	–	–	–	1	–	–
Standish with Langtree	–	–	–	–	5	–
†Stretford ...	–	10	–	–	2	–
†Swinton and Pendlebury	–	2	1	–	2	–
Tottington ...	–	–	–	–	2	–
†Turton	–	1	–	–	–	–
†Tyldesley with Shakerley	–	7	4	–	3	–
†Ulverston ...	–	4	–	–	–	–
Upholland ...	–	1	–	–	–	–
†Walton le Dale	–	1	1	–	2	D. 1
†Waterloo with Seaforth	–	1	–	–	2	–
Whitefield ...	–	1	–	–	2	–
†Widnes	–	3	2	–	3	–
†Worsley... ...	–	1	–	–	–	–
Rural Districts:—						
Blackburn ...	–	–	–	–	1	–
Bury	–	1	–	–	–	–
Chorley	–	–	–	–	1	–
Clitheroe ...	–	3	–	–	1	L. 5
Fylde	–	2	1	–	–	–
Leigh	–	3	–	–	–	–
Limehurst ...	–	3	–	–	–	–
Ulverston ...	–	–	–	–	–	C. 1
Warrington ...	–	1	–	–	–	–
West Lancashire	–	1	–	–	–	–
Whiston ...	–	7	–	–	–	L. 1
Wigan	–	1	–	–	4	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER	–	18	9	–	6	–
†LEICESTER C.B. ...	–	16	2	–	2	–
Boroughs and Urban Districts:—						
†COALVILLE ..	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	2	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	5	–	–	–
BARROW UPON SOAR	–	–	1	–	1	–
BLABY	–	–	1	–	–	–
HINCKLEY ...	–	–	–	–	1	–
MARKET HARBOROUGH	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	2	1	–	1	–
Boroughs and Urban Districts:—						
†BOSTON	–	1	–	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	1	–
CROWLAND ...	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	1	5	1	1	–	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	1	–	–	–	–	–
Rural Districts:—						
BOURNE	–	4	–	–	–	–
CLAYPOLE ...	–	1	1	–	–	–
SLEAFORD ...	–	–	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	1	29	9	–	5	C. 1 M. 3
†GRIMSBY C.B. ...	–	17	3	–	–	M. 3
†LINCOLN C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
BRIGG	–	–	2	–	1	–
†CLEETHORPES ...	–	10	–	–	1	–
†SCUNTHORPE AND FRODINGHAM	1	–	2	–	2	C. 1
Rural Districts:—						
CAISTOR	–	–	2	–	–	–
GLANFORD BRIGG	–	1	–	–	1	–
MIDDLESEX ...	–	67	40	1	26	C. 5 D. 1 E. 1 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	4	3	–	–	C. 1
†BRENTFORD ...	–	1	–	–	–	–
†CHISWICK ...	–	1	2	–	1	–
†EALING	–	2	–	–	1	–
†EDMONTON ...	–	3	1	–	1	–
†ENFIELD	–	4	–	–	2	–
FELTHAM... ...	–	2	3	–	–	–
†FINCHLEY ...	–	1	2	–	–	–
†HAMPTON ...	–	8	–	–	–	–
HAMPTON WICK...	–	1	–	–	–	–
†HANWELL ..	–	2	2	–	–	
HAYES	–	1	–	–	–	–
†HENDON	–	–	1	–	–	–
†HESTON AND ISLEWORTH	–	1	4	–	1	C. 2
†HORNSEY... ..	–	1	2	–	5	D. 1
RUISLIP NORTHWOOD	–	2	2	–	1	–
†SOUTHALL NORWOOD	–	1	1	–	–	–
†SOUTHGATE ...	–	4	–	–	–	–
STAINES	–	1	–	–	–	C. 1
SUNBURY ON THAMES	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Teddington ...	–	2	–	–	–	–
†Tottenham ...	–	6	2	–	4	–
†Twickenham ...	–	1	1	1	–	C. 1
†Uxbridge ...	–	–	–	–	2	–
†Wembley ...	–	–	–	–	2	–
†Willesden ...	–	5	12	–	2	M. 1
†Wood Green ...	–	6	–	–	3	–
Rural Districts:—						
Hendon	–	2	–	–	–	E. 1
Staines	–	5	1	–	–	–
Uxbridge ...	–	–	–	–	1	–
NORFOLK	–	35	13	–	7	C. 1
†Great Yarmouth C.B....	–	8	4	–	–	–
†Norwich C.B. ...	–	21	2	–	3	–
Boroughs and Urban Districts:—						
Thetford ...	–	1	–	–	–	–
Rural Districts:—						
Aylsham ...	–	1	–	–	–	–
Depwade ...	–	–	–	–	2	–
Docking	–	–	1	–	–	–
Downham ...	–	–	2	–	–	–
Forehoe ...	–	–	–	–	–	C. 1
Freebridge Lynn	–	2	–	–	1	–
Henstead ...	–	–	1	–	–	–
Marshland ...	–	–	1	–	–	–
Mitford and Launditch	–	–	–	–	1	–
St. Faith's ...	–	1	–	–	–	–
Smallburgh ...	–	–	1	–	–	–
Walsingham ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON ...	–	13	1	–	9	–
†Northampton C.B.	–	6	–	–	5	–
Boroughs and Urban Districts:—						
Desborough ...	–	1	–	–	–	–
†Kettering ...	–	2	–	–	1	–
†Rushden ..	–	–	–	–	1	–
†Wellingborough	–	2	–	–	–	–
Rural Districts:—						
Brixworth ...	–	–	–	–	1	–
Hardingstone...	–	1	–	–	–	–
Potterspury ...	–	–	–	–	1	–
Thrapston (part)	–	–	1	–	–	–
Wellingborough	–	1	–	–	–	–
NORTHUMBERLAND	–	47	6	2	34	C. 1 M. 7
†Newcastle upon Tyne C.B.	–	7	6	1	18	C. 1 M. 2
†Tynemouth C.B.	–	–	–	–	6	M. 2
Boroughs and Urban Districts:—						
Alnwick... ...	–	1	–	–	–	–
†Ashington ...	–	5	–	–	1	–
†Bedlingtonshire		5	–	–	–	–
†Berwick upon Tweed	–	1	–	–	–	–
†Blyth	–	5	–	–	1	M. 1
Cramlington ...	–	3	–	–	–	–
†Earsdon	–	2	–	–	–	–
†Gosforth ...	–	1	–	–	–	–
†Longbenton ...	–	1	–	–	3	–
Newbiggin by the Sea	–	2	–	–	1	–
Prudhoe ...	–	–	–	–	–	M. 1
Seaton Delaval	–	–	–	–	1	–
Seghill	–	3	–	–	–	–
†Wallsend ...	–	2	–	1	2	–
†Whitley and Monkseaton	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Rural Districts:—						
ALNWICK	–	1	–	–	–	–
BELFORD	–	–	–	–	1	–
CASTLE WARD ...	–	5	–	–	–	M. 1
GLENDALE ...	–	1	–	–	–	–
NOTTINGHAM ...	7	20	11	–	12	M. 4
†NOTTINGHAM C.B.	2	13	3	–	7	M. 2
Boroughs and Urban Districts:—						
†ARNOLD	–	–	–	–	1	–
†BEESTON	–	1	–	–	–	–
†CARLTON	–	–	2	–	3	M. 2
†MANSFIELD ...	–	3	–	–	–	–
†MANSFIELD WOODHOUSE	–	1	1	–	1	–
WARSOP	–	–	1	–	–	–
†WEST BRIDGFORD	*	*	*	*	*	*
Rural Disrict:—						
BASFORD	5	1	–	–	–	–
MISTERTON ...	–	–	2	–	–	–
NEWARK ...	–	1	–	–	–	–
SOUTHWELL ...	–	–	2	–	–	–
OXFORD	–	12	2	–	1	M. 2
†OXFORD C.B. ...	–	5	–	–	1	M. 1
Boroughs and Urban Districts:—						
†BANBURY... ...	–	–	–	–	–	M. 1
Rural Districts:—						
BANBURY... ...	–	–	1	–	–	–
HEADINGTON ...	–	5	–	–	–	–
THAME	–	–	1	–	–	–
WOODSTOCK ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PETERBOROUGH (Soke of)	–	6	–	–	–	–
Borough:—						
†PETERBOROUGH...	–	6	–	–	–	–
SALOP	–	11	10	1	2	M. 1.
Boroughs and Urban Districts:—						
LUDLOW	–	4	5	–	–	M. 1
OSWESTRY ...	–	5	1	–	–	–
†SHREWSBURY ...	–	–	–	–	1	–
WELLINGTON ...	–	–	4	–	–	–
Rural Districts:—						
ATCHAM	–	–	–	1	–	–
OSWESTRY ...	–	2	–	–	–	–
WELLINGTON ...	–	–	–	–	1	–
SOMERSET	–	29	2	–	6	–
†BATH C.B. ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	2	–	–	–	–
CHARD	–	1	–	–	–	–
†FROME	–	2	–	–	–	–
MIDSOMER NORTON	–	1	–	–	–	–
STREET	*	*	*	*	*	*
†TAUNTON... ...	–	3	–	–	–	–
†WESTON SUPER MARE	–	1	–	–	1	–
WIVELISCOMBE ...	–	1	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	4	2	–	–	–
BATH	–	1	–	–	–	–
BRIDGWATER ...	–	1	–	–	1	–
KEYNSHAM ...	*	*	*	*	*	*
LANGPORT ...	–	4	–	–	–	–
LONG ASHTON ...	–	4	–	–	–	–
SHEPTON MALLET	–	–	–	–	1	–
TAUNTON... ...	–	1	–	–	–	–
WELLINGTON ...	–	1	–	–	–	–
WINCANTON ...	–	2	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ...	–	53	21	–	2	M. 2
†BOURNEMOUTH C.B.	–	7	1	–	–	–
†PORTSMOUTH C.B.	–	24	7	–	1	M. 1
†SOUTHAMPTON C.B.	–	8	5	–	1	–
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	–	1	–	–	–
†BASINGSTOKE ...	–	2	–	–	–	–
CHRISTCHURCH ...	–	2	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†GOSPORT	–	3	4	–	–	–
PETERSFIELD ...	–	1	–	–	–	–
Rural Districts:—						
BASINGSTOKE ...	–	–	–	–	–	M. 1
DROXFORD ...	–	–	1	–	–	–
FAREHAM ...	–	–	1	–	–	–
NEW FOREST ...	–	2	–	–	–	–
PETERSFIELD ..	–	2	–	–	–	–
SOUTH STONEHAM	–	–	1	–	–	–
WHITCHURCH ...	–	1	–	–	–	–
STAFFORD	1	135	30	1	55	C. 3 L. 1 M. 10
†BURTON UPON TRENT C.B.	–	4	1	–	1	M. 1
†SMETHWICK C.B.	–	3	3	–	3	L. 1
†STOKE ON TRENT C.B.	–	41	8	–	30	M. 6
†WALSALL C.B. ...	–	2	–	–	1	C. 2 M. 1
†WEST BROMWICH C B	–	7	6	–	–	–
†WOLVERHAMPTON C.B.	–	11	–	–	2	M. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	4	–	–	–	–
BIDDULPH ...	–	8	–	–	–	–
†BILSTON	–	4	2	–	1	M. 1
†BROWNHILLS ...	–	4	–	–	2	–
STAFFORD—*cont.*						
†CANNOCK	–	3	–	–	1	–
†COSELEY	–	1	–	–	1	–
†DARLASTON ...	–	1	1	–	–	–
KIDSGROVE ...	–	1	–	–	–	–
†LEEK	–	4	–	–	–	–
†NEWCASTLE UNDER LYME	–	3	2	–	–	–
QUARRY BANK ...	–	2	–	–	1	–
†ROWLEY REGIS ...	–	2	–	–	2	–
RUGELEY ...	–	1	–	–	–	–
SHORT HEATH ...	–	–	–	–	1	–
†STAFFORD ...	–	3	–	–	–	–
TAMWORTH ...	–	2	–	–	–	–
†TIPTON	–	3	2	–	–	–
†WEDNESBURY ...	1	–	–	–	–	–
†WILLENHALL ...	–	5	2	–	3	–
†WOLSTANTON UNITED	–	4	–	–	–	–
Rural Districts:—						
CANNOCK	–	6	–	–	–	–
CHEADLE	–	–	3	–	2	–
KINGSWINFORD ...	–	–	–	1	–	–
LEEK	–	3	–	–	–	–
LICHFIELD ...	–	–	–	–	1	C. 1
SEISDON	–	1	–	–	1	–
TAMWORTH (part)	–	1	–	–	–	–
TUTBURY... ...	–	1	–	–	–	–
WALSALL ...	–	–	–	–	2	–
SUFFOLK, EAST ...	–	7	7	1	2	–
†IPSWICH C.B. ...	–	2	2	–	–	–
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	2	2	–	1	–
STOWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
BLYTHING ...	–	–	–	1	–	–
EAST STOW ...	–	–	1	–	1	–
MUTFORD AND LOTHINGLAND	–	1	–	–	–	–
PLOMESGATE ...	–	–	2	–	–	–
WOODBRIDGE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST ...	–	1	–	–	–	–
Boroughs and Urban Districts :—						
NEWMARKET ...	–	1	–	–	–	–
SURREY	–	47	18	–	4	L. 9 M. 2
†CROYDON C.B. ...	–	16	5	–	–	–
Boroughs and Urban Districts :—						
†BARNES	–	1	–	–	–	M. 1
†BEDDINGTON AND WALLINGTON	–	4	1	–	–	–
†CARSHALTON ...	–	–	1	–	–	–
†CATERHAM ...	–	1	–	–	–	–
†CHERTSEY ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	1	–	–	–	L. 8
DORKING	–	–	–	–	–	M. 1
EAST AND WEST MOLESEY	–	1	–	–	–	–
†EGHAM	–	1	1	–	–	–
†EPSOM	–	–	1	–	2	L. 1
†GUILDFORD ...	–	1	–	–	1	–
†KINGSTON ON THAMES	–	2	1	–	–	–
†MERTON AND MORDEN	–	7	–	–	–	–
†MITCHAM... ...	–	–	1	–	–	–
†RICHMOND ..	–	–	1	–	–	–
†SURBITON ...	–	1	–	–	–	–
†THE MALDENS AND COOMBE	–	2	2	–	–	–
†WOKING	–	1	–	–	1	–
Rural Districts :—						
DORKING	–	–	2	–	–	–
EPSOM	–	–	2	–	–	–
GODSTONE ...	–	6	–	–	–	–
GUILDFORD ..	–	1	–	–	–	–
SUSSEX, EAST ...	–	13	2	–	5	M. 1
†BRIGHTON C.B. ...	–	4	2	–	1	M. 1
†EASTBOURNE C.B.	–	1	–	–	2	–
†HASTINGS C.B. ...	–	1	–	–	1	–
SUSSEX, EAST— *cont.*						
Boroughs and Urban Districts :—						
†BEXHILL	–	1	–	–	–	–
†HOVE	–	2	–	–	–	–
†LEWES	–	1	–	–	–	–
Rural Districts :—						
BATTLE	–	–	–	–	1	–
CHAILEY	*	*	*	*	*	*
RYE	–	1	–	–	–	–
STEYNING EAST	–	1	–	–	–	–
UCKFIELD ...	–	1	–	–	–	–
SUSSEX, WEST ...	–	5	2	–	3	C. 1 M. 1
Boroughs and Urban Districts :—						
†BOGNOR	–	–	1	–	–	–
†CHICHESTER ...	–	–	–	–	1	C. 1
†HORSHAM ...	–	3	–	–	–	M. 1
Rural Districts :—						
EAST PRESTON ...	–	–	1	–	–	–
HORSHAM ...	–	1	–	–	–	–
MIDHURST ...	–	1	–	–	–	–
PETWORTH ...	–	–	–	–	1	–
WESTHAMPNETT	–	–	–	–	1	–
WARWICK	–	99	55	–	46	C. 6 M. 17
†BIRMINGHAM C.B	–	71	47	–	30	C. 3 M. 12
†COVENTRY C.B. ...	–	4	3	–	3	M. 4
Boroughs and Urban Districts :—						
†NUNEATON ..	–	1	–	–	3	–
†ROYAL LEAMINGTON SPA	–	–	1	–	–	C. 1
†RUGBY	–	2	–	–	–	–
†SUTTON COLDFIELD	–	2	–	–	1	–
†WARWICK ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomy-litis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ATHERSTONE ...	–	4	–	–	1	M. 1
COVENTRY ...	–	1	–	–	–	–
FOLESHILL ...	–	5	–	–	1	–
MERIDEN ...	–	1	–	–	5	C. 1
NUNEATON ...	–	1	–	–	–	–
RUGBY	–	3	–	–	2	–
SOLIHULL ...	–	–	1	–	–	C. 1
TAMWORTH (part)	–	3	3	–	–	–
WESTMORLAND ...	–	1	1	–	1	–
Boroughs and Urban District:—						
†KENDAL	–	–	–	–	1	–
Rural Districts:—						
SOUTH WESTMORLAND	–	–	1	–	–	–
WEST WARD ...	–	1	–	–	–	–
WIGHT, ISLE OF ...	–	3	–	–	1	M. 1
Boroughs and Urban Districts:—						
†NEWPORT ...	–	1	–	–	–	–
†RYDE	–	1	–	–	–	–
SANDOWN ...	–	1	–	–	–	M. 1
VENTNOR ...	–	–	–	–	1	–
WILTS	–	9	8	–	2	–
Boroughs and Urban Districts:—						
DEVIZES	–	1	–	–	–	–
†SALISBURY ...	–	–	1	–	–	–
†SWINDON ...	–	1	–	–	2	–
WESTBURY ...	–	1	–	–	–	–
Rural Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
HIGHWORTH ...	–	1	–	–	–	–
PEWSEY	–	4	–	–	–	–
RAMSBURY ...	–	–	6	–	–	–
WESTBURY AND WHORWELLSDOWN	–	–	1	–	–	–
WORCESTER ...	–	28	6	–	8	E. 1 G. 1
†DUDLEY C.B. ...	–	1	–	–	–	–
†WORCESTER C.B.	–	–	2	–	3	–
Boroughs and Urban Districts:—						
†KIDDERMINSTER	–	4	–	–	2	–
†LYE AND WOLLESCOTE	–	–	1	–	–	–
†MALVERN ...	–	1	–	–	–	–
†OLDBURY ...	–	6	3	–	1	–
†REDDITCH ...	–	6	–	–	–	–
STOURPORT ...	–	3	–	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	2	–	–	–	E. 1
FECKENHAM ...	–	1	–	–	–	–
HALESOWEN ...	–	–	–	–	1	–
KIDDERMINSTER	–	1	–	–	–	–
MARTLEY... ...	–	1	–	–	1	–
PERSHORE ...	–	1	–	–	–	G. 1
TEWKESBURY (part)	–	1	–	–	–	–
YORKS (East Riding)	–	7	31	–	4	C. 2 M. 5
†KINGSTON UPON HULL C.B.	–	4	18	–	3	C. 1 M. 5
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	1	–	1	–
†BRIDLINGTON ...	–	1	–	–	–	–
HORNSEA ...	–	–	2	–	–	–
NORTON	–	–	–	–	–	C. 1
Rural Districts:—						
DRIFFIELD ...	–	–	3	–	–	–
HOWDEN	–	1	–	–	–	–
PATRINGTON ...	–	–	2	–	–	–
SKIRLAUGH ...	–	–	5	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding).	5	43	5	–	8	G. 1
†MIDDLESBROUGH C.B.	5	20	1	–	2	–
Boroughs and Urban Districts:—						
†ESTON	–	8	–	–	–	–
HINDERWELL ...	*	*	*	*	*	*
†REDCAR	–	2	–	–	3	G. 1
†SCARBOROUGH ..	–	1	1	–	1	–
†THORNABY ON TEES	–	3	1	–	–	–
†WHITBY	–	–	1	–	–	–
Rural Districts:—						
CROFT	–	1	–	–	–	–
EASINGWOLD ...	–	1	1	–	–	–
GUISBOROUGH ...	–	4	–	–	–	–
LEYBURN... ...	–	1	–	–	–	–
STOKESLEY ...	–	–	–	–	2	–
THIRSK	–	2	–	–	–	–
YORKS ... ... (West Riding).	10	235	64	2	129	C. 7 M. 9
†BARNSLEY C.B. ...	–	4	1	–	5	C. 2 M. 1
†BRADFORD C.B. ...	–	22	11	1	10	M. 1
†DEWSBURY C.B....	–	4	–	–	1	–
†HALIFAX C.B. ...	–	3	3	–	–	–
†HUDDERSFIELD C.B.	–	3	2	–	4	–
†LEEDS C.B. ...	–	75	8	–	6	C. 1 M. 3
†ROTHERHAM C.B.	–	7	1	–	5	–
†SHEFFIELD C.B....	–	26	14	–	67	M. 2
†WAKEFIELD C.B.	–	4	2	–	–	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	1	–	–	–
ALTOFTS	–	–	–	–	1	–
BAILDON	–	–	1	–	–	–
†BATLEY	–	5	–	–	–	–
†BENTLEY WITH ARKSEY	–	5	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
BIRSTAL	–	4	–	–	–	–
†BOLTON UPON DEARNE	–	1	–	–	–	–
†CASTLEFORD ...	–	2	–	–	–	–
†CONISBROUGH ...	–	3	2	–	–	–
DARFIELD ...	–	1	–	–	–	–
†DARTON	–	1	–	–	–	–
DENBY AND CUMBERWORTH	–	–	1	–	–	–
†DONCASTER ...	10	1	1	–	–	–
DRIGHLINGTON ...	–	–	–	–	1	–
EARBY	–	1	–	–	–	–
FARSLEY	–	1	–	–	–	–
†FEATHERSTONE ...	–	1	–	1	1	–
†GOOLE	–	1	5	–	–	–
†HARROGATE ...	–	–	–	–	4	–
HAWORTH ...	*	*	*	*	*	*
HEBDEN BRIDGE	–	2	–	–	–	–
HECKMONDWIKE	–	1	1	–	–	–
†HEMSWORTH ...	–	–	–	–	5	–
HIPPERHOLME ...	–	–	–	–	–	C. 1
†HOLMFIRTH ...	–	–	–	–	1	–
HORBURY ...	–	–	1	–	–	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	–	–	–	2	–
†KEIGHLEY ...	–	–	–	–	1	–
MELTHAM ...	*	*	*	*	*	*
†MEXBOROUGH ...	–	–	–	–	2	–
MIRFIELD ...	–	1	–	–	–	–
†MORLEY	–	–	–	–	1	M. 1
†NORMANTON ...	–	1	–	–	–	–
OAKWORTH ...	*	*	*	*	*	*
OXENHOPE ...	*	*	*	*	*	*
†PONTEFRACT ...	–	1	–	–	–	–
QUEENSBURY ...	–	1	–	–	–	–
†RAWMARSH ...	–	2	–	–	–	–
RIPON	–	–	–	–	–	C. 1
†ROTHWELL ...	–	2	–	–	–	–
ROYSTON	–	–	–	–	–	C. 1
†SHIPLEY	–	2	–	–	–	–
SILSDEN	*	*	*	*	*	*
†SKIPTON	*	*	*	*	*	*
†SOWERBY BRIDGE	–	1	1	–	–	–
†SPENBOROUGH ...	–	1	–	–	1	–
†STANLEY	–	5	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORK (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
STOCKSBRIDGE ...	–	1	–	–	–	–
†SWINTON	–	–	1	–	–	M. 1
THURNSCOE ...	–	1	–	–	–	–
TICKHILL ...	–	1	–	–	–	–
†TODMORDEN ...	–	3	1	–	–	–
†WORSBOROUGH ...	–	1	–	–	1	C. 1
Rural Districts:—						
BARNSLEY ...	–	–	–	–	1	–
BISHOPTHORPE ...	–	2	–	–	–	–
DONCASTER ...	–	1	–	–	4	–
GOOLE	–	–	1	–	–	–
HALIFAX	–	4	–	–	1	–
HEMSWORTH ...	–	4	2	–	1	–
HUNSLET	–	4	–	–	–	–
KEIGHLEY ...	*	*	*	*	*	*
KNARESBOROUGH	–	–	–	–	1	–
ROTHERHAM ...	–	6	1	–	1	–
SEDBERGH ...	*	*	*	*	*	*
SELBY	–	1	–	–	–	–
SETTLE	*	*	*	*	*	*
SKIPTON	*	*	*	*	*	*
TADCASTER ...	–	3	–	–	–	–
TODMORDEN ...	–	2	–	–	–	–
WAKEFIELD ...	–	2	–	–	–	–
WHARFEDALE (SOUTH)	–	3	–	–	–	–
WORTLEY... ...	–	–	1	–	–	–
County Borough:—						
§†YORK C.B. ...	–	18	–	–	–	M. 1
WALES.						
ANGLESEY	–	4	1	1	–	–
Rural District:—						
VALLEY	–	4	1	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN	–	1	3	–	1	–
Boroughs and Urban Districts:—						
LAMPETER ...	*	*	*	*	*	*
NEW QUAY ...	–	1	2	–	–	–
Rural Districts:—						
ABERYSTWYTH (North)	–	–	1	–	–	–
LAMPETER ...	–	–	–	–	1	–
CARMARTHEN ...	–	4	12	1	1	C. 2
Boroughs and Urban Districts:—						
†CARMARTHEN ...	–	1	1	–	–	–
CWMAMMAN ...	–	1	–	–	–	–
LLANDOVERY ...	–	–	3	–	–	–
†LLANELLY ...	–	2	–	–	1	–
Rural Districts:—						
LLANDILO FAWR	–	–	3	–	–	–
LLANDOVERY ...	–	–	3	–	–	–
LLANELLY ...	–	–	1	–	–	C. 2
LLANYBYTHER ...	–	–	–	1	–	–
NEWCASTLE IN EMLYN	–	–	1	–	–	–
CARNARVON ...	–	2	5	1	–	–
Boroughs and Urban Districts:—						
CONWAY	–	–	1	–	–	–
PORTMADOC ...	–	–	–	1	–	–
Rural Districts:—						
CONWAY	–	–	1	–	–	–
GWYRFAI... ...	–	–	3	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH	–	10	3	–	5	M. 2
Boroughs and Urban Districts:—						
†Colwyn Bay and Colwyn	–	1	–	–	2	–
Denbigh	–	–	2	–	–	–
†Wrexham ...	–	–	–	–	–	M. 1
Rural Districts:—						
Chirk	–	1	–	–	–	–
Ruthin	–	3	–	–	2	–
Uwchaled ...	–	–	–	–	1	M. 1
Wrexham ...	–	5	1	–	–	–
FLINT	–	4	1	–	–	–
Boroughs and Urban Districts:—						
Mold	–	3	–	–	–	–
†Rhyl	–	1	–	–	–	–
Rural Districts:—						
Hawarden ..	*	*	*	*	*	*
Holywell (Holywell Div.)	–	–	1	–	–	–
GLAMORGAN ...	–	77	31	1	35	C. 4 M. 10
†Cardiff C.B. ...	–	6	6	1	2	M. 4
†Merthyr Tydfil C.B.	–	–	3	–	1	C. 1 M. 1
Swansea C.B. ...	–	8	3	–	6	M. 2
Boroughs and Urban Districts:—						
†Aberdare ...	–	5	–	–	4	–
†Barry	–	–	–	–	7	–
†Caerphilly ...	–	3	2	–	–	–
†Gelligaer ...	–	1	4	–	–	–
†Glyncorwg ...	–	4	4	–	3	–
†Mountain Ash ...	–	12	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Neath	–	–	5	–	–	–
†Ogmore and Garw	–	8	–	–	1	–
†Pontypridd ...	–	2	–	–	3	C. 2
Porthcawl ...	–	–	–	–	1	–
†Rhondda ...	–	19	2	–	5	C. 1 M. 2
Rural Districts:—						
Cardiff	–	–	1	–	–	–
Gower	*	*	*	*	*	*
Llantrisant and Llantwit-Fardre	–	2	–	–	–	–
Neath	–	4	–	–	1	–
Pontardawe ...	–	3	1	–	–	–
Swansea... ...	–	–	–	–	1	M. 1
MERIONETH ...	–	–	–	–	2	–
Urban Districts:—						
Bala	*	*	*	*	*	*
Festiniog ...	–	–	–	–	1	–
Towyn	–	–	–	–	1	–
Rural Districts:—						
Penllyn	*	*	*	*	*	*
MONMOUTH ...	–	28	11	–	8	–
†Newport C.B. ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†Abercarn ...	–	–	–	–	2	–
†Abertillery ...	–	5	–	–	2	–
Bedwas and Machen	–	–	–	–	2	–
†Bedwellty ...	–	5	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
CHEPSTOW ...	–	1	1	–	–	–
†EBBW VALE ...	–	2	2	–	1	–
†MYNYDDISLWYN	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	4	–	–	1	–
†RISCA	–	–	4	–	–	–
†TREDEGAR ...	–	4	–	–	–	–
Rural Districts:—						
CHEPSTOW ...	–	1	–	–	–	–
MONMOUTH ...	–	4	–	–	–	–
MONTGOMERY ...	–	5	1	–	–	–
Rural Districts:—						
FORDEN... ...	–	5	–	–	–	–
NEWTOWN AND LLANIDLOES	–	–	1	–	–	–
PEMBROKE	–	–	2	1	–	–
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	–	1	–	–	–
Rural Districts:—						
ST. DOGMELLS ...	–	–	1	1	–	–
RADNOR	–	3	1	–	–	–
Urban District:—						
PRESTEIGNE ...	–	–	1	–	–	–
Rural Districts:—						
NEW RADNOR ...	–	1	–	–	–	–
PAINSCASTLE ...	–	2	–	–	–	–
Total of Part II. ...	48	1944	755	31	835	C. 52 D. 5 E. 4 F. 1 G. 8 L. 18 M. 140

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CARDIFF	–	–	–	–	1	–
LIVERPOOL	–	–	–	–	1	–
MALDON	*	*	*	*	*	*
TYNE	–	1	–	–	–	–
Total of Part III.—	–	1	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Total of Part I.—London	–	200	272	3	134	C. 6 D. 2 E. 1 G. 1 M. 19
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	48	1944	755	31	835	C. 52 D. 5 E. 4 F. 1 G. 8 L. 18 M. 140
Total of Part III.—Port Sanitary Districts	–	1	–	–	2	–
Total (*i.e.*, of returns received), England and Wales ...	48	2145	1027	34	971	C. 58 D. 7 E. 5 F. 1 G. 9 L. 18 M. 159

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the wee Forty-eight cases of Small-pox were notified, which appear on pages 38, 39, 43, 45, 46 and 49.

Table 5.—London and Great Towns in the Aggregate. { Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Oct. 21.	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.
LONDON:—													
Deaths—all ages	863	946	1,025	1,083	1,155	1,240	1,129	1,130	1,148	1,068	1,035	1,119	1,124
" 0 to 1 year ..	88	114	117	103	123	131	149	139	153	127	123	119	132
GREAT TOWNS, aggregate (including London):—													
Births	7,096	7,390	6,784	7,141	7,086	7,281	7,058	7,107	7,339	6,910	6,277	8,274	8,409
Deaths—all ages	3,749	3,961	4,205	4,605	4,710	4,599	4.596	4,464	4,726	4,590	4,558	4,910	4,843
" 0 to 1 year ..	504	490	456	541	585	602	604	592	680	687	635	652	698
Enteric Fever—Cases	14	29	27	22	13	24	25	24	15	15	14	16	12
" Deaths	3	3	2	3	1	1	4	1	6	3	4	5	2
Small Pox—Cases ..	2	4	37	11	6	14	13	13	2		11	3	18
" Deaths ..	—	—	1	12	3	1	—	—	—	—	—	—	—
Scarlet Fever—Cases	1,420	1,374	1,317	1,486	1,426	1,358	1,374	1,444	1,377	1,204	1,161	1,291	1,158
" Deaths	13	15	15	12	13	18	8	18	20	22	19	14	27
Diphtheria—Cases ..	720	764	632	631	653	662	759	783	671	661		711	675
" Deaths ..	51	49	61	45	40	35	35	42	59	54	45	58	45
Measles—Deaths ..	49	62	62	69	95	88	85	75	76	74	75	72	62
Influenza—Deaths ..	43	41	48	71	64	71	60	52	68	61	51	57	69

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 13th January, 1923. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
London (Greenwich).	53	27	46·7	34·6	4
Brighton ..	50	34	46·1	37·6	6
Portsmouth ..	52	30	47·9	37·0	2
Norwich (Eaton).	51	31	45·6	34·3	7
Plymouth ..	52	29	48·0	36·6	9
Bristol (Clifton).	49	29	45·4	36·7	13
Birmingham ..	54	32	44·9	35·9	4
Nottingham ..	52	29	45·4	35·9	3
Birkenhead (Bidston).	54	36	46·9	39·1	6
Manchester ..	52	30	45·7	35·6	12
Burnley.. ..	52	26	43·7	34·6	36
Huddersfield	51	32	44·1	36·9	15

Towns.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
Bradford ..	54	27	45·1	35·6	18
Sheffield ..	54	32	45·1	36·9	11
York (Museum)	54	29	46·6	35·4	6
Hull (Pearson Park).	54	29	46·1	35·6	5
Tynemouth ..	54	31	45·3	38·0	3
Cardiff	50	31	46·4	35·3	12
Edinburgh ..	52·0	29·0	45·0	35·9	13
Glasgow ..			Not available.		
Dublin (Phœnix Park).			Not received.		
Fitzwilliam Square.†	54·0	32·0	46·8	36·9	13
Belfast	52·5	30·8	48·4	34·5	40

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 13th January, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY - 7	..	29·728	51·7	34·1	17·6	45·8	+ 7·7	44·5	1·3	3·3	0·0	95	54·0	27·6	43·6	SSW.	WSW.	3·2	0·0	0·2	364	+ 43	0·26
MONDAY - 8	Perigee: In Equator	29·811	53·0	37·9	15·1	46·5	+ 8·6	43·3	3·2	5·6	1·7	88	65·1	30·1	43·6	WSW & SW.	SW & NNW.	2·8	0·0	0·3	393	+ 75	0·02
TUESDAY - 9	..	29·740	48·1	34·1	14·0	42·3	+ 4·4	36·3	6·0	10·2	1·7	79	57·7	28·8	43·8	WSW & SSW.	WSW & SW.	9·0	0·0	0·5	487	+ 175	0·08
WEDNESDAY 10	Last Quarter.	29·528	44·3	36·6	7·7	40·8	+ 2·9	32·7	8·1	10·0	5·2	73	56·0	29·6	43·5	SW.	WSW.	5·0	0·0	0·6	579	+ 272	0·00
THURSDAY - 11	..	29·683	41·9	33·1	8·8	37·8	− 0·1	32·1	5·7	8·3	2·6	80	44·4	28·1	43·4	WSW & W.	WNW & W.	2·0	0·0	0·2	341	+ 36	0·01
FRIDAY - 12	..	29·961	42·9	34·1	8·8	38·5	+ 0·6	34·8	3·7	6·4	2·2	87	49·8	29·2	43·6	NW & N.	N & NNW.	1·6	0·0	0·2	247	− 59	0·01
SATURDAY - 13	..	30·149	40·5	27·3	13·2	32·5	− 5·5	31·2	1·3	4·0	0·0	95	39·6	26·9	43·1	Calm & SW.	SSW.	0·9	0·0	0·0	172	− 138	0·00
MEANS -	..	29·800	46·1	33·9	12·2	40·6	+ 2·7	36·4	4·2	6·8	1·9	85	52·4	28·6	43·5	WSW		..	..	..	Sum 2,583	Sum + 404	Sum 0·38
No. of COLUMN	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	7	w.P. generally	0·0	8·0	Overcast soon after midnight. Rain from 3h. 30m. becoming drizzle by noon, and ceasing about 15h. Mist in afternoon.
MONDAY ..	8	v.P. generally	0·1	8·0	Overcast with slight exceptions till 17h. 30m. Nearly cloudless by 18h. 30m. Misty rain 9h. to 15h. Mist generally from 9h.
TUESDAY ..	9	v.P. throughout	1·3	8·0	Nearly cloudless till 5h. 30m. Overcast generally by 6h., clearing from noon to 14h. Nearly cloudless generally by 15h. Brisk wind generally from 7h. Occasional rain between 7h. 30m. and 12h. 20m. Squall shortly after noon. Lunar halo at 4h. 30m.
WEDNESDAY	10	m.P. generally	0·4	8·1	Nearly cloudless till 8h. with slight hoar frost. Very cloudy generally 8h. 30m. till 16h., cloudless by 16h. 30m. Sky nearly overcast 21h. to 23h. Brisk wind till 18h. Dew at night.
THURSDAY	11	m.P. & s.P. generally	0·8	8·1	Nearly cloudless till 18h., then overcast. Misty generally. Hoar frost in morning. Hazy during the day. Rain about 23h.
FRIDAY ..	12	w.P. generally ; v.P. in afternoon.	2·6	8·1	Overcast generally till 11h. Then fine with cloudy intervals. Misty generally. Rain 1h. 30m. to 2h. Hoar frost at night.
SATURDAY	13	No effective register	0·0	8·2	Cloudless but hazy till 4h. Then foggy, fog slight from 13h. 30m. and clearing by 18h., but overcast sky. Hoar frost till afternoon. Slight rain about 21h.
			Sum 5·2	Sum 56·5	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea ; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon ; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive ; N. negative ; w. weak ; m. moderate ; s. strong ; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·99 in. at the beginning of the week to 29·70 in. by 13h. on 7th ; increased to 29·99 in. by 23h. on 8th ; decreased to 29·51 in. by 13h. on 10th ; increased to 30·20 in. by 11h. on 13th ; and decreased to 30·08 in. by midnight on the same day.

Printed and published by His Majesty's Stationery Office Press.
11-17, Hare Street, E 2

(40444) Wt. 15—P 11, 2250 1/23 H. St. G. 43

FOR OFFICIAL USE.

1923. No. 3.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 20TH JANUARY, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 23 Forth Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 20TH JANUARY, 1923.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the third week of the year numbered 7,935, and corresponded to an annual rate of 21·7 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,958 and corresponded to an annual rate of 13·6 per 1,000 of their aggregate civilian population, which is estimated at 19,052,710 in the year 1921. In the preceding three weeks the rates had been 12·5, 13·4, and 13·3. Infant mortality was 85 per 1,000 births against 101, 79, and 83 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,878 births, corresponding to a rate of 21·6 per 1,000, and 1,171 deaths of civilians, corresponding to a rate of 13·5, as against 12·0, 12·9, and 13·0 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 12·9 per 1,000. The infant mortality was 66 as against 81, 57, and 65 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 115 in the total deaths last week. In London the number of deaths from all causes rose from 1,124 to 1,171; while the deaths from diphtheria, which had been 16, 23, and 16 in the preceding three weeks, rose to 24 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 20th January, 1923.**

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.
105 Great Towns ..	19,052,710*	7,935	4,958	674	2	90	7	31	54	54	78
London	4,514,405*	1,878	1,171	124	–	3	2	6	24	12	13
Towns in Outer Ring.											
Croydon C.B. ..	191,500	67	47	3	–	–	–	–	1	–	1
Wimbledon ..	61,700	15	11	1	–	–	–	–	–	–	–
Ealing	67,800	29	22	–	–	–	–	–	–	–	–
Acton	62,000	23	10	1	–	–	–	–	–	–	–
Willesden ..	167,200	64	36	8	–	–	–	–	1	–	–
Hendon	55,500	18	13	1	–	–	–	–	1	–	1
Hornsey	87,600	24	18	–	1	–	–	–	–	–	1
Wood Green ..	51,100	12	8	–	–	–	–	–	–	–	–
Tottenham ..	149,200	59	47	6	–	–	–	–	–	–	1
Edmonton ..	67,800	41	16	–	–	–	–	–	–	–	–
Enfield	61,400	21	11	3	–	–	–	–	–	–	1
West Ham C.B. ..	307,000	185	74	18	–	–	–	–	1	2	1
East Ham C.B. ..	145,500	50	26	7	–	–	–	–	–	–	2
Leyton	130,100	48	30	3	–	–	–	–	–	–	–
Walthamstow ..	129,800	53	34	5	–	–	–	–	–	1	1
Ilford	85,500	29	14	1	–	–	–	–	–	–	–
Gillingham	48,149*	23	9	2	–	–	–	–	–	–	–
Canterbury C.B. ..	23,680	10	8	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	20	15	3	–	–	–	–	–	–	1
Eastbourne C.B. ..	53,600	10	13	–	–	–	–	–	–	–	–
Brighton C.B. ..	134,800	61	41	4	–	–	–	–	–	–	–
Portsmouth C.B. ..	233,929*	101	64	3	–	1	–	–	2	–	5
Bournemouth C.B. ..	81,200	25	39	3	–	–	–	–	–	–	3
Southampton C.B. ..	162,200	66	45	6	–	–	–	1	1	1	–
Reading C.B.	92,600	35	29	2	–	–	–	–	–	–	–
Oxford C.B.	56,400	15	10	2	–	1	–	–	–	–	–
Northampton C.B. ..	92,300	29	17	2	–	1	–	–	–	–	–
Luton	57,800	14	12	2	–	–	–	–	–	–	–
Cambridge	58,900	23	14	1	–	–	–	–	2	–	–
Southend-on-Sea C.B.	90,500	41	22	3	–	–	–	–	–	–	–
Ipswich C.B.	80,100	19	13	–	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	28	24	3	–	1	–	–	1	–	1
Norwich C.B. ..	122,400	49	24	3	–	–	–	–	–	–	–
Swindon	55,500	16	16	2	–	–	–	–	–	–	–
Exeter C.B.	59,500	21	18	1	–	–	–	–	1	–	–
Plymouth C.B. ..	199,869*	82	59	3	–	–	–	–	–	–	1
Bath C.B.	68,300	32	18	–	–	–	–	–	–	–	–
Bristol C.B.	381,700	128	94	9	–	–	–	1	1	–	–
Gloucester C.B. ..	51,800	28	3	–	–	–	–	–	–	–	1
Stoke-on-Trent C.B.	273,238	135	87	18	–	5	1	–	–	4	1
Burton-upon-Trent C.B.	49,410	14	10	1	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	39	27	4	–	4	–	–	–	–	1
Walsall C.B.	98,800	48	25	6	–	2	–	1	–	–	1
West Bromwich C.B.	75,300	29	19	5	–	–	–	–	2	2	–
Worcester C.B. ..	49,160	13	5	1	–	–	–	–	–	–	1
Dudley C.B.	57,100	32	17	1	–	–	–	–	–	–	–
Birmingham C.B. ..	936,000	357	178	28	–	1	–	1	–	4	3
Smethwick C.B. ..	77,400	27	18	2	–	2	–	–	–	–	–
Coventry C.B. ..	130,300	37	30	6	–	–	–	–	1	1	1
Leicester C.B. ..	237,900	100	50	7	–	1	–	–	1	2	–
Lincoln C.B.	66,600	28	17	2	–	–	–	–	–	–	–
Grimsby C.B.	83,600	37	23	6	–	–	–	–	–	–	–
Nottingham C.B. ..	266,400	110	80	17	–	3	–	2	1	3	1
Derby C.B.	131,800	51	35	3	–	–	–	–	–	–	2
Chesterfield ..	62,400	33	15	4	–	–	–	–	–	1	–
Stockport C.B. ..	125,500	34	30	3	–	–	–	–	–	–	1
Chester C.B.	41,030	22	10	3	–	–	–	–	–	–	1
Birkenhead C.B. ..	147,800	50	26	2	–	–	–	–	–	–	–
Wallasey C.B. ..	89,600	42	27	1	–	–	–	–	–	–	–
Liverpool C.B. ..	817,000	433	268	45	–	–	1	1	2	6	5
Bootle C.B.	77,800	40	21	2	–	–	–	–	–	–	–
St. Helens C.B. ..	104,900	58	25	6	–	–	1	–	1	–	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION, Mid. 1921.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	71,900	22	19	2	–	–	–	–	–	–	–
WIGAN C.B.	91,200	48	32	7	–	–	–	–	–	–	1
WARRINGTON C.B. ..	78,600	35	17	2	–	3	–	–	–	–	–
BOLTON C.B.	182,200	69	51	4	–	1	–	–	–	1	1
BURY C.B.	57,600	14	25	1	–	–	–	–	–	–	–
MANCHESTER C.B. ..	744,000	336	198	33	1	1	–	1	2	2	4
SALFORD C.B.	239,100	112	69	14	–	–	1	–	–	–	–
OLDHAM C.B.	148,300	46	55	9	–	1	–	–	–	–	1
ROCHDALE C.B... ..	92,700	30	36	3	–	–	–	–	–	–	–
BURNLEY C.B.	105,300	40	35	2	–	3	–	–	–	–	–
BLACKBURN C.B. ..	129,682	55	40	8	–	–	–	–	–	–	–
PRESTON C.B.	119,900	60	25	6	–	–	–	1	2	–	1
BLACKPOOL C.B. ..	73,800	27	20	2	–	–	–	1	–	–	1
BARROW-IN-FURNESS C.B.	75,200	24	22	3	–	–	–	–	–	–	–
HUDDERSFIELD C.B. ..	111,900	30	34	1	–	1	1	–	–	–	–
HALIFAX C.B.	100,700	21	29	2	–	–	–	–	–	–	–
BRADFORD C.B. ..	291,100	116	89	13	–	6	–	–	–	–	2
LEEDS C.B.	465,500	183	118	13	–	9	–	–	–	2	2
DEWSBURY C.B. ..	55,100	25	6	1	–	–	–	–	–	–	–
WAKEFIELD C.B. ..	53,763	22	8	2	–	–	–	–	–	1	–
BARNSLEY C.B. ..	68,991	41	22	3	–	–	–	–	–	1	1
SHEFFIELD C.B. ..	519,239	198	122	21	–	–	–	1	1	1	3
ROTHERHAM C.B. ..	69,100	21	13	5	–	–	–	–	–	–	–
DONCASTER	54,700	35	10	4	–	–	–	–	–	1	–
YORK C.B.	84,500	22	15	1	–	–	–	–	–	–	1
HULL C.B.	291,800	129	62	8	–	–	–	–	–	–	3
MIDDLESBROUGH C.B.	133,400	74	38	5	–	–	–	–	–	1	–
DARLINGTON C.B. ..	66,400	38	35	2	–	14	–	–	–	–	–
STOCKTON-ON-TEES ..	65,000	30	20	4	–	3	–	–	1	–	–
WEST HARTLEPOOL C.B.	69,300	44	28	11	–	1	–	–	–	–	–
SUNDERLAND C.B. ..	161,100	81	60	15	–	14	–	2	–	–	–
SOUTH SHIELDS C.B. ..	120,376	73	41	11	–	–	–	7	1	–	–
GATESHEAD C.B. ..	126,700	57	39	5	–	–	–	1	–	–	1
NEWCASTLE-ON-TYNE C.B.	278,400	146	80	13	–	3	–	1	–	4	–
TYNEMOUTH C.B. ..	63,900	34	16	2	–	–	–	1	–	–	1
CARLISLE C.B.	53,200	23	8	2	–	–	–	–	–	–	–
NEWPORT (MON.) C.B.	93,700	35	22	4	–	1	–	1	1	1	–
CARDIFF C.B.	222,089	102	52	8	–	1	–	–	1	–	–
RHONDDA	166,600	64	34	6	–	3	–	–	–	–	1
MERTHYR TYDFIL C.B.	81,800	24	24	1	–	–	–	–	1	–	1
ABERDARE	56,100	28	9	2	–	–	–	–	–	–	–
SWANSEA C.B.	159,600	60	42	5	–	–	–	1	–	–	–
GREATER LONDON ..	7,523,963*	3,060	1,835	211	1	3	3	8	31	15	28
OUTER RING	3,009,558*	1,182	664	87	1	–	1	2	7	3	15
16 GREAT TOWNS IN OUTER RING	1,820,700	738	417	57	1	–	–	–	4	3	9
REMAINDER OF OUTER RING	1,188,858*	444	247	30	–	–	1	2	3	–	6
EDINBURGH†	426,000	198	146	19	–	2	2	3	2	2	2
GLASGOW†	1,041,300	542	355	69	–	–	2	6	4	3	–
DUBLIN (REGISTRATION AREA)†	431,000	206	142	23	–	–	–	–	–	5	–
BELFAST†	429,000		Not	receive	d.						

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available per

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still	Deaths. born.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
		1922–23.										
London‡	4,514,405	Jan. 20	1878	1171	13·5	–	–	3	2	6	24	12
Calcutta	896,067	Dec. 9	?	541§	30·9	?	3	?	?	?	?	?
Bombay	1,200,473	„ 16	531‖	679§	29·4	–	2	1	?	2	–	49
Madras	526,911	„ 9	409	442	43·6	–	4	1	?	1	–	41
Sydney and Suburbs	926,400	Nov. (30 days)	1862	620	8·0	1	–	4	–	3	–	19
Brisbane (Metropolitan Area).	217,714											
Perth (Metropolitan Area).	155,939	Nov. 25	63	43	14·3	–	–	–	–	–	–	3
Auckland (Urban Area).	164,450											
Wellington (Urban Area).	110,680											
Christchurch (Urban Area).	110,200											
Cape Town	104,400	Dec. 2	60	21	10·5	–	–	–	–	–	–	1
Johannesburg	153,825	„ 9	86	25	8·4	–	–	1	–	–	–	2
Durban	49,043	„ 9	19	10	10·6	1	–	1	–	–	–	–
Paris	2,906,472	„ 31 (11 days)	1350	1251	15·7	5	–	13	3	3	4	23
Antwerp	302,150											
Amsterdam	695,347	Dec. 30	300	145	9·5	1	–	1	–	4	–	–
Copenhagen	562,600	Jan. 6	240	152	14·0	–	–	2	–	5	–	2
Stockholm	422,042	„ 6	113	95	11·7	–	–	–	–	–	1	1
Gothenburg	228,052	Dec. 16	?	43	9·8	–	–	–	–	–	1	–
Christiania	258,933	Jan. 6	112	64	12·8	–	–	–	–	–	–	2
Berlin	1,974,000	Dec. 9	392	537	14·1	1	?	3	–	–	3	19
Breslau	557,000	„ 9	175	175	16·3	–	?	1	1	2	4	4
Cologne	692,000	„ 9	272	185	13·9	–	?	15	–	1	3	3
Dresden	608,000	„ 9	174	145	12·4	–	?	–	1	1	2	–
Frankfort-on-Main..	476,000	„ 9	122	77	8·4	–	?	–	–	2	–	–
Hamburg	1,071,000	„ 9	252	278	13·5	–	?	–	1	1	1	8
Leipzig	676,000	„ 9	214	139	10·7	1	?	–	–	–	2	1
Munich	682,000	„ 9	227	178	13·6	–	?	1	–	–	–	1
Vienna	1,842,005	Nov. 25	466	528	14·9	1	–	–	1	–	3	9
Prague and Suburbs	689,262	Dec. 2	239	165	12·1	1	?	–	1	1	1	4
Budapest	940,000	Oct. 28	304	290	16·1	6	?	2	–	–	2	12
Warsaw	956,087	Dec. 2	375	282	15·3	3	–	12	6	4	2	17
Cairo	777,500	Nov. 4	777	348	23·3	3	–	–	–	?	9	53
Alexandria	456,300	„ 4	420	204	23·2	3	–	–	–	?	–	18
New York	5,839,738	Dec. 16	2269	1403	12·5	2	–	3	2	2	14	21
Chicago	2,833,288	„ 23	?	765	14·1	–	–	5	5	3	19	20
Rio de Janeiro ..	1,256,370	„ 2	609	471	19·5	1	1	22	–	3	3	?
Montevideo	349,293	Sept. 23	184	130	18·4	–	–	–	–	–	–	1

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vien Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children un* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 9 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 2 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 20th January, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1171	124	24	32	30	52	41	85	141	186	196	260
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	1	–	2	–	–	–	–	–	–	–	–
Scarlet fever	2	–	–	2	–	–	–	–	–	–	–	–
Whooping cough	6	4	1	–	1	–	–	–	–	–	–	–
Diphtheria	24	–	2	8	12	2	–	–	–	–	–	–
Influenza	13	–	–	–	–	–	–	2	1	2	4	4
Erysipelas	2	1	–	–	–	–	–	–	–	–	1	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	2	–	–	–	–	–	–	1	1	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	94	–	–	1	1	15	19	22	24	9	2	1
Nervous system..	7	1	1	1	2	1	–	1	–	–	–	–
Intestines and peritoneum	2	1	–	–	–	–	–	–	–	1	–	–
Other forms	11	–	–	2	–	2	4	–	1	1	1	–
Venereal diseases	4	2	–	–	–	–	–	–	1	–	1	–
Cancer	124	–	–	–	–	2	1	6	27	37	31	20
Rheumatic fever	6	–	–	1	1	4	–	–	–	–	–	–
Diabetes	7	–	–	–	–	1	1	–	1	1	2	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	4	1	–	–	–	–	2	–	–	1	–	–
Cerebral hæmorrhage, &c., Apoplexy	48	1	–	–	–	–	–	–	5	8	17	17
Epilepsy	1	–	–	–	–	–	–	–	–	1	–	–
"Convulsions" (not puerperal) ..	4	4	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	38	–	2	–	1	2	1	6	10	7	7	2
Pericarditis	2	–	–	–	1	–	–	–	–	1	–	–
Acute endocarditis	5	–	–	–	–	–	–	3	1	1	–	–
Other diseases of heart	146	–	–	–	2	3	3	11	16	30	37	44
Other diseases of circulatory system	63	1	–	–	1	–	–	1	6	11	14	29
Bronchitis	118	10	2	1	–	–	2	3	9	23	25	43
Broncho-pneumonia	76	29	8	3	1	2	1	4	3	9	4	12
Lobar pneumonia	25	1	2	3	2	2	1	4	4	2	3	1
Pneumonia (type not distinguished) ..	23	5	1	1	–	2	–	4	1	2	5	2
Other diseases of respiratory system	15	1	–	–	–	1	1	1	2	3	3	3
Diarrhœa and enteritis	19	10	2	–	–	2	–	–	1	3	1	–
Appendicitis, Typhlitis	8	–	–	1	1	2	1	1	–	1	1	–
Hernia, Intestinal obstruction	14	1	–	1	–	–	–	2	3	1	1	5
Cirrhosis of liver	3	–	–	–	–	–	–	–	–	1	1	1
Other diseases of digestive system ..	23	–	–	1	2	–	2	5	3	2	7	1
Acute nephritis	5	1	1	1	–	–	–	–	1	1	–	–
Chronic Bright's disease	34	–	–	–	–	–	–	2	10	13	6	3
Other diseases of genito-urinary system.	18	1	–	–	–	–	–	1	2	3	7	4
Puerperal sepsis	2	–	–	–	–	2	–	–	–	–	–	–
Other causes incident to childbirth ..	1	–	–	–	–	–	–	1	–	–	–	–
Congenital malformations	9	8	–	–	–	1	–	–	–	–	–	–
Premature birth	24	24	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	8	8	–	–	–	–	–	–	–	–	–	–
Old age..	59	–	–	–	–	–	–	–	–	2	6	51
Suicide	13	–	–	–	–	2	–	2	4	2	2	1
Burns and scalds	5	–	2	2	–	–	–	–	–	1	–	–
Drowning	3	–	–	–	1	1	1	–	–	–	–	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	6	–	–	–	–	2	–	–	1	–	1	2
Other deaths by violence	14	1	–	–	–	–	–	1	1	2	2	7
Other specified causes	26	6	–	1	1	1	–	1	2	4	4	6
Ill defined causes	1	–	–	–	–	–	1	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 20th January, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	222	271	5	92	C. 8 D. 1 E. 1 F. 1 G. 6 L. 1 M. 22
Metropolitan Boroughs:—						
†BATTERSEA ...	–	12	6	–	6	D. 1 M. 2
†BERMONDSEY ...	–	4	20	–	4	–
†BETHNAL GREEN	–	7	5	–	5	M. 1
†CAMBERWELL ...	–	13	22	–	3	–
†CHELSEA	–	5	4	–	–	–
†DEPTFORD ...	–	7	13	–	1	–
†FINSBURY ...	–	1	5	–	1	E. 1
†FULHAM	–	8	6	–	3	M. 1
†GREENWICH ...	–	5	9	–	1	L. 1 M. 1
†HACKNEY ...	–	8	22	1	2	G. 1 M. 1
†HAMMERSMITH ...	–	4	5	–	1	C. 1
†HAMPSTEAD ...	–	7	3	–	2	–
†HOLBORN... ...	–	2	2	–	–	C. 1 M. 1
†ISLINGTON ...	–	12	14	–	1	C. 2 G. 1 M. 1
†KENSINGTON ...	–	8	4	–	1	–
†LAMBETH ...	–	20	10	–	6	C. 1 M. 4
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	10	12	–	4	G. 1
†PADDINGTON ...	–	10	7	–	5	M. 1
†POPLAR	–	9	12	–	15	M. 1
†ST. MARYLEBONE	–	6	2	1	1	–
†ST. PANCRAS ...	–	22	18	1	3	C. 1
†SHOREDITCH ...	–	2	2	1	4	M. 4
†SOUTHWARK ...	–	9	36	–	1	G. 1
†STEPNEY	–	7	18	–	4	C. 1 F. 1 G. 2 M. 2
†STOKE NEWINGTON	–	1	1	–	2	–
†WANDSWORTH ...	–	18	7	1	11	C. 1
†WESTMINSTER, CITY OF	–	4	3	–	1	M. 1
†WOOLWICH ...	–	1	3	–	4	M. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	7	7	–	6	M. 1
Boroughs and Urban Districts:—						
†BEDFORD ...	–	1	1	–	2	M. 1
LEIGHTON BUZZARD	–	2	–	–	1	–
†LUTON	–	–	4	–	–	–
Rural Districts:—						
AMPTHILL ...	–	–	–	–	2	–
BIGGLESWADE ...	–	3	2	–	1	–
EATON BRAY ...	–	1	–	–	–	–
BERKS	–	21	11	–	–	–
†READING C.B. ...	–	7	3	–	–	–
Boroughs and Urban Districts:—						
ABINGDON ...	–	1	–	–	–	–
WANTAGE ...	–	1	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	4	3	–	–	–
COOKHAM ...	–	–	4	–	–	–
EASTHAMPSTEAD	–	1	–	–	–	–
WALLINGFORD ...	–	–	1	–	–	–
WANTAGE ...	–	4	–	–	–	–
WOKINGHAM ...	–	3	–	–	–	–
BUCKINGHAM ...	–	11	4	–	6	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	3	–	–	–	–
BEACONSFIELD ..	–	1	–	–	–	–
†CHEPPING WYCOMBE ...	–	1	–	–	2	–
LINSLADE ...	–	–	1	–	–	–
MARLOW	*	*	*	*	*	*
†SLOUGH	–	–	2	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts:—						
AYLESBURY ...	–	2	–	–	1	–
ETON	–	1	–	–	–	–
NEWPORT PAGNELL	–	1	1	–	–	–
WYCOMBE ...	–	2	–	–	–	–
CAMBRIDGE ...	–	3	4	–	1	–
Borough:—						
†CAMBRIDGE ...	–	–	4	–	1	–
Rural Districts:—						
CHESTERTON ...	–	1	–	–	–	–
LINTON	–	1		–	–	–
MELBOURN ...	–	1	–	–	–	–
CHESTER	–	61	38	1	43	C. 1 G. 1 M. 2
†BIRKENHEAD C. B.	–	8	5	1	8	C. 1 M. 1
†CHESTER C. B. ...	–	4	1	–	2	–
†STOCKPORT C.B.	–	5	3	–	3	–
†WALLASEY C.B. ...	–	1	5	–	2	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	–	–	–	1	–
ASHTON UPON MERSEY	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	5	–
BOWDON	–	–	1	–	–	–
BREDBURY AND ROMILEY	–	–	–	–	3	–
COMPSTALL ...	–	–	12	–	–	–
†CONGLETON ...	–	6	1	–	2	–
†CREWE	–	2	–	–	–	–
†DUKINFIELD ...	–	–	–	–	4	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ELLESMERE PORT AND WHITBY	–	1	–	–	1	–
HOOLE	–	2	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	2	–	–	–	G. 1
†HYDE	–	7	–	–	1	M. 1
KNUTSFORD ...	–	2	1	–	1	–
†MACCLESFIELD ...	–	2	1	–	2	–
MIDDLEWICH ...	–	1	1	–	–	–
NESTON AND PARKGATE	–	–	1	–	–	–
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN... ...	–	2	–	–	1	–
WILMSLOW ...	–	–	1	–	–	–
†WINSFORD ...	–	–	2	–	1	–
Rural Districts:—						
BUCKLOW ...	–	2	1	–	2	–
CHESTER	–	1	–	–	–	–
CONGLETON ...	–	1	–	–	–	–
MACCLESFIELD ...	–	1	–	–	1	–
NORTHWICH ...	–	5	1	–	–	–
RUNCORN ...	–	2	–	–	2	–
WIRRAL	–	2	1	–	–	–
CORNWALL ...	–	7	1	–	3	–
Boroughs and Urban Districts:—						
LOOE	*	*	*	*	*	*
NEWQUAY ...	*	*	*	*	*	*
REDRUTH... ..	–	2	–	–	–	–
ST. IVES	–	1	–	–	–	–
TORPOINT ...	–	1	–	–	–	–
Rural Districts:—						
BODMIN	–	1	–	–	–	–
CAMELFORD ...	–	–	–	–	1	–
REDRUTH ...	–	–	–	–	2	–
SAINT AUSTELL...	–	2	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND ...	–	12	6	–	6	C. 1
†CARLISLE C.B. ...	–	3	2	–	4	–
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	–	–	–	–	C. 1
COCKERMOUTH ...	–	1	–	–	–	–
†MARYPORT ...	–	1	–	–	2	–
MILLOM	–	–	1	–	–	–
PENRITH	–	1	–	–	–	–
†WORKINGTON ...	–	3	3	–	–	–
Rural Districts:—						
COCKERMOUTH ...	–	2	–	–	–	–
WIGTON	–	1	–	–	–	–
DERBY	13	27	7	–	25	C. 3 D. 1 M. 2
†DERBY C.B. ...	–	8	2	–	11	C. 1 D. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	1	–	–	–	2	–
BAKEWELL .	–	–	1	–	–	–
†BELPER	–	3	1	–	–	–
†BOLSOVER ...	–	1	–	–	–	M. 1
†CHESTERFIELD ..	–	1	–	–	1	C. 1
†GLOSSOP	–	–	–	–	1	–
†HEANOR	11	2	1	–	2	–
†ILKESTON ...	1	–	–	–	–	–
†LONG EATON ...	–	–	–	–	1	–
NEW MILLS ...	–	1	–	–	–	–
†RIPLEY	–	–	–	–	2	–
Rural Districts:—						
BAKEWELL ...	–	–	–	–	1	–
BELPER	–	2	–	–	–	–
BLACKWELL ...	–	2	2	–	1	C. 1
CHESTERFIELD .	–	4	–	–	2	–
CLOWNE	–	1	–	–	–	M. 1
CODNOR PARK AND SHIPLEY (PARISHES) ...	–	1	–	–	–	–
SHARDLOW ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	15	14	–	6	C. 1 M. 2
†EXETER C.B. ...	–	1	1	–	–	M. 2
†PLYMOUTH C.B....	–	6	5	–	6	–
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	1	–	–	–
CREDITON ..	–	1	–	–	–	–
HONITON	–	1	1	–	–	–
†NEWTON ABBOT...	–	1	–	–	–	–
OKEHAMPTON ...	–	1	–	–	–	–
†PAIGNTON ...	–	–	1	–	–	–
SEATON	–	–	1	–	–	–
†TORQUAY... ...	–	1	–	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	–	3	–	–	–
CULMSTOCK ...	–	1	–	–	–	–
HONITON	–	1	–	–	–	C. 1
PLYMPTON ST. MARY	–	–	1	–	–	–
TAVISTOCK ...	–	1	–	–	–	–
DORSET	–	14	3	–	3	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	3	1	–	–	–
†POOLE	–	–	–	–	1	–
†PORTLAND ...	–	–	2	–	–	–
SWANAGE ...	–	3	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	2	–
Rural Districts:—						
BLANDFORD ...	–	1	–		–	–
STURMINSTER ...	–	7	–	–	–	–
DURHAM	–	79	22	2	67	C. 1 M. 5
†DARLINGTON C B	–	4	–	–	4	–
†GATESHEAD C.B.	–	4	3	1	2	C. 1
†SOUTH SHIELDS C.B.	–	1	2	–	10	–
DURHAM—*cont.*						
†SUNDERLAND C.B.	–	12	–	–	8	–
WEST HARTLEPOOL C.B.	–	1	–	–	9	M. 3
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	1	–	1	–
BARNARD CASTLE	–	–	–	–	1	–
BENFIELDSIDE ...	–	2	–	–	–	–
†BISHOP AUCKLAND	–	–	1	–	–	–
†BLAYDON... ..	–	1	–	–	–	–
†CHESTER LE STREET	–	2	1	–	–	–
†CONSETT	–	–	1	–	–	–
†CROOK	–	1	–	–	–	–
†DURHAM	–	1	–	–	1	–
†FELLING	–	–	–	–	4	M. 1
†HARTLEPOOL ...	–	1	–	–	–	–
†HEBBURN ...	–	1	–	–	3	–
†HETTON... ...	–	4	–	–	2	–
†HOUGHTON LE SPRING	–	–	–	–	4	–
†JARROW	–	5	–	–	2	–
LEADGATE ...	–	–	1	–	–	–
†RYTON	–	1	–	–	1	–
†SOUTHWICK ON WEAR	–	3	–	–	1	–
†STANLEY	–	3	3	–	4	–
†STOCKTON ON TEES	–	1	2	–	3	M. 1
†TANFIELD ...	–	1	–	–	1	–
TOW LAW ...	–	1	–	–	–	–
†WASHINGTON ...	–	1	2	–	2	–
Rural Districts:—						
AUCKLAND ...	–	5	1	1	–	–
CHESTER LE STREET	–	3	1	–	–	–
DARLINGTON ...	–	1	–	–	–	–
DURHAM	–	2	–	–	–	–
EASINGTON ...	–	3	–	–	1	–
HOUGHTON LE SPRING	–	3	–	–	1	–
LANCHESTER ...	–	1	2	–	1	–
SEDGEFIELD ...	–	6	–	–	–	–
STOCKTON ...	–	3	–	–	–	–
SUNDERLAND ...	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY ..	–	–	–	–	1	–
Rural Districts:—						
ELY	–	–	–	–	1	–
ESSEX	–	65	46	–	23	C. 1 G. 1 M. 1
†EAST HAM C.B. ...	–	7	5	–	2	–
†SOUTHEND-ON-SEA C.B.	–	7	3	–	6	–
†WEST HAM C.B. ...	–	15	18	–	1	M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN	–	–	1	–	–	–
BRENTWOOD ...	–	3	–	–	–	–
BRIGHTLINGSEA	–	–	–	–	1	–
BUCKHURST HILL	–	1	–	–	–	–
†COLCHESTER ...	–	–	2	–	1	–
†GRAYS THURROCK	–	–	3	–	–	–
†HARWICH ...	–	1	1	–	–	–
†ILFORD	–	1	2	–	1	–
†LEYTON	–	3	5	–	–	C. 1
LOUGHTON ...	–	3	–	–	–	–
SHOEBURYNESS ...	–	1	–	–	6	–
†WALTHAMSTOW ...	–	9	4	–	2	–
†WANSTEAD ...	–	3	–	–	–	G. 1
Rural Districts:—						
BILLERICAY ...	–	3	–	–	–	–
BRAINTREE ...	–	2	–	–	–	–
DUNMOW... ...	–	–	–	–	2	–
EPPING	–	–	2	–	–	–
HALSTEAD ...	–	2	–	–	–	–
ROMFORD ...		4	–	–	–	–
TENDRING ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	–	116	22	–	6	D. 1 M. 2
†BRISTOL C.B. ...	–	77	15	–	3	M. 1
†GLOUCESTER C.B.	–	–	3	–	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	9	2	–	–	–
COLEFORD ...	–	1	–	–	–	–
†KINGSWOOD ...	–	1	–	–	–	–
NEWNHAM ...	–	2	–	–	–	–
Rural Districts:—						
CHELTENHAM ...		3	–	–	–	–
CHIPPING SODBURY	–	2	–	–	–	–
DURSLEY	–	–	–	–	1	–
EAST DEAN AND UNITED PARISHES	–	6	–	–	–	–
LYDNEY	–	8	–	–	–	–
NEWENT	–	–		–	–	M. 1
PEBWORTH ...	–	–	–	–	–	D. 1
STOW ON THE WOLD (PART)	–	1	–	–	–	–
TEWKESBURY (PART)	–	–	–	–	1	–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	5	–	–	–	–
WEST DEAN ...	–	1	–	–	–	–
WINCHCOMB (PART)	–	–	2	–	–	–
HEREFORD ...	–	3	5	–	–	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	2	–	–	–
Rural Districts:—						
LEDBURY... ...	–	3	–	–	–	–
WEOBLEY ...	–	–	3	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...	–	10	9	–	4	M. 1
Boroughs and Urban Districts:—						
†BARNET	–	2	–	–	–	–
BISHOP'S STORTFORD	–	1	–	–	–	–
CHESHUNT ...	–	–	1	–	–	–
HARPENDEN ...	–	–	1	–	–	–
ROYSTON	–	4	–	–	–	–
†ST. ALBAN'S ...	–	–	2	–	1	–
WARE	–	–	–	–	1	–
†WATFORD ...	–	–	–	–	–	M. 1
Rural Districts:—						
BUNTINGFORD ...	–	–	2	–	–	–
HEMEL HEMPSTEAD	–	–	1	–	–	–
HITCHIN	–	–	–	–	1	–
ST. ALBANS ...	–	1	–	–	–	–
WARE	–	–	1	–	–	–
WATFORD ...	–	2	1	–	1	–
HUNTINGDON ...	–	2	–	–	–	–
Rural Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
ST. IVES	–	1	–	–	–	–
KENT	–	42	9	–	9	G. 1 M. 1
Boroughs and Urban Districts:—						
†ASHFORD ...	–	–	1	–	1	–
†BECKENHAM ...	–	2	–	–	–	–
†BEXLEY	–	1	–	–	–	–
†CHATHAM ...	–	1	1	–	–	–
CHISLEHURST ...	–	4	–	–	–	–
†CRAYFORD ...	–	1	–	–	–	M. 1
†DOVER	–	2	1	–	1	–
†ERITH	–	1	–	–	–	–
†FAVERSHAM ...	–	1	–	–	–	G. 1
†FOLKESTONE ...	–	–	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts— *cont.*						
†GILLINGHAM ...	–	5	1	–	–	–
†GRAVESEND ...	–	2	1	–	–	–
†MAIDSTONE ...	–	2	–	–	1	–
†NORTHFLEET ...	–	1	–	–	–	–
†PENGE	–	2	–	–	–	–
†RAMSGATE ...	–	–	–	–	2	–
†SHEERNESS ...	–	2	–	–	1	–
SITTINGBOURNE	–	1	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	1	–	–	–	–
ELHAM	–	1	–	–	–	–
HOLLINGBOURNE	–	–	2	–	–	–
ISLE OF THANET	–	1	–	–	–	–
MAIDSTONE ...	–	4	–	–	–	–
MALLING	–	1	–	–	–	–
MILTON	–	2	1	–	–	–
SEVENOAKS ...	–	3	–	–	–	–
SHEPPEY	–	1	–	–	–	–
STROOD	–	–	1	–	–	–
LANCASTER ...	–	347	100	10	208	C. 12 E. 1 G. 7 L. 2 M 26
†BARROW IN FURNESS C.B.	–	2	1	–	–	–
†BLACKBURN C.B.	–	8	1	–	13	–
†BLACKPOOL C.B.	–	2	1	–	2	M. 2
†BOLTON C.B. ...	–	26	5	–	4	–
†BOOTLE C.B. ...	–	5	1	–	1	G. 1 M. 1
†BURNLEY C.B. ...	–	44	2	1	3	G. 1
†BURY C.B. ...	–	2	–	–	5	–
†LIVERPOOL C.B. ...	–	28	23	1	41	C. 1 G. 4 L. 1 M. 12
†MANCHESTER C.B.	–	40	14	3	38	C. 3 L. 1 M. 3
†OLDHAM C.B. ...	–	11	2	–	2	C. 2 M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†Preston C.B. ...	–	1	7	2	–	–
†Rochdale C.B. ...	–	18	1	–	–	–
†St. Helens C.B.	–	9	6	1	1	M. 1
†Salford C.B. ...	–	20	10	–	5	M. 1
†Southport C.B.	–	4	–	–	1	–
†Warrington C.B.	–	3	1	–	5	E. 1
†Wigan C.B. ...	–	2	1	–	10	–
Boroughs and Urban Districts:—						
†Accrington ...	–	3	–	–	2	G. 1
†Ashton in Makerfield	–	–	2	–	1	–
†Ashton under Lyne	–	1	–	–	4	–
†Atherton ...	–	2	1	–	2	–
Audenshaw ...	–	3	–	–	–	–
†Bacup	–	–	–	–	2	M. 2
Barrowford ...	*	*	*	*	*	*
†Chadderton ...	–	1	–	–	1	M. 1
†Chorley	–	–	–	–	1	–
Church	–	–	–	–	1	–
†Clitheroe ...	–	–	1	–	–	–
†Colne	–	–	–	–	5	–
†Crompton ...	–	1	–	–	1	–
†Darwen ...	–	11	2	–	–	–
†Denton	–	1	–	–	–	–
†Droylsden ...	–	–	–	–	1	–
†Eccles	–	1	–	–	1	–
†Failsworth ...	–	1	–	–	1	C. 1
†Farnworth ...	–	1	–	–	7	–
†Fleetwood .	–	–	–	–	1	–
†Great Crosby ...	–	1	–	–	–	–
†Haslingden ..	–	1	–	–	1	–
†Haydock... ...	–	2	–	–	–	–
†Heywood ...	–	2	1	–	1	C. 1
†Horwich ...	–	–	–	–	3	–
Huyton with Roby	*	*	*	*	*	*
†Ince in Makerfield.	–	2	–	–	2	–
Irlam	–	–	–	–	1	–
Kearsley ..	–	2	–	–	–	–
Kirkham ...	–	1		–	–	–
†Lancaster ...	–	4	–	–	1	–
†Leigh	–	6	3	–	–	–
Leyland... ...	–	1	–	–	–	–
†Litherland ...	–	6	1	–	–	–
†Littleborough	–	1	–	–	–	–
†Lytham St. Anne's.	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Middleton ...	–	1	–	–	2	–
†Nelson	–	1	–	–	–	–
†Newton in Makerfield	–	–	–	–	2	–
Orrell	–		1	–	–	C. 1
†Oswaldtwistle	–	4	–	–	–	–
†Padiham ..	–	1	–	–	–	–
Poulton le Fylde.	–	2	–	–	–	–
†Radcliffe ...	–	1	–	1	–	–
†Ramsbottom ...	–	1	1	–	–	C. 1
†Rawtenstall ...	–	2	1	–	–	–
Rishton	–	–	–	–	3	–
†Royton	–	–	1	–	2	–
Skelmersdale ...	–	3	–	–	1	–
Standish with Langtree	–	–	–	–	2	–
†Stretford ...	–	3	1	–	2	–
†Swinton and Pendlebury	–	5	1	–	2	–
Tottington ...	–	–	–	–	4	–
†Turton	–	2	–	–	–	–
†Tyldesley with Shakerley	–	3	1	–	–	–
†Ulverston ...	–	3	–	–	–	–
Upholland ...	–	4	–	–	–	–
Urmston... ...	–	–	–	–	1	–
†Waterloo with Seaforth	–	1	–	–	–	–
†Westhoughton	–	–	–	–	–	C. 1
†Whitworth ...	–	1	–	–	–	–
†Widnes	–	4	1	–	8	C. 1 M. 1
Withnell ...	–	1	–	–	–	–
Rural Districts:—						
Barton upon Irwell.	–	2	–	–	2	M. 1
Bury	–	3	–	–	–	–
Chorley	–	1	–	1	2	–
Clitheroe ...	–	4	–	–	–	–
Fylde	–	1	2	–	–	–
Lancaster ...	–	1	–	–	–	–
Leigh	–	2	–	–	–	–
Limehurst ...	–	2	–	–	–	–
Preston	–	1	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
Sefton	–	1	–	–	–	–
Ulverston ...	–	1	–	–	–	–
Warrington ...	–	2	–	–	2	–
West Lancashire	–	–	–	–	1	–
Whiston ...	–	2	1	–	–	–
Wigan	–	–	1	–	–	–
LEICESTER... ...	–	15	6	–	4	G. 1 M. 3
†Leicester C.B. ...	–	8	2	–	3	G. 1 M. 2
Boroughs and Urban Districts:—						
†Coalville ..	–	1	–	–	–	–
Melton Mowbray.	–	1	–	–	–	–
Quorndon ...	–	–	–	–	–	M. 1
Wigston Magna	–	–	1	–	–	–
Rural Districts:—						
Ashby de la Zouch	–	1	–	–	1	–
Castle Donington	–	–	1	–	–	–
Loughborough	–	–	1	–	–	–
Market Bosworth	–	4	–	–	–	–
Market Harborough	–	–	1	–	–	–
LINCOLN (parts of Holland).	–	1	6	–	2	–
Boroughs and Urban Districts:—						
†Spalding ...	–	–	2	–	1	–
Rural Districts:—						
Boston	–	1	–	–	–	–
Crowland ...	–	–	4	–	–	–
East Elloe ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	–	2	–	–	1	–
Boroughs and Urban Districts:—						
Bourne	–	–	–	–	1	–
Rural Districts:—						
Claypole ...	–	1	–	–	–	–
Sleaford ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	1	24	9	1	3	–
†Grimsby C.B. ...	–	4	4	–	–	
†Lincoln C.B. ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
Brigg	–	1	–	–	–	–
†Cleethorpes ...	–	4	1	–	–	–
†Gainsborough ...	–	–	2	–	–	–
Roxby cum Risby	*	*	*	*	*	*
†Scunthorpe and Frodingham	1	2	1	–	1	–
Rural Districts:—						
Caistor	–	1	1	–	–	–
Gainsborough ...	–	–	–	1	–	–
Glanford Brigg	–	10	–	–	1	–
Sibsey	–	1	–	–	–	–
MIDDLESEX ...	–	76	47	–	25	G. 1 L. 1 M. 2
Boroughs and Urban Districts:—						
†Acton	–	3	3	–	1	–
†Brentford ...	–	1	2	–	1	–
†Chiswick ...	–	1	1	–	–	–
†Ealing	–	12	2	–	–	–
†Edmonton ...	–	6	2	–	5	M. 1
†Enfield	–	1	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
FELTHAM... ...	–	3	1	–	–	–
†FINCHLEY ...	–	2	–	–	2	–
†HANWELL ...	–	5	2	–	–	–
†HARROW ON THE HILL	–	–	1	–	–	–
†HENDON	–	2	1	–	–	–
†HESTON AND ISLEWORTH	–	4	9	–	–	–
†HORNSEY... ...	–	4	2	–	4	–
KINGSBURY ...	*	*	*	*	*	*
RUISLIP NORTHWOOD	–	1	–	–	–	–
†SOUTHALL NORWOOD	–	3	–	–	–	L. 1
†SOUTHGATE ...	–	–	2	–	–	–
†TOTTENHAM ...	–	12	4	–	3	M. 1
†TWICKENHAM ...	–	1	–	–	–	–
†UXBRIDGE ...	–	–	–	–	2	–
†WEALDSTONE ...	–	–	1	–	–	–
†WEMBLEY ...	–	–	–	–	2	–
†WILLESDEN ...	–	9	12	–	2	–
†WOOD GREEN ...	–	6	–	–	1	G. 1
Rural Districts:—						
HENDON	–	–	1	–	–	–
STAINES	–	–	–	–	1	–
NORFOLK	–	25	14	–	5	–
†GREAT YARMOUTH C.B.	–	4	1	–	–	–
†NORWICH C.B. ...	–	11	7	–	2	–
Boroughs and Urban Districts:—						
DISS	–	–	–	–	1	–
†KING'S LYNN ...	–	–	–	–	1	–
THETFORD ...	–	1	–	–	–	–
Rural Districts:—						
DEPWADE ...	–	–	–	–	1	–
EAST AND WEST FLEGG	–	6	–	–	–	–
NORFOLK—*cont.*						
Rural Districts—*cont.*						
FOREHOE ...	–	–	2	–	–	–
FREEBRIDGE LYNN	–	1	–	–	–	–
HENSTEAD ...	–	1	1	–	–	–
MARSHLAND ...	–	–	1	–	–	–
ST. FAITH'S ...	–	1	–	–	–	–
WALSINGHAM ...	–	–	2	–	–	–
NORTHAMPTON ...	–	19	4	–	4	–
†NORTHAMPTON C.B.	–	6	3	–	4	–
Boroughs and Urban Districts:—						
DAVENTRY ...	–	–	1	–	–	–
FINEDON	–	1	–	–	–	–
†KETTERING ...	–	4	–	–	–	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
HARDINGSTONE...	–	1	–	–	–	–
KETTERING ..	–	2	–	–	–	–
OUNDLE (PART)	*	*	*	*	*	*
POTTERSPURY ...	–	2	–	–	–	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND	–	54	18	1	32	M. 3
†NEWCASTLE UPON TYNE C.B.	–	12	11	–	18	M. 2
†TYNEMOUTH C.B.	–	4	1	–	4	–
Boroughs and Urban Districts:—						
ALNWICK... ...	–	1	–	–	–	–
AMBLE	*	*	*	*	*	*
†ASHINGTON ...	–	3	–	–	1	–
†BEDLINGTONSHIRE		7	–	–	–	–
†BLYTH	–	11	2	1	4	–
CRAMLINGTON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
HEXHAM	*	*	*	*	*	*
MORPETH ...	–	1	–	–	–	–
†NEWBURN ...	–	1	1	–	1	–
PRUDHOE ...	–	1	–	–	1	–
SEGHILL	–	1	1	–	–	–
†WALLSEND ...	–	1	2	–	2	–
WEETSLADE ...	–	1	–	–	1	–
†WHITLEY AND MONKSEATON	–	1	–	–	–	–
Rural Districts:—						
ALNWICK... ...	–	1	–	–	–	–
BELFORD... ...	–	–	–	–	–	M. 1
BELLINGHAM ...	–	2	–	–	–	–
CASTLE WARD ...	–	2	–	–	–	–
MORPETH ...	–	1	–	–	–	–
NORHAM AND ISLANDSHIRES	–	2	–	–	–	–
NOTTINGHAM ...	7	33	14	1	12	M. 4
†NOTTINGHAM C.B.	2	15	6	–	6	M. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	–	–	–	1	–
†BEESTON	–	4	1	–	–	–
†CARLTON	–	–	1	–	1	–
†EAST RETFORD ...	–	–	–	–	2	–
EASTWOOD ...	2	–	–	1	–	–
†HUCKNALL ...	–	2	–	–	2	–
†KIRKBY IN ASHFIELD	–	–	1	–	–	–
†MANSFIELD ...	–	4	1	–	–	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK	–	–	1	–	–	–
†SUTTON IN ASHFIELD	–	1	–	–	–	–
†WEST BRIDGFORD	–	1	1	–	–	–
†WORKSOP... ..	–	1	–	–	–	M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD	3	1	–	–	–	–
BLYTH AND CUCKNEY	–	1	–	–	–	–
EAST RETFORD ..	–	–	2	–	–	–
SOUTHWELL ...	–	1	–	–	–	–
STAPLEFORD ...	–	1	–	–	–	M. 1
OXFORD	–	22	7	–	1	–
†OXFORD C.B. ...	–	7	–	–	–	–
Boroughs and Urban Districts:—						
†BANBURY... ...	–	1	–	–	–	–
HENLEY ON THAMES	–	3	–	–	–	–
WOODSTOCK ...	–	–	–	–	1	–
Rural Districts:—						
BANBURY... ...	–	–	6	–	–	–
BICESTER... ...	–	1	–	–	–	–
HEADINGTON ...	–	7	–	–	–	–
WITNEY	–	3	1	–	–	–
PETERBOROUGH (Soke of)	–	2	1	–	–	D. 1
Borough:—						
†PETERBOROUGH...	–	2	–	–	–	D. 1
Rural District:—						
PETERBOROUGH...	–	–	1	–	–	–
SALOP	–	7	2	1	2	C. 1 M. 1.
Boroughs and Urban Districts:—						
LUDLOW	–	–	1	–	–	–
OSWESTRY ...	–	3	–	–	–	–
†SHREWSBURY ...	–	–	–	–	2	–
WHITCHURCH ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts:—						
ATCHAM	–	1	–	–	–	–
BRIDGNORTH ...	–	2	–	–	–	–
CHURCH STRETTON	–	–	–	–	–	M. 1
OSWESTRY ...	–	–	–	1	–	C. 1
WEM	–	1	–	–	–	–
SOMERSET	–	33	3	–	3	M. 1
†BATH C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
†FROME	–	1	–	–	–	–
MIDSOMER NORTON	–	2	–	–	–	–
MINEHEAD ...	*	*	*	*	*	*
RADSTOCK ...	–	3	–	–	–	–
†TAUNTON... ...	–	4	–	–	–	–
WELLINGTON ...	–	2	–	–	–	–
†WESTON SUPER MARE	–	2	1	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	3	1	–	1	–
BATH	–	3	–	–	–	–
BRIDGWATER ...	–	1	–	–	–	–
FROME	–	1	–	–	1	–
KEYNSHAM ...	*	*	*	*	*	*
LANGPORT ...	–	3	–	–	–	–
LONG ASHTON ...	–	4	1	–	–	M. 1
WELLS	–	–	–	–	1	–
WILLITON ...	–	1	–	–	–	–
SOUTHAMPTON ...	–	47	17	1	3	C. 2 M. 5
†BOURNEMOUTH C.B.	–	3	–	–	1	–
†PORTSMOUTH C.B.	–	28	10	–	–	C. 1 M. 2
†SOUTHAMPTON C.B.	–	5	4	1	1	M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON —*cont.*						
Boroughs and Urban Districts:—						
ALTON	*	*	*	*	*	*
CHRISTCHURCH ...	–	1	–	–	–	–
†GOSPORT AND ALVERSTOKE	–	1	–	–	–	–
PETERSFIELD ...	–	1	–	–	–	–
†WINCHESTER ...	–	–	1	–	1	C. 1
Rural Districts:—						
CATHERINGTON ..	–	1	–	–	–	–
CHRISTCHURCH ...	–	1	–	–	–	–
DROXFORD ...	–	4	–	–	–	–
FAREHAM ...	–	–	1	–	–	–
HARTLEY WINTNEY	–	1	–	–	–	–
STOCKBRIDGE ...	–	–	–	–	–	M. 1
WHITCHURCH ...	–	1	1	–	–	–
STAFFORD	2	113	29	5	46	C. 4 M. 5
†BURTON UPON TRENT C.B.	–	1	–	–	–	–
†SMETHWICK C.B.	–	4	2	–	5	C. 1 M. 1
†STOKE ON TRENT C.B.	–	26	8	–	28	M. 2
†WALSALL C.B. ...	–	2	–	–	4	M. 1
†WEST BROMWICH C.B.	–	12	4	–	–	–
†WOLVERHAMPTON C.B.	–	6	–	–	1	–
Boroughs and Urban Districts:—						
†AUDLEY	–	1	–	–	–	–
BIDDULPH ...	–	5	–	–	–	–
†BILSTON	1	9	–	–	1	–
†BROWNHILLS ...	–	8	1	–	–	–
†CANNOCK	–	–	1	–	–	C. 2
†COSELEY	–	2	1	–	–	–
KIDSGROVE ...	–	–	–	–	–	C. 1
†LEEK	–	5	2	–	–	–
†NEWCASTLE UNDER LYME	–	2	–	–	–	–
†ROWLEY REGIS ...	–	–	–	–	1	–
SHORT HEATH ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STAFFORD ...	–	5	–	–	–	–
TAMWORTH ...	–	2	–	–	–	–
TETTENHALL ...	–	1	–	–	–	–
†TIPTON	–	3	–	–	–	–
†WEDNESBURY ...	1	2	–	–	1	–
WEDNESFIELD ...	–	–	1	–	–	–
†WILLENHALL ...	–	1	1	–	2	M. 1
†WOLSTANTON UNITED	–	4	4	–	1	–
Rural Districts:—						
CANNOCK	–	2	–	–	–	–
CHEADLE	–	–	2	–	–	–
GNOSALL	–	1	–	–	–	–
KINGSWINFORD ...	–	–	1	3	–	–
LICHFIELD ...	–	2	–	–	–	–
STAFFORD ...	–	4	–	–	–	–
STONE	–	1	–	1	–	–
UT OXETER ...	–	1	1	–	–	–
WALSALL ...	–	1	–	1	1	–
SUFFOLK, EAST ...	–	10	2	–	8	C. 1
†IPSWICH C.B. ...	–	4	1	–	1	–
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	–	1	–	3	C. 1
Rural Districts:—						
BOSMERE AND CLAYDON.	–	1	–	–	–	–
EAST STOW ...	–	2	–	–	1	–
HARTISMERE ...	–	–	–	–	2	–
HOXNE	–	3	–	–	–	–
WANGFORD ...	–	–	–	–	1	–
SUFFOLK, WEST ...	–	2	1	–	1	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	–	–
NEWMARKET ...	–	1	1	–	–	–
SUFFOLK, WEST—*cont.*						
Rural District:—						
COSFORD	–	–	–	–	1	–
SURREY	–	53	12	–	14	L. 2
†CROYDON C.B. ...	–	15	1	–	2	–
Boroughs and Urban Districts:—						
†BARNES	–	1	1	–	–	–
†BEDDINGTON AND WALLINGTON	–	3	–	–	1	–
†CATERHAM ...	–	3	–	–	–	–
†CHERTSEY ...	–	–	2	–	2	–
†COULSDON AND PURLEY	–	1	–	–	–	L. 2
†EGHAM	–	1	–	–	–	–
†ESHER AND THE DITTONS	–	–	–	–	2	–
GODALMING ...	–	2	–	–	–	–
†GUILDFORD ...	–	2	–	–	–	–
†KINGSTON ON THAMES	–	3	3	–	–	–
LEATHERHEAD ...	–	1	–	–	–	–
†MERTON AND MORDEN	–	6	–	–	–	–
†MITCHAM... ...	–	3	1	–	2	–
†REIGATE	–	1	–	–	2	–
†RICHMOND ..	–	2	–	–	–	–
†SURBITON ...	–	–	–	–	1	–
†SUTTON	–	2	3	–	–	–
†WIMBLEDON ...	–	2	–	–	–	–
†WOKING	–	1	–	–	–	–
Rural Districts:—						
CHERTSEY ...	–	–	–	–	1	–
FARNHAM ...	–	1	–	–	–	–
GODSTONE ...	–	1	–	–	–	–
GUILDFORD ..	–	–	–	–	1	–
HAMBLEDON ...	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST ...	–	7	3	2	5	–
†BRIGHTON C.B. ...	–	4	3	1	1	–
†HASTINGS C.B. ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
BURGESS HILL ...	–	–	–	–	1	–
†HOVE	–	3	–	–	–	–
PORTSLADE BY SEA	–	–	–	1	–	–
Rural Districts:—						
EAST GRINSTEAD	–	–	–	–	1	–
UCKFIELD ...	–	–	–	–	1	–
SUSSEX, WEST ...	–	4	2	–	1	–
Boroughs and Urban Districts:—						
†BOGNOR	–	1	–	–	–	–
SHOREHAM BY SEA	–	–	1	–	–	–
SOUTHWICK ...	–	2	–	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	1	1	–	–	–
HORSHAM ...	–	–	–	–	1	–
WARWICK	–	94	57	1	40	C. 9 E. 1 L. 1 M. 1
†BIRMINGHAM C.B.	–	61	42	1	28	C. 9 E. 1 L. 1 M. 8
†COVENTRY C.B. ...	–	12	6	–	2	M. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	–	1	–	3	–
†ROYAL LEAMINGTON SPA	–	1	1	–	–	M. 1
WARWICK—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RUGBY	–	1	1	–	2	–
†SUTTON COLDFIELD	–	1	–	–	–	–
†WARWICK ...	–	1	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	–	2	–	1	–
FOLESHILL ...	–	8	–	–	2	–
MERIDEN ...	–	2	1	–	1	–
RUGBY	–	2	–	–	–	–
SOLIHULL ...	–	1	–	–	–	–
SOUTHAM... ...	–	–	–	–	1	–
TAMWORTH (part)	–	2	3	–	–	–
WARWICK ...	–	1	–	–	–	–
WESTMORLAND ...	–	1	–	–	4	–
Boroughs and Urban Districts:—						
†KENDAL	–	–	–	–	1	–
WINDERMERE ...	–	–	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
SOUTH WESTMORLAND	–	–	–	–	2	–
WIGHT, ISLE OF ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†RYDE	–	1	–	–	–	–
SANDOWN ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WILTS	–	26	2	–	–	M. 1
Boroughs and Urban Districts:—						
†SALISBURY ...	–	–	1	–	–	–
†SWINDON ...	–	8	–	–	–	–
†TROWBRIDGE ...	–	2	–	–	–	–
WARMINSTER ...	–	1	–	–	–	–
Rural Districts:—						
AMESBURY ...	–	8	–	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
MARLBOROUGH ...	–	1	–	–	–	–
PEWSEY	–	2	–	–	–	–
RAMSBURY ...	–	1	–	–	–	–
SALISBURY ...	–	1	–	–	–	–
WESTBURY AND WHORWELLSDOWN	–	–	1	–	–	M. 1
WORCESTER ...	–	29	4	–	7	–
†WORCESTER C.B.	–	3	1	–	4	–
†DUDLEY C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
BEWDLEY ...	–	2	–	–	–	–
†KIDDERMINSTER	–	6	–	–	–	–
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†MALVERN ...	–	2	–	–	–	–
NORTH BROMSGROVE	–	3	–	–	–	–
†OLDBURY ...	–	3	–	–	1	–
STOURPORT ...	–	2	1	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	3	1	–	–	–
DROITWICH ...	–	1	–	–	1	–
FECKENHAM ...	–	1	–	–	–	–
HALESOWEN ...	–	–	1	–	–	–
TENBURY... ...	–	1	–	–	–	–
UPTON ON SEVERN.	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (East Riding)	–	14	15	–	4	M. 3
†KINGSTON UPON HULL C.B.	–	10	7	–	4	M. 3
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	–	–
†BRIDLINGTON ...	–	3	–	–	–	–
COTTINGHAM ...	–	1	1	–	–	–
GREAT DRIFFIELD	–	–	3	–	–	–
WITHERNSEA ...	–	–	1	–	–	–
Rural Districts:—						
BEVERLEY ...	*	*	*	*	*	*
HOWDEN	–	–	1	–	–	–
SCULCOATES ...	–	–	1	–	–	–
YORKS ... ... **(North Riding).**	3	39	4	–	10	–
†MIDDLESBROUGH C.B.	3	22	–	–	4	–
Boroughs and Urban Districts:—						
†ESTON	–	9	–	–	–	–
LOFTUS	–	1	–	–	–	–
†SCARBOROUGH ..	–	2	–	–	1	–
†SKELTON AND BROTTON	–	–	1	–	1	–
†THORNABY ON TEES	–	–	1	–	–	–
Rural Districts:—						
EASINGWOLD ...	–	–	2	–	–	–
FLAXTON ...	–	3	–	–	–	–
GUISBOROUGH ...	–	2	–	–	–	–
RICHMOND ...	–	–	–	–	1	–
STOKESLEY ...	–	–	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	20	237	72	7	111	C. 5 M. 10
†BARNSLEY C.B. ...	–	3	1	–	2	M. 1
†BRADFORD C.B. ...	–	15	10	–	2	C. 2
†DEWSBURY C.B....	–	6	–	–	–	–
†HALIFAX C.B. ...	–	13	1	–	4	–
†HUDDERSFIELD C.B.	–	6	1	–	–	–
†LEEDS C.B. ...	–	64	9	1	11	M. 3
†ROTHERHAM C.B.	–	5	2	–	1	–
†SHEFFIELD C.B....	–	34	15	1	70	C. 2 M. 5
†WAKEFIELD C.B.	–	9	–	–	–	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	3	–	2	–
ALTOFTS	–	–	1	–	–	–
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
†BATLEY	–	2	–	–	–	M. 1
†BENTLEY WITH ARKSEY	2	5	1	–	–	–
BIRKENSHAW ...	–	–	–	–	1	–
†BOLTON UPON DEARNE	–	1	–	1	–	–
†BRIGHOUSE ...	–	1	1	–	–	–
BURLEY IN WHARFEDALE	–	–	–	–	1	–
†CASTLEFORD ...	–	5	–	–	–	–
†CONISBROUGH ...	–	6	1	1	–	–
CUDWORTH ...	–	1	–	–	–	–
†DARTON	–	3	–	–	–	–
DENBY AND CUMBERWORTH	–	–	2	–	–	–
†DONCASTER ...	17	1	2	–	1	–
FARSLEY	–	2	–	–	–	–
†FEATHERSTONE ...	–	–	–	–	1	–
GARFORTH ...	–	2	–	–	–	–
†GOLCAR	–	–	–	–	1	–
GREETLAND ...	–	–	–	–	1	–
†HARROGATE ...	–	1	1	–	1	–
HEBDEN BRIDGE	–	2	1	–	–	–
HECKMONDWIKE	–	1	–	–	–	–
†HEMSWORTH ...	–	1	–	–	1	–
HORSFORTH ...	–	2	–	–	–	–
†HOYLAND NETHER	–	1	–	–	1	–
†KEIGHLEY ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORK (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MEXBOROUGH ...	–	–	–	1	–	–
MIDGLEY	–	–	1	–	–	–
†MORLEY	–	5	2	–	1	–
NEW MILL ...	–	1	–	1	–	–
†NORMANTON ...	–	1	1	–	3	–
†PONTEFRACT ...	–	1	–	–	–	–
QUEENSBURY ...	–	1	–	–	–	–
†RAWMARSH ...	–	2	1	–	2	–
†ROTHWELL ...	–	–	1	–	–	–
SADDLEWORTH ...	–	–	–	1	–	–
†SHIPLEY	–	1	–	–	–	–
†SKIPTON	–	1	–	–	–	–
SLAITHWAITE ...	–	1	–	–	–	–
SOUTHOWRAM ...	–	1	–	–	–	–
†SOWERBY BRIDGE	–	1	–	–	–	–
†SPENBOROUGH ...	–	3	–	–	–	–
SPRINGHEAD ...	–	2	–	–	–	–
†STANLEY	*	*	*	*	*	*
STOCKSBRIDGE ...	–	2	–	–	–	–
THURNSCOE ...	–	1	3	–	–	–
†TODMORDEN ...	–	4	–	–	–	–
†WOMBWELL ...	–	–	1	–	–	–
†WORSBOROUGH ...	–	–	–	–	1	–
YEADON	–	2	–	–	–	–
Rural Districts:—						
DONCASTER ...	1	1	–	–	1	–
GOOLE	–	2	–	–	–	–
HEMSWORTH ...	–	2	5	–	–	–
HUNSLET	–	2	1	–	–	–
KIVETON PARK ...	–	–	1	–	–	–
PATELEY BRIDGE	–	–	2	–	–	–
ROTHERHAM ...	–	–	1	–	–	C. 1
SELBY	–	2	–	–	–	–
TADCASTER ...	–	3	–	–	–	–
WAKEFIELD ...	*	*	*	*	*	*
WHARFEDALE NORTH	–	1	–	–	–	–
WHARFEDALE (SOUTH)	–	1	–	–	–	–
WORTLEY... ...	–	1	–	–	1	–
§YORK C.B. ...	–	15	1	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES						
ANGLESEY	–	–	2	–	1	–
Boroughs and Urban Districts—						
†HOLYHEAD ...	*	*	*	*	*	*
Rural District :—						
AETHWY	–	–	2	–	1	–
BRECKNOCK ...	–	3	1	2	1	C. 1
Urban District :—						
BRYNMAWR ...	–	–	1	2	1	–
Rural Districts :—						
VAYNOR AND PENDERYN	–	1	–	–	–	–
YSTRADGYNLAIS	–	2	–	–	–	C. 1
CARDIGAN	–	3	4	–	–	–
Boroughs and Urban Districts :—						
†ABERYSTWITH ...	–	3	–	–	–	–
LAMPETER ...	*	*	*	*	*	*
NEW QUAY ...	–	–	4	–	–	–
CARMARTHEN ...	–	5	12	–	2	M. 1
Boroughs and Urban Districts :—						
AMMANFORD ...	–	1	–	–	–	–
CWMAMMAN ...	–	1	–	–	–	–
LLANDOVERY ...	–	–	1	–	–	–
†LLANELLY ...	–	–	4	–	1	M. 1
CARMARTHEN —*cont.*						
Rural Districts :—						
CARMARTHEN ...	–	–	1	–	–	–
LLANDILO FAWR	–	3	1	–	1	–
LLANELLY ...	–	–	4	–	–	–
NEWCASTLE IN EMLYN	–	–	1	–	–	–
WHITLAND ...	*	*	*	*	*	*
CARNARVON ...	–	3	6	–	–	–
Boroughs and Urban Districts :—						
CARNARVON ...	–	–	1	–	–	–
LLANFAIRFECHAN	–	1	–	–	–	–
Rural Districts :—						
CONWAY	–	2	2	–	–	–
GWYRFAI... ...	–	–	3	–	–	–
DENBIGH	–	5	1	2	2	M. 2
Boroughs and Urban Districts :—						
†COLWYN BAY AND COLWYN	–	1	–	–	–	–
LLANGOLLEN ...	*	*	*	*	*	*
†WREXHAM ...	–	–	1	–	–	–
Rural Districts :—						
CHIRK	–	2	–	–	1	–
RUTHIN	*	*	*	*	*	*
WREXHAM ...	–	2	–	2	1	M. 2
FLINT	–	6	2	–	1	–
Boroughs and Urban Districts :—						
CONNAH'S QUAY ...	–	1	–	–	–	–
FLINT	–	–	1	–	–	–
HOLYWELL ...	–	–	–	–	1	–
†RHYL	–	3	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT—*cont*						
Rural Districts:—						
HAWARDEN ..	–	1	–	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	1	–	–	–	–
GLAMORGAN ...	–	94	39	1	23	C. 3 E. 1 M. 7
†CARDIFF C.B. ...	–	8	5	–	–	C. 2 E. 1 M. 2
†MERTHYR TYDFIL C.B.	–	2	4	–	2	–
†SWANSEA C.B. ...	–	4	7	–	1	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	10	–	–	2	M. 1
†CAERPHILLY ...	–	2	5	–	–	–
†GLYNCORWG ...	–	4	–	–	–	–
†MAESTEG	–	1	–	–	3	–
†MOUNTAIN ASH ...	–	14	1	–	–	–
†NEATH	–	–	6	–	1	–
†OGMORE AND GARW	–	5	–	–	1	–
†PENARTH... ...	–	1	2	–	–	–
†PONTYPRIDD ...	–	–	–	–	2	–
†PORT TALBOT ...	–	3	–	–	–	–
†RHONDDA ...	–	27	6	–	8	C. 1 M. 3
Rural Districts:—						
CARDIFF	–	–	1	1	–	–
COWBRIDGE ...	–	3	–	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	2	1	–	1	–
NEATH	–	7	–	–	1	M. 1
PONTARDAWE ...	–	1	1	–	–	–
SWANSEA... ...	–	–	–	–	1	–
MONMOUTH ...	–	20	12	–	8	C. 1 G. 1 L. 1 M. 3
†NEWPORT C.B. ...	–	1	2	–	3	M. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	1	3	–	1	L. 1
BEDWAS AND MACHEN	–	–	–	–	1	M. 1
†BEDWELLTY ...	–	2	1	–	–	–
CHEPSTOW ...	–	–	2	–	–	–
†EBBW VALE ...	–	3	1	–	1	–
LLANFRECHFA UPPER.	–	–	–	–	–	G. 1
†NANTYGLO AND BLAINA	–	1	–	–	1	M. 1
†PANTEG	–	1	–	–	–	–
PONTYPOOL ...	–	–	1	–	–	–
†RHYMEY	–	2	–	–	–	–
†RISCA	–	2	1	–	–	–
†TREDEGAR ...	–	6	1	–	1	C. 1
MONTGOMERY ...	–	6	–	–	–	–
Boroughs and Urban Districts:—						
WELSHPOOL ...	–	1	–	–	–	–
Rural Districts:—						
FORDEN... ...	–	2	–	–	–	–
LLANFYLLIN ...	–	3	–	–	–	–
PEMBROKE	–	3	1	–	–	–
Boroughs and Urban Districts:—						
†PEMBROKE ...	–	3	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
RADNOR	–	–	1	–	–	–
Urban Districts :—						
Knighton ..	*	*	*	*	*	*
Presteigne ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Total of Part II. ...	46	1996	741	38	803	C. 47 D. 3 E. 3 G. 13 L. 7 M. 105

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Barry	–	–	–	–	1	L. 2
Cardiff	–	–	–	–	1	–
Carnarvon	*	*	*	*	*	*

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Port of London ...	–	–	1	–	–	–
Total of Part III.— ...	–	–	1	–	2	L. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	222	271	5	92	C. 3 D. E. F. G. L. M. 2
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	46	1996	741	38	803	C. 4 D. E. G. 1 L. M. 10
Total of Part III.—Port Sanitary Districts	–	–	1	–	2	L.
Total (*i.e.*, **of returns received), England and Wales** ...	46	2218	1013	43	897	C. 5 D. E. F. G. 1 L. 1 M. 12

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poli encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continue Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera or Plague notified during the week. Forty-six cases Small-pox were notified which appear on pages 66, 71, 73, 74, 75, 77 and 78.

Table 5.—London and Great Towns in the Aggregate. } Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended:—	Oct. 28.	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.
LONDON:—													
Deaths—all ages	946	1,025	1,083	1,155	1,240	1,129	1,130	1,148	1,068	1,035	1,119	1,124	1,171
„ 0 to 1 year ..	114	117	103	123	131	149	139	153	127	123	119	132	124
GREAT TOWNS, aggregate (including London):—													
Births	7,390	6,784	7,141	7,086	7,281	7,058	7,107	7,339	6,910	6,277	8,273	8,409	7,935
Deaths—all ages	3,961	4,205	4,605	4,710	4,599	4,596	4,464	4,726	4,590	4,558	4,910	4,843	4,958
„ 0 to year ..	490	456.	541	585	602	604	592	680	687	635	652	698	674
Enteric Fever—Cases	29	27	22	13	24	25	24	15	15	14	16	12	20
„ Deaths	3	2	3	1	1	4	1	6	3	4	5	2	2
Small Pox—Cases ..	4	37	11	6	14	13	13	2	8	11	3	18	22
„ Deaths ..	—	1	12	3	1	—	—	—	—	—	—	—	—
Scarlet Fever—Cases	1,374	1,317	1,486	1,426	1,358	1,374	1,444	1,377	1,204	1,161	1,291	1,158	1,219
„ Deaths	15	15	12	13	18	8	18	20	22	19	14	27	7
Diphtheria—Cases ..	764	632	631	653	662	759	783	671	661	592	711	675	662
„ Deaths ..	49	61	45	40	35	35	42	59	54	45	58	45	54
Measles—Deaths ..	62	62	69	95	88	85	75	76	74	75	72	62	90
Influenza—Deaths ..	41	48	71	64	71	60	52	68	61	51	57	69	78

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 20th January, 1923. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
London (Greenwich).	52	25	45·3	31·4	6	Bradford ..	48	31	46·0	38·1	7
Brighton ..	50	30	45·5	34·9	5	Sheffield ..	Not	receive	d.		
Portsmouth ..	52	31	47·1	35·9	3	York (Museum)	51	36	47·9	39·4	2
Norwich (Eaton).	51	29	44·4	33·4	12	Hull (Pearson Park).	51	30	47·4	35·6	4
Plymouth ..	52	35	48·9	39·0	2	Tynemouth ..	52	37	46·1	40·0	0·1
Bristol (Clifton).	47	31	44·9	35·7	1	Cardiff	52	35	47·3	38·0	3
Birmingham ..	52	36	44·9	37·9	9	Edinburgh ..	50·0	33·0	45·6	39·4	4
Nottingham ..	51	35	45·4	38·9	3	Glasgow ..	50·6	34·1	46·5	38.7	10
Birkenhead (Bidston).	50	39	47·0	41·0	4	Dublin (Phœnix Park).	50·7	32·5	48·3	38·3	3
Manchester ..	50	38	47·7	40·3	14	Fitzwilliam Square.†	52·0	37·0	49·0	40·7	3
Burnley.. ..	47	34	46·0	38·1	19	Belfast	Not	receive	d.		
Huddersfield	48	33	45·6	38·6	8						

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 20th January, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY - 14	..	30·036	51·7	37·8	13·9	45·5	+ 7·5	41·8	3·7	9·9	0·0	87	63·6	30·5	43·1	SSW & SW	SW & NW.	2·5	0·0	0·2	357	+ 42	0·00
MONDAY - 15	Greatest Declination S.	30·224	44·4	35·1	9·3	40·7	+ 2·6	34·1	6·6	8·3	3·4	77	50·9	28·9	43·0	SW	W & WSW.	1·9	0·0	0·2	344	+ 25	0·00
TUESDAY - 16	..	30·207	45·6	33·3	12·3	41·1	+ 2·8	35·9	5·2	8·0	1·6	82	49·8	27·4	43·1	WSW: WNW & N.	N: NE & Calm.	0·9	0·0	0·1	248	- 70	0·00
WEDNESDAY 17	New	30·309	38·1	25·0	13·1	30·9	- 7·6	26·4	4·5	7·2	3·4	83	37·4	23·0	42·9	Calm	Calm	0·0	0·0	0·0	80	- 235	0·00
THURSDAY - 18	..	30·276	44·8	30·2	14·6	39·0	+ 0·4	36·9	2·1	6·1	0·7	92	53·5	29·4	42·9	Calm	NNW & N.	1·3	0·0	0·1	202	- 108	0·06
FRIDAY - 19	..	30·252	46·7	32·4	14·3	39·8	+ 1·1	37·5	2·3	4·7	0·3	92	56·8	28·4	42·6	Calm & SW.	SW & WSW	7·0	0·0	0·2	374	+ 69	0·05
SATURDAY - 20	..	29·909	47·0	34·8	12·2	39·6	+ 0·8	30·6	9·0	12·7	0·9	70	51·0	29·3	42·4	WSW & NW.	NW; N & NNW.	9·0	0·1	0·6	514	+ 212	0·11
MEANS -	..	30·173	45·5	32·7	12·8	39·5	+ 1·1	34·7	4·8	8·1	1·5	83	51·9	28·1	42·9	Westerly		..	..	..	Sum 2,119	Sum - 65	Sum 0·22
No. of COLUMN	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	14	w.P. throughout	0·3	8·2	Overcast with slight exceptions till 15h., then decreasingly cloudy. Nearly cloudless by 21h. Misty in morning.
MONDAY ..	15	w.P. throughout	0·4	8·2	Cloudless generally, with slight hoar frost till 8h. Cloudy generally afterwards with few fine intervals. Misty 6h. to 15h.
TUESDAY ..	16	w.P. throughout	0·0	8·3	Overcast with few exceptions till 18½h., then rapidly clearing to cloudless by 21h. Damping in morning. Hoar frost at night.
WEDNESDAY	17	No register	0·6	8·3	Cloudless till 9h.; partially cloudy till 15h., then sky apparently veiled; overcast from 21h.–24h. Hoar frost in morning and evening. Slight fog during forenoon becoming dense between 16h. and 21h.
THURSDAY	18	No register	1·6	8·4	Overcast until noon; then variably cloudy and overcast, or nearly overcast from 21h. Damping in morning. Rain from 8h. to 10h. Mist or slight fog in forenoon.
FRIDAY ..	19	No register	0·6	8·4	Clearing from midnight to nearly cloudless by 1h. Partially cloudy at 10½h., and overcast by noon. Fog from 5h. to about 10h. Brisk wind from 16h., and rain from 22h.
SATURDAY	20	w.P. till 13h.; m.P. afterwards.	1·6	8·5	Overcast or nearly overcast until noon; variably cloudy until 16h., then cloudless generally. Brisk wind till 19h. Rain till 3h. Occasional slight rain with sleet between 9h. and 11h., and a shower at 13h. 40m. Hoar frost at night.
			Sum 5·1	Sum 58·3	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·08 in. at the beginning of the week to 29·97 in. by 13h. on 14th; increased generally to 30·35 in. by 21h. on 17th; decreased to 30·24 in. by 13h. on 18th; increased to 30·42 in. by 9h. on 19th; decreased to 29·82 in. by 3h. on 20th, then increased and was 30·14 in. at midnight of 20th.

Printed and published by His Majesty's Stationery Office Press.
11–17, Hare Street, E 2

(40523) Wt. 15—P 11 2,250 1/23 H. Sh. G. 43

FOR OFFICIAL USE.

1923. No. 4.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 27TH JANUARY, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 23 Forth Street, Edinburgh.
1923

Price 1s Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 27TH JANUARY, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fourth week of the year numbered 7,963, and corresponded to an annual rate of 21·7 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,841 and corresponded to an annual rate of 13·2 per 1,000 of their aggregate civilian population, which is estimated at 19,052,710 in the year 1921. In the preceding three weeks the rates had been 13·4, 13·3, and 13·6. Infant mortality was 80 per 1,000 births against 79, 83, and 85 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,950 births, corresponding to a rate of 22·5 per 1,000, and 1,118 deaths of civilians, corresponding to a rate of 12·9, as against 12·9, 13·0, and 13·5 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 13·1 per 1,000. The infant mortality was 61 as against 57, 65, and 66 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 117 in the total deaths last week. In London the number of deaths from all causes fell from 1,171 to 1,118 ; while the deaths from diphtheria, which had been 23, 16 and 24 in the preceding three weeks, fell to 18 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 27th January, 1923.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.
105 Great Towns	19,052,710*	7,963	4,841	639	–	72	14	43	55	58	69
London	4,514,405*	1,950	1,118	118	–	4	3	7	18	11	14
Towns in Outer Ring.											
Croydon C.B.	191,500	80	38	5	–	–	1	–	–	1	1
Wimbledon	61,700	12	7	–	–	–	–	–	–	–	1
Ealing	67,800	25	19	–	–	–	–	–	–	–	–
Acton	62,000	27	11	2	–	–	–	1	–	–	1
Willesden	167,200	58	37	3	–	–	–	–	–	1	1
Hendon	55,500	18	8	–	–	–	–	–	–	–	–
Hornsey	87,600	25	24	1	–	–	–	–	–	–	–
Wood Green	51,100	19	5	1	–	–	–	–	–	–	–
Tottenham	149,200	57	35	6	–	–	–	–	–	–	1
Edmonton	67,800	29	16	2	–	1	–	1	1	–	–
Enfield	61,400	23	10	–	–	–	–	–	–	–	–
West Ham C.B.	307,000	177	76	13	–	–	–	–	–	–	–
East Ham C.B.	145,500	60	32	5	–	–	–	–	1	2	–
Leyton	130,100	38	32	2	–	–	–	1	–	–	1
Walthamstow	129,800	54	32	4	–	–	–	–	1	2	1
Ilford	85,500	28	12	2	–	–	–	–	1	–	1
Gillingham	48,149*	28	13	2	–	–	–	1	–	–	1
Canterbury C.B.	23,680	8	10	2	–	–	–	–	–	–	–
Hastings C.B.	59,500	11	19	1	–	–	–	–	–	1	–
Eastbourne C.B.	53,600	13	14	1	–	–	–	–	–	–	1
Brighton C.B.	134,800	44	43	5	–	–	1	–	–	1	1
Portsmouth C.B.	233,929*	110	66	4	–	3	1	–	2	–	1
Bournemouth C.B.	81,200	24	25	–	–	–	–	–	–	–	1
Southampton C.B.	162,200	55	46	8	–	–	–	–	–	1	–
Reading C.B.	92,600	37	14	–	–	–	–	–	–	–	–
Oxford C.B.	56,400	20	13	2	–	–	–	–	–	–	–
Northampton C.B.	92,300	34	33	1	–	–	–	–	–	–	1
Luton	57,800	18	12	–	–	–	–	–	–	–	–
Cambridge	58,900	12	12	1	–	–	–	–	–	–	1
Southend-on-Sea C.B.	90,500	24	23	–	–	–	–	–	3	–	–
Ipswich C.B.	80,100	43	23	2	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	11	18	1	–	1	–	–	–	–	–
Norwich C.B.	122,400	43	26	2	–	–	–	–	2	–	–
Swindon	55,500	24	16	–	–	–	–	–	–	–	–
Exeter C.B.	59,500	23	22	1	–	2	–	–	–	–	–
Plymouth C.B.	199,869*	83	51	4	–	–	–	–	–	1	–
Bath C.B.	68,300	17	10	2	–	–	–	1	–	1	–
Bristol C.B.	381,700	153	109	11	–	–	–	2	2	1	1
Gloucester C.B.	51,800	21	15	2	–	–	–	–	1	–	–
Stoke-on-Trent C.B.	273,238	151	85	14	–	9	–	–	–	–	1
Burton-upon-Trent C.B.	49,410	19	8	1	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	50	37	5	–	2	–	1	–	–	–
Walsall C.B.	98,800	33	20	5	–	–	–	–	–	–	–
West Bromwich C.B.	75,300	33	20	6	–	–	–	–	1	1	–
Worcester C.B.	49,160	17	9	2	–	–	–	–	–	–	–
Dudley C.B.	57,100	26	13	1	–	–	–	–	–	–	–
Birmingham C.B.	936,000	366	214	18	–	2	1	1	5	1	1
Smethwick C.B.	77,400	38	11	1	–	–	–	–	2	–	–
Coventry C.B.	130,300	47	24	7	–	–	–	–	–	–	1
Leicester C.B.	237,900	96	64	9	–	2	–	1	1	2	–
Lincoln C.B.	66,600	30	23	–	–	–	–	–	–	–	–
Grimsby C.B.	83,600	42	16	3	–	–	–	–	–	–	–
Nottingham C.B.	266,400	122	99	16	–	1	1	–	1	2	1
Derby C.B.	131,800	47	39	1	–	–	–	1	–	–	–
Chesterfield	62,400	26	15	7	–	–	–	–	–	2	–
Stockport C.B.	125,500	54	40	7	–	–	–	–	1	–	–
Chester C.B.	41,030	15	15	2	–	–	–	–	–	–	–
Birkenhead C.B.	147,800	63	35	5	–	–	–	–	–	1	1
Wallasey C.B.	89,600	28	21	1	–	–	–	–	–	–	1
Liverpool C.B.	817,000	408	195	42	–	1	–	2	3	3	4
Bootle C.B.	77,800	45	20	6	–	–	–	1	–	–	–
St. Helens C.B.	104,900	39	32	4	–	–	–	1	1	1	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION, Mid. 1921.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	71,900	17	18	-	-	-	-	-	-	-	-
WIGAN C.B.	91,200	32	20	3	-	-	-	-	-	-	-
WARRINGTON C.B. ..	78,600	37	15	1	-	1	-	-	-	-	1
BOLTON C.B.	182,200	55	55	10	-	-	-	-	-	2	-
BURY C.B.	57,600	16	13	1	-	-	-	-	-	-	-
MANCHESTER C.B. ..	744,000	303	214	37	-	1	-	4	-	7	3
SALFORD C.B.	239,100	105	52	13	-	-	-	-	1	2	2
OLDHAM C.B.	148,300	58	59	4	-	1	-	-	-	1	1
ROCHDALE C.B... ..	92,700	25	28	7	-	-	1	-	-	-	1
BURNLEY C.B.	105,300	33	36	5	-	1	-	-	-	-	-
BLACKBURN C.B. ..	129,682	52	41	6	-	1	-	-	-	-	3
PRESTON C.B.	119,900	44	43	7	-	2	-	-	-	-	4
BLACKPOOL C.B. ..	73,800	19	18	3	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	75,200	18	12	1	-	-	-	-	-	-	1
HUDDERSFIELD C.B. ..	111,900	34	22	4	-	-	-	-	-	-	-
HALIFAX C.B.	100,700	28	28	1	-	1	-	-	-	-	-
BRADFORD C.B. ..	291,100	104	74	8	-	1	-	1	2	-	3
LEEDS C.B.	465,500	177	115	15	-	3	1	-	2	1	2
DEWSBURY C.B. ..	55,100	16	12	1	-	1	-	-	-	-	-
WAKEFIELD C.B. ..	53,763	22	19	3	-	2	-	-	-	-	-
BARNSLEY C.B. ..	68,991	37	18	2	-	-	-	-	-	-	-
SHEFFIELD C.B. ..	519,239	202	118	21	-	-	-	-	-	1	2
ROTHERHAM C.B. ..	69,100	37	20	5	-	-	-	-	-	-	-
DONCASTER	54,700	24	9	1	-	-	-	-	-	-	-
YORK C.B.	84,500	39	25	5	-	1	-	-	-	-	1
HULL C.B.	291,800	143	65	13	-	1	-	-	-	4	-
MIDDLESBROUGH C.B.	133,400	68	35	8	-	-	2	-	1	1	-
DARLINGTON C.B. ..	66,400	30	16	1	-	5	1	-	-	-	1
STOCKTON-ON-TEES ..	65,000	38	23	1	-	-	-	-	-	2	-
WEST HARTLEPOOL C.B.	69,300	44	29	6	-	1	-	-	-	-	1
SUNDERLAND C.B. ..	161,100	76	50	12	-	7	-	2	-	-	-
SOUTH SHIELDS C.B. ..	120,376	73	32	10	-	-	-	5	-	-	-
GATESHEAD C.B. ..	126,700	71	35	5	-	-	-	1	-	-	-
NEWCASTLE-ON-TYNE C.B.	278,400	165	88	19	-	5	1	3	1	-	-
TYNEMOUTH C.B. ..	63,900	25	12	1	-	-	-	1	-	-	-
CARLISLE C.B.	53,200	22	11	1	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	93,700	46	24	2	-	3	-	2	-	-	1
CARDIFF C.B.	222,089	101	50	7	-	1	-	1	-	1	-
RHONDDA	166,600	82	24	2	-	3	-	-	-	-	-
MERTHYR TYDFIL C.B.	81,800	31	16	4	-	1	-	1	1	-	-
ABERDARE	56,100	20	13	-	-	-	-	-	-	-	-
SWANSEA C.B.	159,600	63	34	4	-	1	-	-	-	-	2
GREATER LONDON ..	7,523,963*	3,085	1,762	185	-	5	5	10	23	17	25
OUTER RING	3,009,558*	1,135	644	67	-	1	2	3	5	6	11
16 GREAT TOWNS IN OUTER RING	1,820,700	730	394	46	-	1	1	3	4	6	8
REMAINDER OF OUTER RING	1,188,858*	405	250	21	-	-	1	-	1	-	3
EDINBURGH†	426,000	173	123	21	-	1	1	7	-	-	3
GLASGOW†	1,041,300	570	305	43	-	-	1	4	2	4	4
DUBLIN (REGISTRATION AREA)†	431,000	213	134	31	1	-	-	3	2	1	1
BELFAST†	429,000	208	110	25	-	-	-	1	-	3	2

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period.

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,514,405	1922-23. Jan. 27	1950	1118	12·9	–	–	4	3	7	18	11	14
Calcutta	896,067	Dec. 16	?	551§	31·5	?	4	?	?	?	?	?	13
Bombay	1,200,473	„ 23	478‖	751§	32·5	2	1	1	?	–	–	52	3
Madras	526,911	„ 16	407	522§	51·5	1	6	–	?	–	–	37	–
Sydney and Suburbs	926,400												
Brisbane (Metropolitan Area).	217,714												
Perth (Metropolitan Area).	155,939	Dec. 2	75	25	8·3	–	–	–	–	–	–	–	–
Auckland (Urban Area).	164,450												
Wellington (Urban Area).	110,680												
Christchurch (Urban Area).	110,200												
Cape Town	104,400	Dec. 9	38	27	13·4	–	–	–	–	–	1	2	–
Johannesburg	153,825	„ 16	87	29	9·8	–	–	1	1	1	–	4	–
Durban	49,043	„ 16	25	3	3·2	1	–	–	–	–	–	–	–
Paris	2,906,472												
Antwerp	302,150												
Amsterdam	695,347	Jan. 6	240	103	9·0	–	–	1	–	1	1	2	–
Copenhagen	565,000	„ 13	228	121	11·2	–	–	–	–	9	3	2	–
Stockholm	422,042	„ 13	114	110	13·6	–	–	–	–	1	–	–	1
Gothenburg	228,052	Dec. 23	?	53	12·1	–	–	–	–	–	–	–	–
Christiania	258,933	Jan. 13	86	52	10·4	–	–	–	–	–	–	2	1
Berlin	1,974,000	Dec. 16	392	551	14·5	–	?	4	–	3	1	12	15
Breslau	557,000	„ 16	197	150	14·0	–	?	1	–	–	3	2	6
Cologne	692,000	„ 16	246	211	15·9	1	?	3	1	4	2	6	5
Dresden	608,000	„ 16	177	176	15·0	–	?	3	–	5	2	1	4
Frankfort-on-Main..	476,000	„ 16	106	80	8·7	–	?	–	–	2	1	1	4
Hamburg	1,071,000	„ 16	312	279	13·5	1	?	–	1	–	–	4	13
Leipzig	676,000	„ 16	197	186	14·3	–	?	–	–	3	1	3	4
Munich	682,000	„ 16	190	172	13·1	–	?	–	–	–	–	2	1
Vienna	1,842,005	„ 2	382	539	15·2	4	–	–	–	–	2	9	–
Prague and Suburbs	689,262	„ 9	198	185	13·6	–	?	–	3	–	–	4	2
Budapest	940,000	Nov. 4	279	356	19·7	5	?	2	8	–	2	29	–
Warsaw	956,087	Dec. 9	324	274	14·9	2	–	15	8	4	–	11	3
Cairo	777,500	Nov. 11	694	390	26·1	3	–	–	–	?	4	49	?
Alexandria	456,300	„ 11	426	175§	19·9	–	–	1	–	?	2	16	?
New York	5,839,738	Dec. 23	2345	1452	13·0	3	–	4	2	8	9	14	4
Chicago	2,833,288	„ 30	?	638	11·7	–	–	–	2	1	11	22	3
Rio de Janeiro ..	1,256,370	„ 9	656	486	20·1	2	2	19	–	5	1	?	20
Montevideo	349,293	Sept. 30	189	123	18·4	–	–	–	–	2	–	1	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 8 deaths from *Cholera* in Calcutta, 1 in Bombay, and 1 in Madras, and from *Plague*, 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 27th January, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1118	118	30	34	24	34	40	60	160	171	197	250
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	4	2	2	–	–	–	–	–	–	–	–	–
Scarlet fever	3	–	1	2	–	–	–	–	–	–	–	–
Whooping cough	7	6	1	–	–	–	–	–	–	–	–	–
Diphtheria	18	1	3	8	6	–	–	–	–	–	–	–
Influenza	14	–	–	–	–	–	1	1	1	1	5	5
Erysipelas	3	–	–	–	–	–	–	–	–	–	1	2
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	1	–	–	–	–	–	–
Meningococcal meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	80	–	–	1	2	16	14	16	22	4	4	1
Nervous system..	4	1	2	–	1	–	–	–	–	–	–	–
Intestines and peritoneum	1	–	1	–	–	–	–	–	–	–	–	–
Other forms	11	–	3	2	2	1	1	–	–	1	–	1
Venereal diseases	1	1	–	–	–	–	–	–	–	–	–	–
Cancer	125	–	–	1	–	1	4	5	25	45	28	16
Rheumatic fever	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	8	–	–	–	–	1	1	1	1	2	–	2
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	4	1	–	3	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	53	–	–	–	–	–	–	1	4	11	17	20
Epilepsy	6	–	–	–	–	1	–	2	1	–	1	1
"Convulsions" (not puerperal) ..	3	3	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	27	–	2	–	–	1	1	2	8	9	2	2
Pericarditis	2	–	–	1	–	–	–	–	1	–	–	–
Acute endocarditis	3	–	–	–	–	1	–	1	1	–	–	–
Other diseases of heart	168	–	–	–	1	3	1	4	29	25	41	64
Other diseases of circulatory system	42	–	–	–	–	–	1	2	4	5	13	17
Bronchitis	134	9	1	2	–	–	–	2	20	27	28	45
Broncho-pneumonia	67	25	6	8	–	–	3	2	4	5	8	6
Lobar pneumonia	27	–	2	–	–	2	–	2	8	4	5	4
Pneumonia (type not distinguished) ..	10	–	2	1	–	–	–	–	1	3	3	–
Other diseases of respiratory system	18	2	2	–	–	–	–	–	4	4	2	4
Diarrhœa and enteritis	12	9	2	–	–	–	–	–	–	–	1	–
Appendicitis, Typhlitis	7	–	–	1	1	1	1	–	–	2	1	–
Hernia, Intestinal obstruction	14	2	–	–	1	–	–	1	1	4	1	4
Cirrhosis of liver	7	–	–	–	–	–	–	1	1	3	2	–
Other diseases of digestive system ..	22	3	–	–	–	–	5	1	6	1	3	3
Acute nephritis	3	–	–	1	–	–	–	1	–	1	–	–
Chronic Bright's disease	30	–	–	–	1	–	1	3	6	4	9	6
Other diseases of genito-urinary system.	20	1	–	–	–	1	3	2	1	3	5	4
Puerperal sepsis	1	–	–	–	–	–	–	1	–	–	–	–
Other causes incident to childbirth ..	3	–	–	–	–	–	3	–	–	–	–	–
Congenital malformations	6	6	–	–	–	–	–	–	–	–	–	–
Premature birth	21	21	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	8	8	–	–	–	–	–	–	–	–	–	–
Old age..	39	–	–	–	–	–	–	–	–	1	1	37
Suicide	12	–	–	–	–	2	–	4	3	–	3	–
Burns and scalds	3	–	–	2	–	–	–	–	–	–	1	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	9	–	–	–	1	–	–	2	1	2	3	–
Other deaths by violence	12	–	–	–	2	1	–	–	4	–	1	4
Other specified causes	43	15	–	1	6	1	–	3	3	4	8	2
Ill defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 27th January, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	–	221	311	4	88	C. 5 G. 7 L. 1 M. 18
Metropolitan Boroughs:—						
†BATTERSEA ...	–	9	8	–	8	–
†BERMONDSEY ...	–	6	31	–	2	–
†BETHNAL GREEN	–	3	18	–	2	–
†CAMBERWELL ...	–	11	29	–	4	M. 2
†CHELSEA	–	7	5	1	–	–
†DEPTFORD ...	–	16	18	–	–	C. 2 M. 1
†FINSBURY ...	–	5	2	–	4	M. 1
†FULHAM	–	10	11	–	2	C. 1 M. 1
†GREENWICH ...	–	8	13	1	2	–
†HACKNEY ...	–	7	17	–	–	–
†HAMMERSMITH ...	–	2	8	–	1	G. 1 M. 1
†HAMPSTEAD ...	–	6	–	–	1	G. 1
†HOLBORN... ...	–	5	3	1	1	–
†ISLINGTON ...	–	23	19	1	1	G. 1 M. 2
†KENSINGTON ...	–	4	4	–	3	G. 1
†LAMBETH ...	–	22	14	–	2	M. 4
Metropolitan Boroughs—*cont.*						
†LEWISHAM ...	–	7	10	–	3	–
†PADDINGTON ...	–	8	5	–	5	L. 1
†POPLAR	–	8	16	–	10	–
†ST. MARYLEBONE	–	7	5	–	–	M. 1
†ST. PANCRAS ...	–	6	16	–	11	G. 1
†SHOREDITCH ...	–	5	7	–	7	M. 1
†SOUTHWARK ...	–	5	26	–	2	G. 1 M. 1
†STEPNEY	–	12	14	–	3	G. 1 M. 1
†STOKE NEWINGTON	–	2	2	–	–	C. 1
†WANDSWORTH ...	–	9	6	–	9	M. 2
†WESTMINSTER, CITY OF	–	1	2	–	2	–
†WOOLWICH ...	–	7	2	–	3	C. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	6	4	–	2	G. 1 M. 1
Boroughs and Urban Districts:—						
†BEDFORD ...	–	3	1	–	–	M. 1
DUNSTABLE ...	–	–	1	–	–	–
KEMPSTON ...	–	–	–	–	1	–
LEIGHTON BUZZARD	–	2	–	–	1	–
†LUTON	–	–	1	–	–	G. 1
Rural District:—						
BIGGLESWADE ...	–	1	1	–	–	–
BERKS	–	23	7	–	–	–
†READING C.B. ...	–	14	1	–	–	–
Boroughs and Urban Districts:—						
ABINGDON ...	–	5	2	–	–	–
†New Windsor ...	–	1	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	2	1	–	–	–
HUNGERFORD ...	–	1	–	–	–	–
WINDSOR	–	–	2	–	–	–
WOKINGHAM ...	–	–	1	–	–	–
BUCKINGHAM ...	–	14	4	–	3	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	2	–	–	–	–
†CHEPPING WYCOMBE ...	–	2	–	–	–	–
CHESHAM... ...	–	–	–	–	3	–
LINSLADE ...	–	1	–	–	–	–
MARLOW	–	–	1	–	–	–
†SLOUGH	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts:—						
AMERSHAM ...	–	2	–	–	–	–
ETON	–	1	–	–	–	–
NEWPORT PAGNELL	–	6	–	–	–	–
WYCOMBE ...	–	–	1	–	–	–
CAMBRIDGE ...	–	4	4	–	5	–
Borough:—						
†CAMBRIDGE ...	–	1	4	–	1	–
Rural Districts:—						
CHESTERTON ...	–	1	–	–	–	–
MELBOURN ...	–	2	–	–	4	–
CHESTER	–	58	31	1	31	C. 2 G. 1 M. 3
†BIRKENHEAD C. B.	–	4	3	1	4	–
†CHESTER C.B. ...	–	–	3	–	3	–
†STOCKPORT C.B.	–	2	4	–	–	–
†WALLASEY C.B. ...	–	2	–	–	1	M. 1
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	–	–	1	–
ASHTON UPON MERSEY	–	–	–	–	1	–
BOLLINGTON ...	–	–	1	–	–	–
BREDBURY AND ROMILEY	–	–	–	–	5	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
COMPSTALL ...	–	–	3	–	–	–
†CONGLETON ...	–	5	2	–	3	–
†CREWE	–	4	1	–	–	–
†DUKINFIELD ...	–	4	–	–	1	–
†HAZEL GROVE AND BRAMHALL	–	–	2	–	–	–
HOOLE	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOYLAKE AND WEST KIRBY	–	–	1	–	–	G. 1
†HYDE	–	4	–	–	5	–
KNUTSFORD ...	–	–	1	–	–	–
†MACCLESFIELD ...	–	1	2	–	–	–
MIDDLEWICH ...	–	–	1	–	1	C. 1
NANTWICH ...	–	1	–	–	–	–
NESTON AND PARKGATE	–	–	2	–	–	–
†NORTHWICH ...	–	2	–	–	–	M. 1
†RUNCORN... ...	–	8	1	–	3	–
†SALE	–	–	–	–	–	C. 1
†STALYBRIDGE ...	–	1	–	–	–	–
†WINSFORD ...	–	4	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	–	3	–	–	–
CHESTER	–	–	–	–	1	–
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...	–	7	–	–	–	–
RUNCORN ...	–	1	–	–	1	–
WIRRAL	–	5	1	–	–	M. 1
CORNWALL ...	–	5	2	–	1	–
Boroughs and Urban Districts:—						
PADSTOW ...	–	–	2	–	–	–
†PENZANCE ...	–	1	–	–	–	–
TORPOINT ...	–	1	–	–	–	–
Rural Districts:—						
BODMIN ...	–	1	–	–	–	–
REDRUTH ...	–	1	–	–	–	–
SAINT GERMANS	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND ...	–	25	3	–	2	G. 1 M. 1
Boroughs and Urban Districts:—						
†CARLISLE C.B. ...	–	5	–	–	1	M. 1
COCKERMOUTH ...	–	–	–	–	–	G. 1
EGREMONT ...	–	1	–	–	–	–
HARRINGTON ...	–	1	–	–	–	–
†MARYPORT ...	–	–	–	–	1	–
MILLOM	–	2	–	–	–	–
†WORKINGTON ...	–	3	2	–	–	–
Rural Districts:—						
BOOTLE	–	4	–	–	–	–
BRAMPTON ...	–	1	–	–	–	–
COCKERMOUTH ...	–	6	–	–	–	–
WHITEHAVEN ..	–	1	1	–	–	–
WIGTON	–	1	–	–	–	–
DERBY	26	39	11	–	35	M. 2
†DERBY C.B. ...	–	5	1	–	14	M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	1	–	1	–	3	–
ASHBOURNE ...	–	2	–	–	–	–
†CHESTERFIELD ..	–	3	2	–	5	–
CLAY CROSS ...	–	–	–	–	–	M. 1
†GLOSSOP	–	–	–	–	1	–
†HEANOR	15	–	1	–	–	–
†ILKESTON ...	6	–	–	–	–	–
†LONG EATON ...	–	4	–	–	2	–
†RIPLEY	–	–	–	–	3	–
†SWADLINCOTE DISTRICT	–	7	1	–	3	–
WIRKSWORTH ...	–	–	–	–	1	–
Rural Districts:—						
ASHBOURNE ...	–	2	–	–	–	–
BELPER	–	4	–	–	1	–
CHAPEL-EN-LE-FRITH	–	–	1	–	–	–
CHESTERFIELD ..	–	5	3	–	1	–
CLOWNE	4	3	–	–	–	–
HARTSHORN AND SEALS	–	1	–	–	–	–
SHARDLOW ...	–	3	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	25	11	–	3	L. 1 M. 2
†EXETER C.B. ...	–	–	1	–	–	–
†PLYMOUTH C.B....	–	11	1	–	–	M. 1
Boroughs and Urban Districts:—						
BAMPTON ...	–	1	–	–	–	–
†BARNSTAPLE ...	–	–	1	–	–	M. 1
BIDEFORD ...	*	*	*	*	*	*
HONITON	–	1	–	–	–	–
†ILFRACOMBE ...	–	–	1	–	–	–
IVYBRIDGE ...	–	1	–	–	–	–
†NEWTON ABBOT...	–	2	1	–	1	–
OKEHAMPTON ...	–	1	–	–	–	–
†PAIGNTON ...	–	–	2	–	–	L. 1
SIDMOUTH ...	–	–	1	–	–	–
TAVISTOCK ...	–	1	–	–	–	–
*TEIGNMOUTH ...	–	1	–	–	–	–
†TORQUAY	–	2	–	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	1	1	–	1	–
HONITON	–	–	–	–	1	–
KINGSBRIDGE ...	–	–	1	–	–	–
NEWTON ABBOT...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	–	1	–	–	–
ST. THOMAS ...	–	1	–	–	–	–
SOUTH MOLTON ...	–	1	–	–	–	–
DORSET	–	9	8	–	4	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	1	–	2	–
†POOLE	–	1	–	–	–	–
†PORTLAND ...	–	–	4	–	–	–
SWANAGE ...	–	2	–	–	1	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	1	–	1	–
Rural Districts:—						
BEAMINSTER ...	–	–	1	–	–	–
BLANDFORD ...	–	2	–	–	–	–
BRIDPORT ...	–	1	–	–	–	–
DORCHESTER ...	–	–	1	–	–	–
STURMINSTER ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM	3	75	25	–	62	C. 1 L. 1 M. 3
†DARLINGTON C.B	–	1	2	–	3	–
†GATESHEAD C.B.	–	8	1	–	1	M. 1
†SOUTH SHIELDS C.B.	–	2	1	–	10	–
†SUNDERLAND C.B.	–	9	4	–	1	–
WEST HARTLEPOOL C.B.	–	–	–	–	5	L. 1 M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	–	–	3	–
BENFIELDSIDE ...	–	1	1	–	–	M. 1
†BLAYDON... ..	–	1	–	–	3	–
†BRANDON AND BYSHOTTLES	–	1	–	–	–	–
†CHESTER LE STREET	–	2	2	–	1	C. 1
†CONSETT	–	1	–	–	–	–
†CROOK	–	1	–	–	1	–
†FELLING	–	–	–	–	2	–
†HEBBURN ...	–	–	–	–	2	–
†HETTON	–	3	1	–	3	–
†HOUGHTON LE SPRING	–	–	1	–	1	–
†JARROW	–	3	1	–	5	–
LEADGATE ...	–	–	1	–	1	–
†SEAHAM HARBOUR	–	–	1	–	1	–
†SHILDON	–	1	–	–	–	–
†SOUTHWICK ON WEAR	–	1	–	–	2	–
STANHOPE ...	–	–	–	–	1	–
†STANLEY	–	8	1	–	2	–
†STOCKTON ON TEES	2	1	–	–	5	–
†TANFIELD ...	–	4	–	–	–	–
†WASHINGTON ...	–	1	2	–	–	–
WILLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	6	1	–	1	–
BARNARD CASTLE	–	1	–	–	–	–
CHESTER LE STREET	–	4	–	–	1	–
EASINGTON ...	–	3	1	–	3	–
HOUGHTON LE SPRING	1	3	2	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
LANCHESTER ...	–	1	–	–	–	–
SEDGEFIELD ...	–	2	1	–	–	–
STOCKTON ...	–	1	–	–	–	–
SUNDERLAND ...	–	2	1	–	1	–
ISLE OF ELY ..	–	1	1	–	–	–
Borough and Urban Districts:—						
CHATTERIS ...	–	1	–	–	–	–
MARCH	*	*	*	*	*	*
Rural Districts:—						
ELY	–	–	1	–	–	–
WISBECH ...	*	*	*	*	*	*
ESSEX	–	68	44	–	26	C. 2 E. 1 M. 2
†EAST HAM C.B. ...	–	3	6	–	–	C. 1
†SOUTHEND-ON-SEA C.B.	–	11	2	–	4	–
†WEST HAM C.B. ...	–	6	19	–	5	–
Boroughs and Urban Districts:—						
†BARKING TOWN	–	1	–	–	4	–
BRENTWOOD ...	–	–	1	–	–	–
CHINGFORD ...	–	1	–	–	–	–
†COLCHESTER ...	–	1	1	–	–	–
EPPING	–	–	1	–	1	–
†GRAYS THURROCK	–	1	–	–	–	–
†HARWICH ...	–	–	1	–	–	–
†ILFORD	–	2	2	–	1	M. 1
†LEYTON	–	4	2	–	3	C. 1 M. 1
SAFFRON WALDEN	–	1	–	–	–	–
TILBURY	–	–	1	–	–	–
WALTHAM HOLY CROSS	–	–	2	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WALTHAMSTOW ...	–	15	4	–	2	E. 1
WALTON ON THE NAZE	–	2	–	–	1	–
†WANSTEAD ...	–	3	–	–	–	–
†WOODFORD ...	–	3	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	1	–	–	–	–
BRAINTREE ...	–	–	–	–	3	–
CHELMSFORD ...	–	1	–	–	–	–
DUNMOW... ...	–	–	–	–	1	–
EPPING	–	1	–	–	–	–
ORSETT	–	8	–	–	–	–
ROCHFORD ...	–	–	1	–	–	–
ROMFORD ...	–	1	–	–	–	–
SAFFRON WALDEN	–	1	1	–	–	–
TENDRING ...	–	1	–	–	–	–
GLOUCESTER ...	–	75	24	1	15	G. 2 M. 2
†BRISTOL C.B. ...	–	55	16	1	11	G. 2 M. 2
†GLOUCESTER C.B.	–	–	6	–	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	5	2	–	2	–
Rural Districts:—						
CAMPDEN... ...	–	1	–	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	5	–	–	–	–
LYDNEY	–	2	–	–	–	–
THORNBURY ...	–	–	–	–	2	–
WARMLEY ...	–	4	–	–	–	–
WEST DEAN ...	–	1	–	–	–	–
WINCHCOMB (PART)	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	–	2	1	–	3	–
Boroughs and Urban Districts:—						
†Hereford ...	–	1	–	–	1	–
Rural Districts:—						
Bromyard ...	–	–	–	–	2	–
Ledbury... ...	–	1	–	–	–	–
Ross	–	–	1	–	–	–
HERTFORD ...	–	16	6	–	5	–
Boroughs and Urban Districts:—						
Baldock... ...	–	–	1	–	–	–
Bushey	–	2	–	–	–	–
Great Berkhampstead.	–	–	1	–	–	–
†Hertford ...	–	–	–	–	1	–
†Hitchin	–	1	–	–	–	–
†Letchworth ...	–	–	–	–	2	–
Royston	–	3	–	–	–	–
†St. Albans ...	–	–	2	–	–	–
†Watford ...	–	2	1	–	–	–
Rural Districts:—						
Hadham	–	1	–	–	–	–
Hatfield ...	–	–	–	–	1	–
St. Albans ...	–	2	–	–	1	–
Ware	–	–	1	–	–	–
Watford ...	–	5	–	–	–	–
HUNTINGDON ...	–	3	–	–	2	–
Boroughs and Urban Districts:—						
Godmanchester	–	–	–	–	1	–
Old Fletton ...	–	1	–	–	–	–
St. Ives	–	1	–	–	–	–
HUNTINGDON—*cont.*						
Rural Districts:—						
Norman Cross ...	–	1	–	–	–	–
St. Ives	–	–	–	–	1	–
KENT	–	33	21	1	14	C. 1 G. 1 L. 1 M. 1
†Canterbury C.B.	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†Ashford ...	–	–	–	–	1	–
†Beckenham ...	*	*	*	*	*	*
†Bexley	–	1	–	–	–	–
†Bromley ...	–	–	–	–	1	–
†Chatham ...	–	1	–	–	–	–
Cheriton ...	–	–	–	–	–	C. 1
Chislehurst ...	–	1	–	–	–	–
†Crayford ...	–	–	–	–	1	–
†Dartford ...	–	1	3	–	–	L. 1
†Dover	–	1	4	–	–	M. 1
†Erith	–	–	1	–	1	–
†Folkestone ...	–	1	–	–	2	–
†Gillingham ...	–	4	–	–	2	–
†Gravesend ...	–	4	1	–	–	–
†Herne Bay ...	–	–	–	–	1	–
†Maidstone ...	–	–	1	–	–	–
†Margate ...	–	–	1	–	–	–
Milton Regis ...	–	–	3	–	–	–
†Northfleet ...	–	–	1	–	–	–
†Penge	–	–	–	–	1	–
Queenborough	–	1	–	–	–	–
†Rochester ...	–	2	1	–	–	–
†Royal Tunbridge Wells	–	1	1	–	1	–
†Sheerness ...	–	1	–	–	–	G. 1
Rural Districts:—						
Bromley ...	–	4	–	–	–	–
East Ashford ...	–	2	–	–	–	–
Faversham ...	–	2	–	–	1	–
Isle of Thanet	–	–	–	–	1	–
Maidstone ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts—*cont.*						
Malling	–	1	1	–	–	–
Milton	–	2	1	–	–	–
Sheppey	–	1	–	1	–	–
Strood	–	1	–	–	–	–
LANCASTER ...	–	338	113	3	178	C. 9
						G. 8
						L. 2
						M. 30
†Barrow in Furness C.B.	–	8	–	–	–	–
†Blackburn C.B.	–	6	1	–	9	–
†Blackpool C.B.	–	2	1	–	2	M. 1
†Bolton C.B. ...	–	13	7	–	7	–
†Bootle C.B. ...	–	3	1	–	–	–
†Burnley C.B. ...	–	48	3	–	2	G. 1
						M. 1
†Bury C.B. ...	–	4	1	–	6	–
†Liverpool C.B. ...	–	32	22	1	29	C. 4
						G. 6
						M. 14
†Manchester C.B.	–	57	18	1	42	C. 3
						M. 10
†Oldham C.B. ...	–	8	2	–	5	–
†Preston C.B. ...	–	5	3	1	2	–
†Rochdale C.B. ...	–	15	5	–	1	–
†St. Helens C.B.	–	9	5	–	2	–
†Salford C.B. ...	–	13	5	–	–	M. 1
†Southport C.B.	–	2	–	–	–	–
†Warrington C.B.	–	7	2	–	5	–
†Wigan C.B. ...	–	1	1	–	6	M. 1
Boroughs and Urban Districts:—						
Abram	–	–	–	–	2	–
†Accrington ...	–	2	–	–	2	–
†Ashton in Makerfield	–	–	1	–	1	–
†Ashton under Lyne	–	3	–	–	4	–
Aspull	–	1	–	–	1	–
†Atherton ...	–	2	–	–	1	–
Audenshaw ...	–	3	–	–	–	–
Blackrod ...	–	–	–	–	1	–
Brierfield ...	–	–	1	–	–	–
†Chadderton ...	–	2	–	–	1	–
†Colne	–	1	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Crompton ...	–	–	1	–	–	–
†Darwen ...	–	9	–	–	–	–
†Denton	–	2	–	–	–	–
†Droylsden ...	–	5	1	–	1	–
†Eccles	–	1	–	–	1	M. 1
†Failsworth ...	–	3	–	–	–	–
†Farnworth ...	–	2	–	–	–	–
†Fleetwood ..	–	1	–	–	1	G. 1
Fulwood ...	–	1	–	–	–	–
†Great Crosby ...	–	1	–	–	–	–
†Haslingden ...	–	2	–	–	–	–
†Haydock... ...	–	1	–	–	–	–
†Heywood ...	–	6	–	–	–	–
†Hindley... ...	–	2	–	–	1	–
†Horwich ...	–	–	1	–	3	–
Hurst	–	–	–	–	1	–
†Ince in Makerfield	–	1	–	–	3	–
Irlam	–	–	–	–	1	–
Kirkham ...	–	1	–	–	–	–
†Lancaster ...	–	1	2	–	2	–
†Leigh	–	2	1	–	1	C. 1
Leyland... ...	–	1	1	–	–	–
†Litherland ...	–	3	7	–	–	–
†Littleborough	–	1	–	–	–	–
Little Hulton	–	1	1	–	–	–
Little Lever ...	–	2	1	–	–	–
†Lytham St. Anne's	–	1	–	–	–	–
†Middleton ...	–	1	–	–	3	–
Milnrow ...	–	–	1	–	–	–
†Mossley	–	1	–	–	–	–
†Nelson	–	2	1	–	–	–
†Newton in Makerfield	–	1	–	–	1	–
Orrell	–	–	1	–	–	–
†Oswaldtwistle	–	–	–	–	1	–
†Padiham... ..	–	1	–	–	–	–
Preesall ...	*	*	*	*	*	*
†Radcliffe ...	–	1	1	–	3	–
†Ramsbottom ...	–	2	–	–	1	–
†Rawtenstall ...	–	1	–	–	–	M. 1
Rishton	–	1	1	–	1	–
†Royton	–	3	–	–	–	–
Standish with Langtree	–	–	1	–	–	–
†Stretford ...	–	–	3	–	1	–
†Swinton and Pendlebury	–	1	1	–	7	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TYLDESLEY WITH SHAKERLEY	–	3	1	–	–	–
†ULVERSTON ...	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	–	–	–	–
WHITEFIELD ...	–	1	–	–	2	–
†WIDNES	–	2	3	–	5	C. 1
Rural Districts :—						
BARTON UPON IRWELL.	–	–	–	–	2	–
BURNLEY ...	–	4	–	–	–	–
BURY	–	2	–	–	–	–
CHORLEY	–	1	1	–	–	–
CLITHEROE ...	–	–	–	–	1	L. 1.
FYLDE	–	3	1	–	–	–
GARSTANG ...	–	2	–	–	–	–
LANCASTER ...	–	1	–	–	–	–
LEIGH	–	–	1	–	–	–
LIMEHURST ...	–	1	–	–	–	–
PRESTON	–	1	1	–	–	–
WARRINGTON ...	–	–	–	–	2	–
WEST LANCASHIRE	–	2	–	–	–	–
WHISTON ...	–	1	–	–	–	L. 1.
LEICESTER... ...	–	18	14	1	3	G. 1 M. 1
†LEICESTER C.B. ...	–	11	3	–	2	G. 1 M. 1
Boroughs and Urban Districts :—						
ASHBY DE LA ZOUCHE	*	*	*	*	*	*
†COALVILLE ..	–	2	–	–	–	–
†LOUGHBOROUGH	–	–	1	–	–	–
MELTON MOWBRAY.	–	1	–	–	1	–
WIGSTON MAGNA	–	2	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LEICESTER—*cont.*						
Rural Districts :—						
ASHBY DE LA ZOUCH	–	–	6	1	–	–
BARROW UPON SOAR	–	–	2	–	–	–
MARKET BOSWORTH	–	2	1	–	–	–
LINCOLN (parts of Holland).	–	1	1	–	–	–
Rural Districts :—						
BOSTON	–	1	–	–	–	–
CROWLAND ...	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	–	1	–	1	–
Boroughs and Urban Districts :—						
SLEAFORD ...	–	–	–	–	1	–
STAMFORD ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	10	6	–	4	–
†GRIMSBY C.B. ...	–	4	2	–	–	–
Boroughs and Urban Districts :—						
ALFORD	*	*	*	*	*	*
BRIGG	–	–	–	–	1	–
†CLEETHORPES ...	–	3	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	3	3	–	3	–
WINTERTON ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	63	51	1	21	C. 1 E. 2 L. 1 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	–	1	–	3	–
†BRENTFORD ...	–	1	–	–	–	–
†CHISWICK ...	–	1	–	–	–	M. 1
†EALING	–	2	–	–	1	–
†EDMONTON ...	–	3	5	–	4	–
†ENFIELD	–	2	1	–	2	–
FELTHAM... ...	–	1	2	–	–	–
†FINCHLEY ...	–	3	1	–	1	–
HAMPTON WICK...	–	1	1	–	1	–
†HANWELL ...	–	2	–	–	–	–
†HARROW ON THE HILL	–	1	–	–	–	–
†HENDON	–	2	6	–	–	–
†HESTON AND ISLEWORTH	–	3	4	–	–	–
†HORNSEY... ...	–	6	3	–	1	–
RUISLIP NORTHWOOD	–	1	1	–	–	–
†SOUTHALL NORWOOD	–	2	1	–	1	L. 1
†SOUTHGATE ...	–	4	–	–	–	–
STAINES	–	–	2	–	–	–
SUNBURY ON THAMES	–	–	1	–	–	–
†TEDDINGTON ...	–	–	–	–	–	C. 1
†TOTTENHAM ...	–	14	6	–	4	E. 1
†TWICKENHAM ...	–	–	1	1	–	–
†UXBRIDGE ...	–	–	–	–	1	–
†WEMBLEY ...	–	–	–	–	–	E. 1
†WILLESDEN ...	–	5	12	–	2	–
†WOOD GREEN ...	–	3	–	–	–	–
Rural Districts:—						
HENDON	–	–	1	–	–	–
STAINES	–	4	2	–	–	–
UXBRIDGE ...	–	2	–	–	–	–
NORFOLK	–	27	9	1	7	M. 3
†GREAT YARMOUTH C.B.	–	1	1	–	–	M. 1
†NORWICH C.B. ...	–	21	8	–	5	M. 1
NORFOLK—*cont.*						
Boroughs and Urban Districts:—						
THETFORD ...	–	1	–	–	–	–
WELLS	–	–	–	–	1	–
Rural Districts:—						
DOWNHAM ...	–	1	–	–	–	M. 1
FREEBRIDGE LYNN	–	1	–	–	–	–
LODDON AND CLAVERING	–	1	–	–	–	–
ST. FAITH'S ...	–	1	–	1	–	–
WAYLAND ...	–	–	–	–	1	–
NORTHAMPTON ...	–	18	6	–	8	–
†NORTHAMPTON C.B.	–	9	2	–	5	–
Boroughs and Urban Districts:—						
BRACKLEY ...	–	–	–	–	1	–
FINEDON	–	1	–	–	–	–
IRTHLINGBOROUGH	–	1	1	–	–	–
†KETTERING ...	–	2	–	–	–	–
RAUNDS	–	–	–	–	1	–
†RUSHDEN ...	–	–	2	–	–	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	–	–	–	1	–
KETTERING ..	–	2	1	–	–	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND	–	42	9	–	30	C. 1 M. 4
†NEWCASTLE UPON TYNE C.B.	–	11	4	–	18	M. 3
†TYNEMOUTH C.B.	–	6	–	–	6	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
ALNWICK... ...	*	*	*	*	*	*
AMBLE	–	1	–	–	–	–
†ASHINGTON ...	–	2	–	–	–	–
†BEDLINGTONSHIRE	–	5	–	–	1	–
†BERWICK UPON TWEED	–	1	1	–	–	–
†BLYTH	–	6	–	–	2	–
CRAMLINGTON ...	–	1	–	–	–	–
HEXHAM	–	–	–	–	–	C. 1
†LONGBENTON ...	–	1	–	–	1	–
†NEWBURN ...	–	1	–	–	–	–
PRUDHOE ...	*	*	*	*	*	*
SEATON DELAVAL	–	1	1	–	–	–
SEGHILL	–	1	1	–	–	–
†WALLSEND ...	–	1	1	–	1	–
†WHITLEY AND MONKSEATON	–	1	–	–	–	–
Rural Districts:—						
ALNWICK... ...	–	–	1	–	–	–
BELLINGHAM ...		1	–	–	1	–
MORPETH ...	–	2	–	–	–	–
NOTTINGHAM ...	2	26	9	1	20	I. 1 M. 3
†NOTTINGHAM C.B.	1	17	4	1	9	M. 3
Boroughs and Urban Districts:—						
†BEESTON	–	–	–	–	1	–
†CARLTON	–	–	1	–	2	–
†EAST RETFORD ...	–	–	–	–	1	–
EASTWOOD ...	1	–	–	–	–	–
†HUCKNALL ...	–	–	–	–	1	–
†KIRKBY IN ASHFIELD	–	2	–	–	2	–
†MANSFIELD ...	–	5	1	–	1	–
†SUTTON IN ASHFIELD	–	1	–	–	–	–
†WEST BRIDGFORD	–	1	–	–	–	–
†WORKSOP... ..	–	–	–	–	1	–
NOTTINGHAM—*cont.*						
Rural Districts:—						
EAST RETFORD ..	–	–	–	–	2	I. 1
LEAKE	–	–	1	–	–	–
SKEGBY	–	–	1	–	–	–
STAPLEFORD ...	–	–	1	–	–	–
OXFORD	–	15	3	–	–	–
†OXFORD C.B. ...	–	3	–	–	–	–
Borough and Urban District:—						
HENLEY ON THAMES	–	2	–	–	–	–
Rural Districts:—						
BANBURY... ...	–	–	2	–	–	–
BICESTER... ...	–	1	–	–	–	–
CROWMARSH ...	–	3	–	–	–	–
CULHAM	–	2	–	–	–	–
HEADINGTON ...	–	3	1	–	–	–
WOODSTOCK ...	–	1	–	–	–	–
PETERBOROUGH (Soke of)	–	1	4	–	–	D. 1
Borough:—						
†PETERBOROUGH...	–	1	3	–	–	D. 1
Rural District:—						
PETERBOROUGH...	–	–	1	–	–	–
SALOP	–	11	9	–	–	D. 1
Boroughs and Urban Districts:—						
DAWLEY	–	1	–	–	–	–
LUDLOW	–	–	4	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SALOP—*cont.*						
Boroughs and Urban Districts—*cont.*						
MARKET DRAYTON	–	–	3	–	–	–
†OAKENGATES ...	–	2	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	2	1	–	–	–
†WENLOCK ...	–	2	–	–	–	–
Rural Districts:—						
ATCHAM	–	1	1	–	–	D. 1.
CHIRBURY ...	–	1	–	–	–	–
CLUN	–	1	–	–	–	–
SOMERSET	–	30	10	–	6	M. 1
†BATH C.B. ...	–	4	1	–	1	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	5	–	–	–	–
†FROME	–	2	–	–	–	–
MIDSOMER NORTON	–	1	1	–	–	–
†TAUNTON... ...	–	3	–	–	1	M. 1
WELLINGTON ...	–	1	–	–	–	–
†WESTON SUPER MARE	–	1	–	–	–	–
†YEOVIL	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	2	–	–	–	–
BATH	–	2	–	–	–	–
BRIDGWATER ...	–	1	–	–	–	–
CHARD	–	2	–	–	–	–
CLUTTON	–	–	7	–	1	–
FROME	–	–	–	–	1	–
KEYNSHAM ...	–	1	1	–	–	–
LANGPORT ...	–	1	–	–	–	–
LONG ASHTON ...	–	–	–	–	1	–
SHEPTON MALLET	–	1	–	–	–	–
WILLITON ...	–	2	–	–	–	–
YEOVIL	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SOUTHAMPTON ...	–	52	31	3	5	C. 1 M. 4
†BOURNEMOUTH C.B.	–	3	–	–	–	–
†PORTSMOUTH C.B.	–	22	9	3	1	C. 1 M. 1
†SOUTHAMPTON C.B.	–	11	6	–	1	M. 1
Boroughs and Urban Districts:—						
†BASINGSTOKE ...	–	1	–	–	–	M. 1
†FAREHAM ...	–	1	–	–	–	–
†FARNBOROUGH ...	–	1	–	–	–	–
†GOSPORT	–	2	4	–	–	–
†WINCHESTER ...	–	3	3	–	1	–
Rural Districts:—						
ALTON	–	–	1	–	–	–
ANDOVER... ...	–	–	–	–	2	M. 1
DROXFORD ...	–	1	1	–	–	–
HARTLEY WINTNEY	–	1	–	–	–	–
NEW FOREST ...	*	*	*	*	*	*
SOUTH STONEHAM	–	2	–	–	–	–
WHITCHURCH ...	–	4	7	–	–	–
STAFFORD	–	112	29	1	55	C. 2 G. 1 M. 17
†BURTON UPON TRENT C.B.	–	1	3	–	–	M. 1
†SMETHWICK C.B.	–	6	3	1	5	M. 1
†STOKE ON TRENT C.B.	–	43	4	–	30	M. 8
†WALSALL C.B. ...	–	7	1	–	1	C. 1 M. 1
†WEST BROMWICH C.B.	–	10	7	–	–	G. 1
†WOLVERHAMPTON C.B.	–	5	1	–	1	M. 2
Boroughs and Urban Districts:—						
†AUDLEY	–	2	–	–	–	–
BIDDULPH ...	–	4	–	–	–	–
†BILSTON	–	4	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague : encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BRIERLEY HILL...	–	1	–	–	1	–
†BROWNHILLS ...	–	1	–	–	2	–
†CANNOCK	–	–	–	–	1	C. 1
†COSELEY	–	3	–	–	–	–
†DARLASTON ...	–	–	–	–	1	–
†LEEK	–	4	–	–	–	–
LICHFIELD ...	–	2	–	–	1	–
†NEWCASTLE UNDER LYME	–	2	1	–	–	–
QUARRY BANK ...	–	–	–	–	1	–
†ROWLEY REGIS ...	–	–	–	–	3	–
†SEDGLEY ...	–	–	1	–	–	–
†STAFFORD ...	–	3	–	–	–	M. 1
TAMWORTH ...	–	–	2	–	–	–
†WEDNESBURY ...	–	1	–	–	2	M. 1
WEDNESFIELD ...	–	–	–	–	1	–
†WILLENHALL ...	–	3	–	–	2	–
†WOLSTANTON UNITED	–	2	2	–	–	–
Rural Districts:—						
CANNOCK	–	3	–	–	–	M. 1
CHEADLE	–	1	–	–	1	–
LICHFIELD ...	–	1	1	–	–	–
NEWCASTLE UNDER LYME	–	1	–	–	–	–
STAFFORD ...	–	1	1	–	–	–
STONE	–	–	1	–	–	–
TAMWORTH (PART)	–	–	1	–	–	–
TUTBURY ...	–	–	–	–	–	M. 1
UTTOXETER ...	–	1	–	–	–	–
SUFFOLK, EAST ...	–	9	12	–	3	C. 1
†IPSWICH C.B. ...	–	4	4	–	2	C. 1
Boroughs and Urban Districts:—						
BECCLES	*	*	*	*	*	*
†LOWESTOFT ...	–	2	2	–	1	–
WOODBRIDGE ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
BLYTHING ...	–	–	6	–	–	–
EAST STOW ...	–	1	–	–	–	–
SAMFORD... ...	–	1	–	–	–	–
WOODBRIDGE ...	–	1	–	–	–	–
SUFFOLK, WEST ...	–	2	–	–	–	M. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	–	M. 1
Rural Districts:—						
BRANDON... ...	–	1	–	–	–	–
CLARE	–	1	–	–	–	–
SURREY	–	47	21	1	6	G. 1 L. 5 M. 2
†CROYDON C.B. ...	–	18	4	–	1	M. 1
Boroughs and Urban Districts:—						
†BARNES	–	2	–	–	1	–
†BEDDINGTON AND WALLINGTON	–	2	–	–	–	–
†CARSHALTON ...	–	–	–	–	–	G. 1
†CHERTSEY ...	–	1	2	–	–	–
†COULSDON AND PURLEY	–	–	–	–	–	L. 5
†EPSOM	–	–	1	1	–	–
†FARNHAM ...	–	1	–	–	–	–
†GUILDFORD ...	–	1	–	–	–	–
†KINGSTON ON THAMES	–	7	1	–	–	M. 1
LEATHERHEAD ...	–	2	–	–	–	–
†MERTON AND MORDEN	–	1	2	–	–	–
†MITCHAM... ...	–	4	–	–	–	–
†REIGATE	–	–	–	–	1	–
†SURBITON ...	–	–	2	–	1	–
†SUTTON	–	–	4	–	–	–
†THE MALDENS AND COOMBE	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Walton upon Thames	–	2	2	–	–	–
†Wimbledon ...	–	1	3	–	–	–
†Woking	–	2	–	–	–	–
Rural Districts:—						
Chertsey ...	–	1	–	–	–	–
Epsom	–	–	–	–	1	–
Farnham ...	–	1	–	–	–	–
Hambledon ...	–	1	–	–	–	–
SUSSEX, EAST ...	–	13	4	–	5	D. 1 L. 1
†Brighton C.B. ...	–	6	3	–	3	–
†Eastbourne C.B.	–	1	1	–	–	–
†Hastings C.B. ...	–	1	–	–	–	D. 1
Boroughs and Urban Districts:—						
East Grinstead	–	2	–	–	–	–
†Hove	–	1	–	–	2	–
†Lewes	–	1	–	–	–	–
Rural Districts:—						
Hailsham ...	–	–	–	–	–	L. 1
Steyning East...	–	1	–	–	–	–
SUSSEX, WEST ...	–	3	–	2	2	–
Boroughs and Urban Districts:—						
†Chichester ...	–	1	–	1	1	–
†Horsham ...	–	2	–	–	–	–
Rural Districts:—						
Midhurst ...	–	–	–	1	–	–
Westhampnett	–	–	–	–	1	–
WARWICK	–	103	51	1	59	C. 4 M. 12
†Birmingham C.B.	–	80	44	–	34	C. 3 M. 10
†Coventry C.B. ...	–	7	2	1	2	C. 1
Boroughs and Urban Districts:—						
†Nuneaton ...	–	1	1	–	9	–
†Royal Leamington Spa	–	1	3	–	1	–
†Rugby	–	–	–	–	3	M. 1
Rural Districts:—						
Atherstone ...	–	6	1	–	2	–
Foleshill ...	–	1	–	–	1	–
Meriden ...	–	–	–	–	4	–
Rugby	–	1	–	–	2	M. 1
Solihull ...	–	–	–	–	1	–
Tamworth (part)	–	6	–	–	–	–
WESTMORLAND ...	–	4	–	–	2	–
Boroughs and Urban Districts:—						
†Kendal	–	1	–	–	1	–
Windermere ...	–	–	–	–	1	–
Rural Districts:—						
East Westmorland	–	1	–	–	–	–
South Westmorland	–	2	–	–	–	–
WIGHT, ISLE OF ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
St. Helens ...	–	–	–	–	1	–
Sandown ...	–	1	–	–	–	–
WILTS	–	15	2	–	1	M. 1
Boroughs and Urban Districts:—						
Melksham ...	*	*	*	*	*	*
†Swindon ...	–	5	1	–	1	M. 1
†Trowbridge ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
MELKSHAM ...	*	*	*	*	*	*
PEWSEY	–	6	–	–	–	–
RAMSBURY ...	–	2	–	–	–	–
WARMINSTER ...	–	–	1	–	–	–
WORCESTER ...	–	25	4	1	15	M. 1
†DUDLEY C.B. ...	–	–	–	1	–	–
†WORCESTER C.B.	–	4	2	–	8	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
†KIDDERMINSTER	–	5	–	–	–	M. 1
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY ...	–	4	2	–	2	–
†REDDITCH ...	–	4	–	–	–	–
†STOURBRIDGE ...	–	1	–	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
DROITWICH ...	–	1	–	–	–	–
FECKENHAM ...	–	1	–	–	–	–
HALESOWEN ...	–	–	–	–	2	–
ROCK	–	1	–	–	–	–
UPTON ON SEVERN.	–	1	–	–	2	–
YORKS (East Riding)	–	10	13	–	4	–
†KINGSTON UPON HULL C.B.	–	5	8	–	3	–
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	–	–
†BRIDLINGTON ...	–	5	–	–	–	–
COTTINGHAM ...	–	–	1	–	–	–
HESSLE	–	–	1	–	–	–
HORNSEA... ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Rural Districts:—						
DRIFFIELD ...	–	–	1	–	–	–
HOWDEN	–	–	–	–	1	–
YORKS ... ... (North Riding).	12	43	3	–	9	M. 1
†MIDDLESBROUGH C.B.	12	21	2	–	5	–
Boroughs and Urban Districts:—						
†ESTON	–	13	–	–	1	–
GUISBOROUGH ...	–	1	–	–	1	–
†REDCAR	–	2	–	–	1	–
†SKELTON AND BROTTON	–	1	–	–	1	–
Rural Districts:—						
AYSGARTH ...	*	*	*	*	*	*
EASINGWOLD ...	–	–	1	–	–	M. 1
GUISBOROUGH ...	–	3	–	–	–	–
NORTHALLERTON	–	1	–	–	–	–
STOKESLEY ...	–	1	–	–	–	–
YORKS ... ... (West Riding).	5	254	79	4	145	C. 3 G. 1 D. 1 M. 13
†BARNSLEY C.B. ...	–	2	2	–	4	M. 1
†BRADFORD C.B. ...	–	15	13	–	12	C. 1 G. 1 M. 1
†DEWSBURY C.B....	–	3	–	–	1	–
†HALIFAX C.B. ...	–	2	1	–	1	–
†HUDDERSFIELD C.B.	–	9	–	–	2	
†LEEDS C.B. ...	–	86	9	1	7	M. 2
†ROTHERHAM C.B.	–	3	1	–	9	–
†SHEFFIELD C.B....	–	37	17	2	68	C. 2 D. 1 M. 7
†WAKEFIELD C.B.	–	1	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	1	3	–	–	–
ALTOFTS	–	–	–	–	1	–
ARDSLEY, EAST AND WEST	–	–	–	–	1	–
†BATLEY	–	2	–	–	1	–
†BENTLEY WITH ARKSEY	–	2	–	–	–	–
†BINGLEY	–	1	1	–	–	–
BIRSTAL	–	–	2	–	–	–
†BOLTON UPON DEARNE	–	2	–	–	–	–
†BRIGHOUSE ...	–	2	–	–	1	–
†CASTLEFORD ...	–	5	–	–	1	–
CLAYTON	–	1	–	–	–	–
†CONISBROUGH ...	–	3	3	–	–	–
CUDWORTH ...	–	–	1	–	–	–
DARFIELD ...	–	1	–	–	5	–
†DARTON	–	2	–	–	2	–
DENBY AND CUMBERWORTH	–	–	2	–	–	–
†DONCASTER ...	5	5	–	–	–	–
DRIGHLINGTON ...	–	–	–	–	1	–
FARSLEY	–	1	–	–	–	–
GARFORTH ...	–	1	–	–	–	–
†GOLCAR	–	1	–	–	–	–
GREASBROUGH ...	–	1	–	–	–	–
GREETLAND ...	–	–	1	–	–	–
HAWORTH ...	–	1	–	–	–	–
HEBDEN BRIDGE	–	1	–	–	–	–
HECKMONDWIKE	–	1	–	–	1	–
†HEMSWORTH ...	–	1	–	–	2	M. 1
HIPPERHOLME ...	–	–	1	–	–	–
†HOLMFIRTH ..	–	3	2	–	–	–
†HOYLAND NETHER	–	2	–	–	–	–
†KEIGHLEY ...	–	2	–	–	1	–
KIRKHEATON ...	–	–	–	–	1	–
MARSDEN ...	–	–	1	–	–	–
MELTHAM ...	–	1	–	–	–	–
†MEXBOROUGH ...	–	–	1	–	1	–
†MORLEY	–	4	1	–	1	–
NEW MILL ...	–	1	–	–	–	–
†NORMANTON ...	–	1	–	–	1	–
†OSSETT	–	1	–	–	–	–
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts— *cont.*						
PENISTONE ...	–	1	–	–	–	–
†PUDSEY	–	1	–	–	–	–
RAWDON	–	–	–	–	1	–
†RAWMARSH ...	–	2	1	1	1	–
RIPON	–	1	–	–	–	–
SELBY	–	3	–	–	–	–
SHELLEY	–	–	1	–	–	–
†SHIPLEY	*	*	*	*	*	*
†SPENBOROUGH ...	–	1	–	–	–	–
SPRINGHEAD ...	–	–	–	–	1	–
†STANLEY	–	1	1	–	1	–
STOCKSBRIDGE ...	–	1	–	–	5	–
†SWINTON... ...	–	4	–	–	1	–
THURNSCOE ...	–	4	1	–	–	–
†TODMORDEN ...	–	2	–	–	1	–
†WATH UPON DEARNE	–	1	–	–	–	–
WHITWOOD ..	–	–	–	–	1	–
†WOMBWELL ...	–	2	–	–	2	–
†WORSBOROUGH ...	–	–	–	–	1	M. 1
Rural Districts:—						
DONCASTER ...	–	–	–	–	2	–
HALIFAX ...	–	1	–	–	–	–
HEMSWORTH ...	–	4	–	–	1	–
KNARESBOROUGH	–	–	1	–	–	–
PENISTONE ...	–	–	3	–	–	–
ROTHERHAM ...	–	1	–	–	–	–
SELBY	–	1	–	–	–	–
SKIPTON	–	–	1	–	1	–
TADCASTER ...	–	3	–	–	–	–
WAKEFIELD ...	–	4	–	–	–	–
WEATHERBY ...	–	2	6	–	–	–
WHARFEDALE (SOUTH)	–	1	–	–	1	–
WORTLEY... ...	–	5	–	–	–	–
§YORK C.B. ...	–	11	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES						
BRECKNOCK ...	–	1	1	–	2	–
Urban Districts :—						
Brynmawr ...	–	–	–	–	1	–
Builth Wells...	–	–	–	–	1	–
Rural Districts :—						
Brecknock (Merthyr Cynog)	*	*	*	*	*	*
Builth	–	1	–	–	–	–
Llanwrthwl (Parish)	*	*	*	*	*	*
Ystradgynlais	–	–	1	–	–	–
CARDIGAN	–	–	2	–	1	–
Boroughs and Urban Districts :—						
†Aberystwith ...	–	–	–	–	1	–
New Quay ...	–	–	2	–	–	–
Rural District :—						
Ysgubor y Coed (Parish)	*	*	*	*	*	*
CARMARTHEN ...	–	2	12	1	7	–
Boroughs and Urban Districts :—						
Ammanford ...	–	1	1	–	1	–
†Carmarthen ...	–	–	–	1	–	–
†Llanelly ...	–	–	2	–	4	–
Rural Districts :—						
Carmarthen ...	–	1	3	–	–	–
Llandilo Fawr	–	–	2	–	–	–
Llanelly ...	–	–	4	–	2	–
CARNARVON ...	–	–	9	–	–	–
Boroughs and Urban Districts :—						
Carnarvon ...	–	–	1	–	–	–
Rural Districts :—						
Conway	–	–	3	–	–	–
Gwyrfai... ...	–	–	5	–	–	–
DENBIGH	–	7	–	–	2	M. 1
Boroughs and Urban Districts :—						
Denbigh... ...	–	–	–	–	1	–
†Wrexham ...	–	2	–	–	–	–
Rural Districts :—						
Chirk	–	1	–	–	–	–
Llanrwst ...	–	–	–	–	1	–
Llansilin ...	–	1	–	–	–	–
Wrexham ...	–	3	–	–	–	M. 1
FLINT	–	5	1	1	3	–
Boroughs and Urban Districts :—						
Holywell ...	–	–	–	–	1	–
Rural Districts :—						
Hawarden ..	–	–	1	1	–	–
Holywell (Holywell Div.)	–	1	–	–	2	–
Holywell (Mold Div.)	–	4	–	–	–	–
GLAMORGAN ...	–	98	49	1	25	M. 9
†Cardiff C.B. ...	–	11	7	–	–	M. 4
†Merthyr Tydfil C.B.	–	4	5	–	–	M. 1
†Swansea C.B. ...	–	14	11	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts:—						
†ABERDARE ...	–	3	2	–	3	–
†BARRY	–	2	4	–	11	–
BRIDGEND ...	–	–	1	–	–	–
†CAERP ...	–	4	2	–	–	–
†GELLIGAER ...	–	–	1	–	–	–
†GLYNCORWG ...	–	–	1	–	–	–
†MAESTEG	–	1	–	–	–	M. 1
†MOUNTAIN ASH ...	–	13	2	–	1	–
†NEATH	–	–	5	–	1	–
†OGMORE AND GARW	–	2	–	–	1	–
†PENARTH... ...	–	3	–	–	–	–
†PONTYPRIDD ...	–	–	1	–	–	–
PORTHCAWL ...	–	–	–	1	–	–
†PORT TALBOT ...	–	2	–	–	–	–
†RHONDDA ...	–	28	2	–	6	M. 2
Rural Districts:—						
CARDIFF	–	–	–	–	1	–
GOWER	–	–	1	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	4	–	–	–	–
NEATH	–	3	–	–	1	–
PONTARDAWE ...	–	3	4	–	–	–
SWANSEA... ...	–	1	–	–	–	M. 1
MERIONETH ...	–	1	3	–	–	–
Rural Districts:—						
DOLGELLEY ...	–	1	–	–	–	–
EDEIRNION ...	–	–	3	–	–	–
MONMOUTH ...	–	20	14	–	13	C. 1 M. 1
†NEWPORT C.B. ...	–	4	2	–	7	–
Boroughs and Urban Districts:—						
†ABERCARN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	2	3	–	–	–
BEDWAS AND MACHEN	–	–	–	–	3	–
†BEDWELLTY ...	–	3	–	–	–	–
CHEPSTOW ...	–	–	3	–	–	–
†EBBW VALE ...	–	3	–	–	1	C. 1
†MYNYDDISLWYN	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	2	M. 1
PONTYPOOL ...	–	–	1	–	–	–
†RISCA	–	–	3	–	–	–
†TREDEGAR ...	–	4	2	–	–	–
Rural Districts:—						
SAINT MELLONS ...	–	2	–	–	–	–
MONTGOMERY ...	–	–	–	–	3	–
Rural Districts:—						
FORDEN... ...	–	–	–	–	1	–
LLANFYLLIN ...	–	–	–	–	2	–
PEMBROKE	–	1	2	–	–	–
Boroughs and Urban Districts:—						
HAVERFORDWEST	–	–	1	–	–	–
†PEMBROKE ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
RADNOR	–	1	–	–	–	–
Urban District :—						
LLANDRINDOD WELLS	*	*	*	*	*	*
Rural Districts :—						
PAINSCASTLE ...	–	1	–	–	–	–
RHAYADER ...	*	*	*	*	*	*
Total of Part II. ...	48	1921	794	26	859	C. 29 D. 4 E. 3 G. 18 I. 1 L. 12 M. 123

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BARRY	–	–	–	1	–	–
LIVERPOOL	–	–	1	–	2	–
MILFORD	–	–	1	–	1	–
PRESTON	–	–	–	1	–	–
Total of Part III.— ...	–	–	2	2	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	221	311	4	88	C. G. L. M. 1
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	48	1921	794	26	859	C. 2 D. E. G. 1 I. L. 1 M. 12
Total of Part III.—Port Sanitary Districts	–	–	2	2	3	—
Total (*i.e.*, of returns received), England and Wales ...	48	2142	1107	32	950	C. 3 D. E. G. 2 I. L. 1 M. 14

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continue Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Forty-eight cases of Small-pox were notified which appear on pages 96, 97, 103, 107 and 108.

le 5.—London and Great Towns in the GGREGATE. } { Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Nov. 4.	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.
NDON :—													
ATHS—all ages	1,025	1,083	1,155	1,240	1,129	1,130	1,148	1,068	1,035	1,119	1,124	1,171	1,118
„ 0 to 1 year ..	117	103	123	131	149	139	153	127	123	119	132	124	118
EAT TOWNS, aggregate (including London) :—													
THS	6,784	7,141	7,086	7,281	7,058	7,107	7,339	6,910	6,277	8,273	8,409	7,935	7,963
ATHS—all ages	4,205	4,605	4,710	4,599	4,596	4,464	4,726	4,590	4,558	4,910	4,843	4,958	4,841
„ 0 to 1 year ..	456	541	585	602	604	592	680	687	635	652	698	674	639
TERIC FEVER—Cases	27	22	13	24	25	24	15	15	14	16	12	20	19
„ Deaths	2	3	1	1	4	1	6	3	4	5	2	2	—
ALL POX—Cases ..	37	11	6	14	13	13	2	8	11	3	18	22	20
„ Deaths ..	1	12	3	1	—	—	—	—	—	—	—	—	—
ARLET FEVER—Cases	1,317	1,486	1,426	1,358	1,374	1,444	1,377	1,204	1,161	1,291	1,158	1,219	1,246
„ Deaths	15	12	13	18	8	18	20	22	19	14	27	7	14
PHTHERIA—Cases ..	632	631	653	662	759	783	671	661	592	711	675	662	725
„ Deaths ..	61	45	40	35	35	42	59	54	45	58	45	54	55
ASLES—Deaths ..	62	69	95	88	85	75	76	74	75	72	62	90	72
LUENZA—Deaths ..	48	71	64	71	60	52	68	61	51	57	69	78	69

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 27th January, 1923. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
NDON	50	29	46·1	34·3	0	BRADFORD ..	48	28	47·1	36·6	0
GREENWICH).						SHEFFIELD§ ..	50	33	48·0	39·9	1
GHTON ..	51	30	44·9	36·3	0·2	YORK (MUSEUM)	52	30	48·1	37·9	1
RTSMOUTH ..	51	31	47·0	37·7	0	HULL (PEARSON PARK).	51	31	48·0	36·9	2
RWICH (EATON).	49	33	45·7	34·9	1	TYNEMOUTH ..	51	32	48·1	39·7	3
MOUTH ..	51	33	49·0	39·3	1	CARDIFF	49	31	47·6	38·9	0·3
STOL (CLIFTON).	48	31	46·9	36·6	1	EDINBURGH ..	50·0	31·0	48·0	40·0	1
MINGHAM ..	49	30	46·3	37·0	1	GLASGOW ..	50·2	34·0	49·0	40·7	3
TTINGHAM ..	51	31	47·3	38·0	0·1	DUBLIN (PHŒNIX PARK).	50·9	25·8	49·6	38·7	2
KENHEAD (BIDSTON).	49	37	47·6	40·9	0·2	FITZWILLIAM SQUARE.†	51·0	32·0	49·5	41·5	1
NCHESTER ..	50	29	47·7	39·6	2	BELFAST	51·5	31·2	50·0	38·9	4
RNLEY.. ..	47	25	46·0	35·4	2						
DDERSFIELD	50	26	46·3	37·9	1						

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.
§ Week ended 20th January :—51, 35, 47·7, 39·6, 4.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 27th January, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY - 21	..	30·206	42·2	29·3	12·9	36·4	− 2·4	31·5	4·9	11·6	3·3	82	48·0	24·1	42·8	NNW: Calm & W.	WSW: SW.	1·2	0·0	0·1	279	− 23	0·00
MONDAY - 22	In Equator	30·178	50·1	39·3	10·8	44·9	+ 6·1	40·1	4·8	8·7	1·4	83	62·7	31·1	42·3	SW: WSW.	W: WNW.	1·6	0·0	0·1	358	+ 52	0·00
TUESDAY - 23	Apogee	30·442	46·5	29·4	17·1	36·4	− 2·5	27·5	8·9	12·5	4·9	70	43·5	23·4	42·4	N: NNW.	NW: Calm & SW.	2·4	0·0	0·1	218	− 93	0·00
WEDNESDAY 24	..	30·375	47·0	32·2	14·8	41·4	+ 2·5	37·6	3·8	5·9	2·2	86	59·5	23·4	42·4	SSW: SW.	SW: WSW.	1·0	0·0	0·1	341	+ 24	0·00
THURSDAY - 25	First Quarter.	30·482	50·0	38·1	11·9	44·8	+ 5·7	40·0	4·8	7·1	2·0	83	61·5	29·1	42·2	SW: WSW	WSW: WNW.	0·6	0·0	0·0	226	− 97	0·00
FRIDAY - 26	..	30·413	44·9	37·6	7·3	42·6	+ 3·3	36·9	5·7	8·0	4·0	80	46·8	28·9	42·2	WSW: W & SW.	WNW: WSW.	0·7	0·0	0·0	214	− 115	0·00
SATURDAY - 27	..	30·159	47·4	41·6	5·8	44·2	+ 4·7	40·3	3·9	7·8	1·8	86	54·2	32·9	42·3	Calm: SW.	WSW: W.	0·7	0·0	0·1	275	− 60	0·00
MEANS -	..	30·322	46·9	35·4	11·5	41·5	+ 2·5	36·3	5·3	8·8	2·8	81	53·7	27·6	42·4	Westerly		..	..	..	Sum 1,911	Sum − 312	Sum 0·00
No. of COLUMN	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	21	w.P.	0·1	8·5	Cloudless until 9h., becoming nearly overcast by 10h., overcast from 15h. Hoar frost in morning and mist in forenoon and afternoon.
MONDAY ..	22	w.P.	4·7	8·6	Very cloudy generally with a few fine intervals. Mist in forenoon and afternoon. Dew in morning and at night.
TUESDAY ..	23	w.P.	2·4	8·6	Cloudless generally with hoar frost. Haze general from sunrise to sunset. Mist in afternoon and evening.
WEDNESDAY	24	w.P.	0·0	8·7	Cloudless or nearly cloudles till 7½h. and from 22h.; otherwise overcast generally. Hoar frost in morning.
THURSDAY	25	w.P.	0·5	8·7	Nearly overcast, with slight exception before 1h. until 19h.: then clearing and cloudless from 19½h. Misty generally.
FRIDAY ..	26	w.P.	0·0	8·8	Clouding from 0h. to 1h., then overcast. Slight mist until the afternoon.
SATURDAY	27	w.P.	0·0	8·8	Overcast with few exceptions until about 19h., then clearing to nearly cloudless; variable light cloud after 21h. Damping at 4h. and 8½h.; rain at 5½h.
			Sum 7·7	Sum 60·7	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·14 in. at the beginning of the week to 30·24 in. by 9h. on 21st; decreased generally to 30·14 in. by 22h. on 22nd; increased to 30·46 in. by 11h. on 23rd; decreased to 30·35 in. by 14h. on 24th; increased to 30·51 in. by 11h. on 25th, then decreased to 30·12 in. by midnight of 27th.

Printed and published by His Majesty's Stationery Office Press.
11–17, Hare Street, E 2

(40660) Wt. 15—P 11 2,250 2/23 H. St. G. 43

FOR OFFICIAL USE.

1923. No. 5.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 3RD FEBRUARY, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 23 Forth Street, Edinburgh.
1923

Price 1s Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 3RD FEBRUARY, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fifth week of the year numbered 7,374, and corresponded to an annual rate of 20·1 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,742 and corresponded to an annual rate of 13·0 per 1,000 of their aggregate civilian population, which is estimated at 19,052,710 in the year 1921. In the preceding three weeks the rates had been 13·3, 13·6, and 13·2. Infant mortality was 91 per 1,000 births against 83, 85, and 80 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,744 births, corresponding to a rate of 20·1 per 1,000, and 1,087 deaths of civilians, corresponding to a rate of 12·6, as against 13·0, 13·5, and 12·9 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 13·0 per 1,000. The infant mortality was 58 as against 65, 66, and 61 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 99 in the total deaths last week. In London the number of deaths from all causes fell from 1,118 to 1,087; while the deaths from diphtheria, which had been 16, 24 and 18 in the preceding three weeks, rose to 27 last week.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 3rd February, 1923.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.
105 Great Towns ..	19,052,710*	7,374	4,742	672	8	73	8	45	62	69	65
London	4,514,405*	1,744	1,087	102	2	1	3	9	27	11	15
Towns in Outer Ring.											
Croydon C.B. ..	191,500	68	45	5	–	–	–	–	2	–	–
Wimbledon ..	61,700	19	17	3	–	–	–	–	–	1	–
Ealing	67,800	17	20	3	–	–	–	–	–	–	–
Acton	62,000	11	20	2	–	–	–	–	–	–	–
Willesden ..	167,200	56	45	7	–	–	–	–	3	–	–
Hendon	55,500	15	12	1	–	–	–	–	–	–	–
Hornsey	87,600	24	13	–	–	–	–	–	–	–	–
Wood Green ..	51,100	16	6	2	–	–	–	–	–	1	–
Tottenham ..	149,200	58	32	8	–	–	–	–	–	1	1
Edmonton ..	67,800	42	8	–	–	–	–	–	–	–	–
Enfield	61,400	16	12	3	–	–	–	–	–	–	–
West Ham C.B. ..	307,000	143	68	15	–	–	–	1	–	2	–
East Ham C.B. ..	145,500	50	29	3	–	–	–	–	1	–	–
Leyton	130,100	35	18	2	–	–	–	–	–	1	–
Walthamstow ..	129,800	57	24	1	–	–	–	–	–	–	–
Ilford	85,500	31	15	–	–	–	–	–	–	–	–
Gillingham	48,149*	12	9	3	–	–	–	–	–	–	–
Canterbury C.B. ..	23,680	10	2	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	14	19	–	–	–	–	–	–	–	1
Eastbourne C.B. ..	53,600	8	13	–	–	–	–	–	–	–	–
Brighton C.B. ..	134,800	34	54	5	–	–	–	1	1	–	–
Portsmouth C.B. ..	233,929*	109	84	10	1	2	–	–	2	1	1
Bournemouth C.B. ..	81,200	31	21	–	–	–	–	–	–	–	1
Southampton C.B. ..	162,200	59	39	2	1	–	–	–	–	–	–
Reading C.B.	92,600	34	16	1	–	–	–	–	–	–	–
Oxford C.B.	56,400	23	24	1	–	–	–	–	–	–	–
Northampton C.B. ..	92,300	36	23	4	–	–	–	–	–	–	1
Luton	57,800	17	15	–	–	–	–	–	–	–	–
Cambridge	58,900	26	10	2	–	–	–	–	–	1	–
Southend-on-Sea C.B.	90,500	22	21	3	–	–	–	–	–	1	–
Ipswich C.B.	80,100	30	25	3	–	–	–	–	1	–	–
Great Yarmouth C.B.	56,300	27	23	3	–	1	–	–	–	–	–
Norwich C.B. ..	122,400	52	35	2	–	–	–	–	2	–	–
Swindon	55,500	22	7	1	–	–	–	–	–	–	–
Exeter C.B.	59,500	16	10	–	–	–	–	–	–	–	–
Plymouth C.B. ..	199,869*	78	54	5	–	–	–	–	1	1	–
Bath C.B.	68,300	19	21	2	–	–	–	–	–	–	1
Bristol C.B.	381,700	144	103	16	–	–	–	1	1	1	3
Gloucester C.B. ..	51,800	12	15	1	–	–	–	–	–	–	1
Stoke-on-Trent C.B.	273,238	128	94	29	–	9	–	–	–	6	–
Burton-upon-Trent C.B.	49,410	26	13	4	–	–	–	1	–	–	–
Wolverhampton C.B.	104,000	39	34	2	–	3	–	–	–	–	–
Walsall C.B.	98,800	45	18	2	–	–	–	2	–	–	–
West Bromwich C.B.	75,300	28	23	9	–	1	–	–	–	–	1
Worcester C.B. ..	49,160	22	16	2	–	–	–	–	–	–	1
Dudley C.B.	57,100	26	13	3	–	1	–	–	–	–	1
Birmingham C.B. ..	936,000	349	194	42	1	2	–	2	5	4	3
Smethwick C.B. ..	77,400	19	14	2	–	–	–	–	1	–	–
Coventry C.B. ..	130,300	40	22	2	–	1	–	–	–	–	1
Leicester C.B. ..	237,900	103	66	11	–	4	–	1	–	1	1
Lincoln C.B.	66,600	30	11	–	–	1	–	–	–	–	–
Grimsby C.B.	83,600	35	25	5	–	–	–	–	–	–	–
Nottingham C.B. ..	266,400	109	74	11	1	4	–	–	–	1	–
Derby C.B.	131,800	49	29	8	–	–	–	–	–	1	1
Chesterfield ..	62,400	26	19	3	–	–	–	–	–	–	–
Stockport C.B. ..	125,500	42	30	3	–	–	–	1	–	–	1
Chester C.B.	41,030	11	9	1	–	–	–	–	–	–	–
Birkenhead C.B. ..	147,800	68	33	5	–	–	–	–	1	2	–
Wallasey C.B. ..	89,600	35	18	1	–	–	–	–	1	–	–
Liverpool C.B. ..	817,000	400	224	35	–	1	1	3	1	7	5
Bootle C.B.	77,800	50	21	5	–	–	–	–	–	–	–
St. Helens C.B. ..	104,900	42	26	4	–	–	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1921.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	71,900	19	16	2	–	–	–	–	–	1	1
WIGAN C.B.	91,200	35	15	2	–	–	–	–	–	1	–
WARRINGTON C.B. ..	78,600	39	20	3	–	1	–	1	–	–	1
BOLTON C.B.	182,200	62	57	10	–	1	–	–	–	–	–
BURY C.B.	57,600	13	23	3	–	–	–	–	–	–	1
MANCHESTER C.B. ..	744,000	287	195	33	1	1	1	1	4	9	4
SALFORD C.B.	239,100	91	57	13	–	1	1	–	–	2	2
OLDHAM C.B.	148,300	53	46	4	–	1	–	–	1	–	–
ROCHDALE C.B... ..	92,700	33	23	2	–	–	–	–	–	–	–
BURNLEY C.B.	105,300	37	34	6	–	1	2	–	–	–	–
BLACKBURN C.B. ..	129,682	33	34	5	–	–	–	–	–	1	2
PRESTON C.B.	119,900	48	30	3	–	1	–	–	–	1	1
BLACKPOOL C.B. ..	73,800	23	22	2	–	–	–	–	–	–	–
BARROW-IN-FURNESS C.B.	75,200	24	10	1	–	–	–	–	–	–	–
HUDDERSFIELD C.B. ..	111,900	30	32	1	–	–	–	–	–	–	–
HALIFAX C.B.	100,700	25	24	2	–	–	–	–	–	1	–
BRADFORD C.B. ..	291,100	90	79	4	–	2	–	1	2	1	1
LEEDS C.B.	465,500	173	127	23	–	4	–	–	–	–	2
DEWSBURY C.B. ..	55,100	19	15	–	–	3	–	–	–	–	–
WAKEFIELD C.B. ..	53,763	14	17	4	–	2	–	–	–	1	1
BARNSLEY C.B. ..	68,991	41	20	4	–	–	–	–	–	–	–
SHEFFIELD C.B. ..	519,239	181	105	20	–	–	–	2	1	2	–
ROTHERHAM C.B. ..	69,100	27	23	4	–	–	–	–	–	–	–
DONCASTER	54,700	19	11	1	–	–	–	–	–	–	–
YORK C.B.	84,500	30	17	2	–	–	–	–	–	–	1
HULL C.B.	291,800	124	69	13	–	–	–	–	1	–	2
MIDDLESBROUGH C.B.	133,400	67	24	4	–	1	–	–	–	–	–
DARLINGTON C.B. ..	66,400	21	22	7	–	5	–	–	–	–	–
STOCKTON-ON-TEES ..	65,000	25	18	4	–	4	–	–	–	–	–
WEST HARTLEPOOL C.B.	69,300	24	18	8	–	1	–	–	–	–	–
SUNDERLAND C.B. ..	161,100	89	53	8	–	4	–	3	1	–	–
SOUTH SHIELDS C.B. ..	120,376	48	36	8	–	–	–	4	1	1	–
GATESHEAD C.B. ..	126,700	68	23	4	–	–	–	–	–	–	–
NEWCASTLE-ON-TYNE C.B.	278,400	130	72	14	–	1	–	1	–	2	1
TYNEMOUTH C.B. ..	63,900	40	28	9	–	3	–	–	–	1	–
CARLISLE C.B.	53,200	22	11	1	–	–	–	–	1	–	–
NEWPORT (MON.) C.B.	93,700	33	27	3	–	2	–	5	–	–	1
CARDIFF C.B.	222,089	92	43	6	1	2	–	–	–	1	–
RHONDDA	166,600	74	33	7	–	1	–	2	–	–	1
MERTHYR TYDFIL C.B.	81,800	29	22	6	–	–	–	1	–	–	–
ABERDARE	56,100	30	13	3	–	–	–	1	–	–	–
SWANSEA C.B.	159,600	53	38	3	–	–	–	1	–	–	3
GREATER LONDON ..	7,523,963*	2,824	1,701	180	2	1	3	13	36	18	22
OUTER RING	3,009,558*	1,080	614	78	–	–	–	4	9	7	7
16 GREAT TOWNS IN OUTER RING	1,820,700	658	384	55	–	–	–	1	6	6	1
REMAINDER OF OUTER RING	1,188,858*	422	230	23	–	–	–	3	3	1	6
EDINBURGH†	426,000	165	128	17	–	2	2	4	5	2	1
GLASGOW†	1,041,300	544	288	49	–	1	2	9	6	7	3
DUBLIN (REGISTRATION AREA)†	431,000	184	128	23	–	–	1	2	3	3	–
BELFAST†	429,000	228	113	14	–	–	–	2	1	–	2

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,514,405	1922–23. Feb. 3	1744	1087	12·6	2	–	1	3	9	27	11	15
Calcutta	896,067	Dec. 23	?	543§	31·1	?	6	?	?	?	?	?	11
Bombay	1,200,473	„ 30	399‖	741§	32·1	2	2	1	?	–	–	67	4
Madras	526,911	„ 23	407	466	46·0	–	1	1	?	1	–	31	–
Sydney and Suburbs	926,400												
Brisbane (Metropolitan Area).	217,714												
Perth (Metropolitan Area).	155,939	Dec. 9	85	21	7·0	–	–	–	–	–	–	2	–
Auckland (Urban Area).	164,450												
Wellington (Urban Area).	110,680												
Christchurch (Urban Area).	110,200												
Cape Town	104,400	Dec. 16	31	20	10·0	–	–	–	–	–	–	4	–
Johannesburg	153,825	„ 23	83	38	12·9	1	–	–	–	2	–	4	1
Durban	49,043	„ 23	29	18	20·0	2	–	1	–	–	–	4	2
Paris	2,906,472												
Antwerp	302,150												
Amsterdam	696,481	Jan. 13	278	118	8·8	1	–	–	–	–	–	1	[illegible]
Copenhagen	565,000	„ 20	203	166	15·3	–	–	1	1	3	3	–	2
Stockholm	422,042	„ 20	103	90	11·1	–	–	–	–	–	1	–	[illegible]
Gothenburg	227,418	Dec. 30	?	31	7·1	–	–	–	–	–	–	–	[illegible]
Christiania	258,933	Jan. 20	82	59	11·9	–	–	–	–	–	1	–	[illegible]
Berlin	1,974,000	Dec. 23	404	641	16·9	–	?	5	–	2	1	6	31
Breslau	557,000	„ 23	199	144	13·4	–	?	1	–	1	1	–	1
Cologne	692,000	„ 23	278	191	14·4	–	?	9	1	1	2	2	11
Dresden	608,000	„ 23	180	200	17·1	–	?	2	–	2	2	–	[illegible]
Frankfort-on-Main ..	476,000	„ 23	116	70	7·6	1	?	–	–	–	–	1	6
Hamburg	1,071,000	„ 23	265	250	12·1	–	?	–	–	1	1	2	12
Leipzig	676,000	„ 23	187	175	13·5	1	?	–	–	3	3	4	17
Munich	682,000	„ 23	175	146	11·1	–	?	–	–	–	2	3	1
Vienna	1,842,005	„ 9	566	539	15·2	4	–	–	2	2	1	8	–
Prague and Suburbs	689,262	„ 16	200	205	15·4	–	?	–	1	–	2	5	1
Budapest	940,000	Nov. 11	300	321	17·8	5	?	9	3	–	–	19	–
Warsaw	956,087	Dec. 16	219	271	14·7	4	–	8	3	3	2	17	1
Cairo	777,500	Nov. 18	692	380	25·4	3	–	4	–	?	4	39	?
Alexandria	456,300	„ 18	410	204	23·2	3	–	–	–	?	–	23	[illegible]
New York	5,839,738	Dec. 30	2028	1453	13·0	4	–	1	2	–	10	15	10
Chicago	2,885,921	Jan. 6	?	709	12·8	–	–	2	3	3	22	19	2
Rio de Janeiro ..	1,256,370	Dec. 16	662	531	22·0	3	1	15	1	10	3	?	18
Montevideo	349,293	Oct. 7	227	140	19·8	1	–	–	–	–	–	–	1

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 9 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 1 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 3rd February, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1087	102	38	35	30	39	55	69	141	177	194	207
Enteric fever	2	–	–	–	1	–	–	1	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	1	–	–	–	–	–	–	–	–
Scarlet fever	3	–	–	2	1	–	–	–	–	–	–	–
Whooping cough	9	3	4	2	–	–	–	–	–	–	–	–
Diphtheria	27	4	6	7	9	–	1	–	–	–	–	–
Influenza	15	–	–	–	–	3	1	1	2	5	2	1
Erysipelas	1	–	–	–	–	–	–	–	1	–	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	–	–	–	–	1	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	104	–	–	–	–	20	24	20	22	12	6	–
Nervous system..	12	–	2	3	6	1	–	–	–	–	–	–
Intestines and peritoneum	3	–	–	–	–	–	1	1	1	–	–	–
Other forms	7	1	1	2	–	2	1	–	–	–	–	–
Venereal diseases	5	3	1	1	–	–	–	–	–	–	–	–
Cancer	120	–	–	–	–	–	–	9	21	37	30	23
Rheumatic fever	4	–	–	1	–	2	–	–	–	–	1	–
Diabetes	11	–	–	–	–	–	–	2	3	2	3	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	5	2	1	1	–	–	–	–	–	1	–	–
Cerebral hæmorrhage, &c., Apoplexy	50	–	–	–	–	–	1	1	6	13	17	12
Epilepsy	6	–	1	–	–	–	1	4	–	–	–	–
"Convulsions" (not puerperal) ..	3	3	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	34	–	–	1	1	2	2	6	5	10	4	3
Pericarditis	3	–	1	–	–	–	–	–	1	–	1	–
Acute endocarditis	6	–	–	–	3	2	1	–	–	–	–	–
Other diseases of heart	143	–	–	–	1	1	3	3	20	27	36	52
Other diseases of circulatory system	42	–	–	–	–	–	–	1	5	10	10	16
Bronchitis	82	11	–	–	1	–	–	2	4	14	24	26
Broncho-pneumonia	47	17	9	5	2	–	–	–	5	2	2	5
Lobar pneumonia	30	3	2	2	1	–	4	–	3	7	6	2
Pneumonia (type not distinguished) ..	31	3	1	2	1	2	2	2	9	3	3	3
Other diseases of respiratory system	26	1	–	–	–	–	1	1	4	5	6	8
Diarrhœa and enteritis	14	9	2	1	–	–	–	–	–	2	–	–
Appendicitis, Typhlitis	3	–	–	–	1	1	–	–	–	1	–	–
Hernia, Intestinal obstruction	13	–	–	–	–	–	1	1	2	3	2	4
Cirrhosis of liver	7	–	–	–	–	–	–	1	3	–	3	–
Other diseases of digestive system ..	18	–	–	1	–	–	2	2	5	2	5	1
Acute nephritis	6	1	–	1	–	1	–	–	–	–	3	–
Chronic Bright's disease	36	–	–	–	–	1	3	1	10	7	10	4
Other diseases of genito-urinary system.	13	–	–	–	–	–	–	1	1	3	5	3
Puerperal sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other causes incident to childbirth ..	5	–	–	–	–	–	2	3	–	–	–	–
Congenital malformations	6	5	–	–	–	–	–	–	–	1	–	–
Premature birth	24	24	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	2	2	–	–	–	–	–	–	–	–	–	–
Old age..	43	–	–	–	–	–	–	–	–	1	5	37
Suicide	6	–	–	–	–	–	1	2	–	3	–	–
Burns and scalds	2	–	2	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	1	–	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	10	–	–	2	–	–	2	1	2	1	2	–
Other deaths by violence	13	1	1	–	–	1	1	–	3	1	4	1
Other specified causes	30	8	3	–	2	–	–	3	3	3	3	5
Ill defined causes	1	–	1	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 3rd February, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	–	220	306	6	96	C. 11 D. 1 G. 1 L. 1 M. 14
†CITY OF LONDON	–	1	–	1	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	8	8	–	5	M. 1
†BERMONDSEY ...	–	3	25	–	3	C. 1
†BETHNAL GREEN	–	7	15	–	4	C. 1 M. 1
†CAMBERWELL ...	–	8	25	–	–	C. 1 M. 1
†CHELSEA	–	1	11	–	1	–
†DEPTFORD ...	–	11	18	–	4	–
†FINSBURY ...	–	–	6	–	–	C. 1
†FULHAM	–	11	3	–	5	D. 1
†GREENWICH ...	–	9	6	–	3	–
†HACKNEY ...	–	9	20	1	1	M. 1
†HAMMERSMITH ...	–	7	8	–	–	–
†HAMPSTEAD ...	–	4	–	–	1	C. 1
†HOLBORN... ...	–	–	1	–	–	–
†ISLINGTON ...	–	9	15	–	2	C. 1 L. 1 M. 1
†KENSINGTON ...	–	6	7	1	2	M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Metropolitan Boroughs—*cont.*						
†LAMBETH ...	–	20	15	–	7	C. 3 G. 1 M. 1
†LEWISHAM ...	–	9	13	–	2	M. 1
†PADDINGTON ...	–	10	10	–	5	–
†POPLAR	–	5	13	–	13	C. 1 M. 1
†ST. MARYLEBONE	–	2	3	–	–	–
†ST. PANCRAS ...	–	12	16	–	12	M. 1
†SHOREDITCH ...	–	5	8	–	3	C. 1 M. 1
†SOUTHWARK ...	–	13	31	1	5	–
†STEPNEY	–	9	11	–	6	M. 1
†STOKE NEWINGTON	–	1	1	–	–	–
†WANDSWORTH ...	–	17	13	1	9	M. 1
†WESTMINSTER, CITY OF	–	3	2	1	–	–
†WOOLWICH ...	–	20	2	–	3	M. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	8	4	–	5	–
Boroughs and Urban Districts:—						
AMPTHILL ...	–	–	1	–	–	–
†BEDFORD ...	–	3	–	–	1	–
KEMPSTON ...	–	1	1	–	1	–
†LUTON	–	–	–	–	1	–
Rural Districts:—						
BEDFORD... ...	–	2	–	–	2	–
BIGGLESWADE ...	–	2	1	–	–	–
LUTON	–	–	1	–	–	–
BERKS	–	25	10	–	–	C. 1 M. 3
†READING C.B. ...	–	13	1	–	–	C. 1
Boroughs and Urban Districts:—						
ABINGDON ...	–	3	3	–	–	–
†MAIDENHEAD ...	–	–	2	–	–	–
WALLINGFORD ...	–	–	–	–	–	M. 1
WANTAGE ...	–	1	1	–	–	–
Rural Districts:—						
ABINGDON ...	–	5	2	–	–	M. 1
COOKHAM ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	–	1	–	–	–
HUNGERFORD ...	–	1	–	–	–	–
NEWBURY ...	–	–	–	–	–	M. 1
WANTAGE ...	–	1	–	–	–	–
BUCKINGHAM ...	–	10	1	–	6	–
Boroughs and Urban Districts:—						
BUCKINGHAM ...	–	1	–	–	–	–
†CHEPPING WYCOMBE ...	–	2	–	–	2	–
MARLOW	–	–	1	–	–	–
BUCKINGHAM—*cont.*						
Rural Districts:—						
AYLESBURY ...	–	1	–	–	1	–
ETON	–	1	–	–	3	–
NEWPORT PAGNELL	–	3	–	–	–	–
WINSLOW ...	–	1	–	–	–	–
WYCOMBE ...	–	1	–	–	–	–
CAMBRIDGE ...	–	1	2	–	2	–
Borough:—						
†CAMBRIDGE ...	–	–	2	–	–	–
Rural Districts:—						
CHESTERTON ...	–	–	–	–	1	–
MELBOURN ...	–	1	–	–	1	–
CHESTER	–	51	25	2	27	C. 1 G. 1 M. 4
†BIRKENHEAD C. B.	–	7	5	–	3	C. 1 G. 1
†CHESTER C.B. ...	–	2	–	–	2	–
†STOCKPORT C.B.	–	2	1	–	–	M. 1
†WALLASEY C.B. ...	–	2	2	–	3	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	1	–	–	–	–
†ALTRINCHAM ...	–	–	1	–	1	–
†BEBINGTON AND BROMBOROUGH	–	2	–	–	1	–
BOLLINGTON ..	–	2	–	–	–	–
BREDBURY AND ROMILEY	–	–	–	–	4	–
BUGLAWTON ...	–	–	–	–	–	M. 2
†CHEADLE AND GATLEY	–	2	1	–	1	–
COMPSTALL ...	–	1	–	–	–	–
†CONGLETON ...	–	5	–	–	1	–
†CREWE	–	2	–	–	–	–
†DUKINFIELD ...	–	1	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Hoole	–	–	–	–	3	–
†Hoylake and West Kirby	–	–	1	–	–	–
†Hyde	–	4	–	–	–	–
Knutsford ...	–	1	–	–	–	–
†Macclesfield ...	*	*	*	*	*	*
Middlewich ...	–	–	4	–	–	–
Neston and Parkgate	–	2	4	–	–	–
†Northwich ...	–	1	–	–	–	–
†Runcorn... ..	–	1	–	–	2	–
†Sale	–	1	–	–	–	–
Wilmslow ...	–	1	1	–	1	–
Rural Districts:—						
Bucklow ...	–	1	1	–	2	–
Congleton ..	–	1	2	–	–	–
Macclesfield ...	–	–	–	1	–	–
Northwich ...	–	1	2	–	2	–
Runcorn ...	–	2	–	–	1	–
Wirral	–	6	–	1	–	–
CORNWALL ...	–	7	2	–	1	–
Boroughs and Urban Districts:—						
†Camborne ..	–	–	–	–	1	–
Helston	–	1	–	–	–	–
Padstow ...	–	–	1	–	–	–
Paul	–	1	–	–	–	–
St. Austell ...	*	*	*	*	*	*
St. Ives	–	1	–	–	–	–
Rural Districts:—						
Saint Austell...	–	3	–	–	–	–
Saint Germans	–	1	–	–	–	–
West Penwith...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND ...	–	22	14	–	5	M. 1
†Carlisle C.B. ...	–	5	2	–	3	–
Boroughs and Urban Districts:—						
Aspatria ..	–	2	–	–	–	–
Cleator Moor ...	–	–	2	–	–	–
Harrington ...	–	2	–	–	–	–
Keswick ...	–	1	–	–	–	–
†Maryport ...	–	–	–	–	1	–
Millom	–	4	–	–	–	–
Penrith	–	–	1	–	–	–
†Whitehaven ...	–	–	3	–	–	–
†Workington ...	–	2	4	–	–	–
Rural Districts:—						
Cockermouth ...	–	4	2	–	–	–
Longtown ...	–	1	–	–	–	M. 1
Wigton	–	1	–	–	1	–
DERBY	13	29	15	–	31	C. 1 L. 1
†Derby C.B. ...	–	2	2	–	15	–
Boroughs and Urban Districts:—						
†Alfreton ...	2	1	–	–	–	–
Alvaston and Boulton	–	1	–	–	–	–
†Belper	–	–	2	–	2	–
†Bolsover ...	–	1	–	–	–	–
†Chesterfield ..	–	2	2	–	–	–
†Glossop	–	–	4	–	–	–
†Heanor	5	–	–	–	2	–
†Long Eaton ...	–	3	–	–	–	–
†Ripley	–	–	–	–	2	–
†Swadlincote District	–	4	–	–	4	–
Rural Districts:—						
Ashbourne ...	–	2	–	–	–	–
Bakewell ...	–	–	2	–	–	–
Belper	–	1	–	–	–	–
Blackwell ...	–	4	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
Chapel-en-le-Frith	–	3	–	–	–	–
Chesterfield ..	–	3	2	–	3	–
Clowne	6	–	–	–	–	C. 1
Norton	–	–	1	–	–	–
Repton	–	1	–	–	–	L. 1
Shardlow ...	–	1	–	–	1	–
DEVON	–	13	12	1	4	M. 1
†Exeter C.B. ...	–	3	–	–	–	M. 1
†Plymouth C.B....	–	4	7	–	–	–
Boroughs and Urban Districts:—						
Bampton ...	–	1	–	–	–	–
†Barnstaple ...		1	–	–	–	–
Brixham ...	–	–	–	–	3	–
Buckfastleigh	*	*	*	*	*	*
Kingsbridge ...	–	–	1	–	–	–
†Newton Abbot...	–	–	1	–	–	–
†Paignton ...	–	–	2	–	–	–
†Torquay	–	1	–	–	–	–
Rural Districts:—						
Okehampton ...	–	–	–	–	1	–
St. Thomas ...	–	2	–	–	–	–
South Molton ...	–	1	–	–	–	–
Tavistock ...	–	–	1	–	–	–
Tiverton ...	–	–	–	1	–	–
DORSET	–	3	2	–	5	–
Boroughs and Urban Districts:—						
Dorchester ...	–	2	–	–	–	–
†Poole	–	–	–	–	1	–
†Portland ...	–	–	1	–	1	–
Swanage ...	–	1	–	–	–	–
†Weymouth and Melcombe Regis	–	–	–	–	2	–
Rural Districts:—						
Bridport ...	–	–	–	–	1	–
Poole	–	–	1	–	–	–
DURHAM	–	88	32	–	71	G. 1 M. 4
†Darlington C.B	–	2	–	–	5	M. 1
†Gateshead C.B.	–	8	1	–	4	–
†South Shields C.B.	–	7	3	–	7	–
†Sunderland C.B.	–	11	2	–	3	M. 1
†West Hartlepool C.B.	–	–	–	–	5	–
Boroughs and Urban Districts:—						
†Annfield Plain	–	1	3	–	–	–
Benfieldside ...	–	1	1	–	–	–
†Blaydon... ..	–	1	–	–	–	–
†Brandon and Byshottles	–	1	–	–	–	–
†Chester le Street	–	2	1	–	–	–
†Consett	–	1	–	–	–	–
†Crook	–	–	2	–	1	–
†Durham	–	3	–	–	1	–
†Felling	–	–	–	–	3	–
†Hartlepool ...	–	–	1	–	–	–
†Hebburn ...	–	1	–	–	–	–
†Hetton	–	3	–	–	3	–
†Houghton le Spring	–	–	–	–	1	–
†Jarrow	–	3	1	–	6	–
†Ryton	–	–	–	–	1	–
†Shildon	–	2	–	–	–	–
†Southwick on Wear	–	1	–	–	2	–
†Spennymoor ...	–	1	–	–	–	–
†Stanley	–	5	4	–	4	–
†Stockton on Tees	–	–	3	–	–	–
†Tanfield ...	–	1	–	–	2	–
†Washington ...	–	1	4	–	–	–
Willington ...	–	1	–	–	–	–
Rural Districts:—						
Auckland ...	–	6	1	–	9	–
Barnard Castle	–	3	–	–	–	G. 1
Chester le Street	–	3	–	–	–	–
Durham	–	2	1	–	1	–
Easington ...	–	5	2	–	4	–
Houghton le Spring	–	5	–	–	4	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
Lanchester ...	–	1	–	–	2	M. 1
Sedgefield ...	–	3	2	–	–	–
Stockton ...	–	–	–	–	2	–
Sunderland ...	–	3	–	–	1	–
ISLE OF ELY ..	–	2	2	1	1	–
Borough and Urban Districts:—						
†Wisbech ...	–	1	–	–	–	–
Rural Districts:—						
North Witchford	–	–	–	1	–	–
Whittlesey ...	–	–	–	–	1	–
Wisbech ...	–	1	2	–	–	–
ESSEX	–	40	26	1	20	C. 1 G. 1 M. 2
†East Ham C.B. ...	–	5	1	–	–	M. 1
†Southend-on-Sea C.B.	–	7	–	–	2	M. 1
†West Ham C.B. ...	–	6	11	–	5	–
Boroughs and Urban Districts:—						
†Barking Town	–	–	–	–	3	–
Brentwood ...	–	3	–	–	–	–
†Colchester ...	–	–	–	–	2	–
Epping	–	–	–	–	2	–
†Grays Thurrock	–	–	1	–	–	–
†Harwich ...	–	3	–	–	–	–
†Ilford	–	2	5	–	–	C. 1 G. 1
†Leyton	–	4	2	–	–	–
Maldon ...	–	–	–	–	1	–
Tilbury	–	–	–	–	1	–
Waltham Holy Cross	–	–	1	–	–	–
†Walthamstow ...	–	5	5	–	1	–
†Woodford ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts:—						
Billericay ...	–	1	–	–	–	–
Chelmsford ...	–	2	–	–	–	–
Dunmow... ...	–	–	–	–	2	–
Epping	–	2	–	–	–	–
Rochford ...	–	–	–	1	–	–
GLOUCESTER ...	–	71	27	4	12	M. 5
†Bristol C.B. ...	–	63	22	4	4	M. 4
†Gloucester C.B.	–	1	4	–	2	–
Boroughs and Urban Districts:—						
Charlton Kings	–	1	–	–	–	–
†Cheltenham ...	–	1	–	–	–	M. 1
Cirencester ...	–	1	–	–	–	–
Rural Districts:—						
Chipping Sodbury	–	1	–	–	–	–
East Dean and United Parishes	–	–	–	–	1	–
Gloucester ...	–	–	1	–	–	–
Tewkesbury (part)	–	–	–	–	1	–
Thornbury ...	–	–	–	–	4	–
Warmley ...	–	2	–	–	–	–
Winchcomb (part)	–	1	–	–	–	–
HEREFORD ...	–	1	2	–	4	C. 1
Boroughs and Urban Districts:—						
†Hereford ...	–	1	–	–	–	–
Ross	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD—*cont.*						
Rural Districts :—						
Bromyard ...	–	–	–	–	1	C. 1
Kington	–	–	1	–	–	–
Ross	–	–	1	–	1	–
Weobley ...	–	–	–	–	1	–
HERTFORD ..	1	10	3	–	5	–
Boroughs and Urban Districts :—						
†Barnet	–	1	–	–	–	–
Bushey	–	1	–	–	–	–
Royston	–	5	–	–	–	–
†St. Albans ...	–	1	1	–	–	–
†Watford ...	–	1	–	–	4	–
Rural Districts :—						
Ware	–	1	2	–	1	–
Watford ...	1	–	–	–	–	–
HUNTINGDON ...	–	2	1	–	1	–
Boroughs and Urban Districts :—						
Huntingdon ...	–	–	–	–	1	–
St. Neots ...	–	–	1	–	–	–
Rural District :—						
St. Ives	–	2	–	–	–	–
KENT	–	37	21	3	17	G. 2 M. 3
†Canterbury C.B.	–	–	–	–	1	M. 1
Boroughs and Urban Districts :—						
†Ashford ...	–	–	–	–	1	–
†Bexley	–	3	1	–	–	–
†Broadstairs and St. Peter's.	–	–	–	–	1	–
†Bromley ...	–	2	1	–	–	–
KENT—*cont.*						
Boroughs and Urban Districts— *cont.*						
†Chatham ...	–	1	1	1	–	–
Chislehurst ...	–	2	–	–	1	–
†Dartford ...	–	–	3	–	–	–
†Dover	–	–	2	–	1	M. 1
†Erith	–	–	2	–	1	M. 1
†Faversham ...	–	2	–	–	–	–
†Folkestone ...	–	3	–	–	–	–
†Gillingham ...	–	3	1	–	1	–
†Gravesend ...	–	3	–	–	–	–
†Herne Bay ...	–	1	–	–	–	–
Hythe	–	1	–	–	–	–
†Maidstone ...	–	1	1	1	1	–
†Margate ...	–	–	2	–	–	–
Queenborough	–	2	–	–	–	–
†Ramsgate ...	–	–	–	–	1	–
†Rochester ...	–	2	–	–	–	G. 1
†Royal Tunbridge Wells	–	–	–	–	1	–
†Sheerness ...	–	1	1	–	2	G. 1
Sidcup	–	2	–	–	–	–
Rural Districts :—						
Bridge	–	–	–	–	1	–
Bromley ...	–	–	3	–	–	–
Dartford ...	–	–	–	–	1	–
East Ashford ...	–	1	–	–	–	–
Eastry	–	–	–	–	2	–
Faversham ...	–	1	–	–	1	–
Isle of Thanet	–	1	–	–	–	–
Maidstone ...	–	–	1	1	–	–
Malling	–	1	–	–	–	–
Milton	–	–	2	–	–	–
Sheppey	*	*	*	*	*	*
Strood	–	3	–	–	–	–
Tonbridge ...	–	1	–	–	–	–
LANCASTER ...	2	353	116	4	233	C. 11 E. 1 G. 14 L. 2 M. 39
†Barrow in Furness C.B.	–	1	1	–	–	–
†Blackburn C.B.	–	9	–	–	8	C. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†Blackpool C.B.	–	1	–	–	3	C. 1 M. 3
†Bolton C.B. ...	–	19	5	–	6	C. 1 M. 1
†Bootle C.B. ...	–	4	2	–	1	G. 2
†Burnley C.B. ...	–	33	6	–	2	–
†Bury C.B. ...	–	4	5	–	7	–
†Liverpool C.B. ...	–	38	21	1	39	C. 2 G. 12 M. 20
†Manchester C.B.	–	58	14	–	54	C. 2 M. 10
†Oldham C.B. ...	–	13	2	–	2	–
†Preston C.B. ...	–	5	3	–	1	–
†Rochdale C.B. ...	–	19	5	–	–	E. 1 M. 1
†St. Helens C.B.	–	9	3	–	8	–
†Salford C.B. ...	–	23	12	–	7	C. 1
†Southport C.B.	–	4	3	–	3	–
†Warrington C.B.	–	11	1	–	4	C. 1
†Wigan C.B. ...	–	5	3	1	3	–
Boroughs and Urban Districts:—						
Abram	–	–	–	–	4	–
†Accrington ...	–	1	–	–	–	–
Adlington ...	–	–	–	–	1	–
†Ashton in Makerfield	–	–	5	–	4	–
†Ashton under Lyne	–	3	2	–	3	.
†Atherton ...	–	–	–	–	1	–
Audenshaw ...	–	1	–	–	–	–
Barrowford ...	–	–	1	–	–	–
†Chadderton ...	–	2	1	–	1	–
†Chorley ...	–	1	1	–	1	–
Clayton le Moors	–	1	–	–	–	–
†Clitheroe ...	2	–	–	–	–	–
†Colne	–	1	1	–	2	–
†Crompton ...	–	1	1	1	–	–
†Darwen ...	–	9	–	–	–	–
†Denton	–	–	–	–	1	–
†Droylsden ...	–	3	–	–	1	–
†Eccles	–	–	–	–	1	–
†Failsworth ...	–	1	–	–	1	–
†Farnworth ...	–	2	1	–	2	–
†Fleetwood ..	–	–	–	–	1	–
Formby	–	2	–	–	–	–
Golborne ...	–	3	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Great Harwood	–	-	1	–	–	–
†Haydock... ...	–	1	2	–	–	–
†Heywood ...	–	1	–	–	2	–
†Hindley	–	4	–	–	4	–
†Horwich ...	–	1	–	–	–	–
Huyton with Roby	–	–	–	–	1	–
†Ince in Makerfield	–	–	–	–	4	–
Irlam	–	–	–	–	1	–
Kearsley ...	–	–	–	–	1	–
†Lancaster ...	–	–	–	–	2	C. 1
Lathom afd Burscough	–	1	–	–	–	–
Lees	–	1	–	–	–	–
†Leigh	–	2	–	–	1	–
†Litherland ...	–	1	–	–	–	–
Longridge ...	–	–	1	–	–	–
†Lytham St. Anne's	–	–	–	–	–	M. 1
†Middleton ...	–	3	–	–	1	–
†Morecambe ...	–	–	1	–	–	–
Norden	–	2	–	–		–
†Oswaldtwistle	–	1	–	–	–	–
†Padiham... ..	–	1	–	–	–	M. 1
Preesall ...	–	1	–	–	–	–
†Prestwich ...	–	1	–	–	1	–
†Radcliffe ...	–	1	1	–	3	–
†Ramsbottom ...	–	1	–	–	2	–
†Rawtenstall ...	–	1	–	–	–	M. 1
Rishton	–	–	–	–	1	–
†Royton	–	–	–	–	2	–
Skelmersdale ...	–	1	–	1	2	–
Standish with Langtree	–	–	–	–	4	–
†Stretford ...	–	1	–	–	1	–
†Swinton and Pendlebury	–	3	-	–	8	–
Tottington ...	–	–	1	–	6	–
†Tyldesley with Shakerley	–	1	–	–	1	–
†Ulverston ...	–	2	–	–	–	–
†Walton le Dale	–	1	–	–	–	–
†Westhoughton	–	1	–	–	–	–
Whitefield ...	–	3	–	–	–	–
†Widnes	–	3	2	–	7	–
Withnell ...	–	–	–	–	1	–
†Worsley ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts :—						
BLACKBURN ...	–	–	–	–	–	M. 1
BURNLEY ...	–	2	–	–	–	–
CHORLEY	–	–	1	–	–	–
CLITHEROE ...	–	1	–	–	4	L. 2
FYLDE	–	3	3	–	–	–
GARSTANG ...	–	1	–	–	–	–
LEIGH	–	1	–	–	–	–
LIMEHURST ...	–	4	–	–	–	–
ULVERSTON ...	–	3	1	–	–	–
WEST LANCASHIRE	–	4	1	–	1	–
WHISTON ...	–	6	–	–	–	–
WIGAN	–	1	–	–	–	–
LEICESTER... ...	–	28	4	–	12	–
†LEICESTER C.B. ...	–	24	–	–	5	–
Boroughs and Urban Districts :—						
ASHBY DE LA ZOUCHE	*	*	*	*	*	*
†LOUGHBOROUGH	–	–	1	–	–	–
MELTON MOWBRAY.	–	–	–	–	1	–
SHEPSHED ..	–	–	–	–	1	–
WIGSTON MAGNA	–	–	1	–	–	–
Rural Districts :—						
ASHBY DE LA ZOUCH	–	2	2	–	–	–
CASTLE DONINGTON	–	–	–	–	3	–
MARKET BOSWORTH	–	1	–	–	–	–
MELTON MOWBRAY	–	1	–	–	2	–
LINCOLN (parts of Holland).	–	2	3	–	1	–
Boroughs and Urban Districts :—						
HOLBEACH ...	–	1	–	–	1	–
†SPALDING ...	–	–	1	–	–	–
LINCOLN (part of Holland)—*cont.*						
Rural Districts :—						
BOSTON	–	–	1	–	–	–
CROWLAND ...	–	–	1	–	–	–
EAST ELLOE ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	5	–	–	–	M. 1
Boroughs and Urban Districts :—						
BOURNE	–	1	–	–	–	–
†GRANTHAM ...	–	–	–	–	–	M. 1
SLEAFORD ...	–	2	–	–	–	–
STAMFORD ...	–	1	–	–	–	–
Rural Districts :—						
BOURNE	*	*	*	*	*	*
CLAYPOLE ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	1	7	1	6	–
†GRIMSBY C.B. ...	–	6	2	–	1	–
†LINCOLN C.B. ...	–	1	–	–	3	–
Boroughs and Urban Districts :—						
†CLEETHORPES ...	–	7	1	–	–	–
CROWLE	–	–	1	–	–	–
†GAINSBOROUGH...	–	1	2	–	–	–
ROXBY CUM RISBY	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	1	–	–	2	–
SKEGNESS ...	*	*	*	*	*	*
Rural Districts :—						
GLANFORD BRIGG	–	1	–	–	–	–
HORNCASTLE ...	–	–	–	1	–	–
ISLE OF AXHOLME	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	73	63	2	21	C. 4 D. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	5	1	–	2	–
†BRENTFORD ...	–	1	2	–	–	–
†CHISWICK ...	–	1	1	–	–	G. 1
†EALING	–	5	6	–	2	–
†EDMONTON ...	–	3	2	–	2	–
†ENFIELD	–	2	–	–	1	–
FELTHAM... ...	–	2	2	–	–	–
†FINCHLEY ...	–	3	2	–	–	–
†FRIERN BARNET	*	*	*	*	*	*
†HAMPTON ...	–	–	–	–	–	C. 1
†HANWELL ...	–	5	–	–	1	–
†HARROW ON THE HILL	–	–	–	–	–	C 1
HAYES	–	3	–	–	–	–
†HENDON	–	5	6	–	2	–
†HESTON AND ISLEWORTH	–	3	1	–	1	–
†HORNSEY... ...	–	2	4	–	1	C. 1
RUISLIP NORTHWOOD	–	1	–	–	–	–
†SOUTHALL NORWOOD	–	1	–	–	–	–
†SOUTHGATE ...	–	4	1	–	1	–
STAINES	–	–	2	–	–	–
†TEDDINGTON ...	–	2	–	–	1	–
†TOTTENHAM ...	–	11	6	–	3	M. 1
†TWICKENHAM ...	–	–	2	2	–	–
†WEMBLEY ...	–	–	1	–	–	–
†WILLESDEN ...	–	6	22	–	4	C. 1 D. 1
Rural District:—						
STAINES	–	8	2	–	–	–
NORFOLK	–	34	9	–	9	–
†GREAT YARMOUTH C.B.	–	1	–	–	–	–
†NORWICH C.B. ...	–	26	7	–	7	–
Boroughs and Urban Districts:—						
NORTH WALSHAM	–	1	–	–	–	–
SHERINGHAM ...	–	–	1	–	–	–
THETFORD ...	*	*	*	*	*	*
WELLS	–	–	–	–	1	–
NORFOLK—*cont.*						
Rural Districts:—						
FOREHOE... ...	–	–	1	–	–	–
FREEBRIDGE LYNN	–	1	–	–	1	–
WAYLAND ...	–	5	–	–	–	–
NORTHAMPTON ...	–	15	5	1	15	–
†NORTHAMPTON C.B.	–	11	4	–	10	–
Boroughs and Urban Districts:—						
†KETTERING ...	–	1	–	–	–	–
OUNDLE	*	*	*	*	*	*
RAUNDS	–	–	–	1	–	–
†RUSHDEN ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	1	–	–	1	–
Rural Districts:—						
BRIXWORTH ...	–	1	–	–	1	–
DAVENTRY ...	–	–	–	–	1	–
HARDINGSTONE ...	–	1	–	–	–	–
KETTERING ..	–	–	1	–	–	–
POTTERSPURY ...	–	–	–	–	1	–
NORTHUMBERLAND	–	34	13	6	60	M. 4
†NEWCASTLE UPON TYNE C.B.	–	7	8	–	31	M. 1
†TYNEMOUTH C.B.	–	5	–	5	16	M. 1
Boroughs and Urban Districts:—						
AMBLE	–	1	–	–	–	–
†ASHINGTON ...	–	1	–	–	1	–
†BEDLINGTONSHIRE	–	1	–	–	1	–
†BLYTH	–	7	1	–	3	M. 2
CRAMLINGTON ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EARSDON	–	1	–	–	–	–
†GOSFORTH ...	–	–	1	–	–	–
†LONGBENTON ...	–	–	–	–	1	–
†NEWBURN ...	–	–	–	–	1	–
PRUDHOE ...	–	–	–	–	1	–
SEGHILL	–	1	1	–	–	–
†WALLSEND ...	–	1	–	–	2	–
WEETSLADE ...	–	–	–	–	2	–
†WHITLEY AND MONKSEATON	–	–	1	–	–	–
Rural Districts:—						
CASTLE WARD ...	–	2	1	–	–	–
GLENDALE ...	–	–	–	–	1	–
HALTWHISTLE ...	*	*	*	*	*	*
HEXHAM	–	2	–	–	–	–
MORPETH ...	–	2	–	1	–	–
NORHAM AND ISLANDSHIRES	–	1	–	–	–	–
NOTTINGHAM ...	2	31	11	–	12	M. 3
†NOTTINGHAM C.B.	–	14	3	–	3	M. 2
Boroughs and Urban Districts:—						
†BEESTON	–	–	–	–	1	–
†CARLTON	–	–	1	–	1	M. 1
†EAST RETFORD ...	–	–	–	–	2	–
EASTWOOD ...	–	1	–	–	–	–
†HUCKNALL ...	–	1	–	–	1	–
HUTHWAITE ...	–	1	–	–	–	–
†KIRKBY IN ASHFIELD	–	1	–	–	–	–
†MANSFIELD ...	–	3	3	–	–	–
†NEWARK	–	–	1	–	–	–
†WEST BRIDGFORD	–	–	–	–	2	–
†WORKSOP... ..	–	–	2	–	1	–
Rural Districts:—						
BASFORD	2	4	–	–	–	–
BINGHAM ...	–	3	–	–	–	–
NOTTINGHAM—*cont.*						
Rural Districts—*cont.*						
BLYTH AND CUCKNEY	–	1	–	–	–	–
EAST RETFORD ..	–	1	–	–	1	–
SKEGBY	–	–	1	–	–	–
STAPLEFORD ...	–	1	–	–	–	–
OXFORD	–	25	–	–	1	–
†OXFORD C.B. ...	–	11	–	–	–	–
Boroughs and Urban Districts:—						
†BANBURY... ...	–	1	–	–	–	–
HENLEY ON THAMES	–	2	–	–	–	–
Rural Districts:—						
CHIPPING NORTON	–	2	–	–	–	–
CROWMARSH ...	–	3	–	–	–	–
CULHAM	–	1	–	–	–	–
HEADINGTON ...	–	3	–	–	1	–
WOODSTOCK ...	–	2	–	–	–	–
PETERBOROUGH (Soke of)	1	6	–	–	1	–
Borough:—						
†PETERBOROUGH...	1	6	–	–	1	–
RUTLAND	–	1	–	–	–	–
Rural District:—						
OAKHAM	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	4	9	–	2	–
Boroughs and Urban Districts:—						
LUDLOW	–	–	2	–	–	–
MARKET DRAYTON	–	–	3	–	–	–
†SHREWSBURY ...	–	1	1	–	–	–
WEM	*	*	*	*	*	*
†WENLOCK ...	–	–	1	–	–	–
WHITCHURCH ...	–	–	1	–	–	–
Rural Districts:—						
ATCHAM	–	2	1	–	–	–
CLUN	–	–	–	–	1	–
LUDLOW	–	1	–	–	1	–
WEM	*	*	*	*	*	*
SOMERSET	–	40	11	–	9	C. 1 G. 1 M. 1
†BATH C.B. ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	7	–	–	–	–
†FROME	–	3	–	–	–	–
MIDSOMER NORTON	–	3	–	–	1	–
MINEHEAD ...	–	1	–	–	–	–
†TAUNTON... ...	–	3	–	–	–	–
WATCHET ...	*	*	*	*	*	*
WELLINGTON ...	–	2	–	–	1	–
WELLS	–	–	–	–	–	G. 1
†WESTON SUPER MARE	–	2	1	–	–	–
†YEOVIL	–	–	1	–	–	C. 1.
Rural Districts:—						
AXBRIDGE ...	–	5	6	–	–	–
BATH	–	1	–	–	–	–
BRIDGWATER ...	–	2	1	–	–	–
CHARD	–	1	–	–	3	–
CLUTTON... ...	–	–	–	–	1	–
KEYNSHAM ...	–	–	1	–	–	–
LANGPORT ...	–	3	–	–	–	M. 1
LONG ASHTON ...	–	1	–	–	–	–
TAUNTON... ..	–	1	–	–	–	–
WELLS	–	2	–	–	–	–
WINCANTON ...	–	1	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ...	–	44	28	3	6	–
†PORTSMOUTH C.B.	–	22	15	2	3	–
†SOUTHAMPTON C.B.	–	8	6	1	–	–
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	–	–	–	1	–
†EASTLEIGH AND BISHOPSTOKE ...	–	1	–	–	–	–
†FAREHAM ...	–	1	1	–	–	–
†GOSPORT	–	1	1	–	–	–
PETERSFIELD ...	*	*	*	*	*	*
ROMSEY	*	*	*	*	*	*
WARBLINGTON ...	–	1	–	–	–	–
†WINCHESTER ...	–	2	3	–	1	–
Rural Districts:—						
ANDOVER... ...	–	–	–	–	1	–
FAREHAM ...	–	1	–	–	–	–
HAVANT	–	1	1	–	–	–
KINGSCLERE ...	–	1	–	–	–	–
NEW FOREST ...	–	1	–	–	–	–
PETERSFIELD ...	–	3	–	–	–	–
ROMSEY	*	*	*	*	*	*
WHITCHURCH ...	–	–	1	–	–	–
STAFFORD	–	129	34	1	48	C. 3 D. 1 G. 1 L. 8 M. 10
†BURTON UPON TRENT C.B.	–	1	–	–	–	–
†SMETHWICK C.B.	–	1	1	–	4	M. 1
†STOKE ON TRENT C.B.	–	48	5	–	23	C. 2 M. 9
†WALSALL C.B. ...	–	7	2	–	1	–
†WEST BROMWICH C.B.	–	11	3	–	1	D. 1
†WOLVERHAMPTON C.B.	–	10	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
AMBLECOTE ...	*	*	*	*	*	*
†AUDLEY	–	4	1	–	–	C. 1
BIDDULPH ...	–	4	–	–	2	–
†BILSTON	–	3	–	–	2	–
†BRIERLEY HILL...	*	*	*	*	*	*
†BROWNHILLS ...	–	3	–	–	3	–
†CANNOCK	–	3	–	–	1	–
†COSELEY	–	–	–	–	1	–
KIDSGROVE ...	–	1	–	–	–	–
†LEEK	–	3	–	–	–	–
†NEWCASTLE UNDER LYME	–	2	1	–	–	–
QUARRY BANK ...	–	1	–	–	–	–
†ROWLEY REGIS ...	–	1	–	–	1	–
RUGELEY... ...	–	1	–	–	–	–
†SEDGLEY ...	–	–	1	–	1	–
†STAFFORD ...	–	2	–	–	–	–
TAMWORTH ...	–	2	2	–	–	–
†TIPTON	–	4	–	–	–	–
†WEDNESBURY ...	–	2	–	–	2	–
†WILLENHALL ...	–	5	–	–	–	–
†WOLSTANTON UNITED	–	3	1	–	–	L. 1
Rural Districts:—						
BLORE HEATH ...	–	–	–	–	1	–
CANNOCK	–	1	–	–	–	–
CHEADLE	–	–	12	–	2	L. 7
KINGSWINFORD ...	–	–	–	1	–	–
LEEK	–	1	1	–	–	–
LICHFIELD ...	–	1	2	–	–	C. 1
MAYFIELD ...	–	3	–	–	–	–
SEISDON	–	–	–	–	1	–
STONE	–	–	1	–	1	–
TUTBURY ...	–	–	1	–	–	–
UTTOXETER ...	–	1	–	–	–	–
SUFFOLK, EAST ...	–	11	14	–	9	M. 1
†IPSWICH C.B. ...	–	8	6	–	7	–
Boroughs and Urban Districts:—						
LEISTON CUM SIZEWELL.	–	–	1	–	1	–
†LOWESTOFT ...	–	2	3	–	–	–
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
MUTFORD AND LOTHINGLAND	–	–	1	–	–	–
PLOMESGATE ...	–	–	1	–	–	–
SAMFORD... ...	–	–	2	–	–	–
WOODBRIDGE ...	—	1	–	–	1	M. 1
SUFFOLK, WEST ...	–	2	1	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
HADLEIGH ...	–	–	–	–	1	–
NEWMARKET ...	–	–	1	–	–	–
Rural Districts:—						
CLARE	–	1	–	–	–	–
COSFORD	–	–	–	–	–	C. 1 M. 1
THINGOE	–	1	–	–	–	–
SURREY	–	56	11	1	11	C. 1 D. 1 G. 2
†CROYDON C.B. ...	–	17	2	–	2	D. 1 G. 2
Boroughs and Urban Districts:—						
†BARNES	–	2	1	–	–	C. 1
†BEDDINGTON AND WALLINGTON	–	2	–	–	–	–
†CARSHALTON ...	–	2	–	–	–	–
†CATERHAM ...	–	4	–	–	2	–
†CHERTSEY ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	1	–	–	–	–
†EGHAM	–	–	1	–	1	–
†EPSOM	–	–	–	1	–	–
†ESHER AND THE DITTONS	–	–	–	–	1	–
†FARNHAM ..	–	–	–	–	2	–
†KINGSTON ON THAMES	–	4	1	–	–	–
†MERTON AND MORDEN	–	5	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MITCHAM... ...	–	7	1	–	–	–
†RICHMOND ...	–	–	2	–	–	–
†SUTTON	–	–	–	–	1	–
†WALTON UPON THAMES	–	–	1	–	–	–
†WIMBLEDON ...	–	7	1	–	–	–
†WOKING	–	2	–	–	1	–
Rural Districts:—						
DORKING... ...	–	–	1	–	–	–
EPSOM	–	1	–	–	–	–
HAMBLEDON ...	–	1	–	–	–	–
SUSSEX, EAST ...	–	14	5	–	4	M. 2
†BRIGHTON C.B. ...	–	3	3	–	2	M. 1
†HASTINGS C.B. ...	–	–	2	–	–	M. 1
Boroughs and Urban Districts:—						
BURGESS HILL ...	–	–	–	–	1	–
EAST GRINSTEAD	–	4	–	–	–	–
†HOVE	–	1	–	–	–	–
†LEWES	–	1	–	–	–	–
PORTSLADE BY SEA	–	1	–	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	–	–	–	1	–
RYE	–	2	–	–	–	–
STEYNING EAST...	–	1	–	–	–	–
UCKFIELD ...	–	1	–	–	–	–
SUSSEX, WEST ...	–	11	1	–	7	G. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	–	1	–	–	–
†CHICHESTER ...	–	–	–	–	2	–
†HORSHAM ...	–	3	–	–	–	–
SHOREHAM BY SEA	–	–	–	–	1	–
†WORTHING ...	–	1	–	–	–	–
SUSSEX, WEST—*cont.*						
Rural Districts:—						
EAST PRESTON ...	–	1	–	–	–	–
HORSHAM ...	–	1	–	–	–	–
MIDHURST ...	–	–	–	–	–	G. 1
STEYNING WEST	–	1	–	–	1	–
WESTBOURNE ...	–	3	–	–	1	–
WESTHAMPNETT	–	1	–	–	2	–
WARWICK	–	105	52	2	50	C. 5 M. 12
†BIRMINGHAM C.B.	–	64	42	–	34	C. 3 M. 12
†COVENTRY C.B. ...	–	18	5	–	2	C. 1
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	–	2	–	–
†NUNEATON ...	–	4	–	–	4	C. 1
†ROYAL LEAMINGTON SPA	–	1	2	–	2	–
†RUGBY	–	1	–	–	–	–
†WARWICK ...	–	1	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	–	2	–	1	–
ATHERSTONE ...	–	5	1	–	2	–
FOLESHILL ...	–	3	–	–	1	–
NUNEATON ...	–	1	–	–	1	–
RUGBY	–	–	–	–	2	–
SOLIHULL ...	–	1	–	–	–	–
TAMWORTH (part)	–	4	–	–	–	–
WARWICK ...	–	2	–	–	1	–
WESTMORLAND ...	–	4	2	–	2	–
Borough and Urban District:—						
†KENDAL	–	–	1	–		–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
SOUTH WESTMORLAND	–	3	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WIGHT, ISLE OF ...	–	1	2	–	1	G. 1
Boroughs and Urban Districts:—						
COWES	–	–	2	–	–	–
†RYDE	–	–	–	–	–	G. 1
ST. HELENS ...	–	–	–	–	1	–
SANDOWN ...	–	1	–	–	–	–
WILTS	–	17	1	–	2	–
Boroughs and Urban Districts:—						
MALMESBURY ...	*	*	*	*	*	*
†SALISBURY ...	–	–	–	–	2	–
†SWINDON ...	–	5	–	–	–	–
WARMINSTER ...	*	*	*	*	*	*
Rural Districts:—						
AMESBURY ...	–	7	–	–	–	–
DEVIZES	–	1	–	–	–	–
PEWSEY	–	2	–	–	–	–
RAMSBURY ...	–	1	–	–	–	–
TISBURY	–	1	–	–	–	–
WARMINSTER ...	*	*	*	*	*	*
WESTBURY AND WHORWELLSDOWN	–	–	1	–	–	–
WORCESTER ...	–	18	3	1	10	C. 1
†WORCESTER C.B.	–	3	–	1	3	–
Boroughs and Urban Districts:—						
BEWDLEY ...	–	1	–	–	–	C. 1
†KIDDERMINSTER	–	2	1	–	–	–
†LYE AND WOLLESCOTE	–	–	–	–	5	–
†MALVERN ...	–	1	–	–	–	–
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY ...	–	3	2	–	1	–
†REDDITCH ...	*	*	*	*	*	*
†STOURBRIDGE ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Rural Districts:—						
BROMSGROVE ...	–	3	–	–	–	–
HALESOWEN ...	–	1	–	–	–	–
MARTLEY... ...	–	1	–	–	–	–
UPTON ON SEVERN	–	1	–	–	–	–
YORKS (East Riding)	–	12	22	1	5	G. 1 M. 3
†KINGSTON UPON HULL C.B.	–	10	19	1	5	M. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	–	–
HESSLE	–	–	–	–	–	G. 1
NORTON	–	1	–	–	–	–
Rural Districts:—						
DRIFFIELD ...	–	–	1	–	–	–
HOWDEN	–	–	1	–	–	–
PATRINGTON ...	–	–	–	–	–	M. 1
SCULCOATES ...	–	1	–	–	–	–
SHERBURN ...	*	*	*	*	*	*
YORKS (North Riding).	6	47	11	–	9	C. 1
†MIDDLESBROUGH C.B.	6	25	7	–	3	–
Boroughs and Urban Districts:—						
†ESTON	–	14	1	–	–	–
GUISBOROUGH ...	–	–	–	–	2	–
†REDCAR	–	2	–	–	1	–
†SCARBOROUGH ...	–	3	–	–	–	–
†SKELTON AND BROTTON	–	1	–	–	2	C. 1
†WHITBY	–	–	2	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts:—						
Flaxton	–	–	1	–	–	–
Guisborough ...	–	1	–	–	–	–
Middlesbrough	–	1	–	–	–	–
YORKS ... ... (West Riding).	12	280	77	6	185	C. 9 D. 2 G. 2 M. 6
†Barnsley C.B. ...	–	1	1	–	3	C. 1
†Bradford C.B. ...	–	25	11	–	7	C. 3 D. 1 M. 1
†Dewsbury C.B....	–	7	1	–	–	–
†Halifax C.B. ...	–	6	–	–	–	M. 1
†Huddersfield C.B.	–	6	2	–	1	G. 1 M. 1
†Leeds C.B. ...	–	95	13	–	7	–
†Rotherham C.B.	–	4	1	–	9	–
†Sheffield C.B....	–	42	16	1	109	C. 2 D. 1 M. 2
†Wakefield C.B.	–	2	3	–	2	M. 1
Boroughs and Urban Districts:—						
†Adwick le Street	–	1	3	–	–	–
Altofts	–	–	–	–	2	–
Ardsley, East and West	–	2	–	–	–	–
†Batley	–	7	1	–	1	–
†Bentley with Arksey	8	2	–	–	–	–
†Bingley	–	–	–	–	3	G. 1
Birstal	–	1	–	–	–	–
†Bolton upon Dearne	–	–	1	1	–	–
†Castleford ...	–	4	1	–	–	–
†Conisbrough ...	–	7	1	–	–	–
Darfield ...	–	1	–	–	6	–
†Darton	–	–	–	–	1	–
†Doncaster ...	4	–	2	–	–	–
†Elland	–	–	–	–	1	–
†Featherstone ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Goole	–	–	2	–	1	–
†Harrogate ...	–	–	2	–	1	–
Haworth ...	–	3	–	–	–	–
Hebden Bridge	–	2	1	–	1	–
†Hemsworth ...	–	1	–	–	1	–
Hipperholme ...	–	3	–	–	1	–
†Holmfirth ...	–	1	1	–	–	–
†Hoyland Nether	–	2	–	–	2	–
Ilkley	–	–	1	–	–	–
Methley ...	–	–	–	–	1	–
†Mexborough ...	–	–	2	–	1	–
†Morley	–	2	–	1	3	–
New Mill ...	–	–	–	–	1	–
†Normanton ...	–	–	1	–	1	–
Otley	–	–	–	–	2	–
Penistone ...	–	1	–	–	–	–
†Pontefract ...	–	–	1	–	–	–
Rawdon	–	3	–	–	–	–
†Rawmarsh ...	–	1	–	–	–	–
†Rothwell ...	–	1	–	–	–	–
Selby	–	1	–	–	–	–
Shepley	–	–	–	–	1	–
†Shipley	–	1	–	–	–	–
†Sowerby Bridge	–	2	3	–	–	–
†Spenborough ...	–	3	–	–	1	–
†Stanley	–	–	–	–	2	–
Stocksbridge ...	–	8	–	–	2	–
†Swinton... ...	–	–	–	–	1	C. 1
Thurnscoe ...	–	2	–	–	–	–
†Todmorden ...	–	3	–	–	–	–
Whitwood ..	–	3	–	–	–	–
†Wombwell ...	–	3	–	2	2	–
†Worsborough ...	–	1	–	–	–	–
Rural Districts:—						
Doncaster ...	–	–	1	–	2	–
Halifax ...	–	1	–	–	–	–
Hemsworth ...	–	2	–	1	4	C. 1
Hunslet ...	–	1	–	–	–	–
Kiveton Park ...	–	–	1	–	–	–
Pontefract ...	–	2	–	–	–	–
Ripon	*	*	*	*	*	*
Rotherham ...	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Rural Districts—						
SELBY	–	1	–	–	–	–
SKIPTON	–	–	1	–	–	–
TADCASTER ...	–	2	1	–	–	C. 1
THORNE	–	–	–	–	1	–
WAKEFIELD ...	–	4	–	–	–	–
WETHERBY ...	–	–	2	–	1	–
WHARFEDALE (SOUTH)	–	1	–	–	–	–
WORTLEY... ...	–	1	–	–	–	–
§YORK C.B. ...	–	10	–	–	–	–
WALES						
ANGLESEY	–	–	1	–	–	–
Rural Districts:—						
AETHWY	–	–	1	–	–	–
BRECKNOCK ...	–	2	2	1	4	–
Urban Districts:—						
BRYNMAWR ...	–	–	–	1	3	–
BUILTH WELLS...	–	–	–	–	1	–
Rural Districts:—						
CRICKHOWELL ...	–	–	2	–	–	–
YSTRADGYNLAIS	–	2	–	–	–	–
CARDIGAN	–	1	3	–	3	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	–	–	–	1	–
LAMPETER ...	–	–	2	–	–	–
Rural Districts:—						
ABERYSTWYTH (SOUTH)	–	1	–	–	2	–
LAMPETER ...	–	–	1	–	–	–
CARMARTHEN ...	–	4	10	2	3	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	–	–	1	–
LLANDOVERY ...	–	–	1	–	–	–
†LLANELLY ...	–	3	1	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	1	–	–	–	–
LLANDILO FAWR	–	–	2	1	1	–
LLANDOVERY ...	–	–	1	–	–	–
LLANELLY ...	–	–	5	1	1	–
WHITLAND ...	*	*	*	*	*	*
CARNARVON ...	–	8	6	–	–	–
Boroughs and Urban Districts:—						
CONWAY	–	2	1	–	–	–
†LLANDUDNO ...	–	1	–	–	–	–
LLANFAIRFECHAN	–	2	1	–	–	–
PENMAENMAWR ...	*	*	*	*	*	*
Rural Districts:—						
CONWAY	–	2	1	–	–	–
GWYRFAI... ...	–	–	3	–	–	–
OGWEN	–	1	–	–	–	–
DENBIGH	–	2	1	–	6	M. 1
Boroughs and Urban Districts:—						
ABERGELE AND PENSARN	*	*	*	*	*	*
DENBIGH... ...	–	–	–	–	2	–
LLANGOLLEN ...	*	*	*	*	*	*
†WREXHAM ...	–	–	1	–	–	–
Rural Districts:—						
CHIRK	–	–	–	–	1	–
LLANGOLLEN ...	*	*	*	*	*	*
UWCHALED ...	–	–	–	–	1	–
WREXHAM ...	–	2	–	–	2	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatornm.

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	5	3	–	1	M. 1
Boroughs and Urban Districts:—						
FLINT	–	2	1	–	–	M. 1
†RHYL	–	1	2	–	–	–
Rural Districts:—						
HAWARDEN ..	–	1	–	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	1	–	–	–	–
ST. ASAPH (FLINT)	–	–	–	–	1	–
GLAMORGAN ...	–	70	51	–	39	M. 7
†CARDIFF C.B. ...	–	6	4	–	5	M. 5
†MERTHYR TYDFIL C.B.	–	2	3	–	1	–
†SWANSEA C.B. ...	–	8	7	–	5	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	11	–	–	6	–
†BARRY	–	–	10	–	10	–
†CAERPHILLY ...	–	2	7	–	–	–
†GELLIGAER ...	–	1	2	–	–	–
†GLYNCORWG ...	–	3	2	–	–	–
†MAESTEG	–	–	–	–	–	M. 1
†MOUNTAIN ASH ...	–	8	–	–	4	–
†NEATH	–	–	5	–	–	–
†OGMORE AND GARW	–	4	–	–	–	–
†PONTYPRIDD ...	–	2	1	–	1	–
PORTHCAWL ...	–	–	1	–	–	–
†PORT TALBOT ...	–	–	1	–	1	–
†RHONDDA ...	–	14	4	–	6	M. 1
Rural Districts:—						
CARDIFF	–	1	1	–	–	–
COWBRIDGE ...	–	2	–	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	2	–	–	–	–
NEATH	–	1	1	–	–	–
PENYBONT ...	–	2	–	–	–	–
PONTARDAWE ...	–	1	2	–	–	–
MERIONETH ...	–	1	1	–	–	–
Rural Districts:—						
EDEIRNION ...	–	1	1	–	–	–
MONMOUTH ...	–	15	16	1	11	C. 1 D. 1
†NEWPORT C.B. ...	–	1	7	–	5	C. 1 D. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	–	–	–	–	2	–
†ABERTILLERY ...	–	5	–	–	–	–
BEDWAS AND MACHEN	–	–	–	–	2	–
†BEDWELLTY ...	–	3	–	–	–	–
†BLAENAVON ...	–	–	3	–	–	–
CHEPSTOW ...	–	–	1	–	–	–
†MYNYDDISLWYN	–	–	2	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	1	–
†RISCA	–	–	2	–	–	–
†TREDEGAR ...	–	6	1	–	1	–
Rural Districts:—						
ABERGAVENNY ...	–	–	–	1	–	–
MONTGOMERY ...	–	9	2	–	1	–
Boroughs and Urban Districts:—						
MONTGOMERY ...	–	1	–	–	–	–
Rural Districts:—						
FORDEN... ...	–	6	–	–	–	–
LLANFYLLIN ...	–	1	–	–	1	–
NEWTOWN AND LLANIDLOES	–	1	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
PEMBROKE	–	4	1	–	–	–
Boroughs and Urban Districts:—						
NEYLAND ...	*	*	*	*	*	*
†PEMBROKE ...	–	4	–	–	–	–
Rural Districts:—						
ST. DOGMELLS ...	–	–	1	–	–	–
RADNOR	–	–	1	–	–	–
Urban District:—						
Presteigne ...	–	–	1	–	–	–
Total of Part II. ...	37	1970	814	45	1017	C. 43 D. 6 E. 1 G. 29 L. 11 M. 116

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BRISTOL	–	–	1	–	–	–
CARDIFF	–	–	–	–	1	–
MILFORD	–	–	1	–	–	–
Total of Part III.— ...	–	–	2	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	220	306	6	96	C. 11 D. 1 G. 1 L. 1 M. 14
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	37	1970	814	45	1017	C. 43 D. 6 E. 1 G. 29 L. 11 M. 116
Total of Part III.—Port Sanitary Districts	–	–	2	–	1	–
Total (*i.e.*, **of returns received), England and Wales** ...	37	2190	1122	51	1114	C. 54 D. 7 E. 1 G. 30 L. 12 M. 130

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus, Fever, or Plague notified during the week. Thirty-seven cases of Small-pox were notified which appear on pages 126, 127, 129, 130, 133, 137 and 138.

ble 5.—London and Great Towns in the Aggregate. { Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Nov. 11.	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.
ONDON :—													
EATHS—all ages	1,083	1,155	1,240	1,129	1,130	1,148	1,068	1,035	1,119	1,124	1,171	1,118	1,087
„ 0 to 1 year ..	103	123	131	149	139	153	127	123	119	132	124	118	102
REAT TOWNS, aggregate (including London) :—													
RTHS	7,141	7,086	7,281	7,058	7,107	7,339	6,910	6,277	8,273	8,409	7,935	7,963	7,374
EATHS—all ages	4,605	4,710	4,599	4.596	4,464	4,726	4,590	4,558	4,910	4,843	4,958	4,841	4,742
„ 0 to 1 year ..	541	585	602	604	592	680	687	635	652	698	674	639	672
NTERIC FEVER—Cases	22	13	24	25	24	15	15	14	16	12	20	19	23
„ Deaths	3	1	1	4	1	6	3	4	5	2	2	—	8
IALL POX—Cases ..	11	6	14	13	13	2	8	11	3	18	22	20	10
„ Deaths ..	12	3	1	—	—	—	—	—	—	—	—	—	—
ARLET FEVER—Cases	1,486	1,426	1,358	1,374	1,444	1,377	1,204	1,161	1,291	1,158	1,219	1,246	1,297
„ Deaths	12	13	18	8	18	20	22	19	14	27	7	14	8
PHTHERIA—Cases ..	631	653	662	759	783	671	661	592	711	675	662	725	742
„ Deaths ..	45	40	35	35	42	59	54	45	58	45	54	55	62
EASLES—Deaths ..	69	95	88	85	75	76	74	75	72	62	90	72	73
FLUENZA—Deaths ..	71	64	71	60	52	68	61	51	57	69	78	69	65

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 3rd February, 1923. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
ONDON (Greenwich).	55	41	52·9	46·4	4	Bradford ..	55	43	51·0	45·4	26
						Sheffield ..	56	42	52·6	46·6	8
RIGHTON ..	55	43	49·3	44·5	6	York (Museum)	58	44	53·6	47·0	13
ORTSMOUTH ..	54	42	51·6	46·6	4	Hull (Pearson Park).	58	42	53·7	44·7	4
ORWICH (Eaton).	57	41	52·4	45·0	6						
						Tynemouth ..	57	43	51·9	46·9	13
LYMOUTH ..	53	45	51·3	47·9	9	Cardiff	51	43	50·0	46·3	45
RISTOL (Clifton).	52	43	50·3	45·9	45						
						Edinburgh ..	55·0	40·0	51·3	43·0	15
RMINGHAM ..	55	41	51·7	45·9	5	Glasgow ..	53·3	42·7	50·4	44·4	28
OTTINGHAM ..	57	41	53·3	47·4	0·2	Dublin (Phœnix Park).	57·2	42·7	53·3	46·7	11
RKENHEAD (Bidston).	56	44	51·7	45·7	9						
ANCHESTER ..	55	43	52·3	46·7	25	Fitzwilliam Square.†	57·1	44·1	54·1	48·1	6
URNLEY	54	43	49·7	44·9	60						
UDDERSFIELD	54	43	51·9	45·4	23	Belfast	56·0	42·0	52·3	43·0	19

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met.Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 3rd February, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JANUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	28	..	30·138	49·1	40·7	8·4	45·3	+ 5·7	40·6	4·7	7·3	1·8	83	57·0	31·9	42·1	WSW	WNW : W : WSW.	0·7	0·0	0·1	297	- 42	0·00
MONDAY -	29	Greatest Declination N.	29·903	48·5	42·1	6·4	46·1	+ 6·4	43·3	2·8	6·8	2·5	90	55·6	35·3	42·2	WSW : SW.	WSW : W.	1·6	0·1	0·2	391	+ 48	0·11
TUESDAY -	30	..	29·971	53·6	46·9	6·7	50·6	+10·9	46·3	4·3	7·0	2·3	85	59·0	40·3	42·5	WSW : W : WNW.	WNW : W : WSW.	0·6	0·0	0·0	263	- 83	0·00
WEDNESDAY	31	..	30·028	54·2	47·2	7·0	50·8	+11·1	46·3	4·5	7·4	1·9	85	62·8	40·4	42·6	WSW : W.	WSW : W.	2·5	0·1	0·3	480	+ 135	0·00
FEBRUARY THURSDAY -	1	Full	29·900	54·8	50·2	4·6	52·5	+12·9	49·3	3·2	5·5	2·4	89	59·3	46·1	42·8	WSW	WSW	4·5	0·5	0·7	648	+ 308	0·01
FRIDAY -	2	..	29·826	54·9	50·8	4·1	52·6	+13·1	49·8	2·8	5·7	2·0	90	65·0	49·0	43·1	WSW	WSW	5·7	0·2	0·5	562	+ 229	0·02
SATURDAY -	3	..	29·840	54·3	45·3	9·0	49·7	+10·2	42·9	6·8	11·7	3·2	77	86·5	35·0	43·3	WSW.	W : WSW.	2·3	0·1	0·2	436	+ 111	0·00
MEANS -		..	29·944	52·8	46·2	6·6	49·7	+10·0	45·5	4·2	7·3	2·3	86	63·6	39·7	42·7	WSW		..	..	..	Sum 3,077	Sum + 706	Sum 0·14
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JANUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	28	No register	0·0	8·9	Variably cloudy till 5h., then overcast with slight exceptions in morning. Frequent damping with occasional slight rain between 9h. and 12h. Mist generally between 9h. and 15h.
MONDAY ..	29	No register	0·0	8·9	Overcast generally, with few fine intervals between 7h. and 9h. Frequent rain from 9h. till 15h., then occasional rain till 16h. and after 20h.
TUESDAY ..	30	No register	0·0	9·0	Overcast till 9h., then nearly overcast till 15h. Overcast till 23h., clearing to few clouds by midnight. Slight mist throughoue. Damping 19½h. till 20½h.
WEDNESDAY	31	No register	0·8	9·0	Nearly cloudless till 1h., becoming overcast by 2h. Then overcast generally with slight exceptions between 12h. and 21h. Partial solar halo about 15h. Brisk wind from 14h. Damping about 9h. and between 12h. and 13h.
FEBRUARY THURSDAY	1	No register	0·0	9·1	Overcast generally, Rain at 1h., and damping or drizzle in afternoon and at 21h. and from 23½h. Brisk wind throughout.
FRIDAY ..	2	No register	0·0	9·1	Overcast generally. Damping from 2h. till 12h., with slight rain at 9h., and from 13½h. till 15h. Brisk wind throughout.
SATURDAY	3	W.P.	3·5	9·2	Overcast generally till 10h., with thin cloud prevalent from 2h. Partially cloudy till 13h. becoming nearly overcast with few exceptions in evening. Lunar halos at 4h. and 6h. Solar halo about 9h. Brisk wind generally till afternoon.
			Sum 4·3	Sum 63·2	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·12 in. at the beginning of the week to 29·84 in. by 21h. on Jan. 29; increased generally to 30·05 in. by 9h. on Jan. 31; decreased generally to 29·80 in. by 4h. on Feb. 3; increased to 29·88 in. by 11h., and was 29·81 in. at midnight on the same day.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS.
11–17, Hare Street, E.2

(40684) Wt. 15—P 11 2250 2/23 H. St. G. 43

1923. No. 6.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 10TH FEBRUARY, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 23 Forth Street, Edinburgh.
1923

Price 1s Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in ths headings to the columns : the heading " Diphtheria " includes Membranoue Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course

NOTES FOR THE WEEK ENDED 10TH FEBRUARY, 1923.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the sixth week of the year numbered 7,689, and corresponded to an annual rate of 21·0 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,648 and corresponded to an annual rate of 12·7 per 1,000 of their aggregate civilian population, which is estimated at 19,052,710 in the year 1921. In the preceding three weeks the rates had been 13·6, 13·2, and 13·0. Infant mortality was 88 per 1,000 births against 85, 80, and 91 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,782 births, corresponding to a rate of 20·5 per 1,000, and 1,001 deaths of civilians, corresponding to a rate of 11·6, as against 13·5, 12·9, and 12·6 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 12·7 per 1,000. The infant mortality was 66 as against 66, 61, and 58 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 94 in the total deaths last week. In London the number of deaths from all causes fell from 1,087 to 1,001 ; while the deaths from diphtheria, which had been 24, 18, and 27 in the preceding three weeks, fell to 24 last week.

Just Published :

The "Registrar General's Statistical Review" 1921. Tables Part I (Medical). Price 15*s*. net.

Supplement to 75th Annual Report of the Registrar General. Part IV. Mortality of Men in Certain Occupations 1910–12. Price 13*s*. 6*d*. net.

To be obtained from H.M. Stationery Office at the following addresses : Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1 ; 37 Peter Street, Manchester ; 1 St. Andrew's Crescent, Cardiff ; or 23 Forth Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in th week ended 10th February, 1923.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11
105 Great Towns ..	19,052,710*	7,689	4,648	680	4	71	12	50	52	62	66
London	4,514,405*	1,782	1,001	117	1	–	2	6	24	13	9
Towns in Outer Ring.											
Croydon C.B. ..	191,500	64	47	4	–	1	–	1	1	–	1
Wimbledon ..	61,700	13	14	2	–	–	–	–	–	1	1
Ealing	67,800	22	19	–	–	–	–	–	–	–	–
Acton	62,000	22	15	6	–	–	–	–	–	–	–
Willesden ..	167,200	55	28	3	–	–	–	3	–	–	–
Hendon	55,500	18	6	1	–	–	–	–	–	–	–
Hornsey	87,600	30	17	1	–	–	–	–	–	–	–
Wood Green ..	51,100	14	10	–	–	–	–	–	–	–	–
Tottenham ..	149,200	40	28	1	–	–	–	–	2	–	–
Edmonton ..	67,800	39	10	1	–	–	–	–	–	–	–
Enfield	61,400	18	8	1	–	–	–	–	–	–	–
West Ham C.B. ..	307,000	162	67	11	–	–	–	1	–	1	1
East Ham C.B. ..	145,500	55	37	6	–	–	–	–	–	–	1
Leyton	130,100	37	24	4	–	–	–	–	2	–	–
Walthamstow ..	129,800	50	22	1	–	–	–	–	–	1	1
Ilford	85,500	29	22	2	–	–	–	–	–	2	2
Gillingham	48,149*	22	9	2	–	–	–	–	–	1	–
Canterbury C.B. ..	23,680	6	2	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	15	21	–	–	–	–	–	–	–	1
Eastbourne C.B. ..	53,600	20	13	1	–	–	–	–	–	–	–
Brighton C.B. ..	134,800	49	41	11	–	2	–	–	–	–	–
Portsmouth C.B. ..	233,929*	106	54	6	–	–	–	–	4	1	2
Bournemouth C.B. ..	81,200	17	21	–	–	–	–	–	–	–	–
Southampton C.B. ..	162,200	64	39	5	–	–	–	3	–	1	1
Reading C.B.	92,600	29	16	1	–	–	–	1	1	–	–
Oxford C.B.	56,400	24	17	1	–	–	–	–	–	–	–
Northampton C.B. ..	92,300	35	33	4	–	1	–	–	–	–	–
Luton	57,800	27	14	2	–	–	–	1	–	–	–
Cambridge	58,900	18	11	1	–	–	–	–	–	–	1
Southend-on-Sea C.B.	90,500	26	16	1	–	–	–	–	–	–	–
Ipswich C.B.	80,100	38	23	3	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	25	23	3	–	–	–	–	–	–	2
Norwich C.B. ..	122,400	47	31	2	–	–	–	–	2	1	–
Swindon	55,500	25	13	4	–	–	–	–	–	–	1
Exeter C.B.	59,500	27	14	3	–	–	–	1	–	–	–
Plymouth C.B. ..	199,869*	70	55	5	–	–	–	–	–	–	1
Bath C.B.	68,300	18	18	1	–	–	–	–	–	–	1
Bristol C.B.	381,700	140	104	8	–	–	–	1	1	1	–
Gloucester C.B. ..	51,800	20	15	1	–	–	–	–	–	–	1
Stoke-on-Trent C.B.	273,238	132	77	14	–	9	2	–	–	1	–
Burton-upon-Trent C.B.	49,410	23	9	2	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	51	25	5	–	2	–	–	–	1	–
Walsall C.B.	98,800	52	23	4	–	–	–	–	–	–	–
West Bromwich C.B.	75,300	44	31	7	–	1	1	–	–	–	–
Worcester C.B. ..	49,160	18	13	–	–	–	–	1	–	–	–
Dudley C.B.	57,100	20	21	2	–	2	–	–	–	–	–
Birmingham C.B. ..	936,000	378	216	38	–	3	3	1	3	3	4
Smethwick C.B. ..	77,400	26	14	2	–	2	–	–	–	–	1
Coventry C.B. ..	130,300	48	30	6	–	–	–	–	1	–	–
Leicester C.B. ..	237,900	102	54	11	–	–	–	2	1	3	1
Lincoln C.B.	66,600	30	22	5	–	2	–	–	–	–	–
Grimsby C.B.	83,600	40	13	2	–	–	–	1	–	–	–
Nottingham C.B. ..	266,400	112	76	13	–	1	–	–	1	1	–
Derby C.B.	131,800	54	36	2	–	–	–	–	–	1	–
Chesterfield ..	62,400	28	18	1	–	–	–	–	–	–	–
Stockport C.B. ..	125,500	47	40	9	–	3	–	–	–	1	–
Chester C.B.	41,030	12	14	2	–	–	–	–	–	–	–
Birkenhead C.B. ..	147,800	66	16	2	–	–	–	–	–	–	1
Wallasey C.B. ..	89,600	35	16	3	–	–	–	–	–	1	–
Liverpool C.B. ..	817,000	395	224	45	–	2	–	2	1	6	1
Bootle C.B.	77,800	37	11	–	–	–	–	1	–	–	–
St. Helens C.B. ..	104,900	44	30	5	–	–	–	–	–	1	2

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1921.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	71,900	16	19	2	1	–	–	–	1	–	1
WIGAN C.B.	91,200	32	19	7	–	–	–	–	–	–	–
WARRINGTON C.B. ..	78,600	38	23	1	–	1	–	–	–	–	–
BOLTON C.B.	182,200	70	52	5	–	–	–	–	–	–	1
BURY C.B.	57,600	22	20	2	–	–	1	–	–	–	–
MANCHESTER C.B. ..	744,000	281	162	18	–	–	1	2	1	2	4
SALFORD C.B.	239,100	108	54	7	–	–	–	–	1	–	–
OLDHAM C.B.	148,300	48	47	7	–	2	1	–	–	–	1
ROCHDALE C.B... ..	92,700	24	33	5	–	–	–	–	–	1	2
BURNLEY C.B.	105,300	33	22	5	–	1	1	–	–	–	1
BLACKBURN C.B. ..	129,682	46	40	6	–	–	–	–	–	–	1
PRESTON C.B.	119,900	50	29	3	1	1	–	–	–	2	2
BLACKPOOL C.B. ..	73,800	23	18	1	–	–	–	–	–	–	–
BARROW-IN-FURNESS C.B.	75,200	31	15	3	–	–	–	–	–	–	–
HUDDERSFIELD C.B. ..	111,900	36	27	2	–	1	–	–	–	–	–
HALIFAX C.B.	100,700	24	22	1	1	–	–	–	–	1	–
BRADFORD C.B. ..	291,100	93	87	11	–	2	–	–	1	1	1
LEEDS C.B.	465,500	189	122	22	–	–	–	–	–	3	3
DEWSBURY C.B. ..	55,100	20	12	4	–	–	–	–	–	–	1
WAKEFIELD C.B. ..	53,763	24	11	1	–	1	–	–	–	–	–
BARNSLEY C.B. ..	68,991	39	16	1	–	2	–	–	–	–	3
SHEFFIELD C.B. ..	519,239	206	128	32	–	–	–	6	2	2	–
ROTHERHAM C.B. ..	69,100	27	17	3	–	–	–	2	–	–	–
DONCASTER	54,700	24	17	5	–	–	–	–	–	–	–
YORK C.B.	84,500	29	26	1	–	2	–	–	–	–	–
HULL C.B.	291,800	118	75	11	–	–	–	–	–	1	–
MIDDLESBROUGH C.B.	133,400	69	32	5	–	–	–	–	–	1	–
DARLINGTON C.B. ..	66,400	25	16	2	–	2	–	–	–	1	1
STOCKTON-ON-TEES ..	65,000	35	24	4	–	6	–	–	–	–	–
WEST HARTLEPOOL C.B.	69,300	40	17	5	–	–	–	–	–	–	–
SUNDERLAND C.B. ..	161,100	76	47	13	–	5	–	1	–	2	–
SOUTH SHIELDS C.B. ..	120,376	61	44	7	–	–	–	3	–	–	–
GATESHEAD C.B. ..	126,700	63	26	8	–	–	–	2	–	1	–
NEWCASTLE-ON-TYNE C.B.	278,400	144	77	29	–	4	–	2	–	–	–
TYNEMOUTH C.B. ..	63,900	34	28	7	–	3	–	2	–	–	–
CARLISLE C.B.	53,200	19	15	2	–	–	–	–	–	–	–
NEWPORT (MON.) C.B.	93,700	43	29	5	–	2	–	1	–	–	2
CARDIFF C.B.	222,089	114	67	10	–	3	–	1	1	2	–
RHONDDA	166,600	90	32	2	–	2	–	–	–	–	1
MERTHYR TYDFIL C.B.	81,800	28	15	3	–	–	–	2	–	–	–
ABERDARE	56,100	26	16	4	–	–	–	–	–	–	–
SWANSEA C.B.	159,600	59	43	2	–	–	–	–	1	–	4
GREATER LONDON ..	7,523,963*	2,854	1,612	180	1	1	2	14	33	19	21
OUTER RING	3,009,558*	1,072	611	63	–	1	–	8	9	6	12
16 GREAT TOWNS IN OUTER RING	1,820,700	668	374	44	–	1	–	5	5	5	7
REMAINDER OF OUTER RING	1,188,858*	404	237	19	–	–	–	3	4	1	5
EDINBURGH†	426,000	176	123	23	–	5	1	3	1	–	–
GLASGOW†	1,041,300	531	270	35	–	–	2	9	5	4	4
DUBLIN (REGISTRATION AREA)†	431,000	206	104	11	–	–	1	–	1	1	2
BELFAST†	429,000	174	98	21	–	1	–	1	2	–	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
		1922–23.										
London‡	4,514,405	Feb. 10	1782	1001	11·6	1	–	–	2	6	24	
Calcutta	896,067	Dec. 30	?	565§	32·4	?	2	?	?	?	?	
Bombay	1,220,120	Jan. 6	470‖	732§	31·2	–	4	2	?	–	–	
Madras	526,911	Dec. 30	302	437	43·2	1	2	–	?	–	–	
Sydney and Suburbs	926,400											
Brisbane (Metropolitan Area).	217,714											
Perth (Metropolitan Area).	155,939	Dec. 16	70	33	11·0	–	–	–	–	–	–	
Auckland (Urban Area).	164,450											
Wellington (Urban Area).	110,680											
Christchurch (Urban Area).	110,200											
Cape Town	104,400	Dec. 23	41	14	7·0	–	–	–	–	–	–	
Johannesburg	153,825	„ 30	75	45	15·2	–	–	1	–	–	–	
Durban	49,043	„ 30	36	3	3·2	–	–	–	–	–	–	
Paris	2,906,472	Jan. 10 (10 days)	1322	1128	14·2	2	–	12	2	5	4	
Antwerp	303,065	Oct. 21	90	46	7·8	–	–	–	–	–	–	
Amsterdam	696,481	Jan. 20	294	128	9·6	–	–	–	1	1	–	
Copenhagen	565,000	„ 27	224	135	12·4	–	–	–	–	2	1	
Stockholm	422,042											
Gothenburg	227,686	„ 6	?	28	6·4	–	–	–	–	–	–	
Christiania	258,933	„ 27	88	52	10·4	–	–	–	–	1	–	
Berlin	1,974,000	Dec. 30	357	638	16·8	–	?	13	–	6	4	
Breslau	557,000	„ 30	195	162	15·1	–	?	1	1	1	–	
Cologne	692,000	„ 30	263	199	15·0	–	?	4	–	5	1	
Dresden	608,000	„ 30	181	209	17·9	1	?	5	–	3	–	
Frankfort-on-Main..	476,000	„ 30	127	113	12·3	1	?	2	–	–	–	
Hamburg	1,071,000	„ 30	206	317	15·4	1	?	–	–	2	3	
Leipzig	676,000	„ 30	200	221	17·0	–	?	–	–	3	3	
Munich	682,000	„ 30	168	151	11·5	–	?	–	–	2	–	
Vienna	1,842,005	„ 16	436	503	14·2	1	–	–	–	1	1	
Prague and Suburbs	689,262	„ 23	204	177	13·1	–	?	–	1	1	–	
Budapest	940,000	Nov. 18	297	247	13·7	5	?	12	6	2	2	
Warsaw	956,087	Dec. 23	273	328	17·8	5	–	6	2	3	–	2
Cairo	777,500	Nov. 25	731	427	28·6	3	–	4	–	?	6	4
Alexandria	456,300	„ 25	449	204	23·2	1	–	–	–	?	2	1
New York	5,927,617	Jan. 6	2606	1471	13·0	1	–	3	2	2	17	1
Chicago	2,885,921	„ 13	?	812	14·7	–	–	2	2	5	20	2
Rio de Janeiro ..	1,256,370	Dec. 23	649	477	19·8	1	3	13	–	5	3	?
Montevideo	349,293	Oct. 14	101	132	19·8	–	–	2	–	2	1	

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, V
Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to childre*
1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 13 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 2 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 10th February, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1001	117	22	31	42	46	67	77	108	153	169	169
Enteric fever	1	–	–	–	–	–	–	–	1	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet fever	2	–	–	2	–	–	–	–	–	–	–	–
Whooping cough	6	1	1	2	2	–	–	–	–	–	–	–
Diphtheria	24	3	2	10	9	–	–	–	–	–	–	–
Influenza	9	–	–	–	–	–	1	2	1	3	–	2
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	2	–	–	–	–	1	–	–	1	–	–	–
Meningococcal meningitis	2	2	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	82	–	1	–	4	18	27	15	12	5	–	–
Nervous system	5	2	1	1	–	1	–	–	–	–	–	–
Intestines and peritoneum	1	–	–	–	–	–	–	–	1	–	–	–
Other forms	7	–	–	3	–	3	1	–	–	–	–	–
Venereal diseases	4	3	–	–	–	–	–	–	1	–	–	–
Cancer	96	–	–	–	1	1	3	10	21	27	21	12
Rheumatic fever	2	–	–	–	2	–	–	–	–	–	–	–
Diabetes	11	–	–	–	–	1	–	2	2	4	1	1
Alcoholism	1	–	–	–	–	–	–	1	–	–	–	–
Simple meningitis	3	2	–	–	–	–	–	1	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	39	–	–	1	–	–	–	3	3	10	10	12
Epilepsy	5	–	–	–	–	1	–	–	1	3	–	–
"Convulsions" (not puerperal)	2	2	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	26	–	1	–	–	2	2	4	6	5	4	2
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	4	–	–	–	–	1	2	–	–	–	1	–
Other diseases of heart	126	1	–	–	2	6	5	9	18	22	27	36
Other diseases of circulatory system	56	–	–	–	1	1	1	1	2	14	18	18
Bronchitis	87	5	1	–	2	–	2	2	2	16	28	29
Broncho-pneumonia	51	25	6	3	2	–	1	1	–	4	7	2
Lobar pneumonia	20	1	1	1	1	2	1	2	4	3	2	2
Pneumonia (type not distinguished)	19	1	1	–	1	–	–	1	1	7	6	1
Other diseases of respiratory system	14	2	–	1	–	–	1	1	3	2	2	2
Diarrhœa and enteritis	15	10	3	–	–	–	–	1	–	–	–	1
Appendicitis, Typhlitis	8	–	–	–	4	–	–	1	1	1	1	–
Hernia, Intestinal obstruction	16	1	1	1	1	–	1	3	–	3	3	2
Cirrhosis of liver	5	–	–	–	–	1	–	–	3	–	1	–
Other diseases of digestive system	27	3	–	1	2	–	1	5	4	4	3	4
Acute nephritis	3	–	–	1	–	–	1	1	–	–	–	–
Chronic Bright's disease	44	–	–	–	1	1	6	3	9	6	13	5
Other diseases of genito-urinary system.	18	–	–	–	–	–	2	2	3	1	4	6
Puerperal sepsis	2	–	–	–	–	1	1	–	–	–	–	–
Other causes incident to childbirth	3	–	–	–	–	–	3	–	–	–	–	–
Congenital malformations	9	9	–	–	–	–	–	–	–	–	–	–
Premature birth	29	29	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	5	5	–	–	–	–	–	–	–	–	–	–
Old age	35	–	–	–	–	–	–	–	–	2	7	26
Suicide	11	–	–	–	–	2	2	–	3	1	2	1
Burns and scalds	4	–	1	1	–	–	–	–	–	–	1	1
Drowning	4	–	–	–	–	–	1	2	–	–	1	–
Suffocation in bed	1	–	–	–	–	–	–	–	–	–	1	–
Vehicles and horses	3	–	–	–	3	–	–	–	–	–	–	–
Other deaths by violence	15	3	1	1	1	3	1	2	1	1	–	1
Other specified causes	37	7	1	2	3	–	1	2	4	9	5	3
Ill defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 10th February, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	182	290	13	98	C. 10 D. 1 E. 1 G. 2 J. 1 L. 1 M. 13
†CITY OF LONDON	–	–	3	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	11	8	–	6	D. 1
†BERMONDSEY ...	–	3	25	–	3	–
†BETHNAL GREEN	–	1	6	–	1	M. 2
†CAMBERWELL ...	–	7	24	–	1	–
†CHELSEA	–	2	3	–	1	C. 1
†DEPTFORD ...	–	9	15	–	1	–
†FINSBURY ...	–	6	2	–	–	–
†FULHAM	–	8	8	1	8	M. 2
†GREENWICH ...	–	5	10	–	6	J. 1
†HACKNEY ...	–	9	20	–	4	G. 1
†HAMMERSMITH ...	–	4	4	–	2	–
†HAMPSTEAD ...	–	5	3	–	1	C. 3
†HOLBORN... ...	–	3	3	–	1	E 1
†ISLINGTON ...	–	13	18	1	1	C. 2
†KENSINGTON ...	–	10	4	–	2	M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†LAMBETH ...	–	14	6	1	2	–
†LEWISHAM ...	–	10	11	–	6	–
†PADDINGTON ...	–	11	9	–	4	C. 1
†POPLAR	–	2	24	1	6	–
†ST. MARYLEBONE	–	4	4	1	1	C. 1 L. 1
†ST. PANCRAS ...	–	8	9	4	12	M. 1
†SHOREDITCH ...	–	3	10	–	7	M. 2
†SOUTHWARK ...	–	12	18	3	2	G. 1
†STEPNEY	–	6	25	–	5	M. 1
†STOKE NEWINGTON	–	1	–	1	–	–
†WANDSWORTH ...	–	6	14	–	9	C. 2 M. 2
†WESTMINSTER, CITY OF	–	4	3	–	2	M. 2
†WOOLWICH ...	–	5	1	–	4	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	6	2	–	3	–
Boroughs and Urban Districts:—						
†Bedford ...	–	3	2	–	–	–
Biggleswade ...	–	–	–	–	2	–
†Luton	–	2	–	–	1	–
Rural District:—						
Ampthill ...	–	1	–	–	–	–
BERKS	–	40	8	–	3	–
†Reading C.B. ...	–	11	3	–	1	–
Boroughs and Urban Districts:—						
Abingdon ...	–	3	1	–	–	–
†Maidenhead ...	–	–	2	–	–	–
†New Windsor ...	–	1	–	–	–	–
Rural Districts:—						
Abingdon ..	–	4	–	–	–	–
Bradfield ...	–	19	–	–	1	–
Cookham ...	–	1	–	–	–	–
Easthampstead	–	–	2	–	–	–
Wantage ...	–	1	–	–	1	–
BUCKINGHAM ...	–	8	2	1	5	–
Boroughs and Urban Districts:—						
†Aylesbury ...	–	1	–	1	–	–
†Chepping Wycombe ...	–	–	–	–	1	–
Marlow	*	*	*	*	*	*
†Slough	–	–	2	–	1	–
Rural Districts:—						
Amersham ...	–	1	–	–	1	–
Hambleden ...	*	*	*	*	*	*
Newport Pagnell	–	4	–	–	–	–
Wycombe ...	–	2	–	–	2	–
CAMBRIDGE ...	–	2	1	1	1	–
Borough:—						
†Cambridge ...	–	–	1	1	1	–
Rural District:—						
Chesterton ...	–	2	–	–	–	–
CHESTER	–	50	22	1	42	G. 3 M. 1
†Birkenhead C. B.	–	11	–	–	13	–
†Chester C.B. ...	–	5	–	–	13	–
†Stockport C.B.	–	–	3	1	–	–
†Wallasey C.B. ...	–	3	–	–	–	G. 1
Boroughs and Urban Districts:—						
Alderley Edge	–	1	–	–	–	–
†Altrincham ...	–	2	–	–	–	–
Ashton upon Mersey	–	1	–	–	–	–
†Bebington and Bromborough	–	–	–	–	–	G. 2
Bollington ..	–	1	–	–	2	–
Bredbury and Romiley	–	–	–	–	1	–
†Cheadle and Gatley	–	1	–	–	1	–
†Congleton ...	–	2	–	–	2	–
†Crewe	–	1	–	–	1	–
†Dukinfield ...	–	4	–	–	2	–
†Ellesmere Port and Whitby	–	–	1	–	–	–
†Hyde	–	3	–	–	1	–
†Macclesfield ...	–	3	–	–	–	–
Middlewich ...	–	–	7	–	–	–
†Northwich ...	–	1	–	–	–	–
†Runcorn... ...	–	–	2	–	2	–
†Sale	–	1	1	–	–	–
Sandbach ...	–	1	1	–	–	–
†Stalybridge ...	–	–	–	–	–	M. 1
†Winsford ...	–	4	2	–	–	–
Rural Districts:—						
Bucklow ...	–	–	1	–	2	–
Chester	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
CONGLETON ...	–	–	2	–	–	–
NANTWICH ...	–	–	1	–	–	–
NORTHWICH ...	–	1	1	–	–	–
RUNCORN ...	–	2	–	–	–	–
TARVIN	–	–	–	–	1	–
WIRRAL	–	2	–	–	–	–
CORNWALL ...	–	5	6	–	–	–
Boroughs and Urban Districts:—						
NEWQUAY ...	–	–	1	–	–	–
PADSTOW ...	–	–	1	–	–	–
REDRUTH ...	*	*	*	*	*	*
Rural Districts:—						
BODMIN	–	1	–	–	–	–
LAUNCESTON ...	–	–	4	–	–	–
SAINT AUSTELL...	–	2	–	–	–	–
SAINT COLUMB MAJOR	–	1	–	–	–	–
SAINT GERMANS	–	1	–	–	–	–
CUMBERLAND ...	–	14	10	–	3	–
†CARLISLE C.B. ...	–	2	2	–	1	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	1	–	–	–
ASPATRIA ...	–	1	–	–	–	–
CLEATOR MOOR ...	–	–	2	–	–	–
COCKERMOUTH ...	–	1	–	–	–	–
EGREMONT ..	*	*	*	*	*	*
†MARYPORT ...	–	–	1	–	–	–
MILLOM	–	6	–	–	–	–
PENRITH	–	–	–	–	1	–
†WORKINGTON ...	–	2	4	–	–	–
CUMBERLAND—*cont.*						
Rural Districts:—						
COCKERMOUTH ...	–	1	–	–	1	–
WIGTON	–	1	–	–	–	–
DERBY	10	33	11	1	48	C. 1
†DERBY C.B. ...	–	6	4	–	19	–
Boroughs and Urban Districts:—						
†ALFRETON ...	2	2	–	–	4	–
†BELPER	–	–	–	1	–	–
†BOLSOVER ...	–	–	–	–	1	–
†CHESTERFIELD ..	–	4	–	–	1	–
DRONFIELD ...	–	–	–	–	2	–
†GLOSSOP	–	2	3	–	–	–
HEAGE	–	–	–	–	1	–
†HEANOR	3	1	–	–	4	–
†ILKESTON ...	1	1	–	–	–	–
†LONG EATON ...	–	–	1	–	–	–
†RIPLEY	–	–	–	–	3	–
SOUTH DARLEY...	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	–	6	–	–	5	–
Rural Districts:—						
ASHBOURNE ...	–	3	–	–	–	–
BAKEWELL ...	–	1	1	–	–	–
BELPER	–	2	–	–	1	C. 1
BLACKWELL ...	–	2	–	–	–	–
CHAPEL-EN-LE-FRITH	–	1	–	–	–	–
CHESTERFIELD ..	–	2	1	–	3	–
CLOWNE	4	–	–	–	–	–
HARTSHORN AND SEALS	–	–	1	–	–	–
SHARDLOW ...	–	–	–	–	4	–
DEVON	-	17	9	1	11	C. 1 G. 2 M. 1
†EXETER C.B. ...	–	–	–	–	4	–
†PLYMOUTH C.B....	–	5	4	1	4	G. 1 M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts:—						
ASHBURTON ...	–	–	–	–	–	G. 1
KINGSBRIDGE ...	–	–	1	–	–	–
OTTERY ST. MARY	–	3	–	–	–	–
†PAIGNTON ...	–	–	2	–	–	–
†TEIGNMOUTH ...	–	–	–	–	1	–
†TORQUAY	–	–	1	–	–	–
Rural Districts:—						
AXMINSTER ...	–	3	–	–	–	–
BARNSTAPLE ...	–	2	–	–	–	–
CULMSTOCK ...	–	–	–	–	–	C. 1
HONITON	–	1	–	–	–	–
KINGSBRIDGE ...	–	–	–	–	1	–
NEWTON ABBOT...	–	2	–	–	–	–
PLYMPTON ST. MARY	–	1	–	–	–	–
SOUTH MOLTON ...	–	–	–	–	1	–
TOTNES	–	–	1	–	–	–
DORSET	–	4	–	1	–	C. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	3	–	–	–	–
†POOLE	–	–	–	–	–	C. 1
WIMBORNE MINSTER	–	1	–	–	–	–
Rural District:—						
WEYMOUTH ...		–	–	1	–	–
DURHAM	–	65	28	1	65	C. 1 M. 8
†DARLINGTON C B	–	1	3	–	1	–
†GATESHEAD C.B.	–	4	1	–	3	–
†SOUTH SHIELDS C.B.	–	4	2	–	12	M. 1
†SUNDERLAND C.B.	–	14	1	–	6	M. 2
†WEST HARTLEPOOL C.B	–	1	1	–	3	M. 2
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	2	–	–	–
BENFIELDSIDE ...	–	1	–	–	–	–
†BISHOP AUCKLAND	–	–	1	–	–	–
†BLAYDON... ..	–	1	–	–	–	–
†BRANDON AND BYSHOTTLES	–	1	–	–	–	–
†CHESTER LE STREET	–	–	1	–	–	–
†CONSETT	–	–	2	–	–	–
†CROOK	–	1	–	–	–	–
†DURHAM	–	–	–	1	–	–
†FELLING	–	–	–	–	5	–
†HARTLEPOOL ...	–	2	–	–	–	–
†HETTON	–	4	–	–	1	–
†HOUGHTON LE SPRING	–	–	–	–	1	–
†JARROW	–	1	1	–	12	–
†RYTON	–	–	1	–	–	–
†SHILDON	–	5	–	–	–	–
†SOUTHWICK ON WEAR	–	–	–	–	2	–
†STANLEY	–	2	2	–	2	–
†STOCKTON ON TEES	–	–	2	–	2	–
†TANFIELD ...	–	2	1	–	3	–
†WASHINGTON ...	–	3	1	–	–	–
WILLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	6	2	–	2	–
BARNARD CASTLE	–	1	–	–	–	–
CHESTER LE STREET	–	6	1	–	3	M. 1
DURHAM	–	1	1	–	–	–
EASINGTON ...	–	1	1	–	1	M. 1
HOUGHTON LE SPRING	–	2	–	–	6	–
SOUTH SHIELDS	–	–	–	–	–	C. 1
SUNDERLAND ...	–	–	1	–	–	M. 1
ISLE OF ELY ..	–	–	–	–	1	–
Borough and Urban District:—						
ELY	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	52	35	1	24	E. 1 M. 1
†EAST HAM C.B. ...	–	4	1	–	2	–
†SOUTHEND-ON-SEA C.B.	–	2	2	–	4	–
†WEST HAM C.B. ...	–	13	10	1	4	–
Boroughs and Urban Districts:—						
†BARKING TOWN	–	–	–	–	2	–
FRINTON ON SEA	–	1	–	–	–	–
†GRAYS THURROCK	–	–	3	–	–	–
HALSTEAD ...	–	–	–	–	1	–
†ILFORD	–	3	5	–	1	M. 1
†LEYTON	–	2	8	–	2	E. 1
†ROMFORD ...	–	–	1	–	–	–
SHOEBURYNESS ...	–	–	–	–	2	–
†WALTHAMSTOW ...	–	11	4	–	–	–
†WANSTEAD ...	–	2	–	–	–	–
†WOODFORD ...	–	1	1	–	–	–
Rural Districts:—						
BILLERICAY ...	–	4	–	–	1	–
CHELMSFORD ...	–	1	–	–	–	–
DUNMOW... ...	–	–	–	–	1	–
EPPING	–	3	–	–	–	–
HALSTEAD ...	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
MALDON	–	1	–	–	4	–
ROMFORD ...	–	2	–	–	–	–
GLOUCESTER ...	–	75	22	1	10	E. 2 G. 3 M. 2
†BRISTOL C.B. ...	–	53	17	1	7	E. 2 G. 3 M. 2
†GLOUCESTER C.B.	–	1	3	–	1	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	1	–	–	–
†KINGSWOOD ...	–	3	–	–	–	–
GLOUCESTER—*cont.*						
Rural Districts:—						
CHELTENHAM ...	–	3	–	–	–	–
CHIPPING SODBURY	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	9	–	–	–	–
GLOUCESTER ...	–	–	1	–	–	–
TEWKESBURY (part)	–	–	–	–	1	–
THORNBURY ...	–	1	–	–	1	–
WARMLEY ...	–	1	–	–	–	–
WEST DEAN ...	–	2	–	–	–	–
HEREFORD ...	–	1	1	–	3	C. 1 M. 2
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	–	–	–	M. 2
LEOMINSTER ...	–	1	–	–	–	–
Rural Districts:—						
DORE	–	–	1	–	–	C. 1
HEREFORD ...	–	–	–	–	1	–
ROSS	–	–	–	–	1	–
WEOBLEY ...	–	–	–	–	1	–
HERTFORD ...	–	18	2	2	3	L. 3
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	–	–	–	1	–
BUSHEY	–	3	–	–	–	–
HARPENDEN ...	–	–	1	–	–	–
†HEMEL HEMPSTEAD	–	3	–	1	–	–
HODDESDON ...	–	1	–	–	–	–
†LETCHWORTH ...	–	1	–	–	–	–
ROYSTON	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
†ST. ALBANS ...	–	2	–	–	–	–
TRING... ...	–	–	1	–	–	–
†WATFORD ...	–	3	–	–	–	–
Rural Districts:—						
BUNTINGFORD ...	–	–	–	–	1	–
WARE	–	1	–	–	–	–
WATFORD ...	–	3	–	1	1	L. 3
KENT	–	50	15	5	16	C. 1 M. 1
Boroughs and Urban Districts:—						
†ASHFORD ...	–	1	–	–	–	–
†BECKENHAM ...	–	–	–	–	2	–
†BEXLEY	–	4	1	–	–	–
†BROMLEY ...	–	3	–	–	–	–
†CHATHAM ...	–	2	1	1	1	–
†CRAYFORD ...	–	1	–	–	–	–
†DARTFORD ...	–	–	1	–	–	–
†DOVER	–	–	2	–	–	–
†ERITH	–	1	–	–	–	–
†FAVERSHAM ...	–	2	–	–	–	–
†FOLKESTONE ...	–	2	–	2	1	M. 1
†GILLINGHAM ...	–	5	1	–	4	–
†GRAVESEND ...	–	3	1		–	–
HYTHE	–	–	–	–	1	–
†MAIDSTONE ...	–	1	–	1	1	–
†MARGATE ...	–	1	–	–	–	–
MILTON REGIS ...	–	–	–	–	–	C. 1
†NORTHFLEET ...	–	1	2	–	–	–
†PENGE	–	–	2	–	1	–
QUEENBOROUGH	–	5	–	–	–	–
†RAMSGATE ...	–	–	–	1	1	–
†ROCHESTER ...	–	2	1	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	1	–
†SHEERNESS ...	–	3	–	–	–	–
SITTINGBOURNE	–	–	1	–	–	–
†TONBRIDGE ...	–	1	1	–	–	–
WHITSTABLE ...	–	–	–	–	1	–
KENT—*cont.*						
Rural Districts:—						
DARTFORD ..	–	1	1	–	–	–
EAST ASHFORD ...	–	4	–	–	–	–
EASTRY	–	–	–	–	1	–
ELHAM	–	1	–	–	–	–
HOLLINGBOURNE	–	1	–	–	–	–
MALLING	–	2	–	–	1	–
MILTON	–	3	–	–	–	–
LANCASTER ...	1	372	108	7	232	C. 7 E. 1 G. 13 L. 3 M. 35
†BARROW IN FURNESS C.B.	–	10	–	–	–	–
†BLACKBURN C.B.	–	3	1	–	12	–
†BLACKPOOL C.B.	–	2	–	1	1	M. 2
†BOLTON C.B. ...	–	13	1	–	1	M. 2
†BOOTLE C.B. ...	–	8	6	–	1	G. 1 M. 1
†BURNLEY C.B. ...	–	41	4	–	3	–
†BURY C.B. ...	–	3	4	–	6	–
†LIVERPOOL C.B. ...	–	53	25	–	41	C. 1 G. 6 M. 14
†MANCHESTER C.B.	–	50	15	3	50	C. 3 G. 2 M. 8
†OLDHAM C.B. ...	–	13	1	–	4	–
†PRESTON C.B. ...	–	4	6	1	1	C. 1
†ROCHDALE C.B. ...	–	6	3	–	–	M. 1
†ST. HELENS C.B.	–	6	1	–	9	E. 1
†SALFORD C.B. ...	–	20	11	–	9	C. 1 M. 2
†SOUTHPORT C.B.	–	4	–	1	7	–
†WARRINGTON C.B.	–	5	1	–	7	–
†WIGAN C.B. ...	–	4	1	–	5	M. 1
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	2	–	–	1	–
ADLINGTON ...	–	1	–	–	–	–
†ASHTON IN MAKERFIELD	–	1	–	–	1	–
†ASHTON UNDER LYNE	–	3	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
ASPULL	–	–	–	–	7	–
†ATHERTON ...	–	–	–	–	1	–
AUDENSHAW ...	–	4	–	–	1	–
†BACUP	–	–	–	–	1	–
BRIERFIELD ...	–	–	–	–	1	–
†CHADDERTON ...	–	1	1	–	4	–
†CHORLEY ...	–	–	–	–	1	–
CHURCH	–	1	–	–	–	–
†CLITHEROE ...	1	–	–	–	–	–
†COLNE	–	1	–	–	2	–
†CROMPTON ...	–	–	3	–	–	–
†DALTON IN FURNESS	–	–	1	–	–	–
†DARWEN ...	–	7	–	–	–	–
†DENTON	–	–	–	–	1	–
†DROYLSDEN ...	–	2	1	–	1	–
†ECCLES	–	–	–	–	–	C. 1
†FAILSWORTH ...	–	5	–	–	1	–
†FARNWORTH ...	–	2	1	–	2	–
FULWOOD	–	1	–	–	–	–
†GREAT CROSBY ...	–	2	–	–	–	–
†GREAT HARWOOD	–	1	1	–	–	–
†HASLINGDEN ...	–	1	–	–	–	–
†HEYWOOD ...	–	4	–	–	–	–
†HINDLEY	–	1	–	–	2	–
†HORWICH ...	–	2	3	–	–	–
HURST	–	1	–	–	–	–
†INCE IN MAKERFIELD	–	4	–	1	2	–
†LANCASTER ...	–	4	–	–	2	–
LATHOM AND BURSCOUGH	–	–	–	–	2	–
LEES	–	1	–	–	2	–
†LEIGH	–	3	3	–	1	G. 1
†LITHERLAND ...	–	3	–	–	–	M. 1
LITTLE CROSBY ...	–	–	–	–	–	G. 1
LONGRIDGE ...	–	–	1	–	–	–
†LYTHAM ST. ANNE'S	–	2	–	–	–	–
†MIDDLETON ...	–	2	–	–	2	–
†MORECAMBE ...	–	1	–	–	–	–
†NELSON	–	–	–	–	1	–
†NEWTON IN MAKERFIELD	–	1	–	–	–	–
NORDEN	–	1	–	–		–
ORRELL	–	1	–	–	–	–
†OSWALDTWISTLE	–	–	–	–	–	M. 1
†PADIHAM... ..	–	2	–	–	–	M. 1
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
POULTON LE FYLDE	–	3	–	–	–	–
PRESCOT	–	1	–	–	–	G. 1
†PRESTWICH ...	–	2	–	–	–	–
†RADCLIFFE ...	–	1	1	–	–	–
†RAMSBOTTOM ...	–	2	–	–	1	–
†RAWTENSTALL ...	–	1	–	–	1	–
RISHTON	–	–	–	–	1	–
†ROYTON	–	1	–	–	–	–
SKELMERSDALE ...	–	1	–	–	–	–
†STRETFORD ...	–	9	–	–	1	–
†SWINTON AND PENDLEBURY	–	1	3	–	2	–
†TYLDESLEY WITH SHAKERLEY	–	4	–	–	4	–
†ULVERSTON ...	–	4	–	–	–	–
†WATERLOO WITH SEAFORTH	–	2	–	–	–	G. 1
†WESTHOUGHTON	–	1	1	–	1	–
WHITEFIELD ...	–	1	–	–	1	–
†WIDNES	–	7	5	–	14	–
Rural Districts :—						
BARTON UPON IRWELL	–	–	1	–	2	–
BLACKBURN ...	–	4	–	–	1	–
BURNLEY ...	–	1	–	–	–	–
BURY	–	2	–	–	2	–
CLITHEROE ...	–	–	1	–	1	L. 3
FYLDE	–	3	1	–	–	–
LEIGH	–	1	–	–	1	–
PRESTON	–	1	–	–	1	–
SEFTON	–	–	–	–	–	M. 1
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	1	–	–	–	–
WEST LANCASHIRE	*	*	*	*	*	*
WHISTON ...	–	3	–	–	–	–
WIGAN	–	1	–	–	–	–
LEICESTER... ...	–	8	12	–	9	G. 1 M. 1
†LEICESTER C.B. ...	–	4	1	–	6	G. 1 M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
ASHBY WOULDS...	–	–	–	–	1	–
†COALVILLE ...	–	–	1	–	–	–
MELTON MOWBRAY.	–	–	–	–	1	–
WIGSTON MAGNA	–	–	3	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	3	3	–	–	–
BARROW UPON SOAR	–	1	3	–	–	–
HINCKLEY ...	–	–	1	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	4	4	–	1	–
Boroughs and Urban Districts:—						
†BOSTON	–	1	–	–	–	–
HOLBEACH ...	–	1	–	–	–	–
†SPALDING ...	–	1	–	–	–	–
Rural Districts:—						
CROWLAND ...	–	–	4	–	1	–
EAST ELLOE ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	2	2	–	–	–
Boroughs and Urban Districts:—						
SLEAFORD ...	–	2	–	–	–	–
STAMFORD ...	–	–	1	–	–	–
Rural Districts:—						
BRANSTON ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	11	8	1	5	C. 1 E. 1 M. 1
†GRIMSBY C.B. ...	–	4	4	–	–	–
†LINCOLN C.B. ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	2	–	–	–
†CLEETHORPES ...	–	3	1	–	3	–
ROXBY CUM RISBY	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	1	–	–	2	C. 1
Rural Districts:—						
GAINSBOROUGH...	*	*	*	*	*	*
GLANFORD BRIGG	–	2	–	–	–	E. 1
HORNCASTLE ...	–	–	–	1	–	–
LOUTH	–	–	–	–	–	M. 1
MIDDLESEX ...	–	55	58	–	29	G. 3 L. 1 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	4	–	–	–	–
†BRENTFORD ...	–	2	2	–	–	–
†CHISWICK ...	–	–	1	–	–	–
†EALING	–	4	8	–	2	G. 1
† DMONTON ...	–	2	3	–	3	–
†ENFIELD	–	1	–	–	–	–
FELTHAM... ...	–	2	1	–	–	–
†FINCHLEY ...	–	2	–	–	–	–
†HAMPTON ...	–	1	–	–	–	–
HAMPTON WICK...	–	2	–	–	–	–
†HANWELL ...	–	3	1	–	–	–
†HENDON	–	4	6	–	1	G. 2
†HESTON AND ISLEWORTH	–	2	2	–	1	–
†HORNSEY... ...	–	1	7	–	3	M. 1
RUISLIP NORTHWOOD	–	4	–	–	–	–
†SOUTHALL NORWOOD	–	–	1	–	–	–
†SOUTHGATE ...	–	–	2	–	–	–
STAINES	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
SUNBURY ON THAMES	*	*	*	*	*	*
†TEDDINGTON ...	–	–	–	–	1	–
†TOTTENHAM ...	–	5	5	–	7	L. 1
†TWICKENHAM ...	–	1	–	–	1	–
†UXBRIDGE ...	*	*	*	*	*	*
†WEMBLEY ...	–	–	–	–	1	–
†WILLESDEN ...	–	9	19	–	5	–
†WOOD GREEN ...	–	1	–	–	2	–
Rural Districts:—						
HENDON	–	2	–	–	–	–
STAINES	–	2	–	–	–	–
NORFOLK	–	30	21	–	3	M. 1
†GREAT YARMOUTH C.B.	–	5	2	–	–	–
†NORWICH C.B. ...	–	14	17	–	2	M. 1
Boroughs and Urban Districts:—						
NORTH WALSHAM	–	–	1	–	–	–
Rural Districts:—						
DEPWADE ...	–	–	–	–	1	–
DOCKING	–	1	–	–	–	–
FOREHOE... ...	–	3	–	–	–	–
LODDON AND CLAVERING	–	1	–	–	–	–
MITFORD AND LAUNDITCH	–	1	–	–	–	–
SMALLBURGH ...	–	1	–	–	–	–
SWAFFHAM ...	–	–	1	–	–	–
WAYLAND ...	–	4	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON ...	–	9	4	1	18	–
†NORTHAMPTON C.B.	–	3	2	–	14	–
Boroughs and Urban Districts:—						
IRTHLINGBOROUGH	–	1	1	–	–	–
OUNDLE	*	*	*	*	*	*
†RUSHDEN ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	2	–	–	1	–
Rural Districts:—						
BRIXWORTH ...	–	–	–	–	1	–
DAVENTRY ...	–	1	–	–	–	–
THRAPSTON (part)	–	–	–	1	–	–
TOWCESTER ...	–	–	1	–	1	–
WELLINGBOROUGH	–	2	–	–	–	–
NORTHUMBERLAND	–	43	14	–	34	C. 1 E. 1 G. 1 M. 3
†NEWCASTLE UPON TYNE C.B.	–	5	2	–	14	C. 1 E. 1 G. 1 M. 1
†TYNEMOUTH C.B.	–	9	1	–	7	M. 1
Boroughs and Urban Districts:—						
ALNWICK ...	–	1	–	–	–	–
AMBLE	–	1	–	–	–	–
†ASHINGTON ...	–	1	–	–	–	–
†BEDLINGTONSHIRE	–	2	–	–	–	–
†BERWICK UPON TWEED	–	–	1	–	–	–
†BLYTH	–	8	4	–	3	M. 1
CRAMLINGTON ...	–	2	–	–	–	–
†EARSDON	–	2	1	–	–	–
†GOSFORTH ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
Hexham	-	–	–	–	1	–
†Longbenton ...	–	–	–	–	1	–
Morpeth ...	–	1	–	–	–	–
Newbiggin by the Sea	*	*	*	*	*	*
Prudhoe ...	–	–	–	–	2	–
Seaton Delaval	–	1	1	–	–	–
Seghill	–	–	–	–	3	–
†Wallsend ...	–	2	2	–	3	–
Weetslade ...	–	2	–	–	–	–
Rural Districts:—						
Castle Ward ..	–	1	–	–	–	–
Haltwhistle ...	–	2	–	–	–	–
Hexham	–	1	2	–	–	–
Morpeth ...	–	1	–	–	–	–
NOTTINGHAM ...	4	28	18	1	17	M. 3
†Nottingham C.B.	2	16	3	1	3	–
Boroughs and Urban Districts:—						
†Arnold	–	–	1	–	–	–
†Beeston	–	2	–	–	1	–
†Carlton	–	–	8	–	4	M. 1
†Hucknall ...	–	1	–	–	1	–
Huthwaite ...	–	1	–	–	–	–
†Kirkby in Ashfield	–	1	–	–	–	–
†Mansfield ...	–	1	1	–	2	M. 2
†Mansfield Woodhouse	–	3	–	–	1	–
†Sutton in Ashfield	–	1	1	–	2	–
†West Bridgford	–	–	1	–	–	–
†Worksop... ..	–	–	1	–	–	–
Rural Districts:—						
Basford	1	1	–	–	–	–
Bingham ...	–	–	2	–	1	–
Blyth and Cuckney	–	–	–	–	1	–
NOTTINGHAM—*cont.*						
Rural Districts—*cont.*						
East Retford ..	–	1	–	–	–	–
†Newark	–	–	–	–	1	–
Stapleford ...	1	–	–	–	–	–
OXFORD	–	15	2	1	2	M. 2
†Oxford C.B. ...	–	4	–	–	1	M. 1
Boroughs and Urban Districts:—						
†Banbury... ...	–	1	1	–	–	M. 1
Rural Districts:—						
Chipping Norton	–	1	–	–	–	–
Crowmarsh ...	–	–	–	1	–	–
Goring	–	–	–	–	1	–
Headington ...	–	8	–	–	–	–
Henley	–	1	–	–	–	–
Woodstock ...	–	–	1	–	–	–
PETERBOROUGH (Soke of)	–	5	–	–	1	–
Borough:—						
†Peterborough...	–	5	–	–	1	–
RUTLAND	–	1	–	–	–	–
Rural District:—						
Ketton	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	10	4	1	4	–
Boroughs and Urban Districts:—						
DAWLEY	–	–	1	–	–	–
MARKET DRAYTON	–	1	–	–	–	–
†OAKENGATES ...	–	–	1	–	–	–
OSWESTRY ...	–	1	–	1	–	–
†SHREWSBURY ...	–	1	–	–	2	–
Rural Districts:—						
ATCHAM	–	1	1	–	–	–
BRIDGNORTH ...	–	–	1	–	1	–
ELLESMERE ...	–	1	–	–	–	–
OSWESTRY ...	–	4	–	–	–	–
WELLINGTON ...	–	1	–	–	1	–
SOMERSET	–	28	2	1	7	G. 4 M. 1
†BATH C.B. ...	–	1	1	–	–	G. 2
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	4	–	–	–	–
CHARD	–	1	–	–	–	–
†FROME	–	1	–	–	–	–
MIDSOMER NORTON	–	1	–	–	–	–
MINEHEAD ...	*	*	*	*	*	*
RADSTOCK ...	–	1	–	–	–	–
†TAUNTON... ...	–	3	–	–	–	–
WELLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	1	–	–	1	G. 1
BATH	–	4	–	–	–	–
BRIDGWATER ...	–	5	–	–	–	–
CHARD	–	–	–	–	3	–
DULVERTON ...	–	–	–	–	–	M. 1
FROME	–	–	–	–	1	G. 1
KEYNSHAM ...	–	–	1	–	–	–
LANGPORT ...	–	2	–	–	–	–
LONG ASHTON ...	–	2	–	–	–	–
TAUNTON... ..	–	–	–	–	2	–
WILLITON ...	–	1	–	–	–	–
WINCANTON ...	–	–	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ...	–	59	31	2	9	M. 5
†BOURNEMOUTH C.B.	–	3	1	–	–	–
†PORTSMOUTH C.B.	–	26	22	1	1	M. 2
†SOUTHAMPTON C.B.	–	2	4	–	4	M. 1
Boroughs and Urban Districts:—						
†BASINGSTOKE ...	–	3	–	–	–	M. 1
CHRISTCHURCH ...	–	3	–	–	–	–
†FAREHAM ...	–	1	–	1	–	–
†GOSPORT	–	1	2	–	1	–
HAVANT	–	3	–	–	–	–
PETERSFIELD ...	–	1	–	–	–	–
ROMSEY	–	–	–	–	–	M. 1
†WINCHESTER ...	–	1	–	–	–	–
Rural Districts:—						
ANDOVER... ...	–	–	–	–	1	–
FAREHAM ...	–	–	–	–	1	–
KINGSCLERE ..	–	4	–	–	–	–
RINGWOOD ...	–	1	2	–	1	–
WHITCHURCH ...	–	10	–	–	–	–
STAFFORD	–	111	29	–	50	C. 2 L. 2 M. 17
†BURTON UPON TRENT C.B.	–	–	–	–	1	–
†SMETHWICK C.B.	–	7	4	–	2	C. 1 M. 1
†STOKE ON TRENT C.B.	–	42	6	–	2	C. 1 M. 11
†WALSALL C.B. ...	–	4	–	–	–	M. 2
†WEST BROMWICH C.B.	–	6	2	–	1	–
†WOLVERHAMPTON C.B.	–	3	3	–	1	M. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	11	1	–	–	–
BIDDULPH ...	–	6	–	–	–	–
†BILSTON	–	1	–	–	5	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BRIERLEY HILL...	–	1	–	–	–	–
†BROWNHILLS ...	–	3	–	–	–	–
†CANNOCK	–	2	–	–	1	–
†COSELEY	–	3	–	–	1	–
†LEEK	–	1	1	–	–	–
LICHFIELD ...	–	–	1	–	–	M. 1
†NEWCASTLE UNDER LYME	–	2	–	–	–	–
QUARRY BANK ...	–	–	–	–	1	–
†ROWLEY REGIS ...	–	2	–	–	2	–
†SEDGLEY ...	–	–	1	–	–	–
†STAFFORD ...	–	1	2	–	–	–
TAMWORTH ...	–	–	1	–	–	–
†TIPTON	–	2	–	–	–	–
†WEDNESBURY ...	–	1	–	–	4	M. 1
†WILLENHALL ...	–	1	–	–	–	–
†WOLSTANTON UNITED	–	3	2	–	–	–
Rural Districts:—						
CANNOCK	–	1	3	–	–	–
CHEADLE	–	–	2	–	3	L. 2
KINGSWINFORD ...	–	1	–	–	–	–
LEEK	–	3	–	–	–	–
LICHFIELD ...	–	–	–	–	1	–
SEISDON	–	–	–	–	1	–
TAMWORTH (part)	–	1	–	–	–	–
WALSALL... ...	–	3	–	–	–	–
SUFFOLK, EAST ...	–	18	4	–	6	–
†IPSWICH C.B. ...	–	11	2	–	1	–
Boroughs and Urban Districts:—						
LEISTON CUM SIZEWELL	–	–	–	–	1	–
†LOWESTOFT ...	–	2	2	–	1	–
Rural Districts:—						
HOXNE	–	–	–	–	2	–
MUTFORD AND LOTHINGLAND	–	1	–	–	–	–
SAMFORD... ...	–	2	–	–	–	–
WANGFORD ...	–	–	–	–	1	–
WOODBRIDGE ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	–	59	16	1	12	C. 1 G. 1 L. 1 M. 2
†CROYDON C.B. ...	–	12	8	–	4	G. 1 M. 1
Boroughs and Urban Districts:—						
†BARNES	–	1	1	–	–	–
†CATERHAM ...	–	5	–	–	–	–
†CHERTSEY ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	4	1	–	–	M. 1
†EGHAM	–	–	–	–	1	–
†FARNHAM ..	–	1	–	–	–	–
†GUILDFORD ...	–	2	–	–	–	–
†KINGSTON ON THAMES	–	4	1	–	–	C. 1
LEATHERHEAD ...	–	1	–	–	–	–
†MERTON AND MORDEN	–	2	–	–	–	–
†MITCHAM... ...	–	9	–	–	1	–
†REIGATE	–	–	–	1	–	–
†RICHMOND ...	–	–	1	–	–	–
†SURBITON ...	–	1	–	–	2	–
†WIMBLEDON ...	–	9	2	–	–	–
†WOKING	–	1	–	–	1	–
Rural Districts:—						
CHERTSEY ...	–	–	1	–	2	–
EPSOM	–	–	–	–	–	L. 1
GODSTONE ...	–	2	1	–	–	–
GUILDFORD ...	–	1	–	–	–	–
HAMBLEDON ...	–	3	–	–	–	–
REIGATE	–	–	–	–	1	–
SUSSEX, EAST ...	–	16	8	1	8	G. 1
†BRIGHTON C.B. ...	–	5	6	–	6	–
†EASTBOURNE, C.B.	–	1	–	–	1	G. 1
†HASTINGS C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	2	–	1	–	–
HAYWARD'S HEATH	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*—cont.*						
Boroughs and Urban Districts—*cont.*						
†HOVE	–	2	–	–	–	–
PORTSLADE BY SEA	–	–	–	–	1	–
SEAFORD ...	–	–	1	–	–	–
Rural Districts :—						
CHAILEY... ...	*	*	*	*	*	*
STEYNING EAST...	–	1	–	–	–	–
UCKFIELD ...	–	4	–	–	–	–
SUSSEX, WEST ...	–	6	–	–	3	–
Boroughs and Urban Districts :—						
†BOGNOR	–	2	–	–	–	–
†CHICHESTER ...	–	–	–	–	1	–
†LITTLEHAMPTON	–	2	–	–	–	–
Rural Districts :—						
HORSHAM ...	–	1	–	–	–	–
STEYNING WEST	–	–	–	–	1	–
WESTHAMPNETT	–	1	–	–	1	–
WARWICK	–	92	62	–	60	C. 1 M. 9
†BIRMINGHAM C.B.	–	54	51	–	41	C. 1 M. 7
†COVENTRY C.B. ...	–	19	3	–	3	M. 1
Boroughs and Urban Districts :—						
†NUNEATON ...	–	–	–	–	10	M. 1
†ROYAL LEAMINGTON SPA	–	1	–	–	1	–
†RUGBY	–	1	1	–	–	–
SUTTON COLDFIELD	–	1	–	–	–	–
WARWICK—*cont.*						
Rural Districts :—						
ATHERSTONE ...	–	2	1	–	1	–
FOLESHILL ...	–	5	–	–	–	–
MERIDEN... ...	–	2	3	–	2	–
RUGBY	–	1	–	–	–	–
SOLIHULL ...	–	2	–	–	–	–
SOUTHAM ...	–	–	–	–	1	–
TAMWORTH (part)	–	4	3	–	–	–
WARWICK ...	–	–	–	–	1	–
WESTMORLAND ...	–	2	–	–	1	–
Borough and Urban District :—						
†KENDAL	–	1	–	–		–
Rural Districts :—						
SOUTH WESTMORLAND	–	1	–	–	1	–
WIGHT, ISLE OF ...	–	1	1	–	–	–
Boroughs and Urban Districts :—						
EAST COWES ...	–	1	–	–	–	–
SHANKLIN ...	–	–	1	–	–	–
WILTS	–	22	–	–	3	M. 1
Boroughs and Urban Districts :—						
CHIPPENHAM ...	–	1	–	–	–	–
†SWINDON ...	–	2	–	–	1	M. 1
WARMINSTER ...	–	3	–	–	–	–
Rural Districts :—						
CHIPPENHAM ...	–	1	–	–	–	–
DEVIZES	–	1	–	–	–	–
MARLBOROUGH ...	–	–	–	–	1	–
PEWSEY	–	12	–	–	–	–
RAMSBURY ...	–	2	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	13	6	–	5	M. 2
†Worcester C.B.	–	–	1	–	1	–
Boroughs and Urban Districts:—						
Bewdley ...	–	1	–	–	–	–
†Kidderminster	–	3	1	–	–	–
†Lye and Wollescote	–	1	–	–	–	–
†Malvern ...	–	1	1	–	1	–
North Bromsgrove	–	–	–	–	–	M. 1
†Oldbury ...	–	–	2	–	1	–
†Redditch ...	–	–	–	–	1	–
†Stourbridge ...	–	2	1	–	–	–
Rural Districts:—						
Bromsgrove ...	–	2	–	–	–	–
Droitwich ...	–	–	–	–	1	–
Halesowen ...	–	2	–	–	–	M. 1
Pershore ...	–	1	–	–	–	–
YORKS (East Riding)	–	10	17	–	1	–
†Kingston upon Hull C.B.	–	7	12	–	1	–
Boroughs and Urban Districts:—						
†Bridlington ...	–	1	1	–	–	–
Cottingham ...	–	1	–	–	–	–
Withernsea ...	–	–	1	–	–	–
Rural Districts:—						
Escrick	–	1	–	–	–	–
Patrington ...	–	–	2	–	–	–
Skirlaugh ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding).	3	40	5	3	12	J. 1 M. 2
†Middlesbrough C.B.	2	16	4	–	8	J. 1
Boroughs and Urban Districts:—						
†Eston	1	16	1	1	–	–
Guisborough ...	–	–	–	–	2	–
Northallerton	–	1	–	–	–	–
†Redcar	–	1	–	–	–	–
Richmond ...	–	1	–	–	–	–
†Thornaby on Tees	–	–	–	–	–	M. 1
Rural Districts:—						
Easingwold ...	–	2	–	–	–	–
Middlesbrough	–	1	–	–	–	–
Richmond ..	–	–	–	2	2	–
Thirsk	–	2	–	–	–	M. 1
YORKS (West Riding).	9	205	72	9	157	C. 7 D. 3 G. 1 M. 7
†Barnsley C.B. ...	–	1	5	1	1	C. 1
†Bradford C.B. ...	–	13	12	–	10	C. 1 D. 1 G. 1
†Dewsbury C.B....	–	5	–	–	–	M. 1
†Halifax C.B. ...	–	1	1	1	1	–
†Huddersfield C.B.	–	7	1	–	2	C. 1
†Leeds C.B. ...	–	71	11	–	1	C. 2 M. 1
†Rotherham C.B.	–	4	–	–	8	–
†Sheffield C.B....	–	25	20	2	77	C. 1 M. 2
†Wakefield C.B.	–	2	2	–	2	–
Boroughs and Urban Districts:—						
†Adwick le Street	–	–	2	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†BATLEY	–	3	–	–	1	–
†BENTLEY WITH ARKSEY	3	1	1	–	–	–
†BINGLEY	–	–	1	–	–	M. 1
BIRSTAL	–	–	–	–	1	–
†BRIGHOUSE ...	–	2	–	1	–	–
†CASTLEFORD ...	–	8	–	–	–	–
†CONISBROUGH ...	–	3	–	–	–	–
CUDWORTH ...	–	–	1	–	–	–
DARFIELD ...	–	1	–	–	8	–
†DONCASTER ...	6	6	1	–	–	–
†ELLAND	–	–	–	1	1	–
†FEATHERSTONE ...	–	–	–	–	2	–
†GOLCAR	–	–	–	1	–	–
†GOOLE ...	–	3	–	–	1	–
†HARROGATE ...	–	1	–	–	1	–
HAWORTH ...	–	2	–	–	–	–
HEBDEN BRIDGE	–	2	–	–	1	–
†HEMSWORTH ...	–	–	–	–	–	D. 2
HIPPERHOLME ...	–	–	1	–	–	–
HORSFORTH ...	–	1	–	–	–	–
ILKLEY	–	–	1	–	–	–
†KEIGHLEY ...	–	1	–	–	2	–
MELTHAM ...	–	1	–	–	–	–
†MEXBOROUGH ...	–	2	2	–	1	–
†MORLEY	–	3	–	–	2	–
MYTHOLMROYD ...	*	*	*	*	*	*
†NORMANTON ...	–	2	–	–	2	–
OAKWORTH ...	–	2	–	–	–	–
†OSSETT	–	1	–	–	–	–
†PONTEFRACT ...	–	–	–	1	–	C. 1
†PUDSEY	–	3	–	–	–	–
†RAWMARSH ...	–	3	–	–	3	–
†SADDLEWORTH ...	–	1	–	–	–	–
†SHIPLEY	–	2	–	–	–	–
†SKIPTON	–	1	1	–	–	–
†SOWERBY BRIDGE	–	2	–	–	–	–
SPRINGHEAD ...	–	–	–	–	1	–
†STANLEY	–	1	2	–	4	–
STOCKSBRIDGE ...	–	1	–	–	2	–
THURNSCOE ...	–	–	1	–	–	–
†TODMORDEN ...	–	4	–	–	1	–
WHITWOOD ..	–	1	–	–	–	–
†WOMBWELL ...	–	1	–	–	3	–
YEADON	–	–	–	–	1	–
YORKS (West Riding) —*cont.*						
Rural Districts:—						
DONCASTER ...		1	1	–	4	–
GOOLE	–	–	–	–	–	M. 1
HEMSWORTH ...	–	1	–	–	6	–
PENISTONE ...	–	1	–	–	–	–
PONTEFRACT ...	–	2	–	–	1	–
ROTHERHAM ...	–	1	–	–	–	M. 1
SKIPTON	–	–	2	–	1	–
TADCASTER ...	–	1	1	–	–	–
TODMORDEN ...	–	1	–	–	–	–
WAKEFIELD ...	–	1	–	–	–	–
WETHERBY ...	–	1	1	1	3	–
WORTLEY... ...	–	1	1	–	1	–
†YORK C.B. ...	–	13	–	–	–	M. 1
WALES						
ANGLESEY	–	1	3	–	–	M. 1
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	1	–	–	–	–
LLANGEFNI ...	–	–	–	–	–	M. 1
Rural Districts:—						
AETHWY	–	–	2	–	–	–
TWRCELYN ...	–	–	1	–	–	–
BRECKNOCK ...	–	1	3	–	6	–
Urban Districts:—						
BRYNMAWR ...	–	–	–	–	3	–
Rural Districts:—						
CRICKHOWELL ...	–	–	1	–	2	–
VAYNOR AND PENDERYN	–	–	–	–	1	–
YSTRADFELLTE ... (parish).	–	1	–	–	–	–
YSTRADGYNLAIS	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN	–	2	5	–	–	C. 1
Boroughs and Urban Districts:—						
ABERAYRON ...	–	–	1	–	–	–
†ABERYSTWYTH ...	–	–	–	–	–	C. 1
CARDIGAN ...	–	–	1	–	–	–
LAMPETER ...	–	–	1	–	–	–
NEW QUAY ...	–	–	2	–	–	–
Rural Districts:—						
ABERAYRON ...	–	1	–	–	–	–
LAMPETER ...	–	1	–	–	–	–
CARMARTHEN ...	–	15	6	1	4	C. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	–	–	1	–
CWMAMMAN ...	–	1	–	–	–	–
KIDWELLY ...	–	–	1	–	–	–
†LLANELLY ...	–	5	1	1	2	C. 1
Rural Districts:—						
CARMARTHEN ...	–	2	–	–	–	–
LLANDILO FAWR	–	1	2	–	–	–
LLANELLY ...	–	5	2	–	1	–
LLANBYTHER ...	–	1	–	–	–	–
CARNARVON ...	–	5	5	–	–	–
Boroughs and Urban Districts:—						
CONWAY	–	–	1	–	–	–
LLANFAIRFECHAN	–	3	–	–	–	–
Rural Districts:—						
CONWAY	–	1	3	–	–	–
GWYRFAI... ...	–	–	1	–	–	–
OGWEN	–	1	–	–	–	–
DENBIGH	–	3	8	–	3	G. 1 M. 1
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN	–	2	–	–	–	–
LLANRWST ...	–	–	3	–	–	–
RUTHIN	–	–	–	–	–	M. 1
†WREXHAM ...	–	1	1	–	–	–
Rural Districts:—						
LLANRWST ...	–	–	1	–	–	–
RUTHIN	–	–	–	–	1	–
ST. ASAPH (DENBIGH)	–	–	–	–	1	G. 1
WREXHAM ...	–	–	3	–	1	–
FLINT	–	3	3	–	1	–
Boroughs and Urban Districts:—						
†RHYL	–	2	–	–	–	–
Rural Districts:—						
HAWARDEN ..	–	1	–	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	3	–	1	–
GLAMORGAN ...	–	117	54	–	32	C. 2 D. 1 G. 1 L. 1 M. 5
†CARDIFF C.B. ...	–	8	12	–	4	G. 1 L. 1 M. 1
†MERTHYR TYDFIL C.B.	–	3	4	–	2	M. 1
†SWANSEA C.B. ...	–	18	10	–	1	M. 1½
Boroughs and Urban Districts:—						
†ABERDARE ...	–	16	1	–	1	–
†BARRY	–	1	2	–	5	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CAERPHILLY ...	–	3	3	–	–	–
†GELLIGAER ...	–	2	3	–	–	D. 1
†GLYNCORWG ...	–	–	1	–	–	–
†MAESTEG	–	2	–	–	1	–
†MOUNTAIN ASH ...	–	12	–	–	1	C. 1
†NEATH	–	–	2	–	2	–
†OGMORE AND GARW	–	3	–	–	2	–
†PENARTH... ...	–	2	1	–	–	–
†PONTYPRIDD ...	–	3	1	–	1	–
PORTHCAWL ...	–	–	2	–	–	–
†PORT TALBOT ...	–	–	6	–	–	–
†RHONDDA ...	–	32	5	–	5	C. 1
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
COWBRIDGE ...	–	2	–	–	–	–
GOWER	–	–	1	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	2	–	–	2	M. 1
NEATH	–	5	–	–	5	–
PONTARDAWE ...	–	2	–	–	–	–
SWANSEA... ...	–	1	–	–	–	–
MERIONETH ...	–	2	–	–	1	–
Urban District:—						
FESTINIOG ...	–	2	–	–	–	–
Rural District:—						
PENLLYN... ...	–	–	–	–	1	–
MONMOUTH ...	–	20	9	–	10	C. 3 M. 1
†NEWPORT C.B. ...	–	2	–	–	1	–
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	1	2	–	–	–
†ABERTILLERY ...	–	1	2	–	3	–
BEDWAS AND MACHEN	–	–	–	–	2	–
†BEDWELLTY ...	–	3	–	–	–	–
†BLAENAVON ...	–	1	–	–	1	–
†EBBW VALE ...	–	3	1	–	–	C. 1 M. 1
MONMOUTH ...	–	2	–	–	–	C. 1
†MYNYDDISLWYN	–	1	1	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	2	C. 1
PONTYPOOL ...	–	–	1	–	–	–
†RHYMNEY ...	–	5	–	–	–	–
†TREDEGAR ...	–	1	–	–	1	–
Rural Districts:—						
CHEPSTOW ...	–	–	1	–	–	–
PONTYPOOL ...	–	–	1	–	–	–
MONTGOMERY ...	–	7	7	–	2	–
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	1	–	–	1	–
Rural Districts:—						
FORDEN... ...	–	–	–	–	1	–
LLANFYLLIN ...	–	4	–	–	–	–
MACHYNLLETH ...	–	1	–	–	–	–
NEWTOWN AND LLANIDLOES	–	1	7	–	–	–
PEMBROKE	–	–	1	–	–	–
Boroughs and Urban Districts:—						
FISHGUARD ...	–	–	1	–	–	–
HAVERFORDWEST	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H. Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
RADNOR	–	1	–	–	1	–
Rural Districts :—						
PAINSCASTLE ..	–	–	–	–	1	–
RHAYADOR ...	–	1	–	–	–	–
Total of Part II. ...	27	1905	786	46	987	C. 33 D. 4 E. 6 G. 35 J. 1 L. 11 M. 118

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SOUTHAMPTON ...	–	–	–	–	1	–
PORT OF LONDON ...	–	–	2	–	–	–
Total of Part III.— ...	–	–	2	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see page before)
Total of Part I.—London	–	182	290	13	98	C. D. E. G. J. L. M.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	27	1905	786	46	987	C. D. E. G. J. L. M.
Total of Part III.—Port Sanitary Districts	–	–	2	–	1	
Total (*i.e.*, of returns received), England and Wales ...	27	2087	1078	59	1086	C. D. E. G. J. L. M.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plag C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Po encephalitis : G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Contin Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus, Fever, or Plague notified during the w Twenty-seven cases of Small-pox were notified which appear on pages 156, 160, 163, 167, and 1

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Nov. 18.	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.
LONDON:—													
DEATHS—all ages	1,155	1,240	1,129	1,130	1,148	1,068	1,035	1,119	1,124	1,171	1,118	1,087	1,001
„ 0 to 1 year ..	123	131	149	139	153	127	123	119	132	124	118	102	117
GREAT TOWNS, aggregate (including London):—													
BIRTHS	7,086	7,281	7,058	7,107	7,339	6,910	6,277	8,273	8,409	7,935	7,963	7,374	7,689
DEATHS—all ages	4,710	4,599	4,596	4,464	4,726	4,590	4,558	4,910	4,843	4,958	4,841	4,742	4,648
„ 0 to 1 year ..	585	602	604	592	680	687	635	652	698	674	639	672	680
ENTERIC FEVER—Cases	13	24	25	24	15	15	14	16	12	20	19	23	30
„ Deaths	1	1	4	1	6	3	4	5	2	2	—	8	4
SMALL POX—Cases ..	6	14	13	13	2	8	11	3	18	22	20	10	10
„ Deaths ..	3	1	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,426	1,358	1,374	1,444	1,377	1,204	1,161	1,291	1,158	1,219	1,246	1,297	1,147
„ Deaths	13	18	8	18	20	22	19	14	27	7	14	8	12
DIPHTHERIA—Cases ..	653	662	759	783	671	661	592	711	675	662	725	742	746
„ Deaths ..	40	35	35	42	59	54	45	58	45	54	55	62	52
MEASLES—Deaths ..	95	88	85	75	76	74	75	72	62	90	72	73	71
INFLUENZA—Deaths ..	64	71	60	52	68	61	51	57	69	78	69	65	66

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 10th February, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	51	26	48·6	37·0	22	BRADFORD ..	50	31	46·1	36·0	27
						SHEFFIELD ..	50	33	46·6	36·1	35
BRIGHTON ..	50	31	48·1	40·4	29	YORK (MUSEUM)	49	31	46·3	36·0	25
PORTSMOUTH ..	54	32	50·7	40·9	44	HULL (PEARSON PARK).	50	32	47·4	37 6	20
NORWICH (EATON).	50	29	46·7	36·1	18						
						TYNEMOUTH ..	49	33	45·4	38·1	16
PLYMOUTH ..	53	37	51·0	41·9	67	CARDIFF	54	33	49·7	39·0	40
BRISTOL (CLIFTON).	52	35	48·1	38·9	60						
						EDINBURGH ..	46·0	34·0	44·7	35·5	19
BIRMINGHAM ..	51	32	46·6	37·0	48	GLASGOW ..	47·0	35·7	44·8	37·4	26
NOTTINGHAM ..	52	28	47·3	37·1	16	DUBLIN (PHŒNIX PARK).	53·3	30·9	50·1	35·9	50
BIRKENHEAD (BIDSTON).	51	35	47·4	37·4	17						
						FITZWILLIAM SQUARE.†	51·4	36·1	49·0	38·9	60
MANCHESTER ..	52	33	48·4	37·3	27						
BURNLEY.. ..	50	31	46·1	36·0	58						
HUDDERSFIELD	51	35	48·0	37·1	19	BELFAST	51·2	29·5	49·3	37·6	47

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 10th February, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	4	Perigee	29·894	49·2	30·5	18·7	41·3	+ 1·8	36·1	5·2	11·0	1·9	82	73·4	26·0	43·6	WSW : NW : NNW.	NNE : Calm.	1·5	0·0	0·1	233	- 85	0·00
MONDAY -	5	In Equator	29·890	48·6	25·9	22·7	37·7	- 1·9	34·6	3·1	9·4	0·2	88	79·9	24·4	43·9	Calm : SSW.	SSW : S : SSE.	1·1	0·0	0·0	214	- 101	0·00
TUESDAY -	6	..	29·388	44·4	36·5	7·9	40·4	+ 0·8	35·2	5·2	8·7	2·5	82	75·6	28·3	43·7	SSE : S.	S : SSE : SSW.	2·4	0·0	0·3	430	+ 112	0·02
WEDNESDAY	7	..	29·081	50·9	38·2	12·7	45·3	+ 5·8	42·9	2·4	3·9	1·7	91	58·2	30·4	43·6	SSW : SSE.	S : SSW.	4·2	0·0	0·3	451	+ 128	0·29
THURSDAY -	8	Last Quarter.	28·895	50·9	37·2	13·7	44·2	+ 4·9	42·7	1·5	4·3	0·9	94	54·2	31·0	43·6	SSE.	SSW : S.	4·6	0·0	0·3	371	+ 42	0·47
FRIDAY -	9	..	29·536	51·1	35·5	15·6	43·5	+ 4·4	40·0	3·5	7·5	0·0	87	78·1	29·9	43·6	Calm : SW.	Calm : SE.	0·5	0·0	0·0	163	- 169	0·00
SATURDAY -	10	..	29·369	46·1	41·1	5·0	43·9	+ 5·0	40·4	3·5	5·8	2·8	87	59·4	40·2	43·9	SE.	SE.	2·3	0·0	0·2	287	- 46	0·04
MEANS -		..	29·436	48·7	35·0	13·8	42·3	+ 3·0	38·8	3·5	7·2	1·4	87	68·4	30·0	43·7	S		..	..	..	Sum 2,149	Sum - 119	Sum 0·82
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. FEBRUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	4	W.P. till 12h.; S.P. till 18h., then W.P.	3·7	9·2	Overcast generally till 6h., then clearing. Partially cloudy 7h. till 17h, then cloudless with mist and hoar frost later. Dew in morning.
MONDAY ..	5	W.P. till noon; M.P. till 15h.; no register afterwards.	4·7	9·3	Cloudless generally, but with cloudy intervals between 8½h. and 15h. Mist in morning. Hoar frost in morning and at night.
TUESDAY ..	6	No register	2·5	9·3	Variably cloudy generally. Overcast period 15h. till 21h. Slight rain 18h. till 21½h. Brisk wind 12h. till 21h.
WEDNESDAY	7	No register	0·0	9·4	Cloudless or nearly cloudless till 5h, then overcast or nearly overcast from 5¼h. Frequent rain 10h. till 20h. Brisk wind generally from 9h.
THURSDAY	8	No register	0·0	9·5	Overcast till 18½h., then clearing. Cloudless from 19h. to 23½h., then cloudy. Rain 1h. till 14h. Brisk wind till 8h. Slight squall at 13h. Slight mist in evening.
FRIDAY ..	9	No register	4·6	9·5	Variably cloudy with both a nearly cloudless interval from about 12h. to 18½h., and an overcast period from about 20h. to midnight. Mist from 5h., increasing temporarily at 8h. to fog.
SATURDAY	10	No register	0·0	9·6	Overcast generally. Frequent slight rain or damping from 8h.
			Sum 15·5	Sum 65·8	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·81 in. at the beginning of the week to 29·99 in. by 0h. on Feb. 5; decreased generally to 28·75 in. by 10h. on 8th; increased to 29·60 in. by 19h on the 9th; decreased to 29·34 in. by 22h. on the 10th, and was 29·35 in. by midnight on the same day.

Printed and published by His Majesty's Stationery Office Press.
11–17, Hare Street, E.2.

(40806) Wt. 15—P 11 2250 2/23 H. St. G. 43

FOR OFFICIAL USE.

1923. No. 7.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 17TH FEBRUARY, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 23 Forth Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course

NOTES FOR THE WEEK ENDED 17TH FEBRUARY, 1923.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the seventh week of the year numbered 7,865, and corresponded to an annual rate of 21·5 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,446 and corresponded to an annual rate of 12·2 per 1,000 of their aggregate civilian population, which is estimated at 19,052,710 in the year 1921. In the preceding three weeks the rates had been 13·2, 13·0, and 12·7. Infant mortality was 80 per 1,000 births against 80, 91, and 88 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,928 births, corresponding to a rate of 22·2 per 1,000, and 977 deaths of civilians, corresponding to a rate of 11·3, as against 12·9, 12·6, and 11·6 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 12·1 per 1,000. The infant mortality was 64 as against 61, 58, and 66 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 202 in the total deaths last week. In London the number of deaths from all causes fell from 1,001 to 977; while the deaths from diphtheria, which had been 18, 27, and 24 in the preceding three weeks, fell to 20 last week.

Just Published:

The "Registrar General's Statistical Review" 1921. Tables Part I (Medical). Price 15*s.* net.

Supplement to 75th Annual Report of the Registrar General. Part IV. Mortality of Men in Certain Occupations 1910–12. Price 13*s.* 6*d.* net.

Census of England and Wales, 1921. County of London. Tables (Part II). Price 8*s.* net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 23 Forth Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 17th February, 1923.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9	10.	11.
105 Great Towns ..	19,052,710*	7,865	4,446	628	5	84	18	65	51	44	71
London	4,514,405*	1,928	977	123	–	3	–	15	20	11	14
Towns in Outer Ring:											
Croydon C.B. ..	191,500	71	34	4	–	–	–	–	–	–	–
Wimbledon ..	61,700	12	8	1	–	–	–	–	–	–	–
Ealing	67,800	21	12	–	–	–	–	1	1	–	1
Acton	62,000	20	12	1	–	–	–	–	–	–	–
Willesden ..	167,200	65	30	5	–	–	–	–	2	–	–
Hendon	55,500	15	6	2	–	–	–	1	–	–	–
Hornsey	87,600	14	20	–	–	–	–	–	–	–	1
Wood Green ..	51,100	19	17	–	–	–	–	–	–	–	1
Tottenham ..	149,200	61	25	5	–	–	–	–	1	1	–
Edmonton ..	67,800	48	12	1	–	–	–	–	–	–	–
Enfield	61,400	15	9	–	–	–	–	–	–	–	–
West Ham C.B. ..	307,000	144	57	9	–	–	–	–	1	–	–
East Ham C.B. ..	145,500	59	31	1	–	–	1	–	–	–	–
Leyton	130,100	27	22	–	–	–	–	–	–	1	–
Walthamstow ..	129,800	52	21	2	–	–	–	–	–	–	–
Ilford	85,500	35	15	–	–	–	–	1	–	–	–
Gillingham	48,149*	24	9	–	–	–	–	–	–	–	–
Canterbury C.B. ..	23,680	14	5	1	–	–	–	–	–	–	–
Hastings C.B.	59,500	19	15	1	–	–	–	–	–	–	1
Eastbourne C.B. ..	53,600	9	11	–	–	–	–	–	–	–	–
Brighton C.B. ..	134,800	42	30	3	–	2	–	–	–	–	–
Portsmouth C.B. ..	233,929*	113	64	4	1	2	–	1	2	–	1
Bournemouth C.B. ..	81,200	29	23	–	–	1	–	1	–	–	1
Southampton C.B. ..	162,200	60	40	6	–	–	–	1	–	2	–
Reading C.B.	92,600	39	21	3	–	–	–	–	–	–	–
Oxford C.B.	56,400	24	10	–	–	–	–	–	–	–	–
Northampton C.B. ..	92,300	41	24	3	–	–	–	–	–	–	1
Luton	57,800	24	7	3	–	–	–	–	–	–	–
Cambridge	58,900	17	13	2	1	–	–	–	–	–	1
Southend-on-Sea C.B.	90,500	24	14	3	–	–	–	–	–	–	1
Ipswich C.B.	80,100	24	11	–	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	14	6	–	–	–	–	–	–	–	–
Norwich C.B. ..	122,400	47	15	1	–	1	1	–	–	–	–
Swindon	55,500	15	12	2	–	–	–	–	–	–	1
Exeter C.B.	59,500	22	15	1	–	–	–	–	–	–	–
Plymouth C.B. ..	199,869*	90	56	4	–	–	–	–	–	–	–
Bath C.B.	68,300	23	16	–	–	–	–	1	–	–	1
Bristol C.B.	381,700	140	76	7	–	1	1	5	–	–	1
Gloucester C.B. ..	51,800	26	13	2	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	273,238	128	72	13	–	3	1	–	1	1	1
Burton-upon-Trent C.B.	49,410	22	8	2	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	53	23	4	–	4	–	–	–	1	–
Walsall C.B.	98,800	43	18	5	–	1	–	1	–	–	1
West Bromwich C.B.	75,300	31	20	3	–	1	–	–	1	–	–
Dudley C.B.	57,100	27	13	3	1	–	–	–	1	–	–
Worcester C.B. ..	49,160	14	7	3	–	–	–	–	–	–	–
Birmingham C.B. ..	936,000	377	216	40	–	5	–	–	6	2	8
Smethwick C.B. ..	77,400	31	10	1	–	2	–	–	–	–	–
Coventry C.B. ..	130,300	50	18	2	–	–	–	1	–	–	–
Leicester C.B. ..	237,900	100	59	8	–	2	–	2	–	1	–
Lincoln C.B.	66,600	25	25	1	–	1	–	–	–	–	2
Grimsby C.B.	83,600	20	18	4	–	–	–	–	–	–	–
Nottingham C.B. ..	266,400	107	50	8	–	1	1	–	–	1	2
Derby C.B.	131,800	53	30	4	–	–	–	–	–	–	–
Chesterfield ..	62,400	29	20	3	–	–	–	–	–	–	2
Stockport C.B. ..	125,500	47	30	2	–	–	–	–	–	1	1
Chester C.B.	41,030	12	6	1	–	–	–	–	–	–	–
Birkenhead C.B. ..	147,800	62	29	1	–	–	–	–	–	–	1
Wallasey C.B. ..	89,600	21	22	2	–	–	–	1	–	–	2
Liverpool C.B. ..	817,000	440	211	37	–	3	1	3	3	1	1
Bootle C.B.	77,800	47	15	1	–	–	–	1	–	–	–
St. Helens C.B. ..	104,900	50	29	2	–	–	1	–	1	–	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1921.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	71,900	26	24	1	–	–	–	–	–	–	–
WIGAN C.B.	91,200	52	27	7	–	–	–	–	–	–	–
WARRINGTON C.B. ..	78,600	46	17	5	–	–	–	–	–	–	1
BOLTON C.B.	182,200	60	44	6	–	–	–	1	–	–	–
BURY C.B.	57,600	28	20	3	–	–	–	–	–	–	–
MANCHESTER C.B. ..	744,000	331	175	24	–	–	4	2	5	2	1
SALFORD C.B.	239,100	92	65	9	–	1	–	1	1	1	1
OLDHAM C.B.	148,300	53	48	7	–	1	–	–	–	1	2
ROCHDALE C.B... ..	92,700	29	27	1	–	–	–	–	–	–	1
BURNLEY C.B.	105,300	44	27	5	–	1	–	–	–	–	1
BLACKBURN C.B. ..	129,682	58	32	7	–	1	–	–	–	1	2
PRESTON C.B.	119,900	44	28	1	–	–	–	–	–	–	–
BLACKPOOL C.B. ..	73,800	20	20	–	1	–	–	–	–	–	–
BARROW-IN-FURNESS C.B.	75,200	18	14	4	–	3	–	–	–	–	–
HUDDERSFIELD C.B. ..	111,900	34	25	2	–	–	–	–	–	–	–
HALIFAX C.B.	100,700	25	25	2	–	1	–	–	–	–	1
BRADFORD C.B. ..	291,100	99	66	6	1	–	–	–	1	1	–
LEEDS C.B.	465,500	182	153	27	–	4	3	–	1	–	1
DEWSBURY C.B. ..	55,100	17	23	2	–	2	–	–	–	–	–
WAKEFIELD C.B. ..	53,763	12	6	2	–	–	–	–	–	–	–
BARNSLEY C.B. ..	68,991	39	25	6	–	1	–	–	–	–	–
SHEFFIELD C.B. ..	519,239	187	107	10	–	–	1	5	–	–	1
ROTHERHAM C.B. ..	69,100	28	13	6	–	–	–	–	–	–	–
DONCASTER	54,700	13	10	–	–	2	–	–	–	–	–
YORK C.B.	84,500	30	18	1	–	–	–	–	–	–	1
HULL C.B.	291,800	136	61	14	–	–	–	–	1	1	2
MIDDLESBROUGH C.B.	133,400	79	33	5	–	3	1	–	–	1	2
DARLINGTON C.B. ..	66,400	20	19	2	–	6	–	–	–	1	1
STOCKTON-ON-TEES ..	65,000	24	25	4	–	8	–	–	1	1	–
WEST HARTLEPOOL C.B.	69,300	24	18	5	–	–	–	–	1	–	–
SUNDERLAND C.B. ..	161,100	82	55	16	–	3	–	3	–	–	1
SOUTH SHIELDS C.B. ..	120,376	46	43	8	–	–	–	6	–	–	1
GATESHEAD C.B. ..	126,700	70	55	15	–	1	–	1	–	–	–
NEWCASTLE-ON-TYNE C.B.	278,400	132	101	24	–	2	–	5	–	2	–
TYNEMOUTH C.B. ..	63,900	30	19	7	–	3	–	–	–	3	–
CARLISLE C.B.	53,200	19	15	2	–	1	–	1	–	–	1
NEWPORT (MON.) C.B.	93,700	49	27	8	–	5	–	1	–	1	1
CARDIFF C.B.	222,089	92	53	7	–	2	–	–	–	3	–
RHONDDA	166,600	86	32	4	–	–	1	2	–	–	1
MERTHYR TYDFIL C.B.	81,800	32	20	3	–	–	–	–	–	2	–
ABERDARE	56,100	28	19	4	–	–	1	–	–	–	–
SWANSEA C.B.	159,600	74	49	6	–	–	–	1	–	–	–
GREATER LONDON ..	7,523,963*	3,031	1,538	175	–	3	2	19	26	13	17
OUTER RING	3,009,558*	1,103	561	52	–	–	2	4	6	2	3
16 GREAT TOWNS IN OUTER RING	1,820,700	678	331	31	–	–	1	3	5	2	3
REMAINDER OF OUTER RING	1,188,858*	425	230	21	–	–	1	1	1	–	–
EDINBURGH†	426,000	189	147	20	–	2	3	2	3	2	1
GLASGOW†	1,041,300	548	293	46	–	3	3	1	3	5	1
DUBLIN (REGISTRATION AREA)†	431,000	170	122	24	–	–	–	4	–	2	–
BELFAST†	429,000	215	108	13	–	–	1	–	1	1	–

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available peri

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).
		1922-23.										
London‡	4,514,405	Feb. 17	1928	977	11·3	–	–	3	–	15	20	11
Calcutta	896,067	Jan. 6	?	590§	33·8	?	4	?	?	?	?	?
Bombay	1,220,120	„ 13	442‖	685§	29·2	2	2	1	?	–	–	54
Madras	526,911	„ 6	467	533	52·6	2	4	–	?	1	1	44
Sydney and Suburbs	926,400											
Brisbane (Metropolitan Area).	217,714											
Perth (Metropolitan Area).	155,939	Dec. 23	80	25	8·3	–	–	–	–	–	–	4
Auckland (Urban Area).	164,450											
Wellington (Urban Area).	110,680											
Christchurch (Urban Area).	110,200											
Cape Town	104,400	Dec. 30	24	25	12·4	1	–	–	–	–	–	2
Johannesburg	153,825	Jan. 6	72	31	10·5	–	–	–	–	–	–	5
Durban	49,043	„ 6	29	13	13·8	–	–	–	–	–	–	–
Paris	2,906,472	„ 20 (10 days)	1260	1206	15·1	3	–	17	1	–	4	25
Antwerp	303,065	Oct. 28	104	63	10·8	1	–	–	–	–	–	6
		Nov. 4	116	53	9·1	–	–	–	–	–	–	4
Amsterdam	696,481	Jan. 27	262	129	9·7	1	–	–	–	5	–	–
Copenhagen	565,000	Feb. 3	195	135	12·4	–	–	1	–	3	–	3
Stockholm	422,042	Jan. 27	104	112	13·8	–	–	–	–	1	–	–
Gothenburg	227,686	„ 13	?	49	11·2	1	–	–	–	1	–	–
Christiania	258,933	Feb. 3	89	84	16·9	–	–	–	–	–	–	–
Berlin	1,981,000	Jan. 6	542	606	15·9	1	?	8	–	6	2	9
Breslau	558,000	„ 6	225	183	17·0	–	?	6	–	–	1	2
Cologne	694,000	„ 6	240	239	17·9	–	?	7	2	1	3	4
Dresden	610,000	„ 6	148	247	21·1	–	?	–	–	1	1	3
Frankfort-on-Main..	477,000	„ 6	73	78	8·5	–	?	–	–	1	3	–
Hamburg	1,085,000	„ 6	334	224	10·7	–	?	10	–	2	2	2
Leipzig	677,000	„ 6	175	231	17·7	–	?	–	–	3	–	2
Munich	685,000	„ 6	155	166	12·6	–	?	–	–	–	–	3
Vienna	1,842,005	Dec. 23	468	531	15·0	–	–	–	–	1	2	9
Prague and Suburbs	689,262	„ 30	281	255	18·9	–	?	–	3	1	–	4
Budapest	939,529	Nov. 25	323	377	20·9	4	?	7	2	1	5	12
Warsaw	956,087	Dec. 30	1549	263	14·3	1	–	7	6	1	–	8
Cairo	777,500	„ 2	786	423	28·3	–	–	1	–	?	2	42
Alexandria	456,300	„ 2	501	223	25·4	–	–	1	–	?	4	18
New York	5,927,617	Jan. 13	2508	1430	12·6	3	–	5	3	5	17	20
Chicago	2,885,921	„ 20	?	625	11·3	–	–	5	1	2	12	10
Rio de Janeiro ..	1,256,370	Dec. 30	705	455	18·9	4	4	11	–	7	–	?
Montevideo	349,293	Oct. 21	214	135	19·4	–	–	–	–	–	1	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vien Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, Christiania, and Budapest, and *to children un* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 10 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 1 in Bombay.

‖ The registration of births in Bombay is incomplete

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 17th February, 1923, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	977	123	32	27	28	38	42	63	109	136	179	200
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	–	2	1	–	–	–	–	–	–	–	–
Scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	15	6	4	5	–	–	–	–	–	–	–	–
Diphtheria	20	1	5	5	8	1	–	–	–	–	–	–
Influenza	14	1	–	–	1	1	–	–	2	1	4	4
Erysipelas	3	2	–	–	–	–	–	–	–	–	1	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	1	–	–	–	–	–	–
Meningococcal meningitis	2	1	–	1	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	80	1	–	1	3	13	18	16	19	8	1	–
Nervous system	8	1	3	1	2	1	–	–	–	–	–	–
Intestines and peritoneum	1	1	–	–	–	–	–	–	–	–	–	–
Other forms	10	1	–	–	1	2	2	–	1	–	1	2
Venereal diseases	7	5	–	–	–	–	–	–	1	1	–	–
Cancer	102	–	–	1	–	1	1	3	18	33	28	17
Rheumatic fever	5	–	–	–	3	1	–	1	–	–	–	–
Diabetes	10	–	–	–	–	–	–	–	3	3	1	3
Alcoholism	1	–	–	–	–	–	–	1	–	–	–	–
Simple meningitis	3	1	–	–	1	–	1	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	40	–	–	–	–	–	–	2	7	9	9	13
Epilepsy	4	–	–	–	–	–	2	–	–	2	–	–
"Convulsions" (not puerperal)	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	27	3	–	–	1	1	3	3	8	3	4	1
Pericarditis	1	–	–	–	–	–	–	–	–	1	–	–
Acute endocarditis	10	–	–	–	1	3	3	1	–	–	–	2
Other diseases of heart	118	–	–	–	1	1	4	5	10	26	37	34
Other diseases of circulatory system	37	–	–	–	–	–	–	–	4	4	8	21
Bronchitis	71	4	2	–	–	–	–	–	4	11	18	32
Broncho-pneumonia	49	17	6	4	–	2	1	2	2	5	4	6
Lobar pneumonia	25	3	1	4	1	–	–	2	–	7	4	3
Pneumonia (type not distinguished)	17	1	1	1	1	1	1	2	4	1	3	1
Other diseases of respiratory system	13	2	–	–	–	–	1	1	1	3	2	3
Diarrhœa and enteritis	14	10	1	–	–	–	–	1	1	–	–	1
Appendicitis, Typhlitis	6	–	–	–	–	3	–	2	–	1	–	–
Hernia, Intestinal obstruction	13	2	1	–	–	–	–	–	–	1	6	3
Cirrhosis of liver	5	–	–	–	–	–	–	1	–	2	2	–
Other diseases of digestive system	22	2	1	–	–	–	1	3	2	2	8	3
Acute nephritis	3	–	–	–	–	–	–	2	–	–	1	–
Chronic Bright's disease	32	–	–	–	1	1	2	2	7	7	8	4
Other diseases of genito-urinary system.	22	–	–	–	–	1	–	1	4	1	9	6
Puerperal sepsis	6	–	–	–	–	1	2	3	–	–	–	–
Other causes incident to childbirth	–	–	–	–	–	–	–	–	–	–	–	–
Congenital malformations	12	12	–	–	–	–	–	–	–	–	–	–
Premature birth	21	21	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	7	7	–	–	–	–	–	–	–	–	–	–
Old age	38	–	–	–	–	–	–	–	–	–	11	27
Suicide	10	–	–	–	–	–	–	1	6	–	2	1
Burns and scalds	2	–	–	1	–	–	–	–	–	–	–	1
Drowning	3	–	–	–	–	–	–	1	1	–	1	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	4	–	–	1	1	–	–	–	–	–	2	–
Other deaths by violence	9	–	–	–	–	2	–	1	1	1	–	4
Other specified causes	47	16	4	–	2	1	–	6	3	3	4	8
Ill-defined causes	3	1	1	1	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 17th February, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	230	256	4	58	C. 13 D. 1 G. 5 M. 17
†CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	9	16	–	6	M. 1
†BERMONDSEY ...	–	5	20	–	1	G. 1
†BETHNAL GREEN	–	11	12	–	2	M. 1
†CAMBERWELL ...	–	6	21	–	1	C. 2 G. 1 M. 1
†CHELSEA	–	2	2	1	1	–
†DEPTFORD ...	–	17	10	–	2	–
†FINSBURY ...	–	4	5	–	–	C. 1 M. 1
†FULHAM	–	14	6	–	1	–
†GREENWICH ...	–	14	6	–	2	C. 3 M. 1
†HACKNEY ...	–	14	19	–	–	–
†HAMMERSMITH ...	–	11	10	–	1	C. 1
†HAMPSTEAD ...	–	1	3	–	–	–
†HOLBORN... ...	–	3	2	–	–	–
†ISLINGTON ...	–	13	16	–	1	D. 1 G. 1
†KENSINGTON ...	–	10	6	–	1	M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†LAMBETH ...	–	10	9	1	2	C. 3 M. 1
†LEWISHAM ...	–	10	8	–	3	C. 1 G. 1 M. 1
†PADDINGTON ...	–	10	6	–	2	–
†POPLAR	–	4	16	–	4	C. 1 M. 2
†ST. MARYLEBONE	–	1	3	–	–	M. 1
†ST. PANCRAS ...	–	13	11	–	10	C. 1 G 1
†SHOREDITCH ...	–	3	6	–	1	M. 1
†SOUTHWARK ...	–	6	19	–	5	M. 3
†STEPNEY	–	10	10	1	5	M. 1
†STOKE NEWINGTON	–	1	3	–	–	–
†WANDSWORTH ...	–	18	5	1	5	M. 1
†WESTMINSTER, CITY OF	–	2	4	–	–	–
†WOOLWICH ...	–	8	1	–	2	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	5	1	–	–	–
Boroughs and Urban District :—						
†BEDFORD ...	–	3	1	–	–	–
Rural Districts :—						
BEDFORD ...	–	2	–	–	–	–
LUTON	*	*	*	*	*	*
BERKS	–	27	5	–	1	–
†READING C.B. ..	–	12	–	–	–	–
Boroughs and Urban District :—						
ABINGDON ...	–	5	–	–	–	–
Rural Districts :—						
ABINGDON ..	–	2	3	–	–	–
BRADFIELD ...	–	6	–	–	–	–
COOKHAM ...	–	1	2	–	–	–
WALLINGFORD ..	–	1	–	–	–	–
WANTAGE ...	–	–	–	–	1	–
BUCKINGHAM ...	–	5	4	–	–	G. 1 M. 1
Boroughs and Urban Districts :—						
†CHEPPING WYCOMBE ...	–	1	–	–	–	–
†SLOUGH	–	–	3	–	–	–
Rural Districts :—						
BUCKINGHAM ...	–	–	–	–	–	G. 1
ETON	–	–	–	–	–	M. 1
WINSLOW ...	–	2	–	–	–	–
WYCOMBE ...	–	2	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	4	2	–	1	–
Borough :—						
†CAMBRIDGE ...	–	1	2	–	1	–
Rural Districts :—						
CHESTERTON ...	–	1	–	–	–	–
LINTON	–	1	–	–	–	–
MELBOURN ...	–	1	–	–	–	–
CHESTER	–	54	33	–	22	C. 1 G. 2 M. 1
†BIRKENHEAD C.B	–	5	3	–	5	–
†CHESTER C.B. ...	–	1	–	–	3	–
†STOCKPORT C.B.	–	2	4	–	–	–
†WALLASEY C.B. ...	–	4	4	–	2	G. 1
Boroughs and Urban Districts :—						
†ALTRINCHAM ...	–	1	–	–	–	–
ASHTON UPON MERSEY	–	–	–	–	1	–
†BEBINGTON AND BROMBOROUGH	–	2	–	–	–	–
BOWDON	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	–	1	–	2	–
BUGLAWTON ...	–	2	–	–	–	–
†CHEADLE AND GATLEY	–	1	–	–	–	–
†CONGLETON ...	–	7	–	–	1	–
†CREWE	–	4	–	–	–	–
†DUKINFIELD ...	–	–	1	–	1	M. 1
HOOLE	–	–	1	–	–	–
†HOYLAKE AND WEST KIRBY	–	–	1	–	–	–
†HYDE	–	6	–	–	1	–
KNUTSFORD ...	–	1	–	–	–	–
MIDDLEWICH ...	–	–	5	–	–	–
NESTON AND PARKGATE ...	–	–	2	–	1	–
†NORTHWICH ...	–	–	–	–	1	–
†RUNCORN... ..	–	2	–	–	2	–
SANDBACH ...	–	1	2	–	–	G. 1
†STALYBRIDGE ...	–	1	–	–	–	–
WILMSLOW ...	–	–	–	–	1	–
†WINSFORD ...	–	2	6	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	2	2	–	–	–
CONGLETON ...	–	–	–	–	1	–
MACCLESFIELD ...	–	2	–	–	–	C. 1
NORTHWICH ...	–	3	1	–	–	–
RUNCORN ...	–	3		–	–	–
WIRRAL	–	1	–	–	–	–
CORNWALL ...	–	5	2	–	3	–
Boroughs and Urban Districts:—						
FOWEY	*	*	*	*	*	*
LUDGVAN... ...	–	–	1	–	–	–
ST. AUSTELL ...	–	2	–	–	–	–
Rural Districts:—						
LAUNCESTON ...	–	–	–	–	2	–
LISKEARD ...	–	–	1	–	–	–
SAINT AUSTELL...	–	2	–	–	–	–
SAINT COLUMB MAJOR	–	1	–	–	1	–
CUMBERLAND ...	–	10	10	–	3	C. 1 G. 1
†CARLISLE C.B. ...	–	1	–	–	–	G. 1
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	–	–	1	–	–	–
CLEATOR MOOR ...	–	–	1	–	–	–
EGREMONT ..	–	–	2	–	–	–
KESWICK	–	2	–	–	–	–
†MARYPORT ...	–	–	–	–	1	–
MILLOM	–	2	1	–	–	–
PENRITH	–	–	1	–	–	–
WIGTON	–	1	–	–	2	–
†WORKINGTON ...	–	1	3	–	–	–
Rural Districts:—						
ALSTON WITH GARRIGILL	–	–	–	–	–	C. 1
COCKERMOUTH ...	–	3	1	–	–	–
DERBY	15	29	11	–	23	M. 1
†DERBY C.B. ...	–	8	1	–	11	–
Boroughs and Urban Districts:—						
†ALFRETON ...	1	2	–	–	–	–
†CHESTERFIELD ...	–	1	2	–	1	–
†HEANOR	3	1	–	–	–	–
†ILKESTON ...	–	–	–	–	2	–
†LONG EATON ...	–	3	–	–	4	M. 1
NEW MILLS ...	–	1	2	–	1	–
Rural Districts:—						
BAKEWELL ...	–	1	1	–	–	–
BELPER	–	1	–	–	–	–
BLACKWELL ...	–	6	–	–	–	–
CHESTERFIELD ...	–	3	–	–	2	–
CLOWNE	11	–	1	–	–	–
GLOSSOP DALE ...	–	–	3	–	–	–
NORTON	–	1	–	–	–	–
SHARDLOW ...	–	1	1	–	2	–
DEVON	–	25	20	1	9	M. 1
†EXETER C.B. ...	–	2	2	–	2	M. 1
†PLYMOUTH C.B....	–	10	6	–	3	–
Boroughs and Urban Districts:—						
BAMPTON ...	–	1	–	–	–	–
†BARNSTAPLE ...	–	1	2	–	–	–
BRIXHAM... ...	–	–	1	–	1	–
†ILFRACOMBE ...	–	–	1	–	–	–
†NEWTON ABBOT	–	2	–	–	–	–
NORTHAM ...	–	–	–	1	–	–
†PAIGNTON ...	–	–	5	–	1	–
SALCOMBE ...	–	–	–	–	1	–
SOUTH MOLTON	–	1	–	–	–	–
†TEIGNMOUTH ...	–	1	–	–	–	–
†TORQUAY	–	1	1	–	1	–
Rural Districts:—						
AXMINSTER ...	–	1	–	–	–	–
BARNSTAPLE ...	–	–	1	–	–	–
CREDITON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts—*cont.*						
CULMSTOCK ...	*	*	*	*	*	*
KINGSBRIDGE ...	–	1	–	–	–	–
NEWTON ABBOT...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	1	–	–	–	–
ST. THOMAS ...	–	1	–	–	–	–
TOTNES	–	–	1	–	–	–
DORSET	–	2	1	1	3	–
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	–	–	–	1	–
DORCHESTER ...	–	–	1	1	–	–
Rural Districts:—						
BLANDFORD ...	–	–	–	–	2	–
DORCHESTER ...		1	–	–	–	–
WIMBORNE AND CRANBORNE	–	1	–	–	–	–
DURHAM	2	59	39	2	66	C. 1 G. 1 M. 3
†DARLINGTON C.B	–	–	3	–	1	–
†GATESHEAD C.B.	–	2	5	–	3	–
†SOUTH SHIELDS C.B.	–	5	–	–	6	M. 1
†SUNDERLAND C.B.	–	5	1	1	6	M. 1
†WEST HARTLEPOOL C.B.	–	1	3	1	4	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	1	–	–	–
BENFIELDSIDE ...	–	1	–	–	–	–
†BLAYDON... ..	–	–	1	–	–	–
†CHESTER LE STREET	–	5	–	–	1	–
†CROOK	–	–	–	–	1	–
†FELLING	–	–	–	–	5	–
†HARTLEPOOL ...	–	–	1	–	–	G. 1
†HEBBURN ...	–	3	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HETTON	–	1	–	–	3	–
†HOUGHTON LE SPRING	–	–	1	–	4	–
†JARROW	–	–	1	–	11	–
LEADGATE ...	–	–	1	–	–	–
†RYTON	–	2	–	–	–	–
†SEAHAM HARBOUR	–	1	1	–	–	–
†SHILDON	–	–	2	–	–	–
†SPENNYMOOR ...	–	1	–	–	–	M. 1
†STANLEY	–	9	2	–	3	–
†STOCKTON ON TEES	2	1	4	–	2	–
†TANFIELD ...	–	–	1	–	–	–
†WASHINGTON ...	–	1	1	–	–	–
WHICKHAM ...	–	–	–	–	1	–
WILLINGTON ...	–	–	–	–	–	C. 1
Rural Districts:—						
AUCKLAND ...	–	4	1	–	–	–
CHESTER LE STREET	–	4	–	–	3	–
DURHAM	–	2	–	–	–	–
EASINGTON ...	–	3	1	–	–	–
HARTLEPOOL ...	–	–	1	–	–	–
HOUGHTON LE SPRING	–	3	–	–	2	–
LANCHESTER ...	–	–	2	–	1	–
SEDGEFIELD ...	–	1	–	–	4	–
SOUTH SHIELDS	–	–	–	–	3	–
STOCKTON ...	–	1	1	–	1	–
SUNDERLAND ...	–	3	–	–	1	–
WEARDALE ...	–	–	3	–	–	–
ISLE OF ELY ..	–	1	1	–	–	C. 1
Borough and Urban District:—						
MARCH	–	–	1	–	–	C. 1
Rural Districts:—						
NORTH WITCHFORD	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	27	50	1	28	C. 1 L. 1 M. 3
†EAST HAM C.B. ...	–	1	2	–	2	–
†SOUTHEND-ON-SEA C.B.	–	3	–	–	3	M. 1
†WEST HAM C.B. ...	–	4	16	–	2	–
Boroughs and Urban Districts:—						
†BARKING TOWN	–	1	–	–	2	M. 1
BRIGHTLINGSEA	*	*	*	*	*	*
†CLACTON	–	–	–	–	–	C. 1
†COLCHESTER ...	–	2	3	–	2	–
EPPING	–	1	–	–	–	–
†GRAYS THURROCK	–	1	5	–	–	–
†HARWICH ...	–	–	1	–	–	–
†ILFORD	–	2	7	–	1	–
†LEYTON	–	2	8	–	–	–
MALDON	–	–	–	–	1	–
†ROMFORD ...	–	2	–	1	–	–
SAFFRON WALDEN	–	–	–	–	–	M. 1
SHOEBURYNESS ...	–	–	–	–	2	–
TILBURY	–	–	1	–	–	–
†WALTHAMSTOW ...	–	4	5	–	5	–
WALTON ON THE NAZE	–	1	–	–	–	–
†WANSTEAD ...	–	1	–	–	–	–
Rural Districts:—						
BILLERICAY ...	*	*	*	*	*	*
CHELMSFORD ...	–	–	–	–	1	–
DUNMOW... ...	–	–	–	–	2	L. 1
EPPING	–	2	–	–	–	–
MALDON	–	–	–	–	1	–
ORSETT	–	–	1	–	–	–
ROMFORD ...	–	–	1	–	–	–
STANSTED ...	–	–	–	–	4	–
GLOUCESTER ...	–	72	21	1	19	G. 1 M. 3
†BRISTOL C.B. ...	–	53	18	–	16	M. 3
†GLOUCESTER C.B.	–	3	1	–	3	–
GLOUCESTER—*cont.*						
Boroughs and Urban Districts:—						
CHARLTON KINGS	–	–	–	–	–	G. 1
†CHELTENHAM ...	–	2	1	–	–	–
†KINGSWOOD ...	–	1	–	–	–	–
Rural Districts:—						
CAMPDEN... ...	–	–	–	1	–	–
CHIPPING SODBURY	–	3	–	–	–	–
EAST DEAN AND UNITED PARISHES	–	5	–	–	–	–
GLOUCESTER ...	–	1	–	–	–	–
STOW ON THE WOLD (part)	–	1	–	–	–	–
STROUD	–	1	–	–	–	–
WARMLEY ...	–	1	–	–	–	–
WEST DEAN ...	–	1	1	–	–	–
HEREFORD ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	2	1	–	–	–
Rural Districts:—						
LEDBURY... ...	–	1	–	–	–	–
HERTFORD ...	–	9	2	1	2	–
Boroughs and Urban Districts:—						
HARPENDEN ...	–	1	–	–	–	–
†LETCHWORTH ...	–	2	–	–	–	–
RICKMANSWORTH	–	2	–	–	–	–
†WATFORD ...	–	2	1	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
Buntingford ...	–	–	1	–	–	–
St. Albans ...	–	2	–	–	–	–
Watford ...	–	–	–	1	–	–
HUNTINGDON ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
Godmanchester	–	1	–	–	–	–
Rural District:—						
St. Ives	–	–	1	–	–	–
KENT	–	52	13	2	8	C. 1 E. 1 M. 1
Boroughs and Urban Districts:—						
†Beckenham ...	–	1	–	–	2	–
†Bexley	–	2	2	–	–	–
†Chatham ...	–	3	–	–	–	–
†Dover	–	–	–	1	1	M. 1
†Erith	–	3	2	–	–	–
†Faversham ...	–	–	1	–	–	–
†Folkestone ...	–	1	–	–	–	–
†Gillingham ...	–	3	4	–	–	E. 1
†Gravesend ...	–	3	1		–	–
†Margate ...	–	11	–	–	–	–
Milton Regis ...	–	1	–	–	1	–
Queenborough	–	4	–	–	–	C. 1
†Ramsgate ...	–	–	–	–	1	–
†Rochester ...	–	1	–	–	–	–
†Royal Tunbridge Wells	–	1	–	–	–	–
†Sheerness ...	–	7	–	–	–	–
Sidcup	–	–	–	1	–	–
Sittingbourne	–	1	–	–	–	–
Whitstable ...	–	2	1	–	2	–
Rural Districts:—						
Bromley ...	–	2	1	–	–	–
Dartford ...	–	1	–	–	–	–
Malling	–	1	1	–	1	–
Milton	–	2	–	–	–	–
Strood	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	343	114	12	234	C. 5 G. 11 M. 36
†Barrow in Furness C.B.	–	5	–	–	–	–
†Blackburn C.B.	–	10	–	–	9	C. 1
†Blackpool C.B.	–	–	–	–	3	–
†Bolton C.B. ...	–	16	1	–	4	–
†Bootle C.B. ...	–	9	–	–	–	M. 5
†Burnley C.B. ...	–	37	4	–	1	–
†Bury C.B. ...	–	3	1	–	3	–
†Liverpool C.B. ...	–	43	24	–	43	C. 1 G. 7 M. 17
†Manchester C.B.	–	48	23	2	45	C. 1 G. 1 M. 8
†Oldham C.B. ...	–	9	2	–	3	C. 1 M. 1
†Preston C.B. ...	–	4	8	2	–	–
†Rochdale C.B. ...	–	7	1	–	1	–
†St. Helens C.B.	–	11	5	1	9	–
†Salford C.B. ...	–	33	9	–	10	C. 1
†Southport C.B.	–	2	–	4	1	G. 1
†Warrington C.B.	–	3	1	–	4	–
†Wigan C.B. ...	–	2	–	–	4	..
Boroughs and Urban Districts:—						
Abram	–	–	–	–	5	–
†Accrington ...	–	4	–	–	1	–
†Ashton in Makerfield	–	2	–	–	3	–
†Ashton under Lyne	–	1	–	–	1	–
Aspull	–	–	–	–	1	–
†Atherton ...	–	3	2	–	7	–
Audenshaw ...	–	1	–	–	–	–
Barrowford ...	*	*	*	*	*	*
Billinge ...	–	–	–	–	3	–
Blackrod ...	–	–	–	–	1	–
†Chadderton ...	–	2	–	–	3	–
†Chorley ...	–	–	1	–	–	M. 1
†Colne	–	12	1	–	–	–
†Crompton ...	–	1	1	–	–	–
†Dalton in Furness	–	–	–	–	1	–
†Darwen ...	–	5	–	–	–	–
†Denton	–	2	1	–	–	–
†Droylsden ...	–	1	–	–	–	–
†Eccles	–	3	–	–	–	–
†Failsworth ...	–	2	1	–	1	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FARNWORTH ...	–	1	3	–	–	–
†FLEETWOOD ..	–	–	2	–	1	–
FORMBY... ..	–	1	–	–	–	–
GOLBORNE ...	–	–	–	–	3	–
GRANGE	–	–	1	–	–	–
†GREAT CROSBY ...	–	2	–	2	–	G. 1
†GREAT HARWOOD	–	1	–	–	–	–
†HASLINGDEN ...	–	1		–	1	–
†HEYWOOD ...	–	3	–	–	2	–
†HINDLEY... ...	–	1	–	1	5	–
†HORWICH ...	–	–	1	–	3	M. 1
HURST	–	2	–	–	–	–
HUYTON WITH ROBY	–	–	–	–	2	–
†INCE IN MAKERFIELD	–	1	–	–	1	–
IRLAM	–	–	–	–	1	–
KEARSLEY ...	–	1	–	–	–	–
†LANCASTER ...	–	1	1	–	–	–
LATHOM AND BURSCOUGH	–	–	–	–	1	–
LEES	–	2	–	–	–	–
†LEIGH	–	1	–	–	2	M. 1
†LITHERLAND ...	–	2	1	–	–	–
LITTLE HULTON...	–	1	–	–	–	G. 1
LONGRIDGE ...	–	–	1	–	–	–
†LYTHAM ST. ANNE'S	–	1	–	–		–
†MIDDLETON ...	–	2	–	–	1	M. 1
MILNROW ...	–	–	1	–	–	–
†NELSON	–	1	–	–	2	–
†NEWTON IN MAKERFIELD	–	1	–	–	1	–
ORMSKIRK ...	–	2	–	–	–	–
†OSWALDTWISTLE	–	–	–	–	2	–
†PADIHAM... ..	–	1	–	–	–	–
POULTON LE FYLDE	–	4	–	–	–	–
PREESALL ...	–	1	–	–	–	–
†RADCLIFFE ...	–	1	4	–	6	–
†RAMSBOTTOM ...	–	–	–	–	2	–
†RAWTENSTALL ...	–	1	–	–	–	–
RISHTON	–	1	–	–	1	–
†ROYTON	–	1	–	–	–	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD ...	–	5	1	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SWINTON AND PENDLEBURY	–	2	3	–	1	–
TOTTINGTON ...	–	–	–	–	4	–
†TURTON	–	2	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	4	–	–	3	–
UPHOLLAND ...	–	1	–	–	–	–
URMSTON ...	–	–	–	–	1	–
†WATERLOO WITH SEAFORTH	–	1	–	–	2	–
WHITEFIELD ...	–	–	–	–	1	–
WHITWORTH ...	–	1	1	–	–	–
†WIDNES	–	2	6	–	10	–
Rural Districts :—						
BARTON UPON IRWELL	–	–	–	–	1	–
CHORLEY	–	1	–	–	–	–
CLITHEROE ...	–	–	–	–	1	–
FYLDE	–	–	1	–	–	–
GARSTANG ...	–	1	–	–	–	–
LEIGH	–	3	–	–	–	–
ULVERSTON ...	–	1	1	–	–	–
WARRINGTON ...	–	–	–	–	1	–
WIGAN	–	–	–	–	1	–
LEICESTER... ...	–	21	11	–	13	M. 1
†LEICESTER C.B. ...	–	14	1	–	7	M. 1
Boroughs and Urban Districts :—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
ASHBY WOULDS...	–	–	–	–	2	–
†COALVILLE ...	–	2	–	–	–	–
†LOUGHBOROUGH	–	–	1	–	–	–
OADBY	–	1	–	–	–	–
WIGSTON MAGNA	–	–	3	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	2	3	–	1	–
BILLESDON ...	–	2	–	–	–	–
BLABY	–	–	3	–	1	–
MELTON MOWBRAY	–	–	–	–	2	–
LINCOLN (parts of Holland).	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†SPALDING ...	–	–	–	–	1	–
SUTTON BRIDGE	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	1	–	2	M. 1
Boroughs and Urban Districts:—						
SLEAFORD ...	–	1	–	–	–	–
STAMFORD ...	*	*	*	*	*	*
Rural Districts:—						
GRANTHAM ...	–	–	1	–	–	–
SLEAFORD ...	–	–	–	–	2	M. 1
LINCOLN (parts of Lindsey).	–	21	4	–	5	–
†GRIMSBY C.B. ...	–	8	2	–	–	–
†LINCOLN C.B. ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	6	1	–	2	–
†GAINSBOROUGH ...	–	1	1	–	–	–
MABLETHORPE ...	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	5	–	–	1	–
MIDDLESEX ...	–	52	31	–	20	C. 1 G. 2 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	3	1	–	2	–
†BRENTFORD ...	–	2	–	–	–	–
†CHISWICK ...	–	1	1	–	–	–
†EALING	–	2	–	–	1	–
†EDMONTON ...	–	–	–	–	1	–
†ENFIELD	–	1	1	–	2	–
FELTHAM... ...	–	–	1	–	–	–
†FINCHLEY ...	–	1	1	–	–	–
†FRIERN BARNET	–	1	–	–	–	–
†HAMPTON ...	–	1	–	–	–	–
†HANWELL ...	–	–	2	–	–	–
†HARROW ON THE HILL	–	2	–	–	–	–
†HENDON	–	2	3	–	–	G. 1
†HESTON AND ISLEWORTH	–	2	–	–	1	G. 1
†HORNSEY... ...	–	–	–	–	1	–
RUISLIP NORTHWOOD	–	9	–	–	–	–
†SOUTHALL NORWOOD	–	–	–	–	3	–
†SOUTHGATE ...	–	3	–	–	–	–
†TEDDINGTON ...	–	–	–	–	1	–
†TOTTENHAM ...	–	17	2	–	5	–
†TWICKENHAM ...	–	–	–	–	–	M. 1
†WEMBLEY ...	–	–	–	–	2	–
†WILLESDEN ...	–	2	12	–	1	C. 1
Rural Districts:—						
STAINES	–	3	2	–	–	–
NORFOLK	–	41	8	–	4	C. 1
†GREAT YARMOUTH C.B.	–	–	–	–	1	–
†NORWICH C.B. ...	–	22	7	–	–	C. 1
Boroughs and Urban Districts:—						
SWAFFHAM ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
DEPWADE ...	–	6	–	–	–	–
FOREHOE... ...	–	3	–	–	–	–
FREEBRIDGE LYNN	–	–	–	–	1	–
LODDON AND CLAVERING	–	1	–	–	–	–
MITFORD AND LAUNDITCH	–	1	–	–	–	–
ST. FAITH'S ...	–	1	–	–	–	–
WALSINGHAM ...	–	–	–	–	1	–
WAYLAND ...	–	7	–	–	1	–
NORTHAMPTON ...	–	14	3	–	14	C. 1
†NORTHAMPTON C.B.	–	4	1	–	13	C. 1
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	1	–	–	–	–
IRTHLINGBOROUGH	–	2	1	–	–	–
†KETTERING ...	–	1	–	–	–	–
†WELLINGBOROUGH	–	5	–	–	–	–
Rural Districts:—						
POTTERSBURY ...	–	–	–	–	1	–
TOWCESTER ...	–	–	1	–	–	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND	–	46	7	1	49	C. 1 M. 1
†NEWCASTLE UPON TYNE C.B.	–	7	–	1	27	C. 1
†TYNEMOUTH C.B	–	4	–	–	4	–
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
AMBLE	–	–	1	–	–	–
†ASHINGTON ...	–	3	–	–	–	–
†BEDLINGTONSHIRE	–	4	–	–	3	–
†BERWICK UPON TWEED	–	6	–	–	–	–
†BLYTH	–	6	–	–	3	–
CRAMLINGTON ...	–	2	–	–	–	–
†EARSDON	–	1	–	–	2	–
†GOSFORTH ...	–	1	–	–	–	–
†LONGBENTON ...	–	–	1	–	2	–
NEWBIGGIN BY THE SEA	*	*	*	*	*	*
†NEWBURN ...	–	–	1	–	–	–
SEGHILL	–	1	–	–	–	–
†WALLSEND ...	–	2	1	–	2	–
WEETSLADE ...	–	1	–	–	–	–
†WHITLEY AND MONKSEATON	–	–	–	–	3	–
Rural Districts:—						
ALNWICK ...	–	3	–	–	–	–
BELLINGHAM ...	–	–	–	–	1	–
CASTLE WARD ..	–	–	2	–	2	–
GLENDALE ...	–	–	–	–	–	M. 1
HEXHAM	–	2	–	–	–	–
MORPETH ...	–	2	–	–	–	–
NORHAM AND ISLANDSHIRES	–	1	1	–	–	–
NOTTINGHAM ...	9	28	10	1	17	M. 2
†NOTTINGHAM C.B	1	18	4	1	6	M. 1
Boroughs and Urban Districts:—						
†BEESTON	–	–	–	–	1	–
†CARLTON	–	1	3	–	2	–
†EAST RETFORD ...	–	1	–	–	5	M. 1
HUTHWAITE ...	–	1	–	–	–	–
†KIRKBY IN ASHFIELD	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MANSFIELD ...	–	1	3	–	–	–
†NEWARK	–	1	–	–	–	–
†SUTTON IN ASHFIELD	–	1	–	–	1	–
Rural Districts:—						
BASFORD	2	2	–	–	–	–
BINGHAM ...	–	1	–	–	–	–
EAST RETFORD ...	–	–	–	–	1	–
STAPLEFORD ...	6	1	–	–	–	–
OXFORD	–	11	6	1	2	G. 2
†OXFORD C.B. ...	–	6	–	–	1	G. 2
Boroughs and Urban Districts:—						
HENLEY ON THAMES	–	1	–	–	–	–
Rural Districts:—						
BANBURY... ...	–	–	–	1	–	–
CHIPPING NORTON	–	1	–	–	–	–
CROWMARSH ...	–	1	–	–	–	–
HEADINGTON ...	–	1	–	–	1	–
HENLEY	–	–	4	–	–	–
THAME	–	1	–	–	–	–
WITNEY	–	–	2	–	–	–
PETERBOROUGH (Soke of)	–	1	–	–	–	–
Rural District:—						
PETERBOROUGH...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	9	1	–	4	–
Boroughs and Urban Districts:—						
NEWPORT ..	–	–	–	–	2	–
†OAKENGATES ...	–	2	–	–	–	–
†SHREWSBURY ...	–	1	–	–	–	–
WELLINGTON ...	–	–	–	–	1	–
Rural Districts:—						
CLUN	–	1	–	–	–	–
ELLESMERE ...	–	3	–	–	–	–
LUDLOW	–	–	–	–	1	–
NEWPORT ...	–	1	–	–	–	–
SHIFNAL	–	–	1	–	–	–
WELLINGTON ...	–	1	–	–	–	–
SOMERSET	–	23	6	–	3	C. 1 G. 1 M. 1
†BATH C.B. ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
†FROME	–	2	–	–	–	–
MIDSOMER NORTON	–	4	–	–	1	M. 1
STREET	–	–	1	–	–	–
†TAUNTON... ...	–	4	–	–	–	–
WELLINGTON ...	–	2	–	–	–	–
†WESTON SUPER MARE	–	1	1	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	–	1	–	–	–
BATH	–	1	–	–	–	–
DULVERTON ...	–	–	–	–	–	G. 1
KEYNSHAM ...	–	1	2	–	–	–
LANGPORT ...	–	2	–	–	–	–
LONG ASHTON ...	–	2	–	–	–	–
TAUNTON... ..	–	3	–	–	–	C. 1
WINCANTON ..	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ...	–	39	21	1	5	C. 2 E. 1 L. 1 M. 3
†Bournemouth C.B.	–	1	1	–	–	–
†Portsmouth C.B.	–	17	13	1	–	E. 1 M. 1
Boroughs and Urban Districts:—						
†Aldershot ...	–	–	–	–	–	L. 1
†Basingstoke ...	–	4	–	–	–	–
†Fareham ...	–	3	–	–	1	C. 1
†Farnborough ...	–	–	–	–	1	–
†Gosport	–	–	1	–	–	–
Petersfield ...	–	1	–	–	–	–
†Southampton C.B.	–	4	5	–	2	C. 1 M. 1
†Winchester ...	–	1	1	–	–	–
Rural Districts:—						
Alresford ...	–	1	–	–	–	–
Christchurch ...	–	1	–	–	–	–
Droxford ..	–	1	–	–	–	–
Havant	–	1	–	–	–	–
Lymington ...	–	1	–	–	–	–
New Forest ...	–	1	–	–	–	–
Peterfield ...	–	1	–	–	–	M. 1
Whitchurch ...	–	1	–	–	1	–
STAFFORD	–	100	36	4	37	C. 1 G. 2 L. 6 M. 10
†Burton upon Trent C.B.	–	1	1	–	–	–
†Smethwick C.B.	–	5	2	–	2	M. 1
†Stoke on Trent C.B.	–	29	9	–	14	C. 1 G. 2 M. 5
†Walsall C.B. ...	–	3	–	–	2	M. 1
†West Bromwich C.B.	–	11	7	–	–	–
†Wolverhampton C.B.	–	7	2	–	4	–
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
Amblecote ...	–	1	–	–	–	–
†Audley	–	5	–	–	–	M. 1
Biddulph ...	–	3	–	–	–	–
†Bilston	–	1	–	–	1	–
†Brierley Hill...	–	1	–	–	1	–
†Brownhills ...	–	3	–	–	4	–
†Cannock	–	–	–	–	1	–
†Darlaston ...	–	2	–	–	–	–
†Leek	–	1	–	–	–	–
Lichfield ...	–	–	1	–	–	–
†Newcastle under Lyme	–	2	1	–	–	M. 1
Quarry Bank ...	–	–	–	1	–	–
†Rowley Regis ...	–	5	–	–	1	–
†Sedgley ...	–	–	–	–	1	–
†Stafford ...	–	1	2	–	–	–
Tamworth ...	–	1	–	–	–	–
†Tipton	–	5	–	1	1	–
Uttoxeter ...	–	1	–	–	–	–
†Wednesbury ...	–	–	–	–	1	M. 1
†Willenhall ...	–	2	1	–	1	–
†Wolstanton United	–	4	3	–	–	–
Rural Districts:—						
Cannock	–	1	1	–	2	–
Cheadle	–	1	1	–	–	L. 6
Kingswinford ...	–	–	–	2	–	–
Leek	–	2	–	–	–	–
Lichfield ...	–	–	3	–	–	–
Seisdon	–	1	–	–	1	–
Stone	–	–	1	–	–	–
Tamworth (part)	–	–	1	–	–	–
Uttoxeter ...	–	1	–	–	–	–
SUFFOLK, EAST ...	–	12	5	–	6	C 3. G. 1 M. 2
†Ipswich C.B. ...	–	8	5	–	4	C. 1
Boroughs and Urban Districts:—						
Beccles	*	*	*	*	*	*
†Lowestoft ...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
EAST STOW ...	–	–	–	–	–	M. 2
HARTISMERE ...	–	–	–	–	1	G. 1
MUTFORD AND LOTHINGLAND	–	–	–	–	–	C. 1
SAMFORD... ...	–	–	–	–	–	C. 1
WOODBRIDGE ...	–	1	–	–	1	–
SUFFOLK, WEST ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	1	–	–	–
Rural District:—						
THEDWASTRE ...	–	1	–	–	–	–
SURREY	–	47	22	–	6	E. 1 G. 1 M. 1
†CROYDON C.B. ...	–	15	12	–	–	–
Boroughs and Urban Districts:—						
†BARNES	–	–	1	–	2	–
†BEDDINGTON AND WALLINGTON	–	3	–	–	–	–
†CARSHALTON ...	–	1	–	–	–	–
†CATERHAM ...	–	6	–	–	1	–
†CHERTSEY ...	–	–	–	–	–	G. 1
†COULSDON AND PURLEY	–	3	1	–	–	–
EAST AND WEST MOLESEY	–	–	1	–	–	–
†EGHAM	–	–	1	–	1	–
†ESHER AND THE DITTONS	–	–	–	–	1	E. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FARNHAM ...	–	2	–	–	–	–
†KINGSTON ON THAMES	–	1	–	–	–	–
†MERTON AND MORDEN	–	4	2	–	–	–
†MITCHAM... ...	–	2	1	–	–	–
†REIGATE	–	–	1	–	–	–
†RICHMOND ...	–	1	–	–	–	–
†THE MALDENS AND COOMBE	–	1	–	–	–	–
WALTON UPON THAMES	–	1	–	–	–	–
†WIMBLEDON ...	–	3	2	–	–	–
†WOKING	–	1	–	–	–	–
Rural Districts:—						
EPSOM	–	1	–	–	–	M. 1
GODSTONE ...	–	1	–	–	1	–
GUILDFORD ...	–	1	–	–	–	–
SUSSEX, EAST ...	–	13	7	–	5	–
†BRIGHTON C.B. ...	–	3	7	–	1	–
†EASTBOURNE, C.B.	–	1	–	–	1	–
Boroughs and Urban Districts:—						
BATTLE	–	1	–	–	–	–
BURGESS HILL ...	–	–	–	–	2	–
EAST GRINSTEAD	–	2	–	–	–	–
†HOVE	–	3	–	–	–	–
PORTSLADE BY SEA	–	2	–	–	–	–
Rural Districts:—						
CHAILEY... ...	–	1	–	–	–	–
CUCKFIELD ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST ...	–	–	5	–	5	–
Boroughs and Urban Districts:—						
ARUNDEL ...	–	–	–	–	1	–
†BOGNOR	–	–	1	–	–	–
†CHICHESTER ...	–	–	1	–	–	–
SHOREHAM BY SEA	–	–	–	–	2	–
Rural Districts:—						
EAST PRESTON ...	–	–	–	–	1	–
STEYNING WEST	–	–	3	–	–	–
WESTHAMPNETT	–	–	–	–	1	–
WARWICK	–	103	55	–	69	E. 1 G. 5 M. 9
†BIRMINGHAM C.B.	–	68	38	–	56	M. 9
†COVENTRY C.B. ...	–	16	9	–	1	–
Boroughs and Urban Districts:—						
BULKINGTON ...	*	*	*	*	*	*
†NUNEATON ...	–	2	–	–	1	G. 4
†ROYAL LEAMINGTON SPA	–	1	1	–	3	G. 1
†RUGBY	–	–	2	–	2	–
STRATFORD ON AVON	–	–	1	–	–	–
†SUTTON COLDFIELD	–	–	–	–	2	–
†WARWICK ...	–	–	1	–	–	E. 1
Rural Districts:—						
ALCESTER ...	–	5	–	–	1	–
ATHERSTONE ...	–	2	–	–	2	–
FOLESHILL ...	–	3	–	–	–	–
MERIDEN... ...	–	1	–	–	–	–
RUGBY	–	2	1	–	–	–
SOUTHAM ...	–	–	–	–	1	–
TAMWORTH (part)	–	3	2	–	–	–
WIGHT, ISLE OF ...	–	5	2	–	–	–
Boroughs and Urban Districts:—						
ST. HELENS ..	*	*	*	*	*	*
SANDOWN ...	–	5	–	–	–	–
SHANKLIN ...	–	–	1	–	–	–
Rural District:—						
ISLE OF WIGHT	–	–	1	–	–	–
WILTS	–	16	3	–	4	C. 1
Boroughs and Urban Districts:—						
MARLBOROUGH ...	–	2	–	–	–	–
†SALISBURY ...	–	–	1	–	1	–
†SWINDON... ...	–	4	1	–	–	–
†TROWBRIDGE ...	–	2	–	–	–	–
WESTBURY ...	–	–	–	–	–	C. 1
Rural Districts:—						
AMESBURY ...	–	1	–	–	–	–
CHIPPENHAM ...	–	1	1	–	1	–
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
MALMESBURY ...	–	–	–	–	1	–
PEWSEY	–	1	–	–	–	–
RAMSBURY ...	–	2	–	–	–	–
SALISBURY ...	–	2	–	–	–	–
WILTON	–	–	–	–	1	–
WORCESTER ...	–	14	2	3	6	C. 1 M. 1
†DUDLEY C.B. ...	–	–	–	–	–	C. 1
†WORCESTER C.B.	–	3	–	2	2	–
Boroughs and Urban Districts:—						
EVESHAM... ...	–	1	–	–	–	–
†KIDDERMINSTER	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MALVERN ...	–	1	–	–	1	–
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY ...	–	1	–	–	–	M. 1
†REDDITCH ...	–	6	–	–	–	–
STOURPORT ...	–	–	1	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
DROITWICH ...	–	–	–	1	–	–
HALESOWEN ...	–	–	–	–	3	–
YORKS (East Riding)	–	9	17	–	6	M. 5
†KINGSTON UPON HULL C.B.	–	2	15	–	3	M. 5
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	2	–	–	2	–
HEDON	–	1	–	–	–	–
HORNSEA ...	–	1	–	–	–	–
Rural Districts:—						
DRIFFIELD ...	–	1	–	–	–	–
POCKLINGTON ...	–	1	–	–	–	–
SHERBURN ...	–	–	–	–	1	–
SKIRLAUGH ...	–	1	2	–	–	–
YORKS ... ... (North Riding).	5	43	5	–	13	D. 2 G. 1
†MIDDLESBROUGH C.B.	5	13	1	–	5	D. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ESTON	–	20	–	–	–	–
HINDERWELL ...	–	1	–	–	–	–
NORTHALLERTON	–	1	–	–	–	–
†REDCAR	–	2	1	–	4	–
†SCARBOROUGH ...	–	–	–	–	–	D. 1
†SKELTON AND BROTTON	–	–	–	–	–	G. 1
†THORNABY ON TEES	–	1	1	–	–	–
†WHITBY	–	–	–	–	2	–
Rural Districts:—						
CROFT	–	1	–	–	–	–
EASINGWOLD ...	–	–	–	–	1	–
FLAXTON... ...	–	1	–	–	–	–
GUISBOROUGH ...	–	3	–	–	–	–
NORTHALLERTON	–	–	1	–	–	–
STOKESLEY ...	–	–	1	–	1	–
YORKS ... ... (West Riding).	10	221	61	6	106	C. 7 D. 1 G. 2 M. 12
†BARNSLEY C.B. ...	–	3	3	–	–	C. 1 M. 1
†BRADFORD C.B. ...	–	25	5	1	6	G. 1
†DEWSBURY C.B....	–	6	–	–	–	M. 2
†HALIFAX C.B. ...	–	3	–	–	–	D. 1
†HUDDERSFIELD C.B.	–	5	2	–	–	–
†LEEDS C.B. ...	–	58	12	–	13	C. 4 M. 3
†ROTHERHAM C.B.	–	3	2	1	5	–
†SHEFFIELD C.B....	–	24	8	–	40	M. 4
†WAKEFIELD C.B.	–	3	5	–	–	M. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	1	–	–	–	–	–
ALTOFTS	–	2	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
BAILDON	–	1	–	–	–	–
†BATLEY	–	9	–	1	–	–
†BENTLEY WITH ARKSEY	1	1	1	–	–	–
†BINGLEY	–	–	–	–	1	–
†BOLTON UPON DEARNE	–	–	1	–	–	–
†BRIGHOUSE ...	–	3	1	–	–	–
BURLEY IN WHARFEDALE	–	1	–	–	–	–
†CASTLEFORD ...	–	7	1	–	–	–
CLAYTON	–	2	–	–	–	–
†CONISBROUGH ...	–	7	–	–	–	–
CUDWORTH ...	–	2	–	–	–	–
DARFIELD ...	–	–	–	–	3	–
†DARTON	–	–	–	–	2	–
†DONCASTER ...	8	6	1	–	–	–
DRIGHLINGTON ...	–	–	–	–	1	–
†GOLCAR	–	–	–	1	–	–
GUISELEY ...	–	–	–	–	1	–
HEBDEN BRIDGE	–	3	–	–	–	–
HECKMONDWIKE	–	1	–	–	1	–
†HEMSWORTH ...	–	1	–	–	–	–
HIPPERHOLME ...	–	1	–	–	–	–
HORSFORTH ...	–	–	2	–	–	–
†HOYLAND NETHER	–	2	1	–	1	–
†KEIGHLEY ...	–	2	–	–	–	G. 1
KIRKHEATON ...	–	–	–	–	1	–
†MEXBOROUGH ...	–	2	1	–	2	–
†MIRFIELD ...	–	2	–	–	–	–
†MORLEY	–	2	–	–	2	–
†NORMANTON ...	–	1	–	–	3	–
OTLEY	–	–	–	–	1	–
PENISTONE ...	–	–	–	–	1	–
†PUDSEY	–	1	1	–	–	–
†RAWMARSH ...	–	3	–	–	–	–
†ROTHWELL ...	–	1	–	–	1	–
†SADDLEWORTH ...	–	3	–	–	–	–
SHEPLEY	–	–	1	–	–	–
†SHIPLEY	–	–	1	–	–	M. 1
†SKIPTON	–	1	–	–	–	–
SOUTHOWRAM ...	*	*	*	*	*	*
SOWERBY... ...	–	–	1	–	–	–
†SOWERBY BRIDGE	–	5	2	–	–	–
†SPENBOROUGH ...	–	3	1	1	4	–
SPRINGHEAD ...	–	–	–	–	1	–
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†STANLEY	–	2	–	–	–	–
STOCKSBRIDGE ...	–	–	–	–	2	–
†SWINTON	–	1	–	–	–	–
THURNSCOE ...	–	1	–	–	–	–
THURSTONLAND...	–	1	–	–	–	–
†TODMORDEN ...	–	1	–	–	–	–
†WORSBOROUGH ..	–	–	–	–	1	–
YEADON	–	–	–	–	1	–
Rural Districts:—						
DONCASTER ...	–	3	2	–	3	C. 1
HALIFAX... ...	–	1	–	–	–	–
HEMSWORTH ...	–	2	2	–	6	–
KNARESBOROUGH	–	1	–	–	–	–
ROTHERHAM ...	–	1	–	–	1	C. 1
SKIPTON	–	–	2	–	1	–
TADCASTER ...	–	2	–	–	–	–
TODMORDEN ...	–	1	–	–	–	–
WORTLEY... ...	–	–	1	1	–	–
§YORK C.B. ...	–	7	–	–	–	–
WALES						
ANGLESEY	–	–	1	–	–	–
Rural Districts:—						
TWRCELYN ...	–	–	1	–	–	–
BRECKNOCK ...	–	5	4	–	3	–
Urban Districts:—						
BRYNMAWR ...	–	–	–	–	2	–
Rural Districts:—						
YSTRADFELLTE ... (parish).	–	5	–	–	–	–
YSTRADGYNLAIS	–	–	4	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN	–	–	2	–	1	–
Boroughs and Urban Districts:—						
LAMPETER ...	–	–	1	–	–	–
Rural Districts:—						
LLANDYSSIL ...	–	–	–	–	1	–
TREGARON ...	–	–	1	–	–	–
CARMARTHEN ...	–	9	6	–	2	G. 1
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	1	–	–	–	G. 1
KIDWELLY ...	–	–	1	–	–	–
†LLANELLY ...	–	1	2	–	1	–
Rural Districts:—						
CARMARTHEN ...	–	6	2	–	–	–
LLANDILO FAWR	–	1	–	–	–	–
LLANELLY ...	–	–	1	–	1	–
CARNARVON ...	–	6	2	–	–	–
Boroughs and Urban Districts:—						
†BANGOR	–	1	–	–	–	–
CONWAY	–	4	–	–	–	–
Rural Districts:—						
GWYRFAI... ...	–	–	2	–	–	–
OGWEN	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH	–	7	–	2	5	M. 1
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN	–	–	–	–	1	–
DENBIGH... ...	–	–	–	–	1	–
LLANGOLLEN ...	–	1	–	–	–	–
†WREXHAM ...	–	1	–	–	1	M. 1
Rural Districts:—						
RUTHIN	–	–	–	–	1	–
ST. ASAPH (DENBIGH)	–	–	–	–	1	–
WREXHAM ...	–	5	–	2	–	–
FLINT	–	8	2	–	1	M. 1
Boroughs and Urban Districts:—						
†RHYL	–	–	1	–	–	–
Rural Districts:—						
HAWARDEN ..	–	6	–	–	1	M. 1
HOLYWELL (HOLYWELL DIV.)	–	–	1	–	–	–
OVERTON ...	–	1	–	–	–	–
ST. ASAPH (FLINT)	–	1	–	–	–	–
GLAMORGAN ...	–	93	35	–	44	C. 2 L. 4 M. 4
†CARDIFF C.B. ...	–	16	3	–	5	L. 4 M. 2
†MERTHYR TYDFIL C.B.	–	2	1	–	3	–
†SWANSEA C.B. ...	–	7	6	–	3	C. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	7	1	–	5	–
†BARRY	–	2	6	–	3	–
BRIDGEND ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
†CAERPHILLY ...	–	5	1	–	–	–
†GELLIGAER ...	–	2	–	–	–	–
†GLYNCORWG ...	–	1	2	–	4	–
†MAESTEG	–	3	2	–	1	–
†MOUNTAIN ASH ...	–	8	–	–	2	–
†NEATH	–	–	3	–	2	–
†OGMORE AND GARW	–	2	1	–	–	–
†PENARTH... ...	–	1	–	–	–	–
†PONTYPRIDD ...	–	9	–	–	2	–
†PORT TALBOT ...	–	–	3	–	–	–
†RHONDDA ...	–	14	4	–	9	C. 1 M. 2
Rural Districts:—						
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	–	1	1	–	–	–
NEATH	–	10	–	–	3	–
PONTARDAWE ...	–	1	1	–	–	–
SWANSEA... ...	–	–	–	–	2	–
MERIONETH ...	–	2	2	–	–	–
Urban District:—						
FESTINIOG ...	–	2	–	–	–	–
Rural District:—						
EDEIRNION ...	–	–	2	–	–	–
MONMOUTH ...	–	14	15	–	6	M. 2
†NEWPORT C.B. ...	–	2	4	–	3	–
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	–	1	–	–	–
†ABERTILLERY ...	–	3	1	–	1	M. 1
BEDWAS AND MACHEN	–	–	–	–	1	–
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEDWELLTY ...	–	4	–	–	–	–
CHEPSTOW ...	–	–	1	–	–	–
†EBBW VALE ...	–	1	1	–	–	–
LLANTARNAM ...	–	–	1	–	–	–
MONMOUTH ...	–	1	–	–	–	–
†MYNYDDISLWYN	–	1	1	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	1	M. 1
PONTYPOOL ...	–	–	2	–	–	–
†RHYMNEY ...	–	1	–	–	–	–
†RISCA	–	–	2	–	–	–
†TREDEGAR ...	–	1	–	–	–	–
Rural Districts:—						
CHEPSTOW ...	–	–	1	–	–	–
MONTGOMERY ...	–	8	4	–	1	–
Boroughs and Urban Districts:—						
WELSHPOOL ...	–	–	–	–	1	–
Rural Districts:—						
FORDEN... ...	–	2	–	–	–	–
LLANFYLLIN ...	–	2	–	–	–	–
NEWTOWN AND LLANIDLOES	–	4	4	–	–	–
PEMBROKE... ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	–	2	–	–	–
†PEMBROKE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
RADNOR	–	–	1	–	–	–	**Total of Part II.** ...	41	1785	737	40	887	C. 33 D. 3 E. 4 G. 35 L. 12 M. 108
Urban District :—													
PRESTEIGNE ...	–	–	1	–	–	–							

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
BEAUMARIS	*	*	*	*	*	*							
COLCHESTER ...	*	*	*	*	*	*	PORT OF LONDON ...	–	–	3	1	–	–
TEES (RIVER) ...	–	–	1	–	–	–							
WISBECH	*	*	*	*	*	*	**Total of Part III.—** ...	–	–	4	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	230	256	4	58	C. D. G. M.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	41	1785	737	40	887	C. D. E. G. L. M. 1
Total of Part III.—Port Sanitary Districts	–	–	4	1	–	–
Total (*i.e.*, of returns received), England and Wales ...	41	2015	997	45	945	C. D. E. G. L. M. 1

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plagu C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Pol encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus, Fever, or Plague notified during the we Forty-one cases of Small-pox were notified which appear on pages 186, 187, 192, 193, 197, and 1

Table 5.—London and Great Towns in the Aggregate. { Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Nov. 25.	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.
London:—													
Deaths—all ages	1,240	1,129	1,130	1,148	1,068	1,035	1,119	1,124	1,171	1,118	1,087	1,001	977
" 0 to 1 year ..	131	149	139	153	127	123	119	132	124	118	102	117	123
Great Towns, aggregate (including London):—													
Births	7,281	7,058	7,107	7,339	6,910	6,277	8,273	8,409	7,935	7,963	7,374	7,689	7,865
Deaths—all ages	4,599	4,596	4,464	4,726	4,590	4,558	4,910	4,843	4,958	4,841	4,742	4,648	4,446
" 0 to 1 year ..	602	604	592	680	687	635	652	698	674	639	672	680	628
Enteric Fever—Cases	24	25	24	15	15	14	16	12	20	19	23	30	22
" Deaths	1	4	1	6	3	4	5	2	2	—	8	4	5
Small Pox—Cases ..	14	13	13	2	8	11	3	18	22	20	10	10	16
" Deaths ..	1	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever—Cases	1,358	1,374	1,444	1,377	1,204	1,161	1,291	1,158	1,219	1,246	1,297	1,147	1,125
" Deaths	18	8	18	20	22	19	14	27	7	14	8	12	18
Diphtheria—Cases ..	662	759	783	671	661	592	711	675	662	725	742	746	662
" Deaths ..	35	35	42	59	54	45	58	45	54	55	62	52	51
Measles—Deaths ..	88	85	75	76	74	75	72	62	90	72	73	71	84
Influenza—Deaths ..	71	60	52	68	61	51	57	69	78	69	65	66	71

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 17th February, 1923. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
London (Greenwich).	54	35	48·0	37·7	17	Bradford ..	47	30	41·3	34·3	25
Brighton ..	49	34	48·2	40·7	20	Sheffield ..	51	32	43·9	35·1	27
Portsmouth ..	53	34	49·1	40·4	25	York (Museum)	47	33	43·0	36·9	23
Norwich (Southwell Lodge).	53	32	45·6	36·6	25	Hull (Pearson Park).	50	33	44·4	36 0	32
Plymouth ..	53	37	51·3	42·6	28	Tynemouth ..	45	34	41·4	38·4	17
Bristol (Clifton).	50	37	47·4	39·7	32	Cardiff	51	34	48·0	38·1	53
Birmingham ..	48	35	44·7	36·9	36	Edinburgh ..	43·0	31·0	40·7	36·0	11
Nottingham ..	51	33	44·6	36·7	21	Glasgow ..	44·5	34·2	41·3	36·7	20
Birkenhead (Bidston).	49	36	45·3	38·4	20	Dublin (Phœnix Park).	50·3	30·6	47·7	35·6	34
Manchester ..	51	35	45·0	37·7	31	Fitzwilliam Square.†	50·0	38·8	47·6	40·1	42
Burnley	47	32	41·1	35·6	29						
Huddersfield	51	30	43·0	34·4	18	Belfast	50·5	34·5	48·2	37·1	39

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 17th February, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	11	Greatest Declination S.	29·585	55·6	40·8	14·8	46·3	+ 7·5	41·8	4·5	10·9	1·4	84	99·1	32·7	43·9	S : SSW.	SSW.	2·3	0·0	0·1	285	- 47	0·07
MONDAY -	12	..	29·860	50·0	34·9	15·1	42·7	+ 3·9	37·2	5·5	10·4	0·9	81	79·9	29·0	43·8	SW.	SW : SSW : Calm.	0·1	0·0	0·0	165	- 164	0·06
TUESDAY -	13	..	29·944	43·1	39·1	4·0	41·3	+ 2·3	37·9	3·4	4·4	1·1	88	58·0	38·7	43·9	Calm : NNW : NE.	E : E.S.E.	0·6	0·0	0·0	282	- 45	0·36
WEDNESDAY	14	..	29·888	40·9	37·7	3·2	39·0	- 0·3	38·1	0·9	3·0	0·2	97	45·8	32·8	43·9	ESE : E.	Calm	0·6	0·0	0·0	130	- 196	0·16
THURSDAY -	15	New	29·726	44·2	35·2	9·0	39·4	- 0·0	37·8	1·6	4·1	0·0	94	67·0	36·1	43·9	Calm : E.	ESE : SE.	0·5	0·0	0·0	148	- 179	0·00
FRIDAY -	16	..	29·619	50·9	39·5	11·4	44·3	+ 4·8	40·4	3·9	9·8	2·0	86	89·0	30·8	43·6	SE : SSW : SW.	SW : S : SSE.	1·0	0·0	0·1	252	- 77	0·01
SATURDAY -	17	..	29·576	51·6	36·9	14·7	43·1	+ 3·5	38·0	5·1	12·0	2·8	82	86·0	33·5	43·9	SSE : SW : WSW.	WSW : ENE : E.	1·3	0·0	0·1	316	- 15	0·05
MEANS -		..	29·743	48·0	37·7	10·3	42·3	+ 3·1	38·7	3·6	7·8	1·2	87	75·0	33·4	43·8	S		..	..	..	Sum 1,578	Sum - 723	Sum 0·71
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. FEBRUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	11	Registration of instrument temporarily suspended.	5·4	9·7	Overcast generally till 2h., then variably cloudy becoming nearly cloudless by 7½h. Little cloud from 9h. till 11h., then variably cloudy till 16½h. Cloudless by 17h., becoming nearly overcast by 23h. Occasional showers till 7h., and at 13¼h. and 13¾h. Damping about midnight.
MONDAY ..	12		2·0	9·7	Nearly cloudless by 1h. Overcast generally from 9h., with thin cloud prevalent till 13½h. Solar halo at 13h. Slight hoar frost, haze and mist in morning. Slight rain from 19h.
TUESDAY ..	13		0·0	9·8	Overcast or nearly overcast throughout. Rain till 7h., with mist. Occasional damping from 9h. till 12h.
WEDNESDAY	14		0·0	9·8	Overcast. Rain from 2h. till 9h., followed by drizzle till 17h. Gloom 16h. to 16½h., then fog.
THURSDAY	15		0·6	9·9	Overcast or nearly overcast throughout. Slight fog in morning till 11h., increasing temporarily about 5h.
FRIDAY ..	16		3·6	10·0	Overcast till 5h., then variably cloudy. Rain 3h. to 4h., and shower at 14¾h.
SATURDAY	17		0·0	10·0	Overcast till 3h., clearing to nearly cloudless by 4h., clouding up from 11h. to overcast by 15½h. Rain till 2h. Haze in afternoon.
			Sum 11·6	Sum 68·9	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·35 in. at the beginning of the week to 30·01 in. by 0h. on 14th; decreased to 29·47 in. by 3h. on 17th; increased to 29·65 in. by 20h. on 17th; and was 29·63 in. at midnight on the same day.

Printed and published by His Majesty's Stationery Office Press.
11–17, Hare Street, E.2

(40918) Wt. 15—P 11 2250 2/23 H. St. G. 43

FOR OFFICIAL USE.

1923. No. 8.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 24TH FEBRUARY, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 23 Forth Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course

NOTES FOR THE WEEK ENDED 24TH FEBRUARY, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the eighth week of the year numbered 7,533, and corresponded to an annual rate of 20·6 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,849 and corresponded to an annual rate of 13·3 per 1,000 of their aggregate civilian population, which is estimated at 19,052,710 in the year 1921. In the preceding three weeks the rates had been 13·0, 12·7, and 12·2. Infant mortality was 95 per 1,000 births against 91, 88, and 80 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,807 births, corresponding to a rate of 20·8 per 1,000, and 1,063 deaths of civilians, corresponding to a rate of 12·3, as against 12·6, 11·6, and 11·3 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 12·0 per 1,000. The infant mortality was 68 as against 58, 66, and 64 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 403 in the total deaths last week. In London the number of deaths from all causes rose from 977 to 1,063; while the deaths from diphtheria, which had been 27, 24, and 20 in the preceding three weeks, fell to 12 last week.

Just Published:

The "Registrar General's Statistical Review" 1921. Tables Part I (Medical). Price 15*s.* net.

Supplement to 75th Annual Report of the Registrar General. Part IV. Mortality of Men in Certain Occupations 1910–12. Price 13*s.* 6*d.* net.

Census of England and Wales, 1921. County of London. Tables (Part II). Price 8*s.* net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 23 Forth Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 24th February, 1923.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,052,710*	7,533	4,849	714	8	79	13	54	38	59	59
London	4,514,405*	1,807	1,063	123	1	3	–	10	12	13	15
Towns in Outer Ring.											
Croydon C.B. ..	191,500	63	45	7	–	–	1	1	4	–	–
Wimbledon ..	61,700	14	9	1	–	–	–	–	–	–	–
Ealing	67,800	24	14	2	1	–	–	–	–	–	–
Acton	62,000	17	19	3	–	–	–	–	–	1	–
Willesden ..	167,200	47	32	5	1	–	1	1	–	2	–
Hendon	55,500	15	11	1	–	–	–	–	–	–	–
Hornsey	87,600	22	17	–	–	–	–	–	–	–	1
Wood Green ..	51,100	13	10	–	–	–	–	–	–	–	–
Tottenham ..	149,200	38	32	4	–	–	–	–	–	1	–
Edmonton ..	67,800	46	11	3	–	–	–	–	–	–	–
Enfield	61,400	19	17	1	–	–	–	–	–	–	–
West Ham C.B. ..	307,000	146	95	9	–	–	–	–	–	1	2
East Ham C.B. ..	145,500	42	21	3	–	–	–	–	–	–	–
Leyton	130,100	34	27	4	–	–	–	–	–	–	–
Walthamstow ..	129,800	46	20	3	1	–	–	1	–	–	–
Ilford	85,500	28	13	–	–	–	–	–	–	–	–
Gillingham	48,149*	22	12	1	–	–	–	–	–	–	–
Canterbury C.B. ..	23,680	4	7	1	–	–	–	–	–	–	–
Hastings C.B.	59,500	13	18	–	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,600	13	13	–	–	–	–	–	–	–	1
Brighton C.B. ..	134,800	40	45	6	–	2	–	1	–	–	–
Portsmouth C.B. ..	233,929*	98	43	4	–	–	–	–	–	2	–
Bournemouth C.B. ..	81,200	17	28	1	–	–	–	–	–	–	2
Southampton C.B. ..	162,200	61	42	2	–	–	–	1	–	–	–
Reading C.B.	92,600	31	16	1	–	–	–	1	–	–	–
Oxford C.B.	56,400	18	10	2	–	–	–	–	–	–	–
Northampton C.B. ..	92,300	32	29	1	–	–	–	–	–	–	2
Luton	57,800	14	7	–	–	–	–	–	–	–	–
Cambridge	58,900	9	17	1	–	–	–	–	1	–	–
Southend-on-Sea C.B.	90,500	30	27	2	–	–	–	–	–	–	1
Ipswich C.B.	80,100	29	15	2	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	25	22	1	–	–	–	1	1	–	–
Norwich C.B. ..	122,400	42	27	2	–	–	–	–	1	–	–
Swindon	55,500	27	14	1	–	–	–	–	–	–	–
Exeter C.B.	59,500	22	13	1	–	–	–	–	–	1	–
Plymouth C.B. ..	199,869*	78	36	2	–	–	–	–	–	–	1
Bath C.B.	68,300	10	11	1	–	–	–	–	–	–	–
Bristol C.B.	381,700	150	83	12	–	–	3	4	2	1	1
Gloucester C.B. ..	51,800	19	14	1	–	–	1	–	–	–	–
Stoke-on-Trent C.B.	273,238	121	79	14	–	7	–	–	–	–	1
Burton-upon-Trent C.B.	49,410	18	14	–	–	–	–	–	–	–	–
Wolverhampton C.B.	104,000	36	29	5	–	1	–	–	–	–	–
Walsall C.B.	98,800	44	25	3	–	1	–	3	–	–	–
West Bromwich C.B.	75,300	35	21	3	–	2	–	–	3	–	–
Dudley C.B.	57,100	35	20	4	–	2	–	–	–	–	–
Worcester C.B. ..	49,160	17	7	1	–	–	–	–	–	–	–
Birmingham C.B. ..	936,000	380	229	37	–	6	2	–	1	5	4
Smethwick C.B. ..	77,400	25	11	4	–	2	–	–	–	–	–
Coventry C.B. ..	130,300	43	25	5	–	–	–	–	1	1	–
Leicester C.B. ..	237,900	92	70	16	–	1	–	–	–	1	1
Lincoln C.B.	66,600	24	17	2	–	–	–	–	–	–	–
Grimsby C.B.	83,600	42	23	4	–	–	–	–	–	–	–
Nottingham C.B. ..	266,400	97	77	10	–	–	–	–	–	2	2
Derby C.B.	131,800	43	35	7	–	–	–	2	–	1	1
Chesterfield ..	62,400	15	19	4	–	–	–	–	–	–	–
Stockport C.B. ..	125,500	47	38	9	–	–	–	–	1	2	–
Chester C.B.	41,030	8	5	2	–	–	–	–	–	–	–
Birkenhead C.B. ..	147,800	52	35	6	–	–	–	–	–	–	–
Wallasey C.B. ..	89,600	30	21	4	–	–	–	–	–	–	–
Liverpool C.B. ..	817,000	435	243	43	1	1	–	6	3	1	4
Bootle C.B.	77,800	44	22	2	–	–	–	1	–	–	–
St. Helens C.B. ..	104,900	46	33	8	1	–	–	–	–	–	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1921.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	71,900	21	31	4	–	–	–	–	–	–	–
WIGAN C.B.	91,200	47	21	3	–	–	–	–	–	–	–
WARRINGTON C.B. ..	78,600	27	30	7	–	2	–	–	–	1	–
BOLTON C.B.	182,200	69	45	9	–	–	–	–	1	2	1
BURY C.B.	57,600	15	19	5	–	–	–	–	–	–	–
MANCHESTER C.B. ..	744,000	333	197	26	–	–	2	2	–	4	–
SALFORD C.B.	239,100	88	59	4	–	–	–	–	2	–	1
OLDHAM C.B.	148,300	63	45	6	–	–	–	–	–	–	–
ROCHDALE C.B... ..	92,700	25	27	3	–	–	–	–	–	–	1
BURNLEY C.B.	105,300	33	24	3	–	–	–	–	–	–	–
BLACKBURN C.B. ..	129,682	46	52	7	–	2	–	–	–	1	3
PRESTON C.B.	119,900	46	40	4	–	–	–	–	–	–	–
BLACKPOOL C.B. ..	73,800	19	17	1	–	–	–	–	–	–	–
BARROW-IN-FURNESS C.B.	75,200	37	23	3	–	1	–	–	–	–	1
HUDDERSFIELD C.B. ..	111,900	31	31	2	–	–	1	–	–	–	–
HALIFAX C.B.	100,700	25	29	2	–	–	1	–	–	–	1
BRADFORD C.B. ..	291,100	90	73	13	–	2	–	–	–	–	1
LEEDS C.B.	465,500	164	127	21	–	1	1	–	2	3	2
DEWSBURY C.B. ..	55,100	19	16	1	–	–	–	–	–	–	–
WAKEFIELD C.B. ..	53,763	17	22	3	1	–	–	–	–	–	–
BARNSLEY C.B. ..	68,991	26	18	2	–	1	–	–	–	–	–
SHEFFIELD C.B. ..	519,239	193	124	19	1	–	–	4	1	1	2
ROTHERHAM C.B. ..	69,100	28	12	3	–	–	–	–	–	–	–
DONCASTER	54,700	17	12	–	–	–	–	–	–	–	–
YORK C.B.	84,500	25	12	–	–	2	–	–	–	–	–
HULL C.B.	291,800	114	78	16	–	–	–	–	–	1	–
MIDDLESBROUGH C.B.	133,400	73	33	6	–	4	–	–	–	–	–
DARLINGTON C.B. ..	66,400	31	14	5	–	4	–	–	–	–	–
STOCKTON-ON-TEES ..	65,000	36	18	6	–	6	–	–	–	–	–
WEST HARTLEPOOL C.B.	69,300	31	25	9	–	1	–	–	–	–	–
SUNDERLAND C.B. ..	161,100	98	58	11	–	2	–	1	–	1	–
SOUTH SHIELDS C.B. ..	120,376	81	45	15	–	–	–	6	–	–	1
GATESHEAD C.B. ..	126,700	59	41	11	–	2	–	–	–	–	1
NEWCASTLE-ON-TYNE C.B.	278,400	139	87	28	–	5	–	3	–	–	–
TYNEMOUTH C.B. ..	63,900	32	28	7	–	4	–	1	–	3	–
CARLISLE C.B.	53,200	21	18	4	–	2	–	–	–	1	–
NEWPORT (MON.) C.B.	93,700	38	26	6	–	4	–	–	1	2	–
CARDIFF C.B.	222,089	118	59	12	–	4	–	–	–	1	1
RHONDDA	166,600	71	24	9	–	–	–	–	–	2	1
MERTHYR TYDFIL C.B.	81,800	46	24	2	–	2	–	–	–	–	–
ABERDARE	56,100	32	15	5	–	–	–	1	–	–	1
SWANSEA C.B.	159,600	55	47	4	–	–	–	3	1	1	1
GREATER LONDON ..	7,523,963*	2,805	1,674	190	4	3	2	14	19	18	25
OUTER RING	3,009,558*	998	611	67	3	–	2	4	7	5	10
16 GREAT TOWNS IN OUTER RING	1,820,700	614	393	46	3	–	2	3	4	5	3
REMAINDER OF OUTER RING	1,188,858*	384	218	21	–	–	–	1	3	–	7
EDINBURGH†	426,000	194	129	17	–	2	1	2	1	–	4
GLASGOW†	1,041,300	497	297	40	1	3	2	9	4	1	–
DUBLIN (REGISTRATION AREA)†	431,000	212	116	21	–	–	–	1	–	3	2
BELFAST†	429,000	226	126	27	–	1	–	3	–	1	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,514,405	1922–23. Feb. 24	1807	1063	12·3	1	–	3	–	10	12	13	15
Calcutta	896,067	Jan. 13	?	543§	31·1	?	9	?	?	?	?	?	15
Bombay	1,220,120	„ 20	439‖	742§	31·6	2	4	2	?	–	–	46	4
Madras	526,911	„ 20	412	470	46·4	–	5	–	?	–	1	43	–
Sydney and Suburbs	926,400												
Brisbane (Metropolitan Area).	217,714												
Perth (Metropolitan Area).	155,939	Dec. 30	68	20	6·7	–	–	–	–	–	–	4	–
Auckland (Urban Area).	164,450	Nov. (30 days)	262	124	9·0	1	–	–	–	–	–	1	–
Wellington (Urban Area).	110,680	„ „	191	65	7·1	–	–	–	–	–	–	–	–
Christchurch (Urban Area).	110,200	„ „	202	90	9·8	–	–	–	–	–	1	–	–
Cape Town	104,400	Jan. 6	36	24	12·0	1	–	–	–	–	–	2	–
Johannesburg	153,825	„ 13	82	45	15·2	–	–	–	–	–	–	4	–
Durban	49,043	„ 13	30	15	15·9	–	–	–	–	–	–	2	–
Paris	2,906,472	„ 31 (11 days)	1580	1331	16·7	4	–	25	3	7	4	26	7
Antwerp	302,150	Nov. 11	103	63	10·8	–	–	–	–	–	–	5	–
		„ 18	120	51	8·7	–	–	–	–	–	–	1	1
Amsterdam	696,481	Feb. 3	300	127	9·5	–	–	2	–	2	1	–	5
Copenhagen	565,000	„ 10	234	159	14·6	–	–	–	–	2	–	–	2
Stockholm	422,042	„ 3	113	90	11·1	–	–	1	1	–	–	1	–
Gothenburg	227,686	Jan. 20	?	47	10·7	–	–	–	–	–	1	–	–
Christiania	258,933	Feb. 10	91	77	15·5	–	–	1	–	1	1	–	4
Berlin	1,981,000	Jan. 13	400	641	16·8	1	?	12	–	4	3	11	40
Breslau	558,000	„ 13	230	188	17·5	–	?	–	–	1	3	1	13
Cologne	694,000	„ 13	309	207	15·5	–	?	9	–	2	1	5	15
Dresden	610,000	„ 13	154	214	18·2	–	?	1	–	1	–	3	28
Frankfort-on-Main..	477,000	„ 13	64	99	10·8	–	?	–	–	2	–	1	15
Hamburg	1,085,000	„ 13	347	288	13·8	–	?	2	–	4	1	1	6
Leipzig	677,000	„ 13	200	224	17·2	1	?	–	–	5	1	–	23
Munich	685,000	„ 13	155	165	12·5	–	?	–	–	–	–	–	4
Vienna	1,842,005	Dec. 30	478	513	14·5	4	–	2	2	1	2	11	–
Prague and Suburbs	689,262												
Budapest	939,529	Dec. 2	328	292	16·2	1	?	12	2	1	3	7	–
Warsaw	956,087	Jan. 6	410	280	15·2	2	–	5	5	2	3	14	1
Cairo	777,500	Dec. 9	765	432	28·9	2	–	–	–	?	2	32	?
Alexandria	456,300	„ 9	462	227	25·9	1	–	2	–	?	1	19	?
New York	5,927,617	Jan. 20	2474	1453	12·8	4	–	5	1	2	24	26	23
Chicago	2,885,921	„ 27	?	705	12·7	–	–	4	3	9	9	22	11
Rio de Janeiro ..	1,256,370												
Montevideo	349,293	Oct. 28	278	141	19·4	–	–	1	–	3	1	–	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 11 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 6 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 24th February, 1923, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1063	123	25	13	36	61	41	76	129	176	183	200
Enteric fever	1	–	–	–	–	1	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	1	1	1	–	–	–	–	–	–	–	–
Scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	10	3	6	1	–	–	–	–	–	–	–	–
Diphtheria	12	–	1	3	7	1	–	–	–	–	–	–
Influenza	15	–	–	–	–	–	–	2	2	5	5	1
Erysipelas	2	–	–	–	–	–	–	–	1	1	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	–	1	–	–	–	–
Meningococcal meningitis	1	–	–	–	1	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	90	1	–	1	1	20	18	20	18	7	3	1
Nervous system..	7	1	1	2	2	1	–	–	–	–	–	–
Intestines and peritoneum	4	–	–	1	–	1	1	–	–	1	–	–
Other forms	7	1	–	1	1	3	–	–	1	–	–	–
Venereal diseases	2	2	–	–	–	–	–	–	–	–	–	–
Cancer	131	–	–	–	1	1	2	6	22	43	43	13
Rheumatic fever	7	–	–	–	5	1	–	–	1	–	–	–
Diabetes	8	–	–	–	–	–	–	2	1	2	2	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	2	–	2	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	52	–	–	–	–	–	2	1	6	18	9	16
Epilepsy	4	–	–	–	–	–	–	1	–	1	1	1
"Convulsions" (not puerperal) ..	6	6	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	28	–	–	–	1	3	2	4	9	5	3	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	5	–	–	–	–	2	1	2	–	–	–	–
Other diseases of heart	138	–	–	–	2	4	–	5	18	26	44	39
Other diseases of circulatory system	49	–	1	–	–	–	–	–	9	9	11	19
Bronchitis	88	9	–	–	1	–	–	7	3	12	18	38
Broncho-pneumonia	51	22	5	2	–	1	–	–	5	3	4	9
Lobar pneumonia	27	2	2	–	1	3	2	4	3	6	4	–
Pneumonia (type not distinguished) ..	18	7	2	–	1	–	1	1	3	2	–	1
Other diseases of respiratory system	21	2	–	–	–	2	1	3	3	4	3	3
Diarrhœa and enteritis	16	12	1	–	–	–	–	1	–	1	–	1
Appendicitis, Typhlitis	3	–	–	–	1	1	–	1	–	–	–	–
Hernia, Intestinal obstruction	8	2	–	–	–	–	–	–	1	3	1	1
Cirrhosis of liver	5	–	–	–	–	–	–	1	3	1	–	–
Other diseases of digestive system ..	22	2	1	–	1	3	2	1	6	2	3	1
Acute nephritis	1	–	–	–	–	–	–	–	–	1	–	–
Chronic Bright's disease	28	–	–	–	1	1	2	2	3	9	4	6
Other diseases of genito-urinary system.	14	–	–	–	–	1	2	2	–	–	4	5
Puerperal sepsis	4	–	–	–	–	1	1	2	–	–	–	–
Other causes incident to childbirth ..	1	–	–	–	–	–	1	–	–	–	–	–
Congenital malformations	10	9	–	–	–	1	–	–	–	–	–	–
Premature birth	29	29	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	7	7	–	–	–	–	–	–	–	–	–	–
Old age..	47	–	–	–	–	–	–	–	–	2	12	33
Suicide	6	–	–	–	–	–	–	2	2	2	–	–
Burns and scalds	3	1	1	–	1	–	–	–	–	–	–	–
Drowning	6	–	1	–	–	–	1	–	2	2	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	12	–	–	–	5	1	–	2	1	1	–	2
Other deaths by violence	14	–	–	–	1	4	2	1	2	1	3	–
Other specified causes	37	4	–	1	2	4	–	2	4	6	6	8
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 24th February, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	196	259	5	91	C. 6 D. 3 E. 3 G. 5 M. 15
†CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	8	14	–	4	G. 1 M. 1
†BERMONDSEY ...	–	5	11	1	1	–
†BETHNAL GREEN	–	6	6	–	2	D. 1
†CAMBERWELL ...	–	9	23	1	1	–
†CHELSEA	–	3	3	-	–	–
†DEPTFORD ...	–	9	17	–	–	M. 1
†FINSBURY ...	–	1	3	–	1	M. 1
†FULHAM	–	11	6	–	4	C. 2 M. 1
†GREENWICH ...	–	5	6	–	2	D. 1
†HACKNEY ...	–	6	22	–	–	G. 1 M. 1
†HAMMERSMITH ...	–	5	4	–	4	D. 1 M. 1
†HAMPSTEAD ...	–	3	3	–	1	–
†HOLBORN... ...	–	1	1	–	–	–
†ISLINGTON ...	–	13	13	–	2	G. 1 M. 1
†KENSINGTON ...	–	8	12	1	3	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†LAMBETH ...	–	14	19	–	5	C. 1
†LEWISHAM ...	–	9	18	–	2	–
†PADDINGTON ...	–	6	7	1	12	C. 1 M. 1
†POPLAR	–	8	9	–	13	E. 1 G. 1 M. 2
†ST. MARYLEBONE	–	1	2	–	1	–
†ST. PANCRAS ...	–	19	12	–	2	C. 2 G. 1
†SHOREDITCH ...	–	4	10	–	1	M. 1
†SOUTHWARK ...	–	8	19	1	3	E. 1
†STEPNEY	–	7	6	–	4	M. 2
†STOKE NEWINGTON	–	1	1	–	–	–
†WANDSWORTH ...	–	17	5	–	14	E. 1 M. 2
†WESTMINSTER, CITY OF	–	2	4	–	4	–
†WOOLWICH ...	–	7	2	–	5	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	5	1	–	–	–
Boroughs and Urban Districts:—						
†BEDFORD ...	–	1	–	–	–	–
LEIGHTON BUZZARD	–	–	1	–	–	–
†LUTON	–	2	–	–	–	–
Rural Districts:—						
BEDFORD ...	–	2	–	–	–	–
LUTON	*	*	*	*	*	*
BERKS	–	18	12	–	–	C. 1 M. 1
†READING C.B. ...	–	10	5	–	–	C. 1
Boroughs and Urban Districts:—						
ABINGDON ...	–	3	2	–	–	–
†NEWBURY ...	–	–	2	–	–	–
Rural Districts:—						
ABINGDON ..	–	1	3	–	–	–
BRADFIELD ...	–	1	–	–	–	M. 1
FARINGDON (PART)	–	1	–	–	–	–
WANTAGE ...	–	2	–	–	–	–
BUCKINGHAM ...	–	7	1	–	4	D. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
BEACONSFIELD ..	–	1	–	–	–	–
BUCKINGHAM ...	*	*	*	*	*	*
†CHEPPING WYCOMBE ...	–	1	–	–	2	–
†WOLVERTON ...	–	1	–	–	–	–
BUCKINGHAM—*cont.*						
Rural Districts:—						
BUCKINGHAM ...	–	–	–	–	–	D. 1 G. 1
ETON	–	–	1	–	–	M. 1
NEWPORT PAGNELL	–	2	–	–	–	–
WINSLOW ...	–	1	–	–	–	–
WYCOMBE ...	–	1	–	–	2	–
CAMBRIDGE ...	–	5	–	–	2	–
Borough:—						
†CAMBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
CHESTERTON ..	–	1	–	–	1	–
LINTON	–	2	–	–	–	–
MELBOURN ...	–	1	–	–	1	–
CHESTER	–	53	22	2	19	G. 1 M. 2
†BIRKENHEAD C.B	–	3	2	–	6	M. 1
†CHESTER C.B. ...	–	2	–	–	1	–
†STOCKPORT C.B.	–	3	2	–	1	M. 1
†WALLASEY C.B. ..	–	–	3	–	1	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	3	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	3	–	–	1	–
BOLLINGTON ...	–	2	–	–	1	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
COMPSTALL ..	–	–	4	–	–	–
†CONGLETON ...	–	2	–	–	1	–
†CREWE	–	6	1	–	–	–
†DUKINFIELD ...	–	5	–	–	1	–
†ELLESMERE PORT AND WHITBY	–	2	–	–	1	–
HALE	–	1	–	–	–	–
HOOLE	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HYDE	–	3	–	–	–	–
KNUTSFORD ...	–	1	–	–	–	–
†MACCLESFIELD ..	–	1	–	1	–	–
MIDDLEWICH ..	–		3	–	–	G. 1
NESTON AND PARKGATE ...	–	–	1	–	–	–
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN... ..	–	4	3	–	2	–
†SALE	–	1	–	–	–	–
†STALYBRIDGE ...	–	–	–	–	2	–
WILMSLOW ...	–	–	2	–	–	–
†WINSFORD ...	–	1	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	1	–	–	–	–
CONGLETON ..	–	1	1	–	–	–
NORTHWICH ...	–	3	–	–	–	–
RUNCORN ...	–	3		–	–	–
WIRRAL	–	–	–	1	–	–
CORNWALL ...	–	7	3	–	5	–
Boroughs and Urban Districts:—						
LISKEARD ...	–	–	–	–	1	–
LUDGVAN... ...	–	–	3	–	–	–
†PENZANCE ...	–	1	–	–	–	–
ST. AUSTELL ...	–	1	–	–	–	–
TORPOINT ...	–	1	–	–	1	–
WADEBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
BODMIN	–	1	–	–	–	–
REDRUTH ...	–	1	–	–	2	–
SAINT GERMANS	–	1	–	–	1	–
CUMBERLAND ...	–	9	12	–	4	G. 1 M. 2
†CARLISLE C.B. ...	–	3	–	–	4	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	–	2	–	–	–
HARRINGTON ...	–	1	–	–	–	–
MILLOM	–	1	–	–	–	–
PENRITH	–	–	3	–	–	–
WHITEHAVEN ...	–	–	3	–	–	M. 2
†WORKINGTON ...	–	2	3	–	–	–
Rural Districts:—						
COCKERMOUTH ...	–	1	1	–	–	–
PENRITH	–	1	–	–	–	–
DERBY	13	32	19	2	16	G. 1
†DERBY C.B. ...	–	11	2	–	5	–
Boroughs and Urban Districts:—						
†ALFRETON ...	3	1	1	1	1	–
ALVASTON AND BOULTON	–	–	1	–	–	–
†BELPER	–		–	–	–	–
†BOLSOVER ..	–	–	–	–	2	–
†CHESTERFIELD ..	–	–	3	–	–	–
CLAY CROSS ...	–	1	1	–	–	–
DRONFIELD ...	–	–	–	–	1	–
†GLOSSOP	–	–	3	–	–	–
†HEANOR	5	2	–	–	–	–
†LONG EATON ...	–	5	1	1	–	–
†RIPLEY	–	–	–	–	1	–
†SWADLINCOTE DISTRICT	–	1	–	–	2	G. 1
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	–	–
BAKEWELL ...	–	–	–	–	1	–
BELPER	–	1	–	–	1	–
BLACKWELL ...	–	2	–	–	–	–
CHAPEL EN LE FRITH	–	1	–	–	1	–
CHESTERFIELD ..	–	–	5	–	1	–
CLOWNE	5	1	–	–	–	–
REPTON... ...	–	1	–	–	–	–
SHARDLOW ...	–	3	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	25	4	2	6	M. 1
†EXETER C.B. ...	–	–	–	1	1	–
†PLYMOUTH C.B....	–	8	2	1	1	M. 1
Boroughs and Urban Districts:—						
BAMPTON ...	–	1	–	–	–	–
†EXMOUTH ..	–	2	–	–	–	–
HONITON... ...	–	–	–	–	1	–
†NEWTON ABBOT	–	1	–	–	–	–
OTTERY ST. MARY	–	4	–	–	–	–
†PAIGNTON ..	–	1	–	–	–	–
SOUTH MOLTON	–	–	–	–	1	–
†TEIGNMOUTH ...	–	–	–	–	1	–
†TORQUAY... ...	–	2	1	–	–	–
Rural Districts:—						
AXMINSTER ...	–	1	–	–	–	–
BROADWOOD WIDGEI	–	–	–	–	1	–
KINGSBRIDGE ...	–	1	1	–	–	–
PLYMPTON ST. MARY	–	1	–	–	–	–
ST. THOMAS ...	–	3	–	–	–	–
DORSET	–	2	8	–	6	M. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	–	–	–	2	–
DORCHESTER ...	–	1	1	–	–	–
SHERBORNE ...	–	–	–	–	2	–
SWANAGE ...	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	2	–
Rural Districts:—						
DORCHESTER ...	–	–	1	–	–	–
SHAFTESBURY ..	–	–	–	–	–	M. 1
WIMBORNE AND CRANBORNE	–	–	6	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM	5	78	34	6	57	C. 2 D. 1 G. 2 J. 1 M. 8
†DARLINGTON C.B	–	4	6	–	3	–
†GATESHEAD C.B.	–	–	1	–	2	M. 1
†SOUTH SHIELDS C.B.	–	4	1	2	6	C. 1 M. 1
†SUNDERLAND C.B.	–	14	1	1	4	J. 1 M. 3
†WEST HARTLEPOOL C.B.	–	1	1	1	–	C. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	3	–	–	–
BARNARD CASTLE	–	–	1	–	–	–
BENFIELDSIDE ...	–	1	–	–	–	M. 1
†BLAYDON... ..	–	3	–	–	–	G. 1
†CHESTER LE STREET	–	1	2	–	–	M. 1
†CONSETT	–	1	1	–	–	–
†CROOK	–	1	–	–	–	G. 1
†DURHAM	–	–	–	–	1	–
†FELLING	–	2	–	–	6	–
†HARTLEPOOL ...	–	–	1	–	–	–
†HEBBURN ...	–	4	1	–	–	–
†HETTON	–	3	–	–	2	–
†HOUGHTON LE SPRING	–	–	–	–	3	–
†JARROW	–	3	–	–	6	–
†RYTON	–	1	–	–	–	–
†SOUTHWICK ON WEAR	–	2	–	–	3	–
†SPENNYMOOR ...	–	1	–	–	–	–
†STANLEY	–	2	1	–	–	–
†STOCKTON ON TEES	5	–	4	–	1	–
†WASHINGTON ...	–	–	4	–	–	–
WHICKHAM ...	–	–	–	–	1	–
WILLINGTON ...	–	–	–	1	–	–
Rural Districts:—						
AUCKLAND ...	–	10	1	1	6	–
BARNARD CASTLE	–	1	–	–	–	–
CHESTER LE STREET	–	2	–	–	1	–
DARLINGTON ...	–	1	1	–	–	–
DURHAM	–	–	1	–	–	D. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
EASINGTON ...	–	5	1	–	5	–
HOUGHTON LE SPRING	–	4	–	–	2	–
LANCHESTER ...	–	1	–	–	–	–
SEDGEFIELD ...	–	2	1	–	1	–
SOUTH SHIELDS	–	1	–	–	–	–
STOCKTON ...	–	–	–	–	1	–
SUNDERLAND ...	–	1	1	–	3	M. 1
ISLE OF ELY ..	–	1	–	–	1	–
Borough and Urban District :—						
ELY	–	–	–	–	1	–
Rural District :—						
NORTH WITCHFORD	–	1	–	–	–	–
ESSEX	–	35	43	1	19	E. 1 L. 1 M. 2
†EAST HAM C.B. ...	–	4	3	–	2	E. 1
†SOUTHEND-ON-SEA C.B.	–	6	1	–	1	–
†WEST HAM C.B. ...	–	8	15	–	2	–
Boroughs and Urban Districts :—						
†BARKING TOWN	–	–	2	–	1	–
†CLACTON	–	–	–	–	2	–
HALSTEAD ...	–	2	–	–	–	–
†ILFORD	–	1	3	–	–	–
†LEYTON	–	4	10	–	1	–
SHOEBURYNESS ...	–	–	–	–	3	–
†WALTHAMSTOW ...	–	2	6	1	1	M. 2
WALTON ON THE NAZE	*	*	*	*	*	*
†WANSTEAD ...	–	1	–	–	–	–
WITHAM	–	–	–	–	1	–
†WOODFORD ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts :—						
BILLERICAY ...	–	–	1	–	2	L. 1
CHELMSFORD ...	–	–	–	–	1	–
DUNMOW... ...	–	2	–	–	1	–
EPPING	–	1	–	–	–	–
ONGAR	*	*	*	*	*	*
ORSETT	–	1	–	–	–	–
ROMFORD ...	–	1	2	–	–	–
GLOUCESTER ...	–	47	23	1	12	E. 1 G. 2 L. 1
†BRISTOL C.B. ...	–	31	20	–	8	E. 1 L. 1
†GLOUCESTER C.B.	–	5	1	–	3	–
Boroughs and Urban Districts :—						
†CHELTENHAM ...	–	6	–	–	–	G. 1
NEWNHAM ...	–	1	–	–	–	–
TETBURY ...	–	–	1	–	–	–
TEWKESBURY ...	–	–	–	–	1	–
Rural Districts :—						
CHIPPING SODBURY	–	3	–	–	–	–
GLOUCESTER ...	–	1	–	1	–	–
NORTHLEACH ...	*	*	*	*	*	*
STOW ON THE WOLD (part)	–	–	–	–	–	G. 1
STROUD	–	–	1	–	–	–
WEST DEAN ...	*	*	*	*	*	*
HEREFORD ...	1	–	2	–	–	–
Boroughs and Urban Districts :—						
†HEREFORD ...	1	–	–	–	–	–
Rural District :—						
ROSS	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...	–	7	4	1	2	D. 1
Boroughs and Urban Districts:—						
†BARNET	*	*	*	*	*	*
BUSHEY	–	1	–	–	–	–
†HERTFORD ...	–	–	1	–	1	D. 1
†HITCHIN... ...	–	1	–	–	–	–
HODDESDON ...	–	–	1	–	–	–
ROYSTON	–	1	–	–	–	–
†WATFORD ...	–	–	1	–	1	–
Rural Districts:—						
ST. ALBANS ...	–	4	–	–	–	–
WARE	–	–	1	–	–	–
WATFORD ...	–	–	–	1	–	–
HUNTINGDON ...	–	–	–	–	–	–
Rural District:—						
THRAPSTON (part)	*	*	*	*	*	*
KENT	–	67	17	1	16	E. 1 G. 1 M. 3
Boroughs and Urban Districts:—						
†ASHFORD... ...	–	2	–	–	–	–
†BECKENHAM ...	–	1	1	1	–	–
†BEXLEY	–	6	–	–	–	–
†BROMLEY... ...	–	–	–	–	3	–
†CHATHAM ...	–	–	1	–	–	–
†CRAYFORD ...	–	–	1	–	–	–
†DARTFORD ...	–	2	–	–	–	–
†ERITH	–	2	–	–	3	E. 1 G. 1 M. 1
†FAVERSHAM ...	–	3	–	–	–	–
†FOLKESTONE ...	–	6	–	–	–	M. 2
†GILLINGHAM ...	–	7	3	–	–	–
†GRAVESEND ...	–	3	–	–	–	–
†HERNE BAY ...	–	–	–	–	1	–
HYTHE	–	1	–	–	–	–
†MARGATE ...	–	5	–	–	–	–
†NORTHFLEET ...	–	2	1	–	–	–
†PENGE	–	1	–	–	–	–
QUEENBOROUGH	–	3	1	–	–	–
†ROCHESTER ...	–	1	1	–	–	–
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROYAL TUNBRIDGE WELLS	–	1	1	–	–	–
SANDWICH ...	–	–	–	–	1	–
†SHEERNESS ...	–	8	1	–	–	–
SIDCUP	–	–	1	–	–	–
†TONBRIDGE ...	–	3	1	–	–	–
WHITSTABLE ...	–	–	–	–	2	–
Rural Districts:—						
BRIDGE	–	1	–	–	–	–
BROMLEY ...	–	1	1	–	–	–
DARTFORD ...	–	2	1	–	–	–
EAST ASHFORD ...	–	1	–	–	1	–
FAVERSHAM ...	–	1	1	–	–	–
MAIDSTONE ...	–	–	–	–	1	–
MALLING	–	–	–	–	2	–
MILTON	–	2	–	–	–	–
SHEPPEY	–	–	–	–	1	–
STROOD	–	2	–	–	–	–
TONBRIDGE ...	–	–	–	–	1	–
WEST ASHFORD...	–	–	1	–	–	–
LANCASTER ...	1	317	96	2	170	C. 4 D. 2 E. 1 F. 1 G. 21 M. 23
†BARROW IN FURNESS C.B.	–	4	1	–	–	M. 1
†BLACKBURN C.B.	–	8	–	–	9	C. 1 M. 2
†BLACKPOOL C.B.	–	–	–	–	2	–
†BOLTON C.B. ...	–	12	1	–	1	–
†BOOTLE C.B. ...	–	6	2	–	1	G. 2 M. 1
†BURNLEY C.B. ...	–	26	3	1	3	M. 2
†BURY C.B. ...	–	1	1	–	4	–
†LIVERPOOL C.B. ...	–	46	26	–	23	C. 1 G. 15
†MANCHESTER C.B.	–	51	17	–	3[illegible]	C. 1 G. 3 M. 5
†OLDHAM C.B. ...	–	10	1	–	2	M. 1
†PRESTON C.B. ...	–	2	3	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†ROCHDALE C.B. ...	–	13	1	1	2	M. 1
†ST. HELENS C.B.	–	6	2	–	6	–
†SALFORD C.B. ...	–	36	11	–	1	D. 1 M. 2
†SOUTHPORT C.B.	–	4	–	–	1	D. 1
†WARRINGTON C.B.	–	2	2	–	11	–
†WIGAN C.B. ...	–	–	1	–	3	M. 1
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	2	–
ADLINGTON ...	–	–	–	–	1	–
†ASHTON IN MAKERFIELD	–	1	5	–	1	–
†ASHTON UNDER LYNE	–	1	–	–	–	–
†ATHERTON ...	–	4	–	–	1	–
AUDENSHAW ...	–	–	–	–	1	–
†BACUP	–	–	–	–	–	M. 1
BARROWFORD ...	–	2	–	–	1	–
BLACKROD ...	–	–	–	–	1	–
†CHADDERTON ...	–	1	1	–	–	–
†CHORLEY	–	–	1	–	–	–
CLAYTON LE MOORS	–	1	–	–	–	–
†COLNE	–	3	2	–	–	–
†CROMPTON ...	–	2	–	–	5	–
†DARWEN	–	6	–	–	–	–
†DENTON	–	1	–	–	2	–
†DROYLSDEN ...	–	1	–	–	1	C. 1
†ECCLES	–	1	–	–	–	M. 1
†FAILSWORTH ...	–	–	–	–	2	–
†FARNWORTH ...	–	2	–	–	–	–
†FLEETWOOD ...	–	–	1	–	–	E. 1
GOLBORNE ...	–	1	1	–	–	–
†GREAT CROSBY ...	–	–	–	–	1	M. 1
†HAYDOCK... ...	–	1	–	–		–
HEYSHAM ...	–	–	2	–	–	–
†HEYWOOD ...	–	3	–	–	2	–
†HINDLEY... ...	–	5	–	–	–	–
†HORWICH ...	–	1	–	–	–	–
HUYTON WITH ROBY	*	*	*	*	*	*
†INCE IN MAKERFIELD	–	4	1	–	1	–
KEARSLEY ...	–	1	–	–	–	–
†LANCASTER ...	–	–	–	–	1	–
LEES	–	–	–	–	2	–
†LEIGH	–	4	2	–	2	M. 1
LEYLAND... ...	–	1		–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LITHERLAND ...	–	2	–	–	–	–
LITTLE CROSBY ...	–	1	–	–	–	–
†MIDDLETON ...	–	1	–	–	4	–
MILNROW ...	–	–	1	–	–	–
†MOSSLEY	–	1	–	–	–	–
†NELSON	1	1	–	–	1	–
†OSWALDTWISTLE	–	–	–	–	2	M. 1
PRESCOT	–	1	–	–	–	–
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	–	–	–	4	–
†RAMSBOTTOM ...	–	1	–	–	–	–
†RAWTENSTALL ...	–	–	–	–	1	–
†ROYTON	–	1	–	–	–	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD ...	–	5	2	–	–	–
†SWINTON AND PENDLEBURY	–	3	–	–	4	M. 1
TOTTINGTON ...	–	–	–	–	–	F. 1
†TURTON	–	1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	3	1	–	4	M. 1
UPHOLLAND ...	–	–	1	–	–	–
†WALTON LE DALE	–	3	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	1	–	2	–
†WESTHOUGHTON	–	–	–	–	1	–
WHITEFIELD ...	–	–	–	–	1	–
†WIDNES	–	4	1	–	2	–
†WORSLEY... ...	–	1	–	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	1	–	–	–
BLACKBURN ...	–	1	–	–	1	–
BURNLEY... ...	–	1	–	–	–	–
BURY	–	1	–	–	–	–
CHORLEY	–	–	–	–	2	–
CLITHEROE ...	–	–	–	–	1	–
FYLDE	–	2	–	–	–	–
LANCASTER ..	–	1	–	–	–	–
LEIGH	–	4	–	–	–	–
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	–	–	–	3	–
WEST LANCASHIRE	–	–	–	–	1	G. 1
WHISTON... ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER	–	9	8	–	12	–
†LEICESTER C.B. ...	–	7	5	–	5	–
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
ASHBY WOULDS...	–	–	–	–	2	–
MARKET HARBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
SHEPSHED ...	–	–	–	–	1	–
WIGSTON MAGNA	–	–	2	–	–	–
Rural Districts:—						
BARROW UPON SOAR	–	1	–	–	–	–
BLABY	–	–	1	–	–	–
LOUGHBOROUGH...	–	–	–	–	1	–
MARKET BOSWORTH	–	–	–	–	1	–
MELTON MOWBRAY	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	6	2	–	–	–
Boroughs and Urban Districts:—						
†SPALDING ...	–	1	1	–	–	–
SUTTON BRIDGE	–	1	–	–	–	–
Rural Districts:—						
CROWLAND ...	–	–	1	–	–	–
EAST ELLOE ...	–	4	–	–	–	–
LINCOLN (parts of Kesteven).	–	2	–	–	1	–
Boroughs and Urban Districts:—						
SLEAFORD ...	–	–	–	–	1	–
Rural Districts:—						
CLAYPOLE ...	–	1	–	–	–	–
GRANTHAM ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	15	8	–	3	–
†GRIMSBY C.B. ..	–	4	3	–	–	–
†LINCOLN C.B. ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
BRIGG	–	–	1	–	–	–
†CLEETHORPES ...	–	3	–	–	–	–
†GAINSBOROUGH ...	–	1	1	–	–	–
LOUTH	–	–	–	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	1	3	–	–	–
Rural Districts:—						
GAINSBOROUGH ...	–	3	–	–	–	–
GLANFORD BRIGG	–	–	–	–	1	–
GRIMSBY	–	1	–	–	–	–
MIDDLESEX ...	–	65	55	1	18	C. 11 G. 1
Boroughs and Urban Districts:—						
†ACTON	–	3	4	–	–	–
†BRENTFORD ...	–	2	2	–	1	–
†CHISWICK ...	–	2	2	–	1	–
†EALING	–	5	3	–	2	C. 7
†EDMONTON ...	–	3	1	–	3	–
†ENFIELD	–	–	1	–	1	–
FELTHAM... ...	–	1	2	–	–	–
†FINCHLEY ...	–	2	–	–	1	–
†HAMPTON ...	–	2	–	–	–	–
†HANWELL ...	–	–	1	–	–	–
†HARROW ON THE HILL	–	1	–	–	–	–
†HENDON	–	–	4	–	1	–
†HESTON AND ISLEWORTH	–	4	12	–	–	C. 2
†HORNSEY... ...	–	4	1	–	–	–
RUISLIP NORTHWOOD	–	2	–	–	–	–
†SOUTHALL NORWOOD	–	1	1	–	–	–
†SOUTHGATE ...	–	1	–	–	–	–
STAINES	–	–	2	–	–	–
SUNBURY ON THAMES	–	1	–	–	–	–
†TEDDINGTON ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Tottenham ...	–	14	5	–	6	–
†Twickenham ...	–	1	–	–	–	C. 2
†Willesden ...	–	8	11	1	1	G. 1
†Wood Green ...	–	4	–	–	1	–
Rural District:—						
Staines	–	4	1	–	–	–
NORFOLK	–	30	17	1	7	M. 1
†Great Yarmouth C.B.	–	3	5	–	–	–
†Norwich C.B. ...	–	24	10	–	2	M. 1
Boroughs and Urban Districts:—						
Cromer	–	–	–	1	–	–
†King's Lynn ...	–	–	1	–	2	–
North Walsham	–	1	–	–	2	–
Rural Districts:—						
Forehoe... ...	–	1	1	–	–	–
King's Lynn ...	*	*	*	*	*	*
Marshland ..	–	1	–	–	–	–
Smallburgh ...	–	–	–	–	1	–
NORTHAMPTON ...	–	18	2	–	20	M. 1
†Northampton C.B.	–	2	–	–	15	–
Boroughs and Urban Districts:—						
Desborough ...	–	1	–	–	–	–
Irthlingborough	–	1	–	–	–	–
†Kettering ...	–	2	–	–	1	–
†Wellingborough	–	10	–	–	1	–
NORTHAMPTON—*cont.*						
Rural Districts:—						
Brixworth ...	–	1	–	–	–	–
Daventry ...	–	–	2	–	1	M. 1
Easton on the Hill	–	–	–	–	1	–
Northampton ...	–	1	–	–	–	–
Towcester ...	–	–	–	–	1	–
NORTHUMBERLAND	–	58	14	–	58	C. 3 G. 1 M. 3
†Newcastle upon Tyne C.B.	–	10	7	–	34	C. 1 G. 1 M. 2
†Tynemouth C.B.	–	6	1	–	3	–
Boroughs and Urban Districts:—						
Amble	–	2	–	–	–	–
†Ashington ...	–	1	–	–	1	C. 1
†Bedlingtonshire	–	4	1	–	6	–
†Berwick upon Tweed	–	1	–	–	–	–
†Blyth	–	7	1	–	2	–
Cramlington ...	–	11	–	–	–	–
†Earsdon	–	1	–	–	–	–
†Gosforth ...	–	1	–	–	–	–
Hexham	–	–	–	–	1	–
†Longbenton ...	–	4	–	–	–	–
Morpeth... ..	–	2	–	–	–	–
†Newburn ...	–	1	–	–	1	–
Seaton Delaval	–	2	–	–	–	–
Seghill	–	–	1	–	2	–
†Wallsend ...	–	2	2	–	5	C 1
†Whitley and Monkseaton	–	–	1	–	2	–
Rural Districts:—						
Castle Ward ..	–	2	–	–	–	M. 1
Haltwhistle ...	–	1	–	–	–	–
Hexham	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	5	16	6	1	12	G. 1 M. 4
†NOTTINGHAM C.B.	5	7	2	1	4	M. 2
Boroughs and Urban Districts:—						
†ARNOLD	–	–	–	–	1	–
†BEESTON	–	3	1	–	–	–
†CARLTON	–	1	1	–	3	–
†EAST RETFORD ...	–	–	–	–	1	–
†MANSFIELD ...	–	–	2	–	–	M. 2
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
Rural Districts:—						
BASFORD	–	1	–	–	1	–
BINGHAM ...	–	1	–	–	1	–
EAST RETFORD ..	–	1	–	–	1	G. 1
STAPLEFORD ...	–	1	–	–	–	–
OXFORD	–	14	1	2	–	–
†OXFORD C.B. ...	–	4	1	–	–	–
Boroughs and Urban Districts:—						
†BANBURY... ...	–	2	–	–	–	–
CHIPPING NORTON	–	–	–	2	–	–
HENLEY ON THAMES	–	2	–	–	–	–
WOODSTOCK ..	–	1	–	–	–	–
Rural Districts:—						
CROWMARSH ...	–	2	–	–	–	–
HEADINGTON ...	–	3	–	–	–	–
PETERBOROUGH (Soke of)	–	–	–	–	1	–
Borough:—						
†PETERBOROUGH...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	7	2	–	3	C. 1 L. 3 M. 1
Boroughs and Urban Districts:—						
LUDLOW	–	2	–	–	–	–
NEWPORT ...	–	–	–	–	1	–
†OAKENGATES ...	–	1	–	–	–	–
OSWESTRY ...	–	2	–	–	–	–
†SHREWSBURY ...	–	–	–	–	2	–
WENLOCK ...	–	–	–	–	–	C. 1 L. 3 M. 1
Rural Districts:—						
NEWPORT ...	–	–	1	–	–	–
OSWESTRY ...	–	1	–	–	–	–
WELLINGTON ...	–	–	1	–	–	–
WEM	–	1	–	–	–	–
SOMERSET	–	34	7	–	7	C. 1 M. 1
†BATH C.B. ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
BURNHAM ON SEA	–	–	–	–	–	M. 1
CHARD	–	–	–	–	1	–
MIDSOMER NORTON	–	1	–	–	–	–
WATCHET ...	*	*	*	*	*	*
WELLINGTON ...	–	5	–	–	–	–
†WESTON SUPER MARE	–	2	2	–	–	–
†YEOVIL	–	–	–	–	1	–
Rural Districts:—						
CHARD	–	–	–	–	2	–
KEYNSHAM ...	–	1	1	–	–	C. 1
LANGPORT ...	–	6	–	–	–	–
LONG ASHTON ...	–	8	2	–	–	–
TAUNTON... ..	–	3	–	–	1	–
WELLS	–	–	–	–	2	–
WILLITON ...	–	1		–	–	–
WINCANTON ..	–	3	–	–	–	–
YEOVIL	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ...	–	42	31	–	3	C. 4 D. 1 G. 2 M. 1
†BOURNEMOUTH C.B.	–	–	–	–	–	G. 1
†PORTSMOUTH C.B.	–	14	20	–	–	C. 1 D. 1 G. 1 M. 1
†SOUTHAMPTON C.B.	–	4	2	–	–	–
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	2	–	–	–	–
†BASINGSTOKE ...	–	4	–	–	–	–
†FAREHAM ...	–	2	–	–	–	–
†FARNBOROUGH ...	–	–	1	–	–	–
†GOSPORT	–	–	4	–	1	–
†WINCHESTER ...	–	1	2	–	–	C. 3
Rural Districts:—						
ANDOVER... ...	–	1	–	–	–	–
DROXFORD ..	–	–	–	–	2	–
KINGSCLERE ...	–	3	–	–	–	–
NEW FOREST ...	–	3	1	–	–	–
PETERSFIELD ...	–	1	–	–	–	–
RINGWOOD ..	–	1	–	–	–	–
SOUTH STONEHAM	–	4	–	–	–	–
WHITCHURCH ...	–	1	1	–	–	–
WINCHESTER ...	–	1	–	–	–	–
STAFFORD	–	77	24	7	28	C. 5 G. 1 M. 11
†BURTON UPON TRENT C.B.	–	–	–	–	–	G. 1 M. 1
†SMETHWICK C.B.	–	4	1	–	3	C. 1
†STOKE ON TRENT C.B.	–	31	5	–	13	M. 6
†WALSALL C.B. ...	–	2	–	–	–	–
†WEST BROMWICH C.B.	–	5	7	–	1	–
†WOLVERHAMPTON C.B.	–	2	–	–	3	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
†AUDLEY	–	6	–	–	–	–
†BILSTON	–	–	–	–	2	M. 1
†BROWNHILLS ..	–	3	–	–	–	–
†CANNOCK	–	2	–	–	–	–
†HEATHTOWN or WEDNESFIELD HEATH	–	–	–	1	–	–
†LEEK	–	2	–	–	–	–
LICHFIELD ...	–	–	–	–	–	C. 1
†NEWCASTLE UNDER LYME	–	1	–	–	–	–
QUARRY BANK ...	–	2	–	–	–	–
†ROWLEY REGIS ...	–	–	–	–	1	–
†SEDGLEY ...	–	1	–	–	–	–
†STAFFORD ...	–	–	2	1	–	–
TAMWORTH ...	–	1	–	–	–	–
†TIPTON	–	1	–	–	–	–
†WEDNESBURY ...	–	–	–	–	–	M. 1
†WILLENHALL ...	–	1	1	–	1	–
†WOLSTANTON UNITED	–	5	3	–	1	–
Rural Districts:—						
CANNOCK	–	2	–	–	–	–
CHEADLE	–	1	2	–	2	M. 1
KINGSWINFORD ...	–	–	–	5	–	–
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	–	1	–	1	C 2 M. 1
STAFFORD ...	–	–	1	–	–	–
STONE	–	1	–	–	–	–
TAMWORTH (part)	–	1	1	–	–	–
UTTOXETER ...	–	2	–	–	–	–
SUFFOLK, EAST ...	–	6	7	–	9	–
†IPSWICH C.B. ...	–	2	6	–	5	–
Boroughs and Urban Districts:—						
EYE	–	–	–	–	1	–
†LOWESTOFT ...	–	3	–	–	2	–
SAXMUNDHAM ...	*	*	*	*	*	*
WOODBRIDGE ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
BLYTHING ...	–	1	–	–	–	–
WOODBRIDGE ...	–	–	–	–	1	–
SUFFOLK, WEST ...	–	1	–	–	–	–
Borough and Urban District:—						
NEWMARKET ...	–	1	–	–	–	–
SURREY	–	36	20	–	6	C. 1 L. 1 M. 5
†CROYDON C.B. ...	–	7	11	–	1	M. 4
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	1	–
†BEDDINGTON AND WALLINGTON	–	–	–	–	–	C. 1
†CARSHALTON ...	–	2	–	–	–	–
†CATERHAM ...	–	4	–	–	–	–
†CHERTSEY ...	–	–	1	–	–	–
†COULSDON AND PURLEY	–	–	1	–	–	–
†EPSOM	–	1	–	–	–	L. 1
GODALMING ...	–	3	–	–	–	–
†GUILDFORD ...	–	3	–	–	1	–
†KINGSTON ON THAMES	–	3	–	–	1	–
†MITCHAM... ...	–	3	1	–	–	–
†RICHMOND ...	–	–	1	–	–	–
†SURBITON ...	–	2	1	–	–	–
†SUTTON	–	–	–	–	1	–
†WIMBLEDON ...	–	1	2	–	–	M. 1
†WOKING	–	2	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
GODSTONE ...	–	1	1	–	–	–
GUILDFORD ...	–	2	–	–	–	–
REIGATE	–	1	1	–	–	–
SUSSEX, EAST ...	–	7	5	–	9	M. 2
†BRIGHTON C.B. ...	–	1	2	–	5	M. 1
†EASTBOURNE, C.B.	–	1	1	–	1	–
†HASTINGS, C.B. ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
BURGESS HILL ...	–	–	–	–	2	–
EAST GRINSTEAD	–	2	1	–	–	–
UCKFIELD ...	–	–	1	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	–	–	–	–	M. 1
EAST GRINSTEAD	–	1	–	–	–	–
STEYNING EAST...	–	1	–	–	–	–
SUSSEX, WEST ...	–	7	4	–	1	G. 1
Boroughs and Urban Districts:—						
ARUNDEL ...	–	2	–	–	–	–
†BOGNOR	–	–	1	–	–	–
SHOREHAM BY SEA	–	–	1	–	1	–
SOUTHWICK ...	–	1	–	–	–	–
†WORTHING ...	–	–	2	–	–	–
Rural Districts:—						
HORSHAM ...	–	–	–	–	–	G. 1
STEYNING WEST	–	3	–	–	–	–
WESTHAMPNETT	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK	–	92	64	1	64	C. 5 M. 7
†BIRMINGHAM C.B.	–	69	59	–	51	C. 4 M. 5
†COVENTRY C.B. ...	–	14	–	1	1	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	–	–	–	6	C. 1 M. 1
†RUGBY	–	3	–	–	1	–
†SUTTON COLDFIELD	–	2	–	–	1	–
Rural Districts:—						
ATHERSTONE ...	–	1	1	–	2	–
FOLESHILL ...	–	4	–	–	2	–
MERIDEN... ...	–	–	1	–	–	–
RUGBY	–	1	1	–	–	–
SOLIHULL ...	–	2	–	–	–	M. 1
TAMWORTH (part)	–	3	2	–	–	–
WESTMORLAND ...	–	2	–	–	–	G. 1
Borough and Urban District:—						
WINDERMERE ...	–	–	–	–	–	G. 1
Rural District:—						
SOUTH WESTMORLAND	–	2	–	–	–	–
WIGHT, ISLE OF ...	–	1	1	1	–	–
Boroughs and Urban Districts:—						
SANDOWN ...	–	1	–	–	–	–
Rural District:—						
ISLE OF WIGHT	–	–	1	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	26	8	–	2	–
Boroughs and Urban Districts:—						
CALNE	–	1	–	–	–	–
MARLBOROUGH ...	–	1	–	–	–	–
†SALISBURY ...	–	–	6	–	–	–
†SWINDON... ...	–	7	2	–	–	–
WARMINSTER ...	–	1	–	–	–	–
Rural Districts:—						
AMESBURY ...	–	3	–	–	–	–
BRADFORD ON AVON	–	1	–	–	–	–
CALNE	–	1	–	–	–	–
CHIPPENHAM ...	–	2	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	2	–	–	–	–
MARLBOROUGH ...	–	2	–	–	–	–
MELKSHAM ...	–	–	–	–	1	–
PEWSEY	–	3	–	–	–	–
RAMSBURY ...	–	2	–	–	–	–
TISBURY	–	–	–	–	1	–
WORCESTER ...	–	26	5	2	10	–
†DUDLEY C.B. ...	–	5	1	–	–	–
†WORCESTER C.B.	–	2	–	–	4	–
Boroughs and Urban Districts:—						
BEWDLEY ...	–	1	–	–	–	–
BROMSGROVE ...	–	3	–	–	–	–
†LYE AND WOLLESCOTE	–	–	–	–	1	–
†MALVERN ...	–	1	–	–	–	–
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY ...	–	3	1	–	3	–
†REDDITCH ...	–	3	–	–	1	–
STOURPORT ...	–	1	2	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	4	–	–	–	–
DROITWICH ...	*	*	*	*	*	*
FECKENHAM ...	–	1	1	–	–	–
HALESOWEN ...	–	–	–	2	1	–
PERSHORE ...	–	1	–	–	–	–
UPTON ON SEVERN	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)	–	8	15	–	2	C. 1 M. 1
†Kingston upon Hull C.B.	–	7	12	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
Hornsea ...	–	1	1	–	–	–
Withernsea ...	–	–	1	–	–	–
Rural Districts:—						
Driffield ...	–	–	1	–	–	–
YORKS (North Riding).	7	27	3	–	13	–
†Middlesbrough C.B.	7	16	–	–	8	–
Boroughs and Urban Districts:—						
†Eston	–	7	–	–	–	–
Guisborough ...	–	–	–	–	1	–
†Redcar	–	1	–	–	–	–
†Skelton and Brotton	–	–	–	–	1	–
†Whitby	–	–	–	–	1	–
Rural Districts:—						
Bedale	–	–	1	–	–	–
Croft	–	1	–	–	–	–
Flaxton	–	2	–	–	–	–
Helmsley ...	–	–	–	–	1	–
Northallerton	–	–	2	–	–	–
Stokesley ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding).	14	197	58	6	112	C. 3 M. 15
†Barnsley C.B. ...	–	2	4	–	1	–
†Bradford C.B. ...	–	18	7	1	10	–
†Dewsbury C.B....	–	9	1	–	–	M. 1
†Halifax C.B. ...	–	3	2	–	–	–
†Huddersfield C.B.	–	4	–	–	2	M. 1
†Leeds C.B. ...	–	54	8	–	11	M. 2
†Rotherham C.B.	–	4	2	–	4	–
†Sheffield C.B....	–	38	13	–	57	C. 1 M. 7
†Wakefield C.B.	–	1	–	–	3	C. 1
Boroughs and Urban Districts:—						
†Adwick le Street	–	2	3	–	–	–
Altofts	–	3	–	–	–	–
Baildon	–	1	–	–	–	–
†Barnoldswick ...	–	–	–	–	2	–
†Batley	–	1	–	1	1	M. 1
†Bentley with Arksey	4	1	2	–	–	–
†Bingley	–	1	1	–	–	–
†Castleford ...	–	2	–	–	–	–
†Conisbrough ...	–	–	–	–	–	M. 1
Darfield ...	–	–	–	–	1	M. 1
†Darton	–	2	–	–	1	–
†Doncaster ...	9	5	1	–	–	–
Earby	–	–	1	–	–	–
†Featherstone ...	–	1	1	–	1	–
Gildersome ..	–	2	–	–	–	–
†Goole	–	1	–	–	–	–
Haworth ...	–	3	–	–	–	–
Heckmondwike	–	–	–	–	2	–
†Hemsworth ...	–	1	–	–	–	–
Hipperholme ...	–	–	1	–	–	–
Horbury ...	–	1	–	–	–	–
†Hoyland Nether	–	–	–	–	1	–
Ilkley	–	–	–	1	–	–
†Keighley ...	–	1	–	–	–	–
†Mexborough ...	–	–	–	–	2	–
†Mirfield ...	–	1	–	–	–	–
†Morley	–	4	–	–	1	–
†Normanton ...	–	1	1	–	–	–
†Pudsey	–	1	–	1	–	–
†Rawmarsh ...	–	2	–	–	2	–
†Rothwell ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding —*cont.*						
Boroughs and Urban Districts—*cont.*						
SHELF	–	1	–	–	–	–
†SKELMANTHORPE	–	–	2	–	–	–
†SKIPTON	–	1	2	–	–	–
SLAITHWAITE ...	1	1	1	–	–	–
SOUTHOWRAM ...	*	*	*	*	*	*
†SOWERBY BRIDGE	–	–	2	–	–	–
†SPENBOROUGH ...	–	1	1	–	–	C. 1
†STANLEY	–	1	–	–	1	–
STOCKSBRIDGE ...	–	–	–	–	1	–
†SWINTON	–	1	–	–	–	–
†TODMORDEN ...	–	5	–	–	1	–
†WOMBWELL ...	–	2	1	–	2	–
YEADON	–	–	–	1	–	–
Rural Districts:—						
DONCASTER ..	–	–	–	–	1	–
HALIFAX	–	1	–	–	–	–
HEMSWORTH ...	–	2	–	1	1	–
HUNSLET... ...	–	–	–	–	–	M. 1
PONTEFRACT ...	–	2	–	–	–	–
ROTHERHAM ...	–	3	–	–	–	–
SELBY, ...	–	–	1	–	1	–
SKIPTON	–	1	–	–	–	–
TADCASTER ...		1	–	–	–	–
THORNE	–	–	–	–	2	–
TODMORDEN ...	–	1	–	–	–	–
WAKEFIELD ...	–	1	–	–	–	–
†YORK C.B. ...	–	4	–	–	–	–
WALES						
ANGLESEY	–	1	2	–	1	–
Borough and Urban District:—						
†HOLYHEAD ...	–	1	–	–	–	–
Rural Districts:—						
TWRCELYN ...	–	–	2	–	–	–
VALLEY	–	–	–	–	1	–
BRECKNOCK ...	–	–	2	2	2	M. 1
Urban Districts:—						
BRYNMAWR ...	–	–	1	2	1	–
HAY	–	–	–	–	–	M.1
Rural Districts:—						
BUILTH	–	–	–	–	1	–
CRICKHOWELL ...	–	–	1	–	–	–
CARDIGAN	–	1	2	–	–	–
Boroughs and Urban Districts:—						
NEW QUAY ...	–	–	2	–	–	–
Rural Districts:—						
LAMPETER ...	–	1	–	–	–	–
CARMARTHEN ...	–	4	7	–	2	–
Boroughs and Urban Districts:—						
CWMAMMAN ...	–	–	–	–	1	–
KIDWELLY ...	–	–	1	–	–	–
†LLANELLY ...	–	2	3	–		–
Rural Districts:—						
CARMARTHEN ...	–	1	–	–	–	–
LLANDILO FAWR	–	–	1	–	–	–
LLANDOVERY ...	–	1	–	–	–	–
LLANELLY ...	–	–	2	–	1	–
CARNARVON ...	–	3	7	–	–	–
Boroughs and Urban Districts:—						
CONWAY	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON —*cont.*						
Rural Districts:—						
CONWAY	–	2	1	–	–	–
GWYRFAI ...	–	–	5	–	–	–
OGWEN	–	1	–	–	–	–
DENBIGH	–	5	2	–	2	–
Boroughs and Urban Districts:—						
DENBIGH... ...	–	–	–	–	1	–
LLANRWST ...	–	–	1	–	–	–
†WREXHAM ...	–	1	–	–	–	–
Rural Districts:—						
CHIRK	–	1	–	–	–	–
LLANGOLLEN ...	–	1	1	–	–	–
RUTHIN	–	–	–	–	1	–
WREXHAM ...	–	2	–	–	–	–
FLINT	–	3	2	–	–	–
Boroughs and Urban Districts:—						
†RHYL	–	1	1	–	–	–
Rural Districts:—						
HAWARDEN ..	–	1	1	–	–	–
OVERTON ..	–	1	–	–	–	–
GLAMORGAN ...	–	107	65	–	48	C. 1 E. 1 M. 5
†CARDIFF C.B. ..	–	5	6	–	2	M. 2
†MERTHYR TYDFIL C.B.	–	5	4	–	3	E. 1
†SWANSEA C.B. ..	–	16	11	–	1	C. 1
Boroughs and Urban Districts:—						
†ABERDARE ..	–	13	–	–	6	M. 1
†BARRY	–	1	2	–	10	M. 1
BRIDGEND ...	–	–	1	–	–	–
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CAERPHILLY ...	–	3	6	–	–	–
†GELLIGAER ...	–	6	1	–	–	–
†GLYNCORWG ...	–	–	6		–	–
†MAESTEG	–	–	1	–	5	–
†MOUNTAIN ASH ...	–	15	–	–	12	M. 1
†NEATH	–	–	9	–	1	–
†OGMORE AND GARW	–	5	–	–	1	–
†PENARTH... ...	–	1	–	–	–	–
†PONTYPRIDD ...	–	5	–	–	–	–
†PORT TALBOT ...	–	3	3	–	–	–
†RHONDDA ...	–	24	10	–	6	–
Rural Districts:—						
CARDIFF	–	–	2	–	–	–
COWBRIDGE ...	–	–	–	–	1	–
GOWER	–	–	2	–	–	–
NEATH	–	3	–	–	–	–
PENYBONT ...	–	2	–	–	–	–
PONTARDAWE ...	–	–	1	–	–	–
MERIONETH ...	–	–	1	–	–	–
Rural District:—						
EDEIRNION ...	–	–	1	–	–	–
MONMOUTH ...	–	17	7	–	11	–
†NEWPORT C.B. ...	–	1	2	–	4	–
Boroughs and Urban Districts:—						
†ABERCARN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	5	–	–	–	–
BEDWAS AND MACHEN	–	–	1	–	3	–
†BEDWELLTY ...	–	6	2	–	–	–
†EBBW VALE ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
Llanfrechfa Upper	–	1	–	–	–	–
†Nantyglo and Blaina	–	1	–	–	3	–
†Panteg	–	–	1	–	–	–
†Tredegar ...	–	1	1	–	–	–
MONTGOMERY ...	–	8	1	–	–	–
Boroughs and Urban Districts:—						
Llanfyllin ...	–	1	–	–	–	–
Welshpool ...	–	3	1	–	–	–
Rural Districts:—						
Forden... ...	–	3	–	–	–	–
Llanfyllin ...	–	1	–	–	–	–
PEMBROKE... ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
Milford Haven	–	–	1	–	–	–
RADNOR	–	–	–	–	–	–
Urban District:—						
Knighton ...	*	*	*	*	*	*
Total of Part II. ...	46	1695	767	42	806	C. 43 D. 6 E. 5 F. 1 G. 38 J. 1 L. 6 M. 103

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Blyth (River) ...	–	–	1	–	–	–
Liverpool ...	–	–	–	–	–	G. 1
Port of London ...	–	–	–	1	–	–
Total of Part III.— ...	–	–	1	1	–	G.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	196	259	5	91	C. 6 D. 3 E. 3 G. 5 M. 15
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	46	1695	767	42	806	C. 43 D. 6 E. 5 F. 1 G. 38 J. 1 L. 6 M. 103
Total of Part III.—Port Sanitary Districts	–	–	1	1	–	G. 1
Total (*i.e.*, of returns received), England and Wales ...	46	1891	1027	48	897	C. 49 D. 9 E. 8 F. 1 G. 44 J. 1 L. 6 M. 118

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus, Fever, or Plague notified during the week. Forty-six cases of Small-pox were notified which appear on pages 216, 217, 218, 220, 223, 227, and 228.

Table 5.—London and Great Towns in the Aggregate. } Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Dec. 2.	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.
LONDON:—													
Deaths—all ages	1,129	1,130	1,148	1,068	1,035	1,119	1,124	1,171	1,118	1,087	1,001	977	1,063
" 0 to 1 year ..	149	139	153	127	123	119	132	124	118	102	117	123	123
GREAT TOWNS, aggregate (including London):—													
Births	7,058	7,107	7,339	6,910	6,277	8,273	8,409	7,935	7,961	7,373	7,689	7,865	7,533
Deaths—all ages	4.596	4,464	4,726	4,590	4,558	4,910	4,843	4,958	4,841	4,742	4,648	4,446	4,849
" 0 to 1 year ..	604	592	680	687	635	652	698	674	639	672	680	628	714
Enteric Fever—Cases	25	24	15	15	14	16	12	20	19	23	30	22	18
" Deaths	4	1	6	3	4	5	2	2	—	8	4	5	8
Small Pox—Cases ..	13	13	2	8	11	3	18	22	20	10	10	16	26
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever—Cases	1.374	1,444	1,377	1,204	1,161	1,291	1,158	1,219	1,246	1,297	1,147	1,125	1,062
" Deaths	8	18	20	22	19	14	27	7	14	8	12	18	13
Diphtheria—Cases ..	759	783	671	661	592	711	675	662	725	742	746	662	694
" Deaths ..	35	42	59	54	45	58	45	54	55	62	52	51	38
Measles—Deaths ..	85	75	76	74	75	72	62	90	72	73	71	84	79
Influenza—Deaths ..	60	52	68	61	51	57	69	78	69	65	66	71	59

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 24th February, 1923. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
London (Greenwich).	49	32	44·3	34·3	19
Brighton ..	50	34	46·5	36·9	32
Portsmouth ..	52	35	48·4	38·9	31
Norwich (Eaton).	47	30	40·3	32·0	25
Plymouth ..	55	37	50·9	40·9	42
Bristol (Clifton).	47	33	44·9	37·0	32
Birmingham ..	48	30	40·0	32·7	35
Nottingham ..	44	26	37·4	31·0	31
Birkenhead (Bidston).	45	30	40·6	32·7	19
Manchester ..	45	29	40·6	32·6	7
Burnley.. ..	43	26	37·7	30·1	15
Huddersfield	43	27	39·4	28·7	37
Bradford ..	42	26	35·9	29·1	53
Sheffield ..	43	27	37·1	29·9	51
York (Museum)	40	29	36·7	31·3	30
Hull (Pearson Park).	43	29	38·6	31·4	36
Tynemouth ..	43	31	39·0	35·0	15
Cardiff	50	30	45·7	36·0	43
Edinburgh ..	42·0	28·0	37·9	31·0	3
Glasgow ..	43·2	28·1	38·8	31·6	15
Dublin (Phœnix Park).	50·0	26·4	46·7	34·3	14
Fitzwilliam Square.†	48·4	32·2	46·1	38·1	22
Belfast	47·0	30·5	44·4	34·4	44

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 24th February, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
FEBRUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY - 18	In Equator	29·183	45·2	34·1	11·1	39·1	− 0·4	38·9	0·5	4·1	0·3	98	62·7	30·1	43·3	E : ESE	ESE : Calm : SW. N	1·5	0·0	0·1	270	− 62	0·20
MONDAY - 19	..	29·235	38·4	35·2	3·2	36·5	− 3·0	34·0	2·5	4·0	1·5	91	47·0	29·2	43·3	SW : NW.		1·0	0·0	0·1	239	− 93	0·04
TUESDAY - 20	Apogee	29·517	35·8	31·9	3·9	33·7	− 5·8	28·0	5·7	6·7	1·5	79	41·0	31·0	43·3	N : NNE	NE : E : Calm.	1·0	0·0	0·1	246	− 83	0·00
WEDNESDAY 21	..	29·069	49·3	32·5	16·8	40·2	+ 0·6	37·5	2·7	7·2	2·3	90	92·1	30·1	43·2	Calm : SE : SSE.	WSW : W.	2·1	0·0	0·1	281	− 44	0·21
THURSDAY - 22	..	28·959	48·3	32·4	15·9	40·8	+ 1·1	36·5	4·3	10·1	2·2	85	88·0	27·6	43·1	WSW : SW.	SSE : SSW.	4·8	0·0	0·2	307	− 15	0·19
FRIDAY - 23	..	29·101	46·0	35·0	11·0	39·3	− 0·5	35·8	3·5	9·2	1·3	88	68·8	29·9	42·9	WSW : WNW.	WNW : Calm.	4·8	0·0	0·3	394	+ 74	0·08
SATURDAY - 24	First Quarter.	29·094	45·3	38·4	6·9	42·8	+ 2·8	41·0	1·8	3·0	1·7	93	54·0	34·5	42·9	SSE : SE	SE : ESE : Calm.	0·6	0·0	0·1	180	− 139	0·02
MEANS -	..	29·165	44·0	34·2	9·8	38·9	− 0·7	36·0	3·0	6·3	1·5	89	64·8	30·3	43·1	Variable		..	..	..	Sum 1,917	Sum − 362	Sum 0·74
No. of COLUMN	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. FEBRUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	18	Registration of instrument temporarily suspended.	0·1	10·1	Overcast till 15h.; very cloudy till 19½h., then cloudless or nearly cloudless. Rain generally 4½h. till 13½h. and occasionally afterwards till 18h. Hail at 17h. Haze and mist in afternoon.
MONDAY ..	19		0·0	10·2	Cloudless generally till 3h., then overcast. Mist in morning. Occasional rain and drizzle from 8¾h.
TUESDAY ..	20		0·0	10·2	Overcast throughout. Occasional slight snow between 6h. and 9h.
WEDNESDAY	21		1·3	10·3	Overcast generally till 15h.; variably cloudy till 19h., then nearly cloudless generally. Occasional rain from 4½h. till 18h. Thunderstorm with rain, sleet and hail from 12½h. till 12¾h. Heavy rain about 14h.
THURSDAY	22		3·3	10·3	Cloudless or nearly cloudless till 8½h.; cloudy or very cloudy till 11½h; overcast till 18h., then variably cloudy. Dew and hoar frost in morning; occasional partial solar halo 10½h. till 13½h. Occasional damping from noon. Rain 15h. till 18h. and from 23h. Brisk wind from 22h.
FRIDAY ..	23		2·5	10·4	Overcast till 13h.; nearly cloudless generally from 13½h. with very cloudy period about 23h. Rain till 3h. and slight rain between 6h. and 7h. Brisk wind till 9h. Hoar frost from sunset.
SATURDAY	24		0·0	10·5	Overcast throughout. Rain and damping generally from 1½h. till 9h. and frequent drizzle until 15h.
			Sum 7·2	Sum 72·0	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·63 in. at the beginning of the week to 29·12 in. by 16h. on 18th; increased to 29·55 in. by 12h. on 20th; decreased generally to 28·69 in. by 0h. on 23rd; then increased to 29·17 in. by 19h. on 23rd; decreased to 29·05 in. by 9h. on 24h., and was 29·23 in. by midnight on the same day.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS,
11-17, Hare Street, E.2

(41041) Wt. 15—P 11 2250 3/23 H. St. G. 43

FOR OFFICIAL USE.

1923. No. 9.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 3RD MARCH, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course

NOTES FOR THE WEEK ENDED 3RD MARCH, 1923

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the ninth week of the year numbered 7,925, and corresponded to an annual rate of 21·6 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,868 and corresponded to an annual rate of 13·3 per 1,000 of their aggregate civilian population, which is estimated at 19,052,710 in the year 1921. In the preceding three weeks the rates had been 12·7, 12·2, and 13·3. Infant mortality was 85 per 1,000 births against 88, 80, and 95 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,886 births, corresponding to a rate of 21·7 per 1,000, and 1,074 deaths of civilians, corresponding to a rate of 12·4, as against 11·6, 11·3, and 12·3 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 11·9 per 1,000. The infant mortality was 56 as against 66, 64, and 68 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 19 in the total deaths last week. In London the number of deaths from all causes rose from 1,063 to 1,074; while the deaths from diphtheria, which had been 24, 20 and 12 in the preceding three weeks, were 13 last week.

Just Published:

The "Registrar General's Statistical Review" 1921. Tables Part I (Medical). Price 15*s.* net.

Supplement to 75th Annual Report of the Registrar General. Part IV. Mortality of Men in Certain Occupations 1910–12. Price 13*s.* 6*d.* net.

Census of England and Wales, 1921. County of London. Tables (Part II). Price 8*s.* net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 3rd March, 1923.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,052,710*	7,925	4,868	672	5	95	15	55	42	58	79
London	4,514,405*	1,886	1,074	106	2	1	3	15	13	8	18
Towns in Outer Ring.											
Croydon C.B. ..	191,500	62	35	1	–	–	–	–	2	–	1
Wimbledon ..	61,700	16	11	–	–	–	–	–	–	–	–
Ealing	67,800	27	14	1	–	–	–	–	1	1	1
Acton	62,000	21	11	1	–	–	–	–	1	–	–
Willesden ..	167,200	66	36	1	–	–	–	–	1	–	1
Hendon	55,500	26	5	1	–	–	–	–	–	–	–
Hornsey	87,600	17	14	1	–	–	–	–	–	–	–
Wood Green ..	51,100	18	16	2	–	–	–	–	–	–	–
Tottenham ..	149,200	63	27	4	–	–	–	–	–	1	5
Edmonton ..	67,800	47	10	–	–	–	–	–	–	–	–
Enfield	61,400	18	10	1	1	–	–	–	–	–	–
West Ham C.B. ..	307,000	155	66	9	–	–	–	3	–	2	1
East Ham C.B. ..	145,500	58	23	2	–	–	–	1	–	1	–
Leyton	130,100	53	32	6	–	–	–	–	–	–	2
Walthamstow ..	129,800	50	34	7	1	–	–	–	–	1	–
Ilford	85,500	26	19	2	–	–	–	–	1	1	–
Gillingham	48,149*	14	7	–	–	–	–	–	–	–	–
Canterbury C.B. ..	23,680	10	7	2	–	–	–	–	–	–	1
Hastings C.B.	59,500	20	21	3	–	–	–	–	–	1	1
Eastbourne C.B. ..	53,600	16	8	1	–	–	–	–	–	–	–
Brighton C.B. ..	134,800	47	32	6	–	2	–	1	1	–	–
Portsmouth C.B. ..	233,929*	111	50	6	–	3	–	–	–	–	1
Bournemouth C.B. ..	81,200	16	19	–	–	1	1	–	–	–	1
Southampton C.B. ..	162,200	76	31	2	–	–	–	1	1	–	–
Reading C.B.	92,600	34	29	2	–	–	1	–	–	–	1
Oxford C.B.	56,400	22	10	–	–	–	–	–	–	–	–
Northampton C.B. ..	92,300	33	31	–	–	–	–	–	–	–	3
Luton	57,800	28	10	3	–	–	–	–	–	–	–
Cambridge	58,900	17	16	–	–	–	–	–	1	–	–
Southend-on-Sea C.B.	90,500	38	20	1	–	–	1	1	–	–	1
Ipswich C.B.	80,100	43	29	2	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,300	14	10	–	–	–	–	–	–	–	–
Norwich C.B. ..	122,400	59	31	5	–	1	–	–	1	–	–
Swindon	55,500	24	9	1	–	–	–	–	–	–	–
Exeter C.B.	59,500	24	11	1	–	–	–	–	–	–	–
Plymouth C.B. ..	199,869*	79	52	4	–	–	–	–	–	1	1
Bath C.B.	68,300	23	21	1	–	–	–	1	–	–	–
Bristol C.B.	381,700	142	97	14	–	–	1	1	1	–	–
Gloucester C.B. ..	51,800	21	18	1	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	273,238	153	81	17	–	7	1	–	–	4	–
Burton-upon-Trent C.B.	49,410	20	18	3	–	–	–	1	–	–	–
Wolverhampton C.B.	104,000	58	25	5	–	1	–	–	–	–	–
Walsall C.B.	98,800	44	26	4	–	2	–	–	–	–	–
West Bromwich C.B.	75,300	38	22	3	–	1	1	–	1	–	–
Dudley C.B.	57,100	26	26	3	–	10	–	–	–	–	–
Worcester C.B. ..	49,160	19	14	3	–	–	–	–	–	–	1
Birmingham C.B. ..	936,000	381	191	34	–	6	–	2	4	2	3
Smethwick C.B. ..	77,400	26	17	2	–	1	–	–	–	–	–
Coventry C.B. ..	130,300	46	25	2	–	1	–	–	–	–	–
Leicester C.B. ..	237,900	102	58	10	–	1	–	1	–	–	–
Lincoln C.B.	66,600	23	22	2	–	–	1	–	–	–	2
Grimsby C.B.	83,600	23	29	3	–	–	–	–	–	1	–
Nottingham C.B. ..	266,400	107	79	9	–	–	–	–	–	3	1
Derby C.B.	131,800	41	40	2	–	–	–	1	1	–	–
Chesterfield ..	62,400	28	22	5	–	1	–	–	–	–	–
Stockport C.B. ..	125,500	51	32	2	–	–	–	–	1	–	–
Chester C.B.	41,030	15	10	1	–	–	–	–	–	–	–
Birkenhead C.B. ..	147,800	57	40	4	–	–	1	–	–	–	–
Wallasey C.B. ..	89,600	19	18	1	–	–	–	–	–	–	–
Liverpool C.B. ..	817,000	400	243	44	–	3	–	5	2	6	4
Bootle C.B.	77,800	40	24	5	–	–	–	–	–	–	–
St. Helens C.B. ..	104,900	52	29	8	–	–	–	–	–	2	2

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION, Mid. 1921.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	71,900	14	13	3	-	1	-	-	-	1	-
WIGAN C.B.	91,200	53	26	7	-	-	-	-	-	-	2
WARRINGTON C.B. ..	78,600	43	23	8	-	3	-	-	-	-	-
BOLTON C.B.	182,200	51	48	8	-	1	-	-	1	1	-
BURY C.B.	57,600	17	19	2	-	-	-	-	-	-	1
MANCHESTER C.B. ..	744,000	298	200	28	-	-	-	1	2	6	2
SALFORD C.B.	239,100	96	58	10	-	-	1	1	1	2	-
OLDHAM C.B.	148,300	58	54	12	-	-	-	-	-	2	-
ROCHDALE C.B... ..	92,700	21	17	1	-	-	-	-	1	-	-
BURNLEY C.B.	105,300	34	23	5	1	-	-	-	-	-	-
BLACKBURN C.B. ..	129,682.	37	33	1	-	-	-	-	-	-	1
PRESTON C.B.	119,900	50	46	6	-	-	-	-	-	2	1
BLACKPOOL C.B. ..	73,800	21	18	-	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B	75,200	41	16	5	-	1	-	-	-	-	1
HUDDERSFIELD C.B. ..	111,900	38	37	4	-	-	-	-	-	-	-
HALIFAX C.B.	100,700	32	33	2	-	-	-	-	-	-	-
BRADFORD C.B. ..	291,100	110	101	11	-	-	-	-	-	1	-
LEEDS C.B.	465,500	176	151	27	-	2	2	-	-	5	3
DEWSBURY C.B. ..	55,100	21	17	4	-	1	-	-	-	-	1
WAKEFIELD C.B. ..	53,763	21	17	2	-	-	-	-	-	-	1
BARNSLEY C.B. ..	68,991	35	23	5	-	3	-	-	-	-	2
SHEFFIELD C.B. ..	519,239	193	115	21	-	-	-	4	-	-	-
ROTHERHAM C.B. ..	69,100	35	20	3	-	-	-	1	-	-	-
DONCASTER	54,700	16	8	-	-	1	-	-	1	-	-
YORK C.B.	84,500	35	17	-	-	1	-	-	-	-	-
HULL C.B.	291,800	160	88	22	-	1	-	1	-	-	-
MIDDLESBROUGH C.B.	133,400	61	47	9	-	2	-	-	-	1	1
DARLINGTON C.B. ..	66,400	30	26	-	-	1	-	-	-	-	-
STOCKTON-ON-TEES ..	65,000	27	20	2	-	8	-	-	-	-	-
WEST HARTLEPOOL C.B.	69,300	32	20	5	-	1	-	-	-	-	1
SUNDERLAND C.B. ..	161,100	71	50	12	-	3	-	2	-	-	-
SOUTH SHIELDS C.B. ..	120,376	88	31	6	-	-	-	2	-	1	2
GATESHEAD C.B. ..	126,700	69	43	7	-	3	-	-	1	-	1
NEWCASTLE-ON-TYNE C.B.	278,400	137	92	21	-	6	-	4	-	-	-
TYNEMOUTH C.B. ..	63,900	42	28	2	-	6	-	1	-	-	-
CARLISLE C.B.	53,200	22	18	5	-	4	-	-	-	-	-
NEWPORT (MON.) C.B.	93,700	44	29	4	-	2	-	-	-	1	4
CARDIFF C.B.	222,089	102	39	8	-	-	-	1	-	-	-
RHONDDA	166,600	82	33	9	-	1	1	1	-	-	-
MERTHYR TYDFIL C.B.	81,800	36	19	6	-	-	-	2	-	-	-
ABERDARE	56,100	22	8	2	-	-	-	-	-	-	-
SWANSEA C.B.	159,600	65	47	5	-	1	-	-	2	-	3
GREATER LONDON ..	7,523,963*	3,002	1,662	164	5	1	3	22	20	16	31
OUTER RING	3,009,558*	1,116	588	58	3	-	-	7	7	8	13
16 GREAT TOWNS IN OUTER RING	1,820,700	723	363	39	2	-	-	4	6	7	11
REMAINDER OF OUTER RING	1,188,858*	393	225	19	1	-	-	3	1	1	2
EDINBURGH†	426,000	189	134	26	-	5	2	4	3	2	1
GLASGOW†	1,041,300	574	316	55	1	3	1	9	5	2	2
DUBLIN (REGISTRATION AREA)†	431,000	210	134	22	-	1	-	4	1	1	4
BELFAST†	429,000	192	114	20	-	-	1	4	1	1	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,514,405	1922-23. March 3	1886	1074	12·4	2	–	1	3	15	13	8	18
Calcutta	896,067	Jan. 20	?	513§	29·4	?	5	?	?	?	?	?	16
Bombay	1,220,120	„ 27	415‖	690§	29·4	1	5	1	?	–	–	47	3
Madras	526,911	„ 27	384	487§	48·1	1	10	2	?	–	–	37	–
Sydney and Suburbs	926,400												
Brisbane (Metropolitan Area).	217,714												
Perth (Metropolitan Area).	155,939	Jan. 6	86	29	9·7	–	–	–	–	–	–	4	–
Auckland (Urban Area).	164,450												
Wellington (Urban Area).	110,680												
Christchurch (Urban Area).	110,200												
Cape Town	104,400	Jan. 13	57	19	9·5	–	–	–	–	–	–	–	–
Johannesburg	153,825	„ 20	86	34	11·5	1	–	–	–	–	1	3	–
Durban	49,043	„ 20	40	22	23·3	–	–	–	–	–	–	–	–
Paris	2,906,472	Feb. 10 (10 days)	1378	1341	16·8	2	–	34	3	4	5	16	12
Antwerp	302,150	Nov. 25	98	59	10·1	1	–	–	–	1	–	2	1
Amsterdam	696,479	Feb 10	282	114	8·5	–	–	–	–	–	1	–	–
Copenhagen	565,000	„ 17	225	126	11·6	–	–	–	–	7	–	1	3
Stockholm	422,042	„ 10	114	75	9·2	–	–	–	–	–	–	–	–
Gothenburg	227,686	Jan. 27	?	35	8·0	–	–	–	–	2	–	–	1
Christiania	258,933	Feb. 17	93	64	13·0	–	–	–	–	1	–	–	3
Berlin	1,981,000	Jan. 20	464	441	11·6	–	?	3	–	2	2	3	21
Breslau	558,000	„ 20	198	177	16·5	–	?	–	–	1	1	–	8
Cologne	694,000	„ 20	252	227	17·0	–	?	8	1	5	2	5	11
Dresden	610,000	„ 20	165	213	18·2	–	?	–	–	1	1	4	17
Frankfort-on-Main..	477,000	„ 20	99	86	9·4	–	?	–	–	–	1	–	6
Hamburg	1,085,000	„ 20	297	272	13·0	–	?	4	1	4	–	1	7
Leipzig	677,000	„ 20	215	180	13·8	–	?	–	–	3	–	3	17
Munich	685,000	„ 20	182	192	14·6	–	?	–	–	1	–	2	6
Vienna	1,842,005	„ 6	692	599	16·9	–	–	1	1	5	2	12	–
Prague and Suburbs	689,262												
Budapest	939,529	Dec. 9	289	331	18·3	8	?	1	3	–	1	10	–
Warsaw	956,087	Jan. 13	326	331	18·1	6	–	9	5	4	–	14	2
Cairo	777,500	Dec. 16	776	500	33·4	9	–	1	–	?	5	27	?
Alexandria	456,300	„ 16	508	249	28·4	–	–	1	–	?	–	18	?
New York	5,927,617	Jan. 27	2495	1470	12·9	3	–	3	7	1	12	18	28
Chicago	2,885,921	Feb. 3	?	780	14·1	–	–	3	2	6	11	14	22
Rio de Janeiro ..	1,256,225	Jan. 6	671	476	19·7	–	1	12	–	7	–	?	10
Montevideo	350,956	Nov. 4	251	126	18·1	1	–	–	–	3	–	2	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 12 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 9 in Bombay and 1 in Madras.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 3rd March, 1923, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1074	106	25	28	31	35	48	66	113	166	241	215
Enteric fever	2	–	–	1	–	–	1	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	1	–	–	–	–	–	–	–	–	–	–
Scarlet fever	3	–	1	1	–	–	–	1	–	–	–	–
Whooping cough	15	8	4	2	1	–	–	–	–	–	–	–
Diphtheria	13	–	3	7	2	–	–	–	–	1	–	–
Influenza	18	–	–	–	–	3	–	3	2	5	5	–
Erysipelas	2	–	–	–	–	–	–	–	1	–	1	–
Acute Poliomyelitis, Polioencephalitis	1	–	–	–	–	–	–	–	1	–	–	–
Encephalitis lethargica	3	–	–	–	–	1	1	–	–	–	1	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	94	1	–	1	6	16	18	20	23	8	1	–
Nervous system..	9	3	2	2	2	–	–	–	–	–	–	–
Intestines and peritoneum	–	–	–	–	–	–	–	–	–	–	–	–
Other forms	8	2	2	2	1	–	–	–	1	–	–	–
Venereal diseases	6	4	–	–	–	1	–	–	–	–	1	–
Cancer	127	–	–	1	–	–	3	8	17	36	40	22
Rheumatic fever	2	–	–	1	–	–	–	–	–	1	–	–
Diabetes	8	–	–	–	–	–	–	1	–	1	5	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	2	–	–	–	–	–	1	1	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	55	–	–	–	1	–	–	–	2	9	23	20
Epilepsy	3	–	–	–	–	1	1	–	1	–	–	–
"Convulsions" (not puerperal) ..	3	3	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	24	–	–	1	1	–	2	4	6	4	4	2
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	4	–	–	–	1	1	2	–	–	–	–	–
Other diseases of heart	178	–	–	–	3	3	6	6	16	36	59	49
Other diseases of circulatory system	45	–	–	–	–	–	–	–	3	14	9	19
Bronchitis	90	4	1	1	–	1	–	3	8	14	30	28
Broncho-pneumonia	46	17	7	2	1	–	–	1	3	4	4	7
Lobar pneumonia	24	2	1	1	1	–	4	1	3	8	2	1
Pneumonia (type not distinguished) ..	18	1	–	–	1	1	1	2	4	2	3	3
Other diseases of respiratory system	18	–	–	–	–	–	1	1	4	2	6	4
Diarrhœa and enteritis	8	8	–	–	–	–	–	–	–	–	–	–
Appendicitis, Typhlitis	6	–	–	–	1	2	1	–	–	–	–	2
Hernia, Intestinal obstruction	9	1	–	–	–	1	–	–	1	1	3	2
Cirrhosis of liver	7	–	–	–	–	–	–	1	4	–	2	–
Other diseases of digestive system ..	21	–	–	–	–	–	1	3	1	4	5	7
Acute nephritis	1	–	–	–	–	–	–	1	–	–	–	–
Chronic Bright's disease	33	–	–	–	–	–	–	2	4	9	16	2
Other diseases of genito-urinary system.	8	–	–	–	–	–	–	–	–	2	4	2
Puerperal sepsis	1	–	–	–	–	–	1	–	–	–	–	–
Other causes incident to childbirth ..	1	–	–	–	–	–	–	1	–	–	–	–
Congenital malformations	6	6	–	–	–	–	–	–	–	–	–	–
Premature birth	29	29	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	7	7	–	–	–	–	–	–	–	–	–	–
Old age..	37	–	–	–	–	–	–	–	–	–	3	34
Suicide	6	–	–	–	–	1	–	2	1	–	2	–
Burns and scalds	3	–	1	2	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	1	–	–	–	1	–	–
Suffocation in bed	4	4	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	4	–	–	–	1	–	1	–	–	–	1	1
Other deaths by violence	11	–	–	3	–	–	2	1	2	–	1	2
Other specified causes	48	5	3	–	8	2	1	3	5	4	10	7
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 3rd March, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	218	258	2	79	C. 16 D. 2 E. 2 G. 4 M. 25
Metropolitan Boroughs:—						
†BATTERSEA ...	–	6	7	–	8	C. 1 G. 1 M. 3
†BERMONDSEY ...	–	14	9	–	–	–
†BETHNAL GREEN	–	1	6	–	1	M. 3
†CAMBERWELL ...	–	16	37	–	–	C. 1 E. 1 G. 1 M. 1
†CHELSEA	–	4	3	–	2	C. 1
†DEPTFORD ...	–	7	12	–	1	C. 2 M. 1
†FINSBURY ...	–	3	5	–	–	–
†FULHAM	–	16	7	–	2	C. 2
†GREENWICH ...	–	14	9	–	3	–
†HACKNEY ...	–	4	15	1	–	C. 1 M. 1
†HAMMERSMITH ...	–	3	4	–	2	G. 2 M. 2
†HAMPSTEAD ...	–	7	2	–	1	–
†HOLBORN... ...	–	1	2	–	–	–
†ISLINGTON ...	–	13	21	–	4	M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	7	5	–	2	C. 1 M. 1
†LAMBETH ...	–	12	11	–	2	C. 2 M. 4
†LEWISHAM ...	–	14	16	–	1	C. 1
†PADDINGTON ...	–	8	–	–	9	–
†POPLAR	–	2	7	–	4	–
†ST. MARYLEBONE	–	1	6	–	3	M. 1
†ST. PANCRAS ...	–	14	15	–	7	C. 1 M. 2
†SHOREDITCH ...	–	6	6	–	7	E. 1 M. 1
†SOUTHWARK ...	–	11	21	1	5	C. 1
†STEPNEY	–	8	19	–	4	C. 1 D. 1
†STOKE NEWINGTON	–	2	3	–	–	–
†WANDSWORTH ...	–	14	5	–	5	D. 1
†WESTMINSTER, CITY OF	–	–	–	–	2	M. 1
†WOOLWICH ...	–	10	5	–	4	C. 1 M. 3

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	6	2	–	1	F. 1
Boroughs and Urban Districts:—						
†BEDFORD ...	–	3	1	–	1	–
LEIGHTON BUZZARD	–	1	–	–	–	–
Rural Districts:—						
AMPTHILL ...	–	–	1	–	–	–
BEDFORD ...	–	2	–	–	–	F. 1
BERKS	–	21	5	–	5	–
†READING C.B. ...	–	9	2	–	4	–
Boroughs and Urban Districts:—						
ABINGDON ...	–	2	3	–	–	–
Rural Districts:—						
BRADFIELD ...	–	5	–	–	–	–
EASTHAMPSTEAD	–	1	–	–	–	–
WALLINGFORD ...	–	2	–	–	–	–
WINDSOR... ...	–	–	–	–	1	–
WOKINGHAM ...	–	2	–	–	–	–
BUCKINGHAM ...	–	15	1	–	6	–
Boroughs and Urban Districts:—						
BEACONSFIELD ..		–	–	–	1	–
†CHEPPING WYCOMBE ...	–	3	–	–	2	–
CHESHAM... ...	–	–	–	–	1	–
†SLOUGH	–	–	1	–	–	–
†WOLVERTON ...	–	1	–	–	–	–
BUCKINGHAM—*cont.*						
Rural Districts:—						
ETON	–	5	–	–	–	–
HAMBLEDON ...	–	1	–	–	–	–
NEWPORT PAGNELL	–	4	–	–	–	–
WYCOMBE ...	–	1	–	–	2	–
CAMBRIDGE ...	–	1	–	–	1	–
Borough:—						
†CAMBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
CHESTERTON ...	–	–	–	–	1	–
CHESTER	–	57	35	2	18	C. 1 G. 3 M. 3
†BIRKENHEAD C.B.	–	3	–	–	4	M. 2
†STOCKPORT C.B.	–	2	4	–	1	C. 1
†WALLASEY C.B. ...	–	–	4	–	2	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	3	–	–	–	–
BREDBURY AND ROMILEY	–	1	–	–	–	–
BUGLAWTON ...	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	2	–	–	2	–
COMPSTALL ...	–	–	6	–	–	–
†CONGLETON ...	–	6	–	–	–	–
†CREWE	–	3	–	–	–	–
†DUKINFIELD ...	–	2	–	1	2	–
HOOLE	–	–	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	1	–	–	1	–
†HYDE	–	3	2	1	1	–
KNUTSFORD ...	–	2	–	–	–	M. 1
LYMM	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MACCLESFIELD ...	–	1	2	–	–	–
MIDDLEWICH ...	–	–	5	–	–	–
NESTON AND PARKGATE ...	–	–	1	–	–	–
†NORTHWICH ...	–	2	–	–	–	–
†SALE	–	–	1	–	–	–
SANDBACH ...	–	–	1	–	–	–
†STALYBRIDGE ...	–	–	1	–	–	–
†WINSFORD ...	–	–	–	–	2	–
Rural Districts:—						
BUCKLOW ...	–	1	1	–	–	–
CHESTER	–	2	1	–	1	–
CONGLETON ...	–	–	–	–	–	G. 2
MACCLESFIELD ...	–	–	–	–	–	G. 1
NANTWICH ...	–	–	1	–	–	–
NORTHWICH ...	–	6	4	–	–	–
RUNCORN ...	–	9	–	–	–	–
TARVIN	–	3	1	–	–	–
WIRRAL	–	2	–	–	1	–
CORNWALL ...	–	12	–	1	2	M. 2
Boroughs and Urban Districts:—						
FOWEY	*	*	*	*	*	*
LOOE	–	1	–	–	–	–
ST. JUST	–	1	–	–	–	–
TORPOINT ...	–	–	–	–	1	–
WADEBRIDGE ...	–	1	–	–	–	M. 1
Rural Districts:—						
LISKEARD ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	–	M. 1
SAINT AUSTELL ...	–	7	–	–	1	–
TRURO	–	1	–	–	–	–
WEST PENRITH ...	–	–	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND ...	–	6	10	–	1	–
†CARLISLE C.B. ...	–	3	2	–	1	–
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	–	2	–	–	–
EGREMONT ...	–	–	1	–	–	–
MILLOM	–	1	–	–	–	–
†WHITEHAVEN ...	–	–	1	–	–	–
Rural Districts:—						
COCKERMOUTH ...	–	2	2	–	–	–
LONGTOWN ...	–	–	1	–	–	–
WIGTON	–	–	1	–	–	–
DERBY	16	25	8	3	20	G. 1 M. 2
†DERBY C.B. ...	–	12	2	1	11	–
Boroughs and Urban Districts:—						
†ALFRETON ...	*	*	*	*	*	*
†BELPER	–	1	–	–	–	–
BRAMPTON AND WALTON	*	*	*	*	*	*
†BUXTON	–	1	–	–	–	–
†CHESTERFIELD ...	–	1	2	–	1	M. 1
DRONFIELD ...	*	*	*	*	*	*
†GLOSSOP	–	1	–	–	1	G. 1
†HEANOR	6	–	–	–	1	–
†ILKESTONE ...	1	2	–	–	–	–
†LONG EATON ...	1	–	1	–	–	–
NORTH DARLEY	–	1	–	–	–	–
†SWADLINCOTE DISTRICT	–	2	–	–	3	–
Rural Districts:—						
BAKEWELL ...	–	1	–	–	1	–
BELPER	*	*	*	*	*	*
BLACKWELL ...	–	–	–	2	–	–
CHESTERFIELD ...	–	2	2	–	1	–
CLOWNE	8	–	–	–	–	–
CODNOR PARK AND SHIPLEY (parishes) ...	–	1	–	–	–	–
GLOSSOP DALE ...	–	–	1	–	–	–
SHARDLOW ...	–	–	–	–	1	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	–	24	15	–	1	C. 1
†EXETER C.B. ...	–	1	1	–	–	–
†PLYMOUTH C.B....	–	13	4	–	1	C. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	1	–	–	–
BIDEFORD ...	*	*	*	*	*	*
HONITON... ...	–	2	–	–	–	–
IVYBRIDGE ...	–	1	–	–	–	–
†NEWTON ABBOT	–	1	–	–	–	–
OTTERY ST. MARY	–	1	–	–	–	–
†PAIGNTON ...	–	–	5	–	–	–
SIDMOUTH ...	–	–	1	–	–	–
†TEIGNMOUTH ...	–	1	–	–	–	–
†TORQUAY... ...	–	3	–	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	–	3	–	–	–
CULMSTOCK ...	*	*	*	*	*	*
NEWTON ABBOT...	–	1	–	–	–	–
DORSET	–	4	1	–	2	C. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	1	–	–	–	–
DORCHESTER ...	–	1	1	–	–	–
†POOLE	–	–	–	–	1	–
SWANAGE ...	–	2	–	–	–	C. 1
Rural Districts:—						
WEYMOUTH ...	–	–	–	–	1	–
DURHAM	2	67	28	–	45	C. 4 G. 1 M. 3
†DARLINGTON C.B	–	3	2	–	–	–
†GATESHEAD C.B.	–	1	1	–	8	G. 1
†SOUTH SHIELDS C.B.	–	5	–	–	5	M. 1
†SUNDERLAND C.B.	–	4	2	–	4	–
†WEST HARTLEPOOL C.B.	–	2	2	–	3	C. 3

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	2	–	1	–
BARNARD CASTLE	–	–	4	–	–	–
BENFIELDSIDE ...	–	–	–	–	2	–
†BLAYDON... ..	1	–	3	–	–	–
†BRANDON AND BYSHOTTLES	–	1	–	–	–	–
†CHESTER LE STREET	–	3	1	–	–	–
†CONSETT	–	1	–	–	–	–
†DURHAM	–	2	–	–	1	–
†FELLING	–	1	–	–	2	–
†HEBBURN ...	–	–	1	–	–	C. 1
†HETTON	–	1	–	–	3	–
†HOUGHTON LE SPRING	–	–	–	–	2	–
†JARROW	–	–	1	–	3	–
†RYTON	–	1	–	–	–	–
†SHILDON	–	–	2	–	–	–
†SOUTHWICK ON WEAR	–	2	–	–	–	–
†STANLEY	–	5	2	–	1	–
†STOCKTON ON TEES	1	8	2	–	4	M. 1
†TANFIELD ...	–	1	–	–	–	–
†WASHINGTON ...	–	1	–	–	–	–
†WHICKHAM ...	–	–	–	–	1	M. 1
WILLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	2	–	–	–	–
BARNARD CASTLE	–	1	–	–	–	–
CHESTER LE STREET	–	5	1	–	–	–
DURHAM	*	*	*	*	*	*
EASINGTON ...	*	*	*	*	*	*
HOUGHTON LE SPRING	–	3	–	–	1	–
LANCHESTER ...	–	5	1	–	–	–
SEDGEFIELD ...	–	1	1	–	2	–
STOCKTON ...	–	–	–	–	1	–
SUNDERLAND ...	–	3	–	–	1	–
WEARDALE ...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY ..	–	–	–	–	–	G. 1
Borough and Urban District :—						
CHATTERIS ...	*	*	*	*	*	*
Rural District :—						
WHITTLESEY ...	–	–	–	–	–	G. 1
ESSEX	–	39	44	2	10	C. 1 L. 1 M. 1
†EAST HAM C.B. ...	–	4	4	1	3	–
†SOUTHEND-ON-SEA C.B.	–	4	–	–	–	–
†WEST HAM C.B. ...	–	8	23	–	–	M. 1
Boroughs and Urban Districts :—						
†BARKING TOWN...	–	1	–	–	1	–
†CHELMSFORD ...	–	1	–	–	–	–
†COLCHESTER ...	–	1	2	–	1	–
EPPING	–	2	–	–	–	–
†HARWICH ...	–	1	–	–	–	–
†ILFORD	–	–	2	–	1	L. 1
†LEYTON	–	–	3	–	3	–
†ROMFORD ...	–	–	1	–	–	–
TILBURY	–	–	1	–	–	–
WALTHAM HOLY CROSS	–	2	–	–	–	–
†WALTHAMSTOW...	–	6	4	1	–	–
†WANSTEAD ...	–	2	–	–	–	–
Rural Districts :—						
BRAINTREE ...	–	1	–	–	–	–
CHELMSFORD ...	–	–	–	–	1	–
DUNMOW	–	1	–	–	–	C. 1
EPPING	–	2	–	–	–	–
ORSETT	–	3	–	–	–	–
ROMFORD ...	–	–	2	–	–	–
SAFFRON WALDEN	–	–	1	–	–	–
TENDRING ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	4	81	32	–	13	G. 2 M. 3
†BRISTOL C.B. ...	–	54	20	–	4	G. 2 M. 2
†GLOUCESTER C.B.	–	10	1	–	5	–
Boroughs and Urban Districts :—						
†CHELTENHAM ...	4	1	3	–	1	–
†KINGSWOOD ...	–	2	–	–	–	–
STROUD	–	–	–	–	1	–
TEWKESBURY ...	–	–	1	–	–	–
Rural Districts :—						
CHIPPING SODBURY	–	–	–	–	2	–
EAST DEAN AND UNITED PARISHES ...	–	10	5	–	–	–
TETBURY (part)...	–	–	2	–	–	–
TEWKESBURY (part)	–	1	–	–	–	–
WEST DEAN ...	–	3	–	–	–	–
WINCHCOMB(part)	–	–	–	–	–	M. 1
HEREFORD ...	–	–	1	1	1	E. 1
Rural Districts :—						
BROMYARD ...	–	–	–	–	1	–
HEREFORD ...	–	–	–	1	–	–
LEDBURY ...	–		1	–	–	–
WEOBLEY... ...	–	–	–	–	–	E. 1
HERTFORD ...	–	12	3	1	5	L. 1
Boroughs and Urban Districts :—						
†BARNET	–	–	1	–	–	–
BUSHEY	–	6	–	–	–	–
†CHESHUNT ...	–	–	–	–	1	–
HARPENDEN ...	–	1	–	–	–	–
†HEMEL HEMPSTEAD	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LETCHWORTH ...	–	1	–	–	–	–
ROYSTON	–	1	–	–	–	–
†ST. ALBANS ...	–	1	–	–	–	–
WARE	–	–	–	1	1	–
†WATFORD ...	–	–	1	–	2	–
Rural Districts:—						
HERTFORD ...	–	–	1	–	–	–
WARE	–	–	–	–	1	–
WATFORD ...	–	–	–	–	–	L. 1
HUNTINGDON ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
ST. NEOTS ...	–	–	–	–	1	–
Rural District:—						
ST. NEOTS (No. 3)	–	1	–	–	–	–
KENT	–	53	15	5	5	M. 3
Boroughs and Urban Districts:—						
†ASHFORD... ...	–	–	–	–	1	–
†BECKENHAM ...	–	1	–	–	–	M. 1
†BEXLEY	–	2	1	–	–	–
†BROMLEY... ...	–	2	1	–	1	M. 1
†CHATHAM ...	–	3	–	–	–	M. 1
†CRAYFORD ...	–	1	–	–	–	–
†DARTFORD ...	–	–	1	–	–	–
†DOVER	–	2	2	–	–	–
†ERITH	–	3	–	1	–	–
†FOLKESTONE ...	–	–	1	–	–	–
†GILLINGHAM ...	–	7	2	–	1	–
†GRAVESEND ...	–	5	–	–	–	–
†HERNE BAY ...	–	1	–	–	–	–
†MAIDSTONE ...	–	1	–	–	–	–
†MARGATE ...	–	3	1	1	–	–
†NORTHFLEET ...	–	4	–	–	–	–
†PENGE	–	2	–	1	–	–
QUEENBOROUGH	–	1	–	–	–	–
†ROCHESTER ...	–	2	1	–	–	–
†SHEERNESS ...	–	1	1	2	–	–
KENT—*cont.*						
Rural Districts:—						
BROMLEY ...	–	1	–	–	–	–
DARTFORD ...	–	2	2	–	–	–
EAST ASHFORD ...	–	1	–	–	–	–
FAVERSHAM ...	–	4	–	–	–	–
MALLING	–	1	–	–	–	–
MILTON	–	1	–	–	–	–
ROMNEY MARSH ..	–	–	–	–	2	–
STROOD	–	1	–	–	–	–
TONBRIDGE ...	–	1	–	–	–	–
WEST ASHFORD...	–	–	2	–	–	–
LANCASTER ...	–	286	92	8	231	C. 6 E. 1 G. 11 L. 3 M. 25
†BARROW IN FURNESS C.B.	–	4	–	–	–	–
†BLACKBURN C.B.	–	4	–	–	13	C. 1
†BLACKPOOL C.B.	–	2	–	1	1	M. 1
†BOLTON C.B. ...	–	23	3	–	7	–
†BOOTLE C.B. ...	–	3	–	–	–	M. 1
†BURNLEY C.B. ...	–	25	2	1	2	–
†BURY C.B. ...	–	1	–	–	2	–
†LIVERPOOL C.B. ...	–	40	21	–	56	C. 1 G. 7 L. 1 M. 11
†MANCHESTER C.B.	–	33	18	4	35	C. 4 G. 1 M. 1
†OLDHAM C.B. ...	–	12	2	–	2	M. 2
†PRESTON C.B. ...	–	2	4	1	–	–
†ROCHDALE C.B. ...	–	7	2	–	1	M. 1
†ST. HELENS C.B.	–	4	1	–	13	G. 1
†SALFORD C.B. ...	–	30	4	–	3	M. 2
†SOUTHPORT C.B.	–	–	–	–	3	–
†WARRINGTON C.B.	–	–	1	–	10	–
†WIGAN C.B. ...	–	2	–	–	7	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	–	–	–	–
†ASHTON IN MAKERFIELD	–	4	5	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Ashton under Lyne	–	7	–	–	1	–
Aspull	–	–	1	–	–	–
†Atherton ...	–	1	–	–	4	–
Audenshaw ...	–	2	–	–	–	–
Billinge... ...	–	–	–	–	1	–
†Chadderton ...	–	1	–	–	2	–
†Chorley... ...	–	1	–	–	4	–
†Colne	–	7	2	–	2	–
†Crompton ...	–	1	–	–	–	–
†Darwen	–	9	–	–	2	–
†Droylsden ...	–	2	–	–	2	–
†Eccles	–	–	–	–	–	M. 1
†Failsworth ...	–	–	1	–	3	–
†Farnworth ...	–	2	1	–	2	–
†Fleetwood ...	–	–	1	–	–	–
Golborne ...	–	1	1	–	–	–
†Great Crosby ...	–	–	1	–	–	–
Great Harwood	–	1	3	–	–	–
Haslingden ...	–	1	–	–	–	–
Heysham ...	–	–	1	–	–	–
†Heywood ...	–	1	–	1	–	–
†Hindley... ...	–	3	–	–	6	–
†Horwich ...	–	3	–	–	–	–
†Ince in Makerfield	–	2	–	–	–	–
Irlam	–	–	–	–	1	–
†Lancaster ...	–	1	2	–	6	–
Lees	–	–	–	–	1	–
†Leigh	–	5	2	–	–	G. 1 M. 1
†Litherland ...	–	2	1	–	–	–
Little Hulton	*	*	*	*	*	*
†Lytham St. Anne's	–	–	1	–	–	–
†Middleton ...	–	1	1	–	–	M. 1
†Nelson	–	–	–	–	1	–
†Newton in Makerfield	–	–	1	–	5	–
Ormskirk ...	–	1	–	–	–	–
Orrell	–	–	1	–	–	–
†Padiham... ...	–	2	–	–	1	–
Poulton le Fylde	–	2	–	–	–	–
Prescot	–	2	–	–	–	–
†Radcliffe ...	–	–	–	–	2	–
†Rawtenstall ...	–	–	–	–	1	E. 1
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Rishton	–	–	–	–	2	–
†Royton	–	–	–	–	1	–
Standish with Langtree	–	1	–	–	1	–
†Stretford ...	–	5	1	–	–	G. 1 M. 1
†Swinton and Pendlebury	–	1	–	–	–	–
Thornton ...	–	4	–	–	–	–
Tottington ...	–	1	2	–	2	–
†Turton	–	1	–	–	–	–
†Tyldesley with Shakerley	–	3	–	–	3	–
†Ulverston ...	–	2	–	–	–	–
Upholland ...	–	1	–	–	–	–
Urmston... ...	–	–	–	–	1	–
†Walton le Dale	–	2	–	–	–	–
†Waterloo with Seaforth	–	–	2	–	1	–
†Westhoughton	–	–	–	–	1	–
†Widnes	–	2	1	–	12	–
Rural Districts :—						
Barton upon Irwell	–	–	1	–	2	M. 1
Blackburn ...	–	–	–	–	–	M. 1
Burnley... ...	–	–	1	–	–	–
Chorley	–	2	–	–	3	–
Clitheroe ...	–	–	–	–	3	L. 2
Leigh	–	1	–	–	–	–
Preston	–	1	–	–	–	–
Warrington ...	*	*	*	*	*	*
West Lancashire	–	–	–	–	2	–
Wigan	–	1	–	–	1	–
LEICESTER... ..	–	21	6	1	8	G. 2
†Leicester C.B. ..	–	12	2	–	4	G. 2
Boroughs and Urban Districts :—						
Ashby de la Zouch	*	*	*	*	*	*
Ashby Woulds...	–	–	–	–	1	–
†Hinckley ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	6	2	1	1	–
BLABY	–	–	2	–	–	–
CASTLE DONINGTON	–	–	–	–	2	–
MARKET BOSWORTH	–	2	–	–	–	–
LINCOLN (parts of Holland).	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†SPALDING ...	–	–	1	–	–	–
Rural Districts:—						
EAST ELLOE ...	–	2	–	–	–	–
LINCOLN (parts of Kesteven).	–	2	1	–	1	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	–	–	–	–
SLEAFORD ...	–	–	1	–	–	–
Rural Districts:—						
CLAYPOLE ...	–	1	–	–	–	–
SLEAFORD ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	14	8	–	1	–
†GRIMSBY C.B. ...	–	2	1	–	–	–
†LINCOLN C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	2	–	–	–
BRIGG	–	1	–	–	–	–
†CLEETHORPES ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GAINSBOROUGH ...	–	–	2	–	–	–
MABLETHORPE ...	–	1	–	–	–	–
ROXBY CUM RISBY	–	2	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	3	3	–	–	–
Rural Districts:—						
GAINSBOROUGH ...	–	1	–	–	–	–
GLANFORD BRIGG	–	–	–	–	1	–
MIDDLESEX ...	–	64	45	2	38	C. 2 G. 2
Boroughs and Urban Districts:—						
†ACTON	–	2	–	1	–	–
†CHISWICK ...	–	–	3	–	–	–
†EALING	–	6	2	–	–	–
†EDMONTON ...	–	5	–	–	2	G. 1
†ENFIELD	–	5	2	–	5	–
FELTHAM... ...	–	1	3	–	–	–
†FINCHLEY ...	–	–	–	–	1	G. 1
GREENFORD ...	*	*	*	*	*	*
†HANWELL ...	–	–	2	–	–	–
†HARROW ON THE HILL	–	1	1	–	–	–
†HENDON	–	–	5	–	–	–
†HESTON AND ISLEWORTH	–	1	5	1	3	C. 1
†HORNSEY... ...	–	6	2	–	1	–
RUISLIP NORTHWOOD	–	4	–	–	–	–
†SOUTHALL NORWOOD	–	1	–	–	1	–
†SOUTHGATE ...	–	3	1	–	4	–
STAINES	–	1	1	–	–	–
SUNBURY ON THAMES	–	1	–	–	–	–
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	11	4	–	11	–
†WEALDSTONE ...	–	–	1	–	–	–
†WILLESDEN ...	–	9	8	–	5	–
†WOOD GREEN ...	–	–	3	–	3	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Rural Districts:—						
HENDON	–	1	–	–	–	–
STAINES	–	5	2	–	1	–
UXBRIDGE ...	–	–	–	–	1	–
NORFOLK	–	47	14	1	2	C. 1
†GREAT YARMOUTH C.B.	–	3	2	–	–	–
†NORWICH C.B. ...	–	35	7	–	1	–
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	–	–	1	–
NEW HUNSTANTON	–	–	–	1	–	–
SWAFFHAM ...	–	1	–	–	–	–
WELLS	–	–	1	–	–	–
Rural Districts:—						
DEPWADE ...	–	2	–	–	–	–
DOCKING... ...	–	1	–	–	–	–
FOREHOE... ...	–	–	2	–	–	–
HENSTEAD ...	–	1	1	–	–	–
LODDON AND CLAVERING	–	1	–	–	–	–
MARSHLAND ..	–	1	1	–	–	–
SMALLBURGH ...	–	1	–	–	–	–
THETFORD ...	–	–	–	–	–	C. 1
WALSINGHAM ...	–	1	–	–	–	–
NORTHAMPTON ...	–	23	2	–	16	M. 2
†NORTHAMPTON C.B.	–	4	1	–	10	–
Boroughs and Urban Districts:—						
DAVENTRY ...	–	–	–	–	1	–
DESBOROUGH ...	–	3	–	–	–	–
HIGHAM FERRIS	–	–	–	–	1	–
IRTHLINGBOROUGH	–	3	–	–	–	–
NORTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KETTERING ...	–	–	–	–	1	–
ROTHWELL ...	–	1	–	–	–	–
†RUSHDEN ...	–	–	–	–	1	M. 1
†WELLINGBOROUGH	–	5	–	–	–	M. 1
Rural Districts:—						
DAVENTRY ...	–	–	–	–	1	–
NORTHAMPTON ...	–	–	–	–	1	–
OUNDLE (part) ...	–	3	–	–	–	–
POTTERSBURY ...	–	3	–	–	–	–
WELLINGBOROUGH	–	1	1	–	–	–
NORTHUMBERLAND	–	26	15	–	71	C. 1 M. 5
†NEWCASTLE UPON TYNE C.B.	–	6	5	–	39	C. 1 M. 2
†TYNEMOUTH C.B.	–	–	2	–	5	M. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	1	–	–	1	–
†BEDLINGTONSHIRE	–	5	1	–	4	–
†BERWICK UPON TWEED	–	2	–	–	1	–
†BLYTH	–	1	1	–	4	M. 1
CRAMLINGTON ...	–	1	–	–	–	–
†EARSDON	–	1	–	–	–	–
†GOSFORTH ...	–	1	–	–	–	–
†LONGBENTON ...	–	1	–	–	6	–
†NEWBURN ...	–	1	–	–	2	–
PRUDHOE ...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Boroughs and Urban Districts—*cont.*						
SEGHILL	–	–	–	–	1	–
†WALLSEND ...	–	2	5	–	2	–
WEETSLADE ...	–	–	–	–	1	–
Rural Districts :—						
BELFORD	–	–	–	–	1	–
BELLINGHAM ...	–	–	–	–	1	–
CASTLE WARD ...	–	2	1	–	–	–
GLENDALE ...	–	–	–	–	1	–
HALTWHISTLE ...	–	1	–	–	–	–
HEXHAM	–	1	–	–	1	–
NORHAM AND ISLANDSHIRES	–	–	–	–	1	–
NOTTINGHAM ...	5	27	10	–	12	C. 2 G. 1 M. 2
†NOTTINGHAM C.B.	3	18	2	–	2	C. 1 G. 1 M. 2
Boroughs and Urban Districts :—						
†CARLTON	–	1	3	–	2	–
EASTWOOD ...	1	–	–	–	–	–
†HUCKNALL ...	–	–	–	–	1	–
†KIRKBY IN ASHFIELD	–	1	–	–	1	–
†MANSFIELD ...	–	–	1	–	–	C. 1
†NEWARK	–	–	1	–	–	–
†SUTTON IN ASHFIELD	–	2	1	–	1	–
†WORKSOP... ...	–	–	–	–	2	–
Rural Districts :—						
BASFORD	–	2	1	–	–	–
EAST RETFORD ...	–	–	–	–	1	–
SOUTHWELL ...	–	2	1	–	1	–
STAPLEFORD ...	1	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	7	1	–	–	M. 1
†OXFORD C.B. ...	–	1	–	–	–	M. 1
Rural Districts :—						
BANBURY... ...	–	1	–	–	–	–
HEADINGTON ...	–	5	–	–	–	–
WITNEY	–	–	1	–	–	–
PETERBOROUGH (Soke of)	–	3	1	–	–	–
Borough :—						
†PETERBOROUGH...	–	3	1	–	–	–
RUTLAND	–	1	–	–	2	–
Rural Districts :—						
OAKHAM	–	1	–	–	–	–
UPPINGHAM ...	–	–	–	–	2	–
SALOP	–	7	6	–	3	M. 1
Boroughs and Urban Districts :—						
MARKET DRAYTON	–	–	1	–	–	–
†OAKENGATES ...	–	1	–	–	–	–
OSWESTRY ...	–	1	–	–	–	M. 1
†SHREWSBURY ...	–	2	–	–	2	–
WEM	–	1	–	–	–	–
WHITCHURCH ...	–	–	3	–	–	–
Rural Districts :—						
ATCHAM	–	–	–	–	1	–
NEWPORT ...	–	1	1	–	–	–
OSWESTRY ...	–	1	–	–	–	–
WELLINGTON ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET	–	24	5	–	5	E. 1 M. 1
†Bath C.B. ...	–	2	–	–	2	–
Boroughs and Urban Districts:—						
†Bridgwater ...	–	1	–	–	–	–
Chard	–	–	–	–	1	–
†Frome	–	1	–	–	–	–
Portishead ...	–	2	–	–	–	–
Street	–	–	–	–	1	–
†Taunton... ...	–	2	–	–	–	–
Wellington ...	–	1	–	–	–	–
†Weston super Mare	–	2	5	–	–	M. 1
Wiveliscombe ...	–	1	–	–	–	–
Rural Districts:—						
Axbridge ...	–	1	–	–	–	–
Bath	–	1	–	–	–	–
Clutton ...	–	1	–	–	–	–
Frome	–	1	–	–	1	–
Keynsham ...	–	1	–	–	–	–
Langport ...	–	5	–	–	–	–
Long Ashton ...	–	1	–	–	–	–
Williton ...	–	1	–	–	–	–
Wincanton ...	–	–	–	–	–	E. 1
SOUTHAMPTON ...	–	25	41	1	3	E. 1 G. 1
†Bournemouth C.B.	–	3	–	–	1	–
†Portsmouth C.B.	–	16	25	1	–	–
†Southampton C.B.	–	2	5	–	1	E. 1
Boroughs and Urban Districts:—						
†Aldershot ...	–	1	–	–	–	G. 1
Christchurch ...	–	–	5	–	–	–
†Eastleigh and Bishopstoke	–	–	1	–	–	–
†Fareham ...	–	1	–	–	–	–
†Gosport	–	–	1	–	1	–
Havant	*	*	*	*	*	*
†Winchester ...	–	–	1	–	–	–
SOUTHAMPTON— *cont.*						
Rural Districts:—						
Alton	–	–	1	–	–	–
Hursley	–	–	2	–	–	–
Whitchurch ...	–	2	–	–	–	–
STAFFORD	1	113	24	4	37	C. 4 G. 2 M. 13
†Burton upon Trent C.B.	–	1	–	–	2	–
†Smethwick C.B.	–	5	3	–	4	C. 1 M. 1
†Stoke on Trent C.B.	–	38	6	–	13	C. 1 M. 7
†Walsall C.B. ...	–	3	1	–	1	C. 1 M. 1
†West Bromwich C.B.	–	9	5	–	–	G. 1
†Wolverhampton C.B.	–	5	–	–	5	–
Boroughs and Urban Districts:—						
†Audley	–	7	1	–	–	M. 2
Biddulph ..	–	7	–	–	–	–
†Bilston	–	1	–	–	1	–
†Brierley Hill...	–	–	–	–	1	–
†Cannock	–	3	–	–	2	–
†Coseley	–	1	–	–	–	–
†Leek	–	2	–	–	–	–
†Newcastle under Lyme	–	2	1	–	–	–
Quarry Bank ...	–	1	–	–	–	–
†Rowley Regis...	–	1	–	–	–	C. 1 G. 1
†Rugeley ...	–	1	–	–	–	–
Short Heath ...	–	–	–	–	1	–
†Stafford ...	–	8	2	–	–	–
Tettenhall ...	–	–	–	–	3	–
†Tipton	–	5	–	1	–	–
†Wednesbury ...	1	1	–	–	–	–
Wednesfield ...	–	–	1	–	–	–
†Willenhall ...	–	3	–	–	1	–
†Wolstanton United	–	5	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts:—						
CANNOCK	–	–	–	–	–	M. 1
CHEADLE	–	–	2	–	–	–
KINGSWINFORD ...	–	1	–	3	–	–
LEEK	–	1	–	–	–	–
SEISDON	–	–	–	–	1	–
STAFFORD ...	–	1	–	–	–	–
TAMWORTH (part)	–	–	–	–	1	–
TUTBURY... ...	–	–	1	–	–	–
UTTOXETER ...	–	1	–	–	–	–
WALSALL... ...	–	–	–	–	–	M. 1
SUFFOLK, EAST ...	–	12	9	3	6	–
†IPSWICH C.B. ...	–	11	4	–	2	–
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	–	–	3	–	–
†LOWESTOFT ...	–	–	1	–	2	–
WOODBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
MUTFORD AND LOTHINGLAND	–	–	–	–	1	–
PLOMESGATE ...	–	–	4	–	1	–
SUFFOLK, WEST ...	–	–	2	–	–	–
Borough and Urban District:—						
†BURY ST. EDMUNDS	*	*	*	*	*	*
Rural Districts:—						
BRANDON... ...	–	–	2	–	–	–
SURREY	–	39	20	3	8	C. 1 G. 1
†CROYDON C.B. ...	–	15	8	–	2	–
Boroughs and Urban Districts:—						
†BARNES	–	–	1	–	–	–
†CARSHALTON ...	–	3	–	–	–	–
†CATERHAM ...	–	3	–	–	–	–
†COULSDON AND PURLEY	–	2	1	–	–	–
†EGHAM	–	1	–	–	1	–
†EPSOM	–	–	–	1	1	–
†ESHER AND THE DITTONS	–	–	–	–	1	–
GODALMING ...	–	1	–	–	–	–
†GUILDFORD ...	–	1	1	–	–	–
†MITCHAM... ...	–	3	1	–	–	–
†REIGATE	–	1	1	–	–	G. 1
†RICHMOND ...	–	1	–	–	–	–
†SUTTON	–	–	–	2	–	–
†WIMBLEDON ...	–	4	2	–	–	C. 1
†WOKING	–	3	3	–	–	–
Rural Districts:—						
FARNHAM ...	–	1	–	–	–	–
GODSTONE ...	–	–	1	–	–	–
GUILDFORD ...	–	–	–	–	1	–
HAMBLEDON ...	–	–	1	–	2	–
SUSSEX, EAST ...	–	10	6	1	2	G. 1 L. 1 M. 1
†BRIGHTON C.B. ...	–	–	3	–	1	–
†EASTBOURNE, C.B.	–	3	–	–	–	M. 1
†HASTINGS, C.B. ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	1	–	–	–	–
†HOVE	–	4	–	–	–	–
NEWHAVEN ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts :—						
Battle	–	–	1	–	–	–
Chailey... ...	–	–	–	–	–	L. 1
Cuckfield ...	–	1	1	–	–	–
Eastbourne ...	–	–	1	–	–	–
East Grinstead	–	–	–	–	–	G. 1
Uckfield ...	–	1	–	–	–	–
SUSSEX, WEST ...	–	4	–	–	–	D. 1
Boroughs and Urban Districts :—						
Arundel ...	–	1	–	–	–	–
†Horsham ...	–	1	–	–	–	–
Rural Districts :—						
Horsham ...	–	2	–	–	–	–
Petworth ...	–	–	–	–	–	D. 1
WARWICK	–	101	48	–	96	C. 3 G. 3 M. 10
†Birmingham C.B.	–	53	37	–	71	C. 2 G. 3 M. 9
†Coventry C.B. ...	–	27	5	–	–	C. 1
Boroughs and Urban Districts :—						
†Nuneaton ...	–	2	1	–	7	M. 1
†Royal Leamington Spa	–	1	–	–	2	–
†Rugby	–	–	–	–	2	–
†Sutton Coldfield	–	–	–	–	3	–
WARWICK—*cont.*						
Rural Districts :—						
Alcester ...	*	*	*	*	*	*
Atherstone ...	–	1	–	–	2	–
Coventry ...	–	2	–	–	–	–
Foleshill ...	–	11	–	–	–	–
Meriden... ...	–	–	–	–	1	–
Rugby	–	2	–	–	1	–
Solihull ...	–	1	–	–	–	–
Southam ...	–	–	–	–	7	–
Stratford on Avon	*	*	*	*	*	*
Tamworth (part)	–	1	5	–	–	–
WESTMORLAND ...	–	3	–	–	3	–
Boroughs and Urban Districts :—						
Appleby	–	–	–	–	–	–
†Kendal ...	–	2	–	–	–	–
Windermere ...	–	–	–	–	1	–
Rural District :—						
East Westmorland	–	–	–	–	2	–
WIGHT, ISLE OF ...	–	1	1	–	–	–
Borough and Urban District :—						
Shanklin ...	–	1	1	–	–	–
WILTS	–	20	6	–	3	G. 1 M. 1
Boroughs and Urban Districts :—						
Calne	–	–	–	–	–	M. 1
Chippenham ...	–	1	–	–	–	–
Marlborough ...	–	–	–	–	1	–
†Salisbury ...	–	1	2	–	–	–
†Swindon... ...	–	9	–	–	–	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
AMESBURY ...	–	1	–	–	–	–
CALNE	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
MALMESBURY ...	–	–	–	–	1	–
PEWSEY	–	4	–	–	–	–
RAMSBURY ...	–	2	3	–	–	–
TISBURY	–	–	–	–	1	–
WILTON	–	–	1	–	–	–
WORCESTER ...	–	21	5	–	10	M. 1
†DUDLEY C.B. ...	–	1	–	–	–	–
†WORCESTER C.B.	–	3	1	–	4	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
EVESHAM ...	–	–	1	–	–	–
†KIDDERMINSTER ..	–	2	–	–	1	–
†LYE AND WOLLESCOTE	–	–	–	–	–	M. 1
†OLDBURY ...	–	3	–	–	1	–
†REDDITCH ...	–	5	–	–	–	–
†STOURBRIDGE ...	–	2	–	–	3	–
STOURPORT ...	–	–	1	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	3	–	–	–	–
HALESOWEN ...	–	–	2	–	1	–
TENBURY	–	1	–	–	–	–
YORKS (East Riding)	–	17	10	–	1	C. 1 M. 2
†KINGSTON UPON HULL C.B.	–	4	6	–	–	C. 1 M. 2
Boroughs and Urban Districts:—						
COTTINGHAM ...	–	1	–	–	–	–
GREAT DRIFFIELD	–	–	–	–	1	–
HESSLE	–	3	–	–	–	–
HORNSEA ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Rural Districts:—						
BEVERLEY ...	–	1	–	–	–	–
HOWDEN	–	7	3	–	–	–
SKIRLAUGH ...	–	–	1	–	–	–
YORKS (North Riding).	4	37	9	–	10	M. 2
†MIDDLESBROUGH C.B.	4	24	2	–	5	–
Boroughs and Urban Districts:—						
†ESTON	–	9	–	–	–	M. 1
MALTON	–	1	–	–	–	–
NORTHALLERTON	–	1	–	–	–	–
†REDCAR	–	1	–	–	–	–
†SCARBOROUGH ...	–	–	1	–	–	–
†SKELTON AND BROTTON	–	–	1	–	–	–
Rural Districts:—						
CROFT	–	–	–	–	1	–
KIRKBY MOORSIDE	–	–	1	–	1	–
MALTON	–	1	–	–	–	M. 1
NORTHALLERTON	–	–	4	–	–	–
STOKESLEY ...	–	–	–	–	3	–
YORKS (West Riding).	13	211	66	3	121	C. 4 G. 1 L. 1 M. 12
†BARNSLEY C.B. ...	–	2	1	2	–	C. 1
†BRADFORD C.B. ...	–	13	12	–	20	G. 1
†DEWSBURY C.B....	–	13	–	–	1	–
†HALIFAX C.B. ...	–	10	2	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
†Huddersfield C.B.	–	8	1	–	1	–
†Leeds C.B. ...	–	48	13	–	5	C. 1 M. 2
†Rotherham C.B.	–	5	2	–	5	–
†Sheffield C.B....	–	36	14	–	43	C. 2 M. 5
†Wakefield C.B.	–	5	1	–	2	M. 1
Boroughs and Urban Districts:—						
†Adwick le Street	2	–	1	–	–	–
Altofts	–	1	–	–	–	–
Ardsley, East and West	–	1	–	–	–	–
Baildon	–	–	1	–	–	–
†Batley	–	2	–	–	–	–
†Bentley with Arksey	2	–	–	–	–	–
†Bolton upon Deane	–	1	–	–	–	–
Calverley ...	–	1	–	–	–	–
†Castleford ...	–	6	–	–	–	–
†Conisbrough ...	–	1	–	–	–	M. 1
Darfield ...	–	–	–	–	2	–
†Doncaster ...	8	6	1	1	–	–
Drighlington ...	–	–	–	–	2	–
Elland	–	–	–	–	2	–
†Featherstone ...	–	–	–	–	2	–
Gildersome ...	–	1	–	–	–	–
†Goole	–	–	–	–	1	–
Harrowgate ...	–	–	–	–	1	–
Hebden Bridge	–	1	–	–	1	–
Heckmondwike	–	1	–	–	1	–
†Hemsworth ...	–	–	2	–	4	–
Holmfirth ...	–	–	1	–	–	–
Horbury ...	–	1	–	–	–	–
Horsforth ...	–	3	–	–	–	–
†Hoyland Nether	–	–	–	–	1	–
Hoyland Swaine	*	*	*	*	*	*
Ilkley	–	1	–	–	–	–
†Keighley ...	–	1	–	–	–	–
Linthwaite ...	1	–	–	–	–	–
†Mexborough ...	–	2	–	–	2	–
†Mirfield ...	–	–	–	–	1	–
†Morley	–	1	–	–	–	–
New Mill ...	–	–	–	–	1	–
†Normanton ...	–	–	1	–	4	–
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts— *cont.*						
†Ossett	–	1	1	–	–	–
Otley	*	*	*	*	*	*
Penistone ...	*	*	*	*	*	*
†Pontefract ...	–	1	–	–	–	–
†Pudsey	–	1	–	–	–	–
Rawdon	–	3	1	–	–	–
†Rawmarsh ...	–	2	–	–	–	–
†Rothwell ...	–	2	–	–	–	–
Selby	–	1	–	–	–	–
Shepley	–	2	–	–	–	–
†Skipton	–	1	–	–	–	–
Southowram ...	–	1	–	–	–	–
Sowerby ...	*	*	*	*	*	*
†Sowerby Bridge	–	–	1	–	–	–
†Spenborough ...	–	–	–	–	5	M. 1
†Stanley	–	4	1	–	–	–
Stocksbridge ...	–	–	–	–	1	–
Thurnscoe ..	–	1	–	–	–	–
Thurstonland...	–	–	–	–	–	L. 1
Tickhill ...	–	1	–	–	–	–
†Todmorden ...	–	2	–	–	–	M. 1
Whitwood ...	–	1	–	–	–	–
†Wombwell ...	–	2	–	–	–	–
Rural Districts:—						
Bowland ...	–	–	–	–	1	–
Doncaster ...	–	–	–	–	1	–
Hemsworth ...	–	4	1	–	3	–
Keighley ...	–	–	1	–	–	–
Kiveton Park ...	–	1	–	–	–	–
Pontefract ...	–	–	2	–	–	–
Rotherham ...	–	–	2	–	–	–
Selby	–	–	–	–	3	–
Settle	*	*	*	*	*	*
Skipton	–	–	1	–	2	–
Tadcaster ...	–	2	–	–	–	–
Thorne	–	–	–	–	3	–
Todmorden ...	–	1	–	–	–	–
Wakefield ...	–	4	1	–	–	–
Wharfedale (South)	–	–	1	–	–	–
Wortley... ...	–	2	–	–	–	–
§York C.B. ...	–	4	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES						
ANGLESEY	–	1	2	–	1	–
Borough and Urban District :—						
†Holyhead ...	–	–	–	–	1	–
Rural Districts :—						
Aethwy	–	–	2	–	–	–
Valley	–	1	–	–	–	–
BRECKNOCK ...	–	–	–	–	4	–
Urban Districts :—						
Brynmawr ...	–	–	–	–	3	–
Rural Districts :—						
Ystradgynlais...	–	–	–	–	1	–
CARDIGAN	–	1	3	–	2	–
Boroughs and Urban Districts :—						
Aberayron ...	–	–	1	–	–	–
†Aberystwyth ...	–	–	–	–	1	–
New Quay ...	–	–	1	–	–	–
Rural Districts :—						
Aberystwyth (South)	–	–	1	–	–	–
Tregaron ...	–	1	–	–	1	–
CARMARTHEN ...	–	8	3	–	2	–
Boroughs and Urban Districts :—						
†Carmarthen ...	–	3	1	–	–	–
Llandovery ...	–	1	–	–	–	–
†Llanelly ...	–	4	–	–	–	–
CARMARTHEN— *cont.*						
Rural Districts :—						
Carmarthen ...	–	–	–	–	1	–
Llandilo Fawr	–	–	1	–	–	–
Llanelly ...	–	–	1	–	1	–
CARNARVON ...	–	2	4	–	1	–
Boroughs and Urban Districts :—						
†Bangor	–	1	–	–	–	–
Carnarvon ...	–	–	1	–	–	–
Conway	–	1	1	–	–	–
Portmadoc ...	–	–	–	–	1	–
Pwllheli ...	*	*	*	*	*	*
Rural Districts :—						
Gwyrfai ...	–	–	2	–	–	–
DENBIGH	–	6	2	–	8	–
Boroughs and Urban Districts :—						
Denbigh... ...	–	–	–	–	4	–
Llanrwst ...	–	–	1	–	–	–
Ruthin	–	–	–	–	1	–
Rural Districts :—						
Chirk	–	3	–	–	–	–
Glan Conway &c. (parishes)	–	1	–	–	–	–
Llangollen ...	–	1	–	–	–	–
Ruthin	–	–	–	–	1	–
St. Asaph (Denbigh)	–	–	–	–	1	–
Unchaled ...	–	–	–	–	1	–
Wrexham ...	–	1	1	–	–	–
FLINT	–	4	1	–	2	G. 1
Boroughs and Urban Districts :—						
Mold	–	–	–	–	–	G. 1
†Rhyl	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT—*cont*						
Rural Districts:—						
HAWARDEN ..	–	–	1	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	2	–	–	1	–
ST. ASAPH (FLINT)	–	–	–	–	1	–
GLAMORGAN ...	–	96	47	–	39	C. 4 E. 1 M. 5
†CARDIFF C.B. ...	–	10	5	–	4	M. 1
†MERTHYR TYDFIL C.B.	–	3	2	–	1	E. 1
†SWANSEA C.B. ...	–	14	3	–	2	C. 1
Boroughs and Urban Districts:—						
†ABERDARE	–	11	1	–	2	–
†BARRY	–	1	2	–	–	–
†CAERPHILLY ...	–	1	5	–	–	–
†GELLIGAER ...	–	1	4	–	1	C. 1
†MAESTEG	–	1	1	–	1	M. 1
†MOUNTAIN ASH ...	–	9	–	–	7	–
†NEATH	–	–	2	–	2	–
†OGMORE AND GARW	–	4	–	–	1	–
†PONTYPRIDD ...	–	8	–	–	1	–
†PORT TALBOT ...	–	2	1	–	1	–
†RHONDDA ...	–	26	9	–	13	C. 1 M. 2
Rural Districts:—						
CARDIFF	–	1	4	–	1	–
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	–	1	–	–	–	–
NEATH	–	1	2	–	–	–
PENYBONT ...	–	1	2	–	–	C. 1 M. 1
PONTARDAWE ...	–	–	3	–	–	–
SWANSEA... ...	–	1	1	–	2	–
MERIONETH ...	–	3	–	–	–	–
Urban District:—						
FESTINIOG ...	–	3	–	–	–	–
MONMOUTH ...	–	18	10	–	13	C. 1 G. 1 M. 2
†NEWPORT C.B. ...	–	2	3	–	5	–
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	–	1	–	–	–
†ABERTILLERY ...	–	4	1	–	–	–
BEDWAS AND MACHEN	–	1	–	–	2	–
†BEDWELLTY ...	–	–	–	–	–	C. 1 M. 1
BLAENAVON ..	–	1	–	–	–	–
†EBBW VALE ...	–	3	2	–	–	–
LLANFRECHFA UPPER	*	*	*	*	*	*
LLANTARNAM ...	*	*	*	*	*	*
MONMOUTH ...	–	1	–	–	–	–
†MYNYDDISLWYN	–	3	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	4	M. 1
†PANTEG	–	–	1	–	–	–
†TREDEGAR ...	–	1	2	–	2	–
Rural Districts:—						
CHEPSTOW ...	–	1	–	–	–	G. 1
SAINT MELLONS	–	1	–	–	–	–
MONTGOMERY ...	–	–	1	–	5	–
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	–	–	–	3	–
WELSHPOOL ...	–	–	1	–	–	–
Rural Districts:—						
LLANFYLLIN ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
PEMBROKE	–	–	1	–	1	–
Boroughs and Urban Districts:—						
Milford Haven	–	–	1	–	1	–
RADNOR	–	1	–	–	2	–
Rural District:—						
Knighton ...	–	1	–	–	–	–
New Radnor ...	–	–	–	–	1	–
Rhayader ...	–	–	–	–	1	–
Total of Part II. ...	45	1736	729	42	907	C. 38 D. 1 E. 5 F. 1 G. 36 L. 7 M. 103

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Barry	–	–	–	–	1	–
Cardiff	–	–	1	–	–	–
Hartlepool	*	*	*	*	*	*
Liverpool	–	–	–	–	1	–
Plymouth	–	–	–	–	1	L. 1
Port of London ...	–	–	2	2	–	J. 1
Total of Part III.— ...	–	–	3	2	3	J. 1 L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Total of Part I.—London	–	218	258	2	79	C. 16 D. 2 E. 2 G. 4 M. 25
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	45	1736	729	42	907	C. 38 D. 1 E. 5 F. 1 G. 36 L. 7 M. 103
Total of Part III.—Port Sanitary Districts	–	–	3	2	3	J. 1 L. 1
Total (*i.e.*, of returns received), England and Wales ...	45	1954	990	46	989	C. 54 D. 3 E. 7 F. 1 G. 40 J. 1 L. 8 M. 128

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the week. Forty-five cases of Small-pox were notified which appear on pages 244, 245, 246, 251, 252, 255 and 256.

able 5.—London and Great Towns in the Aggregate. } Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Dec. 9.	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.
ONDON :—													
EATHS—all ages.. ..	1,130	1,148	1,068	1,035	1,119	1,124	1,171	1,118	1,087	1,001	977	1,063	1,074
„ 0 to 1 year ..	139	153	127	123	119	132	124	118	102	117	123	123	106
REAT TOWNS, aggregate (including London) :—													
IRTHS	7,107	7,339	6,910	6,277	8,273	8,409	7,935	7,961	7,373	7,689	7,865	7,533	7,925
EATHS—all ages	4,464	4,726	4,590	4,558	4,910	4,843	4,958	4,841	4,742	4,648	4,446	4,849	4,868
„ 0 to 1 year ..	592	680	687	635	652	698	674	639	672	680	628	714	672
NTERIC FEVER—Cases	24	15	15	14	16	12	20	19	23	30	22	18	18
„ Deaths	1	6	3	4	5	2	2	—	8	4	5	8	5
MALL POX—Cases ..	13	2	8	11	3	18	22	20	10	10	16	26	16
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
CARLET FEVER—Cases	1,444	1,377	1,204	1,161	1,291	1,158	1,219	1,246	1,297	1,147	1,125	1,062	1,152
„ Deaths	18	20	22	19	14	27	7	14	8	12	18	13	15
IPHTHERIA—Cases ..	783	671	661	592	711	675	662	725	742	746	662	694	637
„ Deaths ..	42	59	54	45	58	45	54	55	62	52	51	38	42
EASLES—Deaths ..	75	76	74	75	72	62	90	72	73	71	84	79	95
NFLUENZA—Deaths ..	52	68	61	51	57	69	78	69	65	66	71	59	79

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 3rd March, 1923. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.*				Rainfall in Millimetres.‡	Towns.	Temperature of Air.*				Rainfall in Millimetres.‡
	Highest.	Lowest.	Mean Maximum.	Mean Minimum.			Highest.	Lowest	Mean Maximum.	Mean Minimum.	
	°	°	°	°			°	°	°	°	
ONDON (GREENWICH).	57	36	53·0	41·4	13	BRADFORD ..	51	33	46·1	37·9	41
						SHEFFIELD ..	53	36	48·7	38·9	46
RIGHTON ..	52	39	49·8	43·0	37	YORK (MUSEUM)	52	34	48·6	39·6	21
ORTSMOUTH ..	54	38	53·0	43·6	34	HULL (PEARSON PARK).	53	35	49·3	39·1	24
ORWICH (EATON).	53	33	49·9	40·3	28	TYNEMOUTH ..	47	36	44·4	39·3	35
LYMOUTH ..	55	40	52·4	43·1	57	CARDIFF	53	38	50·1	42·1	58
RISTOL (CLIFTON).	53	37	49·7	42·1	64						
						EDINBURGH ..	46·0	35·0	42·4	37·1	27
IRMINGHAM ..	53	33	49·7	39·4	37	GLASGOW ..	46·4	35·8	43·9	38·1	40
OTTINGHAM ..	54	33	49·6	40·1	19	DUBLIN (PHŒNIX PARK).	52·3	35·3	49·4	40·0	24
IRKENHEAD (BIDSTON).	51	37	48·7	39·7	30						
ANCHESTER ..	54	37	49·3	40·6	41	FITZWILLIAM SQUARE.†	51·6	37·3	49·0	41·6	27
URNLEY.. ..	51	35	46·6	38·3	67						
UDDERSFIELD	52	36	48·9	38·9	36	BELFAST	Not received.				

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 3rd March, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	25	..	29·404	50·6	40·7	9·9	44·8	+ 4·7	42·0	2·8	6·8	0·7	90	66·8	31·6	42·8	Calm	WSW : W : SW	0·6	0·0	0·0	143	- 180	0·00
MONDAY -	26	Greatest Declination N.	28·838	57·2	44·7	12·5	49·1	+ 8·9	41·8	7·3	13·0	1·3	76	102·2	36·5	43·0	SSW : SSE : SW	SW	8·0	0·0	0·5	477	+ 147	0·19
TUESDAY -	27	..	28·808	50·0	41·9	8·1	46·0	+ 5·7	38·5	7·5	10·3	5·6	75	76·0	36·0	43·0	SW	WSW	8·4	0·3	0·8	636	+ 302	0·06
WEDNESDAY	28	..	29·101	52·7	41·9	10·8	45·9	+ 5·6	40·5	5·4	11·5	3·3	82	97·0	38·6	43·0	WSW	WSW : W	6·6	0·0	0·5	569	+ 172	0·10
MARCH. THURSDAY -	1	..	29·358	52·0	42·0	10·0	46·4	+ 6·0	37·9	8·5	15·3	2·4	72	73·0	36·0	43·1	W : WSW	W : SW : SSW	2·4	0·0	0·3	463	+ 122	0·01
FRIDAY -	2	..	29·223	55·0	39·5	15·5	46·0	+ 5·6	37·0	9·0	17·6	2·5	71	109·0	34·0	43·3	W : WSW	WSW : SW	1·4	0·0	0·5	473	+ 131	0·16
SATURDAY -	3	Full	29·248	53·0	35·1	17·9	42·4	+ 1·9	37·5	4·9	15·0	1·8	83	80·6	28·5	43·4	SW : Calm : WNW	WNW : NW : Calm.	0·3	0·0	0·0	144	- 198	0·00
MEANS -		..	29·140	52·9	40·8	12·1	45·8	+ 5·5	39·3	6·5	12·8	2·5	78	86·4	34·5	43·1	S.-Wrly		..	..	..	Sum 2,845	Sum + 496	Sum 0·52
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. FEBRUARY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	25	Registration discontinued temporarily.	0·0	10·5	Overcast generally with nearly cloudless interval between 17h. and 20½h. Slight mist throughout. Rain about 15h.
MONDAY ..	26		3·2	10·6	Overcast till 11h., then variably cloudy with nearly cloudless interval at 21h. Lunar halo 21h. till 23h. Brisk wind from 11h. Rain and damping from 4½h. till 10h.
TUESDAY ..	27		0·6	10·7	Variably cloudy with thin cloud prevalent till 9h., then overcast generally till 23h., becoming nearly cloudless by 0h. Frequent slight rain till 21h., then damping till 22h. Brisk wind throughout. Solar halo 9h. till 10½h.
WEDNESDAY	28		4·3	10·7	Variably cloudy with nearly overcast periods and a nearly cloudless interval from 7½h. till 10h. Nearly overcast generally from 18½h. Brisk wind till 11h. Damping 2½h. Slight rain about 14h. and 16½h., and from 18½h. to 20h.
MARCH. THURSDAY	1		1·1	10·8	Overcast generally. Rain from 20h. Brisk wind from 2h. till 15h. Partial solar halo 15h. till 17h.
FRIDAY ..	2		6·9	10·9	Cloudy till 4h., becoming nearly cloudless by 5h. Parlially cloudy from 10½h., sky becoming nearly veiled with thin cloud by 21h. Brisk wind till 14h. Rain 18h. till 19¾h. Lunar halo 21h. till 23h.
SATURDAY	3		2·7	10·9	Sky nearly veiled with thin cloud generally till 6h., then nearly cloudless and hazy generally becoming cloudless by 9h. Partially cloudy from 11h. Cloudless from 21h. Slight hoar frost in early morning and from 21h. Slight fog from 8h. clearing by 11h. to haze. Mist from 18h. Lunar halo till 3h.
			Sum 18·8	Sum 75·1	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·23 in. at the beginning of the week to 29·44 in. by 18h. on 25th; decreased to 28·78 in. by 10h. on 27th; increased generally to 29·43 in. by 14h. on March 1st; decreased to 29·10 in. by 0h. on March 2; increased to 29·29 in. by 11h. on 2nd; decreased to 29·10 in. by 5h. on 3rd; then increased to 29·42 in. by midnight on the same day.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS.
11-17, Hare Street, E.2

(41154) Wt. 15—P 11 2250 3/23 H. St. G. 43

FOR OFFICIAL USE.

1923. No. 10.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 10TH MARCH, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 10TH MARCH, 1923.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the tenth week of the year numbered 7,820, and corresponded to an annual rate of 21·4 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,666 and corresponded to an annual rate of 12·8 per 1,000 of their aggregate civilian population, which is estimated at 19,052,710 in the year 1921. In the preceding three weeks the rates had been 12·2, 13·3, and 13·3. Infant mortality was 79 per 1,000 births against 80, 95, and 85 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,814 births, corresponding to a rate of 20·9 per 1,000, and 1,104 deaths of civilians, corresponding to a rate of 12·8, as against 11·3, 12·3, and 12·4 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 12·2 per 1,000. The infant mortality was 74 as against 64, 68, and 56 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 202 in the total deaths last week. In London the number of deaths from all causes rose from 1,074 to 1,104; while the deaths from diphtheria, which had been 20, 12 and 13 in the preceding three weeks, were again 13 last week.

Just Published:

The "Registrar General's Statistical Review" 1921. Tables Part I (Medical). Price 15*s.* net.

Supplement to 75th Annual Report of the Registrar General. Part IV. Mortality of Men in Certain Occupations 1910–12. Price 13*s.* 6*d.* net.

Census of England and Wales, 1921. County of London. Tables (Part II). Price 8*s.* net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in th week ended 10th March, 1923.

Towns.	Adjusted Population, Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	1
105 Great Towns ..	19,052,710*	7,820	4,666	620	1	94	22	58	36	47	8
London	4,514,405*	1,814	1,104	134	–	3	5	16	13	9	2
Towns in Outer Ring:											
Croydon C.B. ..	191,500	64	38	–	–	–	–	–	–	–	
Wimbledon ..	61,700	12	15	1	–	–	–	–	–	1	
Ealing	67,800	19	14	1	–	–	–	–	1	–	
Acton	62,000	15	8	–	–	–	–	–	–	–	
Willesden ..	167,200	61	34	2	–	–	–	–	–	–	
Hendon	55,500	12	7	–	–	1	–	–	–	–	
Hornsey	87,600	31	20	2	–	–	–	–	–	–	
Wood Green ..	51,100	12	5	1	–	–	–	–	1	–	
Tottenham ..	149,200	48	29	–	–	–	–	1	–	–	
Edmonton ..	67,800	47	10	2	–	–	–	–	–	–	
Enfield	61,400	22	15	1	–	–	–	–	–	–	
West Ham C.B. ..	307,000	151	60	7	–	–	–	–	1	–	
East Ham C.B. ..	145,500	46	26	3	–	–	–	1	–	–	
Leyton	130,100	44	27	2	–	–	–	–	–	–	
Walthamstow ..	129,800	35	16	2	–	–	–	–	–	1	
Ilford	85,500	25	17	1	–	–	–	–	–	–	
Gillingham	48,149*	19	12	1	–	–	–	–	–	–	
Canterbury C.B. ..	23,680	7	5	–	–	–	–	–	–	–	
Hastings C.B.	59,500	18	8	1	–	–	–	–	–	–	
Eastbourne C.B. ..	53,600	19	7	1	–	–	–	–	–	–	
Brighton C.B. ..	134,800	40	30	3	–	2	–	–	–	–	
Portsmouth C.B. ..	233,929*	138	55	6	1	5	–	–	1	–	
Bournemouth C.B. ..	81,200	16	20	2	–	1	–	1	–	–	
Southampton C.B. ..	162,200	61	36	2	–	–	–	–	–	–	
Reading C.B.	92,600	30	16	2	–	–	–	–	1	–	
Oxford C.B.	56,400	14	13	1	–	–	1	–	1	–	
Northampton C.B. ..	92,300	34	31	4	–	1	–	–	–	–	
Luton	57,800	23	14	2	–	–	–	–	–	–	
Cambridge	58,900	17	12	–	–	–	–	–	–	–	
Southend-on-Sea C.B.	90,500	28	13	–	–	–	–	–	–	–	
Ipswich C.B.	80,100	33	13	1	–	–	–	–	–	–	
Great Yarmouth C.B.	56,300	19	13	–	–	–	–	–	1	–	
Norwich C.B. ..	122,400	45	23	2	–	1	–	–	–	–	
Swindon	55,500	21	16	–	–	–	–	–	–	–	
Exeter C.B.	59,500	29	14	1	–	–	–	–	–	–	
Plymouth C.B. ..	199,869*	107	41	5	–	–	–	–	–	–	
Bath C.B.	68,300	30	24	4	–	1	–	2	–	–	
Bristol C.B.	381,700	155	77	12	–	–	2	1	1	1	1
Gloucester C.B. ..	51,800	23	15	3	–	–	–	1	–	–	1
Stoke-on-Trent C.B.	273,238	128	63	19	–	9	–	–	1	2	–
Burton-upon-Trent C.B.	49,410	17	12	1	–	–	–	–	–	–	
Wolverhampton C.B.	104,000	42	21	2	–	–	–	–	–	–	
Walsall C.B.	98,800	53	24	8	–	1	–	3	–	–	
West Bromwich C.B.	75,300	30	17	3	–	3	1	–	–	–	1
Dudley C.B.	57,100	34	24	4	–	6	–	–	–	–	
Worcester C.B. ..	49,160	18	8	2	–	–	–	–	–	–	
Birmingham C.B. ..	936,000	411	258	49	–	7	3	1	2	4	4
Smethwick C.B. ..	77,400	38	18	3	–	2	–	–	–	–	1
Coventry C.B. ..	130,300	28	23	2	–	1	–	–	–	–	
Leicester C.B. ..	237,900	73	50	5	–	–	–	2	–	–	1
Lincoln C.B.	66,600	28	16	2	–	–	–	–	–	–	
Grimsby C.B.	83,600	49	31	2	–	–	–	–	–	–	
Nottingham C.B. ..	266,400	97	62	10	–	–	1	–	–	1	
Derby C.B.	131,800	51	35	5	–	1	–	–	–	–	1
Chesterfield ..	62,400	24	10	3	–	–	–	–	–	–	
Stockport C.B. ..	125,500	43	31	8	–	–	–	–	–	–	3
Chester C.B.	41,030	21	7	3	–	–	–	–	–	–	
Birkenhead C.B. ..	147,800	66	37	2	–	–	–	–	–	1	3
Wallasey C.B. ..	89,600	31	16	4	–	–	–	–	–	–	1
Liverpool C.B. ..	817,000	392	241	35	–	6	1	2	2	3	3
Bootle C.B.	77,800	59	20	2	–	–	–	–	–	–	
St. Helens C.B. ..	104,900	61	26	6	–	–	–	–	–	1	

* Population adjusted by the exclusion of non-civilians.

TOWNS.	Adjusted Population. Mid. 1921.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	71,900	22	22	2	–	–	–	–	–	–	–
WIGAN C.B.	91,200	44	22	2	–	–	–	–	–	–	2
WARRINGTON C.B. ..	78,600	35	22	2	–	1	–	–	–	–	1
BOLTON C.B.	182,200	61	46	3	–	–	–	–	2	1	3
BURY C.B.	57,600	15	19	1	–	–	–	–	–	–	–
MANCHESTER C.B. ..	744,000	302	221	27	–	–	–	7	1	2	3
SALFORD C.B.	239,100	86	61	10	–	–	2	–	2	3	1
OLDHAM C.B.	148,300	61	45	3	–	–	1	–	–	–	–
ROCHDALE C.B... ..	92,700	32	34	6	–	2	–	–	–	–	2
BURNLEY C.B.	105,300	36	26	6	–	–	1	–	1	–	–
BLACKBURN C.B. ..	129,682	38	36	4	–	–	–	–	–	–	–
PRESTON C.B.	119,900	29	36	2	–	–	–	–	–	1	–
BLACKPOOL C.B. ..	73,800	14	17	1	–	–	–	–	–	–	–
BARROW-IN-FURNESS C.B	75,200	28	19	4	–	–	–	–	–	–	–
HUDDERSFIELD C.B. ..	111,900	38	28	2	–	–	–	1	–	–	1
HALIFAX C.B.	100,700	37	30	4	–	1	–	–	–	–	–
BRADFORD C.B. ..	291,100	101	84	10	–	4	–	1	–	–	2
LEEDS C.B.	465,500	184	128	14	–	4	1	–	–	2	1
DEWSBURY C.B. ..	55,100	19	17	2	–	1	–	–	–	1	1
WAKEFIELD C.B. ..	53,763	20	14	2	–	–	–	–	–	1	–
BARNSLEY C.B. ..	68,991	40	20	4	–	1	–	–	–	–	1
SHEFFIELD C.B. ..	519,239	240	117	16	–	–	–	4	–	3	1
ROTHERHAM C.B. ..	69,100	40	14	5	–	–	–	–	–	–	–
DONCASTER	54,700	23	10	5	–	–	–	–	–	–	–
YORK C.B.	84,500	32	21	3	–	1	–	1	–	–	–
HULL C.B.	291,800	147	68	10	–	–	–	1	1	–	–
MIDDLESBROUGH C.B.	133,400	80	32	9	–	2	–	–	–	1	1
DARLINGTON C.B. ..	66,400	24	20	1	–	1	–	–	1	–	2
STOCKTON-ON-TEES ..	65,000	39	15	2	–	5	–	–	–	1	–
WEST HARTLEPOOL C.B.	69,300	28	16	1	–	1	–	–	–	–	1
SUNDERLAND C.B. ..	161,100	86	48	13	–	4	–	–	–	1	–
SOUTH SHIELDS C.B. ..	120,376	53	32	7	–	–	–	3	–	–	1
GATESHEAD C.B. ..	126,700	59	31	8	–	1	–	–	–	1	–
NEWCASTLE-ON-TYNE C.B.	278,400	137	69	12	–	3	–	4	–	–	–
TYNEMOUTH C.B. ..	63,900	26	29	1	–	5	1	1	–	2	–
CARLISLE C.B.	53,200	20	16	1	–	3	–	–	–	–	–
NEWPORT (MON.) C.B.	93,700	32	12	1	–	1	–	1	–	1	–
CARDIFF C.B.	222,089	119	44	2	–	1	–	–	–	–	–
RHONDDA	166,600	85	48	6	–	1	1	1	2	–	–
MERTHYR TYDFIL C.B.	81,800	33	25	4	–	–	–	1	–	1	–
PONTYPRIDD	56,100	23	7	2	–	–	–	–	–	–	–
SWANSEA C.B.	159,600	74	42	7	–	–	1	1	–	1	4
GREATER LONDON ..	7,523,963*	2,858	1,666	175	–	5	5	20	16	12	32
OUTER RING	3,009,558*	1,044	562	41	–	2	–	4	3	3	5
GREAT TOWNS IN OUTER RING	1,820,700	644	341	25	–	1	–	2	3	2	5
REMAINDER OF OUTER RING	1,188,858*	400	221	16	–	1	–	2	–	1	–
EDINBURGH†	426,000	179	111	18	–	1	1	1	2	–	2
GLASGOW†	1,041,300	542	305	56	–	2	–	7	4	4	–
DUBLIN (REGISTRATION AREA)†	431,000	248	127	18	1	–	–	2	–	1	–
BELFAST†	429,000	218	121	18	2	–	–	3	–	3	2

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available perio

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).	Influenza.
London‡	4,514,405	1922–23. March 10	1814	1104	12·8	–	–	3	5	16	13	9	2
Calcutta	896,067	Jan. 27	?	505§	28·9	?	7	?	?	?	?	?	
Bombay	1,220,120	Feb 3	356‖	758§	32·3	1	8	–	?	1	–	54	
Madras	526,911	„ 3	353	439	43·3	1	5	–	?	–	–	38	
Sydney and Suburbs	926,400												
Brisbane (Metropolitan Area).	217,714	Nov. (30 days)	451	178	9·8	6	–	–	–	1	1	18	
Perth (Metropolitan Area).	155,939	Jan. 13	76	25	8·3	–	–	–	–	–	–	7	
Auckland (Urban Area).	164,450												
Wellington (Urban Area).	110,680												
Christchurch (Urban Area).	110,200												
Cape Town	104,400	Jan. 20	64	27	13·4	1	–	1	–	–	–	3	
Johannesburg	153,825	„ 27	73	27	9·1	1	–	–	–	–	–	1	
Durban	49,043	„ 27	30	7	7·4	1	–	–	–	–	–	1	
Paris	2,906,472	Feb. 20 (10 days)	1421	1256	15·7	3	–	38	5	7	2	16	1
Antwerp	302,150	Dec. 2	111	64	10·9	–	–	–	–	–	–	3	
Amsterdam	696,479	Feb. 17	322	155	11·6	1	1	–	–	1	1	–	
Copenhagen	565,000	„ 24	197	170	15·6	–	–	2	–	8	–	1	
Stockholm	422,042	„ 17	105	97	12·0	–	–	–	–	–	–	–	
Gothenburg	227,686	„ 3	?	38	8·7	1	–	–	–	–	–	1	
Christiania	258,933	„ 24	91	71	14·3	–	–	–	–	1	–	1	
Berlin	1,981,000	Jan. 27	386	601	15·8	1	?	25	1	4	4	5	2
Breslau	558,000	„ 27	210	175	16·3	–	?	–	–	3	–	3	
Cologne	694,000	„ 27	262	215	16·1	–	?	5	–	3	2	4	1
Dresden	610,000	„ 27	174	191	16·3	–	?	–	1	–	1	3	
Frankfort-on-Main ..	477,000	„ 27	76	90	9·8	–	?	–	–	–	2	–	
Hamburg	1,085,000	„ 27	217	289	13·8	–	?	18	1	2	1	4	
Leipzig	677,000	„ 27	198	201	15·4	–	?	–	–	4	2	2	
Munich	685,000	„ 27	178	209	15·9	–	?	1	–	1	–	2	
Vienna	1,842,005	„ 13	456	565	16·0	1	–	1	2	1	6	7	
Prague and Suburbs	689,262												
Budapest	939,529	Dec. 16	317	306	16·9	3	?	–	4	3	2	6	
Warsaw	956,087	Jan. 20	351	294	16·0	4	–	12	3	3	1	11	
Cairo	777,500	Dec. 23	800	488	32·6	–	–	1	–	?	2	47	
Alexandria	456,300	„ 23	518	238	27·1	1	–	–	–	?	1	18	
New York	5,927,617	Feb. 3	2495	1627	14·3	1	–	3	6	1	14	16	
Chicago	2,885,921	„ 10	?	855	15·4	–	–	–	1	8	12	13	
Rio de Janeiro ..	1,261,468	Jan. 13	629	485	20·0	1	4	10	–	10	–	?	
Montevideo	350,956	Nov. 11	248	139	18·5	–	–	1	–	2	–	8	

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vie Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *ye age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 15 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 10 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 10th March, 1923, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1104	134	33	32	29	44	43	73	130	165	210	211
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	2	1	–	–	–	–	–	–	–	–	–
Scarlet fever	5	–	–	3	1	1	–	–	–	–	–	–
Whooping cough	16	9	6	1	–	–	–	–	–	–	–	–
Diphtheria	13	1	1	8	3	–	–	–	–	–	–	–
Influenza	27	1	1	–	1	2	2	–	5	5	6	4
Erysipelas	2	1	–	–	–	–	–	–	–	–	–	1
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	1	–	–	–	–	–
Meningococcal meningitis	3	2	–	1	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	85	–	–	–	3	18	14	22	15	11	2	–
Nervous system..	9	–	2	5	2	–	–	–	–	–	–	–
Intestines and peritoneum	3	–	–	–	2	–	1	–	–	–	–	–
Other forms	8	1	–	1	–	1	1	–	1	2	–	1
Venereal diseases	4	2	–	–	–	–	–	–	–	1	–	1
Cancer	120	–	1	–	–	–	5	6	26	32	39	11
Rheumatic fever	1	–	–	–	–	1	–	–	–	–	–	–
Diabetes	5	–	–	–	–	–	–	–	1	–	1	3
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	6	2	1	1	–	–	–	1	–	1	–	–
Cerebral hæmorrhage, &c., Apoplexy	56	–	–	–	–	–	–	1	7	17	15	16
Epilepsy	4	–	–	–	–	3	–	–	–	–	1	–
"Convulsions" (not puerperal) ..	6	5	1	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	31	–	–	–	3	2	1	6	7	6	3	3
Pericarditis	2	–	–	–	1	1	–	–	–	–	–	–
Acute endocarditis	7	–	–	–	–	1	3	2	–	–	–	1
Other diseases of heart	148	–	–	–	2	3	4	6	18	28	42	45
Other diseases of circulatory system	46	–	–	–	–	–	–	1	5	9	18	13
Bronchitis	93	3	–	1	1	1	–	5	4	10	34	34
Broncho-pneumonia	54	21	8	3	–	–	–	–	6	4	1	11
Lobar pneumonia	34	1	1	1	2	1	1	4	7	6	5	5
Pneumonia (type not distinguished) ..	16	5	–	–	–	–	–	2	3	2	2	2
Other diseases of respiratory system	16	–	1	–	–	–	1	1	4	2	4	3
Diarrhœa and enteritis	12	6	3	1	–	–	–	–	–	–	1	1
Appendicitis, Typhlitis	4	–	–	–	–	3	1	–	–	–	–	–
Hernia, Intestinal obstruction	1	–	–	–	–	–	–	–	–	–	–	1
Cirrhosis of liver	3	–	–	–	–	–	–	1	1	–	1	–
Other diseases of digestive system ..	27	1	1	3	1	–	1	1	6	5	3	5
Acute nephritis	5	1	1	–	2	–	–	–	1	–	–	–
Chronic Bright's disease	24	–	–	–	–	2	3	1	3	7	5	3
Other diseases of genito-urinary system.	15	–	–	–	–	–	1	–	4	2	7	1
Puerperal sepsis	3	–	–	–	–	–	1	2	–	–	–	–
Other causes incident to childbirth ..	2	–	–	–	–	1	–	1	–	–	–	–
Congenital malformations	6	6	–	–	–	–	–	–	–	–	–	–
Premature birth	41	41	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	16	16	–	–	–	–	–	–	–	–	–	–
Old age..	48	–	–	–	–	–	–	–	–	1	11	36
Suicide	9	–	–	–	–	1	1	3	–	2	1	1
Burns and scalds	4	–	2	–	1	–	–	–	–	–	–	1
Drowning	2	–	–	–	–	–	–	–	1	–	1	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	14	–	–	–	2	2	–	1	1	3	–	5
Other deaths by violence	12	1	–	–	1	–	1	3	3	1	1	1
Other specified causes	30	6	2	2	1	–	–	3	1	8	5	2
Ill-defined causes	2	–	–	1	–	–	–	–	–	–	1	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 10th March, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	–	218	278	3	86	C. 9 E. 1 G. 7 M. 20
†CITY OF LONDON	–	–	–	–	1	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	16	17	–	8	M. 2
†BERMONDSEY ...	–	5	16	–	4	C. 1 M. 1
†BETHNAL GREEN	–	6	12	–	6	C. 1
†CAMBERWELL ...	–	15	28	–	2	M. 1
†CHELSEA	–	2	–	–	1	–
†DEPTFORD ...	–	8	14	–	–	C. 1
†FINSBURY ...	–	1	8	–	2	G. 1 M. 1
†FULHAM	–	11	4	–	3	–
†GREENWICH ...	–	3	6	–	1	–
†HACKNEY ...	–	8	13	–	1	C. 1 G. 1 M. 1
†HAMMERSMITH ...	–	6	2	–	1	G. 1
†HAMPSTEAD ...	–	5	4	–	–	–
†HOLBORN... ...	–	–	1	–	1	–
†ISLINGTON ...	–	15	28	–	1	M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	7	5	1	1	C. 1 M. 2
†LAMBETH ...	–	17	16	–	5	M. 1
†LEWISHAM ...	–	15	12	–	–	C. 1 M. 1
†PADDINGTON ...	–	9	6	–	6	G. 1
†POPLAR	–	11	10	–	10	M. 3
†ST. MARYLEBONE	–	4	5	1	–	E. 1 M. 1
†ST. PANCRAS ...	–	9	16	–	9	C. 2 M. 1
†SHOREDITCH ...	–	4	9	–	2	G. 1 M. 2
†SOUTHWARK ...	–	10	15	1	7	G. 1 M. 1
†STEPNEY	–	7	18	–	6	–
†STOKE NEWINGTON	–	1	1	–	–	–
†WANDSWORTH ...	–	12	5	–	5	G. 1
†WESTMINSTER, CITY OF	–	3	2	–	–	–
†WOOLWICH ...	–	8	5	–	3	C. 1 M. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	6	2	–	2	–
Boroughs and Urban Districts:—						
†Bedford ...	–	1	–	–	1	–
Leighton Buzzard	–	1	–	–	–	–
†Luton	–	2	1	–	–	–
Rural Districts:—						
Ampthill ...	–	–	–	–	1	–
Bedford ...	–	2	1	–	–	–
BERKS	–	20	12	–	–	M. 1
†Reading C.B. ...	–	7	1	–	–	M. 1
Boroughs and Urban Districts:—						
Abingdon ...	–	2	6	–	–	–
†Maidenhead ...	–	–	2	–	–	–
Rural Districts:—						
Abingdon ...	–	2	1	–	–	–
Bradfield ...	–	2	1	–	–	–
Cookham ..	–	1	1	–	–	–
Easthampstead	–	1	–	–	–	–
Wallingford ...	–	1	–	–	–	–
Wantage ...	–	4	–	–	–	–
BUCKINGHAM ...	–	11	5	–	4	–
Boroughs and Urban Districts:—						
†Aylesbury ...	–	1	–	–	–	–
Bletchley ...	–	1	–	–	–	–
†Chepping Wycombe ...		1	–	–	–	–
Marlow	–	–	1	–	–	–
†Slough	–	–	1	–	–	–
†Wolverton ...	–	–	–	–	1	–
BUCKINGHAM—*cont.*						
Rural Districts:—						
Amersham ...	–	1	–	–	–	–
Aylesbury ...	–	–	–	–	1	–
Eton	–	3	–	–	–	–
Wycombe ...	–	4	3	–	2	–
CAMBRIDGE ...	–	2	–	–	5	G. 1
Borough:—						
†Cambridge ...	–	–	–	–	2	G. 1
Rural Districts:—						
Caxton and Arrington	–	–	–	–	1	–
Chesterton ...	–	2	–	–	–	–
Melbourn ...	–	–	–	–	2	–
CHESTER	–	50	20	–	41	C. 2 G. 2 L. 2 M. 5
†Birkenhead C.B.	–	5	3	–	9	G. 1 M. 1
†Chester, C.B. ...	–	–	1	–	5	–
†Stockport C.B....	–	2	4	–	4	C. 1
†Wallasey C.B ...	–	1	2	–	2	–
Boroughs and Urban Districts:—						
†Altrincham ...	–	–	–	–	3	–
†Bebington and Bromborough	–	–	–	–	2	–
Bredbury and Romiley	–	–	1	–	–	–
†Cheadle and Gatley	–	–	–	–	1	–
Compstall ...	–	–	3	–	–	–
†Congleton ...	–	8	–	–	2	–
†Crewe	–	4	–	–	–	M. 1
†Dukinfield ...	–	3	–	–	1	–
†Ellesmere Port and Whitby ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	G. 1
†HYDE	–	2	–	–	–	M. 2
KNUTSFORD ...	–	2	–	–	–	–
†MACCLESFIELD ...	–	3	–	–	1	L. 2
MARPLE	–	1	–	–	–	–
MIDDLEWICH ...	–	1	3	–	–	–
NESTON AND PARKGATE ...	–	1	1	–	–	–
†RUNCORN... ..	–	2	–	–	2	–
†SALE	*	*	*	*	*	*
SANDBACH ...	–	1	–	–	–	–
WILMSLOW ...	–	1	–	–	1	–
†WINSFORD ...	–	2	–	–	2	–
YEARDSLEY CUM WHALEY ...	–	–	–	–	1	–
Rural Districts:—						
BUCKLOW ...	–	–	1	–	–	–
NORTHWICH ...	–	3	–	–	–	–
RUNCORN ...	–	4	–	–	1	M. 1
TARVIN	–	–	1	–	2	–
WIRRAL	–	3	–	–	1	C. 1
CORNWALL ...	–	7	4	1	2	M. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	–	1	–
LOOE	*	*	*	*	*	*
REDRUTH ...	–	–	3	–	–	M. 1
ST. IVES	–	–	1	1	–	–
TORPOINT ...	–	1	–	–	–	–
WADEBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
CALSTOCK ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	1	–
SAINT AUSTELL...	–	4	–	–	–	–
CUMBERLAND ...	–	10	9	–	6	G. 1 M. 1
†CARLISLE C.B. ...	–	1	3	–	3	–
Boroughs and Urban Districts:—						
EGREMONT ...	–	–	1	–	–	–
†MARYPORT ...	–	2	–	–	1	–
MILLOM	–	5	–	–	–	–
WIGTON	–	–	–	–	1	–
†WORKINGTON ...	–	1	2	–	–	M. 1
Rural Districts:—						
CARLISLE... ...	–	–	–	–	1	–
COCKERMOUTH ...	–	1	3	–	–	G. 1
LONGTOWN ...	*	*	*	*	*	*
DERBY	19	30	7	1	19	C. 2 G. 2 M. 1
†DERBY C.B. ...	–	5	2	1	9	C. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	2	1	–	–	–	C 1
†BELPER	–	1	–	–	1	G. 1
†BOLSOVER ...	–	3	–	–	–	–
†BUXTON	–	2	–	–	–	–
†GLOSSOP	–	3	–	–	–	–
†HEANOR	7	–	–	–	1	–
†ILKESTON ...	1	–	–	–	1	–
†LONG EATON ...	–	1	1	–	1	–
†RIPLEY	–	–	1	–	2	–
†SWADLINCOTE DISTRICT	–	1	1	–	2	–
Rural Districts:—						
ASHBOURNE ...	–	2	–	–	–	–
BAKEWELL ...	–	1	–	–	–	–
BLACKWELL ...	–	2	–	–	–	–
CHESTERFIELD ...	–	2	2	–	–	–
CLOWNE	9	–	–	–	–	–
HARTSHORN AND SEALS	–	–	–	–	1	–
NORTON	–	–	–	–	1	–
SHARDLOW ...	–	6	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON	-	23	13	2	7	G. 2
†Exeter C.B. ...	–	2	–	–	1	–
†Plymouth C.B....	–	10	4	–	1	–
Boroughs and Urban Districts:—						
†Barnstaple ...	–	–	1	–	–	–
Brixham... ...	–	–	1	2	–	–
†Ilfracombe ...	–	–	1	–	–	–
Kingsbridge ...	–	–	–	–	1	–
†Newton Abbot	–	5	–	–	–	–
Ottery St. Mary	–	1	–	–	–	–
†Paignton ...	–	–	2	–	1	–
Sidmouth ...	–	1	1	–	–	–
†Torquay... ...	–	–	1	–	–	–
Totnes	–	–	1	–	–	–
Rural Districts:—						
Axminster ...	–	–	1	–	–	–
Barnstaple ...	–	1	–	–	1	–
Newton Abbot...	–	2	–	–	1	–
Plympton St. Mary	–	1	–	–	1	G. 1
Tiverton ...	–	–	–	–	–	G. 1
DORSET	–	3	3	–	2	C. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
Dorchester ...	–	–	2	–	–	–
†Poole	–	–	–	–	1	C. 1 M. 1
Wareham ...	–	1	–	–	–	–
†Weymouth and Melcombe Regis.	–	1	–	–	1	–
Rural Districts:—						
Blandford ...	–	–	1	–	–	–
Bridport ...	–	–	–	–	–	G. 1
Dorchester ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM	1	74	30	9	56	C. 1 E. 1 M. 10
†Darlington C.B	–	5	2	–	1	–
†Gateshead C.B.	–	8	2	–	7	–
†South Shields C.B.	–	2	1	–	10	–
†Sunderland C.B.	–	11	–	–	3	M. 2
†West Hartlepool C.B.	–	1	1	–	4	E. 1 M. 1
Boroughs and Urban Districts:—						
†Annfield Plain	–	1	3	–	–	–
Benfieldside ...	–	–	–	–	1	–
†Bishop Auckland	–	–	1	–	–	–
†Blaydon... ..	1	–	1	–	–	M. 2
†Crook	–	1	1	–	1	–
†Felling	–	1	–	–	1	M. 1
†Hartlepool ...	–	–	–	–	1	–
†Hebburn ...	–	1	–	–	1	–
†Hetton	–	–	–	–	3	–
†Houghton le Spring	–	–	–	–	4	–
†Jarrow	–	7	2	–	6	–
Leadgate ...	–	2	–	–	–	–
†Ryton	–	1	–	–	–	–
†Southwick on Wear	–	1	–	–	–	M. 1
†Spennymoor ...	–	1	–	–	–	–
†Stanley	–	1	1	–	–	–
†Stockton on Tees	–	1	1	–	1	–
†Tanfield ...	–	–	1	–	–	–
Tow Law ...	–	1	–	–	–	–
†Washington ...	–	1	2	–	–	–
†Whickham ...	–	–	1	–	1	–
Rural Districts:—						
Auckland ...	–	–	1	8	–	–
Chester le Street	–	6	2	–	–	–
Darlington ...	–	3	–	–	–	–
Durham	–	5	1	1	–	C. 1
Easington ...	–	4	1	–	3	M. 1
Hartlepool ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
HOUGHTON LE SPRING	–	–	–	–	3	M. 2
LANCHESTER ...	–	–	–	–	1	–
SEDGEFIELD ...	–	5	2	–	–	–
STOCKTON ...	–	1	2	–	1	–
SUNDERLAND ...	–	1	1	–	2	–
WEARDALE ...	–	2	–	–	–	–
ISLE OF ELY ..	–	1	–	–	–	–
Borough and Urban District :—						
CHATTERIS ...	–	1	–	–	–	–
ESSEX	–	58	49	3	18	C. 3 D. 1 G. 1 L. 1 M. 2
†EAST HAM C.B. ...	–	1	5	–	–	–
†SOUTHEND-ON-SEA C.B.	–	5	–	–	–	–
†WEST HAM C.B. ...	–	18	18	2	6	D. 1
Boroughs and Urban Districts :—						
†BARKING TOWN...	–	–	–	–	4	M. 1
BRENTWOOD ...	–	4	–	–	–	–
†CHELMSFORD ...	–	1	–	–	–	–
†COLCHESTER ...	–	–	2	–	–	–
†GRAYS THURROCK	–	–	–	–	–	C. 1
HALSTEAD ...	–	1	–	–	–	–
†HARWICH ...	–	1	–	–	–	–
†ILFORD	–	4	8	1	1	L. 1
†LEYTON	–	1	6	–	1	C. 1
TILBURY	–	1	–	–	–	–
WALTHAM HOLY CROSS	–	1	2	–	–	–
†WALTHAMSTOW...	–	6	7	–	–	G. 1
†WANSTEAD ...	–	1	–	–	–	–
WITHAM	–	–	–	–	1	–
†WOODFORD ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts :—						
BILLERICAY ...	–	2	1	–	–	–
BRAINTREE ..	–	–	–	–	1	–
CHELMSFORD ...	–	1	–	–	2	–
DUNMOW	–	–	–	–	2	–
LEXDEN AND WINSTREE	–	–	–	–	–	M. 1
ONGAR	–	3	–	–	–	–
ORSETT	–	3	–	–	–	C. 1
ROCHFORD ...	–	2	–	–	–	–
SAFFRON WALDEN	–	1	–	–	–	–
GLOUCESTER ...	–	74	24	2	11	C. 1 E. 1 M. 3
†BRISTOL C.B. ...	–	48	18	–	5	C. 1 E. 1 M. 3
†GLOUCESTER C.B.	–	5	4	–	–	–
Boroughs and Urban Districts :—						
†CHELTENHAM ...	–	5	1	–	–	–
†KINGSWOOD ...	–	3	–	–	–	–
NAILSWORTH ...	–	–	–	1	–	–
TETBURY	–	–	1	–	–	–
Rural Districts :—						
CAMPDEN... ...	–	–	–	–	1	–
CIRENCESTER ...	–	1	–	–	–	–
DURSLEY	–	1	–	–	1	–
EAST DEAN AND UNITED PARISHES ...	–	4	–	1	2	–
STOW ON THE WOLD (part) ...	–	1	–	–	–	–
TEWKESBURY (part)	–	–	–	–	1	–
WARMLEY ...	–	3		–	1	–
WEST DEAN ...	*	*	*	*	*	*
WINCHCOMB(part)	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	–	2	2	1	4	G. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	1	–	–	–
Rural Districts:—						
BREDWARDINE ...	–	–	–	–	2	–
BROMYARD ...	–	–	–	–	1	G. 1
LEDBURY ...	–	2	–	–	–	–
ROSS	–	–	1	–	–	–
WEOBLEY... ..	–	–	–	1	1	–
HERTFORD ..	–	5	2	1	2	L. 2
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	–	–	–	2	–
BUSHEY	–	1	–	–	–	–
HARPENDEN ...	–	1	–	–	–	–
†HITCHIN	–	1	–	–	–	–
WARE	–	1	–	–	–	–
Rural Districts:—						
†BARNET	–	1	–	–	–	–
BUNTINGFORD ...	–	–	1	–	–	–
ST. ALBANS ...	–	–	1	–	–	L 2
WARE	–	–	–	1	–	–
HUNTINGDON ...	–	2	–	–	–	C. 4
Rural Districts:—						
ST. NEOTS (No. 3)	–	2	–	–	–	–
SIBSON CUM STIBBINGTON (Parish)	–	–	–	–	–	C. 4
KENT	–	39	18	5	22	L. 2 M. 2
†CANTERBURY, C.B.	–	1	–	–	1	–
KENT—*cont.*						
Boroughs and Urban Districts:—						
†BEXLEY	–	–	3	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	–	–
†BROMLEY... ...	–	2	–	–	2	–
†CHATHAM ...	–	1	–	–	–	–
†CRAYFORD ...	–	–	–	–	1	–
†DARTFORD ...	–	1	1	–	–	–
†DOVER	–	1	–	–	1	M. 1
†ERITH	–	3	–	1	3	–
†FAVERSHAM ...	–	2	2	–	–	–
†GILLINGHAM ...	–	4	2	–	–	–
†MAIDSTONE ...	–	–	–	1	–	–
†MARGATE ...	–	2	–	–	1	–
†NORTHFLEET ...	–	–	2	–	–	–
†PENGE	–	–	3	–	–	–
†RAMSGATE ..	–	1	–	–	–	–
†ROCHESTER ...	–	3	–	–	1	–
†SHEERNESS ...	–	2	3	2	–	–
WHITSTABLE ...	–	–	–	–	5	–
Rural Districts:—						
BROMLEY ...	–	2	1	–	–	–
DARTFORD ...	–	1	–	–	–	–
EAST ASHFORD ...	–	2	–	–	1	–
ELHAM	–	1	–	–	3	–
FAVERSHAM ...	–	6	1	–	–	–
HOO	*	*	*	*	*	*
ISLE OF THANET	–	–	–	–	1	M. 1
MAIDSTONE ...	–	1	–	–	–	–
MALLING	–	–	–	–	1	L. 2
MILTON	–	2	–	–	–	–
SEVENOAKS ...	–	–	–	1	1	–
LANCASTER ...	14	288	122	6	232	C. 7 G. 13 L. 3 M. 29
†BARROW IN FURNESS C.B.	–	4	–	–	–	–
†BLACKBURN C.B.	–	6	–	–	9	–
†BLACKPOOL C.B.	–	1	–	–	–	–
†BOLTON C.B. ...	–	16	6	–	1	G. 1 M. 1
†BOOTLE C.B. ...	–	5	4	–	–	G. 1 M. 3

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BURNLEY C.B. ...	–	21	2	–	3	G. 1 M. 1
†BURY C.B. ...	–	2	–	–	5	–
†LIVERPOOL C.B. ...	–	35	30	–	46	C. 2 G. 4 M. 12
†MANCHESTER C.B.	–	39	18	1	56	C. 3 G. 1 M. 6
†OLDHAM C.B. ...	–	8	1	–	4	–
†PRESTON C.B. ...	–	3	2	–	1	G. 1
†ROCHDALE C.B. ...	–	6	1	–	1	–
†ST. HELENS C.B.	–	7	–	–	2	G. 1 M. 1
†SALFORD C.B. ...	–	21	12	1	3	C. 1 M. 2
†SOUTHPORT C.B.	–	1	1	–	4	–
†WARRINGTON C.B.	–	3	–	–	9	–
†WIGAN C.B. ...	–	3	–	1	11	–
Boroughs and Urban Districts:—						
ABRAM	–	1	–	–	–	–
†ACCRINGTON ...	–	2	–	–	–	–
†ASHTON IN MAKERFIELD	–	1	7	–	5	–
†ASHTON UNDER LYNE	–	1	1	–	–	–
ASPULL	–	–	1	–	–	–
†ATHERTON ...	–	5	2	–	6	–
†BACUP	–	–	–	–	–	M. 1
–BILLINGE... ...	–	–	–	–	2	–
BLACKROD ...	–	–	–	–	1	–
†CHADDERTON ...	–	3	–	–	–	–
†CHORLEY... ...	–	–	–	–	1	C. 1
CLAYTON LE MOORS	–	1	–	–	–	–
†COLNE	–	10	2	–	2	–
†CROMPTON ...	–	1	–	–	1	–
†DALTON IN FURNESS	–	–	1	–	–	–
†DARWEN	–	5	1	–	–	–
†DENTON	–	2	–	–	–	–
†DROYLSDEN ...	–	2	–	–	2	–
†ECCLES	–	3	1	1	3	M. 2
†FAILSWORTH ...	–	2	3	–	1	–
†FARNWORTH ...	–	1	4	–	1	–
FULWOOD ...	–	1	–	–	–	–
GRANGE	–	–	3	–	–	–
†GREAT CROSBY ...	–	–	–	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GREAT HARWOOD	–	–	–	–	–	G. 1
†HASLINGDEN ...	–	5	–	–	–	–
HEYSHAM ...	–	–	1	–	–	–
†HEYWOOD ...	–	3	2	–	–	–
†HINDLEY... ...	–	1	–	–	3	–
†HORWICH ...	–	1	–	–	2	–
HURST	–	1	–	–	2	–
HUYTON WITH ROBY	*	*	*	*	*	*
†INCE IN MAKERFIELD	–	3	1	–	–	–
IRLAM	–	–	–	–	1	–
†LANCASTER ...	–	–	1	–	2	–
LATHOM AND BURSCOUGH	–	–	–	–	1	–
†LEIGH	–	4	2	–	1	–
LITTLE LEVER ...	–	1	–	–	–	–
†LYTHAM ST. ANNE'S	–	1	–	1	–	–
†MIDDLETON ...	–	3	–	–	–	–
MILNROW ...	–	–	–	–	1	–
†MORECAMBE ...	–	–	1	–	–	–
†NELSON	13	2	–	–	–	–
†NEWTON IN MAKERFIELD	–	–	–	–	2	–
ORRELL	–	–	2	–	–	–
†OSWALDTWISTLE	–	1	–	–	1	–
POULTON LE FYLDE	–	1	–	–	–	–
PRESCOT	–	2	–	–	–	–
†PRESTWICH ...	–	1		–	1	–
†RADCLIFFE ...	1	–	–	–	2	–
RAINFORD	–	1	–	–	–	–
†RAMSBOTTOM ...	–	–	1	–	1	–
†RAWTENSTALL ...	–	1	–	–	–	–
†ROYTON	–	1	–	–	–	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
†SWINTON AND PENDLEBURY	–	2	–	–	2	–
THORNTON ...	–	2	–	–	–	–
TOTTINGTON ...	–	1	–	1	2	–
†TYLDESLEY WITH SHAKERLEY	–	2	1	–	8	–
†ULVERSTON ...	–	–	3	–	–	–
UPHOLLAND ...	–	7	–	–	–	–
URMSTON... ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WALTON LE DALE	–	–	–	–	1	–
†WATERLOO WITH SEAFORTH	–	2	–	–	–	G 1
†WESTHOUGHTON	*	*	*	*	*	*
WHITEFIELD ...	*	*	*	*	*	*
†WIDNES	–	3	2	–	7	–
WITHNELL ...	–	–	–	–	1	–
†WORSLEY... ...	–	1	–	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	1	–	1	–
BLACKBURN ...	–	1	–	–	–	–
CHORLEY	–	1	–	–	–	–
CLITHEROE ...	–	–	–	–	1	L. 3
FYLDE	–	1	1	–	–	–
LEIGH	–	2	–	–	2	–
LIMEHURST ...	–	2	–	–	–	–
WARRINGTON ...	–	–	–	–	1	–
WEST LANCASHIRE	–	3	–	–	–	–
WHISTON... ...	–	–	–	–	1	–
WIGAN	–	1	–	–	4	–
LEICESTER... ...	–	15	3	–	4	G. 2 M. 3
†LEICESTER C.B. ...	–	7	1	–	2	M. 2
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
†COALVILIE ...	–	3	–	–	–	–
†LOUTHBOROUGH	–	4	1	–	–	G. 1
THURMASTON ...	–	–	–	–	1	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	–	G. 1
BARROW UPON SOAR	–	–	1	–	–	–
HINCKLEY ...	–	–	–	–	1	M. 1
MARKET BOSWORTH	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	3	2	–	–	–
Boroughs and Urban Districts:—						
†SPALDING ...	–	–	2	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	–	–
EAST ELLOE ...	–	2	–	–	–	–
LINCOLN (parts of Kesteven).	–	–	1	–	2	D. 1 M. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	–	–	D. 1 M. 1
SLEAFORD ...	–	–	–	–	1	–
Rural Districts:—						
BOURNE	–	–	1	–	–	–
SLEAFORD ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	1	16	11	–	1	C. 1 G. 1 M. 1
†GRIMSBY C.B. ...	–	6	5	–	–	–
†LINCOLN C.B. ...	1	2	–	–	–	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	–	–	–	M. 1
†GAINSBOROUGH ...	–	–	1	–	–	–
HORNCASTLE ...	–	–	–	–	–	C. 1
†SCUNTHORPE AND FRODINGHAM	–	6	1	–	1	–
Rural Districts:—						
CAISTOR	–	–	2	–	–	–
GLANFORD BRIGG	–	1	2	–	–	G. 1
GRIMSBY... ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	63	43	1	31	C. 3
Boroughs and Urban Districts:—						
†Acton	–	4	4	–	–	–
†Brentford ...	–	–	2	–	1	C. 1
†Chiswick ...	–	2	–	–	–	–
†Ealing	–	2	–	–	–	–
†Edmonton ...	–	4	1	–	1	–
†Enfield	–	4	–	–	3	–
Feltham... ...	–	–	1	–	–	–
†Finchley ...	–	3	–	–	2	–
†Friern Barnet	–	1	–	–	–	–
†Hanwell ...	–	5	2	–	–	–
†Harrow on the Hill	–	–	1	–	–	–
†Hendon	–	–	8	–	1	–
†Heston and Isleworth	–	–	–	–	4	–
†Hornsey... ...	–	3	4	–	4	–
Ruislip Northwood	–	4	–	–	–	–
†Southall Norwood	–	1	–	–	–	–
†Southgate ...	–	3	1	–	–	–
Staines	–	1	–	–	–	–
†Teddington ...	–	–	–	1	–	–
†Tottenham ...	–	13	2	–	9	–
†Twickenham ..	–	2	4	–	–	–
†Wealdstone ...	–	1	1	–	–	–
†Willesden ...	–	5	7	–	4	C. 1
†Wood Green ...	–	1	3	–	1	–
Yiewsley ...	–	1	–	–	–	–
Rural Districts:—						
Hendon	–	–	–	–	–	C. 1
Staines	–	2	2	–	–	–
Uxbridge ...	–	1	–	–	1	–
NORFOLK	–	50	13	–	8	C. 1
†Great Yarmouth C.B.	–	1	1	–	1	–
†Norwich C.B. ...	–	40	8	–	–	C. 1
Boroughs and Urban Districts:—						
Cromer	–	2	–	–	–	–
†King's Lynn ...	–	–	–	–	6	–
New Hunstanton	–	–	–	–	1	–
Thetford ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
Depwade ...	–	2	–	–	–	–
Forehoe... ...	–	1	1	–	–	–
Marshland ..	–	–	3	–	–	–
Smallburgh ...	–	1	–	–	–	–
Wayland ...	–	2	–	–	–	–
NORTHAMPTON ...	–	25	7	1	6	G. 2
†Northampton C.B.	–	5	7	–	3	G. 2
Boroughs and Urban Districts:—						
Daventry ...	–	–	–	–	1	–
Desborough ...	–	1	–	–	–	–
Irthlingborough	–	1	–	–	–	–
†Kettering ...	–	1	–	–	–	–
†Rushden ...	–	1	–	–	–	–
†Wellingborough	–	4	–	–	–	–
Rural Districts:—						
Daventry ...	–	2	–	–	–	–
Potterspury ...	–	7	–	–	1	–
Thrapston (part)	–	–	–	1	–	–
Towcester ...	–	–	–	–	1	–
Wellingborough	–	3	–	–	–	–
NORTHUMBERLAND	–	40	8	4	50	L. 1 M. 4
†Newcastle upon Tyne C.B.	–	7	1	–	32	L. 1 M. 3
†Tynemouth C.B.	–	1	–	–	1	–
Boroughs and Urban Districts:—						
Amble	–	1	1	–	–	–
†Ashington ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEDLINGTONSHIRE	–	1	1	–	7	–
†BLYTH	–	4	1	1	2	–
CRAMLINGTON ...	–	2	–	–	1	
†EARSDON	–	1	–	–	–	–
†GOSFORTH ...	–	–	–	–	2	M. 1
HEXHAM	–	1	–	–	–	–
†LONGBENTON ...	–	4	–	–	–	–
NEWBIGGIN BY THE SEA	*	*	*	*	*	*
†NEWBURN ...	–	–	–	–	1	
PRUDHOE ...	–	–	–	–	1	–
SEGHILL	–	2	–	–	–	–
†WALLSEND ...	–	2	2	3	–	–
WEETSLADE ...	–	3	–	–	–	–
†WHITLEY AND MONKSEATON	–	–	–	–	1	–
Rural Districts:—						
BELLINGHAM ...	–	–	–	–	1	–
CASTLE WARD ...	–	5	2	–	–	–
GLENDALE ...	–	1	–	–	1	–
HEXHAM	–	1	–	–	–	–
MORPETH... ...	–	1	–	–	–	–
NORHAM AND ISLANDSHIRES	–	1	–	–	–	–
NOTTINGHAM ...	4	27	13	–	15	M. 3
†NOTTINGHAM C.B.	2	10	1	–	5	M. 3
Boroughs and Urban Districts:—						
†CARLTON	–	4	3	–	3	–
†EAST RETFORD ...	–	–	–	–	2	–
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HUCKNALL ...	–	–	2	–	3	–
†KIRKBY IN ASHFIELD	–	1	–	–	–	–
†MANSFIELD ...	–	–	3	–	–	–
†MANSFIELD WOODHOUSE	–	2	1	–	–	–
†NEWARK	–	1	–	–	–	–
†SUTTON IN ASHFIELD	–	–	1	–	–	–
†WEST BRIDGFORD	–	2	–	–	–	–
†WORKSOP... ...	–	–	2	–	–	–
Rural Districts:—						
BASFORD	–	6	–	–	2	–
MISTERTON ...	*	*	*	*	*	*
STAPLEFORD ...	2	1	–	–	–	–
OXFORD	–	15	7	–	2	C. 1 M. 1
†OXFORD C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
THAME	–	–	1	–	–	–
Rural Districts:—						
BANBURY... ...	–	–	3	–	–	M. 1
BICESTER ...	–	2	–	–		–
CHIPPING NORTON	–	–	–	–	1	–
CROWMARSH ...	–	1	–	–	–	–
CULHAM	–	3	–	–	–	–
HEADINGTON ...	–	6	2	–	1	C. 1
THAME	–	1	–	–	–	–
WITNEY	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PETERBOROUGH (Soke of)	–	3	1	–	–	–
Borough :—						
†PETERBOROUGH...	–	3	–	–	–	–
Rural Districts :—						
PETERBOROUGH...	–	–	1	–	–	–
SALOP	–	6	4	–	10	C. 1 M. 3
Boroughs and Urban Districts :—						
DAWLEY	–	1	–	–	–	–
LUDLOW	–	–	–	–	–	C. 1
NEWPORT ...	–	–	–	–	4	–
OSWESTRY ...	–	1	–	–	–	M. 1
†SHREWSBURY ...	–	1	–	–	1	–
WELLINGTON ...	–	–	–	–	–	M. 1
†WENLOCK ...	–	2	–	–	–	–
WHITCHURCH ...	–	–	1	–	–	–
Rural Districts :—						
ATCHAM	–	–	–	–	2	M. 1
CHIRBURY ...	–	–	–	–	1	–
CLUN	–	1	–	–	–	–
DRAYTON... ...	–	–	–	–	1	–
LUDLOW	–	–	1	–	–	–
NEWPORT ...	–	–	2	–	–	–
TEME	–	–	–	–	1	–
SOMERSET	–	27	1	1	12	M. 2
†BATH C.B. ...	–	1	–	–	4	–
Boroughs and Urban Districts :—						
†BRIDGWATER ...	–	1	–	–	–	–
CHARD	–	–	–	–	1	–
†FROME	–	5	–	–	–	–
MIDSOMER NORTON	–	1	–	–	–	M. 1
STREET	–	–	–	–	1	–
SOMERSET—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TAUNTON... ...	–	3	–	–	–	–
WELLS	–	–	–	–	1	–
†WESTON SUPER MARE	–	3	–	–	–	–
†YEOVIL	–	–	–	–	1	M. 1
Rural Districts :—						
CHARD	–	2	–	–	–	–
KEYNSHAM ...	–	–	1	1	1	–
LANGPORT ...	–	1	–	–	–	–
LONG ASHTON ...	–	1	–	–	1	–
TAUNTON ...	–	–	–	–	1	–
WELLINGTON ...	–	7	–	–	–	–
WELLS	–	1	–	–	–	–
WINCANTON ...	–	1	–	–	1	–
SOUTHAMPTON ...	–	35	26	–	11	G. 3 M. 3
†BOURNEMOUTH C.B.	–	3	2	–	–	G. 1
†PORTSMOUTH C.B.	–	18	16	–	–	M. 1
†SOUTHAMPTON C.B.	–	5	4	–	5	M. 2
Boroughs and Urban Districts :—						
†BASINGSTOKE ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	–	1	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	2	–	–	–	–
†FAREHAM ...	–	–	–	–	2	–
†GOSPORT	–	1	1	–	–	–
PETERSFIELD ...	–	2	–	–	–	–
†WINCHESTER ...	–	1	–	–	1	G. 2
Rural Districts :—						
ANDOVER ..	*	*	*	*	*	*
BASINGSTOKE ...	–	1	–	–	–	–
DROXFORD ...	–	–	–	–	1	–
FORDINGBRIDGE .	–	–	1	–	–	–
HURSLEY	–	–	1	–	–	–
WHITCHURCH ...	–	–	–	–	2	–
WINCHESTER ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD	2	103	20	6	34	C. 1 M. 7
†BURTON UPON TRENT C.B.	–	3	–	–	–	–
†SMETHWICK C.B.	–	2	–	–	4	C. 1
†STOKE ON TRENT C.B.	–	38	1	–	13	M. 4
†WALSALL C.B. ...	–	1	1	–	2	–
†WEST BROMWICH C.B.	–	12	4	–	3	–
†WOLVERHAMPTON C.B.	–	1	–	–	3	–
Boroughs and Urban Districts:—						
†AUDLEY	–	6	1	–	–	–
BIDDULPH ...	–	4	–	–	–	–
†BILSTON	–	1	2	–	2	M. 1
†BROWNHILLS ...	–	4	–	–	–	–
†CANNOCK	–	–	1	–	1	–
†COSELEY	–	1	–	–	–	–
KIDSGROVE ...	–	1	1	–	–	–
†LEEK	–	5	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	–	–	–	–
QUARRY BANK ...	–	1	1	–	–	–
†ROWLEY REGIS ...	–	1	–	–	–	–
†SEDGLEY	–	1	–	–	–	–
†STAFFORD ...	–	3	1	–	–	–
STONE	–	–	–	–	1	–
†TIPTON	–	4	–	–	–	M. 1
UTTOXETER ...	–	–	–	–	1	M. 1
†WEDNESBURY ...	2	–	1	–	–	–
†WILLENHALL ...	–	5	1	–	1	–
†WOLSTANTON UNITED	–	2	1	–	1	–
Rural Districts:—						
CHEADLE	–	–	2	–	1	–
KINGSWINFORD ...	–	–	–	6	–	–
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	2	–	–	–	–
STAFFORD ...	–	1	–	–	–	–
TUTBURY... ...	–	–	2	–	–	–
UTTOXETER ...	–	2	–	–	–	–
WALSALL... ...	–	–	–	–	1	–
SUFFOLK, EAST ...	–	14	2	1	5	M. 1
†IPSWICH C.B. ...	–	10	2	–	3	M. 1
Boroughs and Urban Districts:—						
EYE	–	–	–	–	1	–
†LOWESTOFT ...	–	1	–	1	–	–
Rural Districts:—						
HARTISMERE ...	–	–	–	–	1	–
MUTFORD AND LOTHINGLAND	–	1	–	–	–	–
WANGFORD ..	–	1	–	–	–	–
WOODBRIDGE ...	–	1	–	–	–	–
SUFFOLK, WEST ...	–	–	–	–	–	M. 1
Borough and Urban Districts:—						
†BURY ST. EDMUNDS	*	*	*	*	*	*
HAVERHILL ...	–	–	–	–	–	M. 1
SURREY	–	40	20	7	7	G. 3 M. 4
†CROYDON C.B. ...	–	12	1	1	2	G. 1 M. 2
Boroughs and Urban Districts:—						
†BARNES	–	1	1	–	2	–
†BEDDINGTON AND WALLINGTON	–	–	–	–	1	G. 1
†CARSHALTON ...	–	2	–	1	–	–
†CATERHAM ...	–	2	–	–	–	–
†COULSDON AND PURLEY	–	4	2	–	–	–
DORKING ...	–	–	–	1	–	–
†EGHAM	–	–	1	–	–	–
†EPSOM	–	–	–	–	1	–
†GUILDFORD ...	–	1	–	–	–	–
HAM	*	*	*	*	*	*
†KINGSTON ON THAMES	–	–	1	–	–	M. 1
†MERTON AND MORDEN	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MITCHAM... ...	–	1	2	–	–	–
†REIGATE	–	–	–	–	–	M. 1
†SUTTON	–	–	3	3	–	–
†THE MALDENS AND COOMBE	–	1	–	–	–	–
†WIMBLEDON ...	–	3	1	–	–	–
†WOKING	–	1	–	–	–	–
Rural Districts:—						
CHERTSEY ...	–	–	–	–	1	–
DORKING ...	–	1	–	–	–	–
EPSOM	–	4	–	1	–	–
GODSTONE ...	–	–	7	–	–	–
GUILDFORD ...	–	1	–	–	–	G. 1
HAMBLEDON ...	–	2	–	–	–	–
REIGATE	–	2	–	–	–	–
SUSSEX, EAST ...	–	6	12	–	7	C. 1
†BRIGHTON C.B. ...	–	5	10	–	2	–
†EASTBOURNE, C.B.	–	–	1	–	–	–
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	–	–	–	1	–
†HOVE	–	1	–	–	–	–
NEWHAVEN ...	–	–	–	–	4	–
Rural Districts:—						
STEYNING EAST...	–	–	1	–	–	–
TICEHURST ...	–	–	–	–	–	C. 1
SUSSEX, WEST ...	–	2	3	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
ARUNDEL ...	–	2	–	–	–	–
SHOREHAM-BY-SEA	–	–	–	–	1	–
SOUTHWICK ...	–	–	2	–	–	–
†WORTHING ...	–	–	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST—*cont.*						
Rural Districts:—						
EAST PRESTON ...	–	–	1	–	–	–
THAKEHAM ...	–	–	–	–	–	M. 1
WARWICK	–	105	49	1	75	C. 7 G. 3 M. 11
†BIRMINGHAM C.B.	–	58	43	–	47	C. 7 G. 3 M. 9
†COVENTRY C.B. ...	–	18	1	–	2	M. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	–	–	–	6	–
†ROYAL LEAMINGTON SPA	–	2	–	–	–	–
†RUGBY	–	–	2	–	1	M. 1
†SUTTON COLDFIELD	–	–	–	–	3	–
†WARWICK ...	–	–	1	–	–	–
Rural Districts:—						
ALCESTER ...	–	7	–	–	–	–
ATHERSTONE ...	–	4	–	–	11	–
COVENTRY ...	–	1	–	–	–	–
FOLESHILL ...	–	3	–	–	–	–
MERIDEN... ...	–	2	–	–	4	–
RUGBY	–	1	–	–	–	–
SOLIHULL ...	–	1	–	–	1	–
TAMWORTH (part)	–	7	2	–	–	–
WARWICK ...	–	1	–	1	–	–
WESTMORLAND ...	–	1	–	–	3	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	2	–
SOUTH WESTMORLAND	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WIGHT, ISLE OF ...	–	1	–	–	–	–
Borough and Urban District :—						
†RYDE	–	1	–	–	–	–
WILTS	–	16	2	–	3	C. 1
Boroughs and Urban Districts :—						
BRADFORD-ON-AVON	–	1	–	–	–	–
†SWINDON	–	4	–	–	–	–
Rural Districts :—						
CALNE	–	1	–	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
DEVIZES	–	–	–	–	1	–
HIGHWORTH ...	–	2	1	–	–	–
MELKSHAM ...	–	1	–	–	–	–
MERE	–	–	–	–	1	–
PEWSEY	–	3	–	–	1	–
RAMSBURY ...	–	2	1	–	–	C. 1
WORCESTER ...	–	23	2	1	3	G. 1 M. 1
†DUDLEY C.B. ...	–	2	–	–	–	–
†WORCESTER C.B.	–	3	1	1	1	–
Boroughs and Urban Districts :—						
BEWDLEY ...	–	1	–	–	–	–
BROMSGROVE ...	–	1	–	–	–	–
†KIDDERMINSTER ..	–	1	–	–	–	–
†MALVERN ...	*	*	*	*	*	*
†OLDBURY ...	–	4	–	–	1	–
†REDDITCH ...	–	3	–	–	–	–
†STOURBRIDGE ...	–	–	–	–	–	M. 1
STOURPORT ...	–	–	1	–	–	–
Rural Districts :—						
BROMSGROVE ...	–	4	–	–	–	–
HALESOWEN ...	–	1	–	–	–	–
MARTLEY... ...	–	–	–	–	–	G. 1
PERSHORE ...	–	1	–	–	–	–
TENBURY	–	1	–	–	–	–
UPTON ON SEVERN	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)	–	16	23	–	2	M. 2
†KINGSTON UPON HULL C.B.	–	9	19	–	1	M. 2
Boroughs and Urban Districts :—						
†BEVERLEY ...	–	2	–	–	1	–
†BRIDLINGTON ...	–	1	–	–	–	–
HESSLE	–	1	–	–	–	–
POCKLINGTON ...	–	1	–	–	–	–
Rural Districts :—						
SCULCOATES ...	–	2	2	–	–	–
SKIRLAUGH ...	–	–	2	–	–	–
YORKS ... ... **(North Riding).**	5	37	6	–	8	–
†MIDDLESBROUGH C.B.	4	20	3	–	4	–
Boroughs and Urban Districts :—						
†ESTON	1	7	–	–	–	–
GUISBOROUGH ...	–	–	–	–	1	–
HINDERWELL ...	–	1	–	–	–	–
†REDCAR	–	2	1	–	–	–
†SCARBOROUGH ...	–	1	–	–	–	–
†SKELTON AND BROTTON	–	1	–	–	2	–
†THORNABY ON TEES	–	1	–	–	–	–
†WHITBY	–	–	1	–	–	–
Rural Districts :—						
GUISBOROUGH ...	–	2	–	–	–	–
HELMSLEY ...	–	–	1	–	–	–
MIDDLESBROUGH	–	1	–	–	–	–
PICKERING ...	–	–	–	–	1	–
THIRSK	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	7	198	43	6	135	C. 4 D. 1 G. 3 M. 13
†BARNSLEY C.B. ...	–	1	–	–	1	–
†BRADFORD C.B. ...	–	16	5	1	16	G. 1 M. 1
†DEWSBURY C.B....	–	6	2	–	–	–
†HALIFAX C.B. ...	–	3	–	–		M. 1
†HUDDERSFIELD C.B.	–	5	1	–	6	G. 2
†LEEDS C.B. ...	–	58	3	–	8	C. 1
†ROTHERHAM C.B.	–	6	1	–	2	C. 1
†SHEFFIELD C.B....	–	22	13	2	55	C. 2 M. 5
†WAKEFIELD C.B.	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	1	–	2	–	–	–
ALTOFTS	–	–	–	1	2	–
BAILDON	–	–	2	–	–	–
†BATLEY	–	4	–	–	–	–
†BENTLEY WITH ARKSEY	–	4	–	–	–	–
†BINGLEY	–	1	–	–		–
†BRIGHOUSE ...	–	4	–	–	–	–
CALVERLEY ...	–	1	–	–	–	–
†CASTLEFORD ...	–	5	–	–	–	–
†CONISBROUGH ...	–	2	–	–	–	–
CUDWORTH ...	–	1	–	–	–	–
†DARTON	–	1	–	–	–	–
DODWORTH ...	–	–	–	–	2	–
†DONCASTER ...	6	4	1	–	1	M. 2
†HARROGATE ...	–	–	–	–	1	–
HECKMONDWIKE	–	1	–	–	–	–
HIPPERHOLME ...	–	–	1	–	2	–
†HOLMFIRTH ...	–	–	1	–	2	–
†HOYLAND NETHER	–	–	–	–	2	–
HUNSWORTH ...	–	1	–	–	–	–
KNARESBOROUGH	–	1	–	–	–	–
†MEXBOROUGH ...	–	–	–	–	1	–
†MORLEY	–	2	–	–	2	–
NEW MILL ...	–	–	–	–	1	–
†NORMANTON ...	–	1	1	–	2	–
OTLEY	–	–	–	–	2	–
†PONTEFRACT ...	–	1	–	–	–	–
QUEENSBURY ...	–	–	1	–	–	–
RAWDON	–	1	–	–	–	–
†RAWMARSH ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts— *cont.*						
†ROTHWELL ...	–	1	–	–	–	M. 1
†SADDLEWORTH ...	–	1	–	–	–	–
SELBY	–	–	1	–	–	–
SKELMANTHORPE	–	–	1	–	–	–
SOUTHOWRAM ...	–	1	–	–	–	–
SOWERBY ...	–	–	1	–	–	–
†SOWERBY BRIDGE	–	–	1	–	–	–
†SPENBOROUGH ...	–	–	–	–	2	–
†STANLEY	–	3	–	–	1	–
STOCKSBRIDGE ...	–	6	–	–	5	–
†SWINTON ...	–	1	1	–	–	–
THURLSTONE ...	–	–	–	–	1	–
TICKHILL ...	–	1	–	–	–	–
†TODMORDEN ...	–	7	–	–	1	–
†WATH UPON DEARNE	–	1	–	–	–	–
WHITWOOD ...	–	1	–	–	1	–
†WOMBWELL ...	–	–	1	–	5	M. 1
Rural Districts:—						
BARNSLEY ...	–	1	–	–	–	–
DONCASTER ...		3	–	–	3	–
HALIFAX	–	–	–	–	1	–
HEMSWORTH ...	–	–	–	–	4	M. 1
KIVETON PARK ...	–	1	–	–	–	–
PONTEFRACT ...	–	–	–	1	–	–
ROTHERHAM ...	–	4	–	–	–	–
SKIPTON	–	1	1	–	–	–
TADCASTER ...	–	5	–	–	–	–
THORNE	–	–	–	–	1	–
TODMORDEN ...	–	2	–	–	–	D. 1
WAKEFIELD ...	–	1	–	–	–	–
WETHERBY ...	–	1	–	–	–	M. 1
WHARFEDALE (NORTH)	–	–	1	–	1	–
WHARFEDALE (SOUTH)	–	1	–	1	–	–
WORTLEY... ...	–	–	1	–	–	–
§YORK C.B. ...	–	4	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES						
ANGLESEY	–	3	–	–	–	G. 1
Borough and Urban District :—						
MENAI BRIDGE ...	–	1	–	–	–	–
Rural Districts :—						
AETHWY	–	1	–	–	–	–
VALLEY	–	1	–	–	–	G. 1
BRECKNOCK ...						
Urban Districts :—	–	–	–	–	1	–
BRYNMAWR ...	–	–	–	–	1	–
Rural Districts :—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
CARDIGAN	–	–	5	–	–	–
Boroughs and Urban Districts :—						
ABERAYRON ...	–	–	1	–	–	–
†ABERYSTWYTH ...	–	–	1	–	–	–
LAMPETER ..	–	–	3	–	–	–
CARMARTHEN ...	–	13	5	3	2	G. 1
Boroughs and Urban Districts :—						
AMMANFORD ...	–	1	–	–	–	–
†CARMARTHEN ...	–	3	–	–	–	–
CWMAMMAM ...	–	1	–	–	–	–
LLANDOVERY ...	–	1	–	–	–	–
†LLANELLY ...	–	4	3	3	2	G. 1
Rural Districts :—						
CARMARTHEN ...	–	–	1	–	–	–
LLANDILO FAWR	–	3	1	–	–	–
CARNARVON ...	–	2	1	–	–	–
Boroughs and Urban Districts :—						
LLANFAIRFECHAN	–	1	–	–	–	–
Rural Districts :—						
CONWAY	–	1	–	–	–	–
GWYRFAI ...	–	–	1	–	–	–
DENBIGH	–	1	–	–	12	C. 1 G. 2 M. 1
Boroughs and Urban Districts :—						
DENBIGH... ...	–	–	–	–	2	–
RUTHIN	–	–	–	–	1	–
†WREXHAM ...	–	–	–	–	5	G. 1
Rural Districts :—						
LLANGOLLEN ...	–	–	–	–	–	C. 1
ST. ASAPH (DENBIGH)	–	–	–	–	1	–
WREXHAM ...	–	1	–	–	3	G. 1 M. 1
FLINT	–	–	1	–	5	–
Boroughs and Urban Districts :—						
HOLYWELL ...	–	–	–	–	1	–
Rural Districts :—						
HAWARDEN ..	–	–	–	–	3	–
HOLYWELL (HOLYWELL DIV.)	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	89	35	–	31	C. 2 E. 1 K. 1 M. 7
†CARDIFF C.B. ..	–	6	5	–	–	M. 2
†MERTHYR TYDFIL C.B.	–	2	4	–	2	E. 1 M. 1
†SWANSEA C.B. ..	–	7	5	–	2	M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	22	–	–	4	–
†BARRY	–	–	3	–	1	K. 1
†CAERPHILLY ...	–	1	3	–	–	–
†GELLIGAER ...	–	–	1	–	–	–
†GLYNCORWG ...	–	–	1		2	–
†MAESTEG	–	2	2	–	–	–
†MOUNTAIN ASH ...	–	9	1	–	5	–
†NEATH	–	–	3	–	–	–
†OGMORE AND GARW	–	5	–	–	1	–
†PONTYPRIDD ...	–	4	–	–	3	–
†PORT TALBOT ...	–	3	–	–	–	–
†RHONDDA ...	–	21	3	–	8	C. 2 M. 3
Rural Districts:—						
LLANTRISANT AND LLANTWITFARDRE	–	1	–	–	–	–
NEATH	–	6	–	–	2	–
PENYBONT ...	–	–	1	–	–	–
PONTARDAWE ...	–	–	2	–	–	–
SWANSEA... ...	–	–	1	–	1	–
MERIONETH ...	–	1	–	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	1	–	–	–	–
MONMOUTH ...	–	9	10	–	9	M. 1
†NEWPORT C.B. ...	–	3	4	–	2	–
Boroughs and Urban Districts:—						
†ABERCARN ...	–	1	–	–	–	–
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ABERSYCHAN ...	–	–	2	–	–	–
†ABERTILLERY ...	–	–	1	–	–	–
CHEPSTOW ...	–	2	–	–	–	–
†EBBW VALE ...	–	1	–	–	–	M 1
†NANTYGLO AND BLAINA	–	–	–	–	3	–
†RHYMNEY ...	–	1	1	–	–	–
†TREDEGAR ...	–	1	2	–	4	–
MONTGOMERY ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
MONTGOMERY ...	–	1	–	–	–	–
WELSHPOOL ...	*	*	*	*	*	*
PEMBROKE... ...						
Boroughs and Urban Districts:—						
†PEMBROKE ...	*	*	*	*	*	*
RADNOR	–	1	1	–	–	–
Urban District:—						
PRESTEIGNE ...	–	–	1	–	–	–
Rural Districts:—						
RHAYADER ...	–	1	–	–	–	–
Total of Part II. ...	53	1716	702	63	929	C. 46 D. 3 E. 3 G. 46 K. 1 L. 11 M. 127

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BOSTON	*	*	*	*	*	*
LIVERPOOL	–	–	–	–	1	–
PLYMOUTH	–	–	–	1	1	–
SOUTHAMPTON ...	–	–	–	–	1	L. 1
PORT OF LONDON ...	–	–	–	–	1	–
Total of Part III.— ...	–	–	–	1	4	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F,
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neon

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
Total of Part I.—London	–	218	278	3	86	C. E. G. M.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	53	1716	702	63	929	C. D. E. G. K. L. M.
Total of Part III.—Port Sanitary Districts	–	–	–	1	4	L.
Total (*i.e.*, of returns received), England and Wales ...	53	1934	980	67	1019	C. D. E. G. K. L. M.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Po encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague, or Typhus Fever notified during the w Fifty-three cases of Small-pox were notified which appear on pages 274, 275, 278, 279, 281, 285 and 286.

able 5.—London and Great Towns in the Aggregate. { Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Dec. 16.	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.
ONDON :—													
EATHS—all ages	1,148	1,068	1,035	1,119	1,124	1,171	1,118	1,087	1,001	977	1,063	1,074	1,104
„ 0 to 1 year ..	153	127	123	119	132	124	118	102	117	123	123	106	134
REAT TOWNS, aggregate (including London) :—													
IRTHS	7,339	6,910	6,277	8,273	8,409	7,935	7,961	7,373	7,689	7,865	7,533	7,925	7,820
EATHS—all ages	4,726	4,590	4,558	4,910	4,843	4,958	4,841	4,742	4,648	4,446	4,849	4,868	4,666
„ 0 to 1 year ..	680	687	635	652	698	674	639	672	680	628	714	672	620
NTERIC FEVER—Cases	15	15	14	16	12	20	19	23	30	22	18	18	15
„ Deaths	6	3	4	5	2	2	—	8	4	5	8	5	1
MALL POX—Cases ..	2	8	11	3	18	22	20	10	10	16	26	16	13
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
CARLET FEVER—Cases	1,377	1,204	1,161	1,291	1,158	1,219	1,246	1,297	1,147	1,125	1,062	1,152	1,085
„ Deaths	20	22	19	14	27	7	14	8	12	18	13	15	22
IPHTHERIA—Cases ..	671	661	592	711	675	662	725	742	746	662	694	637	570
„ Deaths ..	59	54	45	58	45	54	55	62	52	51	38	43	36
EASLES—Deaths ..	76	74	75	72	62	90	72	73	71	84	79	95	94
NFLUENZA—Deaths ..	68	61	51	57	69	78	69	65	66	71	59	79	84

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 10th March, 1923. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
ONDON (GREENWICH).	53	33	48·0	37·0	14	BRADFORD ..	48	31	44·3	36·9	9
						SHEFFIELD ..	49	35	44·7	37·3	13
RIGHTON ..	50	36	48·7	39·3	7	YORK (MUSEUM)	49	35	45·3	37·7	8
ORTSMOUTH ..	52	36	49·0	39·3	2	HULL (PEARSON PARK).	52	33	46·0	36·6	6
ORWICH (EATON).	50	33	45·4	36·9	15	TYNEMOUTH ..	49	34	44·3	38·3	12
LYMOUTH ..	52	34	50·1	39·6	10	CARDIFF	50	35	48·1	38·7	6
RISTOL (CLIFTON).	50	33	46·6	38·7	4						
						EDINBURGH ..	49·0	34·0	43·9	37·4	6
IRMINGHAM ..	48	33	44·9	36·1	8	GLASGOW ..	49·8	36·0	46·5	38·9	13
OTTINGHAM ..	48	34	45·6	37·7	7	DUBLIN (PHŒNIX PARK).	54·9	31·0	50·3	35·3	8
IRKENHEAD (BIDSTON).	52	35	46·3	37·9	8						
ANCHESTER ..	52	35	46·6	37·9	9	FITZWILLIAM SQUARE.†	53·7	36·9	49·7	39·9	6
URNLEY.. ..	49	31	44·3	36·0	11						
UDDERSFIELD	50	33	46·4	36·9	14	BELFAST	52·5	34·0	50·3	37·7	22

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 10th March, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	4	Perigee: In Equator	29·845	47·4	34·9	12·5	40·8	+ 0·1	37·6	3·2	8·0	1·2	88	85·7	28·4	43·6	Calm: NNE.	NNE: Calm.	0·9	0·0	0·1	178	- 166	0·00
MONDAY -	5	..	29·962	49·3	33·2	16·1	42·1	+ 1·2	37·9	4·2	9·0	1·8	85	73·8	27·1	43·4	SSE: S: SW.	SW: WSW.	1·3	0·0	0·1	269	- 80	0·00
TUESDAY -	6	..	29·746	52·8	37·5	15·3	44·5	+ 3·5	39·9	4·6	11·2	1·2	84	84·9	32·7	43·5	WSW: SW.	SW: WSW.	1·7	0·0	0·1	311	- 40	0·08
WEDNESDAY	7	..	29·489	51·4	40·5	10·9	44·5	+ 3·5	41·5	3·0	9·9	1·8	89	84·0	33·0	43·3	WSW	WSW NW: NNW.	1·6	0·0	0·2	367	+ 15	0·39
THURSDAY -	8	..	29·747	46·5	38·3	8·2	41·4	+ 0·3	37·6	3·8	8·9	2·7	86	72·8	37·7	43 3	N: NNE	NNE: NE.	2·4	0·1	0·3	406	+ 53	0·04
FRIDAY -	9	Last Quarter.	29·901	41·6	35·9	5·7	38·2	- 2·8	34·9	3·3	7·5	2·6	88	49·6	35·2	43·5	NE: NNE.	NE: N	2·2	0·0	0·1	335	- 12	0·02
SATURDAY -	10	Greatest Declination S.	29·790	46·8	36·1	10·7	40·1	- 0·8	37·1	3·0	9·5	1·2	89	88·7	29·8	43·5	NE	ESE: SE	0·3	0·0	0·0	196	- 141	0·02
MEANS -		..	29·783	48·0	36·6	11·3	41·7	+ 0·7	38·1	3·6	9·1	1·8	87	77·1	32·0	43·4	Variable		..	..	..	Sum 2,062	Sum - 371	Sum 0·55
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MARCH.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	4	Registration discontinued temporarily.	4·5	11·0	Nearly cloudless till 7h., then sky veiled. Overcast generally from 9h. with partially cloudy period from 13h. to 17h. Slight fog till 1h. Hoar frost in early morning.
MONDAY ..	5		1·0	11·1	Overcast generally with nearly cloudless interval between 8½h. and 10h. Slight hoar frost before 6h. Damping from 15h. till 18½h.
TUESDAY ..	6		0·3	11·1	Overcast generally becoming cloudless by 20h. Rain 16½h. till 17h. and occasionally till 19n. Mist 5h. to 9h. Lunar halo 2h. Partial solar halo about 12h.
WEDNESDAY	7		0·9	11·2	Cloudless till 5h. and from 6h. to 7h., becoming overcast by 7½h. Rain in early morning and frequent rain from 13¾h. Partial solar halo 9h. and about 13h. Slight thunder storm and hail 15¾h.
THURSDAY	8		0·6	11·2	Overcast generally. Occasional slight rain and damping.
FRIDAY ..	9		0·0	11·3	Overcast throughout. Frequent damping from 10½h. Slight rain generally from 20h. till 22h.
SATURDAY	10		1·0	11·4	Overcast generally with partially cloudy period between 15h. and 20h. Rain from 4h., damping from 6h. till 11h.
			Sum 8·3	Sum 78·3	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·42 in. at the beginning of the week to 30·02 in. by 7h. on 5th; decreased to 29·44 in. by 16h. on 7th; increased generally to 29·91 in. by 19h. on 9th; and decreased to 29·76 in. by midnight on the 10th.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS,
11-17, Hare Street, E.2

(41278) Wt. 15—P 11 2250 3/23 H. St. G. 43

FOR OFFICIAL USE.

1923. No. 11.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 17TH MARCH, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 17TH MARCH, 1923.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the eleventh week of the year numbered 7,755, and corresponded to an annual rate of 21·1 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,882 and corresponded to an annual rate of 13·3 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922, the estimates of population for the year 1922 being given for the first time in this return. In the preceding three weeks the rates had been 13·2, 13·2, and 12·7. Infant mortality was 82 per 1,000 births against 95, 85, and 79 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,874 births, corresponding to a rate of 21·5 per 1,000, and 1,098 deaths of civilians, corresponding to a rate of 12·6, as against 12·2, 12·4, and 12·7 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 12·5 per 1,000. The infant mortality was 55 as against 68, 56, and 74 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 215 in the total deaths last week. In London the number of deaths from all causes fell from 1,104 to 1,098 ; while the deaths from diphtheria, which had been 12, 13 and 13 in the preceding three weeks, rose to 18 last week.

Just Published :

Supplement to 75th Annual Report of the Registrar General. Part IV. Mortality of Men in Certain Occupations 1910–12. Price 13*s.* 6*d.* net.

Census of England and Wales, 1921. County of London. Tables (Part II). Price 8*s.* net.

Census of England and Wales, 1921. County of London. Text. Price 1*s.* 6*d.* net.

To be obtained from H.M. Stationery Office at the following addresses : Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1 ; 37 Peter Street, Manchester ; 1 St. Andrew's Crescent, Cardiff ; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 17th March, 1923.

Towns.	Adjusted Population, Mid. 1922.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	7,755	4,882	637	3	107	13	69	43	63	81
London	4,534,230*	1,874	1,098	104	–	3	1	12	18	10	21
Towns in Outer Ring.											
Croydon C.B. ..	192,300	62	44	3	–	–	–	–	1	1	–
Wimbledon ..	61,730	14	15	–	–	–	–	–	–	–	1
Ealing	67,890	16	13	–	–	–	–	–	–	–	–
Acton	62,390	15	8	1	–	–	–	–	–	–	–
Willesden ..	168,200	64	33	4	–	–	–	1	1	–	–
Hendon	55,930	11	10	1	–	–	–	–	–	–	–
Hornsey	87,310	23	25	1	–	–	–	–	–	–	1
Wood Green ..	51,290	11	8	–	–	–	–	–	–	–	1
Tottenham ..	150,500	48	33	5	–	–	–	–	–	–	2
Edmonton ..	68,700	39	14	4	–	–	–	–	–	–	–
Enfield	62,010	23	11	–	–	–	–	–	–	–	–
West Ham C.B. ..	310,200	184	74	10	–	1	–	–	–	1	–
East Ham C.B. ..	145,800	43	30	1	1	–	–	–	–	–	–
Leyton	131,600	33	32	1	–	–	–	–	–	–	–
Walthamstow ..	129,700	44	17	–	–	–	–	–	–	–	1
Ilford	86,370	16	21	2	–	–	–	–	–	–	–
Gillingham	48,630*	23	12	–	–	–	–	–	–	–	–
Canterbury C.B. ..	23,680	3	5	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	12	17	1	–	1	–	1	–	–	–
Eastbourne C.B. ..	53,700	12	12	1	–	–	–	–	–	–	1
Brighton C.B. ..	135,000	39	35	5	–	1	–	–	–	–	1
Portsmouth C.B. ..	236,630*	99	64	7	–	5	1	–	–	1	1
Bournemouth C.B. ..	81,500	20	22	1	–	–	–	–	–	–	–
Southampton C.B. ..	163,700	71	41	8	–	–	–	1	2	1	–
Reading C.B.	92,990	34	29	3	–	–	–	–	–	–	–
Oxford C.B.	56,510	23	11	1	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	40	26	3	–	–	–	–	–	–	2
Luton	58,260	19	13	1	–	–	–	–	–	–	–
Cambridge	59,200	23	11	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	91,430	17	15	1	–	–	–	–	–	–	–
Ipswich C.B.	80,950	31	15	2	–	–	–	–	1	–	–
Great Yarmouth C.B.	56,700	15	11	2	–	–	–	–	–	–	–
Norwich C.B. ..	122,900	39	20	6	–	–	1	–	2	–	–
Swindon	55,680	20	6	1	–	–	–	–	–	–	–
Exeter C.B.	59,700	25	19	3	–	–	–	1	–	–	2
Plymouth C.B. ..	200,370*	81	45	2	–	–	–	–	–	1	1
Bath C.B.	68,530	21	18	1	–	–	–	–	–	–	1
Bristol C.B.	383,900	148	72	9	–	–	–	3	–	–	–
Gloucester C.B. ..	52,210	24	10	3	–	–	–	1	–	–	1
Stoke-on-Trent C.B.	274,300	129	68	13	–	2	2	–	–	1	–
Burton-upon-Trent C.B.	49,630	14	17	1	–	–	–	2	–	–	–
Wolverhampton C.B.	105,700	47	32	2	–	2	–	–	–	–	–
Walsall C.B.	99,890	44	22	4	–	1	–	1	–	–	–
West Bromwich C.B.	76,260	43	18	–	–	3	–	–	1	–	–
Dudley C.B.	57,860	26	13	2	–	5	–	–	–	–	–
Worcester C.B. ..	49,240	14	17	2	–	–	–	–	–	–	–
Birmingham C.B. ..	945,100	388	219	30	–	14	2	2	4	3	1
Smethwick C.B. ..	78,140	34	12	–	–	5	–	–	–	–	–
Coventry C.B. ..	131,200	57	19	2	–	–	–	1	1	–	–
Leicester C.B. ..	238,800	102	65	10	–	1	–	–	–	1	1
Lincoln C.B.	66,930	21	10	3	–	–	–	–	–	–	1
Grimsby C.B.	84,650	30	11	2	–	–	–	–	–	1	–
Nottingham C.B. ..	267,900	99	77	14	–	1	–	–	–	2	–
Derby C.B.	132,400	57	41	6	–	–	–	1	–	–	–
Chesterfield ..	63,380	24	9	1	–	–	–	–	–	–	–
Stockport C.B. ..	125,800	39	34	1	–	–	–	–	–	–	2
Chester C.B.	41,190	18	11	4	–	–	–	1	–	–	–
Birkenhead C.B. ..	149,200	58	46	9	–	–	1	–	–	2	1
Wallasey C.B. ..	89,790	21	18	2	–	–	–	–	–	1	1
Liverpool C.B. ..	826,400	434	271	51	–	8	–	7	3	8	3
Bootle C.B.	79,750	45	31	7	–	–	–	1	–	–	–
St. Helens C.B. ..	106,400	57	35	9	–	–	–	–	–	1	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	9	20	1	–	–	–	–	–	1	–
WIGAN C.B.	91,750	40	28	5	–	–	1	–	–	–	1
WARRINGTON C.B. ..	79,150	43	23	5	–	–	–	1	–	1	1
BOLTON C.B.	182,700	72	57	10	–	–	–	–	–	3	1
BURY C.B.	57,400	12	22	3	–	1	–	–	–	–	–
MANCHESTER C.B. ..	748,500	296	224	24	–	1	–	5	1	1	10
SALFORD C.B.	240,700	105	63	6	–	1	–	1	2	1	1
OLDHAM C.B.	148,300	41	53	5	1	–	–	–	–	1	2
ROCHDALE C.B... ..	92,510	22	25	2	–	–	–	–	–	–	1
BURNLEY C.B.	105,100	36	28	4	1	–	–	–	–	–	–
BLACKBURN C.B. ..	129,600	28	39	4	–	–	–	–	–	–	–
PRESTON C.B.	120,900	52	43	6	–	–	1	1	–	–	1
BLACKPOOL C.B. ..	74,050	18	27	1	–	–	–	–	–	–	–
BARROW-IN-FURNESS C.B.	75,690	33	23	4	–	–	–	–	–	–	–
HUDDERSFIELD C.B. ..	111,600	33	33	3	–	–	–	–	–	–	2
HALIFAX C.B.	100,500	38	30	4	–	–	–	–	–	–	–
BRADFORD C.B. ..	291,300	118	66	10	–	3	1	1	–	–	1
LEEDS C.B.	466,700	153	101	15	–	1	1	–	1	1	1
DEWSBURY C.B. ..	55,170	18	24	3	–	4	–	–	–	–	–
WAKEFIELD C.B. ..	53,840	26	16	2	–	1	–	1	–	2	–
BARNSLEY C.B. ..	69,540	36	15	3	–	–	–	–	–	–	1
SHEFFIELD C.B. ..	522,600	205	100	22	–	1	–	7	–	4	5
ROTHERHAM C.B. ..	69,840	32	18	6	–	–	–	–	–	–	–
DONCASTER	55,020	21	11	3	–	1	–	–	–	1	–
YORK C.B.	84,980	36	19	2	–	2	–	–	–	–	–
HULL C.B.	294,000	149	73	16	–	–	–	–	2	4	–
MIDDLESBROUGH C.B.	134,800	92	38	9	–	7	–	–	–	–	1
DARLINGTON C.B. ..	66,710	26	17	1	–	4	–	–	–	–	1
STOCKTON-ON-TEES ..	65,950	28	17	3	–	4	–	–	–	1	–
WEST HARTLEPOOL C.B.	70,020	35	14	2	–	–	–	–	–	–	–
SUNDERLAND C.B. ..	162,900	80	57	5	–	1	1	2	1	2	–
SOUTH SHIELDS C.B. ..	122,400	59	33	3	–	–	–	1	–	–	–
GATESHEAD C.B. ..	127,300	52	38	6	–	1	–	1	–	–	–
NEWCASTLE-ON-TYNE C.B.	281,600	155	84	11	–	3	–	1	1	2	1
TYNEMOUTH C.B. ..	64,640	43	22	5	–	3	–	2	–	1	1
CARLISLE C.B.	53,490	25	23	6	–	3	–	–	–	–	–
NEWPORT (MON.) C.B.	94,880	59	29	5	–	6	–	1	–	1	–
CARDIFF C.B.	223,830	81	68	9	–	3	–	1	–	–	2
RHONDDA	167,500	69	48	11	–	1	–	2	–	–	–
MERTHYR TYDFIL C.B.	82,680	36	32	5	–	2	–	3	–	–	–
ABERDARE	56,580	17	17	1	–	–	–	1	–	–	–
SWANSEA C.B.	161,000	66	53	13	–	–	–	1	1	1	–
GREATER LONDON ..	7,563,730*	2,906	1,712	160	1	5	2	15	20	15	31
OUTER RING	3,029,500*	1,032	614	56	1	2	1	3	2	5	10
16 GREAT TOWNS IN OUTER RING	1,831,920	646	388	33	1	1	–	1	2	2	6
REMAINDER OF OUTER RING	1,197,580*	386	226	23	–	1	1	2	–	3	4
EDINBURGH†	426,000	174	155	17	–	4	1	4	2	–	3
GLASGOW†	1,041,300	542	270	35	–	6	2	7	3	3	1
DUBLIN (REGISTRATION AREA)†	431,000	190	120	23	–	–	–	4	–	2	1
BELFAST†	429,000	201	125	31	–	1	–	8	2	2	4

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available period

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still	DEATHS. born.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,534,230	1922–23. March 17	1874	1098	12·6	–	–	3	1	12	18	10	21
CALCUTTA	896,067	Feb. 3	?	557§	31·9	?	5	?	?	?	?	?	14
BOMBAY	1,220,120	„ 10	406‖	685§	29·2	3	6	3	?	–	–	48	4
MADRAS	526,911	„ 10	446	507§	50·0	2	10	1	?	2	–	46	–
SYDNEY AND SUBURBS	926,400	Dec. (31 days)	1,833	681	8·8	5	–	4	–	9	4	60	2
BRISBANE (Metropolitan Area).	217,714	Dec. (31 days)	467	220	13·1	1	–	–	–	2	2	36	–
PERTH (Metropolitan Area).	155,939	Jan. 20	81	47	15·7	–	–	–	–	–	–	6	–
AUCKLAND (Urban Area).	164,450												
WELLINGTON (Urban Area).	110,680												
CHRISTCHURCH (Urban Area).	110,200												
CAPE TOWN	104,400	Jan. 27	44	26	12·9	1	–	–	–	–	3	–	–
JOHANNESBURG	153,825	Feb. 3	70	32	10·8	–	–	–	–	–	–	2	–
DURBAN	49,043	„ 3	36	7	7·4	–	–	–	–	–	–	–	–
PARIS	2,906,472	„ 28 (8 days)	1095	1041	13·1	8	–	31	1	5	8	14	6
ANTWERP	302,150	Dec. 9	95	51	8·7	–	–	–	–	–	–	3	1
AMSTERDAM	697,682	Feb. 24	234	154	11·5	1	–	1	–	1	–	–	2
COPENHAGEN	565,000	March 3	272	163	15·0	–	–	3	–	5	–	1	4
STOCKHOLM	422,042	Feb. 24	107	97	12·0	–	–	–	–	–	–	–	–
GOTHENBURG	227,686	„ 10	?	42	9·6	–	–	–	–	–	–	–	1
CHRISTIANIA	258,933	March 3	101	55	11·0	–	–	–	–	–	–	1	2
BERLIN	1,981,000	Feb. 3	404	697	18·3	–	?	15	–	2	3	9	18
BRESLAU	558,000	„ 3	203	209	19·5	–	?	1	–	1	–	2	18
COLOGNE	694,000	„ 3	277	217	16·3	–	?	4	1	2	–	5	8
DRESDEN	610,000	„ 3	165	189	16·1	–	?	–	–	2	1	1	18
FRANKFORT-ON-MAIN..	477,000	„ 3	95	110	12·0	–	?	–	1	2	–	–	4
HAMBURG	1,085,000	„ 3	304	276	13·2	–	?	8	–	–	–	2	7
LEIPZIG	677,000	„ 3	231	198	15·2	–	?	1	–	5	3	3	9
MUNICH	685,000	„ 3	172	212	16·1	–	?	2	–	–	–	3	1
VIENNA	1,842,005												
PRAGUE AND SUBURBS	689,262												
BUDAPEST	939,529	Dec. 23	359	356	19·7	1	?	2	6	2	4	12	–
WARSAW	956,087	Jan. 27	326	308	16·2	2	–	8	1	7	1	15	3
CAIRO	777,500	Dec. 31	935	515	34·4	5	–	–	–	?	3	39	?
ALEXANDRIA	456,300	„ 31	598	253	28·8	2	–	–	–	?	–	13	?
NEW YORK	5,927,617	Feb. 10	2439	1743	15·3	–	–	3	9	6	16	12	7
CHICAGO	2,885,921	„ 17	?	870	15·7	–	–	5	4	5	12	21	3
RIO DE JANEIRO ..	1,261,468	Jan. 20	550	498	20·6	–	1	9	–	7	–	?	2
MONTEVIDEO	350,956	Nov. 18	210	132	18·8	–	–	2	–	–	1	11	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienn Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 28 deaths from *Asiatic Cholera* in Calcutta, 2 in Bombay, and 1 in Madras, and from *Plague*, 13 Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 17th March, 1923, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1098	104	23	29	28	64	48	62	123	170	233	214
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	1	2	–	–	–	–	–	–	–	–	–
Scarlet fever	1	–	–	1	–	–	–	–	–	–	–	–
Whooping cough	12	5	2	5	–	–	–	–	–	–	–	–
Diphtheria	18	1	1	10	6	–	–	–	–	–	–	–
Influenza	21	1	1	–	–	1	1	1	4	4	7	1
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	4	3	–	–	1	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	89	1	1	–	1	24	16	14	19	6	6	1
Nervous system	9	2	2	1	1	2	1	–	–	–	–	–
Intestines and peritoneum	3	–	–	–	–	3	–	–	–	–	–	–
Other forms	9	–	–	–	4	4	1	–	–	–	–	–
Venereal diseases	3	2	–	–	–	–	–	–	–	–	1	–
Cancer	138	–	–	–	1	2	2	14	23	37	42	17
Rheumatic fever	5	–	–	–	2	2	–	1	–	–	–	–
Diabetes	7	–	–	–	–	–	–	2	1	1	2	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	61	–	1	–	–	–	1	1	2	24	17	15
Epilepsy	8	–	–	–	–	3	2	–	1	2	–	–
"Convulsions" (not puerperal)	5	5	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	23	2	–	–	1	1	2	1	4	6	4	2
Pericarditis	1	–	–	–	–	1	–	–	–	–	–	–
Acute endocarditis	3	–	–	–	–	2	1	–	–	–	–	–
Other diseases of heart	141	–	–	–	3	5	2	4	14	26	41	46
Other diseases of circulatory system	55	–	–	–	–	–	–	1	4	10	16	24
Bronchitis	98	7	1	–	–	1	–	2	5	10	37	35
Broncho-pneumonia	44	12	4	5	–	–	1	1	3	7	3	8
Lobar pneumonia	38	3	–	3	1	3	2	6	5	8	7	–
Pneumonia (type not distinguished)	17	–	–	1	–	1	–	1	5	2	5	2
Other diseases of respiratory system	18	–	1	–	–	–	–	2	4	3	5	3
Diarrhœa and enteritis	14	9	1	1	–	–	–	3	–	–	–	–
Appendicitis, Typhlitis	9	–	–	–	2	2	–	–	2	–	3	–
Hernia, Intestinal obstruction	8	–	1	–	–	–	–	–	2	2	1	2
Cirrhosis of liver	5	–	–	–	–	–	–	–	2	1	2	–
Other diseases of digestive system	20	–	1	–	–	1	4	–	4	3	6	1
Acute nephritis	2	–	1	–	–	–	1	–	–	–	–	–
Chronic Bright's disease	29	–	–	–	–	–	2	1	6	7	7	6
Other diseases of genito-urinary system.	15	–	–	–	–	–	–	–	6	2	3	4
Puerperal sepsis	2	–	–	–	–	–	2	–	–	–	–	–
Other causes incident to childbirth	1	–	–	–	–	–	1	–	–	–	–	–
Congenital malformations	9	8	1	–	–	–	–	–	–	–	–	–
Premature birth	30	30	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	6	6	–	–	–	–	–	–	–	–	–	–
Old age	42	–	–	–	–	–	–	–	–	–	5	37
Suicide	8	–	–	–	–	1	1	2	2	1	1	–
Burns and scalds	7	–	1	1	1	–	1	1	–	–	–	2
Drowning	3	–	–	–	–	1	–	1	1	–	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	7	–	–	–	1	3	1	1	1	–	–	–
Other deaths by violence	10	–	–	–	1	–	–	1	1	2	3	2
Other specified causes	36	5	1	1	2	1	3	1	2	6	9	5
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 17th March, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	212	218	3	95	C. 9 D. 3 E. 2 G. 1 L. 2 M. 13
†CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	9	11	–	5	C. 1
†BERMONDSEY ...	–	9	10	–	4	–
†BETHNAL GREEN	–	7	7	–	6	–
†CAMBERWELL ...	–	15	29	–	1	–
†CHELSEA	–	3	3	–	2	–
†DEPTFORD ...	–	9	5	–	3	M. 1
†FINSBURY ...	–	5	4	–	2	–
†FULHAM	–	17	3	–	1	C. 2
†GREENWICH ...	–	7	7	–	2	E. 2
†HACKNEY ...	–	5	10	–	–	C. 1
†HAMMERSMITH ...	–	6	3	–	–	–
†HAMPSTEAD ...	–	6	1	–	–	–
†HOLBORN... ...	–	–	2	–	–	–
†ISLINGTON ...	–	11	12	–	6	C. 1 M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	3	4	–	1	L. 2 M. 1
†LAMBETH ...	–	15	8	–	5	C. 2 M. 1
†LEWISHAM ...	–	11	10	–	–	–
†PADDINGTON ...	–	6	3	–	8	D. 1 M. 1
†POPLAR	–	6	19	–	3	C. 1 M. 1
†ST. MARYLEBONE	–	4	8	1	4	–
†ST. PANCRAS ...	–	15	12	–	15	–
†SHOREDITCH ...	–	4	11	–	5	M. 3
†SOUTHWARK ...	–	7	12	–	5	M. 1
†STEPNEY	–	13	11	2	8	D. 1 M. 2
†STOKE NEWINGTON	–	2	1	–	–	–
†WANDSWORTH ...	–	9	7	–	5	C. 1 D. 1 G. 1 M. 1
†WESTMINSTER, CITY OF	–	2	1	–	1	–
†WOOLWICH ...	–	6	3	–	3	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD	–	7	4	–	1	–
Boroughs and Urban Districts:—						
†BEDFORD ...	–	3	3	–	–	–
LEIGHTON BUZZARD	–	2	–	–	–	–
†LUTON	–	2	–	–	–	–
Rural Districts:—						
AMPTHILL ...	–	–	1	–	1	–
BERKS	–	19	7	2	–	–
†READING C.B. ...	–	5	–	1	–	–
Boroughs and Urban Districts:—						
ABINGDON ...	–	2	4	–	–	–
NEWBURY ...	–	–	1	–	–	–
WALLINGFORD ...	–	–	–	1	–	–
Rural Districts:—						
ABINGDON ...	–	3	1	–	–	–
BRADFIELD ...	–	4	–	–	–	–
EASTHAMPSTEAD	–	3	–	–	–	–
WALLINGFORD ...	–	1	–	–	–	–
WANTAGE ...	–	–	1	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	9	4	–	1	–
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE ...	–	3	–	–	–	–
ETON	–	–	1	–	–	–
MARLOW	–	–	1	–	–	–
†SLOUGH	–	–	1	–	–	–
†WOLVERTON ...	–	2	–	–	–	–
Rural Districts:—						
AYLESBURY ...	–	2	–	–	–	–
ETON	–	–	–	–	1	–
WYCOMBE ...	–	2	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CAMBRIDGE ...	–	5	–	–	1	–
Borough:—						
†CAMBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
CHESTERTON ...	–	3	–	–	–	–
MELBOURN ...	–	1	–	–	1	–
CHESTER	–	52	19	1	26	C. 2 G. 5 M. 5
†BIRKENHEAD C.B.	–	6	1	–	6	G. 4 M. 2
†CHESTER, C.B. ...	–	1	–	–	–	–
†STOCKPORT C.B...	–	3	5	–	2	–
†WALLASEY C.B ..	–	–	1	–		M. 1
Boroughs and Urban Districts:—						
ASHTON UPON MERSEY	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	3	–	–	3	–
BREDBURY AND ROMILEY	–	–	1	–	–	–
BUGLAWTON ...	–	2	–	–	–	C. 2
†CHEADLE AND GATLEY	–	1	–	–	1	–
COMPSTALL ..	–		1	–	–	–
†CONGLETON ...	–	5	–	–	–	–
†CREWE	–	–	–	–	–	M. 2
†DUKINFIELD ...		1	–			–
HALE	*	*	*	*	*	*
HOLLINGWORTH	–	1	–	–	–	–
HOOLE	–	–	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE	–	2	3	–	–	–
†MACCLESFIELD ..	–	2	–	1	–	–
MIDDLEWICH ..	–	–	3	–		–
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN... .	–	1	–	–	1	–
†SALE	*	*	*	*	*	*
†WINSFORD ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spina Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	1	2	–	1	–
CONGLETON ...	–	1	–	–	–	–
MACCLESFIELD ...	–	1	–	–	–	–
NANTWICH ...	–	–	–	–	–	G. 1
NORTHWICH ...	–	2	–	–	2	–
RUNCORN ...	–	14	–	–	–	–
TARVIN	–	–	–	–	1	–
WIRRAL	–	–	2	–	4	–
CORNWALL ...	–	5	3	–	–	–
Boroughs and Urban Districts:—						
LUDGVAN ...	–	–	2	–	–	–
NEWQUAY ...	–	–	1	–	–	–
ST. AUSTELL ...	*	*	*	*	*	*
ST. IVES	*	*	*	*	*	*
Rural Districts:—						
REDRUTH ...	–	1	–	–	–	–
SAINT AUSTELL...	–	3	–	–	–	–
TRURO	–	1	–	–	–	–
CUMBERLAND ...	–	16	4	–	4	C. 2
†CARLISLE C.B. ...	–	1	1	–	2	C. 1
Boroughs and Urban Districts:—						
CLEATOR MOOR...	–	–	3	–	–	–
COCKERMOUTH ...	–	3	–	–	–	–
HOLME CULTRAM	–	–	–	–	–	C. 1
MILLOM	–	4	–	–	–	–
†WHITEHAVEN ...	–	–	–	–	1	–
†WORKINGTON ...	–	5	–	–	–	–
Rural Districts:—						
BRAMPTON ...	–	1	–	–	–	–
COCKERMOUTH ...	–	1	–	–	–	–
WHITEHAVEN ...	–	1	–	–	–	–
WIGTON	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	13	33	15	2	18	E. 1 G. 2
†DERBY C.B. ...	–	6	3	–	4	–
Boroughs and Urban Districts:—						
†ALFRETON ...	1	–	–	–	–	–
†BELPER	–	–	–	–	–	E 1 G. 1
†BOLSOVER ...	–	1	1	–	1	–
†BUXTON	–	1	–	–	–	–
†CHESTERFIELD ...	–	1	–	–	2	G. 1
†GLOSSOP	–	2	–	–	–	–
†HEANOR	3	1	–	–	–	–
†ILKESTON ...	–	1	–	–	1	–
†LONG EATON ...	–	6	2	–	2	–
NORTH DARLEY ...	–	–	–	–	1	–
†SWADLINCOTE DISTRICT	–	2	–	–	–	–
Rural Districts:—						
BAKEWELL ...	–	6	–	–	–	–
BELPER	–	–	1	–	1	–
BLACKWELL ...	–	1	–	–	2	–
CHAPEL EN LE FRITH	–	–	1	–	–	–
CHESTERFIELD ...	–	2	2	2	3	–
CLOWNE	9	–	–	–	–	–
GLOSSOP DALE ...	–	–	4	–	–	–
HARTSHORN AND SEALS	*	*	*	*	*	*
REPTON	–	–	–	–	1	–
SHARDLOW ...	–	3	1	–	–	–
DEVON	–	16	7	1	8	M. 1
†EXETER C.B. ...	–	1	–	–	–	M. 1
†PLYMOUTH C.B....	–	5	–	–	4	–
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	3	–	–	–
BRIXHAM... ...	–	–	1	–	–	–
HONITON... ...	–	1	–	–	–	–
IVYBRIDGE ...	–	1	–	–	–	–
†NEWTON ABBOT	–	5	–	–	–	–
OKEHAMPTON ...	–	–	–	–	2	–
SOUTH MOLTON	–	–	–	–	1	–
†TEIGNMOUTH ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BARNSTAPLE ...	–	–	1	–	–	–
NEWTON ABBOT...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	–	–	–	1	–
ST. THOMAS ...	–	–	1	1	–	–
TAVISTOCK ...	–	1	1	–	–	–
DORSET	–	4	1	–	1	L. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	*	*	*	*	*	*
†PORTLAND ...	–	–	–	–	–	L. 1
SWANAGE ...	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	1	–
WIMBORNE MINSTER	–	–	1	–	–	–
Rural Districts:—						
BEAMINSTER ...	*	*	*	*	*	*
BRIDPORT ...	–	2	–	–	–	–
DORCHESTER ...	*	*	*	*	*	*
STURMINSTER ...	–	1	–	–	–	–
DURHAM	1	82	33	–	57	D. 1 G. 1 M. 9
†DARLINGTON C.B	–	2	2	–	4	G. 1
†GATESHEAD C.B.	–	2	3	–	4	–
†SOUTH SHIELDS C.B.	–	6	–	–	6	–
†SUNDERLAND C.B.	–	9	2	–	2	M. 4
†WEST HARTLEPOOL C.B.	–	3	1	–	6	M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	5	–	–	M. 1
BARNARD CASTLE	–	–	1	–	–	–
†BLAYDON... ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BRANDON AND BYSHOTTLES	–	1	1	–	–	–
†CHESTER LE STREET	–	1	–	–	1	–
†CONSETT	–	1	1	–	–	–
†DURHAM	–	2	–	–	–	–
†FELLING	–	–	–	–	2	–
†HARTLEPOOL ...	–	1	–	–	1	–
†HEBBURN ...	–	2	–	–	2	M. 1
†HETTON	–	3	–	–	–	–
†HOUGHTON LE SPRING	–	–	–	–	2	–
†JARROW	–	1	3	–	6	–
LEADGATE ...	–	1	–	–	–	–
†RYTON	–	3	–	–	–	–
†SEAHAM HARBOUR	–	–	–	–	3	–
†SHILDON	–	–	1	–	–	–
†SOUTHWICK ON WEAR	–	1	–	–	–	–
†SPENNYMOOR ...	–	1	–	–	–	–
†STANLEY	–	3	4	–	–	–
†STOCKTON ON TEES	1	2	3	–	1	–
†TANFIELD ...	–	2	–	–	–	–
†WASHINGTON ...	–	1	3	–	–	–
†WHICKHAM ...	–	1	1	–	4	M. 1
WILLINGTON ...	–	2	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	2	1	–	1	–
BARNARD CASTLE	–	2	–	–	–	–
CHESTER LE STREET	–	2	–	–	2	–
DARLINGTON ...	–	1	–	–	–	–
DURHAM	–	2	–	–	1	–
EASINGTON ...	–	7	–	–	5	D. 1 M. 1
HOUGHTON LE SPRING	–	4	–	–	1	–
LANCHESTER ...	–	1	1	–	–	–
SEDGEFIELD ...	–	3	–	–	2	–
SOUTH SHIELDS...	–	1	–	–	–	–
STOCKTON ...	–	2	–	–	–	–
SUNDERLAND ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	37	31	–	16	C. 5 M. 2
†EAST HAM C.B. ...	–	3	2	–	–	–
†SOUTHEND-ON-SEA C.B.	–	4	1	–	1	M. 1
†WEST HAM C.B. ...	–	5	14	–	5	C. 1
Boroughs and Urban Districts:—						
†BARKING TOWN..	–	–	1	–	3	–
BRIGHTLINGSEA	*	*	*	*	*	*
†CHELMSFORD ...	–	–	–	–	–	C. 2
†CLACTON	–	1	–	–	–	–
†COLCHESTER ...	–	–	–	–	1	–
EPPING	–	1	–	–	–	–
HALSTEAD ...	–	3	–	–	–	–
†ILFORD	–	–	2	–	1	–
†LEYTON	–	1	1	–	–	C. 1
TILBURY	–	–	–	–	1	–
†WALTHAMSTOW...	–	10	7	–	–	C. 1 M. 1
WITHAM	–	–	–	–	1	–
†WOODFORD ...	–	1	–	–	–	–
Rural Districts:—						
CHELMSFORD ...	–	2	–	–	–	–
DUNMOW	–	4	–	–	3	–
ORSETT	–	–	2	–	–	–
ROCHFORD ...	–	1	–	–	–	–
ROMFORD ...	–	–	1	–	–	–
STANSTED ...	–	1	–	–	–	–
GLOUCESTER ...	1	44	15	–	5	–
†BRISTOL C.B. ...	–	32	10	–	3	–
†GLOUCESTER C.B.	–	3	3	–	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	4	–	–	–	–
†KINGSWOOD ...	–	2	–	–	–	–
NEWNHAM ...	–	1	–	–	–	–
GLOUCESTER—*cont.*						
Rural Districts:—						
CHELTENHAM ...	1	–	–	–	–	–
CHIPPING SODBURY	–	–	–	–	1	–
GLOUCESTER ...	–	–	2	–	–	–
TEWKESBURY (part)	–	–	–	–	1	–
THORNBURY ...	–	1	–	–	–	–
WEST DEAN ...	–	1	–	–	–	–
HEREFORD ...	–	3	–	1	1	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	2	–	–	–	–
Rural Districts:—						
HEREFORD ...	–	–	–	1	–	–
KINGTON	–	1	–	–	–	–
WEOBLEY... ..	–	–	–	–	1	–
HERTFORD ..	–	7	3	–	1	C. 1 L. 1
Boroughs and Urban Districts:—						
†BARNET	*	*	*	*	*	*
BISHOP'S STORTFORD	–	1	–	–	–	–
BUSHEY	–	1	–	–	1	–
†CHESHUNT ...	–	1	–	–	–	–
Rural Districts:—						
HEMEL HEMPSTEAD	–	–	–	–	–	C. 1
ST. ALBANS ...	–	1	–	–	–	–
WARE	–	–	1	–	–	–
WATFORD ...	–	3	2	–	–	L 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	–	–	–	2	–
Rural Districts :—						
HUNTINGDON ...	–	–	–	–	1	–
ST. IVES	–	–	–	–	1	–
KENT	–	28	22	2	10	C. 1 M. 2
Boroughs and Urban Districts :—						
†ASHFORD... ...	–	–	–	–	1	–
†BECKENHAM ...	–	–	–	1	–	–
†BEXLEY	–	2	3	–	–	–
†CHATHAM ...	–	4	–	–	–	–
†CRAYFORD ...	–	–	–	–	1	–
†DARTFORD ...	–	–	1	–	–	C. 1
†DOVER	–	–	2	–	1	–
†ERITH	–	1	–	1	–	–
†FAVERSHAM ...	–	1	1	–	1	–
†FOLKESTONE ...	–	1	–	–	–	–
†GILLINGHAM ...	–	2	1	–	1	–
†GRAVESEND ...	–	–	1	–	–	–
†MAIDSTONE ...	–	1	1	–	–	–
†MARGATE ...	–	3	–	–	–	–
MILTON REGIS ...	–	–	–	–	–	M. 1
†NORTHFLEET ...	–	3	2	–	–	–
†PENGE	–	–	3	–	–	–
QUEENBOROUGH	–	1	–	–	–	–
†ROCHESTER ...	–	2	–	–	–	–
†SHEERNESS ...	–	1	1	–	1	–
†TONBRIDGE ...	–	1	–	–	–	–
WHITSTABLE ...	–	–	–	–	2	–
Rural Districts :—						
BLEAN	–	–	–	–	1	–
BROMLEY ...	–	–	1	–	–	–
DARTFORD ..	–	–	3	–	–	–
EAST ASHFORD ..	–	1	–	–	–	–
FAVERSHAM ...	–	1	2	–	–	–
MALLING	–	–	–	–	–	M. 1
MILTON	–	1	–	–	–	
ROMNEY MARSH	–	–	–	–	1	–
TONBRIDGE ...	–	1	–	–	–	–
WEST ASHFORD	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	3	259	101	5	269	C. 7 D. 3 E. 3 G. 9 L. 10 M. 31
†BARROW IN FURNESS C.B.	–	3	–	–	1	–
†BLACKBURN C.B.	–	3	1	–	10	–
†BLACKPOOL C.B.	–	2	–	–	2	–
†BOLTON C.B. ...	–	18	1	–	3	–
†BOOTLE C.B. ...	–	5	8	–	–	M. 1
†BURNLEY C.B. ...	–	20	2	1	1	–
†BURY C.B. ...	–	1	–	–	5	–
†LIVERPOOL C.B. ...	–	42	23	–	47	D. 1 G. 1 M. 12
†MANCHESTER C.B.	–	35	18	–	79	C. 2 E. 1 G. 3 M. 12
†OLDHAM C.B. ...	–	8	2	–	7	G. 2
†PRESTON C.B. ...	–	3	3	1	4	–
†ROCHDALE C.B. ...	–	6	2	–	–	–
†ST. HELENS C.B.	–	10	1	–	5	M. 1
†SALFORD C.B. ...	–	20	9	–	2	C. 1 D. 1 G. 1 M. 2
†SOUTHPORT C.B.	–	–	1	–	5	–
†WARRINGTON C.B.	–	1	2	–	7	–
†WIGAN C.B. ...	–	3	1	–	5	–
Boroughs and Urban Districts :—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	1	1	–	–	–
ADLINGTON ...	–		1	–	–	–
†ASHTON IN MAKERFIELD	–	–	4	–	1	–
†ASHTON UNDER LYNE	–	2	1	–	3	G. 1 M. 1
†ATHERTON ...	–	4	1	–	3	–
AUDENSHAW ...	–	1	–	–	2	–
BARROWFORD ...	1	–	–	–	–	–
BILLINGE... ...	–	–	–	–	1	–
†CHADDERTON ...	–	1	–	–	4	M. 1
†CHORLEY... ...	–	–	–	–	1	–
CHURCH	–	–	–	–	1	–
CLAYTON LE MOORS	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Clitheroe ...	–	1	–	–	–	–
†Colne	–	4	–	–	–	–
†Crompton ...	–	–	–	–	1	–
†Darwen	–	6	1	–	–	C. 1
†Denton	–	3	1	–	–	–
†Droylsden ...	–	2	–	–	7	–
†Eccles	–	2	–	–	1	M. 1
†Failsworth ...	–	–	–	–	1	–
†Farnworth ...	–	1	1	–	–	C. 1
Fleetwood ...	–	–	–	–	1	–
Grange	–	–	–	–	–	E. 1
†Great Crosby ...	–	1	–	–	–	–
†Great Harwood	–	1	1	–	–	–
†Haslingden ...	–	1	–	–	1	–
†Heywood ...	–	1	–	–	6	–
†Hindley... ...	–	–	–	–	10	D. 1
†Horwich ...	–	–	–	–	3	–
Huyton with Roby	–	–	–	–	1	–
†Ince in Makerfield	–	2	–	–	–	–
Lathom and Burscough	–	–	–	–	1	–
Lees	–	1	–	–	–	–
†Leigh	–	2	–	–	–	G. 1
Leyland... ...	–	1	–	–	–	–
†Litherland ...	–	1	2	–	–	–
Little Hulton	–	–	1	–	–	–
Longridge ...	–	1	–	–	–	–
†Middleton ...	–	–	–	–	3	–
Milnrow ...	–	1	–	–	–	–
†Morecambe ...	–	1	2	–	–	–
†Mossley	–	1	–	–	–	–
†Nelson	2	–	–	–	1	–
†Newton in Makerfield	–	2	2	–	–	–
†Oswaldtwistle	–	–	–	–	1	–
†Radcliffe ..	–	1	1	–	–	–
†Rawtenstall ...	–	–	–	–	1	–
Rishton	–	–	–	–	1	–
†Royton	–	2	–	–	–	–
Standish with Langtree	–	–	–	–	1	–
†Stretford... ..	–	3	2	–	3	–
†Swinton and Pendlebury	–	1	–	1	1	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Tottington ...	–	–	–	–	4	–
†Tyldesley with Shakerley	–	1	–	–	4	–
†Ulverston ...	–	2	–	–	–	–
Upholland ...	–	1	–	–	–	–
†Walton le Dale	–	2	–	–	1	–
†Waterloo with Seaforth	–	4	–	–	–	–
†Westhoughton	–	2	1	–	1	–
Whitefield ...	–	2	–	–	1	–
†Widnes	–	2	–	–	9	E 1
†Worsley... ...	–	–	–	–	–	C. 2
Rural Districts :—						
Blackburn ...	–	2	–	–	–	–
Burnley ...	–	–	1	–	–	–
Bury	–	2	–	–	–	–
Chorley	–	1	–	1	–	–
Clitheroe ...	–	–	–	–	2	L. 10
Fylde	–	2	2	–	–	–
Garstang ...	–	–	–	1	–	–
Leigh	–	1	–	–	–	–
Limehurst ...	–	1	–	–	–	–
Preston	–	1	–	–	–	–
Warrington ...	–	–	1	–	1	–
West Lancashire	–	–	–	–	1	–
LEICESTER... ...	–	24	10	–	7	C. 2 M. 2
†Leicester C.B. ..	–	14	1	–	3	C. 1 M. 1
Boroughs and Urban Districts :—						
Ashby de la Zouch	*	*	*	*	*	*
Ashby Woulds...	*	*	*	*	*	*
†Coalville ...	–	1	1	–	–	–
†Loughborough	–	3	–	–	–	–
Melton Mowbray	–	–	–	–	2	M. 1
Wigston Magna	–	3	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	2	–	–	–
BARROW UPON SOAR	–	–	1	–	–	–
BILLESDON ...	–	–	–	–	–	C. 1
BLABY	–	2	1	–	1	–
LOUGHBOROUGH	–	–	–	–	1	–
MARKET BOSWORTH	–	1	2	–	–	–
MELTON MOWBRAY	–	–	1	–	–	–
LINCOLN (parts of Holland).	–	–	2	–	–	–
Rural Districts:—						
CROWLAND ...	–	–	1	–	–	–
SPALDING (part)	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	4	2	–	–	M. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	–	–	M. 1
STAMFORD ...	–	–	1	–	–	–
Rural Districts:—						
SLEAFORD ...	–	4	–	–	–	–
SPALDING (PART)	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	5	3	–	1	–
†LINCOLN C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	1	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	1	2	–	1	–
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts:—						
GLANFORD BRIGG	–	1	–	–	–	–
ISLE OF AXHOLME	–	2	–	–	–	–
MIDDLESEX ...	–	63	37	1	20	C. 5 D. 1 E. 1 M. 2
Boroughs and Urban Districts:—						
†ACTON	–	4	–	–	2	D. 1
†BRENTFORD ...	–	1	–	–	–	–
†CHISWICK ...	–	3	3	–	1	C. 1
†EALING	–	7	1	–	–	–
†EDMONTON ...	–	1	1	–	1	–
†ENFIELD	–	4	–	–	–	–
†FINCHLEY ...	–	3	1	–	–	–
†FRIERN BARNET	–	–	2	–	–	–
†HANWELL ...	–	–	1	–	1	–
†HARROW ON THE HILL	–	–	–	–	1	E. 1
HAYES	–	–	–	–	–	C. 1
†HENDON	–	1	1	–	–	–
†HESTON AND ISLEWORTH	–	4	2	–	2	C. 2
†HORNSEY... ...	–	2	6	1	1	–
KINGSBURY ...	–	–	–	–	1	–
†SOUTHALL NORWOOD	–	1	1	–	–	–
†SOUTHGATE ...	–	2	1	–	2	–
STAINES	–	1	–	–	–	–
SUNBURY ON THAMES	–	2	–	–	–	–
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	12	4	–	3	M. 1
†TWICKENHAM ..	–	–	–	–	–	C. 1
†WEALDSTONE ...	–	1	–	–	–	–
†WILLESDEN ...	–	11	11	–	3	–
†WOOD GREEN ...	–	–	1	–	1	M. 1
Rural Districts:—						
HENDON	–	–	–	–	1	–
STAINES	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK	–	38	15	–	–	M. 1
†Great Yarmouth C.B.	–	1	–	–	–	–
†Norwich C.B. ...	–	32	12	–	–	M. 1
Boroughs and Urban Districts:—						
Wells	–	–	1	–	–	–
Rural Districts:—						
Depwade ...	–	1	–	–	–	–
Erpingham ...	–	1	–	–	–	–
Forehoe... ...	*	*	*	*	*	*
Mitford and Launditch	–	2	–	–	–	–
St. Faith's ...	–	–	1	–	–	–
Thetford ...	–	1	–	–	–	–
Walsingham ...	–	–	1	–	–	–
NORTHAMPTON ...	–	20	5	1	13	G. 2
†Northampton C.B.	–	2	2	–	2	G. 1
Boroughs and Urban Districts:—						
Daventry ...	–	–	–	–	1	–
Desborough ...	–	4	–	–	–	–
†Kettering ...	–	2	–	–	1	G. 1
Rounds	–	1	–	–	–	–
Rothwell ...	–	1	–	–	–	–
†Rushden ...	–	1	–	–	–	–
†Wellingborough	–	5	–	–	–	–
Rural Districts:—						
Brixworth ...	–	1	–	–	3	–
Daventry ...	–	1	–	–	–	–
Hardingstone ..	–	1	1	–	2	–
Kettering ...	–	1	1	–	1	–
Northampton .	–	–	1	–	–	–
Potterspury ...	–	–	–	–	1	–
Towcester ...	–	–	–	1	1	–
Wellingborough	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND	–	29	15	–	53	G. 2 M. 4
†Newcastle upon Tyne C.B.	–	3	7	–	30	M. 1
†Tynemouth C.B.	–	3	2	–	2	M. 2
Boroughs and Urban Districts:—						
Amble	–	1	–	–	–	–
†Bedlingtonshire	–	–	–	–	6	–
†Berwick upon Tweed	–	1	–	–	–	G. 1
†Blyth	–	5	–	–	2	M. 1
Cramlington ...	–	2	–	–	–	–
†Earsdon	–	1	–	–	1	–
†Longbenton ...	–	3	–	–	5	–
Newbiggin by the Sea	–	1	–	–	–	–
†Newburn ...	–	–	–	–	2	–
Prudhoe ...	–	–	–	–	2	–
Seaton Delaval	*	*	*	*	*	*
†Wallsend ...	–	4	–	–	–	–
Rural Districts:—						
Alnwick... ...	–	–	–	–	–	G. 1
Castle Ward ..	–	2	–	–	3	–
Glendale ...	–	1	–	–	–	–
Hexham	–	–	1	–	–	–
Morpeth... ...	–	2	4	–	–	–
Norham and Islandshires	–	–	1	–	–	–
NOTTINGHAM ...	2	26	14	1	9	G. 1 M. 6
†Nottingham C.B.	–	8	7	–	2	G. 1 M. 2
Boroughs and Urban Districts:—						
†Arnold	–	1	–	–	–	–
†Beeston	–	4	–	–	–	–
†Carlton	–	2	1	–	2	M. 2
Eastwood ...	–	–	1	–	1	–
†Hucknall ...	–	1	–	–	–	–
†Kirkby in Ashfield	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM— *cont.*						
Boroughs and Urban Districts— *cont.*						
†MANSFIELD ...	–	1	1	–	–	M. 1
†NEWARK	–	1	–	–	–	–
†SUTTON IN ASHFIELD	–	–	–	1	–	–
†WEST BRIDGFORD	–	3	–	–	–	–
†WORKSOP... ...	–	–	1	–	4	M. 1
Rural Districts:—						
BASFORD	1	2	1	–	–	–
NEWARK	–	–	1	–	–	–
SOUTHWELL ...	–	2	–	–	–	–
STAPLEFORD ...	1	–	–	–	–	–
OXFORD	–	8	2	–	–	C. 1 G. 1
†OXFORD C.B. ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
CHIPPING NORTON	–	–	–	–	–	G. 1
WOODSTOCK ...	–	1	–	–	–	–
Rural Districts:—						
CROWMARSH ...	–	1	–	–	–	–
CULHAM	–	1	–	–	–	–
HEADINGTON ...	–	1	–	–	–	–
WITNEY	–	–	2	–	–	C. 1
PETERBOROUGH (Soke of)	–	–	2	–	–	–
Borough:—						
†PETERBOROUGH...	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	4	5	4	3	C. 2 M. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	1	–	–	–
LUDLOW	–	1	–	–	–	–
MARKET DRAYTON	–	1	–	–	–	–
NEWPORT ...	–	–	–	–	1	–
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	–	–	–	–	C. 1 M. 1
WELLINGTON ...	–	–	1	–	–	–
Rural Districts:—						
ATCHAM	–	–	–	4	2	–
ELLESMERE ...	–	1	–	–	–	C. 1
LUDLOW	–	–	1	–	–	–
NEWPORT ...	–	–	2	–	–	–
SOMERSET	–	19	5	–	4	M. 1
†BATH C.B. ...	–	1	1	–	–	M. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
CHARD	–	–	–	–	2	–
†FROME	–	1	–	–	–	–
MIDSOMER NORTON	–	–	1	–	–	–
†TAUNTON... ...	–	1	1	–	–	–
†WESTON SUPER MARE	–	3	–	–	–	–
Rural Districts:—						
AXBRIDGE .	–	1	1	–	–	–
FROME	–	–	1	–	1	–
KEYNSHAM ...	–	2	–	–	–	–
LANGPORT ...	–	1	–	–	–	–
LONG ASHTON ...	–	1	–	–	–	–
TAUNTON ...	–	1	–	–	–	–
WELLINGTON ...	–	–	–	–	1	–
WILLITON ...	–	3	–	–	–	–
WINCANTON ..	–	2	–	–	–	–
YEOVIL	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ...	–	35	42	1	3	G. 3 M. 2
†BOURNEMOUTH C.B.	–	2	1	–	–	G. 1 M. 1
†PORTSMOUTH C.B.	–	17	14	–	–	G. 1 M. 1
†SOUTHAMPTON C.B.	–	8	12	1	2	G. 1
Boroughs and Urban Districts:—						
†BASINGSTOKE ...	–	–	1	–	–	–
CHRISTCHURCH ...	–	–	3	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FAREHAM ...	–	4	1	–	–	–
†GOSPORT	–	–	7	–	1	–
Rural Districts:—						
BASINGSTOKE ...	–	–	2	–	–	–
CATHERINGTON	*	*	*	*	*	*
HARTLEY WINTNEY	–	1	–	–	–	–
NEW FOREST ...	–	2	–	–	–	–
WHITCHURCH ...	–	–	1	–	–	–
STAFFORD	1	110	23	3	39	C. 5 G. 1 M. 7
†BURTON UPON TRENT C.B.	–	–	–	–	–	M. 1
†SMETHWICK C.B.	–	4	–	–	4	M. 1
†STOKE ON TRENT C.B.	–	43	6	–	14	C. 1 M. 2
†WALSALL C.B. ...	–	3	2	–	6	–
†WEST BROMWICH C.B.	–	8	4	–	1	–
†WOLVERHAMPTON C.B.	–	2	4	1	1	C. 1 M. 2
Boroughs and Urban Districts:—						
†AUDLEY	–	5	–	–	–	–
BIDDULPH ..	–	6	–	–	1	–
†BILSTON	–	–	–	–	3	–
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
†BROWNHILLS ...	–	3	–	–	2	–
†CANNOCK	–	3	2	–	–	–
†COSELEY	–	2	–	–	–	–
†HEATHTOWN OR WEDNESFIELD HEAT	–	–	–	–	1	–
KIDSGROVE ...	–	3	–	–	–	C. 1
†LEEK	–	2	–	–	–	–
†NEWCASTLE UNDER LYME	–	2	1	–	2	C. 1
†ROWLEY REGIS ...	–	2	–	–	–	–
†STAFFORD ...	–	3	–	–	–	–
TAMWORTH ...	–	1	–	–	–	–
†TIPTON	–	2	–	–	2	–
†WEDNESBURY ...	1	–	1	–	1	C. 1 M. 1
†WILLENHALL ...	–	3	1	–	–	–
†WOLSTANTON UNITED	*	*	*	*	*	*
Rural Districts:—						
CANNOCK	–	1	–	–	–	–
CHEADLE	–	1	2	–	–	–
KINGSWINFORD ...	–	–	–	2	–	–
LEEK	–	3	–	–	–	–
LICHFIELD ...	–	–	–	–	1	–
MAYFIELD ..	*	*	*	*	*	*
UTTOXETER ...	–	8	–	–	–	–
WALSALL... ...	–	–	–	–	–	G. 1
SUFFOLK, EAST ...	–	14	3	–	4	–
†IPSWICH C.B. ...	–	8	2	–	2	–
Boroughs and Urban Districts:—						
LEISTON CUM SIZEWELL	–	–	–	–	1	–
†LOWESTOFT ...	–	3	1	–	1	–
Rural Districts:—						
EAST STOW ...	–	1	–	–	–	–
HARTISMERE ...	–	1	–	–	–	–
MUTFORD AND LOTHINGLAND	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SUFFOLK, WEST ...	–	1	2	–	–	–
Borough and Urban Districts :—						
NEWMARKET ...	–	1	–	–	–	–
Rural Districts :—						
COSFORD	–	–	1	–	–	–
MELFORD ...	–	–	1	–	–	–
SURREY	–	46	8	6	8	C. 1 G. 1 M. 1
†CROYDON C.B. ...	–	12	1	–	–	C. 1
Boroughs and Urban Districts :—						
†BARNES	–	5	–	–	3	–
†BEDDINGTON AND WALLINGTON	–	2	–	1	–	–
†CATERHAM ...	–	3	–	–	–	–
†CHERTSEY ...	–	–	1	–	–	–
†COULSDON AND PURLEY	–	1	–	–	–	–
†EGHAM	–	–	1	–	2	–
†FRIMLEY	–	2	–	–	–	–
†GODALMING ...	–	2	–	–	–	–
HASLEMERE ...	*	*	*	*	*	*
†KINGSTON ON THAMES	–	1	–	–	–	–
†MITCHAM... ...	–	5	1	–	–	–
†REIGATE	–	–	–	–	–	G. 1
†RICHMOND ...	–	–	–	–	1	–
†SURBITON ...	–	–	–	–	–	M. 1
†SUTTON	–	–	–	2	–	–
†THE MALDENS AND COOMBE	–	1	–	–	–	–
†WALTON UPON THAMES	–	2	–	–	–	–
WEYBRIDGE ...	–	–	1	–	–	–
†WIMBLEDON ...	–	3	–	1	–	–
†WOKING	–	–	3	–	–	–
Rural Districts :—						
EPSOM	–	2	–	2	2	–
FARNHAM ...	–	1	–	–	–	–
GUILDFORD ...	–	2	–	–	–	–
HAMBLEDON ...	–	1	–	–	–	–
REIGATE	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
SUSSEX, EAST ...	–	7	8	–	5	–
†BRIGHTON C.B. ...	–	1	7	–	2	–
†EASTBOURNE, C.B.	–	1	–	–	1	–
†HASTINGS C.B. ...	–	–	1	–	1	–
Boroughs and Urban Districts :—						
†BEXHILL... ...	–	1	–	–	–	–
BURGESS HILL ...	–	–	–	–	1	–
EAST GRINSTEAD	–	2	–	–	–	–
†HOVE	–	1	–	–	–	–
Rural Districts :—						
EAST GRINSTEAD	–	1	–	–	–	–
SUSSEX, WEST ...	–	4	1	1	1	–
Boroughs and Urban Districts :—						
†BOGNOR	–	–	–	–	1	–
†CHICHESTER ...	–	–	–	1	–	–
†LITTLEHAMPTON	–	1	–	–	–	–
SHOREHAM-BY-SEA	–	–	1	–	–	–
Rural Districts :—						
MIDHURST ...	–	2	–	–	–	–
WESTHAMPNETT	–	1	–	–	–	–
WARWICK	–	72	34	2	76	C. 5 G. 5 L. 1 M. 6
†BIRMINGHAM C.B.	–	43	26	1	57	C. 5 G. 2 L. 1 M. 4
†COVENTRY C.B. ...	–	13	3	–	1	–
Boroughs and Urban Districts :—						
†NUNEATON ...	–	2	1	–	3	G. 1
†ROYAL LEAMINGTON SPA	–	1	–	1	2	–
†RUGBY	–	–	1	–	4	G. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	–	–	1	–	–	–
ATHERSTONE ...	–	2	1	–	5	–
FOLESHILL ...	–	5	1	–	–	G. 1
MERIDEN	–	–	–	–	2	–
RUGBY	–	3	–	–	1	–
SOUTHAM ...	–	–	–	–	1	M. 2
TAMWORTH (part)	–	2	–	–	–	–
WARWICK ...	–	1	–	–	–	–
WESTMORLAND ...	–	–	–	–	2	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	2	–
WIGHT, ISLE OF ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†RYDE	*	*	*	*	*	*
SANDOWN ...	–	1	–	–	–	–
SHANKLIN ...	–	2	–	–	–	–
WILTS	–	6	2	–	3	M. 3
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
MELKSHAM ...	–	–	–	–	1	–
†SALISBURY ...	–	–	1	–	–	–
†SWINDON	–	–	–	–	1	M. 1
Rural Districts:—						
BRADFORD ON AVON	–	1	–	–	–	–
CALNE	–	3	–	–	–	–
DEVIZES	–	–	–	–	1	–
MERE	–	–	–	–	–	M. 2
PEWSEY	–	1	–	–	–	–
WARMINSTER ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	20	3	–	8	M. 2
†DUDLEY C.B. ...	–	2	–	–	–	M. 1
†WORCESTER C.B.	–	3	2	–	4	–
Boroughs and Urban Districts:—						
BEWDLEY ...	–	1	–	–	–	–
†LYE AND WOLLESCOTE	–	–	–	–	1	–
†MALVERN ...	–	1	–	–	–	–
†OLDBURY	–	–	1	–	–	–
†REDDITCH ...	–	5	–	–	1	–
†STOURBRIDGE ...	–	–	–	–	1	M. 1
Rural Districts:—						
BROMSGROVE ...	–	3	–	–	–	–
DROITWICH ...	–	1	–	–	–	–
FECKENHAM ...	–	2	–	–	–	–
PERSHORE ...	–	1	–	–	–	–
TENBURY	–	1	–	–	–	–
UPTON ON SEVERN	–	–	–	–	1	–
YORKS (East Riding)	–	23	13	1	1	C. 1
†KINGSTON UPON HULL C.B.	–	10	12	1	1	C. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	3	–	–	–	–
HESSLE	–	2	–	–	–	–
POCKLINGTON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Rural Districts:—						
HOWDEN	–	3	1	–	–	–
PATRINGTON ...	–	4	–	–	–	–
YORKS ... ... (North Riding).	12	33	4	1	6	–
†MIDDLESBROUGH C.B.	12	18	4	–	4	–
Boroughs and Urban Districts:—						
†ESTON	–	8	–	–	–	–
GUISBOROUGH ...	–	–	–	–	1	–
LOFTUS	–	1	–	–	–	–
NORTHALLERTON	–	2	–	–	–	–
†REDCAR	–	–	–	–	1	–
RICHMOND ...	–	1	–	–	–	–
†SCARBOROUGH ...	–	1	–	1	–	–
†SKELTON AND BROTTON	–	1	–	–	–	–
Rural Districts:—						
FLAXTON	–	1	–	–	–	–
HELMSLEY ...	*	*	*	*	*	*
SCARBOROUGH ...	*	*	*	*	*	*
YORKS ... ... (West Riding).	2	181	44	6	127	C. 5 G. 6 M. 8
†BARNSLEY C.B. ...	–	2	3	–	1	–
†BRADFORD C.B. ...	–	12	9	–	11	–
†DEWSBURY C.B....	–	5	–	–	1	–
†HALIFAX C.B. ...	–	3	–	–	–	M. 1
†HUDDERSFIELD C.B.	–	3	–	1	–	–
†LEEDS C.B. ...	–	58	9	–	6	C. 1 G. 2 M 1.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†ROTHERHAM C.B.	–	6	1	–	5	M. 1
†SHEFFIELD C.B....	–	27	6	–	48	C. 1 M. 3
†WAKEFIELD C.B.	–	4	–	–	1	C. 1 G. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	–	–	1	–
ALTOFTS	–	1	–	–	–	–
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
BAILDON	–	–	1	–	–	–
†BARNOLDSWICK ...	–	1	–	–	–	–
†BATLEY	–	–	–	–	1	–
†BENTLEY WITH ARKSEY	1	–	1	–	–	–
†BINGLEY	–	2	1	–	2	G. 1
†BRIGHOUSE ...	–	2	–	–	–	–
†CASTLEFORD ...	–	8	–	1	–	–
†CONISBROUGH ...	–	2	–	–	–	–
DARFIELD ..	–	–	–	–	1	–
†DARTON	–	2	–	–	–	–
DENBY AND CUMBERWORTH	–	–	1	–	–	–
DODWORTH ...	–	–	–	–	1	–
†DONCASTER ...	1	5	2	–	–	
DRIGHLINGTON ...	–	–	–	–	1	–
†ELLAND	–	1	–	–	1	–
†FEATHERSTONE...	–	–	–	–	1	–
†GOLCAR	–	–	–	–	1	–
†GOOLE	–	2	1	–	–	–
GUISELEY ...	–	1	–	–	–	–
†HARROGATE ...	–	–	–	–	2	–
HAWORTH ...	–	1	1	–	–	–
HIPPERHOLME ...	–	–	–	–	1	–
†HOLMFIRTH ...	–	1	1	–	2	–
HORBURY ...	–	2	–	–	–	–
HORSFORH ...	–	1	–	–	–	–
HOYLAND SWAINE	*	*	*	*	*	*
Ilkley	–	–	1	–	–	–
†KEIGHLEY ...	–	1	1	1	–	–
KNOTTINGLEY ...	–	–	–	–	3	–
†MEXBOROUGH ...	–	–	–	–	4	M. 1
†MORLEY	–	–	–	–	1	–
†NORMANTON ...	–	1	–	–	1	C. 1
OTLEY	–	1	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
Penistone ...	*	*	*	*	*	*
†Pontefract ...	–	–	–	–	1	–
Queensbury ...	–	1	–	–	–	–
Rawdon	–	–	1	–	–	–
†Rawmarsh ...	–	2	–	–	1	–
†Rothwell ...	–	–	–	–	–	G. 1
†Saddleworth ...	–	1	–	–	–	–
Skelmanthorpe	–	–	1	–	–	G. 1
†Skipton	–	–	–	–	1	–
Southowram ...	*	*	*	*	*	*
†Sowerby Bridge	–	–	–	1	–	–
†Spenborough ...	–	2	–	–	5	–
Springhead ...	–	1	–	–	2	–
†Stanley	–	–	1	–	–	–
Thurnscoe ..	–	1	–	–	–	–
†Todmorden ...	–	3	–	–	2	–
Whitley Upper	–	–	–	–	1	–
†Wombwell ...	–	2	1	–	1	–
Rural Districts:—						
Doncaster ...		1	–	–	2	C. 1
Goole	–	–	–	–	–	M. 1
Hemsworth ...	–	2	–	–	7	–
Knaresborough	–	1	–	–	1	–
Pontefract ...	–	3	–	1	–	–
Rotherham ...	–	2	–	1	1	–
Selby	–	–	–	–	2	–
Tadcaster ...	–	2	1	–	–	–
Wakefield ...	–	2	–	–	–	–
Wetherby ...	–	–	–	–	1	–
§York C.B. ...	–	5	1	–	–	–
WALES						
ANGLESEY	–	–	2	–	1	– –
Rural Districts:—						
Aethwy	–	–	1	–	1	–
Twrcelyn ...	–	–	1	–	–	–
BRECKNOCK ...	–	–	–	1	2	–
Urban Districts:—						
Brynmawr ...	–	–	–	–	2	–
Rural Districts:—						
Crickhowell ...	–	–	–	1	–	–
CARDIGAN	–	7	6	–	1	–
Boroughs and Urban Districts:—						
†Aberystwyth ...	–	1	1	–	–	–
Lampeter ...	–	–	2	–	–	–
Rural Districts:—						
Aberayron ...	–	–	2	–	–	–
Aberystwyth (North)	–	–	–	–	1	–
,, (South)	–	5	1	–	–	–
Tregaron ...	–	1	–	–	–	–
CARMARTHEN ...	–	13	7	2	1	M. 1
Boroughs and Urban Districts:—						
†Carmarthen ...	–	3	–	–	1	–
Llandovery ...	–	1	–	–	–	–
†Llanelly ...	–	–	4	1	–	M. 1
Rural Districts:—						
Carmarthen ...	–	6	–	–	–	–
Llandilo Fawr	–	3	1	–	–	–
Llanelly ...	–	–	2	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†LLANDUDNO ...	–	1	–	–	–	
PORTMADOC ...	–	1	–	–	–	–
Rural Districts:—						
GWYRFAI ...	–	–	1	–	–	–
DENBIGH	–	7	2	–	7	G. 2
Boroughs and Urban Districts:—						
DENBIGH... ...	–	1	1	–	1	–
†WREXHAM ...	–	–	–	–	1	–
Rural Districts:—						
CHIRK	–	1	–	–	–	–
ST. ASAPH (DENBIGH)	–	–	–	–	1	–
WREXHAM ...	–	5	1	–	4	G. 2
FLINT	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†RHYL	–	1	–	.	–	–
Rural Districts:—						
ST. ASAPH (FLINT)	–	1	–	–	–	–
GLAMORGAN ...	–	79	36	–	44	C. 2 E. 8 G. 1 L. 2 M. 5
†CARDIFF C.B. ...	–	13	4	–	5	G. 1 M. 1
GLAMORGAN—*cont.*						
†MERTHYR TYDFIL C.B.	–	–	2	–	1	C. 1 E. 8 M. 2
†SWANSEA C.B. ...	–	7	3	–	–	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	14	1	–	8	–
†BARRY	–	2	–	–	3	L. 1
†CAERPHILLY ...	–	–	1	–	–	–
†GELLIGAER ...	–	–	4	–	–	–
†GLYNCORWG ...	–	–	1	–	–	–
†MAESTEG... ...	–	2	1	–	–	–
†MOUNTAIN ASH...	–	10	2	–	7	–
†NEATH	–	–	4	–	–	C. 1 M. 1
†OGMORE AND GARW	–	5	–	–	1	L. 1
†PONTYPRIDD ...	–	2	–	–	1	–
PORTHCAWL ...	–	1	–	–	–	–
†PORT TALBOT ...	–	–	2	–	–	M. 1
†RHONDDA ...	–	20	4	–	11	
Rural Districts:—						
CARDIFF	–	–	–	–	1	–
GOWER	–	–	4	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	1	–	–	–	–
NEATH	–	–	–	–	3	–
PENYBONT ...	–	2	–	–	–	–
PONTARDAWE ...	–	–	2	–	1	–
SWANSEA... ...	–	–	1	–	2	–
MERIONETH ...	–	1	1	–	2	M. 1
Boroughs and Urban Districts:—						
BALA	–	–	1	–	–	–
FESTINIOG ..	–	1	–	–	–	–
Rural Districts:—						
EDEIRNION ...	–	–	–	–	2	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH ...	–	11	6	–	12	–
†NEWPORT C.B. ...	–	2	–	–	2	–
Boroughs and Urban Districts:—						
†ABERCARN ...	–	1	–	–	–	..
†ABERTILLERY ...	–	1	1	–	1	–
BEDWAS AND MACHEN	–	1	–	–	2	–
†BEDWELLTY ...	–	1	1	–	–	–
BLAENAVON ..	–	2	–	–	–	–
†EBBW VALE ...	–	1	–	–	–	–
LLANFRECHFA UPPER	–	–	1	–	–	–
†MYNYDDISLWYN	–	–	1	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	6	–
PONTYPOOL ...	–	1	–	–	–	–
†RHYMNEY ...	–	1	2	–	–	–
Rural Districts:—						
SAINT MELLONS...	–	–	–	–	1	–
MONTGOMERY ...	–	2	2	–	4	–
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	–	–	–	1	–
NEWTOWN AND LLANLLWCHAIARN ...	–	–	–	–	1	–
Rural Districts:—						
LLANFYLLIN ...	–	2	–	–	2	–
NEWTOWN AND LLANIDLOES	–	–	2	–	–	–
RADNOR	–	1	–	–	1	–
Rural Districts:—						
KNIGHTON ...	–	–	–	–	1	–
RHAYADER ...	–	1	–	–	–	–
Total of Part II. ...	35	1551	637	45	889	C. 47 D. 5 E. 13 G. 42 L. 15 M. 104

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
COLCHESTER	*	*	*	*	*	*	PORT OF LONDON ...	1	–	–	1	–	J. 1
LIVERPOOL	–	–	–	–	4	–							
							Total of Part III.— ...	1	–	–	1	4	J. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
Total of Part I.—London	–	212	218	3	95	C. D. E. G. L. M.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	35	1551	637	45	889	C. D. E. G. L. M.
Total of Part III.—Port Sanitary Districts	1	–	–	1	4	J.
Total (*i.e.*, of returns received), England and Wales ...	36	1763	855	49	988	C. D. E. G. J. L. M.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Po encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the w Thirty-six cases of Small-pox were notified which appear on pages 304, 305, 306, 307, 308, 312 and 315.

ble 5.—London and Great Towns in the Aggregate. Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Dec. 23.	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.
ONDON:—													
EATHS—all ages	1,068	1,035	1,119	1,124	1,171	1,118	1.087	1,001	977	1,063	1,074	1,104	1,098
„ 0 to 1 year ..	127	123	119	132	124	118	102	117	123	123	106	134	104
REAT TOWNS, aggregate (including London):—													
RTHS	6,910	6,277	8,273	8,409	7,935	7,961	7,373	7,689	7,865	7,533	7,925	7,820	7,755
EATHS—all ages	4,590	4,558	4,910	4,843	4,958	4,841	4,742	4,648	4,446	4,849	4,868	4,667	4,882
„ 0 to 1 year ..	687	635	652	698	674	639	672	680	628	714	672	620	637
TERIC FEVER—Cases	15	14	16	12	20	19	23	30	22	18	18	15	13
„ Deaths	3	4	5	2	2	—	8	4	5	8	5	1	3
ALL POX—Cases ..	8	11	3	18	22	20	10	10	16	26	16	13	14
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
ARLET FEVER—Cases	1,204	1,161	1,291	1,158	1,219	1,246	1,297	1,147	1,125	1,062	1,152	1,085	1,007
„ Deaths	22	19	14	27	7	14	8	12	18	13	15	22	13
PHTHERIA—Cases ..	661	592	711	675	662	725	742	746	662	694	637	570	557
„ Deaths ..	54	45	58	45	54	55	62	52	51	38	43	36	43
EASLES—Deaths ..	74	75	72	62	90	72	73	71	84	79	95	95	107
FLUENZA—Deaths ..	61	51	57	69	78	69	65	66	71	59	79	84	81

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 17th March, 1923. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
NDON (GREENWICH).	50	27	45·7	36·0	25
GHTON ..	56	32	48·6	39·3	13
RTSMOUTH ..	55	36	48·7	39·0	9
RWICH (EATON).	50	31	45·0	36·1	11
MOUTH ..	53	37	50·1	40·6	7
STOL (CLIFTON).	49	36	46·0	38·4	8
MINGHAM ..	48	31	43·9	36·4	2
TTINGHAM ..	50	30	45·0	36·7	5
KENHEAD (BIDSTON).	52	36	46·1	36·9	2
NCHESTER ..	51	35	46·3	38·1	0·4
NLEY.. ..	50	33	44·3	35·6	0·4
DDERSFIELD	50	33	45·7	35·9	3

Towns.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD ..	52	33	45·1	35·7	3
SHEFFIELD ..	50	31	44·1	36·6	2
YORK (MUSEUM)	53	32	45·4	36·7	3
HULL (PEARSON PARK).	52	32	45·1	36·4	9
TYNEMOUTH ..	52	35	43·7	39·1	1
CARDIFF	51	37	46·4	38·7	7
EDINBURGH ..	51·0	35·0	44·7	36·9	0·3
GLASGOW ..	49·3	32·9	46·6	36·7	2
DUBLIN (PHŒNIX PARK).	55·2	25·3	48·7	37·3	1
FITZWILLIAM SQUARE.†	55·0	34·2	49·0	40·6	2
BELFAST	52·0	30·8	47·6	38·1	4

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 17th March, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	11	..	29·932	42·8	34·5	8·3	38·8	− 2·2	33·2	5·6	9·0	1·6	80	61·9	30·6	43·3	Calm : E : NE.	NE : E : Calm.	0·1	0·0	0·0	222	− 104	0·00
MONDAY -	12	..	30·049	49·1	27·2	21·9	39·0	− 2·1	33·4	5·6	14·1	1·1	80	107·3	19·7	43·3	Calm : SSW.	SW : SSW : S.	0·5	0·0	0·1	203	− 114	0·18
TUESDAY -	13	..	29·971	43·8	36·9	6·9	40·9	− 0·4	39·5	1·4	3·9	1·1	95	52·9	30·8	43·5	S : Calm : ENE.	NE : ENE.	0·2	0·0	0·0	206	− 104	0·70
WEDNESDAY	14	..	30·121	44·5	35·0	9·5	39·6	− 1·9	35·2	4·4	7·8	2·0	84	57·8	28·3	43·1	Calm : NE : E.	E : NE.	1·2	0·0	0·1	287	− 20	0·00
THURSDAY -	15	..	29·972	40·5	37·6	2·9	39·1	− 2·6	36·8	2·3	3·8	1·8	92	43·0	37·2	43·2	NE : ENE.	ENE : E.	3·2	0·0	0·3	446	+ 136	0·07
FRIDAY -	16	..	30·065	46·0	40·5	5·5	42·5	+ 0·6	39·6	2·9	5·1	1·6	89	62·0	39·7	43·1	E : ENE	ENE : NE.	1·2	0·0	0·1	334	+ 21	0·00
SATURDAY -	17	New	30·072	50·1	38·8	11·3	43·9	+ 1·9	39·5	4·4	8·9	1·9	84	103·3	33·9	43·1	NE : ENE.	E.	2·6	0·0	0·2	350	+ 33	0·00
MEANS -		..	30·026	45·3	35·8	9·5	40·5	− 1·0	36·7	3·8	7·5	1·6	86	69·7	31·5	43·2	NE		..	..	..	Sum 2,048	Sum − 152	Sum 0·95
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MARCH.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	11	Registration discontinued temporarily.	0·0	11·5	Nearly overcast generally till 9h., then overcast till 23h., becoming nearly cloudless by midnight. Slight mist 9h. till 15h. Damping 10h.-11¼h.
MONDAY ..	12		4·0	11·5	Nearly cloudless till 9h., then cloudy generally becoming nearly overcast by 12h. Hoar frost till 8h. Slight mist 6h. till 9h. Partial solar halo at 9h. and 15h. Rain from 20½h.
TUESDAY ..	13		0·0	11·6	Overcast becoming cloudless by 21h. Mist and haze from 6h. Rain till 17¼h.
WEDNESDAY	14		0·0	11·6	Nearly cloudless till 3h. Overcast from 4h. Mist 7h. to 9h. Slight rain between 13h. and 15h.
THURSDAY	15		0·0	11·7	Overcast throughout. Slight rain from 4½h. Heavy rain about 8h., then damping generally. Brisk wind 9h. till 16h.
FRIDAY ..	16		0·0	11·8	Overcast throughout. Occasional damping 5h. till 9h.
SATURDAY	17		4·0	11·8	Overcast generally till 10½h., with a nearly cloudless period between 3h. and 5h. Then partially cloudy, clearing to cloudless by 17¾h.
			Sum 8·0	Sum 81·5	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·76 in. at the beginning of the week to 30·09 in. by 8h. on 12th; decreased to 29·88 in. by 5h. on 13th; increased to 30·14 in. by 11h. on 14th; decreased to 29·94 in. by 15h. on 15th; increased generally and was 30·11 in. by midnight on the 17th.

Printed and published by His Majesty's Stationery Office Press,
11–17, Hare Street, E.2

(41406) Wt. 15—P 11 2250 3/23 H. Sh. G. 43

FOR OFFICIAL USE.

1923. No. 12.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 24TH MARCH, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 24TH MARCH, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twelfth week of the year numbered 7,844 and corresponded to an annual rate of 21·3 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,953 and corresponded to an annual rate of 13·5 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 13·2, 12·7, and 13·3. Infant mortality was 80 per 1,000 births against 85, 79, and 82 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,799 births, corresponding to a rate of 20·7 per 1,000, and 1,162 deaths of civilians, corresponding to a rate of 13·4, as against 12·4, 12·7, and 12·6 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 12·8 per 1,000. The infant mortality was 62 as against 56, 74, and 55 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 71 in the total deaths last week, the deaths from influenza having risen from 81 to 125. In London the number of deaths from all causes rose from 1,098 to 1,162; while the deaths from diphtheria, which had been 13, 13 and 18 in the preceding three weeks, were again 18 last week, and those from influenza, which had been 18, 27 and 21 in the three preceding weeks, rose to 39 last week.

Just Published:

Supplement to 75th Annual Report of the Registrar General. Part IV. Mortality of Men in Certain Occupations 1910–12. Price 13*s.* 6*d.* net.

Census of England and Wales, 1921. County of London. Tables (Part II). Price 8*s.* net.

Census of England and Wales, 1921. County of London. Text. Price 1*s.* 6*d.* net.

Census of England and Wales, 1921. County of Middlesex. Price 10*s.* net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { Births and Deaths registered in the week ended 24th March, 1923.

Towns.	Adjusted Population, Mid. 1922.	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	7,844	4,953	626	2	111	17	55	54	50	125
London	4,534,230*	1,799	1,162	112	–	2	5	9	18	9	39
Towns in Outer Ring.											
Croydon C.B. ..	192,300	60	54	4	–	–	–	1	–	1	–
Wimbledon ..	61,730	21	16	1	–	–	–	–	1	–	1
Ealing	67,890	21	20	2	–	–	1	–	–	–	1
Acton	62,390	21	10	3	–	–	–	–	–	–	–
Willesden ..	168,200	80	30	3	–	–	–	–	–	–	1
Hendon	55,930	24	9	1	–	1	1	–	–	–	–
Hornsey	87,310	23	16	2	–	–	–	–	1	–	2
Wood Green ..	51,290	12	10	–	–	–	–	–	–	–	–
Tottenham ..	150,500	50	30	3	–	–	–	–	–	–	1
Edmonton ..	68,700	44	21	3	–	–	–	–	–	–	1
Enfield	62,010	21	17	2	–	–	–	–	–	–	–
West Ham C.B. ..	310,200	166	75	15	–	–	–	2	–	4	2
East Ham C.B. ..	145,800	51	29	2	–	–	–	1	–	–	–
Leyton	131,600	39	29	1	–	–	–	1	–	–	2
Walthamstow ..	129,700	45	26	1	–	–	–	–	1	–	–
Ilford	86,370	32	14	–	–	1	–	–	–	–	–
Gillingham	48,630*	22	10	–	–	–	–	–	–	–	1
Canterbury C.B. ..	23,680	8	12	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	17	19	–	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	23	7	2	–	–	–	–	–	–	1
Brighton C.B. ..	135,000	50	30	3	–	1	–	1	1	–	1
Portsmouth C.B. ..	236,630*	103	50	5	–	2	–	–	1	–	1
Bournemouth C.B. ..	81,500	22	21	3	–	–	–	–	–	–	–
Southampton C.B. ..	163,700	68	39	1	–	2	–	1	1	–	–
Reading C.B.	92,990	37	26	1	–	–	–	–	–	1	–
Oxford C.B.	56,510	14	9	–	–	–	–	1	–	–	–
Northampton C.B. ..	92,950	46	27	3	–	–	–	–	2	–	3
Luton	58,260	21	11	–	–	–	–	–	–	–	–
Cambridge	59,200	12	14	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	91,430	25	31	1	–	–	–	–	–	–	3
Ipswich C.B.	80,950	37	24	2	–	–	–	–	–	–	1
Great Yarmouth C.B.	56,700	26	18	1	–	–	–	–	–	–	–
Norwich C.B. ..	122,900	49	39	6	–	5	2	–	1	–	–
Swindon	55,680	22	8	1	–	–	–	–	–	–	–
Exeter C.B.	59,700	24	11	2	–	–	–	1	–	–	1
Plymouth C.B. ..	200,370*	88	38	2	–	1	–	–	1	–	1
Bath C.B.	68,530	25	16	2	–	2	–	–	–	–	–
Bristol C.B.	383,900	138	97	10	–	–	1	5	1	2	4
Gloucester C.B. ..	52,210	13	10	2	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	274,300	135	63	11	–	3	1	–	–	–	1
Burton-upon-Trent C.B.	49,630	21	15	4	–	–	–	–	–	–	2
Wolverhampton C.B.	105,700	44	26	4	–	1	–	–	–	–	–
Walsall C.B.	99,890	43	23	5	–	2	–	1	–	–	–
West Bromwich C.B.	76,260	37	24	3	–	4	1	–	3	–	–
Dudley C.B.	57,860	26	24	2	–	5	–	–	–	–	–
Worcester C.B. ..	49,240	24	15	3	–	–	–	–	–	–	–
Birmingham C.B. ..	945,100	369	245	31	–	12	1	–	4	5	7
Smethwick C.B. ..	78,140	24	13	1	–	–	–	–	–	–	1
Coventry C.B. ..	131,200	39	25	3	–	–	–	–	1	–	1
Leicester C.B. ..	238,800	105	37	8	–	1	–	3	–	–	–
Lincoln C.B.	66,930	27	18	5	–	2	–	–	–	–	–
Grimsby C.B.	84,650	43	23	4	–	–	–	–	–	1	–
Nottingham C.B. ..	267,900	113	65	10	–	–	–	–	1	–	–
Derby C.B.	132,400	48	38	4	–	–	1	1	–	–	–
Chesterfield ..	63,380	32	13	2	–	–	–	–	–	–	–
Stockport C.B. ..	125,800	49	37	4	–	–	–	–	2	–	4
Chester C.B.	41,190	22	14	2	–	–	–	1	–	–	–
Birkenhead C.B. ..	149,200	64	44	4	–	–	–	–	–	–	1
Wallasey C.B. ..	89,790	34	32	2	–	–	–	1	–	1	–
Liverpool C.B. ..	826,400	403	260	45	1	6	–	3	3	2	4
Bootle C.B.	79,750	43	27	6	–	–	–	–	–	–	–
St. Helens C.B. ..	106,400	40	20	2	–	–	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	15	20	2	–	–	–	–	–	–	1
WIGAN C.B.	91,750	46	33	4	–	–	–	–	–	–	–
WARRINGTON C.B. ..	79,150	30	13	4	–	1	–	1	–	1	–
BOLTON C.B.	182,700	61	39	3	–	–	–	–	–	1	–
BURY C.B.	57,400	13	23	6	–	4	–	–	–	–	–
MANCHESTER C.B. ..	748,500	289	229	36	–	2	–	7	2	5	15
SALFORD C.B.	240,700	93	72	12	1	3	–	–	3	3	1
OLDHAM C.B.	148,300	61	43	5	–	–	1	–	–	–	–
ROCHDALE C.B... ..	92,510	30	20	2	–	–	–	–	–	–	1
BURNLEY C.B.	105,100	33	28	4	–	–	–	–	–	–	–
BLACKBURN C.B. ..	129,600	40	27	3	–	–	–	–	–	1	–
PRESTON C.B.	120,900	48	41	4	–	–	–	1	1	–	2
BLACKPOOL C.B. ..	74,050	37	24	1	–	–	–	–	–	–	–
BARROW-IN-FURNESS C.B.	75,690	21	23	2	–	2	–	–	–	1	1
HUDDERSFIELD C.B. ..	111,600	31	31	4	–	–	–	–	–	–	1
HALIFAX C.B.	100,500	33	23	2	–	1	–	–	–	–	–
BRADFORD C.B. ..	291,300	89	91	8	–	4	–	–	–	–	1
LEEDS C.B.	466,700	142	151	20	–	1	1	–	1	2	1
DEWSBURY C.B. ..	55,170	25	10	1	–	2	–	–	–	1	–
WAKEFIELD C.B. ..	53,840	27	19	6	–	–	–	–	–	–	–
BARNSLEY C.B. ..	69,540	48	14	5	–	–	–	1	1	1	1
SHEFFIELD C.B. ..	522,600	232	122	20	–	1	–	1	–	2	2
ROTHERHAM C.B. ..	69,840	33	15	3	–	–	–	2	–	–	–
DONCASTER	55,020	31	13	2	–	1	–	–	–	–	–
YORK C.B.	84,980	19	24	2	–	1	–	–	–	–	1
HULL C.B.	294,000	139	73	10	–	–	–	–	–	–	1
MIDDLESBROUGH C.B.	134,800	64	32	4	–	6	–	–	–	1	1
DARLINGTON C.B. ..	66,710	37	17	3	–	1	–	–	–	–	–
STOCKTON-ON-TEES ..	65,950	33	16	2	–	–	–	–	–	–	–
WEST HARTLEPOOL C.B.	70,020	44	9	2	–	1	–	–	–	–	–
SUNDERLAND C.B. ..	162,900	91	50	10	–	2	–	–	–	2	–
SOUTH SHIELDS C.B. ..	122,400	58	28	3	–	–	–	–	–	–	–
GATESHEAD C.B. ..	127,300	73	38	7	–	2	–	–	–	–	–
NEWCASTLE-ON-TYNE C.B.	281,600	152	73	12	–	5	–	2	1	–	1
TYNEMOUTH C.B. ..	64,640	30	23	5	–	4	–	1	–	1	–
CARLISLE C.B.	53,490	32	20	6	–	7	–	–	–	–	–
NEWPORT (MON.) C.B.	94,880	43	25	6	–	2	–	3	–	–	–
CARDIFF C.B.	223,830	119	56	9	–	–	–	–	1	1	1
RHONDDA	167,500	87	32	4	–	2	–	1	1	1	2
MERTHYR TYDFIL C.B.	82,680	35	24	4	–	3	–	–	–	–	1
ABERDARE	56,580	12	15	3	–	–	1	–	–	–	–
SWANSEA C.B.	161,000	84	38	8	–	–	–	2	–	–	2
GREATER LONDON ..	7,563,730*	2,889	1,801	169	1	4	7	16	22	14	56
OUTER RING	3,029,500*	1,090	639	57	1	2	2	7	4	5	17
16 GREAT TOWNS IN OUTER RING	1,831,920	710	406	43	–	2	2	5	3	5	11
REMAINDER OF OUTER RING	1,197,580*	380	233	14	1	–	–	2	1	–	6
EDINBURGH†	426,000	158	130	13	–	1	3	5	2	–	2
GLASGOW†	1,041,300	546	307	57	–	8	–	7	3	3	–
DUBLIN (REGISTRATION AREA)†	431,000	237	178	23	1	–	–	5	2	2	1
BELFAST†	429,000	180	133	27	–	–	–	3	–	2	2

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available peri

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).
London‡	4,534,230	1922–23. March 24	1799	1162	13·4	–	–	2	5	9	18	9
Calcutta	896,067	Feb. 10	?	529§	30·3	?	10	?	?	?	?	?
Bombay	1,220,120	„ 24	391‖	799§	34·1	–	18	3	?	–	–	40
Madras	526,911	„ 17	379	471§	46·5	–	4	1	?	–	–	45
Sydney and Suburbs	926,400	Jan. (31 days)	1,851	796	10·3	3	–	7	–	14	5	85
Brisbane (Metropolitan Area).	217,714	Jan. (31 days)	510	223	12·2	4	–	–	–	2	–	21
Perth (Metropolitan Area).	155,939	Jan. 27	72	34	11·3	–	–	–	–	–	–	2
Auckland (Urban Area).	164,450	Dec. (31 days)	274	127	9·2	1	–	–	–	–	–	–
Wellington (Urban Area).	110,680	„ „	173	70	7·6	–	–	–	–	1	1	–
Christchurch (Urban Area).	110,200	„ „	161	67	7·3	–	–	–	–	–	–	–
Cape Town	104,400	Feb. 3	56	15	7·5	–	–	–	–	–	–	3
Johannesburg	153,825	„ 10	67	39	13·2	2	–	–	–	–	1	1
Durban	49,043	„ 10	25	18	19·1	–	–	–	–	–	–	–
Paris	2,906,472	March 10 (10 days)	1269	1342	16·8	3	–	43	3	7	8	23
Antwerp	300,731	Dec. 16	97	68	11·6	–	–	–	–	1	1	–
Amsterdam	697,682	March 3	285	130	9·7	–	–	4	–	1	–	2
Copenhagen	565,000	„ 10	261	148	13·6	–	–	2	–	2	–	–
Stockholm	422,042	„ 3	130	92	11·3	–	–	–	–	–	–	1
Gothenburg	227,686	Feb. 17	?	46	10·5	–	–	–	–	1	–	–
Christiania	258,933	March 10	92	74	14·9	–	–	–	–	–	–	–
Berlin	1,981,000	Feb. 10	413	602	15·8	1	?	12	1	3	4	8
Breslau	558,000	„ 10	178	214	19·9	–	?	2	–	2	–	1
Cologne	694,000	„ 10	281	171	12·8	–	?	9	1	–	3	4
Dresden	610,000	„ 10	185	152	13·0	–	?	–	–	3	2	1
Frankfort-on-Main..	477,000	„ 10	93	97	10·6	–	?	–	–	1	1	1
Hamburg	1,085,000	„ 10	351	280	13·4	–	?	5	–	2	3	5
Leipzig	677,000	„ 10	231	197	15·1	1	?	1	–	7	1	3
Munich	685,000	„ 10	204	196	14·9	–	?	2	–	3	1	6
Vienna	1,842,005	Jan. 20	530	509	14·4	–	?	4	1	1	3	13
Prague and Suburbs	689,262											
Budapest	939,529	Dec. 30	307	314	17·3	2	?	7	5	2	2	14
Warsaw	956,087	Feb. 3	416	296	16·1	2	–	5	–	8	1	15
Cairo	791,000	Jan. 7	934	425	27·9	2	–	1	–	?	2	35
Alexandria	466,700	„ 7	621	213	23·7	1	–	2	–	?	–	13
New York	5,927,617	Feb. 17	2498	1991	17·5	2	–	2	2	7	13	9
Chicago	2,885,921	„ 24	?	986	17·8	–	–	4	3	12	8	28
Rio de Janeiro ..	1,261,468	Jan. 27	566	438	18·1	4	2	7	–	6	–	?
Montevideo	350,956	Nov. 25	282	165	19·6	1	–	–	–	–	–	21

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vien Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 30 deaths from *Asiatic Cholera* in Calcutta, and 1 in Madras, and from *Plague*, 35 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 24th March, 1923, by ages and causes.

CAUSES OF DEATH	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1162	112	27	29	38	46	64	83	122	170	263	208
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	–	1	1	–	–	–	–	–	–	–	–
Scarlet fever	5	–	2	1	2	–	–	–	–	–	–	–
Whooping cough	9	5	2	2	–	–	–	–	–	–	–	–
Diphtheria	18	2	–	8	6	2	–	–	–	–	–	–
Influenza	39	1	–	1	–	1	3	2	4	7	8	12
Erysipelas	2	–	–	–	–	–	–	–	–	1	1	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	2	–	–	–	–	–	1	–	1	–	–	–
Meningococcal meningitis	3	2	–	–	–	–	1	–	–	–	–	–
Tuberculosis :—												
Respiratory system	88	1	1	–	1	17	20	17	12	12	7	–
Nervous system..	7	1	–	2	3	1	–	–	–	–	–	–
Intestines and peritoneum	2	1	–	–	–	–	–	1	–	–	–	–
Other forms	6	2	–	1	–	1	–	–	2	–	–	–
Venereal diseases	1	1	–	–	–	–	–	–	–	–	–	–
Cancer	110	–	–	–	–	–	4	9	21	29	35	12
Rheumatic fever	4	–	–	–	3	–	–	–	1	–	–	–
Diabetes	7	–	–	–	–	–	–	1	1	2	3	–
Alcoholism	2	–	–	–	–	–	–	–	2	–	–	–
Simple meningitis	9	3	–	2	2	–	–	–	1	1	–	–
Cerebral hæmorrhage, &c., Apoplexy	37	–	–	–	–	–	–	1	2	7	16	11
Epilepsy	5	–	–	–	–	2	–	2	–	–	1	–
"Convulsions" (not puerperal) ..	2	2	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	36	1	2	–	4	2	4	5	6	6	5	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	5	–	–	–	3	1	–	–	1	–	–	–
Other diseases of heart	190	–	–	–	4	5	8	9	16	34	67	47
Other diseases of circulatory system	39	–	–	–	–	–	–	–	2	8	17	12
Bronchitis	112	7	3	1	–	1	–	2	6	17	34	41
Broncho-pneumonia	52	10	6	5	–	1	2	3	5	4	8	8
Lobar pneumonia	39	–	2	1	1	–	6	3	5	8	10	3
Pneumonia (type not distinguished) ..	21	2	1	–	–	2	–	2	3	4	4	3
Other diseases of respiratory system	14	–	–	–	1	–	1	3	4	2	–	3
Diarrhœa and enteritis	12	9	–	–	–	–	–	–	–	1	2	–
Appendicitis, Typhlitis	6	–	–	–	1	1	–	2	–	1	–	1
Hernia, Intestinal obstruction	7	–	1	1	–	–	1	–	1	2	1	–
Cirrhosis of liver	1	–	–	–	–	–	–	–	–	–	1	–
Other diseases of digestive system ..	31	1	–	–	2	–	–	5	9	4	5	5
Acute nephritis	4	–	–	–	–	1	2	1	–	–	–	–
Chronic Bright's disease	29	–	–	–	–	–	1	2	5	5	9	7
Other diseases of genito-urinary system.	15	–	–	–	–	–	–	2	1	6	2	4
Puerperal sepsis	5	–	–	–	–	1	1	2	1	–	–	–
Other causes incident to childbirth ..	4	–	–	–	–	2	2	–	–	–	–	–
Congenital malformations	7	4	2	1	–	–	–	–	–	–	–	–
Premature birth	25	25	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	11	11	–	–	–	–	–	–	–	–	–	–
Old age..	47	–	–	–	–	–	–	–	–	–	15	32
Suicide	12	–	–	–	–	1	–	5	1	1	3	1
Burns and scalds	5	–	2	2	–	–	1	–	–	–	–	–
Drowning	3	1	–	–	–	–	–	–	1	1	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	3	–	–	–	–	2	–	–	–	1	–	–
Other deaths by violence	9	–	–	–	–	–	3	1	1	–	3	1
Other specified causes	57	19	2	–	5	2	3	3	7	6	6	4
Ill-defined causes	1	1	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 24th March, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	206	203	4	117	C. 8 D. 4 E. 2 G. 8 M. 16
†CITY OF LONDON	–	–	–	1	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	9	9	–	7	M. 1
†BERMONDSEY ...	–	5	18	–	1	M. 1
†BETHNAL GREEN	–	6	6	–	7	C. 1 E. 1
†CAMBERWELL ...	–	17	12	–	3	–
†CHELSEA	–	1	1	1	–	–
†DEPTFORD ...	–	7	15	–	2	–
†FINSBURY ...	–	4	5	–	1	C. 1
†FULHAM	–	12	5	–	6	M. 2
†GREENWICH ...	–	2	1	–	–	M. 1
†HACKNEY ...	–	10	9	–	–	M. 1
†HAMMERSMITH ...	–	6	3	–	5	M. 1
†HAMPSTEAD ...	–	5	–	–	2	D. 1 G. 1
†HOLBORN... ...	–	1	3	–	1	–
†ISLINGTON ...	–	7	15	–	15	C. 1 G. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	5	9	–	–	C. 1 G. 1
†LAMBETH ...	–	14	6	–	6	D. 1 M. 2
†LEWISHAM ...	–	11	9	–	5	G. 3
†PADDINGTON ...	–	3	5	–	7	C. 1 G. 2 M. 1
†POPLAR	–	4	11	–	12	–
†ST. MARYLEBONE	–	8	7	–	3	C. 1
†ST. PANCRAS ...	–	9	12	–	8	C. 1 D. 1
†SHOREDITCH ...	–	4	1	–	3	M. 4
†SOUTHWARK ...	–	19	16	1	4	D. 1 M. 2
†STEPNEY	–	10	11	–	7	C. 1
†STOKE NEWINGTON	–	3	–	–	–	–
†WANDSWORTH ...	–	14	8	1	7	–
†WESTMINSTER, CITY OF	–	4	1	–	2	–
†WOOLWICH ...	–	6	5	–	3	E. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	3	1	1	3	–
Boroughs and Urban Districts:—						
†BEDFORD ...	–	2	–	–	2	–
LEIGHTON BUZZARD	–	–	1	–	–	–
†LUTON	–	–	–	–	1	–
Rural Districts:—						
AMPTHILL ..	–	1	–	–	–	–
BIGGLESWADE ...	–	–	–	1	–	–
BERKS	–	19	5	–	5	–
†READING C.B. ...	–	9	2	–	1	–
Boroughs and Urban Districts:—						
ABINGDON ...	–	–	1	–	–	–
Rural Districts:—						
ABINGDON ...	–	3	–	–	–	–
BRADFIELD ...	–	–	–	–	1	–
COOKHAM ...	–	2	–	–	–	–
EASTHAMPSTEAD	–	1	–	–	3	–
WANTAGE ...	–	–	1	–	–	–
WOKINGHAM ...	–	4	1	–	–	–
BUCKINGHAM ...	–	9	1	–	3	M. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	3	–	–	–	–
BLETCHLEY ...	–	–	–	–	–	M. 1
†CHEPPING WYCOMBE ...	–	4	–	–	–	–
†SLOUGH	*	*	*	*	*	*
Rural Districts:—						
AYLESBURY ...	–	1	–	–	–	–
BUCKINGHAM ...	–	–	–	–	1	–
WING	–	–	–	–	1	–
WYCOMBE ...	–	1	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	4	1	–	2	–
Borough:—						
†CAMBRIDGE ...	–	1	1	–	2	–
Rural Districts:—						
CHESTERTON ...	–	2	–	–	–	–
MELBOURN ...	–	1	–	–	–	–
CHESTER	–	49	15	–	35	C. 1 G. 2 M. 4
†BIRKENHEAD C.B.	–	6	–	–	7	G.
†CHESTER, C.B. ...	–	1	–	–	–	–
†STOCKPORT C.B....	–	1	4	–	2	–
†WALLASEY C.B. ...	–	1	1	–	3	G. 1
Boroughs and Urban Districts:—						
ALSAGER	–	–	–	–	–	C. 1
†ALTRINCHAM ...	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	–	–
BOLLINGTON ...	*	*	*	*	*	*
BUGLAWTON ...	–	1	–	–	–	M. 1
†CHEADLE AND GATLEY	–	1	2	–	–	M. 1
†CONGLETON ...	–	1	–		1	–
†CREWE	–	–	2	–	3	–
†DUKINFIELD ...	–	3	–	–	2	–
†ELLESMERE PORT AND WHITBY	–	–	1	–	–	–
HALE	–	1	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
HOOLE	–	–	–		3	–
†HOYLAKE AND WEST KIRBY	–	4	–	–	1	–
†HYDE	–	4	–	–	4	–
KNUTSFORD ...	–	–			–	–
†MACCLESFIELD ...	–	1	–	–	–	–
MIDDLEWICH ...	–	–	1	–	1	–
NESTON AND PARKGATE	–	1	–	–	–	–
†NORTHWICH ...	–	3	–	–	–	–
†RUNCORN... ..	–	1	–	–	2	–
†SALE	–	1	–	–	–	–
†STALYBRIDGE ...	–	–	–	–	2	M. 1
WILMSLOW ...	–	–	–	–	1	–
†WINSFORD ...	–	1	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW	–	2	–	–	–	–
CHESTER	–	–	–	–	1	–
CONGLETON ...	–	–	1	–	–	–
MACCLESFIELD ...	–	–	1	–	–	–
NANTWICH ...	–	1	–	–	1	–
NORTHWICH ...	–	5	1	–	–	–
RUNCORN ...	–	6	–	–	–	–
WIRRAL	–	–	–	–	1	–
CORNWALL ...	–	9	–	–	8	G. 1 M. 1
Boroughs and Urban Districts:—						
BODMIN	–	3	–	–	–	–
†CAMBORNE ...	–	–	–	–	6	–
NEWQUAY ...	*	*	*	*	*	*
REDRUTH ...	–	–	–	–	–	M. 1
Rural Districts:—						
EAST KERRIER ...	–	–	–	–	–	G. 1
HELSTON ...	–	1	–	–	–	–
LISKEARD ...	–	–	–	–	1	–
REDRUTH ...	–	–	–	–	1	–
SAINT AUSTELL...	–	5	–	–	–	–
CUMBERLAND ...	–	10	10	–	3	M. 1
†CARLISLE C.B. ...	–	1	4	–	–	M. 1
Boroughs and Urban Districts:—						
CLEATOR MOOR...	–	–	2	–	–	–
COCKERMOUTH ...	–	–	1	–	–	–
†MARYPORT ...	–	1	1	–	–	–
MILLOM	–	2	–	–	2	–
PENRITH ...	–	1	–	–	–	–
†WORKINGTON ...	–	4	1	–	–	–
Rural Districts:—						
CARLISLE ...	–	–	–	–	1	–
COCKERMOUTH ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	12	31	11	1	26	C. 1 M. 3
†DERBY C.B. ...	–	5	3	–	12	C. 1 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	2	–	1	–	–
BAKEWELL ...	–	–	–	–	1	–
†CHESTERFIELD ...	–	3	2	–	–	–
†GLOSSOP	–	–	–	–	2	–
†HEANOR	7	2	–	–	2	–
†ILKESTON ...	–	–	–	–	2	–
†LONG EATON ...	–	3	–	–	–	–
†RIPLEY	1	–	–	–	–	–
†SWADLINCOTE DISTRICT	–	2	–	–	–	–
Rural Districts:—						
BAKEWELL ...	–	2	–	–	1	–
BELPER	–	1	–	–	–	–
BLACKWELL ...	–	3	–	–	1	–
CHAPEL EN LE FRITH	–	–	–	–	–	M. 2
CHESTERFIELD ..	–	4	5	–	4	–
CLOWNE	4	–	1	–	–	–
GLOSSOP DALE ...	–	1	–	–	–	–
HARTSHORN AND SEALS	–	2	–	–	–	–
SHARDLOW ...	–	1	–	–	1	–
DEVON	–	16	10	–	6	C. 1 M. 1
†EXETER C.B. ...	–	4	–	–	2	–
†PLYMOUTH C.B....	–	7	3	–	–	C. 1 M. 1
Boroughs and Urban Districts:—						
BRIXHAM... ...	–	–	–	–	2	–
BUCKFASTLEIGH	*	*	*	*	*	*
†EXMOUTH ...	–	1	1	–	–	–
HONITON... ...	–	1	–	–	–	–
†ILFRACOMBE ...	–	–	3	–	–	–
†NEWTON ABBOT	–	1	–	–	–	–
OKEHAMPTON ...	–	–	–	–	1	–
†PAIGNTON ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
DEVON—*cont.*						
Rural Districts:—						
Newton Abbot...	–	1	–	–	–	–
Plympton St. Mary	–	1	1	–	–	–
St. Thomas ...	–	–	1	–	–	–
Totnes	–	–	1	–	–	–
DORSET	–	6	1	–	4	–
Boroughs and Urban Districts:—						
Dorchester ...	–	4	1	–	–	–
Swanage ...	–	1	–	–	–	–
Rural Districts:—						
Bridport ...	–	–	–	–	1	–
Poole	–	1	–	–	–	–
Shaftesbury ...	–	–	–	–	3	–
DURHAM	1	56	30	1	39	C. 2 M. 7
†Darlington C.B	–	–	2	–	2	–
†Gateshead C.B.	–	5	–	–	3	M. 2
†South Shields C.B.	–	2	–	–	4	–
†Sunderland C.B.	–	8	2	–	4	C. 2 M. 1
†West Hartlepool C.B.	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†Annfield Plain	–	2	5	–	1	–
†Blaydon... ..	–	–	–	–	3	–
†Chester le Street	–	1	–	–	1	–
†Consett	–	1	2	–	–	–
†Crook	*	*	*	*	*	*
†Durham	–	1	–	–	1	–
†Felling	–	–	5	–	–	–
†Hartlepool ...	–	1	1	–	–	–
†Hebburn ...	–	2	1	–	–	–
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Hetton	–	1	–	–	1	–
†Houghton le Spring	–	–	–	–	3	–
†Jarrow	–	2	1	–	5	M. 1
Leadgate ...	–	1	–	–	–	–
†Ryton	–	–	1	–	–	–
†Seaham Harbour	–	–	1	–	–	–
†Shildon	–	2	–	–	–	–
†Stanley	–	3	2	–	–	–
†Stockton on Tees	1	1	–	–	3	M. 1
†Washington ...	–	1	1	–	–	–
Whickham ...	–	4	–	–	3	–
Willington ...	–	1	–	–	–	–
Rural Districts:—						
Auckland ...	–	3	1	–	–	–
Barnard Castle	–	1	–	–	–	–
Chester le Street	–	3	1	–	–	–
Darlington ...	–	2	–	–	–	–
Durham	–	1	–	–	–	–
Easington ...	*	*	*	*	*	*
Houghton le Spring	–	1	–	–	–	M. 1
Lanchester ...	–	1	1	–	–	–
Sedgefield ...	–	5	2	1	2	–
South Shields...	–	2	–	–	1	–
Sunderland ...	–	–	–	–	2	M. 1
Weardale ...	–	2	–	–	–	–
ESSEX	–	47	31	1	29	M. 4
†East Ham C.B. ...	–	4	3	–	–	–
†Southend-on-Sea C.B.	–	3	–	–	8	–
†West Ham C.B. ...	–	8	13	–	8	M. 2
Boroughs and Urban Districts:—						
†Barking Town..	–	1	2	–	5	–
†Chelmsford ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CLACTON	–	1	–	–	–	–
†COLCHESTER ...	–	1	–	–	1	–
EPPING	–	1	–	–	–	–
†GRAYS THURROCK	–	–	1	–	–	–
HARWICH ...	–	1	–	1	–	–
†ILFORD	–	1	4	–	–	–
†LEYTON	–	4	1	–	2	–
LOUGHTON ..	–	1	–	–	–	–
WALTHAM HOLY CROSS	–	–	–	–	1	–
†WALTHAMSTOW ...	–	12	6	–	2	M. 2
†WANSTEAD ...	–	1	–	–	–	–
†WOODFORD ...	–	1	1	–	1	–
Rural Districts:—						
BRAINTREE ..	–	1	–	–	–	–
CHELMSFORD ...	–	1	–	–	–	–
DUNMOW	–	3	–	–	1	–
HALSTEAD ...	*	*	*	*	*	*
ORSETT	*	*	*	*	*	*
ROMFORD ...	–	1	–	–	–	–
GLOUCESTER ..	–	71	13	–	2	M. 3
†BRISTOL C.B. ...	–	49	7	–	7	M. 3
†GLOUCESTER C.B.	–	3	1	–	1	–
Boroughs and Urban Districts:—						
†CHELTENHAM ..	–	1	1	–	–	–
†KINGSWOOD ...	–	3	–	–	–	–
TETBURY ...	–	–	1	–	–	–
WESTBURY ON SEVERN	–	–	–	–	1	–
Rural Districts:—						
CHIPPING SODBURY	–	–	1	–	–	–
EAST DEAN AND UNITED PARISHES ..	–	7	1	–	1	–
THORNBURY ..	–	5	–	–	1	–
WEST DEAN ...	–	3	1	–	–	–
WHEATENHURST	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	–	–	1	1	2	G. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	1	–	–	–
Rural Districts:—						
HEREFORD ...	–	–	–	1	–	–
KINGTON	–		–	–	1	–
LEOMINSTER ...	–	–	–	–	–	G. 1
WEOBLEY... ..	–	–	–	–	1	–
HERTFORD ..	–	10	2	1	4	–
Boroughs and Urban Districts:—						
BALDOCK... ...	–	–	–	–	1	–
BUSHEY	–	1	–	–	–	–
†CHESHUNT ...	–	1	–	–	–	–
†HERTFORD ...	–	–	2	–	–	–
†ST. ALBAN'S ...	–	3	–	–	–	–
WARE	–	–	–	–	1	–
†WATFORD ...	–	1	–	–	1	–
Rural Districts:—						
HITCHIN	–	2	–	–	–	–
ST. ALBANS ...	–	1	–	–		–
WATFORD ..	–	1	–	1	1	
HUNTINGDON ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
GODMANCHESTER	*	*	*	*	*	*
HUNTINGDON ...	*	*	*	*	*	*
OLD FLETTON ...	*	*	*	*	*	*
Rural Districts:—						
ST. NEOTS, No. 3	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	43	9	–	18	C. 1
†CANTERBURY C.B.	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†ASHFORD... ...	–	1	–	–	–	–
†BEXLEY	–	2	2	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	1	–	–	–
†BROMLEY ...	–	–	–	–	2	–
†CHATHAM ...	–	1	–	–	–	–
CHISLEHURST ...	–	1	–	–	–	–
†DOVER	–	1	–	–	3	–
†ERITH	–	2	1	–	–	–
†FAVERSHAM ...	–	1	–	–	–	–
†FOLKESTONE ...	–	–	–	–	1	–
†GILLINGHAM ...	–	5	–	–	–	–
†GRAVESEND ...	–	4	–	–	–	–
†MAIDSTONE ...	–	–	–	–	2	–
†MARGATE ...	–	9	–	–	1	–
†NORTHFLEET ...	–	1	2	–	–	C. 1
†PENGE	–	–	1	–	–	–
†RAMSGATE ...	–	–	–	–	1	–
†ROCHESTER ...	–	1	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	1	–
†SHEERNESS ...	–	1	1	–	–	–
WALMER	–	–	–	–	2	–
WHITSTABLE ...	–	–	–	–	3	–
Rural Districts:—						
CRANBROOK ...	*	*	*	*	*	*
DARTFORD ..	–	2	–	–	–	–
DOVER	–	1	–	–	–	–
EASTRY	–	–	–	–	1	–
MALLING	–	8	–	–	–	–
MILTON	–	–	1	–	–	–
SHEPPEY	–	1	–	–	–	–
LANCASTER ...	6	317	95	6	267	C. 7 D. 1 E. 2 G. 14 L. 6 M. 31
†BARROW IN FURNESS C.B.	–	2	2	–	–	M. 1
†BLACKBURN C.B.	–	7	–	–	10	C. 1 G. 2 M. 1
LANCASTER—*cont.*						
†BLACKPOOL C.B.	–	4	1	–	4	M. 1
†BOLTON C.B. ...	–	16	–	–	4	–
†BOOTLE C.B. ...	–	5	7	1	1	M. 1
†BURNLEY C.B. ...	–	32	1	–	1	–
†BURY C.B. ...	–	1	–	–	11	–
†LIVERPOOL C.B. ...	–	53	17	1	23	G. 4 M. 17
†MANCHESTER C.B.	–	45	20	2	84	C. 3 D. 1 G. 1 M. 6
†OLDHAM C.B. ...	–	9	2	–	4	–
†PRESTON C.B. ...	–	2	2	–	1	–
†ROCHDALE C.B. ...	–	10	1	–	–	–
†ST. HELENS C.B.	–	7	1	–	1	G. 1
†SALFORD C.B. ...	–	22	8	2	7	G. 1
†SOUTHPORT C.B.	–	3	–	–	7	E. 1
†WARRINGTON C.B.	–	2	3	–	7	–
†WIGAN C.B. ...	–	–	–	–	7	G. 1
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ASHTON IN MAKERFIELD	–	1	4	–	1	–
†ASHTON UNDER LYNE	–	2	–	–	4	M. 1
†ATHERTON ...	–	3	–	–	7	–
AUDENSHAW ...	–	–	–	–	2	–
†BACUP	–	–	–	–	1	G. 1
BILLINGE ...	–	–	–	–	–	C. 1
†CHADDERTON ...	–	2	–	–	3	–
†CHORLEY... ...	–	–	1	–	–	–
CLAYTON LE MOORS	–	–	–	–	–	M. 1
†COLNE	–	14	1	–	10	–
†DALTON IN FURNESS	–	1	–	–	–	–
†DARWEN	–	6	–	–	–	C. 1 M. 1
†DENTON	–	3	–	–	2	–
†DROYLSDEN ...	–	–	–	–	5	–
†ECCLES	–	1	–		1	C. 1
†FAILSWORTH ...	–	1	–	–	–	–
GOLBORNE ...	–	–	–	–	1	–
†GREAT HARWOOD	–	1	3	–	–	–
†HASLINGDEN ...	–	1	–	–	–	–
†HAYDOCK... ...	–	1	–	–	3	–
†HEYWOOD ...	–	–	–	–	2	–
†HINDLEY... ...	–	2	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HORWICH ...	–	–	–	–	4	–
HUYTON WITH ROBY	–	–	–	–	2	–
†INCE IN MAKERFIELD	–	5	–	–	1	–
IRLAM	–	1	–	–	1	–
LEES	–	1	–	–	–	–
LEIGH	–	4	–	–	1	M. 1
†LITHERLAND ...	–	2	1	–	–	–
LITTLE HULTON	–	–	1	–	–	–
LONGRIDGE ...	–	1	1	–	–	–
LYTHAM ST. ANNES	–	1	–	–	–	–
†MIDDLETON ...	–	1	–	–	–	–
†MORECAMBE ...	–	–	2	–	–	–
†MOSSLEY	–	2	–	–	–	–
†NELSON	6	3	–	–	2	–
†NEWTON IN MAKERFIELD	–	9	1	–	1	–
ORMSKIRK ...	–	1	1	–	–	–
†PADIHAM ...	–	2	–	–	–	–
PRESTWICH ...	–	–	2	–	1	–
†RADCLIFFE ...	–	–	1	–	2	–
†RAMSBOTTOM ...	–	1	–	–	3	E. 1
RISHTON	–	–	–	–	1	–
†ROYTON	–	3	1	–	1	–
SKELMERSDALE...	–	1	–	–	2	–
STANDISH WITH LANGTREE	–	–	–	–	3	–
†STRETFORD... ...	–	–	1	–	3	–
†SWINTON AND PENDLEBURY	–	3	1	–	1	G. 1
†TYLDESLEY WITH SHAKERLEY	–	1	1	–	3	–
UPHOLLAND ...	–	1	–	–	–	–
†WALTON LE DALE	–	–	–	–	1	–
†WATERLOO WITH SEAFORTH	–	1	–	–	–	–
†WESTHOUGHTON	–	2	–	–	1	–
WHITEFIELD ...	–	2	1	–	–	G. 1
WHITWORTH ...	–	–	–	–	4	–
†WIDNES	–	4	–	–	5	–
†WORSLEY... ...	–	2	–	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	1	–	–	–
BURY	–	1	–	–	–	–
LANCASTER—*cont.*						
Rural Districts—*cont.*						
CHORLEY	–	–	–	–	2	–
CLITHEROE ...	–	–	–	–	1	L. 6
FYLDE	–	–	4	–	–	–
GARSTANG ...	–	–	1	–	–	–
LANCASTER ...	–	–	–	–	–	G. 1
LIMEHURST ...	–	–	–	–	2	–
PRESTON	–	1	–	–	1	–
WEST LANCASHIRE	–	1	–	–	1	–
WHISTON... ...	–	1	–	–	–	–
LEICESTER... ...	–	8	11	–	8	–
†LEICESTER C.B. ...	–	7	6	–	8	–
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
†LOUTHBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	–	1	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	2	–	–	–
MARKET BOSWORTH	–	–	2	–	–	–
LINCOLN (parts of Holland).	–	2	1	–	–	G. 1
Boroughs and Urban Districts:—						
†SPALDING ...	–	–	1	–	–	–
Rural Districts:—						
BOSTON	–	–	–	–	–	G. 1
EAST ELLOE ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	–	1	–	1	4	M. 2
Boroughs and Urban Districts :—						
SLEAFORD ...	–	–	–	1	2	M. 1
Rural Districts :—						
SLEAFORD ...	–	1	–	–	2	M. 1
LINCOLN (parts of Lindsey).	–	6	2	–	2	–
†GRIMSBY C.B. ...	–	2	1	–	1	–
Boroughs and Urban Districts :—						
BARTON UPON HUMBER	–	1	–	–	–	–
†CLEETHORPES ...	–	2	–	–	–	–
†GAINSBOROUGH ...	–	1	–	–	–	–
HORNCASTLE ...	–	–	1	–	–	–
MARKET RASEN ...	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	–	–	–	1	–
MIDDLESEX ...	–	49	36	3	26	G. 1 M. 3
Boroughs and Urban Districts :—						
†ACTON	–	5	2	–	–	M. 1
†BRENTFORD ...	–	1	–	–	–	–
†CHISWICK ...	–	1	–	–	2	–
†EALING	–	2	–	1	4	–
†EDMONTON ...	–	3	3	–	1	–
†ENFIELD	–	3	–	–	–	–
FELTHAM... ...	–	1	1	–	–	–
†FINCHLEY ...	–	–	1	–	2	–
†FRIERN BARNET	*	*	*	*	*	*
†HANWELL ...	–	2	–	–	2	–
†HENDON	–	3	1	–	–	–
†HESTON AND ISLEWORTH	–	1	6	1	2	–
†HORNSEY... ..	–	5	6	–	1	M. 1
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
RUISLIP NORTHWOOD	–	6	–	–	–	–
†SOUTHALL NORWOOD	–	1	–	–	–	–
†SOUTHGATE ...	–	2	–	–	1	–
SUNBURY ON THAMES	–	1	–	–	–	–
†TEDDINGTON ...	–	–	–	–	1	–
†TOTTENHAM ...	–	6	5	–	5	–
†TWICKENHAM ..	–	–	1	–	–	–
†WEMBLEY ...	–	2	1	–	–	–
†WILLESDEN ...	–	2	7	1	4	G. 1 M. 1
†WOOD GREEN ...	–	2	2	–	–	–
Rural Districts :—						
UXBRIDGE ...	–	–	–	–	1	–
NORFOLK	–	53	14	–	3	M. 1
†GREAT YARMOUTH C.B.	–	3	1	–	–	–
†NORWICH C.B. ...	–	28	10	–	2	M. 1
Boroughs and Urban Districts :—						
SWAFFHAM ..	–	–	1	–	–	–
Rural Districts :—						
DEPWADE ...	–	2	–	–	–	–
ERPINGHAM ...	–	1	–	–	–	–
HENSTEAD ...	–	3	–	–	1	–
LODDON AND CLAVERING	–	1	–	–	–	–
MARSHLAND ...	*	*	*	*	*	*
MITFORD AND LAUNDITCH	–	12	–	–	–	–
ST. FAITH'S ...	–	2	1	–	–	–
SMALLBURGH ...	–	–	1	–	–	–
WAYLAND ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON ...	–	22	5	–	10	–
†NORTHAMPTON C.B.	–	7	2	–	6	–
Boroughs and Urban Districts:—						
DAVENTRY ...	–	–	1	–	–	–
DESBOROUGH ...	–	6	–	–	–	–
FINEDON	–	–	–	–	1	–
IRTHLINGBOROUGH	–	1	–	–	–	–
†KETTERING ...	–	2	–	–	1	–
GUNWALE ...	*	*	*	*	*	*
ROTHWELL ...	–	1	–	–	–	–
†RUSHDEN ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	1	–	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	1	–	–	1	–
DAVENTRY ...	–	–	1	–	–	–
KETTERING ...	–	2	–	–	–	–
NORTHAMPTON ...	–	–	1	–	–	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND	–	33	9	1	56	C. 4 M. 1
†NEWCASTLE UPON TYNE C.B.	–	7	7	–	27	C. 2 M. 1
†TYNEMOUTH C.B.	–	3	–	–	8	–
Boroughs and Urban Districts:—						
AMBLE	–	4	–	–	–	–
†ASHINGTON ...	–	1	–	–	2	–
BEDLINGTONSHIRE	–	3	1	–	3	–
†BERWICK UPON TWEED	–	3	–	–	–	–
†BLYTH	–	1	–	–	6	–
†EARSDON	–	2	–	–	–	–
†GOSFORTH ...	–	–	–	1	–	–
†LONGBENTON ...	–	1	–	–	–	–
MORPETH ...	–	1	–	–	–	–
NEWBIGGIN BY THE SEA	*	*	*	*	*	*
NORTHUMBERLAND —*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEWBURN ...	–	1	–	–	5	–
SEGHILL	–	–	–	–	1	–
†WALLSEND ...	–	1	–	–	3	C. 1
WEETSLADE ...	–	1	–	–	–	C. 1
Rural Districts:—						
BELLINGHAM ...	–	1	–	–	1	–
CASTLE WARD ..	–	2	–	–	–	–
MORPETH... ...	–	1	1	–	–	–
NOTTINGHAM ...	4	21	6	1	3	D. 1 M. 7
†NOTTINGHAM C.B.	1	10	1	–	1	M. 6
Boroughs and Urban Districts:—						
†BEESTON	–	1	–	–	–	–
†CARLTON	–	–	–	–	–	M. 1
†HUCKNALL ...	–	1	–	–	–	–
†KIRKBY IN ASHFIELD	–	3	1	–	–	–
†MANSFIELD ...	–	2	3	–	1	–
†NEWARK	–	–	1	–	–	–
†SUTTON IN ASHFIELD	–	1	–	–	–	D. 1
Rural Districts:—						
BASFORD	2	–	–	–	–	–
MISTERTON ...	*	*	*	*	*	*
NEWARK	–	–	–	–	1	–
SKEGBY	–	–	–	1	–	–
SOUTHWELL ...	–	2	–	–	–	–
STAPLEFORD ...	1	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	*	2	–	–	M. 2
†OXFORD C.B. ...	–	2	1	–	–	M. 2
Rural Districts:—						
BANBURY ...	–	1	–	–	–	–
BISCESTER ...	–	–	1	–	–	–
CROWMARSH ...	–	2	–	–	–	–
HEADINGTON ...	–	3	–	–	–	–
PETERBOROUGH (Soke of)	–	2	–	–	–	C. 1
Borough:—						
†PETERBOROUGH...	–	2	–	–	–	C. 1
SALOP	–	6	7	–	5	–
Boroughs and Urban Districts:—						
LUDLOW	–	–	1	–	–	–
NEWPORT ...	–	–	–	–	1	–
OAKENGATES ..	–	1	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	–	–	–	1	–
WELLINGTON ...	–	1	–	–	–	–
WENLOCK ...	–	2	–	–	–	–
WHITCHURCH ...	–	–	2	–	–	–
Rural Districts:—						
ATCHAM	–	–	–	–	2	–
DRAYTON ...	–	–	1	–	–	–
ELLESMERE ...	–	–	–	–	1	–
NEWPORT ...	–	–	3	–	–	–
OSWESTRY ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET	–	27	5	1	9	C. 2
†BATH C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
MIDSOMER NORTON	–	–	–	–	1	–
RADSTOCK ..	–	1	1	–	–	–
†TAUNTON... ...	–	–	–	–	1	–
WELLINGTON ...	–	3	–	–	–	–
†WESTON SUPER MARE	–	2	3	–	–	–
†YEOVIL	–	–	–	–	2	C. 1
Rural Districts:—						
AXBRIDGE ...	–	2	1	–	–	–
BATH	–	2	–	–	–	–
BRIDGWATER ...	–	–	–	1	–	–
CLUTTON... ...	–	–	–	–	1	–
KEYNSHAM ...	–	1	–	–	–	–
LANGPORT ...	–	10	–	–	–	C. 1
LONG ASHTON ..	–	–	–	–	1	–
TAUNTON ...	–	2	–	–	2	–
WELLS	–	–	–	–	1	–
WINCANTON ..	–	2	–	–	–	–
SOUTHAMPTON ...	–	34	35	1	9	C. 1 M. 5
†BOURNEMOUTH C.B.	–	–	1	–	–	M. 1
†PORTSMOUTH C.B.	–	17	17	1	3	C. 1 M. 2
†SOUTHAMPTON C.B.	–	6	8	–	3	M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	–	–	–	–	M. 1
CHRISTCHURCH ...	–	–	2	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	1	–	–	–
†FAREHAM ...	–	3	–	–	–	–
†GOSPORT	–	1	6	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Rural Districts:—						
ALTON	–	1	–	–	–	–
DROXFORD ...	–	1	–	–	–	–
NEW FOREST ...	–	1	–	–	–	–
PETERSFIELD ...	–	1	–	–	–	–
STOCKBRIDGE ...	–	1	–	–	–	–
WHITCHURCH ...	–	1	–	–	2	–
STAFFORD	–	101	38	3	42	C. 2 G. 1 M. 7
†BURTON UPON TRENT C.B.	–	3	–	–	2	M. 1
†SMETHWICK C.B.	–	4	4	–	2	M. 2
†STOKE-ON TRENT C.B.	–	42	9	–	21	C. 1 M. 4
†WALSALL C.B. ...	–	5	1	–	3	–
†WEST BROMWICH C.B.	–	11	10	–	1	–
†WOLVERHAMPTON C.B.	–	5	2	–	2	C. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	2	–	–	–	–
BIDDULPH ..	–	3	–	–	–	–
†BILSTON	–	–	–	–	2	–
†BRIERLEY HILL...	–	–	–	1	1	–
†BROWNHILLS ...	–	1	–	–	–	–
†CANNOCK	–	1	2	–	3	–
†COSELEY	–	1	–	–	–	–
KIDSGROVE ...	–	1	1	–	–	–
†NEWCASTLE UNDER LYME	–	2	–	–	–	–
†ROWLEY REGIS ...	–	1	–	–	–	–
RUGELEY ...	–	2	–	–	–	–
†SEDGLEY	–	–	1	–	–	–
†STAFFORD ...	–	2	1	–	–	–
†TIPTON	–	1	–	–	1	–
†WEDNESBURY ...	–	–	–	–	1	–
†WILLENHALL ...	–	3	–	–	1	–
†WOLSTANTON UNITED	–	1	2	–	–	–
STAFFORD—*cont.*						
Rural Districts:—						
CANNOCK	–	1	–	–	–	–
CHEADLE	–	1	3	–	1	–
KINGSWINFORD ...	–	–	–	2	–	G. 1
STAFFORD ...	–	2	–	–	–	–
STONE	–	1	1	–	–	–
TAMWORTH (part)	–	2	–	–	1	–
TUTBURY ...	–	2	1	–	–	–
UTTOXETER ...	–	1	–	–	–	–
SUFFOLK, EAST ...	–	10	2	–	2	M. 1
†IPSWICH C.B. ...	–	3	–	–	1	M. 1
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	2	1	–	–	–
WOODBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
EAST STOW ...	–	1	–	–	–	–
MUTFORD AND LOTHINGLAND	–	1	–	–	1	–
SAMFORD	–	1	–	–	–	–
WANGFORD ...	–	1	–	–	–	–
WOODBRIDGE ...	–	1	–	–	–	–
SURREY	–	45	24	3	7	E. 1 G. 1 L. 1 M. 1
†CROYDON C.B. ...	–	9	5	–	1	G. 1
Boroughs and Urban Districts:—						
†BARNES	–	2	–	–	–	–
†BEDDINGTON AND WALLINGTON	–	–	–	2	1	–
†CARSHALTON ...	–	–	–	–	1	–
†CATERHAM ...	–	6	1	–	–	–
†COULSDON AND PURLEY	–	1	1	1	–	–
†EGHAM	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Epsom	–	–	–	–	–	L. 1
†Godalming ...	*	*	*	*	*	*
†Guildford ...	–	–	1	–	–	–
†Kingston on Thames	–	3	–	–	1	–
†Merton and Morden	–	1	–	–	–	–
†Mitcham... ...	–	3	1	–	–	E. 1 M. 1
†Richmond ...	–	2	1	–	1	–
†Surbiton ...	–	1	–	–	–	–
†Sutton	–	1	2	–	–	–
†The Maldens and Coombe	–	–	1	–	1	–
†Walton upon Thames	–	3	–	–	–	–
Weybridge ...	–	1	–	–	–	–
†Wimbledon ...	–	2	9	–	–	–
†Woking	–	2	–	–	1	–
Rural Districts:—						
Chertsey ...	–	–	1	–	–	–
Epsom	–	3	–	–	–	–
Hambledon ...	–	1	–	–	–	–
Reigate	–	2	–	–	–	–
SUSSEX, EAST ...	–	20	7	2	1	M. 1
†Brighton C.B. ...	–	1	5	–	–	–
†Eastbourne, C.B.	–	–	1	–	–	M. 1
†Hastings C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
East Grinstead	–	1	–	–	–	–
†Hove	–	5	–	1	1	–
Newhaven ...	–	–	–	1	–	–
Portlade-by-Sea	–	1	–	–	–	–
SUSSEX, EAST—*cont.*						
Rural Districts:—						
Chailey	–	1	–	–	–	–
East Grinstead	–	8	1	–	–	–
Hailsham ...	–	1	–	–	–	–
SUSSEX, WEST ...	–	4	2	–	2	E. 1
Boroughs and Urban Districts:—						
†Bognor	–	–	1	–	–	–
†Chichester ...	–	–	–	–	–	E. 1
†Littlehampton	–	1	–	–	–	–
Southwick ...	–	–	–	–	1	–
†Worthing ...	–	1	–	–	–	–
Rural Districts:—						
Midhurst ...	–	1	–	–	–	–
Steyning West	–	1	–	–	–	–
Westbourne ...	–	–	1	–	–	–
Westhampnett	–	–	–	–	1	–
WARWICK	–	88	34	–	64	C. 8 G. 7 M. 6
†Birmingham C.B.	–	51	29	–	47	C. 6 G. 4 M 6
†Coventry C.B. ...	–	20	3	–	1	C. 1 G. 1
Boroughs and Urban Districts:—						
†Nuneaton ...	–	2	–	–	2	
†Royal Leamington Spa	–	1	–	–	1	–
†Rugby	–	–	1	–	–	–
Stratford-on-Avon	–	–	–	–	2	–
†Sutton Coldfield	–	–	–	–	1	–
†Warwick ...	–	1	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	1	–	–	4	–
FOLESHILL ...	–	5	–	–	–	G. 1
NUNEATON ...	–	1	–	–	3	–
RUGBY	–	1	–	–	–	–
SOLIHULL ...	–	–	–	–	1	–
STRATFORD-ON-AVON	–	–	–	–	–	G. 1
TAMWORTH (part)	–	4	1	–	–	C. 1
WESTMORLAND ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
GRASMERE ...	–	–	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	1	–
SOUTH WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†RYDE	–	1	–	–	–	–
SHANKLIN ...	–	1	–	–	–	–
WILTS	–	13	1	–	5	C. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
MALMESBURY ...	–	–	–	–	2	–
MARLBOROUGH ...	–	1	–	–	–	–
MELKSHAM ...	*	*	*	*	*	*
†SALISBURY ...	–	–	1	–	–	–
†SWINDON... ...	–	6	–	–	2	M. 1
WESTBURY ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
BRADFORD ON AVON	–	1	–	–	1	–
CHIPPENHAM ...	–	–	–	–	–	C. 1
HIGHWORTH ...	–	1	–	–	–	–
MARLBOROUGH ...	–	1	–	–	–	–
MELKSHAM ...	*	*	*	*	*	*
PEWSEY	–	2	–	–	–	–
RAMSBURY ...	–	–	–	–	–	G. 1
WORCESTER ...	–	18	2	1	5	G. 1 M. 1
†DUDLEY C.B. ...	–	4	–	1	–	–
†WORCESTER C.B.	–	3	2	–	1	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
†KIDDERMINSTER	–	1	–	–	–	–
†LYE AND WOLLESCOTE	–	1	–	–	–	–
†OLDBURY... ...	–	1	–	–	1	M. 1
†REDDITCH ...	–	1	–	–	1	G. 1
†STOURBRIDGE ...	–	–	–	–	1	–
STOURPORT ...	–	1	–	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
DROITWICH ...	–	1	–	–	–	–
FECKENHAM ...	–	1	–	–	–	–
MARTLEY ...	–	–	–	–	1	–
YORKS (East Riding)	–	8	11	–	7	–
†KINGSTON UPON HULL C.B.	–	7	9	–	6	–
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	–	–
GREAT DRIFFIELD	–	–	1	–	–	–
HORNSEA... ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Rural Districts:—						
BEVERLEY ...	–	–	–	–	1	–
NORTON	*	*	*	*	*	*
YORKS ... ... (North Riding).	1	30	3	–	8	–
†MIDDLESBROUGH C.B.	1	21	1	–	2	–
Boroughs and Urban Districts:—						
†ESTON	–	3	–	–	–	–
GUISBOROUGH ...	–	–	–	–	1	–
HINDERWELL ...	*	*	*	*	*	*
MALTON	*	*	*	*	*	*
NORTHALLERTON	–	2	–	–	–	–
†SCARBOROUGH ...	–	1	–	–	–	–
†WHITBY	–	–	1	–	–	–
Rural Districts:—						
CROFT	–	1	–	–	–	–
KIRKBY MOORSIDE	–	–	–	–	2	–
MALTON	*	*	*	*	*	*
NORTHALLERTON	–	–	–	–	1	–
PICKERING ...	–	–	–	–	1	–
SCARBOROUGH ...	–	2	–	–	–	–
THIRSK	–	–	1	–	1	–
YORKS ... ... (West Riding).	4	187	54	7	124	C. 5 D. 1 G. 8 M. 15
†BARNSLEY C.B. ...	–	1	–	–	4	–
†BRADFORD C.B. ...	–	23	8	2	12	C. 2 G. 4
†DEWSBURY C.B....	–	9	–	–	1	–
†HALIFAX C.B. ...	–	3	–	–	–	M. 1
†HUDDERSFIELD C.B.	–	5	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
†LEEDS C.B. ...	–	53	7	1	7	G. 2
†ROTHERHAM C.B.	–	2	1	–	6	D. 1
†SHEFFIELD C.B....	–	31	11	–	48	C. 2 M. 7
†WAKEFIELD C.B.	–	–	1	–	1	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	3	–	–	–
BAILDON	–	2	–	–	–	M 1.
†BAILEY	–	3	–	–	1	G. 1
†BENTLEY WITH ARKSEY	4	1	–	–	–	–
†BINGLEY	–	–	–	–	2	–
BIRKENSHAW ...	–	1	–	–	–	–
†BOLTON UPON DEARNE	–	1	–	–	–	–
†CASTLEFORD ...	–	3	–	–	–	–
CLAYTON	–	1	–	–	–	–
†CONISBROUGH	–	2	–	–	–	–
CUDWORTH ...	–	2	2	–	2	–
DARFIELD ...	–	–	–	–	2	–
†DARTON	–	–	–	–	2	–
†DONCASTER ...	–	3	3	–	1	M. 1
DRIGHLINGTON ...	–	–	–	–	2	–
†FEATHERSTONE...	–	–	–	–	1	M. 1
†HARROGATE ...	–	1	–	–	1	–
HORSFORH ...	–	1	–	1	–	–
HOYLAND NETHER	*	*	*	*	*	*
ILKLEY	–	–	–	–	–	M. 1
†KEIGHLEY ...	–	–	–	–	–	M. 1
†MEXBOROUGH ...	–	1	2	–	3	–
MIDGLEY... ...	–	1	–	–	–	–
†MORLEY	–	–	–	–	4	–
†NORMANTON ...	–	–	–	–	2	–
†OSSETT	–	2	–	–	–	–
RAWDON	–	–	1	–	–	M. 1
†RAWMARSH ...	–	–	–	–	1	–
†SHIPLEY	–	1	1	–	–	–
SKELMANTHORPE	–	–	1	–	–	–
†SKIPTON	–	2	1	–	–	–
†SPENBOROUGH ...	–	4	–	–	1	–
†STANLEY	–	–	2	–	–	–
STOCKBRIDGE ...	–	–	–	–	2	–
†SWINTON	–	2	1	–	–	C. 1
THURNSCOE ..	–	5	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; G, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
Tickhill ...	–	1	–	–	–	–
†Todmorden ...	–	2	–	–	–	–
Whitwood ...	–	1	–	–	–	–
†Wombwell ...	–	3	1	–	–	–
†Worsborough ...	–	–	1	–	–	M. 1
Yeadon	–	–	1	–	–	–
Rural Districts:—						
Doncaster ...	–	1	2	–	8	–
Goole	–	–	–	1	–	–
Hemsworth ...	–	–	–	–	4	–
Keighley ...	–	–	1	–	–	–
Pontefract ...	–	3	–	–	–	–
Rotherham ...	–	–	1	–	1	–
Sedbergh ...	–	1	–	–	–	–
Tadcaster ...	–	3	–	–	1	–
Thorne	–	–	–	–	1	–
Wakefield ...	–	3	1	–	1	–
Wetherby ...	–	–	–	1	–	G. 1
Wharfedale (South)	–	1	–	1	–	–
Wortley ...	–	2	–	–	2	–
§York C.B. ...	–	4	2	1	1	–
WALES						
ANGLESEY	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†Holyhead ...	–	–	1	–	–	–
Rural Districts:—						
Twrcelyn ...	–	1	–	–	–	–
BRECKNOCK ...	–	1	–	1	2	–
Urban Districts:—						
Brynmawr ...	–	–	–	1	1	–
Rural Districts:—						
Llanwrthwl (parish)	*	*	*	*	*	*
Ystradfellte (Parish)	–	1	–	–	1	–
Ystradgynlais	*	*	*	*	*	*
CARDIGAN	–	1	1	–	–	–
Rural Districts:—						
Aberystwyth (South)	–	1	1	–	–	–
Llandyssil ...	*	*	*	*	*	*
CARMARTHEN ...	–	10	9	1	5	C. 2
Boroughs and Urban Districts:—						
Ammanford ...	–	–	2	–	2	C. 1
Burry Port ...	–	1	–	–	–	–
†Carmarthen ...	–	4	–	–	–	–
†Llanelly ...	–	1	2	1	1	C. 1
Rural Districts:—						
Carmarthen ...	–	2	–	–	2	–
Llandilo Fawr	–	–	2	–	–	–
Llanelly ...	–	2	3	–	–	–
CARNARVON ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†Llandudno ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON—*cont.*						
Rural Districts:—						
CONWAY ...	–	–	1	–	–	–
GWYRFAI... ...	–	–	1	–	–	–
DENBIGH	–	1	3	–	3	–
Boroughs and Urban Districts:—						
†WREXHAM ...	–	–	1	–	–	–
Rural Districts:—						
LLANSILIN ...	–	1	–	–	–	–
UWCHALED ...	–	–	–	–	1	–
WREXHAM ...	–	–	2	–	2	–
FLINT	–	2	2	–	2	G. 1
Boroughs and Urban Districts:—						
MOLD	–	–	–	–	–	G. 1
†RHYL	–	1	1	–	–	–
Rural Districts:—						
HOLYWELL (HOLYWELL DIV.)	–	1	1	–	2	–
GLAMORGAN ...	–	80	40	–	23	C. 1 E. 2 M. 8
†CARDIFF C.B. ...	–	5	6	–	2	C. 1 M. 5
†MERTHYR TYDFIL C.B.	–	4	2	–	4	E. 2
†SWANSEA C.B. ...	–	13	7	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts:—						
†ABERDARE ...	–	6	–	–	–	–
†BARRY	–	4	–	–	1	–
†CAERPHILLY ...	–	–	2	–	–	–
†GELLIGAER ...	–	–	3	–	–	–
†MAESTEG... ...	–	3	–	–	2	M. 1
†MOUNTAIN ASH...	–	14	1	–	6	–
†NEATH	–	–	5	–	–	–
†OGMORE AND GARW	–	3	–	–	–	–
†PONTYPRIDD ...	–	2	1	–	1	–
PORTHCAWL ...	–	–	2	–	–	–
†PORT TALBOT ...	–	3	1	–	–	–
†RHONDDA ...	–	9	4	–	5	M. 2
Rural Districts:—						
CARDIFF	–	1	1	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	1	1	–	–	–
NEATH	–	7	1	–	1	–
PENYBONT ...	–	–	1	–	–	–
PONTARDAWE ...	–	1	2	–	1	–
SWANSEA... ...	–	4	–	–	–	–
MERIONETH ...	–	1	–	–	–	–
Urban District:—						
FESTINIOG ...	–	1	–	–	–	–
MONMOUTH ...	–	17	10	–	13	–
†NEWPORT C.B. ...	–	6	2	–	1	–
Boroughs and Urban Districts:—						
ABERGAVENNY ...	*	*	*	*	*	*
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	3	–	–	–	–
BEDWAS AND MACHEN	–	1	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EBBW VALE ...	–	1	–	–	–	–
MONMOUTH ...	–	1	1	–	–	–
†NANTYGLO AND BLAINA	–	2	–	–	7	–
PONTYPOOL ...	–	1	–	–	–	–
†TREDEGAR ..	–	–	2	–	2	–
USK	*	*	*	*	*	*
Rural Districts:—						
MONMOUTH ...	–	–	5	–	–	–
PONTYPOOL ...	*	*	*	*	*	*
SAINT MELLONS ...	–	1	–	–	–	–
MONTGOMERY ...	–	–	–	–	6	–
Rural Districts:—						
LLANFYLLIN ...	–	–	–	–	6	–
PEMBROKE	–	–	–	–	–	C. 1 D. 1
Boroughs and Urban Districts:—						
HAVERFORDWEST	–	–	–	–	–	C. 1
TENBY	–	–	–	–	–	D. 1
Rural Districts:—						
ST. DOGMELLS ...	*	*	*	*	*	*
RADNOR	–	–	–	1	1	–
Urban District:—						
LLANDRINDOD WELLS	–	–	–	1	–	–
Rural Districts:—						
NEW RADNOR ...	*	*	*	*	*	*
PAINSCASTLE ...	–	–	–	–	1	–
RHAYADER ...	*	*	*	*	*	*
Total of Part II. ...	28	1619	617	40	926	C. 41 D. 4 E. 6 G. 40 L. 7 M. 118

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Colchester	*	*	*	*	*	*	Southampton ...	–	–	–	1	1	–
Plymouth	–	–	–	–	1	–	Sunderland	–	–	–	–	1	–
							Port of London ...	–	–	1	–	–	J. 1
							Total of Part III.— ...	–	–	1	1	3	J. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see note below).
Total of Part I.—London	–	206	203	4	117	C. D. E. G. M.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	28	1619	617	40	926	C. D. E. G. L. M.
Total of Part III.—Port Sanitary Districts	–	–	1	1	3	J.
Total (*i.e.*, of returns received), England and Wales ...	28	1825	821	45	1046	C. D. E. G. J. L. M.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Po encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Typhus Fever, or Plague notified during the w Twenty-eight cases of Small-pox were notified which appear on pages 334, 335, 338, 340 and 34

ble 5.—London and Great Towns in the aggregate. } { Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Dec. 30.	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.
NDON :—													
ATHS—all ages	1,035	1,119	1,124	1,171	1,118	1.087	1,001	977	1,063	1,074	1,104	1,098	1,162
„ 0 to 1 year ..	123	119	132	124	118	102	117	123	123	106	134	104	112
EAT TOWNS, aggregate (including London) :—													
THS	6,277	8,273	8,409	7,935	7,961	7,373	7,689	7,865	7,533	7,925	7,820	7,755	7,844
ATHS—all ages	4,558	4,910	4,843	4,958	4,841	4,742	4,648	4,446	4,849	4.868	4,667	4,882	4,953
„ 0 to 1 year ..	635	652	698	674	639	672	680	628	714	672	620	637	626
TERIC FEVER—Cases	14	16	12	20	19	23	30	22	18	18	15	13	18
„ Deaths	4	5	2	2	—	8	4	5	8	5	1	3	2
ALL POX—Cases ..	11	3	18	22	20	10	10	16	26	16	13	14	3
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
RLET FEVER—Cases	1,161	1,291	1,158	1,219	1,246	1,297	1,147	1,125	1,062	1,152	1,085	1,007	1,071
„ Deaths	19	14	27	7	14	8	12	18	13	15	22	13	17
HTHERIA—Cases ..	592	711	675	662	725	742	746	662	694	637	570	557	554
„ Deaths ..	45	58	45	54	55	62	52	51	38	43	36	43	54
ASLES—Deaths ..	75	72	62	90	72	73	71	84	79	95	95	108	111
LUENZA—Deaths ..	51	57	69	78	69	65	66	71	59	79	84	81	125

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 24th March, 1923. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
DON	58	32	51·4	36·7	6
GREENWICH).					
HTON ..	57	39	56·0	42·1	21
TSMOUTH ..	56	36	52·6	38·6	4
WICH (EATON).	56	33	51·7	36·4	5
MOUTH ..	57	35	53·0	38·6	4
STOL (CLIFTON).	54	35	49·7	36·9	5
MINGHAM ..	53	34	48·0	36·3	10
TINGHAM ..	55	36	50·6	37·3	2
KENHEAD (BIDSTON).	54	36	50·7	38·0	0
STCHESTER ..	57	38	53·0	39·3	0
NLEY.. ..	54	33	51·4	35·9	0
DERSFIELD	55	32	51·0	36·7	0

Towns.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD ..	53	34	50·3	35·7	0
SHEFFIELD ..	56	34	50·4	36·7	0
YORK (MUSEUM)	56	33	51·9	35·3	0
HULL (PEARSON PARK).	51	33	48·7	35·1	6
TYNEMOUTH ..	53	34	47·4	38·6	0
CARDIFF	53	35	49·0	37·9	3
EDINBURGH ..	52·0	32·0	44·9	34·7	0
GLASGOW ..	52·6	29·8	48·8	36·2	0
DUBLIN (PHŒNIX PARK).	54·0	26·6	49·3	35·0	2
FITZWILLIAM SQUARE.†	52·0	33·2	49·5	39·6	3
BELFAST	55·0	36·0	52·2	40.9	0

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 24th March, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY - 18	In Equator	30·116	49·0	37·4	11·6	43·1	+ 1·1	35·2	7·9	14·5	2·5	74	105·2	31·8	43·1	ENE : E.	E : ENE.	5·4	0·0	0·5	451	+ 131	0·00
MONDAY - 19	Apogee	29·976	50·5	35·9	14·6	42·4	+ 0·5	36·2	6·2	12·9	2·3	79	109·2	30·2	43·2	ENE : E.	E : NE.	2·1	0·0	0·2	309	- 12	0·00
TUESDAY - 20	..	29·879	52·9	31·7	21·2	41·8	- 0·1	39·1	2·7	11·6	1·2	90	96·3	28·0	43·2	Calm : E.	E : ENE : NE.	1·0	0·0	0·0	161	- 158	0·11
WEDNESDAY 21	..	29·849	54·8	40·3	14·5	46·3	+ 4·4	42·0	4·3	11·7	0·9	85	104·4	35·9	43·3	Calm : N.	NE : Calm.	0·4	0·0	0·1	134	- 183	0·05
THURSDAY - 22	..	29·822	46·8	36·1	10·7	41·9	- 0·1	39·9	2·0	5·1	0·9	92	59·0	31·1	43·2	Calm.	Calm.	0·1	0·0	0·0	80	- 238	0·00
FRIDAY - 23	..	29·722	46·5	40·2	6·3	43·1	+ 0·9	41·6	1·5	3·4	0·4	95	59·0	33·6	43·3	Calm : ENE : NE.	NNE : NNW : NW.	1·0	0·0	0·1	173	- 145	0·08
SATURDAY - 24	..	29·911	57·6	38·7	18·9	46·4	+ 4·0	40·0	6·4	16·0	0·5	78	102·1	30·1	43·6	WSW : SW.	SW : S : SSE.	0·3	0·0	0·0	183	- 137	0·00
MEANS -	..	29·896	51·2	37·2	14·0	43·6	+ 1·5	39·1	4·4	10·7	1·2	85	90·7	31·5	43·3	ENE till 21st : then variable.		..	..	..	Sum 1,491	Sum - 742	Sum 0·24
No. of COLUMN	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. March.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	18	w P becoming mP by noon.	5·8	11·9	Variably cloudy, with nearly cloudless intervals. Brisk wind 9h. till 18h. Dew in early morning and at night.
MONDAY ..	19	sP	3·9	12·0	Cloudless till 4h., then nearly overcast generally becoming cloudless by 20½h. Partial solar halo 13½h. till 15h. Dew after 15h.
TUESDAY ..	20	sP	1·3	12·1	Cloudless becoming nearly overcast by 11½h. Mist and fog till 9h. Heavy dew and hoar frost till 7h. Occasional slight rain 13h. till 13½h., and between 17½h. and 19h., then heavy showers till 20½h.
WEDNESDAY	21	sP	2·7	12·1	Overcast and nearly overcast generally becoming nearly cloudless with haze by 23h. Frequent slight rain from 4h. till 10h.
THURSDAY	22	ssP becoming sP	0·0	12·2	Cloudless becoming overcast by 3h. Nearly cloudless about midnight. Mist throughout.
FRIDAY ..	23	mP	0·0	12·3	Overcast, with cloudless interval before 1h. Mist and fog till 7h. Misty rain generally from 7½h. till 17h.
SATURDAY	24	mP	8·6	12·3	Overcast becoming nearly cloudless by 7h. Then cloudless generally, becoming nearly overcast by 23h. Haze 6h. till sunset. Dew.
			Sum 22·3	Sum 84·9	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·11 in. at the beginning of the week to 30·14 in. by 9h. on 18th; decreased generally to 29·69 in. by 15h. on 23rd; increased and was 29·95 in. by midnight on the 24th.

Printed and published by His Majesty's Stationery Office Press,
11-17, Hare Street, E.2

(41537) Wt. 15—P 11 2250 3/23 H. St. G. 43

FOR OFFICIAL USE.

1923. No. 13.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 31st MARCH, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 31st MARCH, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirteenth week of the year numbered 7,029 and corresponded to an annual rate of 19·1 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,991 and corresponded to an annual rate of 13·6 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 12·7, 13·3 and 13·5. Infant mortality was 94 per 1,000 births against 79, 82, and 80 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,642 births, corresponding to a rate of 18·9 per 1,000, and 1,082 deaths of civilians, corresponding to a rate of 12·4, as against 12·7, 12·6 and 13·4 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 12·8 per 1,000. The infant mortality was 69 as against 74, 55 and 62 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 38 in the total deaths last week, but the deaths from influenza fell from 125 to 120. In London the number of deaths from all causes fell from 1,162 to 1,082; while the deaths from diphtheria, which had been 13, 18 and 18 in the preceding three weeks, fell to 8 last week, and those from influenza, which had been 27, 21 and 39 in the three preceding weeks, fell to 34 last week.

Just Published:

Supplement to 75th Annual Report of the Registrar General. Part IV. Mortality of Men in Certain Occupations 1910–12. Price 13*s.* 6*d.* net.

Census of England and Wales, 1921. County of London. Tables (Part II). Price 8*s.* net.

Census of England and Wales, 1921. County of London. Text. Price 1*s.* 6*d.* net.

Census of England and Wales, 1921. County of Middlesex. Price 10*s.* net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in week ended 31st March, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.
105 Great Towns ..	19,170,420*	7,029	4,991	662	2	117	11	80	43	54
London	4,534,230*	1,642	1,082	113	–	1	1	13	8	9
Towns in Outer Ring.										
Croydon C.B. ..	192,300	59	43	3	–	1	–	1	–	1
Wimbledon ..	61,730	12	9	–	–	–	–	–	–	–
Ealing	67,890	19	10	–	–	–	–	–	–	–
Acton	62,390	18	8	1	–	–	–	–	–	–
Willesden ..	168,200	61	33	4	–	–	–	–	1	–
Hendon	55,930	7	14	3	–	–	–	–	–	–
Hornsey	87,310	19	18	5	–	–	–	1	–	–
Wood Green ..	51,290	18	14	–	–	–	–	–	–	–
Tottenham ..	150,500	44	40	5	–	–	–	1	–	1
Edmonton ..	68,700	37	15	3	–	–	–	–	–	1
Enfield	62,010	18	13	2	–	–	–	–	–	–
West Ham C.B. ..	310,200	152	62	7	–	–	–	1	1	3
East Ham C.B. ..	145,800	41	30	2	–	–	–	–	–	–
Leyton	131,600	30	29	6	–	–	–	–	–	1
Walthamstow ..	129,700	46	20	2	–	–	–	–	–	–
Ilford	86,370	32	12	1	–	–	–	–	–	–
Gillingham	48,630*	22	9	2	–	–	–	–	–	–
Canterbury C.B. ..	23,680	10	7	–	–	–	–	–	–	–
Hastings C.B.	59,500	18	10	1	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	11	10	–	–	–	–	–	–	–
Brighton C.B. ..	135,000	44	17	2	–	–	–	1	1	–
Portsmouth C.B. ..	236,630*	96	46	5	–	2	–	–	2	–
Bournemouth C.B. ..	81,500	21	31	2	–	–	–	1	–	–
Southampton C.B. ..	163,700	51	32	3	–	1	–	1	1	–
Reading C.B.	92,990	39	22	3	–	–	–	–	–	–
Oxford C.B.	56,510	11	15	2	–	–	–	–	–	–
Northampton C.B. ..	92,950	32	20	2	–	–	–	–	–	–
Luton	58,260	20	9	1	–	–	–	–	–	–
Cambridge	59,200	15	16	2	–	–	–	–	–	–
Southend-on-Sea C.B.	91,430	24	25	1	–	–	–	–	–	–
Ipswich C.B.	80,950	27	12	1	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	16	16	1	–	–	–	–	–	–
Norwich C.B. ..	122,900	38	34	5	–	3	1	1	1	–
Swindon	55,680	22	10	–	–	–	–	–	–	–
Exeter C.B.	59,700	11	19	1	–	–	–	–	–	–
Plymouth C.B. ..	200,370*	73	50	5	–	–	–	–	1	1
Bath C.B.	68,530	23	31	3	–	–	–	–	–	–
Bristol C.B.	383,900	149	94	12	–	2	1	5	–	–
Gloucester C.B. ..	52,210	23	14	3	–	–	–	1	–	–
Stoke-on-Trent C.B.	274,300	114	70	13	–	3	1	–	–	2
Burton-upon-Trent C.B.	49,630	20	17	4	–	–	–	–	–	1
Wolverhampton C.B.	105,700	48	24	3	–	1	–	–	1	1
Walsall C.B.	99,890	46	29	5	–	–	–	2	–	–
West Bromwich C.B.	76,260	36	20	5	–	3	–	–	4	–
Dudley C.B.	57,860	21	13	6	–	3	–	–	–	–
Worcester C.B. ..	49,240	18	8	1	–	–	–	–	–	–
Birmingham C.B. ..	945,100	349	263	38	–	21	3	2	8	2
Smethwick C.B. ..	78,140	22	18	6	–	1	–	–	–	1
Coventry C.B. ..	131,200	42	20	6	–	–	–	–	–	–
Leicester C.B. ..	238,800	79	60	7	–	–	–	3	–	1
Lincoln C.B.	66,930	21	24	1	–	1	–	–	–	–
Grimsby C.B.	84,650	27	13	4	–	–	–	–	–	–
Nottingham C.B. ..	267,900	88	68	11	1	2	1	1	–	–
Derby C.B.	132,400	36	35	1	–	–	–	–	–	–
Chesterfield ..	63,380	30	15	3	–	–	–	–	–	–
Stockport C.B. ..	125,800	32	25	3	–	–	–	–	–	–
Chester C.B.	41,190	16	13	1	–	–	–	2	–	–
Birkenhead C.B. ..	149,200	67	42	3	–	–	1	–	–	–
Wallasey C.B. ..	89,790	30	18	1	–	–	–	–	–	–
Liverpool C.B. ..	826,400	358	255	39	–	11	–	10	5	5
Bootle C.B.	79,750	40	26	1	–	–	–	–	–	–
St. Helens C.B. ..	106,400	31	30	8	–	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
OUTHPORT C.B. ..	72,020	15	19	2	–	–	–	–	–	–	–
IGAN C.B.	91,750	36	25	1	–	–	–	–	–	–	4
ARRINGTON C.B. ..	79,150	26	14	4	–	–	–	–	–	–	–
OLTON C.B.	182,700	61	50	7	–	–	–	–	–	1	–
URY C.B.	57,400	14	25	3	–	3	–	–	–	–	–
ANCHESTER C.B. ..	748,500	294	254	45	–	5	–	11	2	3	8
ALFORD C.B.	240,700	97	78	15	–	1	2	1	1	5	2
LDHAM C.B.	148,300	51	60	9	–	1	–	–	1	1	6
OCHDALE C.B... ..	92,510	33	23	3	–	–	–	–	–	–	1
URNLEY C.B.	105,100	21	33	4	–	–	–	–	–	1	–
LACKBURN C.B. ..	129,600	28	43	3	–	–	–	–	–	–	–
RESTON C.B.	120,900	65	40	9	–	–	–	–	1	1	3
LACKPOOL C.B. ..	74,050	18	17	2	–	–	–	–	–	–	–
ARROW-IN-FURNESS C.B.	75,690	31	20	2	–	2	–	–	–	–	–
UDDERSFIELD C.B. ..	111,600	38	31	3	–	–	–	–	–	–	–
ALIFAX C.B.	100,500	28	25	2	–	–	–	–	–	–	1
RADFORD C.B. ..	291,300	90	94	12	–	4	–	2	–	–	1
EEDS C.B.	466,700	169	136	18	–	–	–	–	–	1	1
EWSBURY C.B. ..	55,170	13	18	3	–	1	–	–	–	–	–
AKEFIELD C.B. ..	53,840	19	17	1	–	2	–	–	–	–	–
ARNSLEY C.B. ..	69,540	30	14	1	–	–	–	–	1	–	1
HEFFIELD C.B. ..	522,600	189	147	28	–	–	–	5	–	3	3
OTHERHAM C.B. ..	69,840	25	25	5	–	–	–	–	–	–	–
ONCASTER	55,020	24	14	–	–	–	–	–	–	–	4
ORK C.B.	84,980	19	25	2	–	–	–	–	–	–	1
ULL C.B.	294,000	124	72	7	–	–	–	–	–	–	–
IDDLESBROUGH C.B.	134,800	69	43	8	–	5	–	–	–	1	–
ARLINGTON C.B. ..	66,710	27	17	2	–	1	–	–	–	–	–
OCKTON-ON-TEES ..	65,950	30	14	2	–	6	–	–	–	–	1
EST HARTLEPOOL C.B.	70,020	30	12	2	–	–	–	–	–	–	–
UNDERLAND C.B. ..	162,900	69	45	7	1	–	–	2	–	–	–
OUTH SHIELDS C.B. ..	122,400	62	39	6	–	–	–	–	–	1	1
ATESHEAD C.B. ..	127,300	60	49	10	–	1	–	2	–	–	1
EWCASTLE-ON-TYNE C.B.	281,600	114	90	7	–	11	–	2	–	1	–
YNEMOUTH C.B. ..	64,640	30	20	5	–	5	–	2	–	1	–
ARLISLE C.B.	53,490	14	22	4	–	4	–	1	1	–	–
EWPORT (MON.) C.B.	94,880	39	25	1	–	1	–	1	–	–	–
ARDIFF C.B.	223,830	113	72	7	–	2	–	–	1	3	–
HONDDA	167,500	73	41	11	–	3	–	1	–	–	–
ERTHYR TYDFIL C.B.	82,680	28	24	6	–	3	–	1	–	–	–
BERDARE	56,580	26	17	4	–	–	–	1	1	–	–
VANSEA C.B.	161,000	65	35	5	–	–	–	1	–	1	1
REATER LONDON ..	7,563,730*	2,590	1,687	179	–	2	1	20	12	17	53
UTER RING	3,029,500*	948	605	66	–	1	–	7	4	8	19
GREAT TOWNS IN OUTER RING	1,831,920	613	370	44	–	1	–	4	2	7	10
EMAINDER OF OUTER RING	1,197,580*	235	235	22	–	–	–	3	2	1	9
DINBURGH†	426,000	148	129	20	–	3	–	4	–	–	1
LASGOW†	1,041,300	475	299	51	–	4	5	9	4	4	–
UBLIN (REGISTRATION AREA)†	431,000	152	128	24	1	–	3	1	1	2	2
ELFAST†	429,000	192	156	36	–	1	1	14	3	1	2

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of sidents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and elfast are corrected by the exclusion of deaths of persons admitted into public institutions from ithout the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal
LONDON‡	4,534,230	1922–23. March 31	1642	1082	12·4	–	–	1	1	13	8	
CALCUTTA	896,067	Feb. 17	?	468§	26·8	?	12	?	?	?	?	
BOMBAY	1,220,120	March 10	365‖	805§	44·3	2	18	8	?	–	–	
MADRAS	526,911											
SYDNEY AND SUBURBS	926,400											
BRISBANE (Metropolitan Area).	217,714											
PERTH (Metropolitan Area).	155,939	Feb. 3	64	27	9·0	–	–	–	–	–	–	
AUCKLAND (Urban Area).	164,450											
WELLINGTON (Urban Area).	110,680											
CHRISTCHURCH (Urban Area).	110,200											
CAPE TOWN	104,400	Feb. 10	51	15	7·5	1	–	–	–	–	2	
JOHANNESBURG	153,825	„ 17	75	39	13·2	1	–	–	–	–	–	
DURBAN	49,043	„ 17	30	11	11·7	–	–	–	–	–	–	
PARIS	2,906,472	March 20 (10 days)	1441	1242	15·7	5	–	39	4	9	4	
ANTWERP	300,731	Dec. 23	93	62	10·9	–	–	–	–	–	–	
AMSTERDAM	697,682	March 10	289	183	13·7	1	–	3	1	2	1	
COPENHAGEN	565,000	„ 17	224	164	15·1	–	–	3	–	3	–	
STOCKHOLM	422,042	„ 10	104	94	11·6	–	–	–	–	–	–	
GOTHENBURG	227,686	Feb. 24	?	47	10·7	–	–	–	–	1	–	
CHRISTIANIA	258,933	March 17	89	66	13·2	–	–	–	–	–	–	
BERLIN	1,981,000	Feb. 17	411	622	16·3	–	?	2	–	–	4	
BRESLAU	558,000	„ 17	199	200	18·6	–	?	3	–	–	1	
COLOGNE	694,000	„ 17	271	196	14·7	–	?	3	–	3	2	
DRESDEN	610,000	„ 17	194	175	14·9	–	?	–	–	1	2	
FRANKFORT-ON-MAIN ..	477,000	„ 17	87	93	10·1	–	?	–	–	–	–	
HAMBURG	1,085,000	„ 17	297	284	13·6	–	?	–	–	3	2	
LEIPZIG	677,000	„ 17	179	181	13·9	–	?	1	–	6	1	
MUNICH	685,000	„ 17	198	226	17·2	–	?	4	–	2	1	
VIENNA	1,841,326	Jan. 27	518	582	16·4	–	–	–	–	4	4	
PRAGUE AND SUBURBS	689,262											
BUDAPEST	939,529	Jan. 6	248	339	18·6	2	–	4	1	–	1	
WARSAW	956,087	Feb. 10	543	295	16·0	2	–	3	4	3	1	
CAIRO	791,000											
ALEXANDRIA	466,700											
NEW YORK	5,927,617	Feb. 24	2516	2141	18·8	–	–	2	6	10	26	
CHICAGO	2,885,921	March 3	?	934	16·9	–	–	5	2	4	5	
RIO DE JANEIRO ..	1,261,468	Feb. 3	602	519	21·3	4	2	8	–	15	1	
MONTEVIDEO	350,956	Dec. 2	255	141	19·8	–	–	2	–	–	–	

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 18 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 1 in Calcutta and 33 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 31st March, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1082	113	25	17	31	36	64	87	110	179	216	210
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	–	–	–	–	–	–
Scarlet fever	1	–	1	–	–	–	–	–	–	–	–	–
Whooping cough	13	6	6	1	–	–	–	–	–	–	–	–
Diphtheria	8	2	–	1	4	1	–	–	–	–	–	–
Influenza	34	–	1	–	1	–	5	3	5	5	10	4
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis	1	–	–	–	–	1	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	4	1	–	1	1	–	1	–	–	–	–	–
Tuberculosis :—												
Respiratory system	83	–	–	–	1	10	25	20	12	11	4	–
Nervous system	6	1	2	–	3	–	–	–	–	–	–	–
Intestines and peritoneum	2	–	–	–	–	–	1	1	–	–	–	–
Other forms	12	1	1	1	2	–	1	2	1	2	–	1
Venereal diseases	2	1	–	–	–	–	–	–	–	1	–	–
Cancer	114	–	–	–	–	–	2	6	15	39	32	20
Rheumatic fever	5	–	–	1	2	2	–	–	–	–	–	–
Diabetes	8	–	–	–	–	–	–	–	1	5	1	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	3	–	–	–	2	–	–	–	1	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	46	1	–	–	–	–	–	1	3	10	18	13
Epilepsy	3	–	–	1	–	–	2	–	–	–	–	–
"Convulsions" (not puerperal)	6	6	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	30	–	–	1	–	1	–	5	4	10	6	3
Pericarditis	2	–	–	–	1	–	1	–	–	–	–	–
Acute endocarditis	2	–	–	–	–	–	–	2	–	–	–	–
Other diseases of heart	136	–	–	–	4	3	3	4	17	23	45	37
Other diseases of circulatory system	41	–	–	–	–	–	1	3	2	10	11	14
Bronchitis	110	10	–	1	–	–	1	4	10	8	37	39
Broncho-pneumonia	65	15	8	3	–	–	–	6	2	8	13	10
Lobar pneumonia	39	2	–	1	–	–	5	9	7	5	3	7
Pneumonia (type not distinguished)	20	3	–	–	–	2	–	–	5	7	3	–
Other diseases of respiratory system	17	1	–	–	–	–	–	3	2	5	2	4
Diarrhœa and enteritis	9	8	1	–	–	–	–	–	–	–	–	–
Appendicitis, Typhlitis	8	–	–	–	1	1	–	3	1	1	1	–
Hernia, Intestinal obstruction	8	4	–	–	1	–	1	–	–	1	–	1
Cirrhosis of liver	5	–	–	–	–	–	–	–	1	1	2	1
Other diseases of digestive system	16	–	–	–	–	–	2	3	2	3	3	3
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	26	–	–	–	2	1	2	1	5	4	7	4
Other diseases of genito-urinary system.	13	–	–	–	–	1	1	1	1	4	3	2
Puerperal sepsis	3	–	–	–	–	1	1	1	–	–	–	–
Other causes incident to childbirth	3	–	–	–	–	–	3	–	–	–	–	–
Congenital malformations	5	4	1	–	–	–	–	–	–	–	–	–
Premature birth	26	26	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	10	10	–	–	–	–	–	–	–	–	–	–
Old age	42	–	–	–	–	–	–	–	–	2	5	35
Suicide	17	–	–	–	–	–	3	4	6	1	–	3
Burns and scalds	1	–	–	–	–	–	–	–	–	–	–	1
Drowning	1	–	–	–	–	–	–	–	–	1	–	–
Suffocation in bed	3	3	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	12	–	1	2	3	2	–	1	1	–	1	1
Other deaths by violence	13	1	–	1	1	–	1	2	1	4	2	–
Other specified causes	47	7	2	2	2	4	2	2	5	8	7	6
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 31st March, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	–	172	233	3	122	C. 9 D. 1 G. 3 M. 15
Metropolitan Boroughs :—						
†BATTERSEA ...	–	5	9	–	13	C. 1
†BERMONDSEY ...	–	8	17	–	4	–
†BETHNAL GREEN	–	2	13	–	4	C. 1
†CAMBERWELL ...	–	12	18	–	3	–
†CHELSEA	–	1	3	–	–	–
†DEPTFORD ...	–	7	9	–	3	–
†FINSBURY ...	–	1	13	–	1	–
†FULHAM	–	9	6	–	9	C. 2
†GREENWICH ...	–	4	1	–	2	–
†HACKNEY ...	–	7	13	–	–	C. 2
†HAMMERSMITH ...	–	11	3	–	2	D. 1
†HAMPSTEAD ...	–	5	1	–	3	–
†HOLBORN... ...	–	1	1	–	2	M. 1
†ISLINGTON ...	–	9	14	–	10	C. 1 M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	7	10	–	6	G 1
†LAMBETH ...	–	14	11	–	6	M. 1
†LEWISHAM ...	–	7	8	–	–	–
†PADDINGTON ...	–	14	5	–	11	G. 1 M. 1
†POPLAR	–	6	12	–	10	G. 1 M. 1
†ST. MARYLEBONE	–	–	3	–	–	M. 1
†ST. PANCRAS ...	–	9	7	–	5	M. 1
†SHOREDITCH ...	–	2	5	–	7	M. 1
†SOUTHWARK ...	–	8	17	2	4	C. 1 M. 1
†STEPNEY	–	3	13	–	5	C. 1 M. 4
†STOKE NEWINGTON	–	–	1	–	2	–
†WANDSWORTH ...	–	9	13	–	5	M. 1
†WESTMINSTER, CITY OF	–	1	2	–	1	–
†WOOLWICH ...	–	10	5	1	4	M. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	6	–	1	1	–
Boroughs and Urban Districts:—						
BIGGLESWADE ...	–	–	–	1	–	–
LEIGHTON BUZZARD	–	1	–	–	–	–
Rural Districts:—						
AMPTHILL ...	–	5	–	–	–	–
BEDFORD ...	–	–	–	–	1	–
BERKS	–	15	7	–	2	G. 1 M. 1
†READING C.B. ...	–	10	–	–	2	M. 1
Boroughs and Urban Districts:—						
ABINGDON ...	–	–	4	–	–	–
†MAIDENHEAD ...	–	–	–	–	–	G. 1
WANTAGE ...	–	–	1	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	–	1	–	–	–
EASTHAMPSTEAD	–	2	–	–	–	–
FARINGDON (part)	–	–	1	–	–	–
WOKINGHAM ...	–	2	–	–	–	–
BUCKINGHAM ...	–	8	1	–	6	–
Boroughs and Urban Districts:—						
BLETCHLEY ...	–	1	–	–	–	–
†CHEPPING WYCOMBE ...	–	–	–	–	4	–
†WOLVERTON ...	–	1	–	–	–	–
Rural Districts:—						
BUCKINGHAM ...	–	2	–	–	–	–
ETON	–	2	–	–	1	–
WINSLOW ...	–	–	–	–	1	–
WYCOMBE ...	–	2	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	4	1	–	1	G. 1
Borough:—						
†CAMBRIDGE ...	–	3	–	–	1	G. 1
Rural Districts:—						
CAXTON AND ARRINGTON	*	*	*	*	*	*
CHESTERTON ...	–	1	–	–	–	–
NEWMARKET ...	–	–	1	–	–	–
CHESTER	–	35	18	–	31	G. 2 M. 4
†BIRKENHEAD C.B.	–	3	2	–	7	M. 3
†CHESTER, C.B. ...	–	1	–	–	4	–
†STOCKPORT C.B....	–	2	1	–	1	–
†WALLASEY C.B. ...	–	2	1	–	3	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	1	–	–	–	–
ASHTON UPON MERSEY.	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	1	–
BUGLAWTON ...	–	2	–	–	–	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
†CONGLETON ...	–	1	1	–	–	–
†DUKINFIELD ...	–	2	–	–	1	–
†ELLESMERE PORT AND WHITBY	–	–	2	–	–	–
HALE	–	–	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	3	–	–	–	–
†HYDE	–	1	1	–	5	M. 1
LYMM	*	*	*	*	*	*
†MACCLESFIELD ...	–	6	–	–	–	–
MIDDLEWICH ...	–	–	3	–	2	–
NESTON AND PARKGATE	–	–	1	–	3	–
†NORTHWICH ...	–	1	1	–	–	–
†RUNCORN... ...	*	*	*	*	*	*
†STALYBRIDGE ...	–	1	–	–	–	–
†WINSFORD ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	–	1	–	–	G. 1
CHESTER	–	–	–	–	1	–
CONGLETON ...	–	–	2	–	–	–
MACCLESFIELD ...	–	2	–	–	–	–
NORTHWICH ...	–	2	–	–	–	–
RUNCORN ...	–	3	–	–	–	–
TARVIN	–	–	–	–	–	G. 1
WIRRAL	–	–	1	–	1	–
CORNWALL ...	–	7	1	–	4	M. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	1	–	–	1	–
HELSTON	*	*	*	*	*	*
REDRUTH ...	–	–	1	–	–	M. 1
ST. IVES	–	1	–	–	–	–
TORPOINT ..	–	–	–	–	2	–
Rural Districts:—						
SAINT AUSTELL...	–	4	–	–	–	–
SAINT GERMANS	–	–	–	–	1	–
WEST PENWITH	–	1	–	–	–	–
CUMBERLAND ...	–	15	5	–	8	C. 1 G. 2 M. 2
†CARLISLE C.B. ...	–	3	3	–	2	M. 1
Boroughs and Urban Districts:—						
CLEATOR MOOR...	–	–	–	–	–	C. 1
HARRINGTON ...	–	1	–	–	–	–
HOLME CULTRAM	–	–	–	–	1	–
KESWICK	–	1	–	–	–	–
†MARYPORT ...	–	1	–	–	1	–
MILLOM	–	–	–	–	1	–
†WHITEHAVEN ...	–	1	1	–	–	G. 1
WIGTON	–	–	–	–	1	–
†WORKINGTON ...	–	4	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
CARLISLE ...	–	–	–	–	1	–
COCKERMOUTH ...	–	4	1	–	–	–
LONGTOWN ...	–	–	–	–	–	G. 1 M. 1
WHITEHAVEN ..	*	*	*	*	*	*
WIGTON	–	–	–	–	1	–
DERBY	7	15	14	–	25	–
†DERBY C.B. ...	–	5	3	–	10	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	–	–	–	–
†CHESTERFIELD ...	–	1	1	–	2	–
DRONFIELD ...	–	–	1	–	–	–
†GLOSSOP	–	1	1	–	–	–
†HEANOR	3	–	–	–	–	–
†LONG EATON ...	1	–	–	–	–	–
†SWADLINCOTE DISTRICT	–	2	–	–	2	–
Rural Districts:—						
BAKEWELL ...	–	–	1	–	2	–
BLACKWELL ...	–	3	2	–	3	–
CHESTERFIELD ..	–	1	3	–	4	–
CLOWNE	3	–	2	–	–	–
NORTON	*	*	*	*	*	*
SHARDLOW ...	–	1	–	–	2	–
DEVON	–	20	7	1	5	G. 1 M. 1
†EXETER C.B. ...	–	2	1	–	1	M. 1
†PLYMOUTH C.B....	–	7	4	–	3	–
Boroughs and Urban Districts:—						
BRIXHAM... ...	–	–	2	1	–	–
BUCKFASTLEIGH	*	*	*	*	*	*
HONITON... ...	–	3	–	–	–	–
NORTHAM ...	–	2	–	–	–	–
OTTERY ST. MARY	*	*	*	*	*	*
†TORQUAY ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BROADWOOD WIDGER	*	*	*	*	*	*
NEWTON ABBOT...	–	2	–	–	–	–
PLYMPTON ST. MARY	–	1	–	–	–	–
TIVERTON ..	–	–	–	–	1	G. 1
TORRINGTON ...	–	1	–	–	–	–
DORSET	–	8	1	–	2	G. 2 M. 1
Boroughs and Urban Districts:—						
BRIDPORT ...	–	–	–	–	–	G. 1
DORCHESTER ...	–	1	1	–	–	–
SWANAGE ...	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	4	–	–	–	–
Rural Districts:—						
STURMINSTER ...	–	–	–	–	2	–
WAREHAM AND PURBECK	–	–	–	–	–	G. 1
WEYMOUTH ...	–	–	–	–	–	M. 1
WIMBORNE AND CRANBORNE	–	2	–	–	–	–
DURHAM	2	79	18	1	54	G. 3 M. 8
†DARLINGTON C.B.	–	2	2	–	4	G. 1
†GATESHEAD C.B.	–	4	2	–	2	M. 1
†SOUTH SHIELDS C.B.	–	5	2	–	5	M. 1
†SUNDERLAND C.B.	–	7	–	–	10	G. 2 M. 1
†WEST HARTLEPOOL C.B.	–	2	–	–	1	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	2	–	1	–
BARNARD CASTLE	–	–	1	–	–	–
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
BENFIELDSIDE ...	–	–	–	–	2	–
†BISHOP AUCKLAND	*	*	*	*	*	*
†BLAYDON... ..	–	4	–	–	–	–
†BRANDON AND BYSHOTTLES	–	–	–	–	1	–
†CHESTER LE STREET	–	–	1	–	1	–
†CROOK	–	1	–	–	–	–
†DURHAM	–	1	–	–	–	–
†FELLING	–	1	–	–	1	–
†HARTLEPOOL ...	–	–	2	–	–	–
†HEBBURN ...	–	1	1	–	1	–
†HETTON	–	2	–	–	2	–
†HOUGHTON LE SPRING	–	–	–	–	1	M. 1
†JARROW	–	3	–	–	2	–
LEADGATE ...	–	3	–	–	–	–
†RYTON	–	–	–	–	1	–
†SEAHAM HARBOUR	–	–	–	–	2	M. 2
†SHILDON	–	1	–	–	–	–
†SOUTHWICK ON WEAR	–	4	–	–	–	–
†STANLEY	–	5	1	–	–	–
†STOCKTON ON TEES	2	–	–	–	3	M. 1
†TANFIELD ...	–	2	–	–	–	–
WHICKHAM ...	–	–	–	–	1	–
WILLINGTON ...	–	–	–	–	2	–
Rural Districts:—						
AUCKLAND ...	–	4	2	1	–	–
CHESTER LE STREET	–	4	1	–	–	–
DARLINGTON ...	–	2	–	–	–	–
DURHAM	*	*	*	*	*	*
EASINGTON ...	–	9	–	–	5	–
HARTLEPOOL ...	–	–	–	–	1	–
HOUGHTON LE SPRING	–	–	–	–	3	M. 1
LANCHESTER ...	–	1	1	–	–	–
SEDGEFIELD ...	–	8	–	–	2	–
SOUTH SHIELDS...	–	1	–	–	–	–
WEARDALE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	44	22	–	25	E. 2 G. 1 L. 3 M. 2
†East Ham C.B. ...	–	4	4	–	1	E. 1
†Southend-on-Sea C.B.	–	2	1	–	6	G. 1 M. 1
†West Ham C.B. ...	–	13	8	–	8	–
Boroughs and Urban Districts:—						
†Barking Town...	–	–	–	–	4	–
Brightlingsea	–	1	–	–	–	–
†Chelmsford ...	–	1	–	–	–	–
†Colchester ...	–	1	2	–	–	–
Harwich ...	–	1	–	–	–	–
†Ilford	–	2	2	–	–	L. 3
†Leyton	–	5	2	–	–	E. 1
Maldon	–	–	–	–	1	–
Saffron Walden	–	1	–	–	–	–
Waltham Holy Cross	–	2	–	–	–	–
†Walthamstow ...	–	3	3	–	–	M. 1
†Wanstead ...	–	1	–	–	3	–
†Woodford ...	*	*	*	*	*	*
Rural Districts:—						
Billericay ...	–	4	–	–	–	–
Braintree ...	–	–	–	–	1	–
Chelmsford ...	–	1	–	–	–	–
Dunmow	–	–	–	–	1	–
Lexden and Winstree	–	1	–	–	–	–
Orsett	*	*	*	*	*	*
Rochford ...	–	1	–	–	–	–
GLOUCESTER ...	3	70	11	2	14	L. 2 M. 3
†Bristol C.B. ...	–	41	6	–	10	L. 2 M. 1
†Gloucester C.B.	3	4	1	1	–	–
Boroughs and Urban Districts:—						
Awre	–	1	–	–	–	M. 1
†Cheltenham ...	–	1	2	–	–	–
Cirencester ...	–	–	1	–	–	–
Coleford ...	–	1	–	–	–	–
GLOUCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Kingswood ...	–	3	–	–	–	–
Stow on the Wold	*	*	*	*	*	*
Westbury on Severn	–	–	–	–	2	–
Rural Districts:—						
Cheltenham ...	–	1	–	–	–	–
Chipping Sodbury	–	2	–	–	1	–
East Dean and United Parishes ...	–	9	–	–	–	–
Gloucester ...	–	–	–	1	–	–
Pebworth ...	*	*	*	*	*	*
Stow on the Wold (part)	–	–	1	–	–	–
Thornbury ...	–	2	–	–	1	M. 1
Warmley ...	–	2	–	–	–	–
West Dean ...	–	3	–	–	–	–
HEREFORD ...	–	6	–	1	2	–
Boroughs and Urban Districts:—						
Kington	–	1	–	–	–	–
Rural Districts:—						
Bredwardine ...	*	*	*	*	*	*
Hereford ...	–	–	–	1	–	–
Ledbury... ...	–	1	–	–	1	–
Leominster ...	–	3	–	–	1	–
Wigmore ...	–	1	–	–	–	–
HERTFORD ..	–	13	4	–	1	–
Boroughs and Urban Districts:—						
†Barnet	–	1	–	–	–	–
Bushey	–	1	1	–	–	–
Harpenden ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEMEL HEMPSTEAD	–	–	1	–	–	–
†LETCHWORTH ...	–	1	–	–	–	–
WARE	–	–	–	–	1	–
Rural Districts:—						
BARNET	–	1	–	–	–	–
HEMEL HEMPSTEAD	–	2	–	–	–	–
HITCHIN	–	2	–	–	–	–
WARE	–	1	1	–	–	–
WATFORD ...	–	3	–	–	–	–
WELWYN	–	–	1	–	–	–
HUNTINGDON ...	–	–	2	–	–	M. 1
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	1	–	–	–
ST. IVES	–	–	–	–	–	M. 1
Rural Districts:—						
ST. IVES	–	–	1	–	–	–
KENT	–	21	6	1	8	G. 1 M. 2
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1	–	–	2	–
†BROMLEY ...	–	2	–	–	–	M. 1
†CHATHAM ...	–	1	–	–	1	–
CHISLEHURST ...	–	–	–	–	1	–
†ERITH	–	1	–	–	–	G. 1
†FOLKESTONE ...	–	1	–	–	–	–
†GILLINGHAM ...	–	3	2	–	–	–
†GRAVESEND ...	–	1	1	–	–	–
†HERNE BAY ...	–	–	1	–	–	–
†MAIDSTONE ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MARGATE ...	–	3	–	–	–	–
†PENGE	–	–	–	–	1	–
†ROCHESTER ...	–	2	1	–	–	–
SANDGATE ...	*	*	*	*	*	*
†SHEERNESS ...	–	1	–	–	–	–
WHITSTABLE ...	–	–	–	–	1	–
WROTHAM ...	–	2	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	1	–	–	–	–
DARTFORD ...	–	–	1	–	–	–
EAST ASHFORD ...	–	–	–	–	–	M. 1
FAVERSHAM ...	–	2	–	–	1	–
HOLLINGBOURNE	–	–	–	1	–	–
SHEPPEY	*	*	*	*	*	*
LANCASTER ...	19	263	104	8	305	C. 6 D. 2 G. 7 L. 4 M. 38
†BARROW IN FURNESS C.B.	–	4	–	–	1	M. 1
†BLACKBURN C.B.	–	3	–	1	10	G. 1
†BLACKPOOL C.B.	–	1	–	–	2	C. 1 M. 2
†BOLTON C.B. ...	–	17	3	–	3	M. 1
†BOOTLE C.B. ...	–	4	1	–	1	M. 2
†BURNLEY C.B. ...	–	22	2	–	3	G. 1
†BURY C.B. ...	–	2	1	–	4	G. 1 M. 1
†LIVERPOOL C.B. ...	–	52	18	1	27	G. 2 M. 17
†MANCHESTER C.B.	–	16	21	1	101	C. 3 D. 2 G. 1 M. 8
†OLDHAM C.B. ...	–	7	1	–	13	G. 1
†PRESTON C.B. ...	–	3	5	–	1	M. 1
†ROCHDALE C.B. ...	–	7	1	–	–	–
†ST. HELENS C.B.	–	4	4	–	1	–
†SALFORD C.B. ...	–	21	9	2	10	C. 1 M. 2
†SOUTHPORT C.B.	–	2	–	–	5	–
†WARRINGTON C.B.	–	6	1	–	10	–
†WIGAN C.B. ...	–	2	–	–	8	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K. Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—						
†Accrington ...	–	1	–	–	–	–
Adlington ...	–	–	.	–	1	–
†Ashton in Makerfield	–	–	5	–	1	–
†Ashton under Lyne	–	6	–	–	13	–
†Atherton ...	–	2	–	–	6	–
Billinge ...	–	1	–	–	–	–
Blackrod ...	–	–	–	–	1	–
†Chadderton ...	–	3	1	–	2	–
†Chorley	–	–	–	–	5	–
†Clitheroe ...	–	–	–	–	–	M. 1
†Colne	–	13	–	–	4	–
†Dalton in Furness	–	1	1	–	–	–
†Darwen	–	5	–	–	–	–
†Denton	*	*	*	*	*	*
†Droylsden ...	–	–	–	–	1	–
†Eccles	–	1	–	–	4	–
†Failsworth ...	–	4	2	–	1	–
†Farnworth ...	–	–	2	–	1	–
†Fleetwood ...	–	–	1	–	3	–
†Great Crosby ...	–	–	1	–	-	–
†Great Harwood	–	2	7	–	–	–
†Heywood ...	–	4	–	–	3	C. 1
†Horwich ...	–	–	–	–	7	–
Hurst	–	–	–	–	1	–
Huyton with Roby	–	1	–	–	–	–
†Ince in Makerfield	–	1	–	–	2	–
Irlam	–	–	1	–	–	–
†Lancaster ...	–	2	1	–	1	–
Lees	–	–	–	–	1	–
†Leigh	–	–	–	–	4	–
†Litherland ...	–	8	1	–	–	–
†Lytham St. Annes	–	2	–	–	–	–
†Middleton ...	–	2	–	–	4	–
Milnrow ...	–	1	–	–	1	–
†Morecambe ...	–	–	1	–	–	–
†Mossley	–	4	–	–	–	–
†Nelson	19	–	–	–	–	–
†Newton in Makerfield	–	–	–	–	2	–
Norden	–	–	–	–	–	M. 1
†Oswaldtwistle	–	–	–	–	1	–
†Padiham ...	–	1	–	–	–	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Poulton le Fylde	–	1	–	–	–	–
†Radcliffe ...	–	–	–	–	2	–
†Ramsbottom ...	–	–	–	–	6	–
Rishton	–	–	–	–	2	–
†Royton	–	1	–	–	–	–
Standish with Langtree	–	–	–	–	1	–
†Stretford... ...	–	1	1	1	1	–
†Swinton and Pendlebury	–	4	–	–	1	–
Tottington ...	–	–	–	–	4	–
†Tyldesley with Shakerley	–	–	–	–	4	–
Upholland ...	–	2	–	–	–	–
Urmston... ..	–	–	1	–	–	–
†Waterloo with Seaforth	–	1	–	–	–	–
†Westhoughton	–	–	–	–	1	–
Whitefield ...	–	1	–	–	–	–
Whitworth ...	–	–	–	–	1	–
†Widnes	–	4	5	2	2	–
Withnell ...	–	1	–	–	–	–
†Worsley... ...	–	–	–	–	1	–
Rural Districts:—						
Barton upon Irwell	–	-	–	–	1	–
Burnley... ...	–	2	1	–	–	–
Chorley	–	5	1	-	2	–
Clitheroe ...	–	–	–	–	1	L. 4
Fylde	–	–	2	–	–	–
Leigh	–	–	–	–	1	–
Preston	–	–	1	–	–	–
Ulverston ...	–	1	–	–	–	–
Warrington ...	–	–	1	–	1	–
West Lancashire	–	–	–	–	2	M. 1
Wigan	–	1	–	–	1	–
LEICESTER... ...	–	14	10	–	11	C. 1 G. 1 M. 3
†Leicester C.B. ...	–	13	3	–	8	M. 3

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts:—						
Ashby de la Zouch	*	*	*	*	*	*
Thurmaston ...	–	1	–	–	–	–
Wigston Magna	–	–	3	–	–	–
Rural Districts:—						
Ashby de La Zouch	–	–	1	–	–	–
Barrow upon Soar	–	–	–	–	1	C. 1
Blaby	–	–	1	–	–	–
Hinckley ...	–	–	–	–	2	–
Lutterworth ...	–	–	–	–	–	G. 1
Market Bosworth	–	–	2	–	–	–
LINCOLN (parts of Holland).	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†Spalding ...	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	1	3	–	1	–
Boroughs and Urban Districts:—						
Sleaford ...	–	1	–	–	–	–
Stamford ...	–	–	2	–	–	–
Rural Districts:—						
Claypole ...	–	–	1	–	–	–
Grantham ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	13	5	–	5	G. 1 M. 1
†Grimsby C.B. ...	–	3	–	–	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
†Cleethorpe with Thrunscoe	–	2	–	–	1	–
†Gainsborough ...	–	–	1	–	–	G. 1
Market Rasen ...	*	*	*	*	*	*
†Scunthorpe ...	–	7	2	–	3	–
Skegness ...	*	*	*	*	*	*
Rural Districts:—						
Horncastle ...	–	1	1	–	–	–
Isle of Axholme	–	–	1	–	–	–
MIDDLESEX ...	–	40	37	–	28	E. 2 G. 1 M. 3
Boroughs and Urban Districts:—						
†Acton	–	5	–	–	3	–
†Brentford ...	–	–	2	–	1	–
†Chiswick ...	–	2	–	–	1	–
†Ealing	–	2	–	–	–	–
†Edmonton ...	–	2	2	–	2	–
†Enfield	–	1	–	–	–	–
Feltham... ...	–	3	1	–	–	–
†Finchley ...	–	1	–	–	1	–
†Friern Barnet	–	1	–	–	–	–
†Hampton ...	–	2	–	–	–	–
†Hanwell ...	–	1	1	–	–	–
†Harrow-on-the Hill	–	1	–	–	–	–
Hayes	–	–	2	–	–	–
†Hendon	–	–	5	–	1	–
†Heston and Isleworth	–	–	1	–	3	M. 1
†Hornsey... ...	–	1	7	–	3	–
Ruislip Northwood	–	2	–	–	–	–
†Southgate ...	–	1	–	–	–	–
Staines	–	1	–	–	–	–
Sunbury on Thames	–	–	1	–	–	–
†Teddington ...	–	1	–	–	–	–
†Tottenham ...	–	3	5	–	8	G. 1
†Twickenham ..	–	2	–	–	–	M. 1
†Uxbridge ...	–	–	1	–	–	–
†Wealdstone ...	–	1	–	–	–	–
†Willesden ...	–	3	8	–	4	E. 2 M. 1
†Wood Green ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Rural Districts:—						
HENDON	–	2	–	–	–	–
STAINES	–	–	1	–	1	–
NORFOLK	–	44	13	–	4	G. 3
†GREAT YARMOUTH C.B.	–	8	–	–	–	–
†NORWICH C.B. ...	–	24	12	–	1	–
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	–	–	1	–
SHERINGHAM ...	–	1	–	–	1	G. 1
THETFORD ...	*	*	*	*	*	*
Rural Districts:—						
DEPWADE ...	*	*	*	*	*	*
EAST AND WEST FLEGG	–	1	–	–	–	–
ERPINGHAM ...	–	–	–	–	–	G. 1
FOREHOE	–	1	–	–	1	–
HENSTEAD ...	–	1	–	–	–	–
MARSHLAND ...	–	–	1	–	–	–
MITFORD AND LAUNDITCH	–	2	–	–	–	–
ST. FAITH'S ...	–	4	–	–	–	–
THETFORD ...	–	1	–	–	–	–
WALSINGHAM ...	–	–	–	–	–	G. 1
WAYLAND ...	–	1	–	–	–	–
NORTHAMPTON ...	–	18	1	–	2	G. 1
†NORTHAMPTON C.B.	–	4	–	–	1	–
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	1	–	–	–	G. 1
IRTHLINGBOROUGH	–	2	–	–	–	–
†KETTERING ...	–	1	–	–	–	–
NORTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
ROTHWELL ...	–	2	–	–	–	–
†RUSHDEN ...	–	1	–	–	–	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
HARDINGSTONE ...	–	2	1	–	–	–
KETTERING ...	*	*	*	*	*	*
TOWCESTER ...	–	–	–	–	1	–
WELLINGBOROUGH	–	3	–	–	–	–
NORTHUMBERLAND	–	27	10	–	31	D. 1 M. 3
†NEWCASTLE UPON TYNE C.B.	–	5	7	–	15	D. 1
†TYNEMOUTH C.B.	–	3	–	–	1	M. 1
Boroughs and Urban Districts:—						
AMBLE	–	1	–	–	–	–
†BEDLINGTONSHIRE	–	3	–	–	1	–
†BERWICK UPON TWEED	–	2	2	–	–	–
†BLYTH	–	–	–	–	5	–
†EARSDON	–	3	–	–	–	–
†GOSFORTH ...	–	1	–	–	–	–
†LONGBENTON ...	–	–	–	–	3	–
†NEWBURN ...	–	4	–	–	1	–
†WALLSEND ...	–	1	1	–	4	M. 1
WEETSLADE ...	–	1	–	–	–	–
†WHITLEY AND MONKSEATON	–	–	–	–	–	M. 1
Rural Districts:—						
CASTLE WARD ...	–	–	–	–	1	–
HALTWHISTLE ...	–	1	–	–	–	–
HEXHAM	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	5	24	4	–	8	C. 1 M. 1
†NOTTINGHAM C.B.	–	10	2	–	2	M. 1
Boroughs and Urban Districts:—						
†CARLTON	–	1	–	–	1	C. 1
†EAST RETFORD ...	–	–	–	–	1	–
†MANSFIELD ...	–	1	1	–	–	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK	–	2	1	–	–	–
†SUTTON IN ASHFIELD	–	3	–	–	1	–
†WEST BRIDGFORD	*	*	*	*	*	*
Rural Districts:—						
BASFORD	1	–	–	–	–	–
BINGHAM ...	–	–	–	–	1	–
EAST RETFORD ...	–	–	–	–	1	–
MISTERTON ...	*	*	*	*	*	*
NEWARK	–	–	–	–	1	–
STAPLEFORD ...	4	6	–	–	–	–
OXFORD	–	12	1	–	3	–
†OXFORD C.B. ...	–	4	1	–	1	–
Rural Districts:—						
CULHAM	–	1	–	–	–	–
HEADINGTON ...	–	5	–	–	–	–
HENLEY	–	1	–	–	–	–
WITNEY	–	1	–	–	2	–
PETERBOROUGH (Soke of)	–	3	–	–	1	–
Borough:—						
†PETERBOROUGH...	–	3	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	5	4	–	4	C. 1 M. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	1	–	–	–	–
OSWESTRY ...	–	2	–	–	–	–
†SHREWSBURY ...	–	–	–	–	4	C. 1 M. 1
Rural Districts:—						
ATCHAM	–	1	–	–	–	–
CLEOBURY MORTIMER	–	–	2	–	–	–
DRAYTON ...	–	–	1	–	–	–
ELLESMERE ...	–	1	–	–	–	–
NEWPORT ...	–	–	1	–	–	–
SOMERSET	–	16	2	–	8	–
†BATH C.B. ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	3	–	–	–	–
PORTISHEAD ...	*	*	*	*	*	*
†TAUNTON... ...	–	1	–	–	1	–
WELLINGTON ...	–	3	–	–	–	–
WELLS	–	–	–	–	1	–
†WESTON SUPER MARE	–	1	2	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	2	–	–	1	–
BATH	–	2	–	–	–	–
CHARD	–	–	–	–	2	–
CLUTTON... ...	*	*	*	*	*	*
LANGPORT ...	–	1	–	–	–	–
LONG ASHTON ...	–	1	–	–	–	–
TAUNTON ...	–	1	–	–	2	–
WELLINGTON ...	*	*	*	*	*	*
WILLITON ...	*	*	*	*	*	*
WINCANTON ...	–	1	–	–	–	–
SOUTHAMPTON ...	–	25	28	–	9	C. 1 G. 1 M. 3
†BOURNEMOUTH C.B.	–	2	–	–	–	G. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
†PORTSMOUTH C.B.	–	10	12	–	1	–
†SOUTHAMPTON C.B.	–	2	4	–	3	C. 1 M. 2
Boroughs and Urban Districts:—						
†BASINGSTOKE ...	–	1	–	–	–	–
†FAREHAM ...	–	2	–	–	2	–
†GOSPORT	–	–	7	–	1	–
†WINCHESTER ...	–	2	2	–	–	–
Rural Districts:—						
FAREHAM ...	–	–	1	–	–	–
FORDINGBIDGE ...	–	5	–	–	–	–
HARTLEY WINTNEY	–	–	1	–	–	–
ROMSEY	–	–	–	–	1	–
SOUTH STONEHAM	–	–	1	–	–	–
WHITCHURCH ...	–	1	–	–	1	M. 1
STAFFORD	–	121	40	2	39	C. 4 E. 1 G. 3 M. 7
†BURTON UPON TRENT C.B.	–	1	–	–	–	–
†SMETHWICK C.B.	–	5	1	–	2	M. 2
†STOKE ON TRENT C.B.	–	42	4	1	19	E. 1 G. 1 M. 5
†WALSALL C.B. ...	–	6	–	–	2	G. 1
†WEST BROMWICH C.B.	–	4	19	–	1	C. 1
†WOLVERHAMPTON C.B.	–	5	3	–	1	C. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	4	–	–	–	–
BIDDULPH ...	–	3	–	–	–	–
†BILSTON	–	2	–	–	–	–
†BRIERLEY HILL...	–	2	–	–	2	–
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BROWNHILLS ...	–	3	2	–	1	–
†CANNOCK	–	1	–	–	3	–
†COSELEY	–	1	–	–	2	–
KIDSGROVE ...	–	1	–	–	–	–
†LEEK	–	2	1	–	–	–
†NEWCASTLE UNDER LYME	–	5	3	–	–	–
QUARRY BANK ...	–	1	1	–	2	–
†ROWLEY REGIS ...	–	2	–	–	1	G. 1
RUGELEY ...	–	2	–	–	–	–
†SEDGLEY	–	1	2	–	–	–
†STAFFORD ...	–	3	–	–	–	C. 1
TAMWORTH ...	–	1	–	–	–	–
†TIPTON	–	3	1	–	–	–
†WILLENHALL ...	–	4	–	–	1	–
†WOLSTANTON UNITED	–	3	2	–	1	–
Rural Districts:—						
CANNOCK	–	3	–	–	–	–
CHEADLE... ...	–	2	1	–	–	–
KINGSWINFORD ...	–	1	–	1	–	–
LEEK	–	2	–	–	–	–
MAYFIELD ...	–	1	–	–	–	–
STAFFORD ...	–	1	–	–	–	–
STONE	–	1	–	–	–	–
TAMWORTH (part)	–	2	–	–	–	–
UTTOXETER ...	–	1	–	–	–	–
WALSALL... ...	–	–	–	–	1	C. 1
SUFFOLK, EAST ...	–	6	3	–	5	C. 1
†IPSWICH C.B. ...	–	2	2	–	1	–
Boroughs and Urban Districts:—						
BECCLES	*	*	*	*	*	*
†LOWESTOFT ...	–	2	1	–	–	–
STOWMARKET ...	–	–	–	–	1	–
Rural Districts:—						
BLYTHING ...	–	1	–	–	–	–
EAST STOW ...	–	–	–	–	–	C. 1
HARTISMERE ...	–	–	–	–	3	–
WANGFORD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST ...	–	1	4	–	–	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	1	–	–	–
NEWMARKET ...	–	1	–	–	–	–
Rural District:—						
MELFORD... ...	–	–	3	–	–	–
SURREY	–	31	16	5	14	C. 1 G. 1 M. 1
†CROYDON C.B. ...	–	8	1	1	1	G. 1
Boroughs and Urban Districts:—						
†BARNES	–	–	1	–	1	–
†BEDDINGTON AND WALLINGTON	–	–	–	–	1	–
†CARSHALTON ...	–	1	–	2	–	–
†CATERHAM ...	–	6	–	–	–	–
†COULSDON AND PURLEY	–	–	2	–	–	–
DORKING... ...	–	–	1	–	–	–
EAST AND WEST MOLESEY	–	–	–	–	1	–
†EGHAM	–	–	–	–	1	–
†EPSOM	–	–	–	–	4	M. 1
†FRIMLEY... ...	–	–	–	–	–	C. 1
†GODALMING ...	–	–	1	–	–	–
HASLEMERE ...	*	*	*	*	*	*
†KINGSTON ON THAMES	–	3	–	–	–	–
†MERTON AND MORDEN	*	*	*	*	*	*
†MITCHAM... ...	–	4	4	–	–	–
†RICHMOND ...	–	–	1	–	1	–
†SURBITON ...	–	1	–	–	1	–
†SUTTON	–	1	1	2	1	–
†THE MALDENS AND COOMBE	–	2	–	–	1	–
†WIMBLEDON ...	–	2	3	–	–	–
†WOKING	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
EPSOM	–	1	–	–	–	–
FARNHAM ...	–	–	–	–	1	–
GODSTONE ...	–	–	1	–	–	–
GUILDFORD ...	–	1	–	–	–	–
SUSSEX, EAST ...	–	18	8	–	9	C. 1 D. 1 M. 1
†BRIGHTON C.B. ...	–	3	7	–	–	D. 1
†EASTBOURNE, C.B.	–	–	1	–	3	–
†HASTINGS C.B. ...	–	–	–	–	4	C. 1
Boroughs and Urban Districts:—						
†BEXHILL	–	1	–	–	–	–
EAST GRINSTEAD	–	2	–	–	–	–
†HOVE	–	1	–	–	–	–
PORTSLADE-BY-SEA	–	1	–	–	–	–
Rural Districts:—						
EAST GRINSTEAD	–	8	–	–	–	–
HAILSHAM ...	–	1	–	–	1	–
STEYNING EAST...	–	1	–	–	–	–
UCKFIELD ...	–	–	–	–	1	M. 1
SUSSEX, WEST ...	–	4	–	–	1	–
Boroughs and Urban Districts:—						
†HORSHAM ...	–	2	–	–	–	–
SHOREHAM-BY-SEA	–	–	–	–	1	–
Rural Districts:—						
PETWORTH ...	–	1	–	–	–	–
THAKEHAM ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK	–	64	49	1	94	C. 3 G. 2 M. 13
†BIRMINGHAM C.B.	–	34	44	–	77	C. 2 G. 1 M. 11
†COVENTRY C.B. ...	–	12	–	–	–	C. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	1	–	–	3	–
†ROYAL LEAMINGTON SPA	–	7	–	–	1	–
†RUGBY	–	–	–	–	1	–
STRATFORD-ON-AVON	–	1	–	–	–	–
†SUTTON COLDFIELD	–	2	–	–	1	–
†WARWICK ...	–	2	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	1	1	–	–	–
COVENTRY ...	–	–	–	–	–	M. 1
FOLESHILL ...	–	1	–	–	1	–
MERIDEN... ...	–	–	1	–	2	–
NUNEATON ...	–	–	2	–	7	–
TAMWORTH (part)	–	2	1	–	–	–
WARWICK ...	–	–	–	1	–	–
WESTMORLAND ...	–	–	–	–	2	–
Rural District:—						
SOUTH WESTMORLAND	–	–	–	–	2	–
WIGHT, ISLE OF ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
SANDOWN ...	–	1	–	–	–	–
WILTS	–	11	4	–	9	–
Boroughs and Urban Districts:—						
BRADFORD ON AVON	–	–	2	–	1	–
CALNE	–	1	–	–	–	–
MARLBOROUGH ...	–	1	–	–	2	–
†SWINDON... ...	–	5	–	–	3	–
Rural Districts:—						
CALNE	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	2	–	–	–	–
MALMESBURY ...	–	–	–	–	1	–
PEWSEY	–	–	–	–	1	–
RAMSBURY ...	–	–	2	–	1	–
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–
WORCESTER ...	–	17	2	1	7	–
†WORCESTER C.B.	–	1	1	–	3	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
EVESHAM ...	–	1	–	–	–	–
†MALVERN ...	–	–	–	1	–	–
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY... ...	–	2	1	–	–	–
†REDDITCH ...	–	2	–	–	–	–
†STOURBRIDGE ...	–	1	–	–	1	–
STOURPORT ...	–	2	–	–	–	–
Rural Districts:—						
FECKENHAM ...	–	3	–	–	–	–
HALESOWEN ...	–	1	–	–	3	–
KIDDERMINSTER	–	1	–	–	–	–
SHIPSTON ON STOUR	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)	–	6	5	1	3	C. 1
†KINGSTON UPON HULL C.B.	–	5	4	–	1	C. 1
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	1	–	–	–	–
HORNSEA	–	–	–	–	1	–
Rural Districts:—						
BRIDLINGTON ...	–	–	1	–	–	–
ESCRICK	–	–	–	1	–	–
SKIRLAUGH ...	–	–	–	–	1	–
YORKS ... ... (North Riding).	1	24	6	2	11	G. 1
†MIDDLESBROUGH C.B.	1	11	2	–	4	–
Boroughs and Urban Districts:—						
†ESTON	–	8	–	1	–	–
GUISBOROUGH ...	–	–	–	–	1	–
†REDCAR	–	2	–	–	–	–
SCALBY	*	*	*	*	*	*
†SCARBOROUGH ...	–	–	–	1	2	–
†SKELTON AND BROTTON	–	–	–	–	2	–
†THORNABY ON TEES	–	–	2	–	–	–
Rural Districts:—						
CROFT	*	*	*	*	*	*
EASINGWOLD ...	–	2	–	–	–	–
GUISBOROUGH ...	–	–	–	–	1	–
KIRKBY MOORSIDE	–	–	1	–	1	–
NORTHALLERTON	–	1	–	–	–	–
RICHMOND ...	–	–	–	–	–	G. 1
WHITBY	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding).	15	179	53	6	145	C. 1 D. 1 G. 9 M. 7
†BRADFORD C.B. ...	–	19	4	–	18	D. 1 G. 1 M. 1
†DEWSBURY C.B....	–	6	–	–	–	–
†HALIFAX C.B. ...	–	4	–	2	1	–
†HUDDERSFIELD C.B.	–	5	4	–	3	–
†LEEDS C.B. ...	–	47	10	–	12	G. 1 M. 2
†ROTHERHAM C.B.	–	5	–	–	1	–
†SHEFFIELD C.B....	–	29	10	–	50	G. 2 M. 3
†WAKEFIELD C.B.	–	2	–	–	1	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	1	–	2	–
ALTOFTS	–	–	–	1	–	–
ARDSLEY, EAST AND WEST	–	–	–	–	–	C. 1
BAILDON	–	1	–	–	–	–
†BARNOLDSWICK ...	–	–	–	–	2	–
†BARNSLEY C.B. ...	–	–	3	–	1	G. 1
†BATLEY	–	8	1	–	–	–
†BENTLEY WITH ARKSEY	5	–	–	–	–	–
†BINGLEY	–	–	–	–	6	G. 1 M. 1
BIRKENSHAW ...	–	1	–	–	–	–
†BOLTON UPON DEARNE	–	1	–	–	–	–
†BRIGHOUSE ...	–	2	–	–	–	–
BURLEY IN WHAREEDALE	–	1	–	–	–	–
CALVERLEY ...	–	1	–	–	–	–
†CASTLEFORD ...	–	5	1	–	–	–
†CONISBROUGH ...	–	1	–	–	–	–
CUDWORTH ...	–	–	1	–	1	–
DARFIELD ...	–	–	–	–	2	–
†DONCASTER ...	9	2	3	–	–	–
†ELLAND	–	–	2	–	1	–
†FEATHERSTONE ...	–	–	–	–	1	–
†GOOLE	–	–	–	–	4	–
GUISELEY ...	–	1	–	–	–	–
†HARROGATE ...	*	*	*	*	*	*
†HEMSWORTH ...	*	*	*	*	*	*
HIPPERHOLME ...	–	–	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†HOLMFIRTH ...	–	–	–	–	2	–
HOYLAND NETHER	–	–	–	–	1	–
†KEIGHLEY ...	–	1	1	–	1	–
KIRKBURTON ...	–	–	–	–	1	–
KIRKHEATON ...	–	–	–	–	1	–
†MEXBOROUGH ...	–	1	–	–	3	–
†MORLEY	–	1	–	–	4	G 1
NEW MILL ...	–	–	1	1	–	–
†NORMANTON ...	–	–	–	1	1	–
†OSSETT	–	1	–	–	–	–
QUEENSBURY ...	–	–	1	–	–	–
†RAWMARSH ...	–	–	–	–	4	–
†ROTHWELL ...	–	3	–	–	–	–
†SHIPLEY	–	–	1	–	–	–
SOUTH CROSLAND	–	1	–	–	–	–
SOWERBY... ...	–	–	1	–	–	–
†SOWERBY BRIDGE	–	1	–	–	–	–
†SPENBOROUGH ...	–	1	–	–	1	G. 1
†STANLEY	–	4	2	–	–	–
STOCKSBRIDGE ...	–	–	–	–	2	–
THURNSCOE ...	–	2	–	–	–	–
†TODMORDEN ...	–	1	–	–	1	–
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	–	1	–	–	1	–
†WORSBOROUGH ...	–	–	–	–	1	–
YEADON	–	–	–	–	1	–
Rural Districts:—						
HEMSWORTH ...	–	8	3	–	2	–
KIVETON PARK	–	2	1	–	–	–
PONTEFRACT ...	–	–	–	1	–	–
ROTHERHAM ...	–	1	–	–	–	–
SELBY	–	–	1	–	–	–
SKIPTON	–	–	–	–	1	–
TADCASTER ...	–	6	–	–	1	–
THORNE	–	–	1	–	2	–
TODMORDEN ...	1	1	–	–	–	–
WAKEFIELD ...	–	1	–	–	–	–
WETHERBY ...	–	–	–	–	4	–
WORTLEY ...	–	–	–	–	1	G. 1
§YORK C.B. ...	–	2	1	1	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES						
ANGLESEY	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	–	1	–	–	–
Rural Districts:—						
DWYRAN	–	2	–	–	–	–
VALLEY	*	*	*	*	*	*
BRECKNOCK ...	–	–	–	–	–	–
Rural Districts:—						
BUILTH	*	*	*	*	*	*
HAY	*	*	*	*	*	*
CARDIGAN	–	1	3	–	–	–
Boroughs and Urban Districts:—						
ABERAYRON ...	*	*	*	*	*	*
ABERYSTWYTH ...	–	1	2	–	–	–
Rural District:—						
ABERYSTWYTH (NORTH)	–	–	1	–	–	–
CARMARTHEN ...	–	4	1	–	6	–
Boroughs and Urban Districts:—						
BURRY PORT ...	–	–	–	–	1	–
†CARMARTHEN ...	–	1	–	–	–	–
LLANDOVERY ...	*	*	*	*	*	*
†LLANELLY ...	–	1	1	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN—*cont.*						
Rural Districts:—						
LLANDILO FAWR	–	1	–	–	3	–
LLANDOVERY ...	*	*	*	*	*	*
LLANELLY ...	–	1	–	–	–	–
CARNARVON ...	–	–	7	–	1	–
Boroughs and Urban Districts:—						
CARNARVON ...	–	–	2	–	1	–
Rural Districts:—						
GWYRFAI	–	–	4	–	–	–
LLEYN	–	–	1	–	–	–
DENBIGH	–	2	2	–	1	G. 2
Boroughs and Urban Districts:—						
ABERGELE AND PENSARN	*	*	*	*	*	*
†COLWYN BAY AND COLWYN	–	–	–	–	–	G. 1
DENBIGH... ...	–	–	1	–	–	–
Rural Districts:—						
CHIRK	–	2	–	–	–	–
RUTHIN	–	–	–	–	1	–
UWCHALED ...	–	–	–	–	–	G. 1
WREXHAM ...	–	–	1	–	–	–
FLINT	–	1	4	–	4	–
Boroughs and Urban Districts:—						
BUCKLEY... ...	–	1	1	–	–	–
HOLYWELL ...	–	–	1	–	–	–
†RHYL	–	–	1	–	–	–
FLINT—*cont*						
Rural Districts:—						
HAWARDEN ...	–	–	–	–	1	–
HOLYWELL (HOLYWELL DIV.)	–	–	1	–	3	–
GLAMORGAN ...	–	84	28	–	44	C. 3 E. 3 M. 5
†CARDIFF C.B. ...	–	8	7	–	2	M. 1
†MERTHYR TYDFIL C.B.	–	4	–	–	–	E. 3
†SWANSEA C.B. ...	–	7	5	–	1	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	15	–	–	7	C. 1
†BARRY	–	5	2	–	6	M. 1
†GELLIGAER ...	–	–	3	–	1	–
†MAESTEG	–	1	–	–	2	M. 1
†MOUNTAIN ASH ...	–	12	1	–	8	–
†NEATH	–	–	5	–	–	–
†OGMORE AND GARW	–	3	–	–	3	–
†PENARTH... ...	–	1	–	–	–	–
†PONTYPRIDD ...	–	6	–	–	2	–
†RHONDDA ...	–	13	3	–	11	C. 1 M. 1
Rural Districts:—						
CARDIFF	–	1	–	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	5	–	–	–	C. 1
NEATH	–	2	–	–	1	M. 1
PONTARDAWE ...	–	–	2	–	–	–
SWANSEA... ...	–	1	–	–	–	–
MERIONETH ...	–	2	–	–	–	–
Urban District:—						
FESTINIOG ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis: F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH ...	–	18	8	1	12	C. 1 M. 1
†NEWPORT C.B. ...	–	5	2	1	1	–
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	4	1	–	–	–
†ABERTILLERY ...	–	2	2	–	3	–
BEDWAS AND MACHEN	–	–	–	–	1	–
†BEDWELTY ...	–	–	2	–	–	M. 1
†BLAENAVON ...	–	2	–	–	–	–
†EBBW VALE ...	–	–	1	–	–	C. 1
MONMOUTH ...	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	1	–	–	6	–
PONTYPOOL ...	–	2	–	–	–	–
†RHYMNEY ...	–	1	–	–	–	–
†TREDEGAR ..	–	–	–	–	1	–
MONTGOMERY ...	–	2	–	–	2	–
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	–	–	–	1	–
MONTGOMERY— *cont.*						
Rural Districts:—						
FORDEN	–	–	–	–	1	–
LLANFYLLIN ...	–	2	–	–	–	–
NEWTOWN AND LLANIDLOES	*	*	*	*	*	*
PEMBROKE	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†PEMBROKE ...	–	–	1	–	–	–
RADNOR						
Rural District:—						
PAINSCASTLE ...	*	*	*	*	*	*
Total of Part II. ...	52	1472	587	35	1020	C. 27 D. 5 E. 8 G. 47 L. 9 M. 114

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H. Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
EAUMARIS	*	*	*	*	*	*	Liverpool	–	–	3	–	4	–
RISTOL	–	–	–	1	–	–	Southampton ...	–	–	1	–	1	–
ARDIFF	–	–	–	–	1	–							
ULL AND GOOLE ...	–	–	–	2	–	–	**Total of Part III.—** ...	–	–	4	3	6	–

* Returns not received. † Population over 10,000.

, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	‡
Total of Part I.—London	–	172	233	3	122	C. D G M
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London	52	1472	587	35	1020	C D E G L M
Total of Part III.—Port Sanitary Districts	–	–	4	3	6	
Total (*i.e.*, of returns received), England and Wales ...	52	1644	824	41	1148	C D E G L M

‡ The letters in this column denote the following diseases:—A, Cholera; B, Pl C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute I encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Conti Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

There were no cases of Cholera, Plague, or Typhus Fever notified during the Fifty-three cases of Small-pox were notified which appear on pages 364, 365, 366, 368, 371, 37 376.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. } BIRTHS, DEATHS (distinguishing certain CAUSE and DEATHS of INFANTS under 1 YEAR o AGE) and NOTIFIED CASES of certain IN FECTIOUS DISEASES in the last THIRTEE WEEKS.

Week ended :—	Jan. 6.	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.
LONDON:—													
DEATHS—all ages	1,119	1,124	1,171	1,118	1.087	1,001	977	1,063	1,074	1,104	1,098	1,162	1,082
„ 0 to 1 year ..	119	132	124	118	102	117	123	123	106	134	104	112	113
GREAT TOWNS, aggregate (including London):—													
BIRTHS	8,273	8,409	7,935	7,961	7,373	7,688	7,865	7,533	7,925	7,820	7,755	7,844	7,029
DEATHS—all ages	4,910	4,843	4,958	4,841	4,742	4,648	4,446	4,849	4,868	4,667	4,882	4,953	4,991
„ 0 to 1 year ..	652	698	674	639	672	680	628	714	672	620	637	626	662
ENTERIC FEVER—Cases	16	12	20	19	23	30	22	18	18	15	13	18	15
„ Deaths	5	2	2	—	8	4	5	8	5	1	3	2	2
SMALL POX—Cases ..	3	18	22	20	10	10	16	26	16	13	14	3	15
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,291	1,158	1,219	1,246	1,297	1,147	1,125	1,062	1,152	1,085	1,007	1,071	907
„ Deaths	14	27	7	14	8	12	18	13	15	22	13	17	11
DIPHTHERIA—Cases ..	711	675	662	725	742	746	662	694	637	570	557	554	563
„ Deaths ..	58	45	54	55	62	52	51	38	43	36	43	54	43
MEASLES—Deaths ..	72	62	90	72	73	71	84	79	95	95	108	111	117
INFLUENZA—Deaths ..	57	69	78	69	65	66	71	59	79	84	81	125	120

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 31st March, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.*				Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.*				Rainfall in Millimetres.‡
	Highest.	Lowest.	Mean Maximum.	Mean Minimum.			Highest.	Lowest	Mean Maximum.	Mean Minimum.	
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	71	38	61·3	43·7	7	BRADFORD§ ..	64	33	55·3	39·7	19
BRIGHTON ..	62	42	56·7	47·1	11	SHEFFIELD ..	66	36	56·6	41·0	22
PORTSMOUTH ..	59	42	56·4	45·6	17	YORK (MUSEUM)	66	32	57·3	39·9	19
NORWICH (EATON).	69	35	61·1	40·6	2	HULL (PEARSON PARK).	63	35	56·1	38·3	11
PLYMOUTH ..	58	42	55·1	45·9	9	TYNEMOUTH ..	58	33	50·7	39·6	14
BRISTOL (CLIFTON).	62	39	56·6	42·4	10	CARDIFF	60	36	55·7	41·7	12
BIRMINGHAM ..	64	36	55·9	42·4	8	EDINBURGH ..	64·0	36·0	54·7	40·7	5
NOTTINGHAM ..	66	31	57·6	38·4	6	GLASGOW ..	59·5	33·3	53·0	40·4	12
BIRKENHEAD (BIDSTON).	63	38	55·9	41·3	10	DUBLIN (PHŒNIX PARK).	57·4	28·2	53·6	38·1	5
MANCHESTER ..	66	37	58·4	43·0	25	FITZWILLIAM SQUARE.†	56·9	38·1	53·7	43·2	12
BURNLEY.. ..	66	31	56·1	39·4	18						
HUDDERSFIELD	66	32	57·4	40·0	20	BELFAST	57·0	31·0	55·5	41·5	10

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly : 1 inch = 25·4 millimetres exactly.
§ Week ended 17th March :—Mean Maximum Temperature should read 43·°9.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 31st March, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MARCH.		Greatest Declination N. First Quarter.	in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	25		29·988	61·2	38·7	22·5	50·9	+ 8·2	47·8	3·1	9·7	1·7	89	108·6	30·1	43·7	Calm : SE : S.	SSW : SW : Calm.	0·7	0·0	0·0	141	- 185	0·00
MONDAY -	26	..	30·041	63·2	47·6	15·6	54·2	+11·2	51·4	2·8	8·3	0·8	90	117·0	37·3	43·7	Calm.	Calm : ENE : SE.	1·2	0·0	0·0	105	- 224	0·16
TUESDAY -	27	..	29·889	70·6	44·9	25·7	58·2	+14·9	46·2	12·0	20·8	1·7	65	129·0	36·3	44·0	Calm : ESE : SSE.	S : SE : SSW.	1·8	0·0	0·1	195	- 134	0·04
WEDNESDAY	28	..	29·962	60·0	46·1	13·9	51·7	+ 8·0	42·6	9·1	16·7	2·8	71	122·0	39·7	44·2	SW : SSW.	SW : SSW.	2·2	0·0	0·2	308	- 18	0·01
THURSDAY -	29	..	30·100	56·9	41·0	15·9	47·0	+ 2·9	43·4	3·6	11·3	0·9	87	108·3	34·2	44·6	SSW : SW.	SW : SSW.	2·2	0·0	0·1	222	- 99	0·06
FRIDAY -	30	..	30·142	57·3	37·8	19·5	47·3	+ 2·8	40·5	6·8	14·8	1·1	77	105·0	31·4	44·8	SSE : Calm.	SE : ESE : Calm.	0·3	0·0	0·0	130	- 182	0·00
SATURDAY -	31	..	29·827	59·6	42·1	17·5	51·2	+ 6·3	41·8	9·4	14·1	2·6	70	119·4	35·3	45·0	Calm : SE.	S : SW : Calm.	0·6	0·0	0·0	139	- 166	0·01
MEANS -		..	29·993	61·3	42·6	18·7	51·5	+ 7·8	44·8	6·7	13·7	1·7	78·4	115·6	34·9	44·3	SSW		..	..	..	Sum 1,240	Sum - 1,008	Sum 0·28
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MARCH.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	25	wP to mP	3·0	12·4	Nearly overcast generally with partially cloudy periods. Mist and haze in morning. Damping from 23½h.
MONDAY ..	26	mP to wP	3·7	12·5	Variably cloudy. Frequent rain till 7½h. and from 23½h. Heavy rain about 15h. Lightning and thunder about 22h. to midnight.
TUESDAY ..	27	wP to mP	6·7	12·5	Nearly overcast with partially cloudy periods. Partial solar halos between 9h. and 15h. Rain 22h. till 23h.
WEDNESDAY	28	mP	6·2	12·6	Overcast till 7½h., then cloudy generally till 15h. Variably cloudy from 15h., becoming nearly overcast by 21h. Rain 3h. till 4h. Dew at night.
THURSDAY	29	mP to sP	2·2	12·7	Variably cloudy till 2h. Overcast generally till 19h. 30m., with a partially cloudy interval in the afternoon. Occasional showers between 8h. and 15h.
FRIDAY ..	30	mP generally.	2·6	12·7	Variably cloudy till 11h., then overcast generally with thin cloud. Mist 6h. till 9h.
SATURDAY	31	mP	2·9	12·8	Variably cloudy with nearly overcast periods. Dew in morning. Shower about 10½h.
			Sum 27·3	Sum 88·2	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·95 in. at the beginning of the week to 30·08 in. by 8h. on 26th; decreased to 29·84 in. by 20h. on 27th; increased to 30·21 in. by 8h. on 30th, and decreased generally to 29·79 in. by midnight on 31st.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS,
11–17, Hare Street, E.2

FOR OFFICIAL USE.

1923. No. 14.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 7TH APRIL, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 7TH APRIL, 1923.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fourteenth week of the year numbered 7,386 and corresponded to an annual rate of 20·1 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,735 and corresponded to an annual rate of 12·9 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 13·3, 13·5 and 13·6. Infant mortality was 75 per 1,000 births against 82, 80, and 94 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,812 births, corresponding to a rate of 20·8 per 1,000, and 1,094 deaths of civilians, corresponding to a rate of 12·6, as against 12·6, 13·4 and 12·4 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 12·8 per 1,000. The infant mortality was 55 as against 55, 62 and 69 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 256 in the total deaths last week, but the deaths from influenza rose from 120 to 188. In London the number of deaths from all causes rose from 1,082 to 1,094; while the deaths from diphtheria, which had been 18, 18 and 8 in the preceding three weeks, rose to 15 last week, and those from influenza, which had been 21, 39 and 34 in the three preceding weeks, rose to 56 last week.

Just Published:

Supplement to 75th Annual Report of the Registrar General. Part IV. Mortality of Men in Certain Occupations 1910–12. Price 13*s*. 6*d*. net.

Census of England and Wales, 1921. County of London. Tables (Part II). Price 8*s*. net.

Census of England and Wales, 1921. County of London. Text. Price 1*s*. 6*d*. net.

Census of England and Wales, 1921. County of Middlesex. Price 10*s*. net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 7th April, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	7,386	4,735	557	4	104	13	79	37	47	188
London	4,534,230*	1,812	1,094	100	1	1	–	13	15	10	56
Towns in Outer Ring.											
Croydon C.B. ..	192,300	72	36	6	–	2	–	1	–	–	2
Wimbledon ..	61,730	9	17	–	–	–	–	–	–	–	–
Ealing	67,890	21	11	–	–	–	–	1	–	–	–
Acton	62,390	22	11	–	–	–	–	–	–	–	2
Willesden ..	168,200	52	31	3	–	–	–	1	–	1	3
Hendon	55,930	22	12	2	–	–	–	–	–	–	–
Hornsey	87,310	21	18	2	–	–	–	–	–	–	–
Wood Green ..	51,290	18	7	–	–	–	–	–	–	–	–
Tottenham ..	150,500	38	31	1	–	–	–	1	1	–	2
Edmonton ..	68,700	32	10	1	–	–	–	–	–	–	2
Enfield	62,010	20	12	1	–	–	–	–	–	–	1
West Ham C.B. ..	310,200	156	87	10	–	–	1	1	–	–	5
East Ham C.B. ..	145,800	48	33	4	–	1	–	1	–	1	2
Leyton	131,600	36	33	1	–	–	–	–	–	–	2
Walthamstow ..	129,700	41	20	2	–	–	–	–	–	–	–
Ilford	86,370	30	15	2	–	–	–	–	–	–	–
Gillingham	48,630*	25	7	–	–	–	–	–	–	–	–
Canterbury C.B. ..	23,680	8	5	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	16	18	1	–	1	–	–	–	–	–
Eastbourne C.B. ..	53,700	10	10	–	–	–	–	–	–	–	–
Brighton C.B. ..	135,000	57	35	3	–	–	–	2	1	–	–
Portsmouth C.B. ..	236,630*	108	43	7	–	4	–	–	–	–	1
Bournemouth C.B. ..	81,500	14	17	1	–	1	–	–	–	–	–
Southampton C.B. ..	163,700	54	41	4	–	2	–	1	1	1	–
Reading C.B.	92,990	36	22	1	–	–	–	–	–	–	–
Oxford C.B.	56,510	22	18	2	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	33	21	1	–	–	–	–	–	–	–
Luton	58,260	19	10	–	–	–	–	–	–	–	–
Cambridge	59,200	18	12	1	–	–	–	–	–	–	–
Southend-on-Sea C.B.	91,430	24	22	1	–	–	–	–	–	–	1
Ipswich C.B.	80,950	30	19	1	–	–	1	–	–	–	1
Great Yarmouth C.B.	56,700	16	11	3	–	–	–	–	–	–	–
Norwich C.B. ..	122,900	55	21	4	–	2	1	–	1	–	–
Swindon	55,680	25	12	3	–	–	–	–	–	–	1
Exeter C.B.	59,700	19	16	1	–	–	–	–	–	1	–
Plymouth C.B. ..	200,370*	81	48	5	–	–	–	–	–	–	2
Bath C.B.	68,530	18	24	1	–	–	–	1	–	–	4
Bristol C.B.	383,900	135	97	10	–	3	1	5	1	1	3
Gloucester C.B. ..	52,210	20	12	2	–	–	–	1	–	–	–
Stoke-on-Trent C.B.	274,300	127	75	12	1	3	1	1	–	2	3
Burton-upon-Trent C.B.	49,630	18	6	1	–	–	–	–	–	–	1
Wolverhampton C.B.	105,700	42	25	4	–	–	1	–	1	1	–
Walsall C.B.	99,890	48	23	2	–	5	–	–	1	–	–
West Bromwich C.B.	76,260	36	23	4	–	3	1	–	3	–	–
Dudley C.B.	57,860	22	14	2	–	2	–	–	–	–	–
Worcester C.B. ..	49,240	24	2	–	–	–	–	–	–	–	–
Birmingham C.B. ..	945,100	326	220	43	–	11	–	–	1	6	8
Smethwick C.B. ..	78,140	19	13	–	–	1	–	–	–	–	2
Coventry C.B. ..	131,200	44	38	5	–	2	–	1	–	–	3
Leicester C.B. ..	238,800	81	60	7	–	–	–	2	–	–	2
Lincoln C.B.	66,930	25	16	1	–	–	–	–	–	–	1
Grimsby C.B.	84,650	38	13	1	–	–	–	–	–	–	1
Nottingham C.B. ..	267,900	101	68	8	–	1	–	–	1	1	1
Derby C.B.	132,400	56	36	4	–	–	–	1	–	–	7
Chesterfield ..	63,380	26	13	–	–	–	–	–	–	–	–
Stockport C.B. ..	125,800	46	19	2	–	–	–	1	1	–	2
Chester C.B.	41,190	15	9	–	–	–	–	–	–	–	1
Birkenhead C.B. ..	149,200	71	36	5	–	–	–	–	1	–	–
Wallasey C.B. ..	89,790	19	21	1	–	–	–	1	–	–	3
Liverpool C.B. ..	826,400	411	224	23	–	6	–	7	1	–	3
Bootle C.B.	79,750	37	20	1	–	–	–	–	–	–	2
St. Helens C.B. ..	106,400	38	26	3	–	–	1	1	–	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from						
					Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	22	22	4	–	–	–	–	–	–	–
WIGAN C.B.	91,750	44	34	6	–	–	–	–	–	–	2
WARRINGTON C.B. ..	79,150	35	22	3	–	–	–	–	–	–	–
BOLTON C.B.	182,700	66	48	11	–	–	–	1	–	3	–
BURY C.B.	57,400	13	20	2	–	–	–	–	–	–	1
MANCHESTER C.B. ..	748,500	312	252	40	–	4	1	11	1	2	17
SALFORD C.B.	240,700	99	91	16	1	1	2	2	1	–	7
OLDHAM C.B.	148,300	47	61	6	–	1	–	1	–	–	6
ROCHDALE C.B... ..	92,510	22	29	3	–	1	–	–	–	–	–
BURNLEY C.B.	105,100	43	42	5	–	–	–	–	–	–	2
BLACKBURN C.B. ..	129,600	29	36	1	–	–	–	–	–	1	1
PRESTON C.B.	120,900	44	36	7	–	–	–	–	–	–	1
BLACKPOOL C.B. ..	74,050	15	22	1	–	–	–	–	–	–	–
BARROW-IN-FURNESS C.B.	75,690	17	13	4	–	–	–	–	–	1	–
HUDDERSFIELD C.B. ..	111,600	27	30	2	–	–	–	–	–	–	–
HALIFAX C.B.	100,500	31	23	3	–	–	–	–	–	–	–
BRADFORD C.B. ..	291,300	93	76	7	–	4	–	–	–	–	–
LEEDS C.B.	466,700	182	105	7	–	1	–	–	1	1	3
DEWSBURY C.B. ..	55,170	17	20	2	–	1	–	–	–	–	1
WAKEFIELD C.B. ..	53,840	17	11	1	–	–	1	–	–	1	–
BARNSLEY C.B. ..	69,540	42	19	6	–	3	–	–	1	1	3
SHEFFIELD C.B. ..	522,600	173	112	15	–	1	–	4	–	1	4
ROTHERHAM C.B. ..	69,840	29	18	1	–	–	–	1	–	–	–
DONCASTER	55,020	16	10	1	–	–	–	–	–	–	–
YORK C.B.	84,980	15	26	1	–	–	–	–	–	1	5
HULL C.B.	294,000	136	62	10	1	2	–	1	1	1	–
MIDDLESBROUGH C.B.	134,800	69	27	4	–	5	–	–	–	1	–
DARLINGTON C.B. ..	66,710	25	17	–	–	–	–	–	–	–	1
STOCKTON-ON-TEES ..	65,950	33	22	2	–	–	–	–	1	–	–
WEST HARTLEPOOL C.B.	70,020	20	10	–	–	1	–	–	–	–	–
SUNDERLAND C.B. ..	162,900	83	39	10	–	1	–	3	–	4	–
SOUTH SHIELDS C.B. ..	122,400	60	32	8	–	–	–	–	–	1	–
GATESHEAD C.B. ..	127,300	52	27	7	–	1	–	–	–	1	1
NEWCASTLE-ON-TYNE C.B.	281,600	124	74	13	–	8	–	3	–	–	–
TYNEMOUTH C.B. ..	64,640	21	27	6	–	3	–	4	–	1	–
CARLISLE C.B.	53,490	23	25	2	–	5	–	–	–	–	–
NEWPORT (MON.) C.B.	94,880	31	14	3	–	3	–	–	–	–	–
CARDIFF C.B.	223,830	79	47	2	–	1	–	1	1	–	–
RHONDDA	167,500	83	38	6	–	4	–	1	–	–	–
MERTHYR TYDFIL C.B.	82,680	42	22	6	–	2	–	–	–	1	1
ABERDARE	56,580	24	16	3	–	–	1	1	–	–	–
SWANSEA C.B.	161,000	58	39	4	–	–	–	1	–	–	2
GREATER LONDON ..	7,563,730*	2,880	1,681	151	1	4	2	20	21	13	80
OUTER RING	3,029,500*	1,068	587	51	–	3	2	7	6	3	24
16 GREAT TOWNS IN OUTER RING	1,831,920	638	384	35	–	3	1	6	1	2	21
REMAINDER OF OUTER RING	1,197,580*	430	203	16	–	–	1	1	5	1	3
EDINBURGH†	426,000	185	131	13	–	3	5	3	1	1	1
GLASGOW†	1,041,300	602	302	53	–	13	3	15	5	5	–
DUBLIN (REGISTRATION AREA)†	431,000	161	135	22	–	–	–	–	–	4	1
BELFAST†	429,000	216	140	36	–	–	1	5	–	1	7

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,534,230	1922-23. April 7	1812	1094	12·6	1	–	1	–	13	15	10	56
Calcutta	896,067	Feb. 24	?	444§	25·4	?	11	?	?	?	?	?	7
Bombay	1,220,120	March 17											
Madras	526,911	Feb. 24	427	455§	44·9	–	3	1	?	–	–	50	–
Sydney and Suburbs	926,400	„ 24											
Brisbane (Metropolitan Area).	217,714	„ 24											
Perth (Metropolitan Area).	155,939	„ 10	82	45	15·0	–	–	–	–	–	–	4	–
Auckland (Urban Area).	164,450	„ 10											
Wellington (Urban Area).	110,680	„ 10											
Christchurch (Urban Area).	110,200	„ 10											
Cape Town	104,400	„ 17	45	17	8·5	–	–	–	–	–	–	2	–
Johannesburg	153,825	„ 24	75	28	9·5	–	–	–	–	–	–	3	–
Durban	49,043	„ 24	38	4	4·2	–	–	–	–	–	–	–	–
Paris	2,906,472	March 20											
Antwerp	300,731	Dec. 30	104	65	11·1	–	–	–	–	–	–	3	1
Amsterdam	694,480	March 17	270	160	20·2	1	–	1	–	–	1	–	1
Copenhagen	565,000	„ 24	235	137	12·7	–	–	3	–	2	–	–	3
Stockholm	424,944	„ 17	99	104	12·7	–	–	–	–	–	1	1	2
Gothenburg	227,686	„ 3	?	54	12·3	–	–	–	–	–	–	1	–
Christiania	258,933	„ 24	82	62	12·5	–	–	–	–	–	–	1	2
Berlin	1,981,000	Feb. 24	464	690	18·1	–	?	15	–	1	2	8	14
Breslau	558,000	„ 24	229	246	22·9	1	?	2	–	3	–	9	16
Cologne	694,000	„ 24	289	198	14·8	1	?	4	–	4	1	8	3
Dresden	610,000	„ 24	190	187	15·9	–	?	–	–	1	–	3	6
Frankfort-on-Main..	477,000	„ 24	96	101	11·0	1	?	–	–	1	–	–	3
Hamburg	1,085,000	„ 24	318	376	18·0	–	?	5	–	1	–	3	10
Leipzig	677,000	„ 24	203	189	14·5	1	?	–	–	3	–	1	9
Munich	685,000	„ 24	181	209	15·9	–	?	5	–	–	1	4	11
Vienna	1,841,326	„ 3	424	573	16·2	1	–	–	–	2	6	11	2
Prague and Suburbs	689,262												
Budapest	939,529	Jan. 13	378	328	18·0	3	–	6	4	3	2	7	–
Warsaw	956,087	Feb. 17	374	260	14·2	1	–	3	3	1	2	13	9
Cairo	791,000	Jan. 14											
Alexandria	466,700	„ 14											
New York	5,927,617	March 3	2724	2188	19·3	3	–	1	1	6	16	8	149
Chicago	2,885,921	„ 10	?	886	16·0	–	–	6	7	6	6	20	37
Rio de Janeiro ..	1,269,046	Feb. 10	633	415	17·0	1	4	7	–	8	1	?	19
Montevideo	348,408	Dec. 9	210	152	20·5	–	–	5	–	1	–	19	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienn Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 19 deaths from *Asiatic Cholera* in Calcutta, and 2 in Madras, and from *Plague*, 1 in Calcutta.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 7th April, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards
ALL CAUSES	1094	100	24	25	34	57	46	83	108	154	213	250
Enteric fever	1	–	–	–	–	–	–	1	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	1	–	–	–	–	–	–	–	–
Scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	13	7	3	3	–	–	–	–	–	–	–	–
Diphtheria	15	3	1	7	3	–	–	1	–	–	–	–
Influenza	56	–	2	1	–	1	4	4	9	9	11	15
Erysipelas	1	–	–	–	–	–	–	–	–	1	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	2	–	–	–	–	–	–	–	1	1	–	–
Meningococcal meningitis	1	–	–	–	–	–	–	1	–	–	–	–
Tuberculosis :—												
Respiratory system	100	–	–	–	3	25	19	21	18	9	4	1
Nervous system..	5	1	–	1	2	1	–	–	–	–	–	–
Intestines and peritoneum	2	–	–	–	–	–	–	1	–	1	–	–
Other forms	4	1	–	–	1	1	–	–	–	1	–	–
Venereal diseases	4	3	–	–	–	–	–	–	–	1	–	–
Cancer	115	–	–	–	1	2	1	8	18	33	33	19
Rheumatic fever	3	–	–	–	1	2	–	–	–	–	–	–
Diabetes	11	–	–	–	1	1	–	–	–	2	5	2
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	2	1	1	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	42	–	–	–	–	–	1	3	3	6	15	14
Epilepsy	2	–	–	–	–	–	–	1	–	1	–	–
"Convulsions" (not puerperal) ..	5	5	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	33	1	–	–	3	3	4	5	4	5	3	5
Pericarditis	2	–	–	–	–	–	1	–	–	–	1	–
Acute endocarditis	4	–	–	–	–	2	1	1	–	–	–	–
Other diseases of heart	146	–	–	–	5	2	2	3	15	21	50	48
Other diseases of circulatory system	38	–	–	–	–	–	–	1	1	6	10	20
Bronchitis	106	8	–	1	–	1	1	3	4	13	25	50
Broncho-pneumonia	51	16	8	3	3	–	–	2	2	2	6	9
Lobar pneumonia	29	1	2	1	2	1	3	2	6	5	3	3
Pneumonia (type not distinguished) ..	25	–	2	–	1	1	1	1	3	7	2	7
Other diseases of respiratory system	13	–	–	–	–	1	–	1	5	1	1	4
Diarrhœa and enteritis	13	9	1	–	–	–	–	1	1	1	–	–
Appendicitis, Typhlitis	2	–	–	–	1	1	–	–	–	–	–	–
Hernia, Intestinal obstruction	10	–	–	–	–	–	1	–	1	4	3	1
Cirrhosis of liver	5	–	–	–	–	–	1	–	2	1	1	–
Other diseases of digestive system ..	25	–	–	–	–	1	1	4	4	6	6	3
Acute nephritis	4	–	–	–	1	–	1	1	–	1	–	–
Chronic Bright's disease	22	–	–	–	–	–	–	2	2	5	9	4
Other diseases of genito-urinary system.	17	–	–	–	–	–	–	1	2	3	8	3
Puerperal sepsis	3	–	–	–	–	1	1	1	–	–	–	–
Other causes incident to childbirth ..	4	–	–	–	–	2	–	2	–	–	–	–
Congenital malformations	8	7	1	–	–	–	–	–	–	–	–	–
Premature birth	18	18	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	10	10	–	–	–	–	–	–	–	–	–	–
Old age..	43	–	–	–	–	–	–	–	–	–	4	39
Suicide	7	–	–	–	–	1	1	3	–	2	–	–
Burns and scalds	7	–	3	2	–	1	–	–	–	1	–	–
Drowning	1	–	–	–	–	–	–	1	–	–	–	–
Suffocation in bed	2	2	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	13	–	–	2	3	1	–	2	2	1	1	1
Other deaths by violence	11	–	–	–	1	3	1	–	1	1	3	1
Other specified causes	36	7	–	3	2	2	1	5	3	3	9	1
Ill-defined causes	1	–	–	–	–	–	–	–	1	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 7th April, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	–	175	218	6	111	C. 6 D. 2 E. 1 J. 1 L. 1 M. 27
Metropolitan Boroughs :—						
†BATTERSEA ...	–	5	11	–	3	J. 1 M. 1
†BERMONDSEY ...	–	8	14	–	–	M. 2
†BETHNAL GREEN	–	3	12	–	12	–
†CAMBERWELL ...	–	8	25	–	2	M. 4
†CHELSEA	–	1	1	–	–	–
†DEPTFORD ...	–	10	9	1	4	–
†FINSBURY ...	–	2	5	–	1	C. 1
†FULHAM	–	13	12	–	3	C. 1 E. 1 M. 1
†GREENWICH ...	–	6	6	1	–	M. 1
†HACKNEY ...	–	7	12	–	1	M. 1
†HAMMERSMITH ...	–	12	5	–	2	D. 1
†HAMPSTEAD ...	–	2	1	–	3	–
†HOLBORN... ...	–	–	2	–	–	–
†ISLINGTON ...	–	7	13	–	4	C. 1 M. 2

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	7	2	–	1	–
†LAMBETH ...	–	7	14	–	8	C. 1
†LEWISHAM ...	–	8	4	–	3	–
†PADDINGTON ...	–	6	6	–	4	M. 1
†POPLAR	–	6	9	–	7	C. 1 M. 1
†ST. MARYLEBONE	–	2	3	1	2	M. 1
†ST. PANCRAS ...	–	16	7	–	4	M. 2
†SHOREDITCH ...	–	1	5	–	7	M. 5
†SOUTHWARK ...	–	9	17	3	6	D. 1
†STEPNEY	–	6	10	–	10	–
†STOKE NEWINGTON	–	2	1	–	–	C. 1
†WANDSWORTH ...	–	14	6	–	16	L. 1 M. 2
†WESTMINSTER, CITY OF	–	1	4	–	–	–
†WOOLWICH ...	–	6	2	–	8	M. 3

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD	–	8	1	–	1	–
Boroughs and Urban Districts:—						
LEIGHTON BUZZARD	–	1	–	–	–	–
†LUTON	–	1	–	–	–	–
Rural Districts:—						
AMPTHILL ...	–	6	1	–	–	–
BEDFORD ...	–	–	–	–	1	–
BERKS	–	13	6	–	1	D. 1
†READING C.B. ...	–	5	4	–	–	D. 1
Rural Districts:—						
ABINGDON ...	–	1	1	–	–	–
EASTHAMPSTEAD	–	2	–	–	–	–
WALLINGFORD ...	–	1	1	–	–	–
WANTAGE ...	–	1	–	–	1	–
WOKINGHAM ...	–	3	–	–	–	–
BUCKINGHAM ...	–	8	3	–	10	–
Boroughs and Urban Districts:—						
BEACONSFIELD ...	–	–	–	–	1	–
†CHEPPING WYCOMBE ...	–	3	–	–	6	–
†WOLVERTON ...	–	1	–	–	–	–
Rural Districts:—						
AYLESBURY ...	–	1	–	–	–	–
ETON	–	–	–	–	1	–
WYCOMBE ...	–	3	3	–	2	–
CAMBRIDGE ...	–	2	6	–	1	C. 1 M. 1
Borough:—						
†CAMBRIDGE ...	–	2	6	–	1	–
Rural Districts:—						
MELBOURN ...	–	–	–	–	–	M. 1
NEWMARKET ...	–	–	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CHESTER	–	51	16	1	39	M. 4
†BIRKENHEAD C.B.	–	8	2	1	12	M. 4
†CHESTER, C.B. ...	–	1	1	–	1	–
†STOCKPORT C.B....	–	7	3	–	4	–
†WALLASEY C.B. ...	–	4	2	–	3	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	2	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	2	–
BOLLINGTON ...	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	–	–	–	2	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
†CONGLETON ...	–	5	–	–	–	–
†CREWE	–	1	–	–	–	–
†DUKINFIELD ...	–	1	–	–	6	–
HALE	*	*	*	*	*	*
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE	–	3	2	–	1	–
KNUTSFORD ...	–	1	–	–	–	–
†MACCLESFIELD ...	–	1	–	–	–	–
MARPLE	–	1	–	–	–	–
MIDDLEWICH ...	–	1	–	–	–	–
†NORTHWICH ...	–	1	1	–	–	–
†RUNCORN... ...	–	–	–	–	2	–
WILMSLOW ...	–	1	–	–	–	–
†WINSFORD ...	*	*	*	*	*	*
Rural Districts:—						
BUCKLOW ...	–	1	1	–	1	–
CONGLETON ...	–	–	1	–	–	–
MACCLESFIELD ...	–	4	–	–	1	–
NANTWICH ...	–	1	2	–	–	–
NORTHWICH ...	–	1	–	–	1	–
WIRRAL	–	3	1	–	2	–
CORNWALL ...	–	18	2	1	1	G. 1
Boroughs and Urban Districts:—						
BODMIN	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL—*cont.*						
Boroughs and Urban Districts—*cont.*						
LUDGVAN ...	–	–	1	–	–	–
NEWQUAY ...	*	*	*	*	*	*
ST. IVES	–	3	–	–	–	–
TORPOINT ..	–	3	–	–	–	–
WADEBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
EAST KERRIER ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	–	G. 1
SAINT AUSTELL...	–	8	1	–	1	–
SAINT GERMANS	–	–	–	1	–	–
WEST PENWITH	–	1	–	–	–	–
CUMBERLAND ...	–	11	2	–	1	–
†CARLISLE C.B. ...	–	3	1	–	1	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	*	*	*	*	*	*
†MARYPORT ...	–	1	–	–	–	–
MILLOM	–	1	–	–	–	–
PENRITH	–	2	–	–	–	–
†WORKINGTON ...	–	1	1	–	–	–
Rural Districts:—						
COCKERMOUTH ...	–	3	–	–	–	–
DERBY	10	14	7	–	29	C. 1 M. 4
†DERBY C.B. ...	–	5	2	–	10	M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	*	*	*	*	*	*
BAKEWELL ...	–	–	–	–	–	M. 1
†CHESTERFIELD ...	–	–	–	–	1	–
†GLOSSOP	–	1	2	–	1	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEANOR	1	–	1	–	2	–
†LONG EATON ...	–	3	–	–	3	–
NEW MILLS ...	*	*	*	*	*	*
†RIPLEY	2	–	–	–	–	–
†SWADLINCOTE DISTRICT	–	–	1	–	1	–
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	–	–
BELPER	–	–	–	–	1	–
BLACKWELL ...	–	3	–	–	2	–
CHESTERFIELD ...	–	1	–	–	3	–
CLOWNE	7	–	1	–	–	–
GLOSSOP DALE ...	–	–	–	–	1	–
HARTSHORN AND SEALS	*	*	*	*	*	*
HAYFIELD ...	–	–	–	–	1	–
REPTON	–	–	–	–	–	M. 1
SHARDLOW ...	–	–	–	–	3	M. 1
DEVON	–	21	9	1	9	C. 3 G. 1 M. 2
†EXETER C.B. ...	–	2	–	–	2	C. 1 M. 1
†PLYMOUTH C.B....	–	10	2	1	3	G. 1
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	–	–	2	–
BRIXHAM... ...	–	–	1	–	–	–
HONITON... ...	–	1	–	–	–	–
†NEWTON ABBOT...	–	2	–	–	–	–
†TEIGNMOUTH ...	–	–	1	–	–	–
†TORQUAY ...	–	2	–	–	–	–
Rural Districts:—						
AXMINSTER ...	–	–	–	–	–	C. 1
CULMSTOCK ...	*	*	*	*	*	*
HONITON... ...	–	1	–	–	–	–
NEWTON ABBOT...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts—*cont.*						
Plympton St. Mary	–	2	1	–	–	–
St. Thomas ...	–	1	–	–	–	–
South Moulton	–	–	1	–	1	–
Tavistock ...	–	–	1	–	–	–
Tiverton ..	–	–	2	–	–	–
Totnes	–	–	–	–	1	C. 1
DORSET	–	5	1	–	–	C. 1
Boroughs and Urban Districts:—						
Blandford Forum	–	–	1	–	–	–
Dorchester ...	–	1	–	–	–	–
Shaftesbury ...	–	1	–	–	–	–
Wimborne Minster	–	1	–	–	–	–
Rural Districts:—						
Blandford ...	–	1	–	–	–	–
Cerne	–	–	–	–	–	C. 1
Wimborne and Cranborne	–	1	–	–	–	–
DURHAM	–	51	21	2	68	C. 1 J. 1 M. 8
†Darlington C.B.	–	1	–	–	6	–
†Gateshead C.B.	–	3	6	–	4	–
†South Shields C.B.	–	2	1	–	14	M. 1
†Sunderland C.B.	–	9	1	1	8	M. 1
†West Hartlepool C.B.	–	1	2	–	–	M. 1
Boroughs and Urban Districts:—						
†Annfield Plain	–	–	1	–	–	–
Benfieldside ...	–	–	1	–	2	–
†Blaydon... ..	–	1	–	–	1	–
†Brandon and Byshottles	–	2	–	–	–	–
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Chester le Street	–	1	–	1	–	–
†Consett	–	–	–	–	–	M. 1
†Crook	–	–	1	–	–	–
†Durham	–	–	–	–	1	–
†Felling	–	–	–	–	5	–
†Hebburn ...	–	1	–	–	–	M. 1
†Hetton	–	1	–	–	1	–
†Houghton le Spring	–	–	1	–	4	–
†Jarrow	–	–	–	–	2	–
†Seaham Harbour	–	–	–	–	1	–
†Shildon	–	1	1	–	–	–
†Southwick on Wear	–	1	–	–	–	–
†Stanley	–	4	–	–	–	–
†Stockton on Tees	–	1	3	–	3	–
†Tanfield ...	–	–	–	–	1	–
Tow Law ...	–	–	–	–	1	–
†Washington ...	–	2	–	–	1	–
†Whickham ...	–	1	–	–	1	–
Rural Districts:—						
Auckland ...	–	6	–	–	–	–
Barnard Castle	–	1	–	–	–	–
Chester le Street	–	1	1	–	1	–
Darlington ...	–	2	1	–	–	–
Durham	–	2	–	–	–	–
Easington ...	–	2	1	–	8	J. 1
Houghton le Spring	–	–	–	–	1	M. 1
Lanchester ...	–	3	–	–	–	–
Sedgefield ...	–	1	–	–	–	C. 1
South Shields...	–	1	–	–	–	M. 1
Sunderland ...	–	–	–	–	2	M. 1
ISLE OF ELY ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
Chatteris ...	–	–	–	–	1	–
Ely	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	31	23	1	17	C. 3 D. 1 L. 2 M. 5
†EAST HAM C.B. ...	–	3	–	–	6	D. 1
†SOUTHEND-ON-SEA C.B.	–	4	–	–	–	M. 1
†WEST HAM C.B. ...	–	8	10	–	3	M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	1	1	–	1	C. 3 M. 1
†CHELMSFORD ...	–	1	–	–	–	–
CHINGFORD ...	–	–	–	–	1	–
†COLCHESTER ...	–	–	1	–	1	–
†GRAYS THURROCK	–	1	1	–	–	–
HALSTEAD ...	–	–	–	–	1	–
†ILFORD	–	–	4	–	–	L. 2 M. 1
†LEYTON	–	1	2	1	–	–
MALDON	–	–	–	–	1	–
†ROMFORD... ...	–	2	–	–	–	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW...	–	2	1	–	–	M. 1
†WANSTEAD ...	–	1	–	–	–	–
†WOODFORD ...	–	–	–	–	1	–
Rural Districts:—						
BILLERICAY ...	–	2	–	–	–	–
MALDON	–	1	–	–	–	–
ROCHFORD ...	–	–	–	–	1	–
ROMFORD ...	–	2	2	–	1	–
STANSTED ...	–	1	–	–	–	–
TENDRING ...	–	–	1	–	–	–
GLOUCESTER ...	6	50	17	–	18	G. 3 L. 2 M. 3
†BRISTOL C.B. ...	–	34	14	–	14	G. 3 L. 2 M. 3
†GLOUCESTER C.B.	3	3	1	–	1	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	3	1	2	–	2	–
†KINGSWOOD ...	–	1	–	–	–	–
GLOUCESTER—*cont.*						
Rural Districts:—						
CHIPPING SODBURY	–	2	–	–	–	–
EAST DEAN AND UNITED PARISHES ...	–	6	–	–	–	–
NEWENT	–	1	–	–	–	–
TEWKESBURY (part)	–	–	–	–	1	–
THORNBURY ...	–	1	–	–	–	–
WARMLEY ...	–	1	–	–	–	–
HEREFORD ...	–	2	–	–	2	C. 1 G. 1
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	–	–	1	–
†HEREFORD ...	–	2	–	–	–	–
Rural Districts:—						
BROMYARD ...	–	–	–	–	–	G. 1
LEOMINSTER ...	–	–	–	–	–	C. 1
ROSS	–	–	–	–	1	–
HERTFORD ...	–	5	2	–	5	–
Boroughs and Urban Districts:—						
BALDOCK ...	–	–	–	–	1	–
BUSHEY	–	2	–	–	–	–
†CHESHUNT ...	–	–	1	–	1	–
HARPENDEN ...	–	–	1	–	–	–
†WATFORD ...	–	1	–	–	2	–
Rural Districts:—						
ASHWELL ...	–	–	–	–	1	–
HADHAM	–	1	–	–	–	–
WATFORD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	32	12	2	16	C. 2 M. 2
†Canterbury C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
Ashford... ...	–	1	–	–	–	–
†Beckenham ...	–	2	–	1	–	–
Bexley	–	1	1	–	–	–
†Bromley ...	–	2	–	–	3	–
†Chatham ...	–	–	–	–	–	M. 1
Chislehurst ...	–	1	–	–	2	–
†Dartford ...	–	1	–	–	–	M. 1
Dover	–	–	1	–	2	C. 2
†Erith	–	1	2	–	2	–
†Folkestone ...	–	2	–	–	–	–
†Gillingham ...	–	8	–	–	–	–
†Gravesend ...	–	1	–	–	–	–
†Maidstone ...	–	–	–	–	1	–
†Margate ...	–	1	–	–	–	–
†Northfleet ...	–	1	2	–	–	–
†Ramsgate ...	–	1	–	–	1	–
†Rochester ...	–	1	–	–	–	–
Sidcup	–	–	1	–	–	–
Whitstable ...	–	–	–	–	4	–
Rural Districts:—						
Bromley ...	–	3	–	–	–	–
Cranbrook ...	–	–	2	–	–	–
Dartford ...	–	1	1	–	–	–
Dover	*	*	*	*	*	*
East Ashford ...	–	1	–	–	–	–
Eastry	*	*	*	*	*	*
Hollingbourne	–	–	–	1	–	–
Malling	–	–	–	–	1	–
Milton	–	1	2	–	–	–
Sevenoaks ...	–	1	–	–	–	–
LANCASTER ...	8	270	62	8	346	C. 1 D. 1 G. 7 L. 4 M. 31
†Barrow in Furness C.B.	–	4	–	–	–	–
†Blackburn C.B.	–	4	2	–	8	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†Blackpool C.B.	–	3	1	–	3	–
†Bolton C.B. ...	–	14	2	–	–	G. 1
†Bootle C.B. ...	–	9	–	–	–	M. 1
†Burnley C.B. ...	–	22	1	–	5	–
†Bury C.B. ...	–	2	–	–	5	–
†Liverpool C.B. ...	–	48	12	–	36	M. 16
†Manchester C.B.	–	37	12	1	125	G. 1 M. 7
†Oldham C.B. ...	–	4	–	–	13	–
†Preston C.B. ...	–	6	5	1	3	C. 1
†Rochdale C.B. ...	–	7	–	–	2	–
†St. Helens C.B.	–	4	4	–	4	M. 2
†Salford C.B. ...	–	16	3	–	15	G. 1 M. 1
†Southport C.B.	–	1	–	–	10	–
†Warrington C.B.	–	4	1	–	3	M. 1
†Wigan C.B. ...	–	3	1	–	7	–
Boroughs and Urban Districts:—						
†Accrington ...	–	1	–	–	2	–
†Ashton in Makerfield	–	1	5	–	1	–
†Ashton under Lyne	–	–	–	–	7	–
†Atherton ...	–	2	–	–	4	–
Audenshaw ...	–	–	–	1	5	–
†Bacup	–	1	–	–	2	–
Blackrod ...	*	*	*	*	*	*
Brierfield ...	*	*	*	*	*	*
†Chadderton ...	–	–	–	–	4	–
†Chorley... ...	–	1	–	–	5	D. 1
Clayton le Moors	–	1	–	–	–	–
†Colne	–	6	–	–	2	–
†Crompton ...	–	2	–	1	3	M. 1
†Darwen	–	2	–	–	–	–
†Denton	–	2	–	–	–	–
†Droylsden ...	–	1	–	–	4	–
†Eccles	–	1	1	–	1	–
†Failsworth ...	–	–	1	–	2	–
†Farnworth ...	–	–	–	–	2	–
†Fleetwood ...	–	1	–	–	2	–
Golborne ...	–	–	1	–	–	–
†Great Crosby ...	–	–	–	–	1	–
†Great Harwood	–	1	2	–	–	–
†Haslingden ...	–	1	–	–	2	–
Haydock ...	–	2	1	–	1	–
†Heywood ...	–	7	–	–	6	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Hindley... ...	–	4	–	–	4	–
†Horwich ...	–	–	1	–	7	–
†Ince in Makerfield	–	1	–	–	–	–
Irlam	–	–	–	–	1	–
†Lancaster ...	–	3	–	–	3	–
Lees	–	–	–	–	1	–
†Leigh	–	4	–	–	3	–
Leyland... ...	–	1	–	–	–	–
†Middleton ...	–	4	–	–	3	–
†Morecambe ...	–	–	–	1	–	–
†Mossley	–	1	–	–	–	–
†Nelson	8	2	–	–	–	M. 1
†Newton in Makerfield	–	2	–	–	3	G. 1
Ormskirk ...	–	1	–	–	–	–
Orrell	–	–	–	1	–	–
†Oswaldtwistle	–	1	1	–	–	–
Prescot	–	–	1	–	–	–
†Radcliffe ...	–	–	–	–	2	–
†Ramsbottom ...	–	1	–	–	–	–
†Rawtenstall ...	–	1	–	–	–	–
†Royton	–	2	–	–	–	–
Skelmersdale ...	–	–	–	–	1	–
†Stretford... ...	–	2	1	–	1	G. 1 M. 1
†Swinton and Pendlebury	–	4	1	1	1	–
Thornton ...	–	–	–	–	1	–
Trawden ...	–	1	–	–	–	–
†Turton	–	–	–	–	2	–
†Tyldesley with Shakerley	–	1	–	–	1	–
†Ulverston ...	–	1	–	–	–	–
Urmston... ..	–	–	–	–	6	–
†Waterloo with Seaforth	–	3	–	1	–	G. 1
†Westhoughton	–	–	1	–	–	–
Whitefield ...	–	–	–	–	1	–
†Widnes	–	3	–	–	–	–
Withnell ...	*	*	*	*	*	*
Rural Districts:—						
Barton upon Irwell	–	1	–	–	1	–
Blackburn ...	–	–	1	–	1	–
LANCASTER—*cont.*						
Rural Districts—*cont.*						
Burnley... ...	–	3	–	–	–	–
Bury	–	1	–	–	–	–
Chorley	–	–	–	–	4	–
Clitheroe ...	–	–	–	–	–	L. 4
Leigh	–	–	–	–	2	–
Ulverston ...	–	1	–	–	–	–
Warrington ...	*	*	*	*	*	*
West Lancashire	–	–	–	–	1	–
Whiston... ...	–	–	–	–	1	–
LEICESTER... ...	–	20	12	1	12	C. 1 G. 1 M. 4
†Leicester C.B. ...	–	13	8	–	9	C. 1 G. 1 M. 3
Boroughs and Urban Districts:—						
Ashby de la Zouch	*	*	*	*	*	*
Ashby Woulds	*	*	*	*	*	*
†Coalville ...	–	1	–	–	–	M. 1
Market Harborough	–	1	–	–	–	–
Melton Mowbray	–	–	–	–	3	–
Wigston Magna	–	1	–	–	–	–
Rural Districts:—						
Ashby de La Zouch	–	2	3	–	–	–
Billesdon ...	–	1	–	–	–	–
Loughborough	–	1	–	–	–	–
Lutterworth ...	–	–	–	1	–	–
Market Bosworth	–	–	1	–	–	–
LINCOLN (parts of Holland).	–	–	2	–	–	–
Boroughs and Urban Districts:—						
†Spalding ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	–	1	1	–	–	–
Boroughs and Urban Districts :—						
STAMFORD ...	–	–	1	–	–	–
Rural Districts :—						
SLEAFORD ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	13	2	–	5	M. 1
†GRIMSBY C.B. ...	–	5	–	–	2	–
†LINCOLN, C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts :—						
ALFORD	*	*	*	*	*	*
LOUTH	–	1	–	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	5	2	–	2	M. 1
MIDDLESEX ...	–	47	38	1	25	C. 1
Boroughs and Urban Districts :—						
†ACTON	–	3	2	–	1	–
†BRENTFORD ...	–	3	–	1	1	–
†CHISWICK ...	–	1	4	–	–	–
†EALING	–	1	–	–	2	–
†EDMONTON ...	–	4	3	–	3	C. 1
†ENFIELD	–	1	4	–	1	–
†HAMPTON ...	–	–	1	–	–	–
†HANWELL ...	–	4	–	–	–	–
†HENDON	–	1	3	–	3	–
†HESTON AND ISLEWORTH	–	–	1	–	2	–
†HORNSEY... ..	–	2	5	–	1	–
†SOUTHGATE ...	–	1	–	–	1	–
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	15	3	–	4	–
†TWICKENHAM ...	–	1	–	–	1	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEALDSTONE ...	–	–	–	–	1	–
†WEMBLEY ...	–	1	–	–	–	–
†WILLESDEN ...	–	5	7	–	3	–
†WOOD GREEN ...	–	2	2	–	1	–
YIEWSLEY ...	–	–	1	–	–	–
Rural Districts :—						
STAINES	–	1	2	–	–	–
NORFOLK	–	31	17	–	2	M. 1
†GREAT YARMOUTH C.B.	–	1	–	–	–	–
†NORWICH C.B. ...	–	16	12	–	–	M. 1
Boroughs and Urban Districts :—						
†KING'S LYNN ...	–	–	–	–	2	–
THETFORD ...	–	1	–	–	–	
Rural Districts :—						
AYLSHAM ...	–	–	1	–	–	
BLOFIELD ...	–	3	–	–	–	–
HENSTEAD ...	–	2	2	–	–	–
MARSHLAND ...	–	1	1	–	–	–
MITFORD AND LAUNDITCH	–	3	–	–	–	–
ST. FAITH'S ...	–	4	–	–	–	–
WAYLAND ...	–	–	1	–	–	–
NORTHAMPTON ...	–	26	2	–	7	
†NORTHAMPTON C.B.	–	8	2	–	3	–
Boroughs and Urban Districts :—						
DESBOROUGH ...	–	6	–	–	–	–
IRTHLINGBOROUGH	–	3	–	–	1	–
†KETTERING ...	–	1	–	–	–	–
OUNDLE	*	*	*	*	*	*
†WELLINGBOROUGH	–	6	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON— *cont.*						
Rural Districts:—						
DAVENTRY ...	–	–	–	–	2	–
HARDINGSTONE ...	–	2	–	–	–	–
POTTERSBURY ...	*	*	*	*	*	*
THRAPSTON (part)	–	–	–	–	1	–
NORTHUMBERLAND	–	26	9	1	39	C. 1 D. 1 E. 1 M. 4
†NEWCASTLE UPON TYNE C.B.	–	5	6	–	24	C. 1 D. 1 M. 3
†TYNEMOUTH C.B.	–	2	1	–	3	E. 1
Boroughs and Urban Districts:—						
AMBLE	–	5	–	–	–	–
†ASHINGTON ...	–	–	1	–	–	–
†BEDLINGTONSHIRE	–	1	–	–	1	–
†BLYTH	–	6	–	–	1	–
†EARSDON	*	*	*	*	*	*
†LONGBENTON ...	–	1	–	–	–	–
†NEWBURN ...	–	–	–	–	1	–
SEATON DELAVAL	–	1	1	–	–	–
†WALLSEND ...	–	3	–	–	3	M. 1
†WHITLEY AND MONKSEATON	–	–	–	–	1	–
Rural Districts:—						
CASTLE WARD ...	–	1	–	–	–	–
HALTWHISTLE ...	–	1	–	1	3	–
HEXHAM	–	–	–	–	1	–
MORPETH ...	–	–	–	–	1	–
NOTTINGHAM ...	6	27	8	1	14	G. 1 M. 2
†NOTTINGHAM C.B.	–	14	5	–	4	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM— *cont.*						
Boroughs and Urban Districts:—						
†BEESTON	–	2	–	–	3	–
EASTWOOD ...	–	–	–	–	1	–
†HUCKNALL ...	–	2	–	–	1	–
†KIRKBY IN ASHFIELD	–	1	–	–	1	–
†MANSFIELD ...	–	1	2	–	1	M. 1
†MANSFIELD WOODHOUSE	–	–	–	–	–	M. 1
†NEWARK	–	1	–	–	–	–
†SUTTON IN ASHFIELD	–	1	–	–	1	–
WARSOP	–	–	–	–	1	–
Rural Districts:—						
BASFORD	2	–	–	–	1	–
BINGHAM ...	*	*	*	*	*	*
MISTERTON ...	*	*	*	*	*	*
SOUTHWELL ...	–	–	1	1	–	–
STAPLEFORD ...	4	5	–	–	–	–
OXFORD	–	16	2	–	2	M. 1
†OXFORD C.B. ...	–	6	1	–	–	–
Boroughs and Urban Districts—						
HENLEY ON THAMES	–	3	–	–	–	–
THAME	–	1	–	–	–	–
Rural Districts:—						
BANBURY ...	–	1	–	–	–	–
CULHAM	–	1	–	–	–	–
HEADINGTON ...	–	3	–	–	1	–
HENLEY	–	–	–	–	–	M. 1
WITNEY	–	–	1	–	1	–
WOODSTOCK ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PETERBOROUGH (Soke of)	–	5	–	–	4	–
Borough :—						
†PETERBOROUGH...	–	5	–	–	3	–
Rural Districts :—						
PETERBOROUGH...	–	–	–	–	1	–
SALOP	–	6	6	–	8	G. 1
Boroughs and Urban Districts :—						
BISHOP'S CASTLE	–	–	–	–	1	–
BRIDGNORTH ...	–	–	1	–	–	–
DAWLEY	–	–	1	–	–	–
†SHREWSBURY ...	–	–	–	–	4	–
WELLINGTON ...	–	–	–	–	–	G. 1
WEM	–	2	–	–	–	–
WHITCHURCH ...	–	–	2	–	–	–
Rural Districts :—						
ATCHAM	–	1	–	–	–	–
CHIRBURY ...	–	–	–	–	1	–
CLEOBURY MORTIMER	–	1	–	–	–	–
CLUN	–	–	–	–	1	–
ELLESMERE ...	–	–	1	–	–	–
LUDLOW	–	–	1	–	–	–
OSWESTRY ...	–	1	–	–	–	–
WELLINGTON ...	–	–	–	–	1	–
WEM	–	1	–	–	–	–
SOMERSET	–	18	2	–	8	G. 1
†BATH C.B. ...	–	–	1	–	–	–
Boroughs and Urban Districts :—						
†BRIDGWATER ...	–	2	–	–	–	–
RADSTOCK ...	–	1	–	–	–	–
SOMERSET—*cont.*						
Boroughs and Urban Districts—*cont.*						
SHEPTON MALLET	*	*	*	*	*	*
STREET	–	–	–	–	2	–
†TAUNTON... ...	–	3	–	–	–	G. 1
WELLINGTON ...	–	1	–	–	–	–
†WESTON SUPER MARE	–	3	–	–	–	–
Rural Districts :—						
AXBRIDGE ...	–	2	–	–	–	–
BATH	–	–	1	–	–	–
CHARD	–	–	–	–	5	–
CLUTTON... ...	–	1	–	–	–	–
LANGPORT ...	–	1	–	–	–	–
LONG ASHTON ...	–	1	–	–	–	–
SHEPTON MALLET	*	*	*	*	*	*
TAUNTON ...	–	3	–	–	–	–
WINCANTON ...	–	–	–	–	1	–
SOUTHAMPTON ...	–	35	38	–	5	G. 1 M. 5
†BOURNEMOUTH C.B.	–	1	–	–	1	M. 1
†PORTSMOUTH C.B.	–	18	20	–	–	M. 2
†SOUTHAMPTON C.B.	–	8	14	–	–	G. 1
Boroughs and Urban Districts :—						
†ALDERSHOT ...	–	–	–	–	–	M. 1
†BASINGSTOKE ...	–	–	1	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–	1	–	–	–
†FAREHAM ...	–	2	–	–	–	–
†GOSPORT	–	1	–	–	1	–
PETERSFIELD ...	–	1	–	–	–	–
ROMSEY	*	*	*	*	*	*
†WINCHESTER ...	–	2	1	–	2	M. 1
Rural Districts :—						
ANDOVER ...	–	1	–	–	–	–
HURSLEY... ...	–	–	–	–	1	–
ROMSEY	*	*	*	*	*	*
WHITCHURCH ...	–	1	–	–	–	–
WINCHESTER ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD	–	93	51	7	52	C. 2 D. 1 M. 6
†BURTON UPON TRENT C.B.	–	3	2	–	–	–
†SMETHWICK C.B.	–	6	3	–	2	–
†STOKE ON TRENT C.B.	–	27	12	2	19	C. 2 M. 4
†WALSALL C.B. ...	–	1	1	–	6	–
†WEST BROMWICH C.B.	–	8	18	–	–	–
†WOLVERHAMPTON C.B.	–	6	3	–	1	–
Boroughs and Urban Districts:—						
†AUDLEY	–	5	–	–	–	–
BIDDULPH ..	–	6	–	–	–	–
†BILSTON	–	–	1	–	1	–
†BRIERLEY HILL...	–	1	–	–	4	–
†BROWNHILLS ...	–	2	–	–	5	–
†CANNOCK	–	2	1	–	2	–
†COSELEY	–	1	1	–	–	M. 1
†DARLASTON ...	–	1	–	–	–	–
KIDSGROVE ...	–	2	–	–	–	–
LICHFIELD ...	–	2	–	–	–	–
†NEWCASTLE UNDER LYME	–	3	–	–	–	–
†ROWLEY REGIS ...	–	3	–	–	4	–
RUGELEY ...	–	–	1	–	–	–
†SEDGLEY	–	–	1	–	–	–
SHORT HEATH ...	–	1	–	–	–	–
†STAFFORD ...	–	–	–	1	1	–
TAMWORTH ...	–	1	–	–	–	–
†TIPTON	–	1	–	–	–	–
†WEDNESBURY ...	–	–	1	–	–	M. 1
WEDNESFIELD ...	–	2	–	–	2	–
†WILLENHALL ...	–	2	–	–	2	–
†WOLSTANTON UNITED	–	3	2	–	–	–
Rural Districts:—						
CANNOCK	–	1	–	–	1	–
CHEADLE... ...	–	1	3	–	2	–
KINGSWINFORD ...	–	–	–	4	–	–
LICHFIELD ...	–	–	–	–	–	D. 1
STAFFORD ...	–	1	–	–	–	–
STONE	–	–	1	–	–	–
UTTOXETER ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST ...	–	6	6	–	2	–
†IPSWICH C.B. ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	2	2	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	1	–	–	–
HARTISMERE ...	–	–	–	–	1	–
HOXNE	–	–	1	–	–	–
WANGFORD ...	–	4	–	–	–	–
WOODBRIDGE ...	–	–	1	–	1	–
SUFFOLK, WEST ...	–	1	6	–	–	–
Boroughs and Urban Districts:—						
NEWMARKET ...	–	1	–	–	–	–
Rural District:—						
MELFORD... ...	–	–	6	–	–	
SURREY	–	31	15	2	6	G. 2 M. 3
†CROYDON C.B. ...	–	7	4	–	–	G. 1 M. 2
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	1	–
†BEDDINGTON AND WALLINGTON	–	–	–	1	–	–
†CARSHALTON ...	–	–	1	–	–	–
†CATERHAM ...	–	11	–	–	–	–
†COULSDON AND PURLEY	–	3	–	–	–	–
†EGHAM	–	1	1	–	–	–
GODALMING ...	–	–	1	–	–	–
†GUILDFORD ...	–	–	1	–	–	G. 1
†KINGSTON ON THAMES	–	2	–	–	–	–
†MERTON AND MORDEN	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MITCHAM... ...	–	1	1	–	1	–
†REIGATE	–	1	–	–	–	–
†RICHMOND ...	–	–	3	–	–	M. 1
†SUTTON	–	1	–	1	–	–
†THE MALDENS AND COOMBE	–	–	–	–	1	–
†WIMBLEDON ...	–	–	3	–	–	–
†WOKING	–	–	–	–	1	–
Rural Districts:—						
EPSOM	–	–	–	–	2	–
FARNHAM ...	–	1	–	–	–	–
GODSTONE ...	–	1	–	–	–	–
SUSSEX, EAST ...	–	13	12	–	3	M. 1
†BRIGHTON C.B. ...	–	6	7	–	1	M. 1
†EASTBOURNE, C.B.	–	–	5	–	1	–
†HASTINGS C.B. ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†BEXHILL	–	1	–	–	–	–
EAST GRINSTEAD	–	3	–	–	–	–
†HOVE	–	2	–	–	–	–
Rural Districts:—						
EAST GRINSTEAD	–	1	–	–	–	–
RYE	*	*	*	*	*	*
SUSSEX, WEST ...	–	10	3	–	–	G. 1
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	1	–	–	–	–
†BOGNOR	–	2	–	–	–	G. 1
†LITTLEHAMPTON	–	–	1	–	–	–
†WORTHING ...	–	–	1	–	–	–
Rural Districts:—						
†HORSHAM ...	–	1	–	–	–	–
MIDHURST ...	–	5	–	–	–	–
PETWORTH ...	–	–	1	–	–	–
WESTHAMPNETT	–	1	–	–	–	–
WARWICK	–	76	31	–	93	C. 4 M. 9
†BIRMINGHAM C.B.	–	47	29	–	72	C. 2 M. 8
†COVENTRY C.B. ...	–	11	–	–	3	C. 1
Boroughs and Urban Districts:—						
KENILWORTH ...	–	1	–	–	1	–
†NUNEATON ...	–	1	1	–	2	M. 1
†ROYAL LEAMINGTON SPA	–	4	–	–	2	–
†RUGBY	–	–	–	–	1	–
†WARWICK ...	–	2	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	2	–	–	1	–
FOLESHILL ...	–	2	–	–	2	–
MERIDEN... ...	–	1	–	–	2	–
NUNEATON ...	–	–	1	–	6	–
RUGBY	–	–	–	–	1	C. 1
SOLIHULL ...	–	1	–	–	–	–
SOUTHAM... ...	–	1	–	–	–	–
STRATFORD-ON-AVON	–	1	–	–	–	–
TAMWORTH (part)	–	1	–	–	–	–
WESTMORLAND ...	–	1	1	–	2	F. 1
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	1	–
SOUTH WESTMORLAND	–	1	1	–	1	F. 1
WIGHT, ISLE OF ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
COWES	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	11	2	1	6	D. 1
Boroughs and Urban Districts:—						
Chippenham ...	–	–	1	–	–	–
Melksham ...	*	*	*	*	*	*
Salisbury ...	–	3	–	1	–	–
†Swindon... ...	–	4	–	–	3	–
Warminster ...	–	–	–	–	–	D. 1
Rural Districts:—						
Calne	–	1	–	–	–	–
Devizes	–	1	–	–	–	–
Melksham ...	*	*	*	*	*	*
Pewsey	–	–	–	–	1	–
Ramsbury ...	–	2	–	–	1	–
Tisbury	–	–	–	–	1	–
Wilton	–	–	1	–	–	–
WORCESTER ...	–	17	1	–	5	G. 1 M. 1
†Worcester C.B.	–	3	–	–	1	–
Boroughs and Urban Districts:—						
†Kidderminster	–	–	–	–	1	–
†Lye and Wollescote	–	1	–	–	–	–
North Bromsgrove	–	1	–	–	–	–
†Oldbury... ...	–	3	–	–	–	G. 1
†Redditch ...	–	3	–	–	2	–
†Stourbridge ...	–	1	–	–	–	M. 1
Rural Districts:—						
Bromsgrove ...	–	1	–	–	–	–
Feckenham ...	–	4	–	–	–	–
Upton on Severn	–	–	1	–	1	–
YORKS (East Riding)	–	12	6	–	4	C. 1 M. 2
†Kingston upon Hull C.B.	–	8	6	–	3	C. 1 M. 1
YORKS (East Riding)—*cont.*						
Boroughs and Urban Districts:—						
†Beverley ...	–	2	–	–	–	–
Pocklington ...	–	1	–	–	–	–
Rural Districts:—						
Beverley ...	–	–	–	–	1	–
Bridlington ...	–	–	–	–	–	M. 1
Patrington ...	–	1	–	–	–	–
YORKS ... ... **(North Riding).**	–	13	4	1	9	M. 1
†Middlesbrough C.B.	–	11	–	–	5	M. 1
Boroughs and Urban Districts:—						
†Eston	–	2	–	–	–	
†Scarborough ...	–	–	2	–	–	–
†Thornaby on Tees	–	–	1	–	–	–
Rural Districts:—						
Croft	–	–	–	–	2	–
Easingwold ...	–	–	1	–	1	–
Kirkby Moorside	–	–	–	–	1	–
Northallerton	–	–	–	1	–	–
YORKS ... ... **(West Riding).**	2	128	58	4	154	C. 7 G. 5 L. 1 M. 15
†Bradford C.B. ...	–	13	7	–	14	C. 5
†Dewsbury C.B....	–	4	–	–	–	–
†Halifax C.B. ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
†HUDDERSFIELD C.B.	–	5	1	–	3	–
†LEEDS C.B. ...	–	31	9	–	14	C. 1 M. 3
†ROTHERHAM C.B.	–	4	–	–	4	–
†SHEFFIELD C.B....	–	23	11	2	62	C. 1 G. 2 M. 6
†WAKEFIELD C.B.	–	2	–	–	2	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	2	–	–	–
†BARNSLEY C.B. ...	–	1	1	–	2	–
†BATLEY	–	2	1	–	1	–
†BENTLEY WITH ARKSEY	1	–	–	–	–	–
†BINGLEY	–	–	1	–	1	–
†BOLTON UPON DEARNE	–	–	1	–	–	–
†CASTLEFORD ...	–	1	–	–	–	–
CLAYTON WEST ...	–	2	–	–	–	–
†CONISBROUGH ...	–	5	1	–	–	–
CUDWORTH ...	–	–	1	–	–	–
DARFIELD ...	–	2	1	–	2	–
†DONCASTER ...	–	2	1	–	–	G. 1
DRIGHLINGTON ...	–	–	–	–	1	–
EARBY	–	1	–	–	–	–
†FEATHERSTONE ...	–	–	–	–	2	–
GILDERSOME ...	–	–	–	–	1	–
†GOOLE	–	–	–	–	2	–
GUISELEY ...	–	1	–	–	–	–
HEBDEN BRIDGE	1	–	–	–	–	–
HECKMONDWIKE	–	1	–	–	–	–
HIPPERHOLME ...	–	1	–	–	–	–
HORSFORTH ...	–	1	–	–	–	–
†KEIGHLEY ...	–	–	–	–	4	–
KNARESBOROUGH	–	1	–	–	–	–
LINTHWAITE ...	–	–	–	1	–	–
MELTHAM ...	–	2	–	–	–	–
†MEXBOROUGH ...	–	1	–	–	1	–
MIDGLEY	–	1	–	–	–	–
†MORLEY	–	–	1	–	3	–
MYTHOLMROYD ...	–	–	–	–	1	–
NEW MILL ...	–	–	–	–	2	–
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts— *cont.*						
†NORMANTON ...	–	–	–	–	3	–
OAKWORTH ...	–	–	–	–	–	G. 1 M. 2
†PONTEFRACT ...	–	–	–	–	–	M. 1
†PUDSEY	–	–	–	1	–	–
†RAWMARSH ...	–	–	–	–	4	–
†SHIPLEY	–	1	–	–	–	–
†SKIPTON	–	–	2	–	–	–
†SOWERBY BRIDGE	–	–	1	–	–	–
†SPENBOROUGH ...		1	1	–	2	–
†STANLEY	–	–	2	–	2	–
STOCKSBRIDGE ...	–	–	–	–	1	–
†SWINTON... ...	–	–	1	–	3	–
†TODMORDEN ...	–	2	–	–	2	–
WHITLEY UPPER	–	–	–	–	1	–
WHITWOOD ...	–	3	–	–	–	–
†WOMBWELL ...	–	–	–	–	1	–
†WORSBOROUGH ...	–	1	–	–	2	–
YEADON	–	–	1	–	–	–
Rural Districts:—						
DONCASTER ...	–	–	–	–	5	–
HALIFAX	–	–	1	–	–	–
HEMSWORTH ...	–	2	3	–	1	M. 2
KIVETON PARK	–	3	1	–	–	–
PONTEFRACT ...	–	–	–	–	1	–
ROTHERHAM ...	–	1	–	–	–	–
SKIPTON	–	–	–	–	1	–
TADCASTER ...	–	3	2	–	1	–
THORNE	–	–	–	–	1	–
WAKEFIELD ...	–	3	–	–	–	–
WETHERBY ...	–	–	1	–	1	–
WHARFEDALE (NORTH)	–	1	–	–	–	–
WHARFEDALE (SOUTH)	–	–	–	–	–	L. 1
WORTLEY ...	–	–	1	–	–	G. 1 M. 1
§YORK C.B. ...	–	3	–	–	2	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES						
ANGLESEY	–	–	–	–	1	G. 2
Boroughs and Urban Districts:—						
MENAI BRIDGE ...	*	*	*	*	*	*
Rural Districts:—						
AETHWY	–	–	–	–	1	–
TWRCELYN ...	–	–	–	–	–	G. 2
BRECKNOCK ...	–	–	1	–	7	–
Urban Districts:—						
BRYNMAWR ...	–	–	–	–	6	–
Rural Districts:—						
BUILTH	–	–	–	–	1	–
VAYNOR AND PENDERYN	–	–	1	–	–	–
CARDIGAN	–	2	1	–	1	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	–	–	–	1	–
NEW QUAY ...	–	1	–	–	–	–
Rural Districts:—						
CARDIGAN ...	–	–	1	–	–	–
TREGARON ...	–	1	–	–	–	–
CARMARTHEN ...	–	8	7	–	3	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	1	–	–	–	–
CWMAMMAN ...	–	–	1	–	–	–
LLANDILO ...	–	–	1	–	–	–
LLANDOVERY ..	–	4	–	–	–	–
†LLANELLY ...	–	1	2	–	1	–
CARMARTHEN— *cont.*						
Rural Districts:—						
†CARMARTHEN ...	–	1	–	–	–	–
LLANELLY ...	–	1	1	–	2	–
NEWCASTLE IN EMLYN	–	–	2	–	–	–
WHITLAND ...	*	*	*	*	*	*
CARNARVON ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
CONWAY	–	2	–	–	–	–
Rural Districts:—						
CONWAY	–	1	–	–	–	–
GEIRIONYDD ...	–	–	1	–	–	–
DENBIGH	–	1	3	–	2	–
Boroughs and Urban Districts:—						
DENBIGH... ...	–	–	1	–	1	–
Rural Districts:—						
WREXHAM ...	–	1	2	–	1	–
FLINT	–	2	5	–	7	G. 1
Boroughs and Urban Districts:—						
PRESTATYN ...	–	–	–	–	–	G. 1
†RHYL	–	1	2	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	2	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	1	–	7	–
HOLYWELL ... (MOLD DIV.)	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	90	32	–	43	C. 4 E. 2 G. 2 M. 7
†CARDIFF C.B. ...	–	12	3	–	3	C. 3 M. 3
†MERTHYR TYDFIL C.B.	–	1	5	–	2	E. 1
†SWANSEA C.B. ...	–	10	6	–	4	M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	5	–	–	4	–
†BARRY	–	3	2	–	10	–
†CAERPHILLY ...	–	2	–	–	–	G. 1
†GELLIGAER ...	–	2	3	–	2	–
†MAESTEG	–	2	1	–	2	M. 1
†MOUNTAIN ASH ...	–	2	1	–	5	–
†NEATH	–	–	4	–	1	C. 1 G. 1
†OGMORE AND GARW	–	12	–	–	–	–
†PONTYPRIDD ...	–	8	–	–	–	–
†PORT TALBOT ...	–	1	–	–	–	–
†RHONDDA ...	–	14	2	–	7	E. 1 M. 2
Rural Districts:—						
CARDIFF	–	2	2	–	–	–
COWBRIDGE ...	–	–	1	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	3	–	–	–	–
NEATH	–	6	–	–	2	–
PONTARDAWE ...	–	–	2	–	–	–
SWANSEA... ...	–	5	–	–	1	–
MERIONETH ...	–	–	1	–	–	–
Urban District:—						
BARMOUTH ..	*	*	*	*	*	*
Rural Districts:—						
DOLGELLEY ...	–	–	1	–	–	–
MONMOUTH ...	–	11	11	–	13	C. 2
†NEWPORT C.B. ...	–	2	5	–	2	–
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	1	2	–	2	C. 1
BEDWAS AND MACHEN	–	–	–	–	1	–
†BEDWELTY ...	–	–	1	–	–	–
CHEPSTOW ...	–	–	1	–	–	–
†MYNYDDISLWYN	–	3	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	8	–
†PANTEG	–	1	–	–	–	–
†TREDEGAR ..	–	2	–	–	–	C. 1
Rural Districts:—						
CHEPSTOW ...	–	–	1	–	–	–
MONMOUTH ...	–	1	1	–	–	–
MONTGOMERY ...	–	3	1	–	3	–
Boroughs and Urban Districts:—						
WELSHPOOL ...	–	–	–	–	2	–
Rural Districts:—						
FORDEN	–	1	–	–	–	–
LLANFYLLIN ...	–	2	1	–	1	–
PEMBROKE... ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	–	1	–	–	–
Total of Part II. ...	32	1398	590	35	1115	C. 37 D. 6 E. 3 F. 1 G. 32 J. 1 L. 9 M. 124

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
Cardiff	–	–	–	–	1	–	Southampton ...	–	–	–	1	1	–
Liverpool	–	–	–	–	–	G. 1	Port of London ...	–	1	–	1	–	–
							Total of Part III.— ...	–	1	–	2	2	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	175	218	6	111	C. 6 D. 2 E. 1 J. 1 L. 1 M. 27
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	32	1398	590	35	1115	C. 37 D. 6 E. 3 F. 1 G. 32 J. 1 L. 9 M. 124
Total of Part III.—Port Sanitary Districts	–	1	–	2	2	G. 1
Total (*i.e.*, of returns received), England and Wales ...	32	1574	808	43	1228	C. 43 D. 8 E. 4 F. 1 G. 33 J. 2 L. 10 M. 151

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; , Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-cephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague, or Typhus Fever notified during the week. he cases of Small-pox were notified which appear on pages 394, 396, 398, 400, and 405.

Table 5.—London and Great Towns in the Aggregate. { Births, Deaths (distinguishing certain Ca and Deaths of Infants under 1 Yea Age) and Notified Cases of certain fectious Diseases in the last Thirt Weeks.

Week ended :—	Jan. 13.	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	A
LONDON :—													
Deaths—all ages	1,124	1,171	1,119	1.087	1,001	977	1,063	1,074	1,104	1,098	1,162	1,082	1
" 0 to 1 year ..	132	124	118	102	117	123	123	106	134	104	112	113	
GREAT TOWNS, aggregate (including London) :—													
Births	8,409	7,935	7,961	7,373	7,688	7,865	7,533	7,925	7,820	7,755	7,844	7,029	7
Deaths—all ages	4,843	4,958	4,842	4,742	4,648	4,446	4,849	4,868	4,667	4,882	4,953	4,991	4
" 0 to 1 year ..	698	674	639	672	680	628	714	672	620	636	626	662	
Enteric Fever—Cases	12	20	19	23	30	22	18	18	15	13	18	15	
" Deaths	2	2	—	8	4	5	8	5	1	3	2	2	
Small Pox—Cases ..	18	22	20	10	10	16	26	16	13	14	3	15	
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlet Fever—Cases	1,158	1,219	1,246	1,297	1,147	1,125	1,062	1 152	1,085	1,007	1,071	907	
" Deaths	27	7	14	8	12	18	13	15	22	13	17	11	
Diphtheria—Cases ..	675	662	725	742	746	662	694	637	570	557	554	563	
" Deaths ..	45	54	55	62	52	51	38	43	36	43	54	43	
Measles—Deaths ..	62	90	72	73	71	84	79	95	95	108	111	117	
Influenza—Deaths ..	69	78	69	65	66	71	59	79	84	81	125	120	

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 7th April, 1923. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rain in Mil metr
	°	°	°	°			°	°	°	°	
London (Greenwich).	63	35	57·7	39·9	2	Bradford ..	57	36	50·0	39·0	3
Brighton ..	58	43	55·8	44·3	3	Sheffield ..	60	37	51·1	40·0	3
Portsmouth ..	60	41	56·4	44·4	1	York (Museum)	60	39	51·3	40·7	4
Norwich (Southwell Lodge).	59	34	54·1	39·4	0	Hull (Pearson Park).	54	35	49·1	39·9	1
Plymouth ..	60	43	56·0	45·7	5	Tynemouth ..	48	39	45·1	40·6	9
Bristol (Clifton).	62	41	55·6	44·0	21	Cardiff	60	39	55·3	42·9	8
Birmingham ..	61	37	52·4	40·3	8	Edinburgh ..	55·0	36·0	47·4	38·9	2
Nottingham ..	60	36	53·6	40·4	11	Glasgow ..	54·9	37·2	49·2	41·0	14
Birkenhead (Bidston).	57	38	52·6	43·0	6	Dublin (Phœnix Park).	56·8	29·0	50·4	36·0	43
Manchester ..	62	37	53·9	42·6	3	Fitzwilliam Square.†	57·1	37·0	51·2	40 7	42
Burnley.. ..	60	34	50·6	39·4	3						
Huddersfield	57	36	52·1	39·3	2	Belfast	57·5	41·5	52·2	44·4	33

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 7th April, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. MONTH AND DAY.	Phases of the Moon.	BAROMETER. Mean daily reading (corrected and reduced to 32° Fahrenheit).	TEMPERATURE. Of the Air. Highest.	TEMPERATURE. Of the Air. Lowest.	TEMPERATURE. Of the Air. Daily Range.	TEMPERATURE. Of the Air. Mean daily value.	TEMPERATURE. Of the Air. Departure from average of 65 years.	TEMPERATURE. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity. (Saturation equals 100.)	TEMPERATURE. Of Radiation. Highest in Sun's Rays.	TEMPERATURE. Of Radiation. Lowest on the Grass.	TEMPERATURE. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
APRIL.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY - 1	In Equator Full Perigee.	29·846	59·8	39·2	20·6	47·9	+ 2·6	43·5	4·4	15·4	0·7	85	119·4	33·0	45·2	Calm :	Calm : ESE.	0·6	0·0	0·0	136	− 165	0·00
MONDAY - 2	..	29·996	57·1	40·5	16·6	48·1	+ 2·4	42·8	5·3	12·9	0·7	82	113·0	36·0	45·3	Calm : ESE.	E : ESE :	1·2	0·0	0·1	185	− 118	0·00
TUESDAY - 3	..	29·924	59·8	39·9	19·9	49·2	+ 3·2	40·3	8·9	18·8	0·7	71	112·0	34·0	45·5	Calm.	ESE : E : Calm.	0·7	0·0	0·0	120	− 187	0·00
WEDNESDAY 4	..	29·626	63·2	35·2	28·0	49·5	+ 3·3	37·5	12·0	23·7	1·1	63	123·3	31·1	45·8	Calm : SE.	SE : S :	1·6	0·0	0·1	183	− 132	0·00
THURSDAY - 5	..	29·516	55·9	39·5	16·4	48·0	+ 1·7	39·2	8·8	13·8	3·4	71	113·8	30·6	45·8	Calm : ESE.	ESE : E : ENE.	1·4	0·0	0·1	236	− 86	0·01
FRIDAY - 6	..	29·510	46·3	41·1	5·2	43·0	− 3·3	39·7	3·3	6·8	2·4	88	64·0	40·8	45·8	ENE :	E : E.NE.	1·4	0·0	0·2	306	− 21	0·08
SATURDAY - 7	Greatest Declination S.	29·501	57·8	40·8	17·0	48·3	+ 2·0	43·3	5·0	13·1	0·0	83	113·0	35·1	45·9	ENE : Calm.	Calm : ENE : E.	0·4	0·0	0·0	126	− 201	0·00
MEANS -	..	29·703	57·1	39·5	17·7	47·7	+ 1·7	40·9	6·8	14·9	1·3	78	108·4	34·4	45·6	CALM GENERALLY.		..	..	..	Sum 1,292	Sum − 910	Sum 0·09
No. of COLUMN	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. APRIL.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	1	mP	3·0	12·8	Nearly overcast generally. Thin cloud prevalent from 19h. Dew in morning. Lunar halos 19½h., and 24h. Partial lunar halo 21h.
MONDAY ..	2	mP	6·7	12·9	Thin cloud till 4h., then overcast till 10h. Nearly cloudless from 11¾h., till 16h., clouding up and becoming overcast by 18h. Lunar halo 0h. till 2h.
TUESDAY ..	3	mP	4·9	13·0	Overcast and cloudy generally till 20h., then cloudless. Heavy dew in early morning. Haze 9h. till 15h., and from 21h.
WEDNESDAY	4	mP	10·5	13·0	Nearly cloudless throughout with cloudy period between 18½h. and 20h. Dew in early morning and at night.
THURSDAY	5	mP to wP	2·3	13·1	Nearly cloudless till 4h. Then clouding up to overcast by 9h. Slight rain generally from 13h.
FRIDAY ..	6	wP	0·0	13·2	Overcast throughout. Frequent slight rain from 2h.
SATURDAY	7	sP	1·9	13·2	Overcast or nearly overcast till 18½h. Cloudless from 19h. Damping and slight mist from 4h. till 9h.
			Sum 29·3	Sum 91·2	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·79 in. at the beginning of the week to 30·02 in. by 21h. on 2nd; decreased generally to 29·47 in. by 4h. on the 7th; increased and was 29·53 in. by midnight on the same day.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS,
11–17, Hare Street, E.2

(41673). Wt. 15—P 11 2250 4/23 H. St. G. 43

FOR OFFICIAL USE.

1923. No. 15.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 14TH APRIL, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5 Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 14TH APRIL, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fifteenth week of the year numbered 8,216 and corresponded to an annual rate of 22·3 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,971 and corresponded to an annual rate of 13·5 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 13·5, 13·6 and 12·9. Infant mortality was 77 per 1,000 births against 80, 94, and 75 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,996 births, corresponding to a rate of 22·9 per 1,000, and 1,126 deaths of civilians, corresponding to a rate of 12·9, as against 13·4, 12·4 and 12·6 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 12·8 per 1,000. The infant mortality was 60 as against 62, 69 and 55 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 236 in the total deaths last week, but the deaths from influenza fell slightly from 188 to 184. In London the number of deaths from all causes rose from 1,094 to 1,126; while the deaths from diphtheria, which had been 18, 8 and 15 in the preceding three weeks, rose to 17 last week, and those from influenza, which had been 39, 34 and 56 in the three preceding weeks, fell to 36 last week.

Just Published:

Supplement to 75th Annual Report of the Registrar General. Part IV Mortality of Men in Certain Occupations 1910–12. Price 13*s.* 6*d.* net.

Census of England and Wales, 1921. County of London. Tables (Part II) Price 8*s.* net.

Census of England and Wales, 1921. County of London. Text. Price 1*s.* 6*d.* net.

Census of England and Wales, 1921. County of Middlesex. Price 10*s.* net

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 14th April, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	8,216	4,971	634	3	85	15	100	36	36	184
London	4,534,230*	1,996	1,126	120	–	3	–	14	17	10	36
Towns in Outer Ring.											
Croydon C.B. ..	192,300	80	45	5	–	–	–	2	–	–	3
Wimbledon ..	61,730	8	8	–	–	–	–	–	–	–	1
Ealing	67,890	24	18	1	–	–	–	1	1	–	1
Acton	62,390	23	14	3	–	–	–	1	–	–	–
Willesden ..	168,200	57	38	2	–	–	1	–	–	–	1
Hendon	55,930	12	7	1	–	–	–	–	–	–	–
Hornsey	87,310	24	22	2	–	–	–	–	–	–	2
Wood Green ..	51,290	15	14	–	–	–	–	–	1	–	–
Tottenham ..	150,500	48	26	2	–	–	–	–	–	–	1
Edmonton ..	68,700	34	9	–	–	–	–	–	–	–	–
Enfield	62,010	20	11	1	–	–	–	–	–	1	–
West Ham C.B. ..	310,200	177	67	8	–	–	–	–	–	1	–
East Ham C.B. ..	145,800	71	28	3	–	1	–	–	–	1	–
Leyton	131,600	46	29	1	–	–	–	1	–	–	–
Walthamstow ..	129,700	56	32	6	–	–	–	–	–	–	2
Ilford	86,370	22	19	1	–	–	–	–	–	–	–
Gillingham	48,630*	28	13	2	–	–	–	1	–	–	–
Canterbury C.B. ..	23,680	5	8	–	–	–	–	–	–	–	1
Hastings C.B.	59,500	16	20	–	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	14	11	1	–	–	–	–	–	–	–
Brighton C.B. ..	135,000	41	22	2	–	–	–	–	–	–	–
Portsmouth C.B. ..	236,630*	107	46	8	–	–	–	–	1	–	4
Bournemouth C.B. ..	81,500	18	23	4	–	–	–	1	–	–	–
Southampton C.B. ..	163,700	76	53	5	–	8	–	2	1	–	1
Reading C.B.	92,990	35	18	1	–	–	–	–	–	–	–
Oxford C.B.	56,510	26	11	–	–	–	–	1	–	–	–
Northampton C.B. ..	92,950	42	14	2	–	1	–	–	–	–	–
Luton	58,260	22	16	1	–	–	–	–	–	–	1
Cambridge	59,200	16	12	1	–	–	–	–	1	–	–
Southend-on-Sea C.B.	91,430	30	9	1	–	–	–	–	–	–	1
Ipswich C.B.	80,950	33	23	1	–	–	–	–	–	–	1
Great Yarmouth C.B.	56,700	34	14	–	–	–	–	–	–	–	–
Norwich C.B. ..	122,900	54	27	5	–	3	–	2	–	–	–
Swindon	55,680	14	15	2	–	–	–	–	–	–	1
Exeter C.B.	59,700	28	13	2	–	–	–	–	–	–	–
Plymouth C.B. ..	200,370*	105	55	10	–	2	–	–	1	–	–
Bath C.B.	68,530	17	17	5	–	–	–	–	1	–	1
Bristol C.B.	383,900	133	99	15	–	1	–	6	1	–	1
Gloucester C.B. ..	52,210	27	2	1	–	–	–	–	–	1	–
Stoke-on-Trent C.B.	274,300	128	68	11	–	1	–	–	–	1	1
Burton-upon-Trent C.B.	49,630	23	9	–	–	–	–	–	–	–	–
Wolverhampton C.B.	105,700	47	31	3	–	1	–	–	–	–	1
Walsall C.B.	99,890	55	31	4	–	5	–	1	–	–	–
West Bromwich C.B.	76,260	46	28	4	–	4	–	–	2	1	–
Dudley C.B.	57,860	17	21	3	–	1	–	–	–	–	–
Worcester C.B. ..	49,240	16	7	–	–	–	–	–	–	–	1
Birmingham C.B. ..	945,100	385	265	39	–	10	–	1	4	2	24
Smethwick C.B. ..	78,140	34	13	2	–	1	–	–	–	–	1
Coventry C.B. ..	131,200	44	19	–	–	–	–	–	–	–	2
Leicester C.B. ..	238,800	98	56	6	–	–	–	–	–	1	–
Lincoln C.B.	66,930	23	15	1	–	–	–	–	–	–	1
Grimsby C.B.	84,650	35	20	5	–	–	–	–	–	1	–
Nottingham C.B. ..	267,900	116	59	14	–	–	–	1	–	1	–
Derby C.B.	132,400	46	46	3	–	–	–	1	–	–	3
Chesterfield ..	63,380	33	21	1	–	–	–	–	–	–	–
Stockport C.B. ..	125,800	51	31	6	–	–	–	–	–	–	1
Chester C.B.	41,190	17	15	2	–	–	–	–	–	–	–
Birkenhead C.B. ..	149,200	67	36	2	–	–	–	–	–	–	2
Wallasey C.B. ..	89,790	30	27	3	–	–	–	1	–	1	1
Liverpool C.B. ..	826,400	401	231	35	–	5	5	6	–	2	2
Bootle C.B.	79,750	54	26	5	–	–	–	1	–	–	–
St. Helens C.B. ..	106,400	52	28	2	–	–	–	–	1	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	19	25	2	–	–	–	–	–	–	3
WIGAN C.B.	91,750	41	31	2	–	–	–	–	–	–	3
WARRINGTON C.B. ..	79,150	34	13	1	–	–	–	–	–	–	1
BOLTON C.B.	182,700	64	66	5	–	–	–	–	–	–	4
BURY C.B.	57,400	12	12	2	–	–	–	–	–	–	1
MANCHESTER C.B. ..	748,500	306	280	36	1	1	–	12	–	1	32
SALFORD C.B.	240,700	97	81	11	1	–	1	4	–	–	9
OLDHAM C.B.	148,300	48	82	10	–	–	1	3	1	–	10
ROCHDALE C.B... ..	92,510	32	26	1	–	–	–	–	–	–	1
BURNLEY C.B.	105,100	36	48	10	–	–	–	–	1	1	2
BLACKBURN C.B. ..	129,600	43	41	6	–	–	–	–	–	2	2
PRESTON C.B.	120,900	65	35	4	–	–	–	–	–	–	1
BLACKPOOL C.B. ..	74,050	22	26	2	–	–	–	–	–	–	–
BARROW-IN-FURNESS C.B.	75,690	21	16	4	–	–	–	–	–	–	–
HUDDERSFIELD C.B. ..	111,600	35	21	3	–	–	–	–	–	–	–
HALIFAX C.B.	100,500	30	26	–	–	–	–	–	–	–	–
BRADFORD C.B. ..	291,300	97	102	14	–	6	1	1	–	1	1
LEEDS C.B.	466,700	213	105	11	–	–	3	–	–	–	3
DEWSBURY C.B. ..	55,170	18	21	4	–	3	–	–	–	–	–
WAKEFIELD C.B. ..	53,840	23	15	2	–	–	–	–	–	–	–
BARNSLEY C.B. ..	69,540	34	21	1	–	1	–	–	–	–	1
SHEFFIELD C.B. ..	522,600	225	154	29	1	1	1	14	–	2	8
ROTHERHAM C.B. ..	69,840	35	20	7	–	–	–	3	–	–	–
DONCASTER	55,020	27	10	2	–	–	–	–	–	–	1
YORK C.B.	84,980	40	17	3	–	1	–	1	–	–	–
HULL C.B.	294,000	148	66	12	–	–	–	–	–	–	–
MIDDLESBROUGH C.B.	134,800	88	26	2	–	3	–	–	1	–	–
DARLINGTON C.B. ..	66,710	26	16	3	–	–	–	–	–	–	–
STOCKTON-ON-TEES ..	65,950	37	10	2	–	1	1	–	–	–	–
WEST HARTLEPOOL C.B.	70,020	29	14	2	–	–	–	–	–	–	–
SUNDERLAND C.B. ..	162,900	86	41	7	–	–	–	3	–	1	–
SOUTH SHIELDS C.B. ..	122,400	81	28	4	–	–	–	4	–	–	1
GATESHEAD C.B. ..	127,300	59	29	5	–	1	–	3	–	1	–
NEWCASTLE-ON-TYNE C.B.	281,600	159	81	14	–	8	–	3	–	1	–
TYNEMOUTH C.B. ..	64,640	37	19	3	–	4	–	–	–	–	–
CARLISLE C.B.	53,490	15	18	3	–	3	–	–	1	1	–
NEWPORT (MON.) C.B.	94,880	49	20	2	–	1	–	1	–	–	–
CARDIFF C.B.	223,830	111	47	9	–	–	–	–	–	1	1
RHONDDA	167,500	79	48	14	–	3	1	3	–	–	–
MERTHYR TYDFIL C.B.	82,680	40	23	3	–	1	–	–	–	–	–
ABERDARE	56,580	26	11	1	–	–	–	–	–	–	–
SWANSEA C.B.	161,000	67	23	1	–	–	–	1	–	–	–
GREATER LONDON ..	7,563,730*	3,144	1,758	174	–	7	1	19	22	13	58
OUTER RING	3,029,500*	1,148	632	54	–	4	1	5	5	3	22
16 GREAT TOWNS IN OUTER RING	1,831,920	717	387	36	–	1	1	5	2	3	11
REMAINDER OF OUTER RING	1,197,580*	431	245	18	–	3	–	–	3	–	11
EDINBURGH†	426,000	200	135	9	1	2	2	3	4	–	–
GLASGOW†	1,041,300	557	318	50	–	11	–	14	5	2	3
DUBLIN (REGISTRATION AREA)†	431,000	250	141	29	–	–	1	2	–	3	5
BELFAST†	429,000	231	157	29	–	4	–	8	1	1	11

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available perio

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).
London‡	4,531,230	1922-23. April 14	1996	1126	12·9	–	–	3	–	14	17	10
Calcutta	896,067	March 3	–	469§	26·8	?	7	?	?	?	?	?
Bombay	1,220,120	„ 17										
Madras	526,911	„ 3	374	400§	39·5	2	8	–	?	–	1	38
Sydney and Suburbs	955,700	Feb. (28 days)	1763	662	8·3	3	–	2	1	10	6	66
Brisbane (Metropolitan Area).	217,714	Feb.										
Perth (Metropolitan Area).	155,939	Feb. 17	62	40	13·3	–	–	–	–	–	–	8
Auckland (Urban Area).	164,450	Jan. (31 days)	270	116	7·5	1	–	–	–	–	1	–
Wellington (Urban Area).	110,680	Jan. (31 days)	186	68	6·1	–	–	–	–	–	–	–
Christchurch (Urban Area).	110,200	Jan. (31 days)	177	85	7·7	–	–	–	1	–	–	–
Cape Town	104,400	Feb. 24	62	16	8·0	–	–	–	–	–	–	2
Johannesburg	153,825	March 3	83	43	14·5	6	–	–	–	–	1	2
Durban	49,043	„ 3	35	8	8·5	–	–	1	–	–	–	1
Paris	2,906,472	„ 20 (10 days)	1441	1242	15·7	5	–	39	4	9	4	9
Antwerp	300,731	Jan. 7	110	62	10·6	–	–	1	–	–	–	2
		„ 14	91	62	10·6	–	–	–	–	–	–	1
Amsterdam	698,480	March 24	293	160	11·9	–	–	–	–	3	–	–
Copenhagen	565,000	„ 31	235	143	13·2	–	–	3	–	2	–	2
Stockholm	424,944	„ 24	99	96	11·7	–	–	–	–	–	–	–
Gothenburg	227,686	„ 10	–	46	10·5	–	–	–	–	–	1	2
Christiania	258,933	„ 31	74	63	12·6	–	–	–	–	–	–	1
Berlin	1,981,000	„ 3	388	690	18·1	–	?	6	1	2	1	5
Breslau	558,000	„ 3	240	221	20·6	–	?	2	–	4	–	5
Cologne	694,000	„ 3	272	189	14·2	–	?	2	–	5	2	9
Dresden	610,000	„ 3	185	168	14·3	–	?	2	–	2	–	1
Frankfort-on-Main..	477,000	„ 3	96	86	9·4	–	?	–	–	–	–	2
Hamburg	1,085,000	„ 3	374	275	13·2	–	?	4	2	2	1	6
Leipzig	677,000	„ 3	204	196	15·1	–	?	–	1	3	–	3
Munich	685,000	„ 3	229	184	14·0	–	?	2	1	1	–	–
Vienna	1,841,326	Feb. 10	428	569	16·1	–	–	3	–	–	1	9
Prague and Suburbs	689,262	Jan. 7										
Budapest	939,529	„ 20										
Warsaw	956,087	Feb. 24	332	304	16·5	4	–	3	2	6	2	12
Cairo	791,000	Jan. 14										
Alexandria	466,700	„ 14										
New York	5,927,617	March 10	2628	1963	17·3	1	–	5	3	8	15	16
Chicago	2,885,921	„ 17	–	815	14·7	–	–	7	2	8	9	15
Rio de Janeiro ..	1,269,046	Feb. 17	593	471	19·4	–	2	2	–	12	1	?
Montevideo	348,408	Dec. 16	199	168	20·3	4	–	5	1	–	–	20
		„ 23	209	174	20·4	1	–	5	–	1	–	18
		„ 30	264	139	20·4	1	–	4	–	2	–	16

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vi Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *y age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 21 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 1 in Calcutta.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 14th April, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1126	120	19	36	26	54	55	81	136	183	206	210
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	2	1	–	–	–	–	–	–	–	–	–
Scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	14	6	3	5	–	–	–	–	–	–	–	–
Diphtheria	17	1	1	7	7	1	–	–	–	–	–	–
Influenza	36	1	–	1	–	–	1	4	4	6	9	10
Erysipelas	1	1	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis. Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	1	–	–	–	–	–	–
Meningococcal meningitis	3	2	–	1	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	90	1	–	1	–	19	15	23	17	10	4	–
Nervous system	11	1	2	4	3	–	1	–	–	–	–	–
Intestines and peritoneum	4	–	1	–	2	1	–	–	–	–	–	–
Other forms	9	–	–	1	3	3	1	1	–	–	–	–
Venereal diseases	4	2	–	–	–	–	–	1	–	1	–	–
Cancer	127	–	–	–	–	2	–	10	22	40	34	19
Rheumatic fever	2	–	–	–	1	–	1	–	–	–	–	–
Diabetes	6	–	–	–	–	–	–	–	–	2	2	2
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	3	1	–	1	–	–	1	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	47	–	–	–	–	–	–	1	4	6	13	23
Epilepsy	4	–	–	–	–	–	2	–	–	2	–	–
"Convulsions" (not puerperal)	4	3	1	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	34	3	–	–	3	–	2	7	8	8	3	–
Pericarditis	1	1	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	5	–	–	–	–	2	1	–	2	–	–	–
Other diseases of heart	128	–	–	–	–	4	4	6	23	17	39	35
Other diseases of circulatory system	45	–	–	–	–	–	–	–	6	10	11	18
Bronchitis	106	3	–	1	–	1	1	4	11	17	33	35
Broncho-pneumonia	55	11	4	6	1	3	–	2	3	5	12	8
Lobar pneumonia	34	2	–	2	1	4	1	4	7	7	5	1
Pneumonia (type not distinguished)	24	–	2	1	–	1	5	–	5	6	3	1
Other diseases of respiratory system	9	2	–	–	–	1	–	1	–	2	–	3
Diarrhœa and enteritis	14	10	–	–	–	–	–	–	–	1	1	2
Appendicitis, Typhlitis	6	–	–	1	–	1	1	1	–	1	–	1
Hernia. Intestinal obstruction	10	–	1	–	–	–	1	1	–	2	3	2
Cirrhosis of liver	4	–	–	–	–	–	–	–	1	3	–	–
Other diseases of digestive system	27	2	–	–	–	1	3	2	7	7	3	2
Acute nephritis	3	2	–	–	–	–	–	1	–	–	–	–
Chronic Bright's disease	17	–	–	1	–	1	–	–	–	10	3	2
Other diseases of genito-urinary system.	16	1	–	–	–	–	3	1	–	2	8	1
Puerperal sepsis	4	–	–	–	–	–	2	2	–	–	–	–
Other causes incident to childbirth	2	–	–	–	–	–	–	1	1	–	–	–
Congenital malformations	10	8	–	–	1	–	1	–	–	–	–	–
Premature birth	33	33	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	8	8	–	–	–	–	–	–	–	–	–	–
Old age	48	–	–	–	–	–	–	–	–	3	7	38
Suicide	24	–	–	–	–	4	3	4	5	5	3	–
Burns and scalds	3	–	1	1	–	1	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	1	–	–	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	7	–	–	–	2	–	–	1	–	1	3	–
Other deaths by violence	13	1	–	1	–	1	2	1	2	2	1	2
Other specified causes	47	11	2	1	2	2	3	2	6	7	6	5
Ill-defined causes	1	–	–	–	–	–	–	–	1	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 14th April, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	142	195	9	127	C. 6 D. 2 G. 2 M. 23
Metropolitan Boroughs:—						
†BATTERSEA ...	–	10	19	–	5	M. 1
†BERMONDSEY ...	–	6	9	–	7	M. 2
†BETHNAL GREEN	–	1	1	–	4	M. 1
†CAMBERWELL ...	–	6	28	1	2	M. 1
†CHELSEA	–	4	5	1	1	–
†DEPTFORD ...	–	3	10	1	1	–
†FINSBURY ...	–	–	3	–	–	–
†FULHAM	–	5	2	–	8	C. 2
†GREENWICH ...	–	4	3	–	–	M. 1
†HACKNEY ...	–	8	13	–	1	M. 1
†HAMMERSMITH ...	–	4	5	–	2	M. 2
†HAMPSTEAD ...	–	3	1	–	–	G. 1
†HOLBORN... ...	–	–	1	–	1	D. 1
†ISLINGTON ...	–	16	19	–	9	M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	3	6	–	7	C. M.
†LAMBETH ...	–	5	10	1	9	C. M.
†LEWISHAM ...	–	8	2	1	4	C.
†PADDINGTON ...	–	9	4	–	9	–
†POPLAR	–	4	4	1	7	G. M.
†ST. MARYLEBONE	–	1	–	–	–	–
†ST. PANCRAS ...	–	7	12	–	11	M.
†SHOREDITCH ...	–	2	3	–	5	M.
†SOUTHWARK ...	–	13	14	1	6	–
†STEPNEY	–	9	10	–	7	M.
†STOKE NEWINGTON	–	1	1	–	1	–
†WANDSWORTH ...	–	4	4	2	14	D. M.
†WESTMINSTER, CITY OF	–	1	2	–	–	–
†WOOLWICH ...	–	5	4	–	6	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	3	3	–	3	–
Boroughs and Urban Districts:—						
AMPTHILL ...	–	–	–	–	1	–
†BEDFORD ...	–	1	1	–	2	–
BIGGLESWADE ...	–	1	–	–	–	–
†LUTON	–	–	1	–	–	–
Rural District:—						
AMPTHILL ...	–	1	1	–	–	–
BERKS	–	15	7	–	4	–
†READING C.B. ...	–	8	1	–	3	–
Rural Districts:—						
ABINGDON ...	–	2	3	–	–	–
BRADFIELD ...	–	1	1	–	–	–
EASTHAMPSTEAD	–	–	–	–	1	–
FARINGDON (PART)	–	1	–	–	–	–
WALLINGFORD ...	–	1	2	–	–	–
WOKINGHAM ...	–	2	–	–	–	–
BUCKINGHAM ...	–	2	–	–	5	–
Boroughs and Urban Districts:—						
BLETCHLEY ...	–	–	–	–	1	–
†CHEPPING WYCOMBE ...	–	1	–	–	3	–
†SLOUGH	–	1	–	–	–	–
†WOLVERTON ...	–	–	–	–	1	–
CAMBRIDGE ...	–	5	1	–	–	–
Borough:—						
†CAMBRIDGE ...	–	3	–	–	–	–
Rural Districts:—						
CAXTON AND ARRINGTON	–	1	–	–	–	–
CHESTERTON ...	–	1	–	–	–	–
LINTON	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER	–	45	15	1	26	C. 1 G. 1 M. 2
†BIRKENHEAD C.B.	–	5	1	–	9	–
†CHESTER, C.B. ...	–	–	–	–	1	–
†STOCKPORT C.B....	–	–	2	–	2	–
†WALLASEY C.B ...	–	2	–	–	2	–
Boroughs and Urban Districts:—						
†BEBINGTON AND BROMBOROUGH	–	–	–	–	1	–
BOLLINGTON ...	–	1	–	–	–	–
BUGLAWTON ...	–	1	–	–	1	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
†CONGLETON ...	–	5	–	–	–	–
†CREWE	–	1	–	–	–	–
†DUKINFIELD ...	–	2	–	–	1	–
HOOLE	–	–	–	–	–	G. 1
†HOYLAKE AND WEST KIRBY	–	2	1	–	–	–
†HYDE	–	5	2	–	1	M. 1
KNUTSFORD ...	–	1	–	–	–	–
†MACCLESFIELD ...	–	3	–	–	–	M. 1
MARPLE	–	2	–	–	–	–
MIDDLEWICH ...	–	1	2	–	–	–
†NORTHWICH ...	–	–	2	–	–	–
†RUNCORN... ..	–	2	–	–	1	–
†Stalybridge ...	–	1	–	–	1	–
WILMSLOW ...	–	–	1	–	–	–
†WINSFORD ...	–	–	–	–	1	–
Rural Districts:—						
BUCKLOW ...	–	1	–	–	1	C. 1
CHESTER ...	–	1	–	–	1	–
CONGLETON ...	–	–	1	–	–	–
MACCLESFIELD ...	–	5	–	1	–	–
NANTWICH ...	–	–	1	–	–	–
NORTHWICH ...	–	2	2	–	–	–
RUNCORN... ...	–	2	–	–	2	–
CORNWALL ...	–	10	3	–	2	M. 1
Boroughs and Urban Districts:—						
BODMIN	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL—*cont.*						
Boroughs and Urban Districts—*cont.*						
PADSTOW	–	–	–	–	1	–
ST. JUST	–	–	–	–	–	M. 1
Rural Districts:—						
REDRUTH ...	–	–	–	–	1	–
SAINT AUSTELL...	–	5	–	–	–	–
SAINT GERMANS	–	–	3	–	–	–
WEST PENWITH	–	4	–	–	–	–
CUMBERLAND ...	–	11	6	1	6	L. 3
†CARLISLE C.B. ...	–	4	1	–	2	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	*	*	*	*	*	*
MILLOM	–	–	–	–	2	–
PENRITH	–	–	–	–	1	–
†WHITEHAVEN ...	–	–	4	–	–	–
†WORKINGTON ...	–	4	1	–	–	–
Rural Districts:—						
BRAMPTON ...	–	1	–	1	–	–
CARLISLE ...	–	1	–	–	–	L. 3
COCKERMOUTH ...	–	1	–	–	1	–
DERBY	14	33	11	1	32	C. 1 G. 1 M. 1
†DERBY C.B. ...	–	12	2	–	10	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	–	1	–	–
BAKEWELL ...	–	–	–	–	1	–
BUXTON	–	–	–	–	1	–
†CHESTERFIELD ...	–	1	–	–	2	–
CLAY CROSS ...	–	–	–	–	8	–
DRONFIELD ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GLOSSOP	–	1	2	–	–	G. 1
†HEANOR	9	1	–	–	1	–
†ILKESTON ...	1	1	–	–	1	M. 1
†LONG EATON ...	–	–	1	–	–	–
NEW MILLS ...	*	*	*	*	*	*
Rural Districts:—						
ASHBOURNE ...	–	2	–	–	–	–
BAKEWELL ..	–	1	–	–	1	–
BELPER	–	1	2	–	1	–
BLACKWELL ...	–	3	1	–	–	–
CHAPEL EN LE FRITH	–	1	–	–	1	–
CHESTERFIELD ..	–	7	2	–	1	C. 1
CLOWNE	4	–	1	–	–	–
CODNOR PARK AND SHIPLEY (PARISHES) ...	–	–	–	–	1	–
SHARDLOW ...	–	–	–	–	2	–
DEVON	–	27	5	1	6	G. 1 M. 2
†EXETER C.B. ...	–	3	1	–	–	–
†PLYMOUTH C.B....	–	6	1	1	4	–
Boroughs and Urban Districts:—						
DARTMOUTH ...	–	–	–	–	2	–
†EXMOUTH ...	–	1	–	–	–	–
HONITON... ...	–	1	–	–	–	–
KINGSBRIDGE ...	–	1	–	–	–	–
NORTHAM ...	–	1	–	–	–	–
OTTERY ST. MARY	–	1	–	–	–	–
†TORQUAY ...	–	5	–	–	–	–
Rural Districts:—						
HONITON	–	1	–	–	–	G. 1
KINGSBRIDGE ...	–	2	–	–	–	–
NEWTON ABBOT...	–	1	–	–	–	M. 2
PLYMPTON ST. MARY	–	4	1	–	–	–
TAVISTOCK ...	–	–	1	–	–	–
TIVERTON ..	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	2	3	–	3	–
Boroughs and Urban Districts:—						
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	2	–
Rural Districts:—						
BRIDPORT ...	–	–	–	–	1	–
WIMBORNE AND CRANBORNE	–	2	3	–	–	–
DURHAM	3	63	22	6	48	M. 5
†DARLINGTON C.B.	–	2	2	–	4	–
†GATESHEAD C.B.	–	4	2	1	1	–
†SOUTH SHIELDS C.B.	–	1	2	1	6	M. 1
†SUNDERLAND C.B.	–	5	1	1	7	M. 1
†WEST HARTLEPOOL C.B.	–	2	–	–	2	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	–	–	–	M. 1
BENFIELDSIDE ...	–	1	–	–	–	–
BRANDON AND BYSHOTTLES	–	–	–	1	–	–
†CHESTER LE STREET	–	–	2	–	–	–
†CONSETT	–	–	–	–	1	–
†CROOK	–	–	–	–	1	–
†FELLING	–	–	–	–	1	–
†HARTLEPOOL ...	–	–	1	–	1	–
†HEBBURN ...	–	1	–	–	–	–
†HETTON	–	2	–	–	–	–
†HOUGHTON LE SPRING	–	–	–	–	4	–
†JARROW	–	4	1	1	–	–
LEADGATE ...	–	–	–	–	1	–
†RYTON	–	1	–	–	–	–
†SEAHAM HARBOUR	–	–	–	–	1	M. 1
†SHILDON	–	–	1	–	–	–
†SOUTHWICK ON WEAR	–	–	–	–	2	–
†STANLEY	–	2	1	–	2	–
†STOCKTON ON TEES	3	7	–	–	2	–
†WHICKHAM ...	–	–	–	–	1	–
WILLINGTON ...	–	2	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts:—						
AUCKLAND ...	–	7	1	–	6	–
BARNARD CASTLE	–	–	1	–	–	–
CHESTER LE STREET	–	6	1	–	2	–
DURHAM	–	1	–	–	–	–
EASINGTON ...	–	3	6	1	–	M. 1
LANCHESTER ...	–	2	–	–	–	–
SEDGEFIELD ...	–	4	–	–	–	–
SOUTH SHIELDS...	–	4	–	–	1	–
SUNDERLAND ...	–	1	–	–	–	–
WEARDALE ...	–	–	–	–	1	–
ISLE OF ELY ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†WISBECH	–	1	–	–	–	–
ESSEX	–	30	18	–	20	C. 1 E. 1 G. 1 L. 1 M. 2
†EAST HAM C.B. ...	–	5	3	–	–	E. 1 M. 2
†SOUTHEND-ON-SEA C.B.	–	6	–	–	5	–
†WEST HAM C.B. ...	–	4	7	–	6	G. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	1	–	2	–
†CLACTON	–	1	–	–	–	–
EPPING	–	2	–	–	–	–
†HARWICH ...	–	2	–	–	–	–
†ILFORD	–	1	–	–	–	L. 1
†LEYTON	–	2	2	–	3	–
SHOEBURYNESS ...	–	–	–	–	2	–
†WALTHAMSTOW...	–	3	2	–	2	C. 1
Rural Districts:—						
BILLERICAY ...	–	2	1	–	–	–
BRAINTREE ...	–	–	1	–	–	–
DUNMOW	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J; Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts—*cont.*						
EPPING	–	1	–	–	–	–
GLOUCESTER ...	13	38	13	1	11	C. 1 E. 1 G. 1 L. 1 M. 1
†BRISTOL C.B. ...	–	22	10	1	4	C. 1 E. 1 G. 1 L. 1
†GLOUCESTER C.B.	–	4	1	–	2	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	12	1	–	–	–	M. 1
†KINGSWOOD ...	–	3	–	–	–	–
Rural Districts:—						
DURSLEY	1	1	–	–	1	–
EAST DEAN AND UNITED PARISHES ...	–	2	–	–	–	–
GLOUCESTER ...	–	–	1	–	–	–
STOW ON THE WOLD (part)	–	–	–	–	2	–
STROUD	–	–	–	–	1	–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	5	–	–	–	–
WINCHCOMBE (part)	–	–	1	–	–	–
HEREFORD ...	–	9	1	1	2	C. 1
Boroughs and Urban Districts:—						
LEDBURY... ...	–	3	–	–	–	–
ROSS	–	–	–	–	1	–
Rural Districts:—						
HEREFORD ...	–	–	1	–	–	–
KINGTON... ...	–	–	–	1	–	–
HEREFORD—*cont.*						
Rural Districts—*cont.*						
LEDBURY... ...	–	5	–	–	1	–
ROSS	–	1	–	–	–	–
WEOBLEY ...	–	–	–	–	–	C. 1
HERTFORD ...	–	11	2	1	3	C. 1 L. 1 M. 1
Boroughs and Urban Districts:—						
BALDOCK ...	–	–	–	–	1	–
†BARNET	*	*	*	*	*	*
BISHOP'S STORTFORD	–	–	–	–	–	C. 1
†CHESHUNT ...	–	1	–	–	–	–
†EAST BARNET VALLEY ...	–	2	–	–	–	–
HARPENDEN ...	–	–	1	–	–	–
†HERTFORD ...	–	1	–	–	–	–
†LETCHWORTH ...	–	1	–	–	1	–
TRING	–	5	–	–	–	M. 1
Rural Districts:—						
BARNET	–	1	1	–	–	–
HATFIELD ...	–	–	–	–	1	–
WATFORD ...	–	–	–	1	–	L. 1
HUNTINGDON ...	–	2	1	–	1	–
Boroughs and Urban Districts:—						
GODMANCHESTER	–	1	–	–	–	–
Rural Districts:—						
HUNTINGDON ...	*	*	*	*	*	*
ST. NEOTS, No. 1 ..	–	–	1	–	1	–
ST. NEOTS, No. 3 ..	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	35	13	–	12	E. 1 M. 1
Boroughs and Urban Districts:—						
†Beckenham ...	–	1	2	–	–	–
†Bexley	–	2	1	–	–	–
†Bromley ...	–	3	–	–	2	–
†Chatham ...	–	1	1	–	–	–
Chislehurst ...	–	1	–	–	–	–
†Dartford ...	–	1	1	–	–	–
†Dover	–	–	1	–	2	–
†Erith	–	3	–	–	1	–
†Folkestone ...	–	1	–	–	2	–
†Gillingham ...	–	6	–	–	–	–
†Gravesend ...	–	1	1	–	–	E. 1
†Maidstone ...	–	4	–	–	2	–
†Margate ...	–	2	1	–	1	–
Milton Regis ...	–	1	–	–	–	–
†Northfleet ...	–	–	1	–	–	–
†Ramsgate ...	*	*	*	*	*	*
†Rochester ...	–	–	1	–	–	–
†Sheerness ...	–	–	1	–	–	–
Sidcup	–	1	–	–	–	M. 1
Sittingbourne	–	1	–	–	–	–
†Tonbridge ...	–	1	–	–	–	–
Whitstable ...	–	–	–	–	2	–
Rural Districts:—						
Bromley ...	–	1	–	–	–	–
Eastry	–	1	–	–	–	–
Faversham ...	–	1	–	–	–	–
Isle of Thanet	–	–	1	–	–	–
Sevenoaks ...	–	2	1	–	–	–
LANCASTER ...	9	259	71	4	297	C. 2 G. 6 L. 2 M. 35
†Barrow in Furness C.B.	–	2	1	–	–	–
†Blackburn C.B.	–	2	–	–	5	–
†Blackpool C.B.	–	5	–	1	2	M. 1
†Bolton C.B. ...	–	12	–	–	6	–
†Bootle C.B. ...	–	7	2	–	2	–
†Burnley C.B. ...	–	17	–	–	1	M. 1
†Bury C.B. ...	–	2	–	–	2	–
†Liverpool C.B. ...	1	43	19	–	31	G. 2 M. 17

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†Manchester C.B.	–	37	15	–	103	C. 2 M. 9
†Oldham C.B. ...	–	4	2	–	8	G. 1
†Preston C.B. ...	–	1	2	–	1	–
†Rochdale C.B. ...	–	10	1	–	–	–
†St. Helens C.B.	–	2	3	–	–	G. 1 M. 2
†Salford C.B. ...	–	10	4	1	22	G. 1 M. 1
†Southport C.B.	–	2	1	–	5	–
†Warrington C.B.	–	5	–	–	2	–
†Wigan C.B. ...	–	2	–	–	5	M. 1
Boroughs and Urban Districts:—						
†Accrington ...	–	2	–	–	2	–
†Ashton in Makerfield	–	3	2	1	–	–
†Ashton under Lyne	–	2	–	–	7	–
†Atherton ...	–	2	1	–	4	–
Audenshaw ...	–	–	–	–	2	–
Barrowford ...	–	–	–	–	1	–
Blackrod ...	–	–	–	–	1	–
Brierfield ...	–	1	–	–	1	–
†Chadderton ...	–	3	–	–	6	–
†Chorley	–	–	–	–	5	–
Church	–	1	–	–	–	–
Clayton le Moors	–	1	–	–	–	–
†Colne	–	6	–	–	2	–
†Crompton ...	–	2	–	–	1	M. 1
Croston	–	1	–	–	–	–
†Dalton in Furness	–	2	–	–	–	–
†Darwen	–	3	–	–	–	–
†Denton	–	–	–	–	2	–
†Droylsden ...	–	–	1	–	1	–
†Eccles	–	2	–	–	3	–
†Failsworth ...	–	2	–	–	1	–
†Farnworth ...	–	1	–	–	1	–
†Fleetwood ...	–	–	1	–	–	–
†Great Harwood	–	4	4	–	–	–
†Haslingden ...	–	1	–	–	1	–
Haydock ...	–	2	1	–	–	–
Heysham ...	–	–	1	–	–	–
†Heywood ...	–	1	–	–	5	–
†Hindley... ...	–	1	–	–	–	–
†Horwich ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
HUYTON WITH ROBY ...	–	2	–	–	–	–
†INCE IN MAKERFIELD	–	3	–	–	1	–
IRLAM	–	1	–	–	–	M. 1
†LANCASTER ...	–	5	1	–	4	–
†LEIGH	–	2	1	–	1	–
†LITHERLAND ...	–	5	–	–	–	–
LITTLE HULTON ..	–	1	–	–	–	–
LITTLE LEVER ...	–	–	1	–	–	–
LONGRIDGE ...	–	–	–	–	1	–
†MIDDLETON ...	–	1	–	–	7	–
†MOSSLEY	–	2	–	–	–	–
†NELSON	8	2	–	–	3	–
†NEWTON IN MAKERFIELD	–	2	–	–	2	–
ORRELL	–	–	–	–	2	–
†OSWALDTWISTLE	–	1	–	–	–	–
†PADIHAM... ...	–	1	–	–	–	–
POULTON LE FYLDE ...	–	1	–	–	–	–
†PRESTWICH ...	–	–	1	–	–	M. 1
†RADCLIFFE ...	–	1	–	–	2	–
†RAMSBOTTOM ...	–	–	–	–	1	–
RISHTON	–	–	–	–	1	–
†ROYTON	–	2	–	–	–	–
SKELMERSDALE ...	*	*	*	*	*	*
STANDISH WITH LANGTREE	–	–	–	–	2	–
†STRETFORD... ...	–	–	1	–	2	–
†SWINTON AND PENDLEBURY	–	3	–	–	4	–
THORNTON ...	–	–	–	–	2	–
†TURTON	–	1	–	–	1	–
†TYLDESLEY WITH SHAKERLEY	–	2	–	–	–	–
URMSTON... ..	–	–	–	–	2	–
†WALTON LE DALE	–	–	1	–	–	–
†WATERLOO WITH SEAFORTH	–	–	–	–	–	G. 1
†WESTHOUGHTON	–	1	–	1	2	–
WHITEFIELD ...	–	1	–	–	3	–
WHITWORTH ...	–	1	–	–	–	–
†WIDNES	–	8	1	–	3	–
LANCASTER—*cont.*						
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	3	–
CHORLEY	–	1	–	–	–	–
CLITHEROE ...	–	–	–	–	2	L. 2
FYLDE	–	–	1	–	–	–
LIMEHURST ...	–	–	1	–	1	–
LUNESDALE ...	–	–	1	–	–	–
WARRINGTON ...	–	1	–	–	1	–
WEST LANCASHIRE	–	–	–	–	3	–
LEICESTER... ...	–	10	7	–	6	G. 1 M. 2
†LEICESTER C.B. ...	–	6	1	–	1	M. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
†COALVILLE ...	–	2	–	–	–	–
†LOUGHBOROUGH	–	–	–	–	2	–
MARKET HARBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	2	–
THURMASTON ...	–	1	–	–	–	–
WIGSTON MAGNA	–	–	2	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	3	–	1	–
BARROW UPON SOAR	–	–	1	–	–	G. 1 M. 1
LINCOLN (parts of Holland).	–	–	2	–	–	–
Borough and Urban Districts:—						
†SPALDING ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	–	1	–	–	3	M. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	–	–	M. 1
SLEAFORD ...	–	1	–	–	1	–
Rural Districts:—						
CLAYPOLE ..	–	–	–	–	1	–
GRANTHAM ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	8	4	–	2	M. 2
†GRIMSBY C B. ...	–	2	1	–	2	–
†LINCOLN, C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
CLEETHORPES ...	–	2	–	–	–	–
†GAINSBOROUGH ...	–	1	–	–	–	–
HORNCASTLE ...	–	–	–	–	–	M. 1
†SCUNTHORPE AND FRODINGHAM	–	1	2	–	–	–
WINTERTON ...	–	–	1	–	–	–
Rural District:—						
LOUTH	–	1	–	–	–	M. 1
MIDDLESEX ...	–	42	36	–	18	C. 1 M. 2
Boroughs and Urban Districts:—						
†ACTON	–	1	1	–	–	–
†BRENTFORD ...	–	2	1	–	–	–
†EALING	–	1	3	–	2	–
†EDMONTON ...	–	4	2	–	1	M. 1
†ENFIELD	–	–	1	–	1	–
FELTHAM ...	–	1	–	–	–	–
†FINCHLEY ...	–	2	–	–	2	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HAMPTON ...	–	1	–	–	–	–
†HANWELL ...	–	2	1	–	–	–
†HENDON	–	–	5	–	–	–
†HESTON AND ISLEWORTH	–	1	2	–	2	–
†HORNSEY	–	2	5	–	2	–
RUISLIP NORTHWOOD	–	3	–	–	–	–
†SOUTHGATE ...	–	2	–	–	–	–
†TOTTENHAM ...	–	6	4	–	5	M. 1
†TWICKENHAM ...	–	1	1	–	–	–
†UXBRIDGE ...	–	1	–	–	–	–
†WEALDSTONE ...	–	2	–	–	–	–
†WEMBLEY ...	–	–	–	–	–	C. 1
†WILLESDEN ...	–	7	9	–	2	–
†WOOD GREEN ...	–	1	–	–	–	–
Rural Districts:—						
HENDON	–	1	–	–	–	–
STAINES	–	1	1	–	1	–
NORFOLK	–	26	11	2	2	D. 1
†GREAT YARMOUTH C.B.	–	2	1	–	–	–
†NORWICH C.B. ...	–	17	5	–	–	–
Boroughs and Urban Districts:—						
SWAFFHAM ...	–	–	1	1	–	–
THETFORD ...	–	1	–	–	–	–
WELLS	*	*	*	*	*	*
Rural Districts:—						
ERPINGHAM ...	–	–	1	–	–	–
HENSTEAD ...	–	1	3	1	–	–
MITFORD AND LAUNDITCH	–	4	–	–	–	D. 1
ST. FAITH'S ...	–	–	–	–	2	–
THETFORD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON ...	–	26	4	–	11	C. 3 G. 3
†NORTHAMPTON C.B.	–	4	1	–	7	C. 3
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	3	–	–	–	G. 1
†KETTERING ...	–	5	–	–	1	G. 1
ROTHWELL ...	–	10	–	–	–	–
†RUSHDEN... ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	1	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	–	3	–	–	–
EASTON ON THE HILL	–	–	–	–	1	–
KETTERING ...	–	2	–	–	–	–
POTTERSPURY ...	–	–	–	–	1	–
WELLINGBOROUGH	–	1	–	–	–	G. 1
NORTHUMBERLAND	–	24	9	1	44	C. 2 E. 1 M. 4
†NEWCASTLE UPON TYNE C.B.	–	4	2	–	22	C. 2 E. 1 M. 3
†TYNEMOUTH C.B.	–	1	1	–	4	M. 1
Boroughs and Urban Districts:—						
ALNWICK ...	*	*	*	*	*	*
†BERWICK UPON TWEED	–	1	1	–	–	–
†BLYTH	–	3	1	–	6	–
†GOSFORTH ...	–	3	1	–	–	–
NEWBIGGIN BY THE SEA	*	*	*	*	*	*
SEATON DELAVAL	–	3	1	–	2	–
SEGHILL	–	1	–	–	–	–
†WALLSEND ...	–	3	–	1	6	–
†WHITLEY AND MONKSEATON	–	–	1	–	–	–
NORTHUMBERLAND —*cont.*						
Rural Districts:—						
BELFORD	–	1	–	–	1	–
CASTLE WARD ...	–	1	–	–	1	–
HALTWHISTLE ...	–	1	–	–	–	–
HEXHAM	–	1	–	–	2	–
MORPETH ...	–	1	–	–	–	–
NORHAM AND ISLANDSHIRES	–	–	1	–	–	–
NOTTINGHAM ...	6	18	5	2	11	G. 1 M. 7
†NOTTINGHAM C.B.	1	9	4	2	5	M. 3
Boroughs and Urban Districts:—						
†ARNOLD	–	1	–	–	–	–
†BEESTON	–	1	–	–	–	–
†CARLTON	–	1	–	–	–	M. 1
†EAST RETFORD ...	–	–	–	–	–	G. 1
†KIRKBY IN ASHFIELD	–	–	–	–	1	–
†MANSFIELD ...	–	3	1	–	–	M. 1
†MANSFIELD WOODHOUSE	–	1	–	–	–	M. 1
†SUTTON IN ASHFIELD	*	*	*	*	*	*
†WEST BRIDGFORD	*	*	*	*	*	*
†WORKSOP... ...	–	2	–	–	–	M. 1
Rural Districts:—						
BASFORD	4	–	–	–	1	–
BINGHAM ...	–	–	–	–	2	–
MISTERTON ...	–	–	–	–	2	–
STAPLEFORD ...	1	–	–	–	–	–
OXFORD	–	11	5	1	1	M. 1
†OXFORD C.B. ...	–	5	1	–	1	–
Boroughs and Urban Districts—						
BICESTER... ...	–	–	–	–	–	M. 1
THAME... ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD—*cont.*						
Rural Districts:—						
CROWMARSH ...	–	1	–	–	–	–
CULHAM	–	–	1	–	–	–
HEADINGTON ...	–	4	–	–	–	–
HENLEY	–	–	–	1	–	–
WITNEY	–	–	3	–	–	–
PETERBOROUGH (Soke of)	–	–	–	–	–	M. 1
Borough:—						
†PETERBOROUGH...	–	–	–	–	–	M. 1
SALOP	–	5	7	1	2	G. 2
Boroughs and Urban Districts:—						
DAWLEY	–	–	5	–	–	–
NEWPORT ...	–	–	–	1	–	–
†OAKENGATES ...	–	–	–	–	–	G. 1
OSWESTRY ...	–	2	–	–	–	–
†SHREWSBURY ...	–	–	–	–	2	–
WELLINGTON ...	–	1	–	–	–	–
WEM	–	1	–	–	–	–
†WENLOCK ...	–	1	–	–	–	–
WHITCHURCH ...	–	–	1	–	–	–
Rural Districts:—						
ATCHAM	–	–	1	–	–	–
SHIFNAL	–	–	–	–	–	G. 1
SOMERSET	–	25	4	1	11	M. 2
†BATH C.B. ...	–	1	2	–	–	M. 1
Boroughs and Urban Districts:—						
BURNHAM ON SEA	*	*	*	*	*	*
†FROME	–	1	–	–	–	–
ILMINSTER ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Boroughs and Urban Districts—*cont.*						
RADSTOCK ...	–	2	–	–	–	–
STREET	–	–	–	1	2	–
WELLINGTON ...	–	5	–	–	2	–
WELLS	–	1	–	–	–	–
†WESTON SUPER MARE	–	1	–	–	1	–
†YEOVIL	–	–	–	–	–	M. 1
Rural Districts:—						
AXBRIDGE ...	–	4	–	–	–	–
BATH	–	1	–	–	–	–
CHARD	*	*	*	*	*	*
CLUTTON	–	3	–	–	–	–
FROME	–	4	–	–	–	–
KEYNSHAM ...	–	–	–	–	1	–
LANGPORT ...	–	1	–	–	–	–
LONG ASHTON ...	–	1	1	–	–	–
TAUNTON ...	–	–	–	–	2	–
WELLS	–	–	–	–	2	–
WINCANTON ...	–	–	1	–	1	–
SOUTHAMPTON ...	–	23	28	–	7	C. 4 G. 1 M. 1
†BOURNEMOUTH C.B.	–	2	1	–	–	–
†PORTSMOUTH C.B.	–	8	15	–	3	G. 1 M. 1
†SOUTHAMPTON C.B.	–	8	8	–	–	C. 4
Boroughs and Urban Districts:—						
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	1	–
†FAREHAM ...	–	1	–	–	1	–
†GOSPORT	–	2	2	–	–	–
†WINCHESTER ...	–	–	1	–	–	–
Rural Districts:—						
ANDOVER ...	–	–	–	–	1	–
FAREHAM ...	–	–	–	–	1	–
FORDINGBRIDGE	–	1	–	–	–	–
SOUTH STONEHAM	–	–	1	–	–	–
WHITCHURCH ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD	–	79	24	3	41	C. 1 G. 3 L. 2 M. 7
†BURTON UPON TRENT C.B.	–	–	–	–	1	–
†SMETHWICK C.B.	–	8	1	–	5	–
†STOKE ON TRENT C.B.	–	28	4	–	15	M. 6
†WALSALL C.B. ...	–	3	–	1	4	–
†WEST BROMWICH C.B.	–	4	11	–	1	–
†WOLVERHAMPTON C.B.	–	4	3	–	3	G. 1 M. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	1	–	–	–	–
BIDDULPH ..	–	5	–	–	–	–
†BRIERLEY HILL...	–	–	–	–	1	–
†BROWNHILLS ...	–	1	–	–	2	–
†CANNOCK	–	–	–	–	–	G. 1
†COSELEY	–	2	–	–	–	–
†DARLASTON ...	–	1	1	–	–	–
KIDSGROVE ...	–	1	–	–	–	G. 1
†NEWCASTLE UNDER LYME	–	3	–	–	–	–
†ROWLEY REGIS ...	–	3	1	–	3	–
†STAFFORD ...	–	2	–	1	1	–
TAMWORTH ...	–	2	–	–	–	–
TETTENHALL ...	–	2	–	–	1	–
UTTOXETER ...	*	*	*	*	*	*
†WEDNESBURY ...	–	2	–	–	1	–
†WILLENHALL ...	–	1	–	–	–	C. 1
†WOLSTANTON UNITED	–	2	–	–	–	–
Rural Districts:—						
BLORE HEATH ...	–	–	–	–	1	–
CANNOCK	–	2	–	–	–	L. 2
CHEADLE	–	1	–	–	–	–
KINGSWINFORD ...	–	–	–	1	–	–
STAFFORD ...	–	1	2	–	–	–
STONE	–	–	1	–	–	–
UTTOXETER ...	*	*	*	*	*	*
WALSALL	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST ...	–	4	4	–	1	–
†IPSWICH C.B. ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	2	2	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	1	–	–	–
SUFFOLK, WEST ...	–	–	1	–	3	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	2	–
HADLEIGH ...	–	–	–	–	1	–
Rural Districts:—						
BRANDON... ...	–	–	1	–	–	–
SURREY	–	29	25	7	15	E. 1 L. 1 M. 2
†CROYDON C.B. ...	–	4	4	1	1	M. 1
Boroughs and Urban Districts:—						
†BARNES	–	1	1	–	1	–
†BEDDINGTON AND WALLINGTON	–	–	2	1	–	–
†CARSHALTON ...	–	–	–	–	1	–
†CATERHAM ...	–	8	–	–	–	–
†COULSDON AND PURLEY	–	–	–	2	–	–
EAST AND WEST MOLESEY	–	–	–	–	1	–
†EGHAM	–	1	2	–	–	–
†EPSOM	–	–	–	–	4	–
†ESHER AND THE DITTONS	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FARNHAM ...	–	–	1	–	1	M. 1
GODALMING ...	–	–	1	–	–	–
†KINGSTON ON THAMES	–	3	–	–	–	–
†MITCHAM... ...	–	2	–	–	–	–
†REIGATE	–	1	–	–	–	–
†RICHMOND ...	–	–	2	–	1	–
†SURBITON ...	–	1	1	–	–	–
†SUTTON	–	–	–	1	–	–
†THE MALDENS AND COOMBE	–	1	1	–	–	–
†WALTON UPON THAMES	–	3	1	–	–	–
†WIMBLEDON ...	–	–	3	–	–	–
†WOKING	–	–	–	–	2	E. 1 L. 1
Rural Districts:—						
CHERTSEY ...	–	–	6	–	–	–
DORKING	–	1	–	–	–	–
EPSOM	–	–	–	2	2	–
GODSTONE ...	–	2	–	–	–	–
SUSSEX, EAST ...	–	10	12	1	3	–
†BRIGHTON C.B. ...	–	5	9	–	–	–
†EASTBOURNE, C.B.	–	–	3	–	–	–
Boroughs and Urban Districts:—						
BURGESS HILL ...	–	–	–	–	2	–
EAST GRINSTEAD	–	1	–	–	1	–
†HOVE	–	–	–	1	–	–
Rural Districts:—						
CHAILEY	–	1	–	–	–	–
EAST GRINSTEAD	–	3	–	–	–	–
SUSSEX, WEST ...	–	8	2	–	1	–
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	4	–	–	–	–
†CHICHESTER ...	–	–	1	–	–	–
†LITTLEHAMPTON	–	1	1	–	1	–
†WORTHING ...	–	1	–	–	–	–
Rural Districts:—						
†HORSHAM ...	–	1	–	–	–	–
THAKEHAM ...	–	1	–	–	–	–
WARWICK	–	83	34	2	89	C. 4 G. 1 M. 5
†BIRMINGHAM C.B.	–	50	24	2	73	C. 3 G. 1 M. 5
†COVENTRY C.B. ...	–	13	2	–	1	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	1	2	–	1	C. 1
†ROYAL LEAMINGTON SPA	–	8	1	–	–	–
†RUGBY	–	–	–	–	2	–
†WARWICK ...	–	3	3	–	1	–
Rural Districts:—						
ALCESTER ...	–	3	–	–	–	–
ATHERSTONE ...	–	2	1	–	4	–
MERIDEN... ...	–	1	–	–	1	–
NUNEATON ...	–	–	–	–	1	–
RUGBY	–	–	1	–	5	–
SOLIHULL ...	–	1	–	–	–	–
STRATFORD-ON-AVON	–	1	–	–	–	–
WESTMORLAND ...	–	6	1	1	4	–
Boroughs and Urban Districts:—						
†KENDAL	–	1	–	–	–	–
KIRKBY LONSDALE	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND—*cont.*						
Rural Districts:—						
EAST WESTMORLAND	–	–	–	1	3	–
SOUTH WESTMORLAND	–	4	1	–	1	–
WIGHT, ISLE OF ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
SHANKLIN ...	–	1	–	–	–	–
WILTS	–	15	20	–	5	M. 4
Boroughs and Urban Districts:—						
CHIPPENHAM ...	*	*	*	*	*	*
†SALISBURY ...	–	–	1	–	–	–
†SWINDON... ...	–	5	1	–	1	M. 4
WARMINSTER ...	–	3	–	–	–	–
WESTBURY ...	–	1	–	–	–	–
Rural Districts:—						
AMESBURY ...	–	–	–	–	1	–
BRADFORD ON AVON	–	–	–	–	1	–
CALNE	–	1	–	–	–	–
CHIPPENHAM ...	*	*	*	*	*	*
DEVIZES	–	1	–	–	–	–
HIGHWORTH ...	–	–	1	–	–	–
MALBOROUGH ...	–	–	14	–	–	–
RAMSBURY ...	–	4	2	–	2	–
WILTON	–	–	1	–	–	–
WORCESTER ...	–	9	4	–	11	–
†WORCESTER C.B.	–	–	1	–	2	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
†KIDDERMINSTER	–	1	–	–	1	–
†LYE AND WOLLESCOTE	–	–	–	–	1	–
WORCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†OLDBURY... ...	–	1	2	–	1	–
†REDDITCH ...	–	1	–	–	2	–
†STOURBRIDGE ...	–	–	–	–	1	–
STOURPORT ...	–	2	–	–	–	–
Rural Districts:—						
HALESOWEN ...	–	1	1	–	2	–
UPTON ON SEVERN	–	2	–	–	1	–
YORKS (East Riding)	–	4	13	1	4	C. 1 M. 2
†KINGSTON UPON HULL C.B.	–	4	12	1	3	C. 1 M. 2
Boroughs and Urban Districts:—						
GREAT DRIFFIELD	–	–	–	–	1	–
Rural Districts:—						
DRIFFIELD ...	–	–	1	–	–	–
YORKS ... ... **(North Riding).**	–	31	5	2	14	G. 1 M. 1
†MIDDLESBROUGH C.B.	–	20	2	1	8	–
Boroughs and Urban Districts:—						
†ESTON	–	4	–	1	–	–
GUISBOROUGH ...	–	–	–	–	1	–
†REDCAR	–	1	–	–	–	M. 1
RICHMOND ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
†Scarborough ...	–	2	1	–	2	–
†Thornaby on Tees	*	*	*	*	*	*
†Whitby	–	–	1	–	1	–
Rural Districts:—						
Kirkby Moorside	–	–	1	–	–	–
Malton		2	–	–	–	–
Middlesborough	–	–	–	–	–	G. 1
Richmond ...	–	–	–	–	1	–
Thirsk	–	1	–	–	–	–
Whitby	–	–	–	–	1	–
YORKS ... ... (West Riding).	6	134	45	1	158	C. 8 E. 1 M. 11
†Barnsley C.B. ...	–	1	1	–	4	C. 1
†Bradford C.B. ...	–	17	5	–	14	C. 4 M. 1
†Dewsbury C.B....	–	8	1	–	–	M. 1
†Halifax C.B. ...	–	1	1	–	–	M. 1
†Huddersfield C.B.	–	1	2	–	5	–
†Leeds C.B. ...	–	33	5	1	9	C. 1 M. 1
†Rotherham C.B.	–	–	1	–	8	M. 1
†Sheffield C.B....	1	25	6	–	67	C. 1 M. 4
†Wakefield C.B.	–	5	1	–	2	–
Boroughs and Urban Districts:—						
†Adwick le Street	1	–	–	–	2	–
Altofts	–	2	–	–	–	–
Ardsley, East and West	–	–	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Batley	–	2	1	–	1	–
†Bentley with Arksey	–	1	–	–	–	–
†Bingley	–	1	1	–	3	–
†Castleford ...	–	7	1	–	–	–
†Conisbrough ...	–	1	1	–	–	–
Cudworth ...	–	–	2	–	1	–
Darfield ...	–	–	–	–	2	–
†Darton	–	1	–	–	–	–
Dodworth ...	–	–	–	–	2	–
†Doncaster ...	4	2	3	–	–	–
Earby	–	1	1	–	–	–
†Elland	–	–	–	–	1	–
Farsley	–	–	1	–	–	–
Gildersome ...	–	–	–	–	1	–
†Harrogate ...	–	2	–	–	–	–
†Hemsworth ...	*	*	*	*	*	*
Hipperholme ...	–	1	–	–	–	–
†Holmfirth ...	–	–	–	–	2	–
Horbury ...	–	2	–	–	–	–
Knottingley ...	–	–	–	–	1	–
Luddenden Foot	–	–	–	–	1	–
†Mexborough ...	–	–	–	–	4	–
†Morley	–	1	–	–	1	–
New Mill ...	–	–	–	–	1	–
†Normanton ...	–	–	–	–	3	–
†Ossett	–	2	–	–	–	–
Otley	–	1	–	–	–	–
Penistone ...	–	1	–	–	–	–
†Pontefract ...	–	1	–	–	–	–
Rawdon	–	–	–	–	1	–
†Rawmarsh ...	–	–	–	–	2	–
†Saddleworth ...	–	1	–	–	–	–
†Skipton	–	–	–	–	–	–
South Crossland	–	1	–	–	–	–
†Sowerby Bridge	–	1	1	–	–	–
†Spenborough ...	–	1	–	–	2	M. 1
†Stanley	–	–	2	–	1	M. 1
†Swinton... ...	–	–	–	–	5	–
Thurnscoe ...	–	1	–	–	–	–
Whitwood ...	–	1	–	–	–	–
†Wombwell ...	–	2	2	–	1	–
Yeadon	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio. J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Rural Districts:—						
BOWLAND ...	–	–	–	–	1	–
DONCASTER ...	–	–	–	–	4	–
HEMSWORTH ...	–	–	1	–	–	–
KIVETON PARK	–	–	–	–	1	–
PONTEFRACT ...	–	1	–	–	–	–
ROTHERHAM ...	–	3	1	–	1	–
SKIPTON	–	–	1	–	–	–
TADCASTER ...	–	1	1	–	–	–
THORNE	–	–	–	–	–	E. 1
WAKEFIELD ...	–	1	1	–	1	C. 1
§YORK C.B. ...	–	1	–	1	–	M. 1
WALES						
BRECKNOCK ...	–	2	–	–	2	–
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
CRICKHOWELL ...	–	2	–	–	–	–
HAY	–	–	–	–	2	–
CARDIGAN	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	–	1	–	–	–
CARMARTHEN ...	–	2	3	–	1	M. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	–	–	1	–
†CARMARTHEN ..	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN— *cont.*						
Rural Districts:—						
LLANDILO FAWR	–	–	1	–	–	–
LLANELLY ...	–	2	2	–	–	–
CARNARVON ...	–	1	3	–	1	–
Boroughs and Urban Districts:—						
†BANGOR	–	1	–	–	–	–
CARNARVON ...	–	–	–	–	1	–
CONWAY	–	–	1	–	–	–
Rural Districts:—						
CONWAY	–	–	1	–	–	–
GWYRFRAI ...	–	–	1	–	–	–
DENBIGH	–	4	1	–	2	–
Boroughs and Urban Districts:—						
ABERGELE AND PENSARN	–	–	1	–	–	–
DENBIGH... ...	–	–	–	–	1	–
Rural Districts:—						
CHIRK	–	1	–	–	1	–
LLANGOLLEN ...	–	1	–	–	–	–
WREXHAM ...	–	2	–	–	–	–
FLINT	–	1	–	–	3	–
Boroughs and Urban Districts:—						
HOLYWELL ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT—*cont*						
Rural Districts:—						
HAWARDEN ...	–	1	–	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	1	–
GLAMORGAN ...	–	71	32	–	49	C. 2 G. 3 M. 3
†CARDIFF C.B. ...	–	6	6	–	3	G. 1 M. 2
†MERTHYR TYDFIL C.B.	–	1	4	–	1	G. 2
†SWANSEA C.B. ...	–	9	3	–	2	C. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	5	1	–	8	–
†BARRY	–	3	4	–	1	–
†CAERPHILLY ...	–	1	–	–	–	–
†GELLIGAER ...	–	3	3	–	–	–
†MOUNTAIN ASH ...	–	7	2	–	3	–
†NEATH	–	–	4	–	–	–
†OGMORE AND GARW	–	7	1	–	1	–
†PONTYPRIDD ...	–	8	–	–	3	–
PORTHCAWL ...	–	–	1	–	–	–
†PORT TALBOT ...	–	1	–	–	–	–
†RHONDDA ...	–	13	1	–	13	C. 1 M. 1
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	–	5	1	–	1	–
NEATH	–	1	1	–	4	–
PENYBONT ...	–	–	–	–	7	–
PONTARDAWE ...	*	*	*	*	*	*
SWANSEA... ...	–	1	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MERIONETH ...	–	1	1	–	–	–
Urban Districts:—						
FESTINIOG ...	–	–	1	–	–	–
TOWYN	–	1	–	–	–	–
MONMOUTH ...	–	21	9	–	14	C. 2 M. 1
†NEWPORT C.B. ...	–	5	1	–	4	–
Boroughs and Urban Districts:—						
ABERGAVENNY ...	–	1	1	–	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	4	3	–	2	–
BEDWAS AND MACHEN	–	–	–	–	1	–
†BEDWELLTY ...	–	–	1	–	–	–
†EBBW VALE ...	–	6	1	–	–	C. 2 M. 1
MONMOUTH ...	–	1	–	–	–	–
†MYNYDDISLWYN	–	3	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	5	–
†PANTEG	*	*	*	*	*	*
PONTYPOOL ...	*	*	*	*	*	*
†TREDEGAR ..	–	–	–	–	1	–
Rural Districts:—						
CHEPSTOW ...	–	–	–	–	1	–
MONMOUTH ...	–	–	2	–	–	–
MONTGOMERY ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	–	–	–	1	–
WELSHPOOL ...	–	–	–	–	1	–
Rural Districts:—						
FORDEN	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE	–	–	1	–	–	C. 1
Rural Districts:—						
Haverfordwest	–	–	–	–	–	C. 1
Llanfyrnach ...	–	–	1	–	–	–
Total of Part II. ...	51	1338	558	44	1022	C. 37 D. 1 E. 6 G. 27 L. 11 M. 112

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Barnstaple	*	*	*	*	*	*
Cardiff	–	–	–	2	–	–
Liverpool	–	1	–	–	2	–
Plymouth	–	–	–	–	1	–
Southampton ...	–	–	1	–	–	–
Wells (Norfolk) ...	*	*	*	*	*	*
Port of London ...	–	1	1	–	–	–
Total of Part III.— ...	–	2	2	2	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	142	195	9	127	C. 6 D. 2 G. 2 M. 23
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	51	1338	558	44	1022	C. 37 D. 1 E. 6 G. 27 L. 11 M. 112
Total of Part III.—Port Sanitary Districts	–	2	2	2	3	–
Total (*i.e.*, of returns received), England and Wales ...	51	1482	755	55	1152	C. 43 D. 3 E. 6 G. 29 L. 11 M. 135

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; , Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- ncephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague, or Typhus Fever notified during the week. he cases of Small-pox notified appear on pages 422, 423, 424, 425, 426, 428, and 433.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSI and DEATHS of INFANTS under 1 YEAR C AGE) and NOTIFIED CASES of certain I FECTIOUS DISEASES in the last THIRTEE WEEKS.

Week ended :—	Jan. 20.	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	Apr 14.
LONDON:—													
DEATHS—all ages	1,171	1,119	1,087	1,001	977	1,063	1,074	1,104	1,098	1,162	1,082	1,094	1,12
" 0 to 1 year ..	124	118	102	117	123	123	106	134	104	112	113	100	12
GREAT TOWNS, aggregate (including London):—													
BIRTHS	7,935	7,961	7,373	7,688	7,865	7,533	7,925	7,820	7,755	7,844	7,029	7,386	8,2
DEATHS—all ages	4,958	4,842	4,742	4,648	4,446	4,849	4,868	4,667	4,882	4,953	4,991	4,735	4,9
" 0 to 1 year ..	674	639	672	680	628	714	672	620	636	626	662	557	6
ENTERIC FEVER—Cases	20	19	23	30	22	18	18	15	13	18	15	16	
" Deaths	2	—	8	4	5	8	5	1	3	2	2	4	
SMALL POX—Cases ..	22	20	10	10	16	26	16	13	14	3	15	3	
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	
SCARLET FEVER—Cases	1,219	1,246	1,297	1,147	1,125	1,062	1,152	1,085	1,007	1,071	907	905	7
" Deaths	7	14	8	12	18	13	15	22	13	17	11	13	
DIPHTHERIA—Cases ..	662	725	742	746	662	694	637	570	557	554	563	576	4
" Deaths ..	54	55	62	52	51	38	43	36	43	54	43	37	
MEASLES—Deaths ..	90	72	73	71	84	79	95	95	108	111	117	105	
INFLUENZA—Deaths ..	78	69	65	66	71	59	79	84	81	125	120	188	

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 14th April, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	68	31	56·7	40·3	19
BRIGHTON ..	63	33	53·7	43·5	34
PORTSMOUTH ..	57	34	53·3	43·1	45
NORWICH (SOUTHWELL LODGE).	69	31	55·7	39·3	11
PLYMOUTH ..	58	39	53·0	41·6	26
BRISTOL (CLIFTON).	56	31	51·7	39·3	21
BIRMINGHAM ..	57	32	50·6	39·7	45
NOTTINGHAM ..	59	34	52·7	40·1	37
BIRKENHEAD (BIDSTON).	58	33	52·0	39·4	32
MANCHESTER ..	61	34	52·1	41·3	35
BURNLEY	58	31	50·4	37·9	66
HUDDERSFIELD	56	33	51·7	39·7	36

TOWNS.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainf in Mill metre
	°	°	°	°	
BRADFORD ..	54	32	49·3	38·4	37
SHEFFIELD ..	57	33	51·1	39·4	39
YORK (MUSEUM)	61	34	52·4	39·7	18
HULL (PEARSON PARK).	61	35	52·3	39·7	22
TYNEMOUTH ..	54	36	47·7	40·7	28
CARDIFF	57	31	51·4	39·9	22
EDINBURGH ..	51·0	35·0	46·1	37·9	24
GLASGOW ..	52·4	35·1	48·1	39·4	51
DUBLIN (PHŒNIX PARK).	57·9	34·5	50·7	37·7	21
FITZWILLIAM SQUARE.†	57·0	38·2	51·2	42·1	21
BELFAST	57·5	41·0	53·2	43·6	26

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 14th April, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
APRIL.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY - 8	Last Quarter.	29·640	50·8	39·8	11·0	43·9	− 2·2	34·5	9·4	13·7	0·0	69	110·0	32·8	45·8	ENE	ENE	8·8	0·0	0·6	484	+ 162	0·01
MONDAY - 9	..	29·595	43·4	33·1	10·3	37·6	− 8·4	28·6	9·0	14·2	2·4	70	88·4	27·5	45·8	ENE: NE: ENE.	ENE: NE.	8·6	0·0	0·2	348	+ 33	0·00
TUESDAY - 10	..	29·536	53·1	31·2	21·9	43·9	− 2·0	36·3	7·6	16·3	1·1	75	106·9	26·4	45·9	Calm: E: ESE.	ESE: E: SE.	2·1	0·0	0·1	250	− 56	0·05
WEDNESDAY 11	..	29·503	63·9	46·5	17·4	54·1	+ 8·3	48·4	5·7	10·8	1·0	81	118·9	43·6	45·9	SE: Calm.	ESE: E.	2·4	0·0	0·0	152	− 145	0·35
THURSDAY - 12	..	29·245	68·0	48·8	19·2	54·7	+ 8·8	50·8	3·9	12·4	1·0	87	123·9	45·7	45·9	Var.: Calm: E.	SE: SSW: SW.	3·6	0·0	0·1	258	− 33	0·21
FRIDAY - 13	..	29·198	58·2	42·9	15·3	49·5	+ 3·4	42·0	7·5	14·8	3·6	75	120·0	38·8	46·0	SSW.	SSW: SW.	2·6	0·0	0·3	349	+ 60	0·10
SATURDAY - 14	In Equator	29·281	56·5	36·4	20·1	44·3	− 2·1	38·0	6·3	15·6	1·2	78	126·0	30·9	46·2	SW: SSW.	SW: SSW: Calm.	3·8	0·0	0·2	299	+ 11	0·03
MEANS -	..	29·428	56·3	39·8	16·5	46·9	+ 0·8	39·8	7·1	14·0	1·5	76	113·4	35·1	45·9	Variable		..	..	..	Sum 2,140	Sum + 32	Sum 0·75
No. of COLUMN	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. APRIL.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	8	sP	8·8	13·3	Cloudless generally till 1½h. Overcast till 4h.; then variably cloudy becoming cloudless by 15h. Rain 1½h. till 2h. Brisk wind from 7h. till 18h.
MONDAY ..	9	wP; sP; wP	2·8	13·4	Cloudless generally till 8h.; then nearly overcast. Thin cloud prevalent from 18h., with nearly-cloudless interval between 20h. and 21h. Slight snow between 8h. and 12h. Slight hoar frost in evening.
TUESDAY ..	10	wP	0·2	13·4	Nearly overcast throughout. Solar halo generally between 12h. and 15h. Slight rain at 18h. and from 19½h.
WEDNESDAY	11	mP; N	1·2	13·5	Nearly overcast throughout. Rain 0½h. till 4h., and occasional slight rain 13h till 15h. Thunder about 5h. and from 23½h. Lightning 21h. and from 23h. Heavy rain from 22h.
THURSDAY	12	sN; mP; v	3·1	13·5	Nearly overcast throughout, with partially cloudy period between 11h. and 13h. Lightning till 1h. Rain from 14¾h.
FRIDAY ..	13	No record	4·9	13·6	Overcast generally, with cloudy intervals. Rain about 1h., between 4¼h. and 5h., and between 17½h. and 20h.
SATURDAY	14	No record	9·8	13·7	Cloudless till 7½h., then partially cloudy, with nearly overcast period between 14h. and 15½h. Nearly cloudless from 21h. Showers 10h. and 11½h., and about 15h. Dew at night.
			Sum 30·8	Sum 94·4	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·52 in. at the beginning of the week to 29·68 in. by 22h. on 8th.; decreased generally to 29·14 in. by 19h. on 13th.; increased and was 29·33 in. by midnight on the 14th.

Printed and published by His Majesty's Stationery Office Press,
11-17, Hare Street, E.2

(41784) Wt. 15—P 11 2250 4/23 H. St. G. 43

FOR OFFICIAL USE.

1923. No. 16.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 21ST APRIL, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 21st APRIL, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the sixteenth week of the year numbered 8,248 and corresponded to an annual rate of 22·4 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,540 and corresponded to an annual rate of 12·3 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 13·6, 12·9 and 13·5. Infant mortality was 69 per 1,000 births against 94, 75, and 77 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,955 births, corresponding to a rate of 22·5 per 1,000, and 1,016 deaths of civilians, corresponding to a rate of 11·7, as against 12·4, 12·6 and 12·9, for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 12·4 per 1,000. The infant mortality was 57 as against 69, 55 and 60 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 431 in the total deaths last week, and the deaths from influenza fell from 184 to 169. In London the number of deaths from all causes fell from 1,126 to 1,016; while the deaths from diphtheria, which had been 8, 15 and 17 in the preceding three weeks, fell to 11 last week, and those from influenza, which had been 34, 56 and 36 in the three preceding weeks, fell further to 26 last week.

Just Published:

Supplement to 75th Annual Report of the Registrar General. Part IV. Mortality of Men in Certain Occupations 1910–12. Price 13*s*. 6*d*. net.

Census of England and Wales, 1921. County of London. Tables (Part II). Price 8*s*. net.

Census of England and Wales, 1921. County of London. Text. Price 1*s*. 6*d*. net.

Census of England and Wales, 1921. County of Middlesex. Price 10*s*. net

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 21st April, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	8,248	4,540	570	4	86	12	71	37	48	169
London	4,534,230*	1,955	1,016	111	2	4	5	8	11	7	26
Towns in Outer Ring:											
Croydon C.B. ..	192,300	66	35	2	–	2	–	–	–	–	1
Wimbledon ..	61,730	19	14	1	–	–	–	1	–	–	1
Ealing	67,890	38	12	–	–	–	–	–	1	–	1
Acton	62,390	24	9	–	–	–	–	–	–	–	–
Willesden ..	168,200	69	36	2	–	–	–	1	–	–	4
Hendon	55,930	21	9	1	–	1	–	–	1	–	1
Hornsey	87,310	28	17	1	–	–	–	–	1	–	–
Wood Green ..	51,290	19	11	1	–	–	–	–	–	1	–
Tottenham ..	150,500	44	26	2	–	–	–	–	–	1	1
Edmonton ..	68,700	64	10	1	–	–	–	–	–	–	2
Enfield	62,010	20	9	–	–	–	–	–	–	–	–
West Ham C.B. ..	310,200	167	72	10	–	–	1	–	–	1	1
East Ham C.B. ..	145,800	57	22	2	–	1	–	–	–	–	–
Leyton	131,600	49	17	–	–	–	–	–	–	–	–
Walthamstow ..	129,700	39	21	3	–	–	–	–	–	1	3
Ilford	86,370	24	13	1	–	1	–	–	–	–	1
Gillingham	48,630*	22	9	1	–	–	–	–	–	1	–
Canterbury C.B. ..	23,680	11	5	1	–	–	–	–	–	–	–
Hastings C.B.	59,500	8	18	1	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	12	3	–	–	–	–	–	–	–	–
Brighton C.B. ..	135,000	45	29	2	–	–	–	–	1	–	–
Portsmouth C.B. ..	236,630*	117	48	6	–	4	–	–	–	–	1
Bournemouth C.B. ..	81,500	23	29	1	–	–	–	2	–	–	–
Southampton C.B. ..	163,700	66	30	1	–	1	–	–	–	–	–
Reading C.B.	92,990	35	15	4	–	–	–	1	–	–	1
Oxford C.B.	56,510	10	13	1	–	–	–	1	–	–	–
Northampton C.B. ..	92,950	36	16	–	–	–	–	–	–	–	1
Luton	58,260	28	17	5	–	–	–	–	–	–	–
Cambridge	59,200	23	8	1	–	–	–	–	1	–	–
Southend-on-Sea C.B.	91,430	38	17	3	–	–	–	1	–	–	1
Ipswich C.B.	80,950	34	16	–	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	28	17	1	–	–	–	–	–	–	–
Norwich C.B. ..	122,900	49	31	5	–	2	–	–	2	–	–
Swindon	55,680	20	10	1	–	–	–	–	–	–	–
Exeter C.B.	59,700	24	11	–	–	–	–	–	–	–	1
Plymouth C.B. ..	200,370*	95	53	5	–	–	–	–	–	–	2
Bath C.B.	68,530	28	14	2	–	–	–	–	–	–	–
Bristol C.B.	383,900	164	79	8	1	–	–	1	1	–	2
Gloucester C.B. ..	52,210	27	10	–	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	274,300	136	56	9	–	–	1	–	1	1	1
Burton-upon-Trent C.B.	49,630	25	11	3	–	–	–	–	–	–	–
Wolverhampton C.B.	105,700	38	20	1	–	–	–	–	–	1	1
Walsall C.B.	99,890	40	26	5	–	3	–	4	–	–	1
West Bromwich C.B.	76,260	40	17	1	–	2	–	–	1	–	1
Dudley C.B.	57,860	27	14	1	–	2	–	–	–	–	–
Worcester C.B. ..	49,240	14	5	–	–	–	–	–	–	–	–
Birmingham C.B. ..	945,100	391	222	29	–	6	1	2	4	3	14
Smethwick C.B. ..	78,140	33	15	1	–	1	–	–	1	–	1
Coventry C.B. ..	131,200	44	31	3	–	–	–	–	–	–	–
Leicester C.B. ..	238,800	84	50	6	–	2	–	1	–	1	–
Lincoln C.B.	66,930	21	20	3	–	–	–	–	–	–	–
Grimsby C.B.	84,650	51	19	4	–	–	–	–	–	–	–
Nottingham C.B. ..	267,900	131	54	11	–	–	–	–	1	2	–
Derby C.B.	132,400	49	38	4	–	–	–	1	–	2	4
Chesterfield ..	63,380	31	14	2	–	–	–	–	–	–	1
Stockport C.B. ..	125,800	57	36	8	–	–	–	–	–	–	2
Chester C.B.	41,190	25	7	2	–	–	–	1	–	–	–
Birkenhead C.B. ..	149,200	72	33	7	–	–	–	–	–	–	–
Wallasey C.B. ..	89,790	30	18	2	–	–	–	–	–	1	1
Liverpool C.B. ..	826,400	443	249	38	–	2	1	7	2	9	6
Bootle C.B.	79,750	46	25	4	–	–	–	–	1	–	1
St. Helens C.B. ..	106,400	54	20	2	–	–	–	1	–	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	18	23	–	–	–	–	–	–	–	3
WIGAN C.B.	91,750	53	20	8	–	–	–	–	–	–	3
WARRINGTON C.B. ..	79,150	32	21	4	–	–	–	–	–	–	–
BOLTON C.B.	182,700	56	54	3	–	–	–	1	–	–	5
BURY C.B.	57,400	11	14	3	–	2	–	1	–	–	–
MANCHESTER C.B. ..	748,500	331	253	26	–	–	–	13	–	2	22
SALFORD C.B.	240,700	111	85	17	–	1	–	3	–	1	9
OLDHAM C.B.	148,300	59	65	8	–	–	–	2	1	–	14
ROCHDALE C.B... ..	92,510	23	26	3	–	–	–	–	–	–	–
BURNLEY C.B.	105,100	39	32	3	–	–	–	–	–	–	1
BLACKBURN C.B. ..	129,600	38	35	7	–	–	–	–	–	1	2
PRESTON C.B.	120,900	51	29	5	–	–	–	–	–	–	2
BLACKPOOL C.B. ..	74,050	25	26	2	–	–	–	–	–	1	–
BARROW-IN-FURNESS C.B.	75,690	29	10	–	–	–	–	–	–	–	–
HUDDERSFIELD C.B. ..	111,600	34	26	1	–	–	–	–	–	–	1
HALIFAX C.B.	100,500	35	30	6	–	–	–	–	–	–	–
BRADFORD C.B. ..	291,300	120	77	12	–	6	1	–	–	–	1
LEEDS C.B.	466,700	190	107	14	–	2	–	–	1	–	3
DEWSBURY C.B. ..	55,170	15	17	1	–	3	–	–	–	–	1
WAKEFIELD C.B. ..	53,840	17	13	1	–	–	–	–	–	1	–
BARNSLEY C.B. ..	69,540	34	8	–	–	–	–	–	–	–	1
SHEFFIELD C.B. ..	522,600	223	122	23	–	1	–	5	2	1	9
ROTHERHAM C.B. ..	69,840	31	24	3	–	–	1	3	–	–	–
DONCASTER	55,020	26	12	2	–	–	–	–	–	–	–
YORK C.B.	84,980	27	22	2	–	–	–	–	–	–	–
HULL C.B.	294,000	140	59	10	–	2	–	1	1	1	–
MIDDLESBROUGH C.B.	134,800	71	42	10	–	6	–	–	–	–	–
DARLINGTON C.B. ..	66,710	29	17	2	–	–	–	–	–	–	–
STOCKTON-ON-TEES ..	65,950	37	18	3	–	1	–	–	–	–	–
WEST HARTLEPOOL C.B.	70,020	20	14	1	–	–	–	–	–	–	–
SUNDERLAND C.B. ..	162,900	93	31	5	–	–	–	1	–	1	–
SOUTH SHIELDS C.B. ..	122,400	59	21	1	–	1	–	1	–	1	–
GATESHEAD C.B. ..	127,300	59	34	6	–	4	–	1	–	–	–
NEWCASTLE-ON-TYNE C.B.	281,600	135	74	12	–	9	–	2	1	2	–
TYNEMOUTH C.B. ..	64,640	30	14	1	–	–	–	1	–	1	–
CARLISLE C.B.	53,490	23	11	1	–	1	–	–	–	–	–
NEWPORT (MON.) C.B.	94,880	36	26	3	–	3	–	–	–	–	2
CARDIFF C.B.	223,830	114	59	3	1	–	–	–	–	1	2
RHONDDA	167,500	85	44	11	–	4	–	1	–	1	1
MERTHYR TYDFIL C.B.	82,680	39	24	2	–	4	–	–	–	–	–
ABERDARE	56,580	26	18	5	–	–	–	1	–	–	2
SWANSEA C.B.	161,000	86	36	7	–	2	1	1	1	1	–
GREATER LONDON ..	7,563,730*	3,133	1,567	156	2	9	6	12	15	12	46
OUTER RING	3,029,500*	1,178	551	45	–	5	1	4	4	5	20
16 GREAT TOWNS IN OUTER RING	1,831,920	748	333	27	–	5	1	2	3	4	16
REMAINDER OF OUTER RING	1,197,580*	430	218	18	–	–	–	2	1	1	4
EDINBURGH†	426,000	182	129	20	–	–	4	2	3	1	3
GLASGOW†	1,041,300	580	301	48	–	10	1	14	2	4	1
DUBLIN (REGISTRATION AREA)†	431,000	203	104	15	–	–	–	4	–	3	–
BELFAST†	429,000	214	140	29	–	1	–	6	–	2	4

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available perio

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza
		1923.											
London‡	4,534,230	April 21	1955	1016	11·7	2	–	4	5	8	11	7	2
Calcutta	896,067	March 10	–	476§	27·3	?	9	?	?	?	?	?	
Bombay	1,220,120	„ 17	370‖	977§	41·6	4	22	12	?	–	–	42	1
Madras	526,911	„ 10	483	419	41·4	1	9	1	?	1	–	32	
Sydney and Suburbs	955,700	March											
Brisbane (Metropolitan Area).	217,714	Feb.											
Perth (Metropolitan Area).	155,939	Feb. 24	102	33	11·0	–	–	–	–	–	–	4	
Auckland (Urban Area).	164,450	Feb.											
Wellington (Urban Area).	110,680	„											
Christchurch (Urban Area).	110,200	„											
Cape Town	104,400	March 3	40	13	6·5	–	–	–	–	–	–	2	
Johannesburg	153,825	„ 10	74	36	12·2	1	–	–	–	–	–	4	
Durban	49,043	„ 10	53	15	15·9	–	–	–	–	–	–	1	
Paris	2,906,472	„ 31 (11 days)	1402	1459	18·3	7	–	43	11	15	6	23	1
Antwerp	300,348	Jan. 21	105	62	10·6	–	–	–	–	–	–	1	
		„ 28	105	65	10·8	–	–	–	1	1	–	3	
Amsterdam	698,480	March 31	290	122	9·1	–	–	2	–	–	1	–	
Copenhagen	565,000	April 7	218	158	14·6	–	–	4	–	5	1	2	
Stockholm	424,944	March 31	109	94	11·5	–	–	–	–	–	1	1	
Gothenburg	227,686	„ 17	–	60	13·7	–	–	–	–	–	–	1	
Christiania	258,933	April 7	115	64	12·8	–	–	–	–	–	–	1	
Berlin	1,981,000	March 10	381	637	16·7	–	?	9	–	3	3	6	
Breslau	558,000	„ 10	147	212	19·7	–	?	1	–	1	1	2	1
Cologne	694,000	„ 10	263	192	14·4	–	?	3	–	2	8	7	
Dresden	610,000	„ 10	182	172	14·7	–	?	2	–	2	1	2	
Frankfort-on-Main ..	477,000	„ 10	96	90	9·8	–	?	–	–	–	–	–	
Hamburg	1,085,000	„ 10	330	316	15·1	–	?	7	–	2	2	2	
Leipzig	677,000	„ 10	233	183	14·1	–	?	–	–	2	–	5	
Munich	685,000	„ 10	203	235	17·8	–	?	6	–	–	2	5	1
Vienna	1,841,326	Feb. 17	541	617	17·4	–	–	3	–	2	5	5	
Prague and Suburbs	697,111	Jan. 15 (15 days)	530	414	14·4	1	–	–	1	2	2	7	
Budapest	945,717	Jan. 20	335	304	16·7	–	–	1	–	3	1	9	
		„ 27	343	390	21·4	2	–	7	2	2	5	15	
Warsaw	956,087	March 3	320	270	14·7	–	–	7	5	–	–	15	
Cairo	791,000	Jan. 14											
Alexandria	466,700	„ 14											
New York	5,927,617	March 17	2554	1759	15·5	2	–	5	2	8	8	16	7
Chicago	2,885,921	„ 24											
Rio de Janeiro ..	1,269,046	Feb. 24	606	435	17·9	–	2	3	–	8	2	?	3
Montevideo	349,768	Jan. 6	234	149	21·2	1	–	3	–	–	–	14	
		„ 13	203	129	21·1	2	–	3	–	–	–	10	

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vien Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *yea age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 24 deaths from *Asiatic Cholera* in Calcutta, and 1 in Bombay, and from *Plague*, 1 in Calcutta and 72 Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 21st April, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1016	111	18	26	26	46	43	78	112	147	194	215
Enteric fever	2	-	-	-	2	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	4	1	2	1	-	-	-	-	-	-	-	-
Scarlet fever	5	-	-	2	2	1	-	-	-	-	-	-
Whooping cough	8	5	2	1	-	-	-	-	-	-	-	-
Diphtheria	11	-	1	7	3	-	-	-	-	-	-	-
Influenza	26	-	-	1	1	3	2	1	-	5	7	6
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	2	-	-	1	-	-	-	-	1	-	-	-
Meningococcal meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	96	-	-	-	1	20	15	26	20	5	9	-
Nervous system	6	4	1	-	1	-	-	-	-	-	-	-
Intestines and peritoneum	1	-	1	-	-	-	-	-	-	-	-	-
Other forms	9	-	1	-	2	-	4	-	1	-	1	-
Venereal diseases	2	1	-	-	-	-	-	-	1	-	-	-
Cancer	101	-	-	-	-	2	2	6	18	29	33	11
Rheumatic fever	2	-	-	-	-	-	1	-	1	-	-	-
Diabetes	4	-	-	-	-	1	-	-	-	1	2	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	2	1	1	-	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	55	-	-	-	-	-	1	2	7	13	16	16
Epilepsy	3	-	-	-	-	-	-	1	1	1	-	-
"Convulsions" (not puerperal)	2	2	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system	32	-	-	2	1	1	4	1	9	6	6	2
Pericarditis	2	-	-	-	1	-	-	-	-	-	-	1
Acute endocarditis	5	-	-	-	-	-	2	-	2	1	-	-
Other diseases of heart	129	-	-	-	-	2	4	7	13	30	34	39
Other diseases of circulatory system	41	-	-	-	-	-	-	2	3	8	13	15
Bronchitis	82	1	-	1	2	-	-	-	1	11	20	46
Broncho-pneumonia	43	14	5	3	1	1	-	2	5	3	4	5
Lobar-pneumonia	23	-	-	1	-	1	-	5	8	2	5	1
Pneumonia (type not distinguished)	20	3	1	1	-	-	-	4	2	1	5	3
Other diseases of respiratory system	12	3	1	-	-	-	-	1	1	-	3	3
Diarrhœa and enteritis	12	7	-	-	-	1	1	-	-	1	-	2
Appendicitis, Typhlitis	10	-	-	-	2	3	-	1	-	3	1	-
Hernia, Intestinal obstruction	11	-	-	-	-	-	-	-	1	1	3	6
Cirrhosis of liver	6	-	-	-	-	-	-	2	1	2	-	1
Other diseases of digestive system	26	-	-	1	-	-	-	5	4	4	8	4
Acute nephritis	2	-	-	-	-	-	-	1	-	1	-	-
Chronic Bright's disease	26	-	-	1	1	-	1	4	2	7	6	4
Other diseases of genito-urinary system.	14	-	-	-	-	-	-	1	1	4	4	4
Puerperal sepsis	5	-	-	-	-	-	3	2	-	-	-	-
Other causes incident to childbirth	2	-	-	-	-	1	-	1	-	-	-	-
Congenital malformations	7	7	-	-	-	-	-	-	-	-	-	-
Premature birth	38	38	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	10	10	-	-	-	-	-	-	-	-	-	-
Old age	45	-	-	-	-	-	-	-	-	-	8	37
Suicide	9	-	-	-	-	2	1	1	2	2	-	1
Burns and scalds	1	-	-	1	-	-	-	-	-	-	-	-
Drowning	-	-	-	-	-	-	-	-	-	-	-	-
Suffocation in bed	1	1	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	10	-	-	1	4	2	-	-	-	3	-	-
Other deaths by violence	12	-	1	1	-	1	-	2	1	2	1	3
Other specified causes	36	11	1	-	2	4	2	-	5	1	5	5
Ill-defined causes	2	1	-	-	-	-	-	-	1	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 21st April, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	174	204	8	106	C. 10 D. 3 E. 2 G. 2 J. 1 L. 1 M. 12
†CITY OF LONDON	–	–	–	–	1	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	4	9	1	9	C. 1 G. 1
†BERMONDSEY ...	–	6	11	–	4	D. 1
†BETHNAL GREEN	–	7	5	–	3	–
†CAMBERWELL ...	–	5	27	2	1	M. 1
†CHELSEA	–	2	3	–	1	–
†DEPTFORD ...	–	12	10	–	1	M. 1
†FINSBURY ...	–	–	7	–	2	–
†FULHAM	–	20	6	–	5	D. 1 M. 1
†GREENWICH ...	–	1	6	–	2	–
†HACKNEY ...	–	2	6	1	–	C. 1
†HAMMERSMITH ...	–	4	5	–	2	M. 1
†HAMPSTEAD ...	–	5	2	–	1	–
†HOLBORN... ...	–	4	–	–	1	–
†ISLINGTON ...	–	11	26	–	10	C. 2

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	2	7	1	2	E. 1
†LAMBETH ...	–	16	8	–	4	–
†LEWISHAM ...	–	13	4	–	1	C. 1
†PADDINGTON ...	–	5	3	–	7	–
†POPLAR	–	6	4	–	9	M. 1
†ST. MARYLEBONE	–	3	2	–	2	M. 1
†ST. PANCRAS ...	–	13	8	–	8	L. 1 M. 1
†SHOREDITCH ...	–	1	6	–	4	D. 1 M. 4
†SOUTHWARK ...	–	7	15	–	3	C. 1
†STEPNEY	–	7	12	1	6	C. 3 G. 1 J. 1
†STOKE NEWINGTON	–	–	–	–	–	C. 1
†WANDSWORTH ...	–	13	10	–	9	E. 1 M. 1
†WESTMINSTER, CITY OF	–	2	1	2	–	–
†WOOLWICH ...	–	3	1	–	8	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	2	4	–	2	–
Boroughs and Urban Districts:—						
†BEDFORD ...	–	2	1	–	2	–
†LUTON	–	–	2	–	–	–
Rural District:—						
AMPTHILL ...	–	–	1	–	–	–
BERKS	–	17	6	–	2	M. 1
†READING C.B. ...	–	7	2	–	1	–
Boroughs and Urban District:—						
ABINGDON ...	–	2	2	–	–	–
Rural Districts:—						
ABINGDON ...	–	2	1	–	–	–
EASTHAMPSTEAD	–	–	–	–	1	–
NEWBURY ...	–	–	–	–	–	M. 1
WALLINGFORD ...	–	–	1	–	–	–
WANTAGE ...	–	1	–	–	–	–
WOKINGHAM ...	–	5	–	–	–	–
BUCKINGHAM ...	–	5	3	–	4	C. 1 M. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	–	1	–	–	–
†CHEPPING WYCOMBE ...	–	1	–	–	1	–
CHESHAM... ...	–	–	–	–	1	–
ETON	–	–	–	–	1	–
†SLOUGH	–	–	–	–	–	C. 1
†WOLVERTON ...	–	1	–	–	–	–
Rural Districts:—						
AMERSHAM ...	–	1	–	–	–	–
AYLESBURY ...	–	1	–	–	–	–
NEWPORT PAGNELL ...	–	–	–	–	–	M. 1
WYCOMBE ...	–	1	2	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	2	1	–	2	–
Borough:—						
†CAMBRIDGE ...	–	–	1	–	2	–
Rural Districts:—						
CHESTERTON ...	–	2	–	–	–	–
CHESTER	–	51	13	1	34	C. 1 D. 1 F. 2 G. 1 M. 5
†BIRKENHEAD C.B.	–	8	1	–	4	C. 1 D. 1 M. 2
†CHESTER C.B. ...	–	1	1	–	7	–
†STOCKPORT C.B.	–	2	1	–	2	F. 1 M. 1
†WALLASEY C.B. ...	–	2	1	1	2	–
Boroughs and Urban Districts:—						
†BEBINGTON AND BROMBOROUGH	–	1	–	–	2	M. 1
BOLLINGTON ...	–	–	–	–	1	–
BREDBURY AND ROMILEY	–	1	–	–	–	–
†CONGLETON ...	–	4	–	–	1	–
†CREWE	–	1	–	–	–	–
†DUKINFIELD ...	–	1	–	–	2	–
†HOYLAKE AND WEST KIRBY	–	4	–	–	–	–
†HYDE	–	5	1	–	1	–
KNUTSFORD ...	–	–	2	–	–	–
†MACCLESFIELD ...	–	3	–	–	–	F. 1
MIDDLEWICH ...	–	–	2	–	1	–
NANTWICH ...	–	1	–	–	1	–
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN... ..	–	1	–	–	7	–
†SALE	–	–	–	–	–	G. 1
SANDBACH ...	–	1	–	–	–	–
WILMSLOW ...	–	1	–	–	–	–
†WINSFORD ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	–	1	–	2	–
CONGLETON ...	–	–	1	–	–	–
MACCLESFIELD ...	–	5	–	–	–	–
MALPAS	–	1	–	–	–	–
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...	–	1	–	–	–	–
RUNCORN... ...	–	4	1	–	1	–
WIRRAL	–	1	–	–	–	M. 1
CORNWALL ...	–	4	5	–	8	–
Boroughs and Urban Districts:—						
LOSTWITHIEL ...	–	–	–	–	1	–
NEWQUAY ...	–	–	–	–	1	–
REDRUTH ...	–	–	1	–	–	–
ST. IVES	–	1	–	–	–	–
SALTASH	–	–	–	–	2	–
WADEBRIDGE ...	*	*	*	*	*	*
Rural Districts:—						
CALSTOCK ...	–	–	1	–	–	–
CAMELFORD ...	–	–	1	–	–	–
EAST KERRIER ...	–	–	2	–	–	–
LISKEARD ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	3	–
SAINT AUSTELL...	–	1	–	–	–	–
SAINT GERMANS	–	–	–	–	1	–
WEST PENWITH	–	1	–	–	–	–
CUMBERLAND ...	–	14	2	–	–	M. 1
†CARLISLE C.B. ...	–	10	–	–	–	M. 1
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	*	*	*	*	*	*
COCKERMOUTH ...	–	1	–	–	–	–
†MARYPORT ...	–	1	–	–	–	–
†WORKINGTON ...	–	2	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	3	36	9	1	26	M. 4
†DERBY C.B. ...	–	12	2	–	3	M. 2
Boroughs and Urban Districts:—						
ALVASTON AND BOULTON	*	*	*	*	*	*
BAKEWELL ...	–	–	–	–	1	–
†BELPER	–	–	1	–	–	–
†BOLSOVER ...	–	2	1	–	–	–
†CHESTERFIELD ...	–	1	1	–	1	–
DRONFIELD ...	–	1	–	–	–	–
†GLOSSOP	–	1	1	–	–	–
†HEANOR	2	3	–	–	2	–
†ILKESTON ...	–	1	1	–	1	M. 1
†LONG EATON ...	–	2	–	–	2	–
NEW MILLS ...	–	–	–	–	1	–
†RIPLEY	–	–	–	–	1	–
†SWADLINCOTE DISTRICT	–	–	–	–	1	–
Rural Districts:—						
ASHBOURNE ...	–	2	–	–	1	–
BAKEWELL ...	–	–	–	–	1	–
BELPER	–	–	–	–	1	–
BLACKWELL ...	–	8	–	1	1	–
CHESTERFIELD ..	–	1	1	–	4	M. 1
CLOWNE	1	–	–	–	–	–
GLOSSOP DALE ...	–	–	1	–	1	–
REPTON	–	–	–	–	1	–
SHARDLOW ...	–	1	–	–	2	–
SUDBURY... ...	–	1	–	–	1	–
DEVON	–	14	5	1	8	C. 1 D. 1 G. 1
†EXETER C.B. ...	–	1	1	–	–	–
†PLYMOUTH C.B....	–	5	–	–	6	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts:—						
†NEWTON ABBOT...	–	1	1	–	–	–
NORTHAM ...	–	–	–	–	1	–
OTTERY ST. MARY	–	1	–	–	–	–
†TORQUAY ...	–	3	–	–	–	G. 1
Rural Districts:—						
BIDEFORD ...	–	–	–	–	–	D. 1
CREDITON ...	–	1	–	–	–	–
KINGSBRIDGE ...	–	–	–	–	1	–
NEWTON ABBOT...	–	1	–	–	–	–
OKEHAMPTON ...	–	–	1	–	–	–
ST. THOMAS ...	–	1	–	1	–	–
TAVISTOCK ...	–	–	2	–	–	–
TOTNES	–	–	–	–	–	C. 1
DORSET	–	3	–	–	–	G. 2
Boroughs and Urban Districts:—						
LYME REGIS ...	*	*	*	*	*	*
Rural Districts:—						
BLANDFORD ...	–	–	–	–	–	G. 1
BRIDPORT ...	–	–	–	–	–	G. 1
WIMBORNE AND CRANBORNE	–	3	–	–	–	–
DURHAM	1	57	27	5	35	C. 1 E. 1 M. 12
†DARLINGTON C.B	–	1	2	–	6	–
†GATESHEAD C.B.	–	2	1	–	5	M. 2
†SOUTH SHIELDS C.B.	–	6	4	–	6	E. 1 M. 2
DURHAM—*cont.*						
†SUNDERLAND C.B.	–	6	1	–	3	M. 3
†WEST HARTLEPOOL C.B.	–	1	–	–	2	M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	1	–	1	M. 1
BARNARD CASTLE	–	1	–	–	–	–
BENFIELDSIDE ...	–	–	–	–	1	–
†BLAYDON... ...	–	1	–	–	–	–
†BRANDON AND BYSHOTTLES	–	1	1	–	–	–
†CHESTER LE STREET	–	2	–	–	1	–
†CROOK	–	–	3	–	–	–
†DURHAM	*	*	*	*	*	*
†HARTLEPOOL ...	–	–	–	1	–	–
†HEBBURN ...	–	1	–	–	1	–
†HETTON	–	1	1	–	–	–
†HOUGHTON LE SPRING	–	–	–	–	1	–
†JARROW	–	2	1	4	–	M. 1
†STANLEY	–	5	2	–	–	–
†STOCKTON ON TEES	1	5	–	–	–	–
†TANFIELD ...	–	–	1	–	–	–
†WHICKHAM ...	–	2	–	–	1	–
Rural Districts:—						
AUCKLAND ...	–	3	1	–	–	C. 1
CHESTER LE STREET	–	3	2	–	2	–
DARLINGTON ...	–	2	–	–	–	–
DURHAM	–	3	1	–	–	–
EASINGTON ...	–	2	2	–	2	M. 1
HOUGHTON LE SPRING	–	2	1	–	–	M. 1
LANCHESTER ...	–	1	–	–	–	–
SEDGEFIELD ...	–	3	2	–	–	–
SUNDERLAND ...	–	–	–	–	2	–
WEARDALE ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	41	31	–	22	C. 2 G. 1 L. 1 M. 2
†EAST HAM C.B. ...	–	5	4	–	2	M. 1
†SOUTHEND-ON-SEA C.B.	–	3	–	–	6	–
†WEST HAM C.B. ...	–	9	9	–	2	–
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	–	–	3	C. 1
BRENTWOOD ...	–	2	–	–	–	–
†CLACTON	–	1	1	–	–	–
†COLCHESTER ...	–	–	3	–	–	L. 1 M. 1
EPPING	–	2	–	–	–	–
†HARWICH ...	–	–	1	–	–	–
†ILFORD	–	2	1	–	1	C. 1
†LEYTON	–	6	4	–	1	–
MALDON	–	–	–	–	–	G. 1
SHOEBURYNESS ...	–	–	–	–	3	–
†WALTHAMSTOW ...	–	3	6	–	2	–
†WANSTEAD ...	–	1	–	–	–	–
†WOODFORD ...	–	2	–	–	–	–
Rural Districts:—						
BRAINTREE ...	–	1	–	–	–	–
CHELMSFORD ...	–	2	–	–	–	–
ONGAR	–	1	–	–	–	–
ROCHFORD ...	–	–	–	–	1	–
ROMFORD... ...	–	1	2	–	1	–
GLOUCESTER ...	2	69	15	–	13	L. 1 M. 3
†BRISTOL C.B. ...	–	44	13	–	8	L. 1 M. 3
†GLOUCESTER C.B.	–	2	–	–	1	–
Boroughs and Urban Districts:—						
AWRE	–	1	–	–	–	–
†CHELTENHAM ...	2	1	1	–	1	–
†KINGSWOOD ...	–	1	–	–	–	–
TETBURY... ...	–	1	–	–	–	–
WESTBURY ON SEVERN	–	2	–	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	–	–	–	2	–
GLOUCESTER—*cont.*						
Rural Districts:— *cont.*						
EAST DEAN AND UNITED PARISHES ...	–	1	–	–	–	–
FARINGDON (part)	–	1	–	–	–	–
STROUD	–	2	–	–	–	–
THORNBURY ...	–	4	–	–	–	–
WARMLEY ...	–	6	1	–	–	–
WEST DEAN ...	–	2	–	–	–	–
WHEATENHURST	–	–	–	–	1	–
WINCHCOMBE (part)	–	1	–	–	–	–
HEREFORD ...	–	4	3	–	3	C. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	–	–	–	C. 1
ROSS	–	1	–	–	–	–
Rural Districts:—						
BROMYARD ...	–	–	–	–	2	–
KINGTON... ...	–	–	1	–	1	–
LEDBURY... ...	–	1	1	–	–	–
LEOMINSTER ...	–	–	1	–	–	–
WIGMORE ...	–	1	–	–	–	–
HERTFORD ..	–	9	8	–	2	–
Boroughs and Urban Districts:—						
BALDOCK ...	*	*	*	*	*	*
BISHOP'S STORTFORD	–	–	–	–	1	–
†CHESHUNT ...	–	1	–	–	–	–
†EAST BARNET VALLEY ...	–	–	1	–	–	–
ROYSTON	–	–	–	–	1	–
†ST. ALBANS ...	–	3	1	–	–	–
TRING	–	–	1	–	–	–
†WATFORD ...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
BARNET	–	–	2	–	–	–
HADHAM	–	1	–	–	–	–
HERTFORD ...	–	–	1	–	–	–
WATFORD ...	–	1	2	–	–	–
HUNTINGDON ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	1	–	–	–
Rural Districts:—						
ST. NEOTS, No. 3 ..	–	2	–	–	–	–
ST. NEOTS, No. 4 ..	*	*	*	*	*	*
KENT	–	38	16	–	13	G. 4 M. 2
Boroughs and Urban Districts:—						
†ASHFORD ...	–	2	–	–	–	G. 1
†BEXLEY	–	–	1	–	–	–
†BROMLEY ...	–	2	1	–	1	–
†CHATHAM ...	–	3	1	–	1	–
CHISLEHURST ...	–	–	–	–	–	M. 1
†CRAYFORD ...	–	1	–	–	–	–
†DARTFORD ...	–	2	–	–	–	–
†DOVER	–	–	–	–	3	–
†ERITH	–	1	3	–	2	–
†FAVERSHAM ...	–	1	1	–	–	–
†GILLINGHAM ...	–	4	1	–	–	–
†GRAVESEND ...	–	1	1	–	–	–
†MAIDSTONE ...	–	1	–	–	–	–
†MARGATE ...	–	6	–	–	–	–
†NORTHFLEET ...	–	2	1	–	1	–
†PENGE	–	1	–	–	–	–
†RAMSGATE ...	–	–	–	–	–	M. 1
†ROCHESTER ...	–	1	1	–	1	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	–	G. 3
SANDGATE ...	–	1	–	–	–	–
SANDWICH ...	*	*	*	*	*	*
†SHEERNESS ...	–	–	3	–	–	–
†TONBRIDGE ...	–	2	1	–	–	–
WROTHAM ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts:—						
BROMLEY ...	–	1	–	–	–	–
FAVERSHAM ...	–	–	–	–	2	–
HOLLINGBOURNE	–	–	1	–	–	–
HOO	*	*	*	*	*	*
MALLING	–	–	–	–	1	–
MILTON	–	1	–	–	–	–
SEVENOAKS ...	–	4	–	–	1	–
LANCASTER ...	5	295	96	11	280	C. 3 E. 1 G. 14 L. 3 M. 24
†BARROW IN FURNESS C.B.	–	5	3	1	2	
†BLACKBURN C.B.	–	8	–	–	4	G. 3
†BLACKPOOL C.B.	–	7	–	–	–	M. 1
†BOLTON C.B. ...	–	11	2	–	3	–
†BOOTLE C.B. ...	–	4	3	–	5	–
†BURNLEY C.B. ...	–	17	2	1	2	G. 1
†BURY C.B. ...	–	3	1	–	3	–
†LIVERPOOL C.B. ...	–	47	30	–	34	G. 3 M. 14
†MANCHESTER C.B.	–	51	16	–	84	C. 1 G. 5 M. 5
†OLDHAM C.B. ...	–	2	4	–	10	E. 1 G. 1
†PRESTON C.B. ...	–	2	2	1	1	–
†ROCHDALE C.B. ...	–	3	1	–	–	–
†ST. HELENS C.B.	–	3	5	–	1	–
†SALFORD C.B. ...	–	20	2	–	25	M. 2
†SOUTHPORT C.B.	–	–	–	5	–	–
†WARRINGTON C.B.	–	5	2	–	6	C. 1
†WIGAN C.B. ...	–	1	–	–	9	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	–	–	–	–
†ASHTON IN MAKERFIELD	–	2	4	–	1	–
†ASHTON UNDER LYNE	–	–	–	–	5	C. 1 M. 1
ASPULL	–	1	–	–	–	–
†ATHERTON ...	–	1	1	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
AUDENSHAW ...	–	3	–	–	1	–
†BACUP	–	3	–	–	1	–
BILLINGE ...	–	2	–	–	–	–
BRIERFIELD ...	*	*	*	*	*	*
†CHADDERTON ..	–	1	1	–	7	–
†CHORLEY.... ...	–	–	–	–	2	–
CHURCH	–	1	–	–	–	–
†CLITHEROE ...	–	1	–	–	–	–
†COLNE	–	4	–	–	–	–
†CROMPTON ...	–	2	–	–	–	–
†DALTON IN FURNESS	–	1	–	–	1	–
†DARWEN	–	10	–	–	–	–
†DENTON	–	3	1	–	–	–
†DROYLSDEN ...	–	–	–	–	3	–
†ECCLES	–	3	–	–	1	–
†FAILSWORTH ...	–	3	–	1	1	–
†FARNWORTH ...	–	1	1	–	2	–
†FLEETWOOD ...	–	–	1	–	–	–
FORMBY	–	–	–	–	–	G. 1
GOLBORNE ..	–	–	1	–	–	–
†GREAT HARWOOD	–	2	2	–	–	–
†HASLINGDEN ...	–	1	–	–	2	–
†HAYDOCK ...	–	5	–	–	–	–
†HEYWOOD ...	–	1	–	–	4	–
†HINDLEY... ...	–	2	–	–	2	–
†HORWICH ...	–	1	1	–	4	–
HUYTON WITH ROBY ...	–	2	–	–	–	–
†INCE IN MAKERFIELD	–	2	1	–	2	–
IRLAM	–	1	–	–	1	–
KEARSLEY ..	–	1	–	–	–	–
KIRKHAM ...	–	–	2	–	–	–
†LANCASTER ...	–	4	1	–	–	–
†LEIGH	–	–	1	–	2	M. 1
†LITHERLAND ...	–	2	–	–	–	–
LITTLE HULTON ..	*	*	*	*	*	*
LITTLE LEVER ...	–	1	–	–	–	–
†LYTHAM, ST. ANNE'S	–	–	1	–	–	–
†MIDDLETON ...	–	1	–	–	1	–
†NELSON	5	3	–	–	1	–
†NEWTON IN MAKERFIELD	–	1	–	–	1	–
ORMSKIRK ...	–	1	–	–	1	–
ORRELL	–	1	1	1	–	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†OSWALDTWISTLE	–	–	1	–	1	–
†PADIHAM... ...	–	1	–	–	–	–
†RADCLIFFE ...	–	1	–	–	10	–
†RAMSBOTTOM ...	–	3	–	–	–	–
†RAWTENSTALL ...	–	–	–	–	1	–
RISHTON	–	1	–	–	3	–
†ROYTON	–	1	–	–	–	–
SKELMERSDALE ...	–	1	–	–	–	–
†STRETFORD... ...	–	1	–	–	5	–
†SWINTON AND PENDLEBURY	–	1	–	–	4	–
THORNTON ...	–	–	–	–	1	–
TOTTINGTON ...	–	–	–	–	2	–
†TURTON	–	4	–	1	–	–
†TYLDESLEY WITH SHAKERLEY	–	3	–	–	1	–
†ULVERSTON ...	–	1	–	–	–	–
†WALTON LE DALE	–	5	1	–	–	–
†WESTHOUGHTON	–	–	–	–	2	–
WHITEFIELD ...	–	1	–	–	1	–
WHITWORTH ...	–	–	–	–	2	–
†WIDNES	–	5	–	–	2	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	1	–
BLACKBURN ...	–	1	–	–	–	–
CLITHEROE ...	–	–	–	–	2	L. 3
FYLDE	–	–	1	–	–	–
LEIGH	–	–	–	–	1	–
LIMEHURST ...	–	–	–	–	1	–
ULVERSTON ...	–	–	–	–	1	–
WARRINGTON ...	–	1	–	–	2	–
LEICESTER... ...	–	7	9	–	2	M. 1
†LEICESTER C.B. ..	–	[illegible]	1	–	1	M. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
OADBY	–	1	–	–	–	–
WIGSTON MAGNA	–	2	2	–	–	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	4	–	–	–
CASTLE DONINGTON	–	–	–	–	1	–
LUTTERWORTH ...	–	–	2	–	–	–
LINCOLN (parts of Holland).	–	1	–	–	2	–
Boroughs and Urban Districts:—						
LONG SUTTON ...	*	*	*	*	*	*
†SPALDING ...	–	1	–	–	2	–
LINCOLN (parts of Kesteven).	–	–	3	–	1	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	1	–	–	–
STAMFORD ...	–	–	1	–	–	–
Rural Districts:—						
GRANTHAM ...	–	–	1	–	1	–
LINCOLN (parts of Lindsey).	–	15	8	–	6	M. 1
†GRIMSBY C.B. ...	–	4	2	–	–	–
†LINCOLN, C.B. ...	–	1	2	–	–	M. 1
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	1	1	–	–	–
†GAINSBOROUGH ...	–	2	1	–	–	–
LOUTH	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	2	–	–	6	–
WINTERTON ...	*	*	*	*	*	*
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts:—						
GAINBSOROUGH ...	–	2	–	–	–	–
GRIMSBY	–	2	–	–	–	–
LOUTH	–	–	1	–	–	–
SPILSBY	–	–	1	–	–	–
MIDDLESEX ...	–	46	44	1	23	M. 3
Boroughs and Urban Districts:—						
†ACTON	–	1	2	–	–	–
†BRENTFORD ...	–	–	1	–	1	–
†CHISWICK ...	–	–	2	–	–	–
†EALING	–	3	3	1	1	–
†EDMONTON ...	–	2	–	–	4	–
†ENFIELD	–	2	–	–	1	–
FELTHAM ...	–	2	3	–	–	–
†FINCHLEY ...	–	2	–	–	1	–
†HANWELL ...	–	3	4	–	–	–
†HARROW ON THE HILL	–	–	–	–	1	–
†HENDON	–	1	3	–	3	M. 1
†HESTON AND ISLEWORTH	–	6	3	–	1	–
†HORNSEY... ...	–	2	2	–	–	–
RUISLIP NORTHWOOD	–	2	–	–	–	–
†SOUTHALL NORWOOD	–	–	–	–	1	–
SUNBURY ON THAMES	–	–	1	–	–	–
†TOTTENHAM ...	–	8	3	–	2	M. 1
†TWICKENHAM ...	–	2	–	–	–	–
†WILLESDEN ...	–	3	4	–	5	M. 1
†WOOD GREEN ...	–	2	1	–	–	–
YIEWSLEY... ...	–	1	5	–	–	–
Rural Districts:—						
STAINES	–	4	7	–	1	–
UXBRIDGE ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK	–	34	15	4	6	C. 2 F. 1 G. 1 M. 1
†GREAT YARMOUTH C.B.	–	4	–	–	–	C. 1
†NORWICH C.B. ...	–	20	10	–	2	M. 1
Boroughs and Urban Districts:—						
NORTH WALSHAM	–	1	–	–	–	–
SWAFFHAM ...	–	–	3	–	–	–
Rural Districts:—						
AYLSHAM... ...	–	–	–	–	–	G. 1
BLOFIELD ...	–	1	–	4	–	F. 1
DEPWADE ...	–	–	–	–	3	–
DOCKING	–	–	–	–	–	C. 1
DOWNHAM ...	–	1	–	–	–	–
EAST AND WEST FLEGG	–	2	–	–	–	–
FOREHOE ...	–	–	1	–	–	–
FREEBRIDGE LYNN	–	1	1	–	–	–
LODDON AND CLAVERING	–	1	–	–	–	–
MITFORD AND LAUNDITCH	–	1	–	–	–	–
ST. FAITH'S ...	–	1	–	–	–	–
SMALLBURGH ...	–	1	–	–	–	–
WALSINGHAM ...	–	–	–	–	1	–
NORTHAMPTON ...	–	38	7	–	10	C. 1 M. 2
†NORTHAMPTON C.B.	–	6	4	–	6	C. 1
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	6	–	–	–	–
†KETTERING ...	–	8	–	–	–	–
ROTHWELL ...	–	7	–	–	–	–
†RUSHDEN... ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	1	–	–	–	M. 1
NORTHAMPTON—cont.						
Rural Districts:—						
BRACKLEY ...	–	–	–	–	–	M. 1
CRICK	–	–	–	–	1	–
DAVENTRY ...	–	–	3	–	–	–
HARDINGSTONE ...	–	1	–	–	–	–
KETTERING ...	–	5	–	–	–	–
OUNDLE (PART)	–	–	–	–	1	–
POTTERSPURY ...	–	1	–	–	1	–
TOWCESTER ...	–	1	–	–	–	–
WELLINGBOROUGH	–	2	–	–	–	–
NORTHUMBERLAND	–	23	9	1	33	M. 3
†NEWCASTLE UPON TYNE C.B.	–	3	5	–	21	M. 1
†TYNEMOUTH C.B.	–	–	1	–	1	M. 2
Boroughs and Urban Districts:—						
ALNWICK ...	–	–	1	–	–	–
†ASHINGTON ...	–	–	–	1	1	–
†BEDLINGTONSHIRE	–	2	–	–	–	–
†BERWICK UPON TWEED	–	3	–	–	–	–
†BLYTH	–	1	–	–	2	–
CRAMLINGTON ...	–	4		–	–	–
NEWBIGGIN BY THE SEA	*	*	*	*	*	*
SEATON DELAVAL	–	4	–	–	–	–
SEGHILL	–	1	–	–	–	–
†WALLSEND ...	–	1	1	–	7	–
Rural Districts:—						
CASTLE WARD ...	–	–	–	–	1	–
HALTWHISTLE ...	–	1	1	–	–	–
HEXHAM	–	2	–	–	–	–
MORPETH ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	2	25	7	3	13	–
†NOTTINGHAM C.B.	–	18	2	–	–	–
Boroughs and Urban Districts:—						
†BEESTON	–	–	–	–	3	–
†CARLTON	–	–	1	–	–	–
†EAST RETFORD ...	–	1	–	–	1	–
†HUCKNALL ...	–	–	–	–	1	–
†MANSFIELD ...	–	1	2	1	4	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK	–	1	1	–	–	–
WARSOP	–	–	1	–	–	–
†WORKSOP... ...	–	–	–	–	1	–
Rural Districts:—						
BASFORD	1	1	–	1	–	–
BINGHAM ...	–	–	–	1	1	–
EAST RETFORD ...	–	2	–	–	–	–
MISTERTON ...	–	–	–	–	1	–
STAPLEFORD ...	1	–	–	–	1	–
OXFORD	–	9	5	–	1	M. 1
†OXFORD C.B. ...	–	3	3	–	1	M. 1
Boroughs and Urban Districts:—						
HENLEY ON THAMES	–	2	–	–	–	–
Rural Districts:—						
BANBURY... ...	–	1	–	–	–	–
HEADINGTON ...	–	2	–	–	–	–
WITNEY	–	1	2	–	–	–
PETERBOROUGH (Soke of)	–	1	–	1	1	–
Borough:—						
†PETERBOROUGH...	–	1	–	1	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	8	4	1	2	M. 1
Boroughs and Urban Districts:—						
DAWLEY	–	3	1	–	–	–
LUDLOW	–	–	–	–	–	M. 1
MARKET DRAYTON	–	–	1	–	–	–
NEWPORT ...	–	–	1	–	–	–
†OAKENGATES ...	–	1	–	–	–	–
OSWESTRY ...	–	2	–	–	–	–
†SHREWSBURY ...	–	–	–	–	1	–
WELLINGTON ...	*	*	*	*	*	*
WHITCHURCH ...	–	–	1	–	–	–
Rural Districts:—						
DRAYTON... ...	–	1	–	–	–	–
NEWPORT ...	–	1	–	–	–	–
WEM	–	–	–	1	1	–
SOMERSET	–	20	4	1	2	G. 1
†BATH C.B. ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†FROME	–	1	–	–	–	–
ILMINSTER ...	–	–	–	–	1	–
RADSTOCK ...	–	2	–	–	–	–
WELLINGTON ...	–	1	–	–	–	–
†WESTON SUPER MARE	–	3	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	3	–	–	–	G. 1
CLUTTON... ...	–	–	1	–	–	–
FROME	–	1	–	–	–	–
LANGPORT ...	–	3	1	–	–	–
LONG ASHTON ...	–	3	–	1	–	–
TAUNTON ...	–	1	–	–	–	–
WELLINGTON ...	–	1	–	–	–	–
WELLS	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ...	–	35	23	1	14	M. 2
†BOURNEMOUTH C.B.	–	1	1	–	–	M. 1
†PORTSMOUTH C.B.	–	12	11	1	1	–
†SOUTHAMPTON C.B.	–	9	4	–	12	–
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	–	1	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	1	–
†FAREHAM ...	–	2	–	–	–	–
†GOSPORT	–	–	2	–	–	–
PETERSFIELD ...	–	2	–	–	–	–
WARBLINGTON ...	–	2	–	–	–	–
†WINCHESTER ...	–	2	1	–	–	–
Rural Districts:—						
HARTLEY WINTNEY	–	1	–	–	–	–
KINGSCLERE ...	–	–	–	–	–	M. 1
PETERSFIELD ...	–	1	–	–	–	–
STOCKBRIDGE ...	–	1	–	–	–	–
WHITCHURCH ...	–	–	2	–	–	–
WINCHESTER ...	–	1	1	–	–	–
STAFFORD	–	78	36	4	42	C. 3 M. 8
†BURTON UPON TRENT C.B.	–	1	–	–	–	–
†SMETHWICK C.B.	–	9	2	–	6	M. 1
†STOKE ON TRENT C.B.	–	28	7	–	15	M. 4
†WALSALL C.B. ...	–	4	3	–	1	M. 1
†WEST BROMWICH C.B.	–	5	11	–	1	C. 1
†WOLVERHAMPTON C.B.	–	7	1	–	1	–
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
†AUDLEY	–	–	1	–	–	–
BIDDULPH ...	–	2	–	–	–	–
†BRIERLEY HILL...	–	–	–	–	–	C. 1
†BROWNHILLS ...	–	1	1	–	2	–
†CANNOCK	–	–	–	–	2	–
†COSELEY	–	2	–	–	–	–
†DARLASTON ...	–	–	1	–	–	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	–	–	–	1	M. 1
KIDSGROVE ...	–	1	–	–	–	–
†LEEK	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	2	1	–	–	–
†ROWLEY REGIS ...	–	2	–	–	4	–
RUGELEY	–	2	–	–	–	–
†STAFFORD ...	–	1	1	–	–	–
STONE	–	–	–	–	1	–
TAMWORTH ...	–	–	–	–	–	C. 1
TETTENHALL ...	–	–	–	1	–	–
†TIPTON	–	1	–	1	–	–
†WEDNESBURY ...	–	–	–	–	1	–
WEDNESFIELD ...	–	1	–	–	4	M. 1
†WILLENHALL ...	–	1	–	–	–	–
†WOLSTANTON UNITED	–	6	–	–	–	–
Rural Districts:—						
BLORE HEATH ...	–	–	–	–	1	–
CANNOCK	–	–	1	–	–	–
CHEADLE	–	–	1	–	–	–
KINGSWINFORD ...	–	–	–	2	–	–
LICHFIELD ...	–	1	–	–	–	–
STAFFORD ...	–	–	1	–	–	–
STONE	–	–	4	–	–	–
WALSALL	–	–	–	–	2	–
SUFFOLK, EAST ...	–	9	2	2	5	C. 2
†IPSWICH C.B. ...	–	5	1	1	3	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Boroughs and Urban Districts:—						
ALDEBURGH ...	–	–	–	–	1	–
LEISTON CUM SIZEWELL	–	–	–	–	1	–
†LOWESTOFT ...	–	2	–	1	–	–
Rural Districts:—						
BLYTHING ...	–	–	–	–	–	C. 1
BOSMERE AND CLAYDON	–	–	1	–	–	–
WANGFORD ...	–	1	–	–	–	–
WOODBRIDGE ...	–	1	–	–	–	–
SUFFOLK, WEST ...	–	2	–	–	–	–
Rural Districts:—						
THEDWASTRE ...	–	2	–	–	–	–
SURREY	–	29	25	3	7	C. 1 G. 1 L. 1
†CROYDON C.B. ...	–	11	4	–	–	–
Boroughs and Urban Districts:—						
†BARNES	–	1	1	–	–	–
†BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
†CARSHALTON ...	–	–	–	1	–	–
†CATERHAM ...	–	2	–	–	–	–
DORKING	–	1	–	–	–	–
†EGHAM	–	1	–	–	1	–
†GUILDFORD ...	–	–	–	–	1	–
†KINGSTON ON THAMES	–	4	–	–	–	–
†MERTON AND MORDEN	–	–	2	–	–	–
†MITCHAM... ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RICHMOND ...	–	1	3	–	2	C. 1
†SUTTON	–	–	3	–	1	–
†THE MALDENS AND COOMBE	–	–	2	–	–	G. 1
†WALTON UPON THAMES	–	1	–	–	–	–
WEYBRIDGE ...	–	1	–	–	–	–
†WIMBLEDON ...	–	2	6	–	–	–
Rural Districts:—						
CHERTSEY ...	–	–	3	–	–	–
EPSOM	–	–	–	–	1	L. 1
GODSTONE ...	–	1	–	2	–	–
GUILDFORD ...	–	–	–	–	1	–
HAMBLEDON ...	–	–	1	–	–	–
SUSSEX, EAST ...	–	8	12	–	5	D. 1 G. 1 L. 1 M. 1
†BRIGHTON C.B. ...	–	–	12	–	2	D. 1 M. 1
†HASTINGS C.B. ...	–	1	–	–	3	–
Boroughs and Urban Districts:—						
†BEXHILL	–	1	–	–	–	–
†HOVE	–	4	–	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	–	–	–	–	G. 1
EAST GRINSTEAD	–	1	–	–	–	–
HAILSHAM ...	–	1	–	–	–	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST ...	–	4	2	–	1	G. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	2	–	–	–	–
†CHICHESTER ...	–	–	–	–	1	–
†LITTLEHAMPTON	–	1	–	–	–	–
SHOREHAM BY SEA	–	–	2	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	1	–	–	–	–
STEYNING WEST...	–	–	–	–	–	G. 1
WARWICK	–	107	33	–	78	C. 7 M. 14
†BIRMINGHAM C.B.	–	65	28	–	59	C. 6 M. 14
†COVENTRY C.B. ...	–	18	1	–	1	C. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	2	1	–	6	–
†ROYAL LEAMINGTON SPA	–	1	1	–	1	–
†RUGBY	–	–	–	–	1	–
†SUTTON COLDFIELD	–	–	–	–	1	–
†WARWICK ...	–	2	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	–	–	–	1	–
ATHERSTONE ...	–	1	–	–	3	–
FOLESHILL ...	–	1	–	–	–	–
MERIDEN... ...	–	–	–	–	1	–
NUNEATON ...	–	1	–	–	3	–
RUGBY	–	5	1	–	1	–
SOUTHAM... ...	–	10	–	–	–	–
TAMWORTH (part)	–	1	1	–	–	–
WESTMORLAND ...	–	6	–	–	8	–
Boroughs and Urban Districts:—						
APPLEBY... ...	–	1	–	–	2	–
†KENDAL	–	2	–	–	2	–
WESTMORLAND— *cont.*						
Rural Districts:—						
EAST WESTMORLAND	–	2	–	–	1	–
SOUTH WESTMORLAND	–	1	–	–	3	–
WIGHT, ISLE OF ...	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT ...	–	1	–	–	–	–
WILTS	–	14	7	1	5	–
Boroughs and Urban Districts:—						
†SALISBURY ...	–	–	3	–	–	–
†SWINDON... ...	–	5	2	–	1	–
†TROWBRIDGE ...	–	–	–	1	–	–
WARMINSTER ...	–	1	–	–	–	–
Rural Districts:—						
AMESBURY ...	–	–	–	–	1	–
CHIPPENHAM ...	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
DEVIZES	–	1	–	–	–	–
HIGHWORTH ...	–	1	–	–	–	–
PEWSEY	–	3	–	–	2	–
RAMSBURY ...	–	1	2	–	1	–
WORCESTER ...	–	9	1	–	9	M. 2
†WORCESTER C.B.	–	–	–	–	1	M. 1
Boroughs and Urban Districts:—						
†KIDDERMINSTER	–	–	–	–	2	–
†LYE AND WOLLESCOTE	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†OLDBURY... ...	–	2	–	–	–	–
†REDDITCH ...	–	1	–	–	2	–
†STOURBRIDGE ...	–	–	–	–	2	–
Rural Districts:—						
DROITWICH ...	–	1	–	–	–	–
EVESHAM... ...	–	–	1	–	–	–
FECKENHAM ...	–	1	–	–	–	–
HALESOWEN ...	–	3	–	–	–	–
MARTLEY... ...	–	1	–	–	1	–
UPTON ON SEVERN	–	–	–	–	1	–
YORKS ... ... (**East Riding**).	–	12	6	–	4	M. 2
†KINGSTON UPON HULL C.B.	–	8	6	–	3	M. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	1	–
†BRIDLINGTON ...	–	1	–	–	–	–
COTTINGHAM ...	–	2	–	–	–	–
FILEY	*	*	*	*	*	*
Rural Districts:—						
RICCALL	–	1	–	–	–	–
YORKS ... ... (**North Riding**).	4	37	4	1	7	M. 1
†MIDDLESBROUGH C.B.	4	21	–	–	7	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (**North Riding**)—*cont.*						
Boroughs and Urban Districts:—						
†ESTON	–	6	1	–	–	–
†REDCAR	–	1	–	–	–	–
RICHMOND ...	–	1	–	–	–	–
†SCARBOROUGH ...	–	2	2	–	–	–
†SKELTON AND BROTTON	–	–	1	–	–	–
Rural Districts:—						
FLAXTON... ...	–	1	–	–	–	–
MIDDLESBROUGH	–	1	–	–	–	–
REETH	–	–	–	1	–	–
RICHMOND ...	–	1	–	–	–	–
THIRSK	–	2	–	–	–	–
WATH	–	1	–	–	–	–
YORKS ... ... (**West Riding**).	2	160	60	2	139	C. 3 D. 1 L. 1 M. 14
†BARNSLEY C.B. ...	–	–	3	–	1	M. 2
†BRADFORD C.B. ...	–	17	5	–	11	D. 1
†DEWSBURY C.B....	–	9	–	–	–	–
†HALIFAX C.B. ...	–	1	2	–	1	–
†HUDDERSFIELD C.B.	–	4	1	–	3	–
†LEEDS C.B. ...	–	22	10	–	14	M. 2
†ROTHERHAM C.B.	–	5	–	–	4	–
†SHEFFIELD C.B....	1	30	7	–	55	C. 1 M. 6
†WAKEFIELD C.B.	–	3	1	–	2	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	1	–	–	–
ALTOFTS	–	1	2	–	–	–
BAILDON	–	2	–	–	–	–
†BATLEY	–	2	–	–	–	–
†BINGLEY	–	1	–	–	1	M. 1
BIRSTAL	–	1	–	–	–	–
†BOLTON UPON DEARNE	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†CASTLEFORD ...	–	5	–	–	–	–
CLAYTON WEST ...	–	–	1	–	–	–
CUDWORTH ...	–	–	3	–	–	–
DARFIELD ..	–	–	–	–	3	–
†DARTON	–	1	–	–	–	–
†DONCASTER ...	1	4	2	–	3	–
DRIGHLINGTON ...	–	1	–	–	–	–
†FEATHERSTONE ...	–	–	–	–	1	–
†GOLCAR	–	–	1	–	–	–
†GOOLE	–	1	–	–	–	–
†HARROGATE ...	–	1	–	–	2	M. 1
HEBDEN BRIDGE	–	1	–	1	1	–
†HEMSWORTH ...	–	–	1	–	1	–
†HOLMFIRTH ...	–	–	–	–	5	–
HORBURY ...	–	2	1	–	–	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	2	–	–	–	–
HOYLAND SWAINE	–	1	–	–	–	–
ILKLEY	–	–	1	–	–	–
KNOTTINGLEY ..	–	1	–	–	–	–
MARSDEN ...	–	1	–	–	–	–
MELTHAM ...	–	1	–	–	–	–
†MIRFIELD ...	–	–	–	–	3	–
†MORLEY	–	4	–	–	3	–
†NORMANTON ...	–	–	2	–	2	–
OAKWORTH ...	–	1	–	–	–	–
†OSSETT	–	1	–	–	–	–
OTLEY	–	–	–	–	1	–
PENISTONE ...	–	–	–	–	1	–
†RAWMARSH ...	–	1	–	–	1	–
ROTHWELL ...	–	3	–	–	–	–
†SADDLEWORTH ...	–	2	–	–	–	–
SHELF	–	1	–	–	1	–
†SHIPLEY... ...	–	2	–	–	–	–
SKELMANTHORPE	–	–	4	–	–	–
SOUTHOWRAM ...	–	–	–	–	1	–
†SPENBOROUGH ...	–	6	–	–	1	–
STAINLAND WITH OLD LINDLEY	–	–	–	–	1	–
STOCKSBRIDGE ...	–	–	–	–	3	–
†SWINTON	–	2	–	–	2	–
THURNSCOE ...	–	1	1	–	–	–
THURSTONLAND	–	–	1	–	–	–
TICKHILL ...	*	*	*	*	*	*
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†WATH UPON DEARNE	–	–	–	–	–	C. 1
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	–	3	3	–	–	–
†WORSBOROUGH ...	–	–	–	–	1	–
Rural Districts:—						
DONCASTER ...	–	–	–	–	4	–
HEMSWORTH ...	–	–	1	–	1	–
KIVETON PARK	–	1	1	–	–	–
PONTEFRACT ...	–	1	–	1	–	–
ROTHERHAM ...	–	1	–	–	–	M. 2
SELBY	–	2	–	–	2	–
SKIPTON	–	1	–	–	1	–
TADCASTER ...	–	2	–	–	–	–
TODMORDEN ...	–	1	–	–	–	–
WAKEFIELD ...	–	–	2	–	–	–
WETHERBY ...	–	2	3	–	1	–
WHARFEDALE (SOUTH)	–	–	–	–	–	L. 1
WORTLEY ...	–	–	–	–	1	–
§†YORK C.B. ...	–	5	1	–	1	–
WALES.						
ANGLESEY	–	4	–	–	–	–
Rural Districts:—						
AETHWY	–	3	–	–	–	–
VALLEY	–	1	–	–	–	–
BRECKNOCK ...	–	–	–	–	4	C. 1
Urban Districts:—						
BRYNMAWR ...	–	–	–	–	2	–
BUILTH WELLS ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK—*cont.*						
Rural Districts:—						
BUILTH	–	–	–	–	–	C. 1
YSTRADGYNLAIS	–	–	–	–	1	–
CARDIGAN	–	4	1	–	–	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	2	1	–	–	–
NEW QUAY ...	–	1	–	–	–	–
Rural Districts:—						
TREGARON ...	–	1	–	–	–	–
CARMARTHEN ...	–	7	4	–	3	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	–	–	2	–
BURRY PORT ...	–	–	–	–	1	–
LLANDILO ...	–	–	2	–	–	–
†LLANELLY ...	–	3	–	–	–	–
Rural Districts:—						
LLANDILO FAWR	–	–	1	–	–	–
LLANELLY ...	–	4	1	–	–	–
CARNARVON ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
LLANFAIRFECHAN	–	1	–	–	–	–
Rural Districts:—						
CONWAY	–	1	–	–	–	–
DENBIGH	–	5	1	–	6	G. 1 M. 1
Boroughs and Urban Districts:—						
DENBIGH... ...	–	–	–	–	1	–
†WREXHAM ...	–	1	1	–	–	M. 1
Rural Districts:—						
LLANSILIN ...	–	1	–	–	1	–
RUTHIN	–	–	–	–	1	–
ST. ASAPH (DENBIGH)	–	–	–	–	2	–
WREXHAM ...	–	3	–	–	1	G. 1
FLINT	–	–	2	–	7	–
Rural Districts:—						
HAWARDEN ...	–	–	–	–	1	–
HOLYWELL (HOLYWELL DIV.)	–	–	1	–	6	–
ST. ASAPH (FLINT)	–	–	1	–	–	–
GLAMORGAN ...	–	73	35	2	38	C. 1 G. 1 E. 1 M. 4
†CARDIFF C.B. ...	–	4	4	1	6	C. 1 G. 1 M. 2
†MERTHYR TYDFIL C.B.	–	–	4	–	2	–
†SWANSEA C.B. ...	–	18	11	–	2	E. 1 M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	6	–	–	4	–
†BARRY	–	4	–	–	–	M. 1
†CAERPHILLY ...	–	3	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GLYNCORWG ...	–	1	–	–	1	*
†MAESTEG ...	–	–	–	–	4	–
†MOUNTAIN ASH ...	–	6	–	–	4	–
†NEATH	–	–	5	–	–	–
†OGMORE AND GARW	–	8	–	–	3	–
†PENARTH ...	–	2	1	–	–	–
†PONTYPRIDD ...	–	–	–	–	1	–
PORTHCAWL ...	*	*	*	*	*	*
†PORT TALBOT ...	–	1	1	–	–	–
†RHONDDA ...	–	9	3	–	5	–
Rural Districts:—						
CARDIFF	–	1	1	–	2	–
COWBRIDGE ...	–	–	–	1	–	–
GOWER	–	–	1	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	2	–	–	–	–
NEATH	–	4	–	–	4	–
PENYBONT ...	–	–	1	–	–	–
PONTARDAWE ...	–	2	1	–	–	–
SWANSEA... ...	–	2	1	–	–	–
MERIONETH ...	–	2	1	–	–	–
Urban Districts:—						
FESTINIOG ...	–	2	1	–	–	–
MONMOUTH ...	1	16	14	1	7	G. 1
†NEWPORT C.B. ...	–	4	2	1	2	G. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	–	–	1	–	–	–
†ABERSYCHAN ...	–	–	2	–	–	–
†ABERTILLERY ...	1	1	4	–	1	–
†BEDWELLTY ...	–	1	1	–	–	–
MONMOUTH ...	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	2	–	–	3	–
†RISCA	–	–	2	–	–	–
†TREDEGAR ..	–	5	1	–	1	*
MONMOUTH—*cont.*						
Rural Districts:—						
MAGOR	–	1	–	–	–	–
PONTYPOOL ...	–	–	1	–	–	–
SAINT MELLONS	–	1	–	–	–	–
MONTGOMERY ...	–	4	1	–	3	–
Boroughs and Urban Districts:—						
LLANIDLOES ...	–	2	–	–	–	–
WELSHPOOL ...	–	1	–	–	–	–
Rural Districts:—						
FORDEN	–	–	–	–	1	–
LLANFYLLIN ...	–	1	1	–	2	–
PEMBROKE	–	2	1	–	–	M. 1
Boroughs and Urban Districts:—						
†PEMBROKE ...	–	2	–	–	–	–
TENBY	–	–	–	–	–	M. 1
Rural Districts:—						
ST. DOGMELLS ...	–	–	1	–	–	–
Total of Part II. ...	20	1525	632	48	949	C. 31 D. 4 E. 3 F. 3 G. 31 L. 8 M. 118

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H. Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CARDIFF	–	–	–	1	–	–	SOUTHAMPTON ...	–	1	–	–	–	–
LIVERPOOL	–	–	–	–	–	L. 1	PORT OF LONDON ...	–	–	–	–	2	J. 1
PLYMOUTH	–	–	–	–	2	–							
SANDWICH	*	*	*	*	*	*	**Total of Part III.—** ...	–	1	–	1	4	J. 1 L. 1

* Returns not received. † Population over 10,000.
C, Puerperal Fever ; D, Cerebro Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	174	204	8	106	C. 10 D. 3 E. 2 G. 2 J. 1 L. 1 M. 12
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	20	1525	632	48	949	C. 31 D. 4 E. 3 F. 3 G. 31 L. 8 M. 118
Total of Part III.—Port Sanitary Districts	–	1	–	1	4	J. 1 L. 1
Total (*i.e.*, of returns received), England and Wales ...	20	1700	836	57	1059	C. 41 D. 7 E. 5 F. 3 G. 33 J. 2 L. 10 M. 130

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis: G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague, or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 450, 451, 452, 454, 457, 461, 462, and 464.

ble 5.—LONDON and GREAT TOWNS in the AGGREGATE. } BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Jan. 27.	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.
NDON :—													
ATHS—all ages	1,119	1,087	1,001	977	1,063	1,074	1,104	1,098	1,162	1,082	1,094	1,126	1,016
„ 0 to 1 year ..	118	102	117	123	123	106	134	104	112	113	100	120	111
EAT TOWNS, aggregate (including London) :—													
RTHS	7,961	7,373	7,688	7,865	7,533	7,925	7,820	7,755	7,844	7,029	7,386	8,216	8,248
ATHS—all ages	4,842	4,742	4,648	4,446	4,849	4,868	4,667	4,882	4,953	4,991	4,735	4,971	4,540
„ 0 to 1 year ..	639	672	680	628	714	672	620	636	626	662	557	634	570
TERIC FEVER—Cases	19	23	30	22	18	18	15	13	18	15	16	26	22
„ Deaths	—	8	4	5	8	5	1	3	2	2	4	3	4
ALL POX—Cases ..	20	10	10	16	26	16	13	14	3	15	3	10	7
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
ARLET FEVER—Cases	1,246	1,297	1,147	1,125	1,062	1,152	1,085	1,007	1,071	907	905	797	952
„ Deaths	14	8	12	18	13	15	22	13	17	11	13	15	12
PHTHERIA—Cases ..	725	742	746	662	694	637	570	557	554	563	576	483	542
„ Deaths ..	55	62	52	51	38	43	36	43	54	43	37	36	37
ASLES—Deaths ..	72	73	71	84	79	95	95	108	111	117	105	86	86
LUENZA—Deaths ..	69	65	66	71	59	79	84	81	125	120	188	184	169

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 21st April, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
LDON	58	35	54·1	39·3	0·3	BRADFORD ..	53	33	47·0	36·7	3
(GREENWICH).						SHEFFIELD ..	54	35	48·0	37·3	1
GHTON ..	57	39	53·8	41·7	17	YORK (MUSEUM)	54	31	48·1	37·1	1
RTSMOUTH ..	59	39	53·4	41·7	8	HULL (PEARSON PARK).	55	33	49·0	37·7	1
WICH (SOUTHWELL LODGE).	58	35	51·2	38·3	0	TYNEMOUTH ..	51	36	46·0	39·0	2
MOUTH ..	55	39	53·4	44·0	23	CARDIFF	56	35	51·1	39·6	9
STOL (CLIFTON).	56	35	52·1	39·7	5	EDINBURGH ..	51·0	31·0	44·0	35·6	3
MINGHAM ..	54	34	50·1	37·0	1	GLASGOW ..	53·3	33·8	49·1	37·6	0
TTINGHAM ..	55	34	50·1	37·3	3	DUBLIN (PHŒNIX PARK).		Not	receive	d.	
RKENHEAD (BIDSTON).	54	35	50·7	47·6	0	FITZWILLIAM SQUARE.†	52·0	40·3	49·6	43·6	5
NCHESTER ..	56	34	51·1	37·6	0	BELFAST	56·2	42·8	55·5	44·8	12
NLEY	52	33	48·0	35·9	0·2						
DDERSFIELD	53	35	47·9	38·0	1						

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 21st April, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
APRIL.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY - 15	Apogee	29·345	57·5	35·5	22·2	46·7	− 0·1	39·9	6·8	15·3	1·2	77	120·9	30·1	46·5	S : SSE	SSE : SE.	1·2	0·0	0·1	227	− 62	0·00
MONDAY - 16	New	29·642	53·9	41·4	12·5	47·3	+ 0·1	42·4	4·9	8·5	1·8	83	87·8	34·8	46·5	Calm : ENE : E.	E : ENE : NE	1·6	0·0	0·2	255	− 36	0·00
TUESDAY - 17	..	29·929	52·9	40·1	12·8	45·4	− 2·2	35·7	9·7	14·9	4·0	69	127·8	39·0	46·5	NE.	NE : E : ESE.	0·6	0·0	0·1	203	− 89	0·00
WEDNESDAY 18	..	29·720	51·8	40·6	11·2	44·5	− 3·5	36·9	7·6	14·5	4·0	74	98·7	37·0	46·8	E : ENE	ESE : E.	1·2	0·0	0·1	229	− 63	0·00
THURSDAY - 19	..	29·508	50·1	39·6	10·5	44·4	− 3·9	39·0	5·4	9·3	4·5	81	78·9	35·1	46·8	E : ESE.	ESE : E : ENE.	1·2	0·0	0·1	229	− 64	0·00
FRIDAY - 20	..	29·497	58·0	39·7	18·3	47·2	− 1·3	41·1	6·1	13·5	1·8	79	118·0	34·9	46·9	NNE : NE.	ENE : NE.	3·0	0·0	0·2	346	+ 54	0·00
SATURDAY - 21	Greatest Declination N.	29·359	54·5	37·8	16·7	45·8	− 2·9	36·2	9·6	16·9	4·1	69	100·3	33·0	46·9	NE : NNE.	NE : NNE.	3·0	0·0	0·4	471	+ 180	0·00
MEANS -	..	29·571	54·1	39·2	14·9	45·9	− 2·0	38·7	7·2	13·3	3·1	76	104·6	34·8	46·7	NE		..	..	..	Sum 1,960	Sum − 80	Sum 0·00
No. of COLUMN	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. APRIL.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	15	mP to wP	7·8	13·7	Nearly cloudless till 8h., then partially cloudy becoming nearly overcast by 12h. Dew in morning. Occasional slight rain between 18h. and 21h.
MONDAY ..	16	mP	0·2	13·8	Nearly overcast throughout, with nearly cloudless interval 19h. till 20¼h. Slight rain 6¼h. till 7h. Dew in evening.
TUESDAY ..	17	sP to mP	5·2	13·9	Nearly overcast throughout.
WEDNESDAY	18	mP	1·2	13·9	Overcast till 12h., then nearly overcast, clearing to partially cloudy by 18½h. Overcast from 22h.
THURSDAY	19	mP	0·0	14·0	Nearly overcast till 20h., with cloudless interval about 3h. Clearing rapidly to nearly cloudless by 21h.. becoming overcast by 22h. Slight damping between 9h. and 12h.
FRIDAY ..	20	sP	2·8	14·1	Overcast till 11h. ; then variably cloudy till 15h. Nearly overcast till 22h. ; nearly cloudless afterwards.
SATURDAY	21	mP	4·4	14·1	Nearly overcast till 22h., becoming nearly cloudless by 23h. Brisk wind 7h. till 18h. Rain 22¼h.
			Sum 21·6	Sum 97·5	
No. of Col. ..		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea ; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive ; N. negative ; w. weak ; m. moderate ; s. strong ; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·33 in. at the beginning of the week to 29·94 in. by 13h. on 17th. ; decreased generally to 29·31 in. by 18h. on 21st. ; and increased to 29·32 in. by midnight on the same day.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS,
11-17, Hare Street, E.2

(41907) Wt. 15-P 11 2990 4/23 H.S. G.43

FOR OFFICIAL USE.

1923. No. 17.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 28TH APRIL, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 28TH APRIL, 1923.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the seventeenth week of the year numbered 7,591 and corresponded to an annual rate of 20·6 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,686 and corresponded to an annual rate of 12·7 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 12·9, 13·5 and 12·3. Infant mortality was 72 per 1,000 births against 75, 77, and 69 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,720 births, corresponding to a rate of 19·8 per 1,000, and 1,043 deaths of civilians, corresponding to a rate of 12·0, as against 12·6, 12·9 and 11·7, for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 12·3 per 1,000. The infant mortality was 61 as against 55, 60 and 56 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 146 in the total deaths last week, but the deaths from influenza fell from 169 to 143. In London the number of deaths from all causes rose from 1,016 to 1,043; while the deaths from diphtheria, which had been 15, 17 and 11 in the preceding three weeks, rose to 13 last week, and those from influenza, which had been 56, 36 and 26 in the three preceding weeks, fell further to 24 last week.

Just Published:

Census of England and Wales, 1921. County of London. Tables (Part II). Price 8*s*. net.

Census of England and Wales, 1921. County of London. Text. Price 1*s*. 6*d*. net.

Census of England and Wales, 1921. County of Middlesex. Price 10*s*. net

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 28th April, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	7,591	4,686	548	1	69	16	62	40	52	143
London	4,534,230*	1,720	1,043	105	–	4	3	10	13	14	24
Towns in Outer Ring.											
Croydon C.B. ..	192,300	59	33	3	–	–	–	–	–	–	–
Wimbledon ..	61,730	16	11	1	–	–	–	–	1	–	–
Ealing	67,890	26	12	3	–	–	–	–	–	–	1
Acton	62,390	19	12	1	–	–	–	–	–	–	–
Willesden ..	168,200	53	28	1	–	–	1	–	–	–	2
Hendon	55,930	16	8	–	–	–	–	1	–	–	–
Hornsey	87,310	31	11	–	–	–	–	–	–	–	1
Wood Green ..	51,290	16	13	3	–	–	–	–	1	–	1
Tottenham ..	150,500	50	23	3	–	–	–	3	–	–	1
Edmonton ..	68,700	26	13	1	–	–	–	1	–	–	–
Enfield	62,010	27	11	1	–	–	–	–	–	–	1
West Ham C.B. ..	310,200	139	83	13	–	–	–	–	2	–	1
East Ham C.B. ..	145,800	47	29	3	–	–	1	–	–	1	–
Leyton	131,600	38	23	–	–	–	–	–	–	–	–
Walthamstow ..	129,700	53	24	2	–	–	–	–	–	–	1
Ilford	86,370	28	23	2	–	–	–	–	1	–	–
Gillingham	48,630*	26	7	–	–	–	–	–	1	–	–
Canterbury C.B. ..	23,680	10	–	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	20	15	1	–	–	–	–	–	–	4
Eastbourne C.B. ..	53,700	19	12	–	–	–	–	–	–	–	–
Brighton C.B. ..	135,000	47	36	4	–	–	–	1	1	–	–
Portsmouth C.B. ..	236,630*	96	38	5	–	4	–	–	2	–	–
Bournemouth C.B. ..	81,500	27	25	2	–	–	–	–	–	–	1
Southampton C.B. ..	163,700	74	46	5	–	3	–	2	2	–	1
Reading C.B.	92,990	22	13	–	–	–	–	–	–	–	1
Oxford C.B.	56,510	24	12	1	–	–	1	–	–	–	1
Northampton C.B. ..	92,950	35	19	2	–	–	–	–	1	–	–
Luton	58,260	24	11	3	–	–	–	–	–	–	–
Cambridge	59,200	17	17	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	91,430	32	14	–	–	–	–	1	–	–	–
Ipswich C.B.	80,950	30	14	–	–	–	–	–	–	–	1
Great Yarmouth C.B.	56,700	21	16	–	–	–	–	–	–	–	–
Norwich C.B. ..	122,900	44	23	4	–	2	–	1	–	–	–
Swindon	55,680	14	9	1	–	–	–	–	–	–	–
Exeter C.B.	59,700	28	11	2	–	–	–	–	–	–	–
Plymouth C.B. ..	200,370*	93	44	2	–	–	–	–	–	1	3
Bath C.B.	68,530	17	26	–	–	–	–	1	–	–	–
Bristol C.B.	383,900	163	78	11	–	2	1	5	–	–	–
Gloucester C.B. ..	52,210	28	10	1	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	274,300	134	59	15	–	–	–	–	–	–	–
Burton-upon-Trent C.B.	49,630	24	12	2	–	–	–	–	–	–	–
Wolverhampton C.B.	105,700	37	33	3	–	–	–	–	–	–	1
Walsall C.B.	99,890	49	14	–	–	3	–	–	–	–	–
West Bromwich C.B.	76,260	30	20	3	–	–	–	–	1	1	1
Dudley C.B.	57,860	24	15	2	–	–	–	–	–	–	–
Worcester C.B. ..	49,240	17	20	1	–	–	–	–	–	–	1
Birmingham C.B. ..	945,100	382	227	28	–	11	1	–	4	3	15
Smethwick C.B. ..	78,140	26	13	1	–	1	1	–	–	–	1
Coventry C.B. ..	131,200	51	37	2	–	–	–	–	–	–	2
Leicester C.B. ..	238,800	85	44	3	–	2	–	–	–	–	–
Lincoln C.B.	66,930	16	13	1	–	–	–	–	–	–	–
Grimsby C.B.	84,650	31	18	4	–	–	–	–	–	–	–
Nottingham C.B. ..	267,900	89	74	10	1	–	–	–	1	2	–
Derby C.B.	132,400	46	31	3	–	–	–	1	–	–	2
Chesterfield ..	63,380	32	21	4	–	–	–	–	–	–	1
Stockport C.B. ..	125,800	52	42	4	–	–	–	–	1	–	3
Chester C.B.	41,190	15	7	1	–	–	–	–	–	–	–
Birkenhead C.B. ..	149,200	66	26	2	–	–	–	–	–	–	–
Wallasey C.B. ..	89,790	25	30	1	–	–	–	1	–	–	–
Liverpool C.B. ..	826,400	413	236	50	–	8	–	6	1	10	2
Bootle C.B.	79,750	40	33	4	–	–	–	1	–	1	–
St. Helens C.B. ..	106,400	43	24	7	–	–	–	–	1	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	19	26	3	–	1	–	–	–	–	1
WIGAN C.B.	91,750	36	38	4	–	–	–	–	–	1	4
WARRINGTON C.B. ..	79,150	32	18	1	–	–	–	1	–	–	1
BOLTON C.B.	182,700	63	51	3	–	–	–	–	–	–	7
BURY C.B.	57,400	19	17	–	–	–	–	–	–	–	2
MANCHESTER C.B. ..	748,500	290	273	34	–	3	1	10	–	8	15
SALFORD C.B.	240,700	101	79	5	–	–	–	2	–	2	5
OLDHAM C.B.	148,300	40	65	8	–	–	–	–	–	–	5
ROCHDALE C.B... ..	92,510	31	30	1	–	–	1	–	–	–	–
BURNLEY C.B.	105,100	30	29	3	–	–	–	–	1	–	2
BLACKBURN C.B. ..	129,600	51	28	2	–	–	–	–	–	–	–
PRESTON C.B.	120,900	49	31	4	–	–	–	–	–	–	–
BLACKPOOL C.B. ..	74,050	27	13	1	–	1	–	–	–	–	–
BARROW-IN-FURNESS C.B.	75,690	40	19	3	–	–	–	–	–	–	2
HUDDERSFIELD C.B. ..	111,600	27	28	5	–	–	–	–	–	1	1
HALIFAX C.B.	100,500	31	32	4	–	–	–	–	–	–	1
BRADFORD C.B. ..	291,300	97	84	1	–	3	1	–	–	–	1
LEEDS C.B.	466,700	159	103	12	–	–	–	–	–	3	6
DEWSBURY C.B. ..	55,170	17	12	–	–	1	–	–	–	–	1
WAKEFIELD C.B. ..	53,840	25	12	4	–	–	–	–	–	1	–
BARNSLEY C.B. ..	69,540	36	22	10	–	–	–	–	–	–	2
SHEFFIELD C.B. ..	522,600	193	128	20	–	–	1	6	–	–	4
ROTHERHAM C.B. ..	69,840	26	21	3	–	–	–	–	–	–	2
DONCASTER	55,020	19	12	4	–	–	–	–	–	–	–
YORK C.B.	84,980	37	12	–	–	–	–	–	–	–	1
HULL C.B.	294,000	157	70	11	–	–	–	–	–	1	–
MIDDLESBROUGH C.B.	134,800	77	29	6	–	–	–	–	2	–	–
DARLINGTON C.B. ..	66,710	22	19	2	–	–	–	–	1	–	–
STOCKTON-ON-TEES ..	65,950	39	9	–	–	–	–	–	–	–	–
WEST HARTLEPOOL C.B.	70,020	35	12	–	–	–	–	–	–	–	–
SUNDERLAND C.B. ..	162,900	73	46	5	–	–	–	3	–	–	–
SOUTH SHIELDS C.B. ..	122,400	57	34	6	–	–	1	2	–	–	1
GATESHEAD C.B. ..	127,300	75	33	6	–	3	–	–	–	–	–
NEWCASTLE-ON-TYNE C.B.	281,600	161	86	15	–	8	–	1	–	–	–
TYNEMOUTH C.B. ..	64,640	33	16	4	–	2	–	1	–	–	–
CARLISLE C.B.	53,490	28	21	1	–	2	–	–	–	–	2
NEWPORT (MON.) C.B.	94,880	48	14	–	–	–	–	–	1	–	–
CARDIFF C.B.	223,830	104	51	2	–	–	–	–	–	1	–
RHONDDA	167,500	64	33	8	–	4	–	1	–	1	–
MERTHYR TYDFIL C.B.	82,680	33	19	2	–	1	–	–	–	–	–
ABERDARE	56,580	23	14	3	–	–	2	–	–	–	–
SWANSEA C.B.	161,000	65	52	5	–	–	–	–	1	–	3
GREATER LONDON ..	7,563,730*	2,747	1,608	160	–	5	6	17	22	18	41
OUTER RING	3,029,500*	1,027	565	55	–	1	3	7	9	4	17
16 GREAT TOWNS IN OUTER RING	1,831,920	644	357	37	–	–	2	5	5	1	9
REMAINDER OF OUTER RING	1,197,580*	383	208	18	–	1	1	2	4	3	8
EDINBURGH†	426,000	189	122	16	–	3	3	–	1	–	5
GLASGOW†	1,041,300	535	306	48	2	13	1	4	1	3	–
DUBLIN (REGISTRATION AREA)†	431,000	173	122	19	1	–	–	4	–	–	3
BELFAST†	429,000	228	125	28	–	1	–	9	–	2	4

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. Births and Deaths for last available period.

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).
London‡	4,534,230	1923. April 28	1720	1043	12·0	–	–	4	3	10	13	14
Calcutta	896,067	March 17	–	533§	30·5	?	7	?	?	?	?	?
Bombay	1,220,120	„ 24	361‖	911§	38·8	1	18	9	?	–	–	41
Madras	526,911	„ 17	459	395	39·0	–	5	1	?	–	–	34
Sydney and Suburbs	955,700	March										
Brisbane (Metropolitan Area).	217,714	Feb.										
Perth (Metropolitan Area).	155,939	March 3	77	24	8·0	3	–	–	–	–	–	2
Auckland (Urban Area).	164,450	Feb.										
Wellington (Urban Area).	110,680	„										
Christchurch (Urban Area).	110,200	„										
Cape Town	104,400	March 10	49	13	6·5	–	–	–	–	–	–	–
Johannesburg	153,825	„ 17	72	35	11·8	1	–	–	–	–	1	4
Durban	49,043	„ 17	30	14	14·8	–	1	–	–	–	–	–
Paris	2,906,472	April 10 (10 days)										
Antwerp	300,348	Feb. 3	119	79	11·4	–	–	1	1	–	–	6
		„ 10	115	74	11·6	–	–	–	–	–	–	1
Amsterdam	698,480	April 7	285	131	9·8	1	–	1	–	2	1	1
Copenhagen	565,000	„ 14	213	124	11·5	–	–	1	–	2	1	–
Stockholm	424,944	„ 7	118	94	11·5	–	–	–	1	–	–	–
Gothenburg	227,686	March 24										
Christiania	258,933	April 14	92	65	13·0	–	–	1	–	–	–	–
Berlin	1,981,000	March 17	417	629	16·5	–	?	8	–	–	2	7
Breslau	558,000	„ 17	204	196	18·3	–	?	2	–	2	1	7
Cologne	694,000	„ 17	254	196	14·7	1	?	6	–	1	2	5
Dresden	610,000	„ 17	179	167	14·2	–	?	–	–	–	1	–
Frankfort-on-Main..	477,000	„ 17	137	103	11·2	–	?	–	–	–	2	–
Hamburg	1,085,000	„ 17	343	306	14·7	–	?	10	1	3	2	7
Leipzig	677,000	„ 17	223	160	12·3	1	?	–	–	–	–	2
Munich	685,000	„ 17	221	187	14·2	–	?	1	–	1	2	5
Vienna	1,841,326	Feb. 24	637	587	16·6	–	–	3	1	3	3	9
Prague and Suburbs	697,111	Jan. 31 (16 days)	553	482	15·8	–	–	–	3	1	1	15
Budapest	945,717	Feb. 3	324	370	20·3	6	–	2	5	2	6	9
		„ 10	390	354	19·5	3	–	3	5	3	1	5
Warsaw	956,087	March 10	276	289	15·7	2	–	2	5	3	–	9
Cairo	791,000	Jan. 14										
Alexandria	466,700	„ 14										
New York	5,927,617	March 24	2472	1567	13·8	1	–	4	4	2	10	19
Chicago	2,885,921	„ 24	?	756	13·7	–	–	8	2	5	3	23
Rio de Janeiro ..	1,269,046	„ 3	584	496	20·4	2	4	5	–	12	–	?
Montevideo	349,768	Jan. 20	227	124	21·8	2	–	2	–	–	1	9
		„ 27	194	175	19·2	2	–	6	–	–	1	16

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 year of *age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 18 deaths from *Asiatic Cholera* in Calcutta, and 1 in Madras, and from *Plague*, 131 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 28th April, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1043	105	27	24	29	40	46	78	124	167	187	216
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	4	3	–	1	–	–	–	–	–	–	–	–
Scarlet fever	3	–	–	1	1	1	–	–	–	–	–	–
Whooping cough	10	6	2	1	–	1	–	–	–	–	–	–
Diphtheria	13	1	2	7	3	–	–	–	–	–	–	–
Influenza	24	–	–	–	3	1	1	4	1	4	4	6
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	2	–	1	–	–	–	–	–	1	–	–	–
Meningococcal meningitis	2	2	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	78	–	1	–	1	17	17	15	14	8	4	1
Nervous system..	10	2	3	2	3	–	–	–	–	–	–	–
Intestines and peritoneum	2	–	1	–	–	–	–	–	–	1	–	–
Other forms	11	1	1	–	–	4	–	1	–	2	1	1
Venereal diseases	3	1	–	–	–	–	–	1	–	–	1	–
Cancer	116	–	–	–	–	–	2	16	26	36	26	10
Rheumatic fever	8	–	–	–	6	–	–	1	1	–	–	–
Diabetes	13	–	–	–	–	–	–	–	3	4	2	4
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	5	1	–	2	–	–	–	–	2	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	50	–	–	–	–	–	1	3	3	11	15	17
Epilepsy	5	–	–	–	1	2	–	2	–	–	–	–
"Convulsions" (not puerperal) ..	3	3	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	26	–	1	1	1	–	1	5	8	4	1	4
Pericarditis	2	–	–	–	–	–	–	1	–	–	1	–
Acute endocarditis	13	–	–	–	2	3	2	2	1	2	–	1
Other diseases of heart	134	–	–	–	1	3	1	–	20	28	39	42
Other diseases of circulatory system	41	–	–	–	–	–	–	1	3	7	14	16
Bronchitis	87	5	–	–	–	–	–	3	6	13	23	37
Broncho-pneumonia	47	13	9	4	2	1	–	1	–	4	5	8
Lobar-pneumonia	20	–	1	–	1	2	2	2	1	6	4	1
Pneumonia (type not distinguished) ..	15	1	–	2	–	1	–	1	2	3	2	3
Other diseases of respiratory system	17	–	–	–	–	–	–	1	3	1	4	8
Diarrhœa and enteritis	15	13	1	–	–	–	–	–	–	–	1	–
Appendicitis, Typhlitis	8	–	–	–	–	1	3	–	1	3	–	–
Hernia, Intestinal obstruction	9	–	–	–	–	–	–	1	1	2	1	4
Cirrhosis of liver	7	–	–	–	–	–	1	–	–	2	3	1
Other diseases of digestive system ..	27	1	1	1	1	1	1	3	4	5	6	3
Acute nephritis	5	1	–	–	1	–	1	1	–	1	–	–
Chronic Bright's disease	23	–	–	–	1	–	1	3	7	4	3	4
Other diseases of genito-urinary system.	16	–	–	–	–	–	1	–	3	2	6	4
Puerperal sepsis	2	–	–	–	–	–	1	1	–	–	–	–
Other causes incident to childbirth ..	3	–	–	–	–	–	2	1	–	–	–	–
Congenital malformations	6	4	2	–	–	–	–	–	–	–	–	–
Premature birth	28	28	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	7	7	–	–	–	–	–	–	–	–	–	–
Old age..	41	–	–	–	–	–	–	–	–	1	8	32
Suicide	13	–	–	–	–	–	2	2	4	3	2	–
Burns and scalds	1	–	–	–	–	–	–	1	–	–	–	–
Drowning	3	–	–	1	1	–	–	1	–	–	–	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	4	–	–	1	–	–	–	–	1	–	1	1
Other deaths by violence	15	1	–	–	–	–	1	2	3	5	–	3
Other specified causes	44	10	1	–	–	2	5	2	5	5	9	5
Ill-defined causes	1	–	–	–	–	–	–	–	–	–	1	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 28th April, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	170	181	6	106	C. 6 D 5 E. 1 G. 2 M. 9
Metropolitan Boroughs :—						
†BATTERSEA ...	–	8	9	–	2	G. 1
†BERMONDSEY ...	–	4	9	–	1	–
†BETHNAL GREEN	–	–	10	–	7	G. 1
†CAMBERWELL ...	–	11	13	–	–	–
†CHELSEA	–	3	2	–	1	M. 1
†DEPTFORD ...	–	4	11	–	2	–
†FINSBURY ...	–	2	2	–	1	C. 1
†FULHAM	–	14	7	–	4	–
†GREENWICH ...	–	2	2	1	5	–
†HACKNEY ...	–	6	11	–	1	C. 1
†HAMMERSMITH ...	–	3	7	–	1	M. 1
†HAMPSTEAD ...	–	4	2	–	3	–
†HOLBORN... ...	–	9	5	–	1	–
†ISLINGTON ...	–	18	13	1	8	–

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	4	1	–	6	C. 1 D. 1
†LAMBETH ...	–	11	10	–	3	–
†LEWISHAM ...	–	13	6	–	1	M. 1
†PADDINGTON ...	–	4	5	–	8	–
†POPLAR	–	3	7	–	3	D. 1 M. 1
†ST. MARYLEBONE	–	–	6	–	1	–
†ST. PANCRAS ...	–	8	6	–	8	C. 1
†SHOREDITCH ...	–	7	3	–	9	M. 1
†SOUTHWARK ...		6	8	1	5	C. 1 D. 1 M. 1
†STEPNEY	–	6	7	–	8	D. 1 M. 3
†STOKE NEWINGTON	–	1	3	–	–	–
†WANDSWORTH ...	–	10	5	2	9	E. 1
†WESTMINSTER, CITY OF	–	4	4	1	1	C. 1
†WOOLWICH ...	–	5	7	–	7	D. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; J. Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	2	1	–	2	–
Boroughs and Urban Districts:—						
†BEDFORD ...	–	–	–	–	2	–
DUNSTABLE ...	–	–	1	–	–	–
LEIGHTON BUZZARD	–	1	–	–	–	–
†LUTON	–	1	–	–	–	–
BERKS	–	15	7	–	4	C. 1
†READING C.B. ...	–	8	2	–	1	–
Boroughs and Urban District:—						
ABINGDON ...	–	2	1	–	–	–
†NEW WINDSOR	–	1	–	–	–	–
WOKINGHAM ...	–	–	1	–	–	–
Rural Districts:—						
ABINGDON ...	–	–	1	–	–	–
BRADFIELD ...	–	1	–	–	3	–
EASTHAMPSTEAD	–	2	1	–	–	–
FARINGDON (PART)	–	–	1	–	–	–
WANTAGE ...	–	–	–	–	–	C. 1
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	11	7	1	–	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	3	–	1	–	–
†CHEPPING WYCOMBE ...	–	1	4	–	–	–
†SLOUGH	–	–	1	–	–	–
Rural Districts:—						
AYLESBURY ...	–	5	–	–	–	–
ETON	–	–	1	–	–	–
WYCOMBE ...	–	2	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	1	1	–	–	–
Rural Districts:—						
MELBOURN ...	–	1	–	–	–	–
NEWMARKET ...	–	–	1	–	–	–
CHESTER	–	45	11	–	25	C. 5 G. 1 M. 3
†BIRKENHEAD C.B.	–	4	2	–	4	C. 1 G. 1 M. 2
†CHESTER C.B. ...	–	–	–	–	3	–
†STOCKPORT C.B.	–	2	–	–	2	M. 1
†WALLASEY C.B. ...	–	1	1	–	2	C. 1
Boroughs and Urban Districts:—						
†BEBINGTON AND BROMBOROUGH	–	1	–	–	1	–
BREDBURY AND ROMILEY	–	–	–	–	1	–
†CHEADLE AND GATLEY	–	–	–	–	2	–
†CONGLETON ...	–	5	–	–	1	–
†CREWE	–	1	–	–	1	–
†DUKINFIELD ...	–	5	–	–	1	–
HALE	*	*	*	*	*	*
†HOYLAKE AND WEST KIRBY	–	2	1	–	–	–
†HYDE	–	1	2	–	3	C. 1
LYMM	–	1	–	–	–	–
†MACCLESFIELD ...	–	2	–	–	1	C. 1
NESTON AND PARKGATE	–	–	1	–	–	–
†RUNCORN... ...	–	1	–	–	1	–
WILMSLOW ...	–	1	–	–	–	–
†WINSFORD ...	–	2	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	1	–	–	–	–
CHESTER	–	1	–	–	–	–
CONGLETON ...	–	2	1	–	–	–
MACCLESFIELD ...	–	3	–	–	1	C. 1
MALPAS	–	1	–	–	–	–
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...	–	3	2	–	–	–
RUNCORN... ...	–	1	1	–	1	–
WIRRAL	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	4	6	–	–	G. 1
Boroughs and Urban Districts:—						
WADEBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
CALSTOCK ...	–	2	2	–	–	–
REDRUTH ...	–	–	1	–	–	–
SAINT GERMANS	–	–	3	–	–	G. 1
WEST PENWITH	–	1	–	–	–	–
CUMBERLAND ...	–	10	4	–	3	–
†CARLISLE C.B. ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	*	*	*	*	*	*
ASPATRIA ...	–	–	–	–	1	–
†COCKERMOUTH ...	–	2	–	–	–	–
†MARYPORT ...	–	–	2	–	–	–
†WHITEHAVEN ..	–	1	–	–	1	–
†WORKINGTON ...	–	4	1	–	–	–
Rural Districts:—						
ALSTON WITH GARRIGILL	–	–	–	–	1	–
BRAMPTON ...	–	1	–	–	–	–
LONGTOWN ...	*	*	*	*	*	*
DERBY	12	30	2	–	25	C. 1
†DERBY C.B. ...	–	9	–	–	6	C. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	1	–	–	–	–	–
†BOLSOVER ...	–	–	–	–	1	–
†CHESTERFIELD ...	–	1	–	–	–	–
DRONFIELD ...	–	1	–	–	–	–
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GLOSSOP	–	–	1	–	1	–
†HEANOR	5	1	–	–	1	–
†ILKESTON ...	1	–	–	–	–	–
†LONG EATON ...	–	5	1	–	1	–
MATLOCK BATH AND SCARTHIN NICK	*	*	*	*	*	*
†RIPLEY	–	–	–	–	9	–
†SWADLINCOTE DISTRICT	–	–	–	–	1	–
Rural Districts:—						
ASHBOURNE ...	–	2	–	–	–	–
BAKEWELL ...	–	1	–	–	–	–
BELPER	–	1	–	–	2	–
BLACKWELL ...	–	3	–	–	1	–
CHESTERFIELD ..	–	3	–	–	1	–
CLOWNE	5	–	–	–	–	–
CODNOR PARK AND SHIPLEY (Parishes) ...	–	1	–	–	–	–
NORTON	–	–	–	–	1	–
SHARDLOW ...	–	2	–	–	–	–
DEVON	–	15	6	1	7	G. 2 M. 2
†EXETER C.B. ...	–	–	–	1	–	G. 1 M. 1
†PLYMOUTH C.B....	–	1	4	–	5	G. 1
Boroughs and Urban Districts:—						
†EXMOUTH ...	–	1	–	–	–	–
HONITON	–	1	–	–	–	–
†NEWTON ABBOT...	–	2	–	–	–	–
OTTERY ST. MARY	–	1	–	–	–	–
†PAIGNTON ...	–	–	–	–	1	–
†TORQUAY ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; [illegible] encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
KINGSBRIDGE ...	–	1	–	–	–	–
NEWTON ABBOT...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	4	1	–	–	–
ST. THOMAS ...	–	–	–	–	–	M. 1
TAVISTOCK ...	–	1	–	–	–	–
TIVERTON ..	–	–	1	–	–	–
DORSET	–	1	1	–	1	C. 1 G. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	–	1	–	–	–
SWANAGE ...	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	1	–
Rural Districts:—						
WAREHAM AND PURBECK	–	–	–	–	–	G. 1
WEYMOUTH ...	–	–	–	–	–	C. 1
DURHAM	–	95	24	1	41	C. 1 G. 1 M. 8
†DARLINGTON C.B.	–	–	1	–	4	M. 1
†GATESHEAD C.B.	–	4	1	–	4	C. 1
†SOUTH SHIELDS C.B.	–	6	3	–	8	M. 1
†SUNDERLAND C.B.	–	7	2	–	6	G. 1 M. 1
†WEST HARTLEPOOL C.B.	–	4	–	–	1	M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	1	–	–	–
BILLINGHAM ...	–	1	–	–	–	–
†BISHOP AUCKLAND	–	1	–	–	–	–
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BLAYDON... ...	–	1	–	–	–	M. 2
†BRANDON AND BYSHOTTLES	–	1	–	–	–	–
†CHESTER LE STREET	–	2	–	1	–	–
†CONSETT	–	–	1	–	–	–
†CROOK	–	1	2	–	1	–
†FELLING	–	1	1	–	1	–
†HEBBURN ...	–	6	–	–	3	–
†HETTON	–	10	1	–	2	–
†HOUGHTON LE SPRING	–	–	1	–	2	–
†JARROW	–	7	–	–	2	–
†RYTON	–	–	1	–	–	–
†SOUTHWICK ON WEAR	–	2	–	–	1	–
†STANLEY	–	8	–	–	–	–
†STOCKTON ON TEES	–	2	2	–	–	M. 1
†TANFIELD ...	–	1	–	–	–	–
†WASHINGTON ...	–	1	–	–	–	–
†WHICKHAM ...	–	1	1	–	–	–
Rural Districts:—						
AUCKLAND ...	–	4	–	–	–	–
CHESTER LE STREET	–	6	1	–	–	–
DARLINGTON ...	*	*	*	*	*	*
DURHAM	–	3	–	–	–	–
EASINGTON ...	–	5	2	–	1	–
HOUGHTON LE SPRING	–	2	–	–	2	–
LANCHESTER ...	–	3	2	–	1	–
SEDGEFIELD ...	–	2	1	–	1	–
SOUTH SHIELDS...	–	1	–	–	–	–
SUNDERLAND ...	–	1	–	–	–	M. 1
WEARDALE ...	–	–	–	–	1	–
ESSEX	–	29	46	1	12	C. 3 G. 1 M. 3
†EAST HAM C.B. ...	–	6	2	–	–	M. 1
†SOUTHEND-ON-SEA C.B.	–	2	–	–	–	C. 1
†WEST HAM C.B. ...	–	5	15	1	4	C. 1 M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	1	–	1	–
†CHELMSFORD ...	*	*	*	*	*	*
†COLCHESTER ...	–	–	3	–	1	–
HALSTEAD ...	–	–	–	–	1	–
†ILFORD	–	3	5	–	–	–
†LEYTON	–	–	3	–	–	C. 1
MALDON	–	–	–	–	1	–
SHOEBURYNESS ...	–	1	4	–	–	–
TILBURY	–	1	–	–	–	–
†WALTHAMSTOW ...	–	5	8	–	3	M. 1
WALTON ON THE NAZE	*	*	*	*	*	*
†WANSTEAD ...	–	1	–	–	–	–
†WOODFORD ...	–	1	1	–	–	–
Rural Districts:—						
BELCHAMP ...	*	*	*	*	*	*
BILLERICAY ...	–	1	–	–	–	–
BRAINTREE ...	–	2	2	–	–	–
CHELMSFORD ...	–	–	–	–	–	G. 1
DUNMOW ...	–	–	1	–	1	–
HALSTED... ...	–	–	1	–	–	–
ONGAR	–	1	–	–	–	–
GLOUCESTER ...	4	36	18	–	10	–
†BRISTOL C.B. ...	–	23	12	–	7	–
†GLOUCESTER C.B.	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	1	2	1	–	–	–
CIRENCESTER ...	–	–	–	–	1	–
STROUD	–	1	–	–	–	–
TETBURY... ...	–	–	1	–	–	–
Rural Districts:—						
CIRENCESTER ...	1	–	–	–	–	–
EAST DEAN AND UNITED PARISHES ...	–	6	–	–	2	–
GLOUCESTER—*cont.*						
Rural Districts:— *cont.*						
GLOUCESTER ...	1	1	–	–	–	–
LYDNEY	–	–	1	–	–	–
TETBURY (part)	1	–	–	–	–	–
WARMLEY ...	–	2	–	–	–	–
WEST DEAN ...	–	–	1	–	–	–
HEREFORD ...	–	4	4	1	2	C. 1 G. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	3	–	1	G. 1
LEOMINSTER ...	–	1	–	–	–	–
Rural Districts:—						
HEREFORD ...	–	–	–	–	–	C. 1
LEDBURY... ...	–	2	–	–	–	–
ROSS	–	–	–	1	–	–
WEOBLEY ...	–	–	1	–	1	–
WIGMORE ...	–	1	–	–	–	–
HERTFORD ..	–	10	3	1	4	L. 1 M. 1
Boroughs and Urban Districts:—						
BALDOCK ...	–	–	–	–	2	–
†BARNET	–	2	–	–	–	–
HARPENDEN ...	–	–	1	–	–	–
†LETCHWORTH ...	–	–	–	–	1	–
†ST. ALBANS ...	–	1	–	–	1	–
STEVENAGE ...	–	–	–	1	–	–
†WATFORD ...	–	1	–	–	–	–
Rural Districts:—						
BERKHAMPSTEAD	–	1	–	–	–	–
HATFIED... ...	–	1	1	–	–	–
HERTFORD ...	–	–	1	–	–	–
HITCHIN... ...	–	1	–	–	–	–
ST. ALBANS ...	–	–	–	–	–	M. 1
WATFORD ...	–	3	–	–	–	L. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	2	–	–	–	–
OLD FLETTON ...	–	1	–	–	–	–
Rural Districts:—						
ST. NEOTS, No. 3 ..	–	1	–	–	–	–
THRAPSTON (part)	–	1	–	–	–	–
KENT	–	23	15	4	10	C. 2 M. 3
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	–	–	–	1	–
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	–	–
†BROMLEY ...	–	1	–	–	3	–
CHERITON ...	–	2	–	–	–	–
CHISLEHURST ...	–	1	–	–	–	–
†DARTFORD ...	–	–	–	–	–	M. 1
†DOVER	–	1	–	–	–	–
†ERITH	–	3	–	–	–	–
†FAVERSHAM ...	–	1	–	–	–	–
†FOLKESTONE ...	–	1	–	–	–	–
†GILLINGHAM ...	–	5	3	–	–	–
†MAIDSTONE ...	–	–	6	–	–	–
†MARGATE ...	–	1	–	–	–	–
MILTON REGIS ...	–	–	1	–	–	–
†NORTHFLEET ...	–	2	1	–	–	–
†PENGE	–	1	–	–	–	–
†ROCHESTER ...	–	1	–	3	–	–
SITTINGBOURNE	–	–	–	1	–	–
WHITSTABLE ...	–	–	–	–	2	–
Rural Districts:—						
BLEAN	–	–	1	–	–	–
BROMLEY ...	–	–	–	–	1	–
CRANBROOK ...	–	1	–	–	–	–
FAVERSHAM ...	–	–	1	–	–	C. 2
HOLLINGBOURNE	–	–	1	–	–	–
HOO	*	*	*	*	*	*
ISLE OF THANET	–	–	–	–	–	M. 1
MALLING... ...	–	1	–	–	3	–
KENT—*cont.*						
Rural Districts—*cont.*						
MILTON	–	–	1	–	–	–
SEVENOAKS ...	–	–	–	–	–	M. 1
LANCASTER ...	–	299	74	8	282	C. 8 E. 2 G. 9 J. 1 L. 2 M. 27
†BARROW IN FURNESS C.B.	–	2	–	–	–	M. 1
†BLACKBURN C.B.	–	4	–	–	7	–
†BLACKPOOL C.B.	–	1	–	–	1	C. 1
†BOLTON C.B. ...	–	19	1	–	2	L. 1 M. 1
†BOOTLE C.B. ...	–	6	1	–	2	–
†BURNLEY C.B. ...	–	12	1	–	1	C. 1
†BURY C.B. ...	–	5	1	–	10	–
†LIVERPOOL C.B. ...	–	54	15	–	32	G. 2 M. 17
†MANCHESTER C.B.	–	56	15	–	112	C. 2 G. 2 M. 4
†OLDHAM C.B. ...	–	5	1	–	7	C. 1 G. 1
†PRESTON C.B. ...	–	3	–	1	–	–
†ROCHDALE C.B. ...	–	10	1	–	–	–
†ST. HELENS C.B.	–	3	–	–	3	–
†SALFORD C.B. ...	–	9	4	–	16	G. 1 M. 2
†SOUTHPORT C.B.	–	2	–	–	2	C. 1 G. 1
†WARRINGTON C.B.	–	4	2	–	5	–
†WIGAN C.B. ...	–	5	1	4	10	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	1	–	–	–	–
†ASHTON IN MAKERFIELD	–	2	3	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Ashton under Lyne	–	1	–	–	3	–
†Atherton ...	–	1	2	–	1	–
Barrowford ...	*	*	*	*	*	*
Brierfield ...	–	2	–	–	–	–
†Chadderton ...	–	–	1	–	2	–
Clayton le Moors	–	1	–	–	–	–
†Clitheroe ...	–	1	–	–	–	–
†Colne	–	1	1	–	2	–
†Crompton ...	–	–	–	–	1	–
†Darwen	–	7	–	–	–	–
†Denton	–	3	1	–	3	–
†Droylsden ...	–	3	–	–	–	M. 1
†Eccles	–	1	–	–	3	–
†Failsworth ..	–	1	–	–	–	–
†Farnworth ...	–	3	1	–	3	–
†Fleetwood ...	–	–	–	–	9	–
Fulwood ...	–	1	–	–	–	–
Golborne ..	–	–	1	–	–	–
†Great Crosby ...	–	–	–	–	–	J. 1
†Great Harwood	–	–	3	–	–	–
†Haslingden ...	–	3	–	–	3	–
†Haydock ...	–	–	1	–	1	E. 1
†Heywood ...	–	2	–	–	2	–
†Hindley... ...	–	1	1	–	1	–
†Horwich ...	–	–	2	–	–	–
Hurst	–	1	–	–	1	–
†Ince in Makerfield	–	3	1	–	2	–
Kearsley ...	–	1	–	–	–	–
†Lancaster ...	–	1	2	–	1	–
Lees	–	–	–	–	1	–
†Leigh	–	2	1	–	3	–
Leyland... ...	–	2	–	–	–	–
†Litherland ...	–	4	1	–	–	G. 1
†Littleborough	–	1	–	–	–	–
Little Hulton..	–	–	–	–	–	M. 1
†Lytham, St. Anne's	–	–	1	–	–	–
†Middleton ...	–	3	–	–	3	–
†Mossley	–	1	–	–	1	–
†Nelson	–	5	–	–	–	–
†Newton in Makerfield	–	2	–	–	3	–
Ormskirk ...	–	3	–	–	–	–
Orrell	–	–	1	–	–	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Padiham... ...	–	2	–	–	–	–
Poulton le Fylde	*	*	*	*	*	*
Preesall ...	–	1	–	–	–	–
Prescot ...	–	1	–	–	–	–
†Radcliffe ...	–	1	–	1	4	–
†Ramsbottom ...	–	–	–	–	1	–
Rishton	–	–	–	–	2	–
†Royton	–	–	1	–	–	–
Standish with Langtree	–	–	–	–	1	–
†Stretford... ...	–	1	1	–	–	G. 1
†Swinton and Pendlebury	–	4	–	–	2	–
Tottington ...	*	*	*	*	*	*
†Turton	–	–	–	–	2	–
†Ulverston ...	–	1	–	–	–	–
Upholland ...	–	1	–	–	–	–
Urmston... ..	–	1	–	–	–	–
†Walton le Dale	–	3	–	–	–	–
†Waterloo with Seaforth	–	–	1	–	–	E. 1
Whitefield ...	–	–	–	–	1	–
†Widnes	–	8	1	–	2	–
†Worsley... ...	–	1	1	–	–	–
Rural Districts :—						
Barton upon Irwell	–	–	–	–	1	C. 1
Blackburn ...	–	2	–	–	–	–
Burnley... ...	–	–	–	–	1	–
Bury	–	1	–	–	–	–
Clitheroe ...	–	–	–	–	1	L. 1
Fylde	–	2	–	–	–	–
Garstang ...	–	–	1	2	–	–
Leigh	–	1	–	–	1	C. 1
Limehurst ...	–	1	–	–	–	–
Ulverston ...	–	1	–	–	–	–
Warrington ...	–	–	–	–	1	–
West Lancashire	–	–	–	–	2	–
Wigan	–	2	1	–	–	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER	–	19	2	–	5	E. 1 M. 3
†LEICESTER C.B. ...	–	12	1	–	2	E. 1 M. 3
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	–
†COALVILLE ...	–	2	–	–	–	–
†LOUGHBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
OADBY	–	1	–	–	–	–
SHEPSHED ...	–	–	–	–	1	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	2	–	–	–	–
BLABY	–	1	–	–	–	–
MELTON MOWBRAY	–	–	1	–	–	–
LINCOLN (parts of Holland).	–	1	–	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	2	–	2	C. 1 G. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	2	–	1	–
STAMFORD ...	–	–	–	–	1	C. 1
Rural Districts:—						
SLEAFORD ...	–	–	–	–	–	G. 1
LINCOLN (parts of Lindsey).	–	15	8	–	3	G. 1 M. 1
†GRIMSBY C.B. ...	–	1	2	–	–	G. 1
†LINCOLN, C.B. ...	–	3	–	–	–	M. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	2	–	–	–
†GAINSBOROUGH ...	–	1	–	–	–	–
LOUTH	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	6	–	–	1	–
Rural Districts:—						
CAISTOR	–	–	2	–	1	–
GAINSBOROUGH ...	–	1	–	–	–	–
GLANFORD BRIGG	–	1	–	–	1	–
ISLE OF AXHOLME	–	1	–	–	–	–
SPILSBY	–	–	2	–	–	–
MIDDLESEX ...	–	39	36	–	20	C. 1 G. 1
Boroughs and Urban Districts:—						
†ACTON	–	3	2	–	1	C. 1
†BRENTFORD ...	–	1	–	–	–	–
†CHISWICK ...	–	–	–	–	–	G. 1
†EALING	–	6	5	–	–	–
†EDMONTON ...	–	3	1	–	1	–
†ENFIELD	–	2	–	–	1	–
FELTHAM ...	–	–	–	–	1	–
†FINCHLEY ...	–	–	3	–	1	–
†FRIERN BARNET	–	–	1	–	–	–
†HANWELL ...	–	1	3	–	–	–
†HENDON	–	–	3	–	–	–
†HORNSEY	–	2	2	–	2	–
RUISLIP NORTHWOOD	–	1	–	–	–	–
†SOUTHALL NORWOOD	–	1	–	–	2	–
†SOUTHGATE ...	–	1	1	–	2	–
SUNBURY ON THAMES	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TEDDINGTON ...	–	–	1	–	–	–
†TOTTENHAM ...	–	8	1	–	5	–
†WILLESDEN ...	–	6	5	–	2	–
†WOOD GREEN ...	–	2	2	–	2	–
YIEWSLEY ...	–	–	5	–	–	–
Rural Districts:—						
STAINES	*	*	*	*	*	*
UXBRIDGE ...	–	1	1	–	–	
NORFOLK	–	26	9	4	7	M. 3
†GREAT YARMOUTH C.B.	–	6	–	–	–	M. 1
†NORWICH C.B. ...	–	17	7	–	3	M. 2
Boroughs and Urban Districts:—						
DOWNHAM MARKET	–	–	–	–	1	–
SHERINGHAM ...	–	–	1	–	1	–
Rural Districts:—						
BLOFIELD ...	–	–	–	4	–	–
DEPWADE ...	–	–	–	–	1	–
FREEBRIDGE LYNN	–	–	–	–	1	–
MITFORD AND LAUNDITCH	–	1	–	–	–	–
SMALLBURGH ...	–	2	1	–	–	–
NORTHAMPTON ...	–	29	1	–	4	M. 1
†NORTHAMPTON C.B.	–	7	1	–	3	M. 1
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	6	–	–	–	–
†KETTERING ...	–	1	–	–	–	–
ROTHWELL ...	–	5	–	–	–	–
†WELLINGBOROUGH	–	3	–	–	–	–
NORTHAMPTON—*cont.*						
Rural Districts:—						
BRIXWORTH ...	–	1	–	–	–	–
HARDINGSTONE ...	–	1	–	–	–	–
KETTERING ...	–	3	–	–	–	–
POTTERSPURY ...	*	*	*	*	*	*
WELLINGBOROUGH	–	2	–	–	1	–
NORTHUMBERLAND	–	34	12	–	33	M. 4
†NEWCASTLE UPON TYNE C.B.	–	10	2	–	18	M. 2
†TYNEMOUTH C.B.	–	1	3	–	1	M. 1
Boroughs and Urban Districts:—						
ALNWICK ...	–	–	1	–	–	–
AMBLE	–	1	–	–	–	–
†ASHINGTON ...	–	1	–	–	1	–
†BEDLINGTONSHIRE	–	7	–	–	–	–
†BERWICK UPON TWEED	–	2	1	–	–	–
†BLYTH	–	3	2	–	4	–
CRAMLINGTON ...	–	–	–	–	1	–
†EARSDON... ...	–	–	1	–	–	–
†GOSFORTH ..	–	2	–	–	–	–
HEXHAM	–	–	–	–	–	M. 1
†LONGBENTON ...	–	1	–	–	1	–
PRUDHOE ...	–	1	–	–	–	–
†WALLSEND ...	–	1	1	–	4	–
Rural Districts:—						
CASTLE WARD ...	–	2	–	–	2	–
HALTWHISTLE ...	–	1	–	–	–	–
HEXHAM	–	1	1	–	1	–
NOTTINGHAM ...	5	27	7	–	8	G. 1 M. 4
†NOTTINGHAM C.B.	–	15	5	–	1	M. 3

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM— *cont.*						
Boroughs and Urban Districts:—						
†ARNOLD	–	1	–	–	–	–
†BEESTON	–	1	–	–	–	–
†EAST RETFORD ...	–	–	–	–	1	–
†HUCKNALL ...	–	1	–	–	1	–
†KIRKBY IN ASHFIELD	–	1	–	–	–	–
†MANSFIELD ...	–	3	1	–	–	G. 1
†MANSFIELD WOODHOUSE	–	2	–	–	–	–
†SUTTON IN ASHFIELD	–	1	1	–	1	–
†WORKSOP... ...	–	1	–	–	–	M. 1
Rural Districts:—						
BASFORD	4	1	–	–	–	–
EAST RETFORD ...	–	–	–	–	3	–
STAPLEFORD ...	1	–	–	–	1	–
OXFORD	–	14	6	–	3	–
†OXFORD C.B. ...	–	3	4	–	–	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	1	–	–	1	–
WOODSTOCK ...	–	–	1	–	–	–
Rural Districts:—						
BANBURY... ...	–	1	1	–	–	–
CROWMARSH ...	–	2	–	–	–	–
GORING	–	–	–	–	1	–
HEADINGTON ...	–	5	–	–	–	–
WITNEY	–	1	–	–	–	–
WOODSTOCK ...	–	1	–	–	1	–
PETERBOROUGH (Soke of)	–	1	2	–	1	–
Borough:—						
†PETERBOROUGH...	–	1	2	–	1	–
SALOP	–	9	5	–	2	–
Boroughs and Urban Districts:—						
OSWESTRY ...	–	3	–	–	–	–
†SHREWSBURY ...	–	–	–	–	2	–
WELLINGTON ...	–	–	1	–	–	–
WHITCHURCH ...	–	–	1	–	–	–
Rural Districts:—						
ATCHAM	–	1	3	–	–	–
CHIRBURY ...	–	1	–	–	–	–
OSWESTRY ...	–	3	–	–	–	–
WELLINGTON ...	–	1	–	–	–	–
SOMERSET	–	33	6	–	6	L. 1
†BATH C.B. ...	–	4	–	–	2	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	4	–	–	1	–
ILMINSTER ...	–	–	–	–	1	–
RADSTOCK ...	–	1	–	–	–	–
†TAUNTON... ...	–	3	–	–	1	–
WATCHET ...	–	–	1	–	–	–
WELLINGTON ...	–	1	–	–	–	–
†WESTON SUPER MARE	–	2	2	–	–	–
WIVELISCOMBE ...	–	1	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	–	2	–	–	–
CHARD	–	1	–	–	–	–
CLUTTON	–	–	1	–	–	–
FROME	–	1	–	–	–	–
KEYNSHAM ...	–	2	–	–	–	–
LANGPORT ...	–	6	–	–	–	–
LONG ASHTON ...	–	7	–	–	–	–
TAUNTON ...	–	–	–	–	1	L. 1
SOUTHAMPTON ...	–	35	24	2	8	G. 1 M. 3
†BOURNEMOUTH C.B.	–	2	2	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
†Portsmouth C.B.	–	14	8	–	–	M. 1
†Southampton C.B.	–	3	6	2	2	G. 1 M. 2
Boroughs and Urban Districts:—						
Christchurch ...	–	–	1	–	–	–
†Eastleigh and Bishopstoke	–	1	–	–	–	–
†Fareham ...	–	2	1	–	1	–
†Gosport	–	–	4	–	2	–
†Winchester ...	–	2	2	–	–	–
Rural Districts:—						
Droxford ...	–	–	–	–	1	–
Fordingbridge ..	–	6	–	–	1	–
Stockbridge ...	–	3	–	–	–	–
Whitchurch ...	–	1	–	–	–	–
Winchester ...	–	1	–	–	–	–
STAFFORD	–	90	38	1	43	M. 8
†Burton upon Trent C.B.	–	–	–	–	–	M. 1
†Smethwick C.B.	–	4	5	–	3	M. 2
†Stoke on Trent C.B.	–	28	4	–	19	M. 5
†Walsall C.B. ...	–	–	1	–	4	–
†West Bromwich C.B.	–	9	12	–	1	–
†Wolverhampton C.B.	–	8	3	–	3	–
Boroughs and Urban Districts:—						
†Audley	–	2	–	–	–	–
Biddulph ..	–	8	–	–	–	–
†Bilston	–	–	1	–	2	–
†Brierley Hill...	–	–	1	–	–	–
†Cannock	–	4	–	–	1	–
†Heathtown or Wednesfield Heath	–	1	–	–	–	–
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Newcastle under Lyme	–	5	1	–	1	–
Quarry Bank ...	–	1	–	–	–	–
†Rowley Regis ...	–	1	–	–	2	–
Rugeley	–	2	–	–	–	–
Short Heath ..	–	–	–	–	1	–
†Stafford ...	–	4	2	1	–	–
Tamworth ...	–	2	1	–	–	–
†Tipton	–	3	1	–	–	–
†Wednesbury ...	–	2	–	–	–	–
†Willenhall ...	–	1	–	–	2	–
†Wolstanton United	–	1	2	–	1	–
Rural Districts:—						
Cannock	–	1	–	–	–	–
Cheadle... ...	–	1	1	–	–	–
Leek	–	–	1	–	–	–
Lichfield ...	–	1	–	–	2	–
Mayfield ...	–	1	–	–	–	–
Newcastle under Lyme	–	–	1	–	–	–
Stafford ...	–	–	1	–	–	–
Stone	–	–	–	–	1	–
SUFFOLK, EAST ...	–	9	3	–	5	–
†Ipswich C.B. ...	–	4	2	–	1	–
Boroughs and Urban Districts:—						
Beccles	*	*	*	*	*	*
†Lowestoft ...	–	2	–	–	1	–
Rural Districts:—						
Blything ...	*	*	*	*	*	*
East Stow ...	–	2	–	–	–	–
Mutford and Lothingland	–	1	1	–	–	–
Plomesgate ...	–	–	–	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST ...	–	–	1	–	–	–
Rural Districts:—						
BRANDON... ...	–	–	1	–	–	–
SURREY	–	30	16	1	10	G. 1 M. 2
†CROYDON C.B. ...	–	6	2	–	6	G. 1 M. 1
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	1	–
†BEDDINGTON AND WALLINGTON	–	–	1	–	–	–
†CATERHAM ...	–	1	–	–	–	–
†CHERTSEY ...	–	1	–	–	–	–
COULSDON AND PURLEY	–	2	–	1	–	–
†FARNHAM ...	–	1	–	–	–	–
†KINGSTON ON THAMES	–	3	–	–	–	–
†MERTON AND MORDEN	–	1	–	–	–	–
†MITCHAM... ...	–	2	–	–	–	–
†RICHMOND ...	–	1	3	–	–	–
†SURBITON ...	–	1	–	–	1	–
†SUTTON	–	–	–	–	–	M. 1
†THE MALDENS AND COOMBE	–	1	–	–	–	–
†WALTON UPON THAMES	–	1	–	–	–	–
WEYBRIDGE ...	–	1	–	–	–	–
†WIMBLEDON ...	–	1	4	–	–	–
†WOKING	–	2	5	–	–	–
Rural Districts:—						
CHERTSEY ...	–	1	–	–	–	–
EPSOM	–	–	–	–	1	–
GODSTONE ...	–	1	–	–	–	–
HAMBLEDON ...	–	2	1	–	–	–
REIGATE	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST ...	1	9	7	–	2	–
†BRIGHTON C.B. ...	–	1	6	–	–	–
†EASTBOURNE C.B.	–	1	–	–	–	–
†HASTINGS C.B. ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
†BEXHILL	–	1	–	–	–	–
CUCKFIELD ...	–	–	1	–	–	–
†HOVE	–	1	–	–	–	–
PORTSLADE BY SEA	–	1	–	–	–	–
SEAFORD	1	–	–	–	–	–
Rural Districts:—						
HAILSHAM ...	–	–	–	–	1	–
STEYNING EAST...	–	1	–	–	–	–
TICEHURST ...	–	1	–	–	–	–
SUSSEX, WEST ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	1	–	–	–	–
†LITTLEHAMPTON	–	1	–	–	–	–
†WORTHING ...	–	1	–	–	–	–
WARWICK	–	70	34	1	62	C. 7 G. 4 M. 5
†BIRMINGHAM C.B.	–	42	27	–	51	C. 7 G. 1 M. 5
†COVENTRY C.B. ...	–	12	–	1	–	G. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	2	1	–	5	G. 1
†ROYAL LEAMINGTON SPA	–	5	3	–	–	–
†RUGBY	–	–	–	–	2	–
†SUTTON COLDFIELD	–	–	–	–	–	G. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ATHERSTONE ...	–	–	–	–	3	–
FOLESHILL ...	–	5	1	–	–	–
RUGBY	–	1	–	–	1	–
SOLIHULL ...	–	1	–	–	–	–
STRATFORD ON AVON	–	2	–	–	–	–
TAMWORTH (part)	–	–	2	–	–	–
WESTMORLAND ...	–	–	–	–	4	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	1	–
SOUTH WESTMORLAND	–	–	–	–	3	–
WIGHT, ISLE OF ...	–	1	1	–	1	–
Boroughs and Urban Districts—						
COWES	–	–	–	–	1	–
†RYDE	–	–	1	–	–	–
SANDOWN ...	–	1	–	–	–	–
WILTS	1	15	4	–	3	M. 2
Boroughs and Urban Districts:—						
MALMESBURY ...	–	–	–	–	1	–
†SALISBURY ...	–	–	1	–	1	–
†SWINDON... ...	1	6	–	–	1	M. 1
Rural Districts:—						
CALNE	–	4	–	–	–	–
DEVIZES	–	3	–	–	–	–
HIGHWORTH ...	–	1	2	–	–	–
PEWSEY	–	–	–	–	–	M. 1
RAMSBURY ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	13	3	–	7	G. 2
†WORCESTER C.B.	–	–	–	–	3	–
Boroughs and Urban Districts:—						
BEWDLEY ...	–	1	–	–	–	–
BROMSGROVE ...	–	3	–	–	–	–
EVESHAM... ...	–	1	1	–	–	G. 1
†KIDDERMINSTER	–	4	–	–	–	–
†LYE AND WOLLESCOTE	–	–	–	–	1	G. 1
†MALVERN... ...	–	1	–	–	1	–
†OLDBURY... ...	–	–	2	–	1	–
†STOURBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
FECKENHAM ...	–	1	–	–	–	–
TEWKESBURY (part)	–	1	–	–	–	–
UPTON ON SEVERN	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	6	6	–	3	C. 1
†KINGSTON UPON HULL C.B.	–	4	5	–	2	C. 1
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	2	–	–	–	–
COTTINGHAM ...	–	–	1	–	–	–
Rural Districts:—						
BEVERLEY ...	*	*	*	*	*	*
HOWDEN	–	–	–	–	1	–
NORTON	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding).	1	21	7	–	13	C. 1
†MIDDLESBROUGH C.B.	1	18	4	–	8	–
Boroughs and Urban Districts:—						
†ESTON	–	1	–	–	1	–
GUISBOROUGH ...	–	–	–	–	2	–
MALTON	*	*	*	*	*	*
†SCARBOROUGH ...	–	2	1	–	–	–
†WHITBY	–	–	1	–	1	–
Rural Districts:—						
EASINGWOLD ...		–	–	–	–	C. 1
GUISBOROUGH ...	–	–	1	–	–	–
MALTON	*	*	*	*	*	*
PICKERING ...	*	*	*	*	*	*
WHITBY	–	–	–	–	1	–
YORKS ... ... (West Riding).	7	189	54	5	189	C. 5 E. 1 G. 2 L. 1 M. 20
†BARNSLEY C.B. ...	–	5	3	1	1	M. 2
†BRADFORD C.B. ...	–	17	6	–	1	M. 1
†DEWSBURY C.B....	–	7	–	–	–	–
†HALIFAX C.B. ...	–	3	–	–	–	M. 1
†HUDDERSFIELD C.B.	–	8	–	–	12	–
†LEEDS C.B. ...	–	57	12	1	12	C. 1 M. 7
†ROTHERHAM C.B.	–	3	–	–	5	–
†SHEFFIELD C.B....	–	40	14	–	107	C. 2 E. 1 G. 1 M. 6
†WAKEFIELD C.B.	–	1	1	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	1	–	–	–
ALTOFTS	–	–	1	–	1	–
†BATLEY	–	3	–	–	2	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BENTLEY WITH ARKSEY	2	3	–	–	–	–
BIRSTAL	–	1	–	–	–	–
†BRIGHOUSE ...	–	1	–	–	–	–
†CASTLEFORD ...	–	4	–	–	–	–
†CONISBROUGH ...	–	1	1	–	–	–
CUDWORTH ...	–	–	1	–	2	–
DARFIELD ...	–	–	–	1	4	–
†DARTON	–	–	–	–	2	–
†DONCASTER ...	5	1	5	–	3	–
EARBY	–	–	–	–	1	–
†FEATHERSTONE ...	–	–	–	1	1	–
GILDERSOME ...	–	1	–	–	–	–
†GOOLE	–	–	–	–	1	M. 1
†HARROGATE ...	–	1	–	–	1	–
†HOLMFIRTH ...	–	–	–	–	2	–
†HOYLAND NETHER	–	1	1	–	–	–
MEXBOROUGH ...	–	–	–	–	3	–
†MORLEY	–	–	–	–	2	–
†NORMANTON ...	–	–	2	–	4	–
†OSSETT	–	2	–	–	–	–
OTLEY	–	–	–	–	1	–
PENISTONE ...	–	–	1	–	–	–
†PONTEFRACT ...	–	1	–	–	2	M. 1
QUEENSBURY ...	–	3	–	–	–	–
†ROTHWELL ...	–	1	–	–	–	–
SHELF	–	1	–	–	–	–
SKELMANTHORPE	–	–	–	–	–	G. 1
SOUTH CROSLAND	–	1	–	–	–	–
SOWERBY... ...	*	*	*	*	*	*
†SPENBOROUGH ...	–	1	–	–	1	–
STAINLAND WITH OLD LINDLEY	–	1	–	–	–	–
STOCKSBRIDGE ...	–	–	–	–	2	–
†SWINTON... ...	–	2	2	–	2	–
THURLSTONE ...	–	–	–	–	1	–
THURNSCOE ...	*	*	*	*	*	*
†TODMORDEN ...	–	2	–	–	–	–
†WORSBOROUGH ...	–	1	–	–	–	–
YEADON	–	1	–	–	–	–
Rural Districts:—						
BARNSLEY ...	–	–	–	–	1	–
DONCASTER ...	–	2	1	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Rural Districts—*cont.*						
GREAT OUSEBURN	–	1	–	–	–	–
HEMSWORTH ...	–	1	–	–	4	–
HUNSLET... ...	–	1	–	–	–	–
ROTHERHAM ...	–	3	1	–	1	–
SKIPTON	–	–	–	1	–	–
TADCASTER ...	–	5	–	–	1	–
WAKEFIELD ...	–	–	–	–	1	–
WETHERBY ...	–	–	1	–	–	–
WHARFEDALE (SOUTH)	–	–	–	–	2	L. 1
WORTLEY ...	–	1	–	–	–	C. 1
§YORK C.B. ...	–	8	1	–	1	–
WALES.						
ANGLESEY	–	–	–	–	5	–
Boroughs and Urban Districts:—						
AMLWCH	–	–	–	–	3	–
†HOLYHEAD ...	–	–	–	–	1	–
Rural Districts:—						
TWRCELYN ...	–	–	–	–	1	–
BRECKNOCK ...	–	1	1	–	5	–
Urban Districts:—						
BRYNMAWR ...	–	–	–	–	3	–
HAY	–	–	–	–	1	–
Rural Districts:—						
BUILTH	–	1	–	–	–	–
YSTRADGYNLAIS	–	–	1	–	1	–
CARDIGAN	–	–	–	–	2	–
Boroughs and Urban Districts:—						
ABERAYRON ...	–	–	–	–	1	–
Rural Districts:—						
ABERAYRON ...	–	–	–	–	1	–
LLANDYSSIL ...	*	*	*	*	*	*
CARMARTHEN ...	–	9	1	1	1	M. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	–	–	1	–
LLANDOVERY ...	*	*	*	*	*	*
†LLANELLY ...	–	7	–	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	–	–	1	–	–
LLANDILO FAWR	–	–	–	–	–	M. 1
LLANDOVERY ...	*	*	*	*	*	*
LLANELLY ...	–	2	1	–	–	–
WHITLAND ...	*	*	*	*	*	*
CARNARVON ...	–	1	–	–	–	G. 1 M. 1
Boroughs and Urban Districts:—						
†LLANDUDNO ...	–	–	–	–	–	G. 1 M. 1
Rural Districts:—						
OGWEN	–	1	–	–	–	–
DENBIGH	–	5	3	–	2	C. 1
Boroughs and Urban Districts:—						
ABERGELE AND PENSARN	*	*	*	*	*	*
DENBIGH... ...	–	–	1	–	1	–
†WREXHAM ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Cholera ; D, Diarrhœa ; E, Dysentery ; F, Enteric Fever ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; M, Measles.

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH—*cont.*						
Rural Districts :—						
CHIRK	–	1	–	–	–	–
UWCHALED ...	–	–	–	–	1	–
WREXHAM ...	–	4	1	–	–	C. 1
FLINT	–	1	1	–	4	–
Boroughs and Urban District :—						
FLINT	–	1	–	–	–	–
Rural Districts :—						
HAWARDEN ...	–	–	–	–	3	–
HOLYWELL (HOLYWELL DIV.)	–	–	1	–	1	–
GLAMORGAN ...	–	69	27	–	35	C. 2 G. 1 L. 1 M. 6
†CARDIFF C.B. ...	–	7	3	–	1	C. 2 L. 1 M. 4
†MERTHYR TYDFIL C.B.	–	2	–	–	–	G. 1
†SWANSEA C.B. ...	–	8	6	–	–	M. 1
Boroughs and Urban Districts :—						
†ABERDARE ...	–	6	–	–	6	–
†BARRY	–	3	1	–	3	–
†CAERPHILLY ...	–	1	2	–	–	–
†GELLIGAER ...	–	1	1	–	5	–
†GLYNCORWG ...	–	1	–	–	–	–
†MAESTEG ...	–	–	–	–	1	M. 1
†MOUNTAIN ASH ...	–	7	2	–	7	–
†NEATH	–	–	2	–	1	–
†OGMORE AND GARW	–	3	–	–	2	–
†PENARTH ...	–	1	–	–	–	–
†PONTYPRIDD ...	–	4	1	–	–	–
PORTHCAWL ...	–	–	1	–	–	–
†PORT TALBOT ...	–	2	1	–	–	–
†RHONDDA ...	–	16	5	–	6	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Rural Districts :—						
CARDIFF	–	–	1	–	–	–
GOWER	–	1	–	–	–	–
NEATH	–	4	–	–	3	–
PENYBONT ...	–	1	–	–	–	–
SWANSEA... ...	–	1	1	–	–	–
MERIONETH ...	–	–	–	–	2	–
Urban Districts :—						
BALA	–	–	–	–	2	–
MONMOUTH ...	–	15	3	1	10	M. 1
†NEWPORT C.B. ...	–	5	2	–	3	M. 1
Boroughs and Urban Districts :—						
ABERGAVENNY ...	–	–	1	–	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	2	–	–	–	–
†EBBW VALE ...	–	1	–	–	–	–
†MYNYDDISLWYN	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	1	–	–	6	–
†PANTEG	–	1	–	–	–	–
†RHYMNEY ...	–	2	–	–	–	–
†RISCA	–	–	–	1	–	–
†TREDEGAR ..	–	–	–	–	1	–
Rural Districts :—						
ABERGAVENNY ...	–	1	–	–	–	–
MONTGOMERY ..	–	3	–	–	2	–
Boroughs and Urban Districts :—						
LLANFYLLIN ...	–	1	–	–	–	–
Rural Districts :—						
LLANFYLLIN ...	–	2	–	–	2	–

* Returns not received. † Population over 10,000.

), Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE	–	1	5	–	1	C. 1
Boroughs and Urban Districts:—						
Haverfordwest ...	–	–	2	–	–	–
Milford Haven	–	–	3	–	1	C. 1
Rural Districts:—						
St. Dogmells ...	–	1	–	–	–	–
Total of Part II. ...	31	1487	566	34	942	C. 4 E. G. 3 J. L. M. 11

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Barry	–	–	–	1	–	–
Liverpool	2	–	–	–	–	–
Manchester	–	–	1	–	–	–
Portsmouth	–	–	–	1	–	
Port of London ...	–	–	–	1	–	
Total of Part III.— ...	2	–	1	3	–	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	170	181	6	106	C. 6 D. 5 E. 1 G. 2 M. 9
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	31	1487	566	34	942	C. 43 E. 4 G. 33 J. 1 L. 6 M. 112
Total of Part III.—Port Sanitary Districts	2	–	1	3	–	–
Total (*i.e.*, of returns received), England and Wales ...	33	1657	748	43	1048	C. 49 D. 5 E. 5 G. 35 J. 1 L. 6 M. 121

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-cephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ver; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague, or Typhus Fever notified during the week. e cases of Small-pox notified appear on pages 480, 482, 486, 487, 489, 490, 491, and 494.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUS and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain I FECTIOUS DISEASES in the last THIRTE WEEKS.

Week ended :—	Feb. 3.	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	Apr 28.
LONDON:—													
DEATHS—all ages	1.087	1,001	977	1,063	1,074	1,104	1,098	1,162	1,082	1,094	1,126	1,016	1,04
„ 0 to 1 year ..	102	117	123	123	106	134	104	112	113	100	120	111	10
GREAT TOWNS, aggregate (including London):—													
BIRTHS	7,373	7,688	7,865	7,533	7,925	7,820	7,755	7,844	7,029	7,386	8,216	8,258	7,59
DEATHS—all ages	4,742	4,648	4,446	4.849	4.868	4,667	4,882	4,953	4,991	4,735	4,971	4,540	4,68
„ 0 to 1 year ..	672	680	628	714	672	620	636	626	662	557	634	570	54
ENTERIC FEVER—Cases	23	30	22	18	18	15	13	18	15	16	26	22	1
„ Deaths	8	4	5	8	5	1	3	2	2	4	3	4	
SMALL POX—Cases ..	10	10	16	26	16	13	14	3	15	3	10	7	
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,297	1,147	1,125	1,062	1,152	1,085	1,007	1,071	907	905	797	952	93
„ Deaths	8	12	18	13	15	22	13	17	11	13	15	12	1
DIPHTHERIA—Cases ..	742	746	662	694	637	570	557	554	563	576	483	542	48
„ Deaths ..	62	52	51	38	43	36	43	54	43	37	36	37	4
MEASLES—Deaths ..	73	71	84	79	95	95	108	111	117	105	86	86	6
INFLUENZA—Deaths ..	65	66	71	59	79	84	81	125	120	188	184	169	14

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 28th April, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	60	32	54·9	38·1	14
BRIGHTON ..	54	37	51·7	41·9	36
PORTSMOUTH ..	57	37	54·0	40·6	26
NORWICH (EATON).	58	31	52·7	37·9	15
PLYMOUTH ..	55	35	52·6	40·3	21
BRISTOL (CLIFTON).	55	33	53·1	38·3	17
BIRMINGHAM ..	56	31	52·3	36·7	9
NOTTINGHAM ..	58	32	52·9	37·7	9
BIRKENHEAD (BIDSTON).	55	36	51·3	39·4	3
MANCHESTER ..	56	28	51·4	36·6	17
BURNLEY.. ..	53	24	49·3	32·4	29
HUDDERSFIELD	Not received.				12

TOWNS.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.
	°	°	°	°	
BRADFORD ..	54	29	50·3	35·3	13
SHEFFIELD ..	55	32	51·7	37·0	13
YORK (MUSEUM)	56	30	52·3	37·0	8
HULL (PEARSON PARK).	59	32	53·4	37·3	13
TYNEMOUTH ..	56	31	48·9	37·1	8
CARDIFF	55	34	53·3	37·9	25
EDINBURGH ..	53·0	30·0	48·0	34·4	12
GLASGOW ..	51·4	31·4	49·2	34·9	22
DUBLIN (PHŒNIX PARK).	55·6	26·1	52·9	34·0	9
FITZWILLIAM SQUARE.†	55·8	33·1	52·1	38·1	9
BELFAST	56·2	34·0	54·0	39·7	18

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 28th April, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	22	..	29·493	57·2	38·0	19·2	46·9	- 1·8	35·7	11·2	19·6	3·3	65	105·4	28·5	47·0	NE: NNE.	NE: NNE.	3·5	0·0	0·4	502	+ 213	0·01
MONDAY -	23	..	29·687	50·7	32·4	18·3	42·5	- 6·1	31·9	10·6	16·2	3·5	66	90·0	19·1	46·7	NNE: NNW.	NNW: N.	0·7	0·0	0·0	190	- 97	0·00
TUESDAY -	24	First Quarter.	29·891	52·3	37·6	14·7	43·9	- 4·7	29·3	14·6	21·6	4·7	56	117·4	28·7	46·9	NNE: N: NNW.	NNW: Calm: SSW.	1·5	0·0	0·1	218	- 68	0·00
WEDNESDAY	25	..	29·382	52·2	35·4	16·8	45·3	- 3·3	43·6	1·7	6·6	3·2	94	65·8	26·3	46·7	SSW.	SSW: SW.	6·4	0·0	0·5	470	+ 184	0·17
THURSDAY -	26	..	29·304	57·5	41·2	16·5	47·7	- 0·9	40·9	6·8	12·6	1·9	77	118·9	33·1	46·7	SW.	SW: W: WSW.	17·8	0·0	0·3	375	+ 89	0·28
FRIDAY -	27	..	29·696	55·1	37·9	17·2	46·1	- 2·6	35·4	10·7	19·1	2·1	66	113·4	30·8	46·7	WSW: Calm: NNW.	Calm.	0·6	0·0	0·0	172	- 114	0·00
SATURDAY -	28	In Equator	29·711	59·9	36·0	23·9	48·5	- 0·3	35·3	13·2	21·8	1·5	60	126·0	28·7	46·9	Calm: WSW.	WSW: SW.	2·0	0·0	0·1	250	- 37	0·00
MEANS -		..	29·595	55·0	36·9	18·1	45·8	- 2·8	36·0	9·8	16·8	2·9	69	105·3	27·9	46·7	N till 24th; then SW.		..	..	..	Sum 2,177	Sum + 170	Sum 0·46
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. APRIL.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	22	wP	0·7	14·2	Nearly cloudless till 3h., then overcast or nearly overcast till 17½h. Thin cloud till 22h.; nearly cloudless by 23h. Rain or damping 4h. to 9h. Brisk wind from 9h. to 19h. Partial Solar halo at 18½h.
MONDAY ..	23	sP	1·8	14·2	Cloudless till 8h., then nearly overcast till 22h. Afterwards nearly cloudless. Hoar frost in morning.
TUESDAY ..	24	sP till 15h.; then wP	10·0	14·3	Overcast till 5h., then nearly cloudless till 15h. Variably cloudy till 19½h. Cloudless afterwards. Damping 3h. to 4h. Haze during day.
WEDNESDAY	25	wP	0·0	14·4	Cloudless till 3h., becoming nearly overcast by 5h Overcast from 6h. Frequent rain 6½h. to 9h. Damping or slight rain generally throughout. Brisk wind from 7h. to 18h.
THURSDAY	26	wP till noon; then mP	4·5	14·4	Overcast till 12h., gradually clearing to nearly cloudless at 20½h. Rain till 9h. Occasional showers till 18½h. Brisk wind from 11h. to 16h.
FRIDAY ..	27	sP till 15h.; then wP	6·0	14·5	Cloudless till 8h., afterwards variably cloudy till 21h., then nearly cloudless. Haze during day.
SATURDAY	28	sP till 9h.; then mP	10·2	14·5	Generally nearly cloudless, with overcast periods from 3h. to 5h. and 15h. to 21h. Lunar halo from 21½h.
			Sum 33·2	Sum 100·5	
No. of Col. ..		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·33 in. at the beginning of the week to 29·91 in. by 9h. on 24th.; decreased generally to 29·23 in. by 12h. on 26th.; increased generally to 29·74 in. by 10h. on 28th then decreased and was 29·71 in. at midnight on 28th.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS,
11-17, Hare Street, E.2

(42010) Wt. 15—P 11 2250 5/23 H St G 43

FOR OFFICIAL USE.

1923. No. 18.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 5TH MAY, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 5TH MAY, 1923.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the eighteenth week of the year numbered 7,970 and corresponded to an annual rate of 21·6 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,887 and corresponded to an annual rate of 13·3 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 13·5, 12·3, and 12·7. Infant mortality was 81 per 1,000 births against 77, 69, and 72 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,928 births, corresponding to a rate of 22·1 per 1,000, and 1,047 deaths of civilians, corresponding to a rate of 12·0, as against 12·9, 11·7 and 12·0, for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 12·2 per 1,000. The infant mortality was 61 as against 60, 56 and 61 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 201 in the total deaths last week, and the deaths from influenza rose from 143 to 175. In London the number of deaths from all causes rose from 1,043 to 1,047; while the deaths from diphtheria, which had been 17, 11 and 13 in the preceding three weeks, fell to 9 last week, and those from influenza, which had been 36, 26 and 24 in the three preceding weeks, rose to 30 last week.

Just Published:

Census of England and Wales, 1921. County of Middlesex. Price 10*s.* net.

County of Essex. Price 12*s.* 6*d.* net.

County of Surrey. Price 10*s.* net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 5th May, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	7,970	4,887	648	2	74	11	83	36	63	175
London	4,534,230*	1,928	1,047	118	2	5	–	12	9	10	30
Towns in Outer Ring.											
Croydon C.B. ..	192,300	70	39	5	–	–	–	2	–	1	2
Wimbledon ..	61,730	23	10	3	–	–	1	1	–	–	–
Ealing	67,890	18	9	2	–	–	–	–	–	–	–
Acton	62,390	25	8	1	–	–	–	–	–	–	–
Willesden ..	168,200	67	33	2	–	–	–	1	–	–	–
Hendon	55,930	15	8	1	–	–	–	–	–	–	–
Hornsey	87,310	16	11	1	–	–	–	–	–	–	–
Wood Green ..	51,290	23	13	–	–	–	–	–	–	–	1
Tottenham ..	150,500	55	29	4	–	–	–	1	–	–	1
Edmonton ..	68,700	39	16	4	–	–	–	–	1	–	–
Enfield	62,010	24	8	1	–	–	–	–	–	–	–
West Ham C.B. ..	310,200	154	67	11	–	–	–	2	1	4	5
East Ham C.B. ..	145,800	53	20	3	–	–	–	–	–	–	–
Leyton	131,600	34	28	4	–	–	–	–	–	1	–
Walthamstow ..	129,700	40	23	4	–	–	–	–	–	–	–
Ilford	86,370	32	22	5	–	–	–	–	–	1	–
Gillingham	48,630*	33	11	2	–	–	–	–	1	–	–
Canterbury C.B ..	23,680	10	4	1	–	–	–	–	–	1	–
Hastings C.B.	59,500	14	11	1	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	15	11	–	–	–	–	–	–	–	1
Brighton C.B. ..	135,000	46	30	2	–	–	–	1	–	–	–
Portsmouth C.B. ..	236,630*	115	45	5	–	1	–	1	1	–	2
Bournemouth C.B. ..	81,500	27	22	2	–	–	–	–	–	–	1
Southampton C.B. ..	163,700	63	39	7	–	3	–	1	–	2	–
Reading C.B.	92,990	38	20	1	–	–	–	–	–	–	–
Oxford C.B.	56,510	29	13	2	–	–	–	1	–	–	–
Northampton C.B. ..	92,950	45	27	3	–	–	–	–	1	–	–
Luton	58,260	15	8	1	–	–	–	–	–	–	–
Cambridge	59,200	15	11	1	–	–	–	–	–	–	–
Southend-on-Sea C.B.	91,430	36	15	–	–	–	–	–	–	–	1
Ipswich C.B.	80,950	38	14	–	–	–	–	–	1	–	–
Great Yarmouth C.B.	56,700	13	16	2	–	–	–	–	–	–	1
Norwich C.B. ..	122,900	48	41	5	–	2	1	–	1	–	–
Swindon	55,680	24	10	1	–	–	–	–	–	–	–
Exeter C.B.	59,700	21	18	2	–	–	–	–	–	–	1
Plymouth C.B. ..	200,370*	94	35	3	–	–	–	–	–	–	1
Bath C.B.	68,530	21	20	–	–	1	–	–	–	–	–
Bristol C.B.	383,900	155	85	6	–	1	1	3	2	2	1
Gloucester C.B. ..	52,210	20	13	2	–	–	–	–	1	–	–
Stoke-on-Trent C.B.	274,300	137	77	9	–	1	–	–	–	2	4
Burton-upon-Trent C.B.	49,630	22	12	1	–	–	–	1	–	–	1
Wolverhampton C.B.	105,700	41	31	4	–	–	1	–	–	–	1
Walsall C.B.	99,890	40	37	5	–	3	–	–	–	–	–
West Bromwich C.B.	76,260	45	25	5	–	2	–	–	2	2	1
Dudley C.B.	57,860	26	17	2	–	3	–	–	–	–	–
Worcester C.B. ..	49,240	19	10	–	–	–	–	–	–	–	–
Birmingham C.B. ..	945,100	399	257	34	–	6	–	–	5	2	16
Smethwick C.B. ..	78,140	30	13	1	–	1	1	–	1	–	1
Coventry C.B. ..	131,200	42	30	7	–	–	–	–	–	–	–
Leicester C.B. ..	238,800	81	60	13	–	–	–	3	–	2	–
Lincoln C.B.	66,930	21	11	2	–	–	–	–	–	1	–
Grimsby C.B.	84,650	40	14	3	–	–	–	–	–	–	1
Nottingham C.B. ..	267,900	94	67	6	–	–	–	–	–	–	–
Derby C.B.	132,400	54	35	2	–	–	–	2	–	–	5
Chesterfield	63,380	30	20	2	–	–	–	–	–	–	–
Stockport C.B. ..	125,800	49	43	3	–	–	–	1	–	–	4
Chester C.B.	41,190	18	10	1	–	–	–	–	–	–	–
Birkenhead C.B. ..	149,200	58	30	5	–	–	–	–	–	2	1
Wallasey C.B. ..	89,790	27	13	–	–	–	–	–	–	–	–
Liverpool C.B. ..	826,400	431	235	53	–	4	1	8	1	4	2
Bootle C.B.	79,750	43	30	3	–	–	1	1	–	–	1
St. Helens C.B. ..	106,400	43	28	2	–	–	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	12	26	1	–	1	–	–	–	–	1
WIGAN C.B.	91,750	41	31	6	–	–	–	–	–	–	1
WARRINGTON C.B. ..	79,150	27	14	1	–	–	–	–	–	–	–
BOLTON C.B.	182,700	71	92	5	–	–	–	–	2	–	14
BURY C.B.	57,400	14	17	1	–	–	–	–	–	–	3
MANCHESTER C.B. ..	748,500	322	263	39	–	4	1	13	1	6	13
SALFORD C.B.	240,700	94	78	17	–	–	–	3	1	1	5
OLDHAM C.B.	148,300	49	56	9	–	–	–	2	–	1	7
ROCHDALE C.B... ..	92,510	24	39	2	–	–	–	–	–	–	2
BURNLEY C.B.	105,100	34	33	2	–	–	1	–	1	–	–
BLACKBURN C.B. ..	129,600	45	44	7	–	–	–	–	–	2	3
PRESTON C.B.	120,900	40	41	6	–	–	–	3	–	–	1
BLACKPOOL C.B. ..	74,050	18	18	1	–	–	–	–	–	–	–
BARROW-IN-FURNESS C.B.	75,690	25	17	3	–	–	–	–	–	–	–
HUDDERSFIELD C.B. ..	111,600	41	29	1	–	–	–	–	–	–	1
HALIFAX C.B.	100,500	31	32	2	–	–	–	–	–	–	–
BRADFORD C.B. ..	291,300	134	85	6	–	5	–	–	1	1	3
LEEDS C.B.	466,700	181	125	14	–	–	1	–	–	1	2
DEWSBURY C.B. ..	55,170	17	12	1	–	–	–	–	–	–	–
WAKEFIELD C.B. ..	53,840	25	17	3	–	–	–	–	–	2	–
BARNSLEY C.B. ..	69,540	38	16	3	–	1	–	–	–	–	2
SHEFFIELD C.B. ..	522,600	230	166	26	–	–	–	10	–	–	24
ROTHERHAM C.B. ..	69,840	28	19	4	–	–	–	–	–	–	1
DONCASTER	55,020	17	16	1	–	–	–	–	–	–	2
YORK C.B.	84,980	27	18	–	–	1	–	–	1	–	–
HULL C.B.	294,000	147	66	13	–	–	–	–	–	4	–
MIDDLESBROUGH C.B.	134,800	72	41	12	–	6	–	–	–	1	–
DARLINGTON C.B. ..	66,710	29	20	2	–	–	–	–	–	–	–
STOCKTON-ON-TEES ..	65,950	34	15	4	–	–	–	–	–	–	–
WEST HARTLEPOOL C.B.	70,020	25	21	2	–	–	–	–	–	1	–
SUNDERLAND C.B. ..	162,900	68	49	10	–	–	–	3	–	–	–
SOUTH SHIELDS C.B. ..	122,400	61	28	5	–	–	–	–	1	–	1
GATESHEAD C.B. ..	127,300	60	31	8	–	4	–	1	–	–	–
NEWCASTLE-ON-TYNE C.B.	281,600	137	60	11	–	4	–	1	–	–	–
TYNEMOUTH C.B. ..	64,640	32	18	3	–	3	–	–	–	2	–
CARLISLE C.B.	53,490	27	18	4	–	2	–	1	–	–	–
NEWPORT (MON.) C.B.	94,880	45	21	4	–	–	–	–	–	–	–
CARDIFF C.B.	223,830	104	63	7	–	3	–	1	–	2	1
RHONDDA	167,500	83	42	9	–	3	–	2	–	–	2
MERTHYR TYDFIL C.B.	82,680	33	24	5	–	3	–	–	–	1	–
ABERDARE	56,580	23	15	–	–	–	–	1	–	–	–
SWANSEA C.B.	161,000	64	36	7	–	1	1	–	–	1	–
GREATER LONDON ..	7,563,730*	3,070	1,619	182	2	6	1	22	12	20	45
OUTER RING	3,029,500*	1,142	572	64	–	1	1	10	3	10	15
16 GREAT TOWNS IN OUTER RING	1,831,920	688	344	51	–	–	1	7	2	7	9
REMAINDER OF OUTER RING	1,197,580*	454	228	13	–	1	–	3	1	3	6
EDINBURGH†	426,000	172	124	13	–	5	1	2	5	–	1
GLASGOW†	1,041,400	549	307	46	–	8	–	16	1	3	3
DUBLIN (REGISTRATION AREA)†	431,000	249	129	26	–	–	1	4	–	3	2
BELFAST†	429,000	240	156	26	–	–	1	13	–	1	5

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years).	Influenza.
London‡	4,534,230	1923. May 5	1928	1047	12·0	2	–	5	–	12	9	10	30
Calcutta	896,067	March 24	?	513§	29·4	?	8	?	?	?	?	?	15
Bombay	1,220,120	„ 31	315‖	906§	38·6	4	11	4	?	–	–	33	18
Madras	526,911	„ 24	458	413	40·8	–	8	1	?	–	–	29	–
Sydney and Suburbs	955,700	March											
Brisbane (Metropolitan Area).	217,714	Feb.											
Perth (Metropolitan Area).	155,939	March 10	74	27	9·0	–	–	–	–	–	–	4	–
Auckland (Urban Area).	164,450	Feb.											
Wellington (Urban Area).	110,680	„											
Christchurch (Urban Area).	110,200	„											
Cape Town	106,727	March 17	45	19	9·5	3	–	1	–	1	2	2	–
Johannesburg	156,858	„ 24	65	27	9·1	2	–	–	–	–	–	4	–
Durban	50,488	„ 24	31	12	12·4	–	–	–	–	–	–	–	1
Paris	2,906,472	April 10 (10 days)	1482	1241	15·6	11	–	41	3	5	4	24	6
Antwerp	300,607	Feb. 17	128	82	12·1	–	–	4	–	1	–	4	1
		„ 24	110	78	12·5	–	–	2	–	–	1	4	4
Amsterdam	699,374	April 14	254	146	10·9	–	–	1	–	–	1	–	3
Copenhagen	565,000	„ 21	251	155	14·3	–	–	3	–	2	1	1	3
Stockholm	424,944	„ 14	117	102	12·5	–	–	–	–	–	–	–	–
Gothenburg	227,686	March 24	?	47	10·7	–	–	–	–	2	–	2	1
Christiania	258,933	April 21	87	73	14·7	–	–	–	–	1	–	–	–
Berlin	1,981,000	March 24	374	614	16·1	–	?	5	–	4	3	2	16
Breslau	558,000	„ 24	219	211	19·7	–	?	1	–	1	2	4	5
Cologne	694,000	„ 24	256	214	16·0	1	?	7	–	2	1	7	4
Dresden	610,000	„ 24	166	156	13·3	–	?	–	–	–	–	1	5
Frankfort-on-Main..	477,000	„ 24	98	86	9·4	–	?	–	–	–	–	–	2
Hamburg	1,085,000	„ 24	318	351	16·8	–	?	12	1	–	1	6	6
Leipzig	677,000	„ 24	171	173	13·3	–	?	–	–	1	3	2	2
Munich	685,000	„ 24	201	194	14·7	–	?	1	–	2	2	1	5
Vienna	1,841,326	„ 3	606	626	17·7	1	–	2	–	3	3	6	9
Prague and Suburbs	697,111	Feb. 15 (15 days)	549	373	13·0	3	–	–	2	1	1	8	3
Budapest	945,717	Feb. 17	322	398	21·9	4	–	4	2	4	1	7	2
		„ 24	378	372	20·5	2	–	2	–	5	1	10	2
Warsaw	956,087	March 17	406	241	13·4	1	–	1	–	2	3	13	–
Cairo	791,000	Jan. 14	839	399	26·2	1	–	2	–	?	5	22	?
Alexandria	466,700	„ 14	527	208	23·2	1	–	2	–	?	1	14	?
New York	5,927,617	March 31	2565	1498	13·2	3	–	4	4	3	5	27	30
Chicago	2,885,921	„ 31	?	751	13·6	1	–	7	5	4	10	24	11
Rio de Janeiro ..	1,269,046	„ 10	688	471	19·3	5	2	5	–	7	2	?	41
Montevideo	349,768	Feb. 3											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 15 deaths from *Asiatic Cholera* in Calcutta, and 2 in Bombay, and from *Plague*, 3 in Calcutta and 101 in Bombay, and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 5th May, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1047	118	33	19	32	45	44	77	106	157	201	215
Enteric fever	2	–	–	–	–	1	–	–	–	1	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	1	3	1	–	–	–	–	–	–	–	–
Scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	12	8	1	3	–	–	–	–	–	–	–	–
Diphtheria	9	1	2	2	4	–	–	–	–	–	–	–
Influenza	30	–	1	–	–	4	–	1	3	7	7	7
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis	1	–	–	1	–	–	–	–	–	–	–	–
Encephalitis lethargica	2	–	–	–	–	–	–	2	–	–	–	–
Meningococcal meningitis	1	–	–	–	1	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	91	–	3	–	3	16	18	24	10	11	4	2
Nervous system..	7	–	2	1	3	1	–	–	–	–	–	–
Intestines and peritoneum	3	–	–	1	–	1	–	–	1	–	–	–
Other forms	9	2	1	–	4	1	–	–	–	–	1	–
Venereal diseases	8	4	1	–	–	–	–	1	1	1	–	–
Cancer	114	–	1	–	–	–	1	3	19	35	37	18
Rheumatic fever	5	–	–	–	3	1	–	1	–	–	–	–
Diabetes	5	–	–	–	–	–	–	1	–	2	1	1
Alcoholism	1	–	–	–	–	–	–	–	1	–	–	–
Simple meningitis	2	–	–	1	–	–	1	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	51	–	–	–	–	–	–	–	3	8	18	22
Epilepsy	3	–	–	–	1	1	–	–	–	–	1	–
"Convulsions" (not puerperal) ..	5	4	1	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	37	1	–	3	1	2	2	5	5	5	8	5
Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–
Acute endocarditis	2	–	–	–	1	–	–	–	–	1	–	–
Other diseases of heart	151	–	–	–	–	7	3	13	16	30	40	42
Other diseases of circulatory system	33	–	–	–	–	–	–	–	4	2	13	14
Bronchitis	66	4	1	–	–	–	1	–	5	8	12	35
Broncho-pneumonia	48	20	8	4	1	–	1	–	4	4	4	2
Lobar-pneumonia	33	2	1	–	1	2	2	5	5	3	10	2
Pneumonia (type not distinguished) ..	18	–	1	–	–	–	–	2	2	4	4	5
Other diseases of respiratory system	11	–	–	–	–	–	1	–	1	–	5	4
Diarrhœa and enteritis	12	9	1	–	–	–	–	–	1	–	–	1
Appendicitis, Typhlitis	10	–	1	–	2	1	–	1	–	4	1	–
Hernia, Intestinal obstruction	10	1	1	–	–	–	–	2	–	2	3	1
Cirrhosis of liver	7	–	–	–	–	–	–	–	4	2	1	–
Other diseases of digestive system ..	17	–	–	–	–	1	1	2	7	3	–	3
Acute nephritis	3	–	–	–	1	–	–	–	1	–	1	–
Chronic Bright's disease	34	–	–	–	–	1	3	4	1	9	10	6
Other diseases of genito-urinary system.	13	–	–	–	–	–	1	2	3	2	–	5
Puerperal sepsis	2	–	–	–	–	–	1	1	–	–	–	–
Other causes incident to childbirth ..	1	–	–	–	–	–	–	1	–	–	–	–
Congenital malformations	9	9	–	–	–	–	–	–	–	–	–	–
Premature birth	27	27	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	6	6	–	–	–	–	–	–	–	–	–	–
Old age..	46	–	–	–	–	–	–	–	–	2	9	35
Suicide	10	–	–	–	–	–	4	2	2	1	1	–
Burns and scalds	2	–	–	1	1	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation in bed	5	5	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	9	–	–	–	4	2	–	–	1	1	1	–
Other deaths by violence	12	2	1	–	1	2	2	2	1	–	1	–
Other specified causes	46	12	2	1	–	1	2	2	4	9	8	5
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 5th May, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	194	197	8	90	C. 4 D. 1 E. 3 F. 1 G. 2 L. 1 M. 12
Metropolitan Boroughs:—						
†BATTERSEA ...	–	8	6	–	5	M. 1
†BERMONDSEY ...	–	8	10	–	4	–
†BETHNAL GREEN	–	8	11	–	5	F. 1
†CAMBERWELL ...	–	16	13	–	2	E. 1 M. 1
†CHELSEA	–	2	2	–	1	–
†DEPTFORD ...	–	3	8	–	1	–
†FINSBURY ...	–	1	7	–	3	–
†FULHAM	–	19	8	–	6	–
†GREENWICH ...	–	7	5	–	1	C. 1
†HACKNEY ...	–	14	13	2	1	D. 1 G. 1
†HAMMERSMITH ...	–	6	5	–	–	M. 1
†HAMPSTEAD ...	–	5	1	–	1	–
†HOLBORN... ...	–	7	4	–	1	E. 1
†ISLINGTON ...	–	17	21	–	1	M. 3
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	2	8	–	1	–
†LAMBETH ...	–	9	9	1	6	C. 1
†LEWISHAM ...	–	7	3	–	1	–
†PADDINGTON ...	–	4	4	–	5	–
†POPLAR	–	2	8	1	4	M. 2
†ST. MARYLEBONE	–	1	1	1	1	M. 1
†ST. PANCRAS ...	–	16	5	–	6	C. 1 G. 1
†SHOREDITCH ...	–	5	5	–	5	M. 1
†SOUTHWARK ...	–	6	16	1	4	E. 1
†STEPNEY	–	6	8	1	8	M. 1
†STOKE NEWINGTON	–	1	–	–	–	–
†WANDSWORTH ...	–	7	10	1	10	L. 1
†WESTMINSTER, CITY OF	–	2	2	–	1	M. 1
†WOOLWICH ...	–	5	4	–	6	C. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; J Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	1	1	–	–	M. 1
Boroughs and Urban Districts:—						
†BEDFORD ...	–	1	1	–	–	M. 1
BERKS	–	17	9	–	1	G. 1
†READING C.B. ...	–	9	4	–	1	–
Boroughs and Urban District:—						
ABINGDON ...	–	2	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	3	5	–	–	–
EASTHAMPSTEAD	–	–	–	–	–	G. 1
WALLINGFORD ...	–	1	–	–	–	–
WOKINGHAM ...	–	2	–	–	–	–
BUCKINGHAM ...	–	10	3	–	3	–
Boroughs and Urban Districts:—						
BEACONSFIELD ...	–	–	1	–	–	–
BUCKINGHAM ...	*	*	*	*	*	*
†SLOUGH	–	1	1	–	1	–
†WOLVERTON ...	–	2	–	–	1	–
Rural Districts:—						
AYLESBURY ...	–	3	–	–	–	–
BUCKINGHAM ...	–	–	–	–	1	–
ETON	–	2	1	–	–	–
HAMBLEDON ...	–	1	–	–	–	–
NEWPORT PAGNELL ...	–	1	–	–	–	–
CAMBRIDGE ...	–	2	–	–	–	–
Rural Districts:—						
CAXTON AND ARRINGTON ...	–	1	–	–	–	–
CHESTERTON ...	–	1	–	–	–	–
CHESTER	–	73	18	1	56	M. 3
†BIRKENHEAD C.B.	–	3	3	–	13	–
†CHESTER C.B. ...	–	1	–	–	6	–
†STOCKPORT C.B.	–	1	4	–	1	M. 2
†WALLASEY C.B ...	–	5	3	–	1	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	1	–	–	–	–
†ALTRINCHAM ...	–	2	–	–	1	–
†BEBINGTON AND BROMBOROUGH	–	2	–	–	1	–
BOLLINGTON ...	–	–	–	–	2	–
BREDBURY AND ROMILEY	–	–	–	–	3	–
BUGLAWTON ...	–	–	–	–	–	M. 1
†CONGLETON ...	–	6	1	–	–	–
†CREWE	–	1	1	–	1	–
†DUKINFIELD ...	–	2	–	–	1	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	5	–
HOOLE	–	–	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	10	–	–	9	–
†HYDE	–	5	–	–	1	–
KNUTSFORD ...	–	1	–	–	–	–
†MACCLESFIELD ...	–	3	–	–	–	–
NANTWICH ...	–	–	–	–	1	–
NESTON AND PARKGATE	–	1	–	–	–	–
†NORTHWICH ...	–	1	1	–	–	–
†RUNCORN... ...	–	1	–	–	4	–
†SALE	–	1	–	–	–	–
SANDBACH ...	–	1	–	–	–	–
†STALYBRIDGE ...	–	1	1	–	–	–
WILMSLOW ...	–	–	2	–	1	–
†WINSFORD ...	–	1	1	–	2	–
Rural Districts:—						
BUCKLOW ...	–	2	–	–	–	–
CHESTER	–	3	–	1	–	–
CONGLETON ...	–	1	–	–	–	–
MACCLESFIELD ...	–	6	–	–	–	–
NANTWICH ...	–	–	–	–	1	–
NORTHWICH ...	–	5	1	–	–	–
RUNCORN... ...	–	2	–	–	–	–
WIRRAL	–	4	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	6	5	–	1	–
Boroughs and Urban Districts:—						
BODMIN	–	2	–	–	–	–
REDRUTH ...	–	–	–	–	1	–
TORPOINT ...	–	1	–	–	–	–
WADEBRIDGE ...	*	*	*	*	*	*
Rural Districts:—						
BODMIN	–	1	–	–	–	–
CALSTOCK ...	–	–	5	–	–	–
EAST KERRIER ...	–	2	–	–	–	–
CUMBERLAND ...	–	9	2	–	5	G. 1 M. 1
†CARLISLE C.B. ...	–	5	–	–	1	–
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	–	–	1	–
KESWICK	–	–	–	–	1	–
†MARYPORT ...	–	–	2	–	–	–
PENRITH	–	–	–	–	–	M. 1
†WORKINGTON ...	–	1	–	–	–	–
Rural Districts:—						
CARLISLE ...	–	2	–	–	1	–
COCKERMOUTH ...	–	1	–	–	–	–
PENRITH	–	–	–	–	–	G. 1
WIGTON	–	–	–	–	1	–
DERBY	15	28	12	–	37	C. 1 D. 2 M. 1
†DERBY C.B. ...	–	3	3	–	8	D. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	*	*	*	*	*	*
†BOLSOVER ...	–	1	–	–	2	–
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BUXTON	–	–	–	–	3	–
†CHESTERFIELD ...	–	1	1	–	4	–
CLAY CROSS ...	–	–	–	–	6	–
DRONFIELD ...	–	2	–	–	1	–
†GLOSSOP	–	–	1	–	1	–
†HEANOR	4	3	1	–	1	–
†ILKESTON ...	–	–	–	–	1	–
†LONG EATON ...	–	1	–	–	1	–
MATLOCK BATH AND SCARTHIN NICK	*	*	*	*	*	*
NORTH DARLEY...	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	–	1	1	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	1	–
BAKEWELL ...	–	2	–	–	2	–
BELPER	–	–	1	–	–	–
BLACKWELL ...	–	6	–	–	–	D. 1 M. 1
CHESTERFIELD ...	–	6	–	–	2	C. 1
CLOWNE	4	–	1	–	–	–
HARTSHORN AND SEALS	–	–	–	–	1	–
SHARDLOW ...	7	1	3	–	2	–
SUDBURY... ...	–	–	–	–	1	–
DEVON	–	31	10	–	9	D. 1 E. 1 G. 1 M. 2
†EXETER C.B. ...	–	1	1	–	–	G. 1 M. 1
†PLYMOUTH C.B....	–	6	4	–	3	D. 1
Boroughs and Urban Districts:—						
BAMPTON ...	–	1	–	–	–	–
†BARNSTAPLE ...	–	–	–	–	3	–
BIDEFORD ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
BRIXHAM ...	–	–	1	–	–	–
BUCKFASTLEIGH	*	*	*	*	*	*
HONITON	–	4	–	–	–	–
KINGSBRIDGE ...	–	–	1	–	–	–
LYNTON	*	*	*	*	*	*
†NEWTON ABBOT...	–	1	–	–	–	–
NORTHAM ...	*	*	*	*	*	*
OTTERY ST. MARY	–	4	–	–	–	–
†TEIGNMOUTH ...	–	–	–	–	–	M. 1
†TORQUAY ...	–	5	1	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	1	–	–	1	
HONITON ...	–	2	–	–	–	–
KINGSBRIDGE ...	–	1	–	–	–	–
NEWTON ABBOT...	–	–	–	–	–	E. 1
PLYMPTON ST. MARY	–	2	–	–	1	–
ST. THOMAS ...	–	3	–	–	–	–
TIVERTON ..	–	–	2	–	–	–
DORSET	–	–	1	–	2	C. 1 G. 2
Boroughs and Urban Districts:—						
DORCHESTER ...	–	–	1	–	–	–
Rural Districts:—						
BLANDFORD ...	–	–	–	–	–	G. 1
STURMINSTER ...	–	–	–	–	2	–
WAREHAM AND PURBECK	–	–	–	–	–	C. 1
WEYMOUTH ...	–	–	–	–	–	G. 1
DURHAM	–	85	15	2	42	G. 2 M. 10
†DARLINGTON C.B	–	1	–	–	2	M. 1
†GATESHEAD C.B.	–	5	1	–	–	–
†SOUTH SHIELDS C.B.	–	7	1	–	6	G. 1 M. 1
†SUNDERLAND C.B.	–	5	–	–	6	M. 1
†WEST HARTLEPOOL C.B.	–	3	–	–	4	M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	4	3	–	–	M. 1
BARNARD CASTLE	–	2	–	–	–	–
BENFIELDSIDE ...	–	–	–	–	1	–
BILLINGHAM ...	–	1	–	1	–	–
†BLAYDON... ...	–	1	–	–	–	–
†BRANDON AND BYSHOTTLES	–	1	–	–	–	–
†CONSETT	–	1	–	–	2	–
†CROOK	–	–	1	–	–	G. 1 M. 1
†FELLING	–	–	–	–	2	–
HARTLEPOOL ...	–	1	–	–	–	–
†HEBBURN ...	–	1	1	–	–	–
†HETTON	–	3	–	–	1	–
†HOUGHTON LE SPRING	–	–	–	–	1	–
†JARROW	–	4	–	–	1	–
LEADGATE ...	–	1	–	–	–	–
†RYTON	–	2	–	–	–	–
†SEAHAM HARBOUR	–	–	–	–	2	–
†SHILDON	–	2	–	–	–	–
†SOUTHWICK ON WEAR	–	1	–	–	–	–
†SPENNYMOOR ...	–	1	–	–	–	–
†STANLEY	–	3	2	–	2	–
†STOCKTON ON TEES	–	6	3	–	2	–
†WASHINGTON ...	–	2	–	–	–	–
†WHICKHAM ...	–	–	1	–	1	–
Rural Districts:—						
AUCKLAND ...	–	3	1	–	–	–
CHESTER LE STREET	–	4	–	–	1	–
DURHAM	–	1	–	–	–	–
EASINGTON ...	–	1	1	–	–	–
HOUGHTON LE SPRING	–	4	–	–	7	M. 1
LANCHESTER ...	–	8	–	–	–	M. 1
SEDGEFIELD ...	–	1	–	1	1	–
SUNDERLAND ...	–	5	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
Rural Districts:—						
WISBECH	–	1	–	–	–	–
ESSEX	–	40	33	3	16	C. 2 M. 2
†EAST HAM C.B. ...	–	10	3	–	1	–
†SOUTHEND-ON-SEA C.B.	–	1	–	–	1	C. 2 M. 1
†WEST HAM C.B. ...	–	6	9	2	3	M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	1	–	–	–
BRAINTREE ...	–	1	–	–	–	–
BRENTWOOD ...	–	1	–	–	–	–
CHINGFORD ...	–	1	–	–	1	–
†CLACTON	–	1	–	–	–	–
†COLCHESTER ...	–	3	3	–	–	–
HALSTEAD ...	–	–	–	–	1	–
†ILFORD	–	3	4	–	–	–
†LEYTON	–	2	2	–	–	–
LOUGHTON ...	–	1	–	–	–	–
SHOEBURYNESS ...	–	–	4	–	–	–
TILBURY	–	1	–	–	–	–
†WALTHAMSTOW ...	–	5	4	–	5	–
†WANSTEAD ...	–	2	–	–	2	–
WIVENHOE ...	–	–	1	–	–	–
†WOODFORD ...	–	–	–	–	1	–
Rural Districts:—						
BILLERICAY ...	–	–	–	–	1	–
BRAINTREE ...	–	–	1	–	–	–
CHELMSFORD ...	–	–	–	1	–	–
MALDON... ...	–	–	1	–	–	–
ONGAR	–	1	–		–	–
ORSETT	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	8	55	5	1	11	M. 2
†BRISTOL C.B. ...	–	30	4	1	10	M. 2
†GLOUCESTER C.B.	–	4	1	–	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	5	2	–	–	1	–
COLEFORD ...	–	1	–	–	–	–
†KINGSWOOD ...	–	1	–	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	4	–	–	–	–
DURSLEY	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES ...	–	2	–	–	–	–
GLOUCESTER ...	3	3	–	–	–	–
LYDNEY	–	1	–	–	–	–
THORNBURY ...	–	3	–	–	–	–
WARMLEY ...	–	3	–	–	–	–
HEREFORD ...	–	2	2	1	1	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	2	–	–	–
LEDBURY... ...	–	1	–	–	–	
Rural Districts:—						
BROMYARD ...	–	–	–	–	1	–
ROSS	–	–	–	1	–	–
HERTFORD ...	–	15	3	–	8	–
Boroughs and Urban Districts:—						
BALDOCK ...	–	–	–	–	1	–
†BARNET	–	1	–	–	–	–
BUSHEY	–	1	–	–	–	–
†CHESHUNT ...	–	2	–	–	–	–
HARPENDEN ...	–	–	1	–	–	–
†LETCHWORTH ...	–	1	–	–	–	–
WARE	–	2	–	–	–	–
†WATFORD ...	–	–	–	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
ASHWELL	–	–	–	–	1	–
BARNET	–	–	1	–	–	–
HADHAM	–	2	–	–	–	–
HATFIED	–	2	–	–	–	–
†HEMEL HEMPSTEAD	–	1	–	–	–	–
HITCHIN	–	–	–	–	2	–
WARE	–	1	–	–	–	–
WATFORD ...	–	2	1	–	1	–
HUNTINGDON ...	–	–	–	1	–	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	–	–	1	–	–
KENT	–	37	13	2	7	C. 1 E. 1 G. 1 M. 5
†CANTERBURY C.B.	–	1	–	–	1	M. 1
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1	–	–	3	–
†BEXLEY	–	–	1	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	–	–
†BROMLEY ...	–	–	–	–	–	M. 1
†CHATHAM ...	–	1	–	–	–	M. 1
†DARTFORD ...	–	3	–	–	–	–
†DOVER	–	1	–	–	–	M. 1
†ERITH	–	–	–	–	1	–
†FAVERSHAM ...	–	–	1	–	–	–
†FOLKESTONE ...	–	2	–	–	–	–
†GILLINGHAM ...	–	3	–	–	–	G. 1
†GRAVESEND ...	–	4	2	–	–	E. 1 M. 1
†MAIDSTONE ...	–	–	4	–	–	–
†MARGATE ...	–	5	–	–	–	–
MILTON REGIS ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NORTHFLEET ...	–	–	1	–	–	–
†PENGE	–	3	–	–	–	–
†RAMSGATE ...	–	3	–	–	–	–
†ROCHESTER ...	–	2	–	1	–	–
ROYAL TUNBRIDGE WELLS	–	–	–	–	1	–
SANDGATE ...	–	2	–	–	–	–
†SHEERNESS ...	–	1	–	–	–	–
WALMER	–	–	–	–	–	C. 1
WHITSTABLE ...	–	1	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	1	1	–	–	–
EAST ASHFORD ...	–	–	–	–	1	–
FAVERSHAM ...	–	–	1	–	–	–
HOLLINGBOURNE	–	–	–	1	–	–
MAIDSTONE ...	–	1	–	–	–	–
MILTON	–	1	1	–	–	–
STROOD	*	*	*	*	*	*
LANCASTER ...	2	323	73	5	311	C. 9 G. 8 L. 2 M. 37
†BARROW IN FURNESS C.B.	–	4	–	–	–	–
†BLACKBURN C.B.	–	1	–	–	9	G. 1
†BLACKPOOL C.B.	–	10	2	–	–	C. 2 M. 1
†BOLTON C.B. ...	–	24	4	–	3	–
†BOOTLE C.B. ...	–	3	1	–	5	–
†BURNLEY C.B. ...	–	13	4	–	3	–
†BURY C.B. ...	–	2	–	–	7	–
†LIVERPOOL C.B. ...	–	52	12	1	41	C. 1 G. 2 M. 12
†MANCHESTER C.B.	–	54	7	–	91	C. 4 G. 2 M. 12
†OLDHAM C.B. ...	–	4	1	–	8	–
†PRESTON C.B. ...	–	5	7	–	–	C. 1
†ROCHDALE C.B. ...	–	7	4	–	–	–
†ST. HELENS C.B. ...	–	4	–	–	8	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K. Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†SALFORD C.B. ...	–	22	8	1	23	M. 2
†SOUTHPORT C.B.	–	3	2	–	1	–
†WARRINGTON C.B.	–	4	1	–	2	–
†WIGAN C.B. ...	–	4	–	1	9	M. 1
Boroughs and Urban Districts :—						
ABRAM	–	1	–	–	–	–
†ACCRINGTON ...	–	3	–	–	2	–
†ASHTON IN MAKERFIELD	–	3	3	1	–	–
†ASHTON UNDER LYNE	–	2	–	–	1	–
†ATHERTON ...	–	–	–	–	3	–
AUDENSHAW ...	–	2	–	–	1	M. 1
†BACUP	–	2	1	–	2	–
†CHADDERTON ...	–	–	–	–	4	–
CLAYTON LE MOORS	–	1	–	–	–	–
†COLNE	–	5	–	–	4	–
†CROMPTON ...	–	1	–	–	2	–
†DALTON IN FURNESS	–	1	–	–	–	–
†DARWEN	–	6	–	–	–	–
†DROYLSDEN ...	–	1	–	–	–	–
†ECCLES	–	1	–	–	–	M. 4
†FAILSWORTH ...	–	4	–	–	5	G. 1
†FARNWORTH ...	–	–	1	–	4	M. 1
†FLEETWOOD ...	–	–	–	–	1	–
†GREAT HARWOOD	–	2	4	–	–	–
†HASLINGDEN ...	–	8	–	–	1	–
†HAYDOCK ...	–	1	1	–	–	–
†HEYWOOD ...	–	2	–	–	1	C. 1
†HINDLEY... ...	–	–	–	–	2	–
†HORWICH ...	–	1	–	–	4	–
HURST	–	1	–	–	–	–
†INCE IN MAKERFIELD	–	–	–	–	1	–
KEARSLEY ...	–	–	–	–	1	–
†LANCASTER ...	–	1	–	–	–	M. 2
LATHOM AND BURSCOUGH	–	–	–	–	1	–
LEES	–	–	–	–	1	–
†LEIGH	–	2	–	–	1	–
LEYLAND... ...	–	3	–	–	–	–
†LITHERLAND ...	–	1	1	–	–	–
†MIDDLETON ...	–	2	–	–	2	–
†MORCAMBE ...	–	1	–	–	–	–
†MOSSLEY	–	4	–	–	–	–
†NELSON	2	–	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEWTON IN MAKERFIELD	–	2	–	–	1	–
ORMSKIRK ...	–	–	–	–	1	–
ORRELL	–	1	–	–	–	–
†OSWALDTWISTLE	–	–	1	–	1	–
†PADIHAM... ...	–	3	–	–	–	–
POULTON LE FYLDE	–	1	–	–	–	–
†PRESTWICH ...	–	–	–	–	2	–
†RADCLIFFE ...	–	3	–	–	11	G. 1
†RAMSBOTTOM ...	–	–	1	–	2	–
†RAWTENSTALL ...	–	2	–	–	–	–
RISHTON	–	1	–	–	2	–
†ROYTON	–	–	–	–	1	–
STANDISH WITH LANGTREE	–	–	–	–	4	–
†STRETFORD... ...	–	5	–	–	–	G. 1
†SWINTON AND PENDLEBURY	–	4	–	–	3	–
TOTTINGTON ...	–	–	–	–	4	–
†TURTON	–	–	–	–	5	–
†TYLDESLEY WITH SHAKERLEY	–	2	–	–	3	–
URMSTON... ...	–	–	–	–	2	–
†WALTON LE DALE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	3	–	–	2	M. 1
†WESTHOUGHTON	–	–	–	–	1	–
WHITEFIELD ...	–	1	–	–	2	–
WHITWORTH ...	–	–	–	–	2	–
†WIDNES	–	10	2	–	–	–
†WORSLEY... ...	–	2	–	–	–	–
Rural Districts :—						
BURNLEY... ...	–	–	1	–	–	–
BURY	–	1	–	–	–	–
CLITHEROE ...	–	–	–	–	1	L. 2
FYLDE	–	–	2	–	–	–
GARSTANG ...	–	–	1	–	–	–
LEIGH	–	–	1	–	–	–
LIMEHURST ...	–	2	–	–	2	–
PRESTON	–	–	–	1	–	–
ULVERSTON ...	–	–	–	–	2	–
WARRINGTON ...	–	1	–	–	1	–
WHISTON... ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER ...	–	14	6	–	5	M. 1
†LEICESTER C.B. ...	–	3	4	–	3	M. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	–	–	–	1	–
†COALVILLE ...	–	1	–	–	–	–
MARKET HARBOROUGH	–	4	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	2	2	–	–	–
HINCKLEY ...	–	2	–	–	–	–
MARKET BOSWORTH	–	2	–	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	1	–	–	1	–
Boroughs and Urban Districts—						
†SPALDING ...	–	–	–	–	1	–
Rural Districts:—						
EAST ELLOE ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	1	1	–	–	1	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	–	–	–	1	–
BRANSTON ...	–	1	–	–	–	–
GRANTHAM ...	1	–	–	–	–	–
LINCOLN (parts of Lindsey).	–	11	5	2	3	M. 1
†GRIMSBY C.B. ...	–	5	1	–	–	–
†LINCOLN, C.B. ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	2	–	–	1	–
CROWLE	*	*	*	*	*	*
†GAINSBOROUGH ...	–	–	1	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	2	2	–	2	M. 1
WINTERTON ...	*	*	*	*	*	*
Rural Districts:—						
GRIMSBY	–	–	–	1	–	–
ISLE OF AXHOLME	–	1	–	–	–	–
SPILSBY	–	–	–	1	–	–
MIDDLESEX ...	–	40	51	3	21	C. 3 E. 1 M. 3
Boroughs and Urban Districts:—						
†ACTON	–	4	–	–	1	–
†BRENTFORD ...	–	1	2	–	1	–
†EALING	–	3	1	–	2	–
†EDMONTON ...	–	2	3	–	–	C. 1
†ENFIELD	–	1	–	1	–	–
FELTHAM ...	–	1	2	–	–	–
†FINCHLEY ...	–	2	1	–	–	–
†FRIERN BARNET	–	1	–	–	–	–
GREENFORD ...	–	–	1	–	–	–
†HAMPTON ...	–	–	1	–	1	–
†HANWELL ...	–	1	1	–	–	–
†HARROW ON THE HILL	–	–	1	–	–	–
HAYES	–	2	–	–	–	–
†HENDON	–	1	–	–	2	–
†HESTON AND ISLEWORTH	–	2	2	–	1	
†HORNSEY	–	2	5	–	–	M. 1
RUISLIP NORTHWOOD	–	1	–	–	–	–
†SOUTHALL NORWOOD	–	1	–	–	–	–
†SOUTHGATE ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TEDDINGTON ...	–	–	–	–	–	C. 1
†TOTTENHAM ...	–	7	3	–	7	E. 1
†TWICKENHAM ...	–	1	–	–	–	–
†UXBRIDGE ...	–	–	1	–	–	–
†WILLESDEN ...	–	3	14	1	6	C. 1 M. 1
†WOOD GREEN ...	–	1	1	–	–	–
YIEWSLEY ...	–	–	3	–	–	–
Rural Districts:—						
HENDON	–	–	1	–	–	–
STAINES	–	1	5	1	–	M. 1
UXBRIDGE ...	–	–	3	–	–	–
NORFOLK	–	42	5	2	7	G. 1
†GREAT YARMOUTH C.B.	–	9	–	–	–	–
†NORWICH C.B. ...	–	25	4	1	1	–
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	–	–	3	–
NORTH WALSHAM	–	–	–	1	–	–
SWAFFHAM ...	–	–	1	–	–	–
WELLS	*	*	*	*	*	*
Rural Districts:—						
DEPWADE ...	–	–	–	–	3	–
EAST AND WEST FLEGG	–	1	–	–	–	G. 1
ERPINGHAM ...	–	3	–	–	–	–
LODDON AND CLAVERING	*	*	*	*	*	*
MITFORD AND LAUNDITCH	–	2	–	–	–	–
SMALLBURGH ...	–	1	–	–	–	–
SWAFFHAM ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON ...	–	39	2	1	12	–
†NORTHAMPTON C.B.	–	6	1	–	7	–
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	10	–	–	–	–
FINEDON	–	2	–	–	–	–
†KETTERING ...	–	7	1	–	1	–
ROTHWELL ...	–	2	–	1	–	–
†RUSHDEN ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	6	–	–	1	–
Rural Districts:—						
DAVENTRY ...	–	1	–	–	–	–
HARDINGSTONE ...	–	–	–	–	1	–
KETTERING ...	–	4	–	–	–	–
TOWCESTER ...	–	1	–	–	1	–
NORTHUMBERLAND	–	21	3	2	44	M. 4
†NEWCASTLE UPON TYNE C.B.	–	3	1	–	23	M. 3
†TYNEMOUTH C.B.	–	1	–	1	–	M. 1
Boroughs and Urban Districts:—						
AMBLE	*	*	*	*	*	
†ASHINGTON ...	–	3	–	–	2	–
†BEDLINGTONSHIRE	–	1	–	–	2	–
†BLYTH	–	5	–	–	3	–
CRAMLINGTON ...	–	1	–	–	1	–
†GOSFORTH ..	–	1	–	1	–	–
†LONGBENTON ..	–	1	–	–	–	–
MORPETH... ...	–	1		–	–	–
NEWBIGGIN BY THE SEA	–	–	–	–	1	–
†NEWBURN ...	–	1	1	–	–	–
PRUDHOE ...	–	–	–	–	4	–
†WALLSEND ...	–	–	1	–	5	–
†WHITLEY AND MONKSEATON	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Rural Districts :—						
CASTLE WARD ...	–	1	–	–	–	–
GLENDALE ...	–	–	–	–	1	–
HEXHAM	–	–	–	–	1	–
MORPETH... ...	–	2	–	–	–	–
NOTTINGHAM ...	3	29	14	–	13	M. 8
†NOTTINGHAM C.B.	–	17	4	–	8	M. 3
Boroughs and Urban Districts :—						
†BEESTON	–	6	–	–	–	–
†CARLTON	–	–	1	–	–	–
EASTWOOD ...	–	–	2	–	–	–
†HUCKNALL ...	–	1	–	–	1	–
†MANSFIELD ...	–	2	–	–	–	M. 2
†MANSFIELD WOODHOUSE	–	1	1	–	–	–
†NEWARK	–	1	–	–	–	–
†SUTTON IN ASHFIELD	–	1	2	–	1	–
WARSOP	*	*	*	*	*	*
†WEST BRIDGFORD	*	*	*	*	*	*
†WORKSOP... ...	–	–	–	–	–	M. 1
Rural Districts :—						
BASFORD	–	–	1	–	1	–
BINGHAM ...	–	–	–	–	–	M. 1
BLYTH AND CUCKNEY	–	–	1	–	–	–
MISTERTON ...	–	–	–	–	1	–
NEWARK	–	–	–	–	–	M. 1
SOUTHWELL ...	–	–	2	–	–	–
STAPLEFORD ...	3	–	–	–	1	–
OXFORD	–	13	8	–	1	–
†OXFORD C.B. ...	–	2	5	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD—*cont.*						
Boroughs and Urban Districts :—						
†BANBURY ...	–	1	–	–	–	–
CHIPPING NORTON	–	–	1	–	–	–
Rural Districts :—						
HEADINGTON ...	–	4	2	–	–	–
WITNEY	–	6	–	–	–	–
PETERBOROUGH (Soke of)	–	1	–	–	–	–
Borough :—						
†PETERBOROUGH...	–	1	–	–	–	–
SALOP	–	6	4	–	4	M. 2
Boroughs and Urban Districts :—						
DAWLEY	–	–	1	–	–	–
MARKET DRAYTON	–	–	1	–	–	–
†OAKENGATES ...	–	3	–	–	–	M. 1
OSWESTRY ...	–	1	–	–	–	M. 1
†SHREWSBURY ...	–	–	–	–	3	–
WHITCHURCH ...	–	–	1	–	–	–
Rural Districts :—						
ATCHAM	–	1	1	–	–	–
LUDLOW	–	–	–	–	1	–
OSWESTRY ...	–	1	–	–	–	–
SOMERSET	–	25	5	2	5	C. 1 L. 3 M. 2
†BATH C.B. ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	3	–	–	–	–
CREWKERNE ...	–	1	–	–	–	–
MIDSOMER NORTON	–	–	–	–	1	–
STREET	*	*	*	*	*	*
†TAUNTON... ...	–	1	1	–	–	C. 1 M. 1
WELLINGTON ...	–	–	–	–	1	–
†WESTON SUPER MARE	–	–	1	–	–	–
†YEOVIL	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	1	3	–	–	–
BATH	–	5	–	–	–	–
BRIDGWATER ...	–	2	–	–	–	–
CHARD	–	–	–	–	1	–
CLUTTON	–	1	–	–	–	–
FROME	–	3	–	–	–	–
KEYNSHAM ...	–	1	–	1	–	–
LANGPORT ...	–	3	–	–	–	–
LONG ASHTON ...	–	2	–	–	–	–
TAUNTON ...	–	1	–	1	–	L. 3
YEOVIL	–	–	–	–	–	M. 1
SOUTHAMPTON ...	–	30	20	4	4	C. 1 G. 1 M. 2
†BOURNEMOUTH C.B.	–	1	1	–	1	–
†PORTSMOUTH C.B.	–	3	13	2	1	–
†SOUTHAMPTON C.B.	–	18	3	2	2	C. 1 M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	3	–	–	–	–
ANDOVER... ...	–	–	–	–	–	G. 1
†GOSPORT	–	–	2	–	–	–
ROMSEY	–	2	–	–	–	–
†WINCHESTER ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Rural Districts:—						
CATHERINGTON ...	*	*	*	*	*	*
HURSLEY... ...	–	–	–	–	–	M. 1
KINGSCLERE ...	–	1	–	–	–	–
WHITCHURCH ...	–	1	–	–	–	–
STAFFORD	–	114	22	5	71	C. 2 G. 2 M. 13
†BURTON UPON TRENT C.B.	–	–	1	–	1	–
†SMETHWICK C.B.	–	8	2	–	6	M. 1
†STOKE ON TRENT C.B.	–	46	5	1	34	C. 1 G. 1 M. 4
†WALSALL C.B. ...	–	4	1	–	1	M. 2
†WEST BROMWICH C.B.	–	7	6	–	2	–
†WOLVERHAMPTON C.B.	–	3	1	–	7	–
Boroughs and Urban Districts:—						
†AUDLEY	–	2	–	–	–	–
BIDDULPH ...	–	2	–	–	–	–
†BILSTON	–	–	–	–	6	M. 1
†BRIERLEY HILL...	–	1	–	1	–	–
†BROWNHILLS ...	–	–	–	–	1	–
†CANNOCK	–	2	–	–	1	–
†COSELEY	–	2	–	–	1	M. 1
†DARLASTON ...	–	–	1	–	–	–
†NEWCASTLE UNDER LYME	–	4	–	–	–	–
†ROWLEY REGIS ...	–	2	–	–	3	–
RUGELEY... ...	–	3	–	–	–	–
†STAFFORD ...	–	1	–	–	1	M. 3
STONE	–	3	–	–	–	–
TAMWORTH ...	–	1	–	–	–	–
†TIPTON	–	2	–	–	2	–
†WEDNESBURY ...	–	–	1	–	1	M. 1
WEDNESFIELD ...	–	1	–	–	–	–
†WILLENHALL ...	–	–	–	–	–	G. 1
†WOLSTANTON UNITED	–	10	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts:—						
CHEADLE	–	7	–	–	2	–
GNOSALL	–	–	–	–	2	C. 1
KINGSWINFORD ...	–	1	–	3	–	–
LICHFIELD ...	–	1	1	–	–	–
MAYFIELD ...	–	1	–	–	–	–
NEWCASTLE UNDER LYME	–	–	1	–	–	–
SUFFOLK, EAST ...	–	4	7	–	8	C. 1 M. 2
†IPSWICH C.B. ...	–	2	4	–	4	C. 1
Boroughs and Urban Districts:—						
LEISTON CUM SIZEWELL	–	–	–	–	1	–
†LOWESTOFT ...	–	–	–	–	1	M. 1
SOUTHWOLD ...	*	*	*	*	*	*
WOODBRIDGE ...	–	–	2	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	–	–	–	–
EAST STOW ...	–	–	–	–	–	M. 1
PLOMESGATE ...	–	–	1	–	1	–
WANGFORD ...	–	–	–	–	1	–
WOODBRIDGE ...	–	1	–	–	–	–
SUFFOLK, WEST ...	–	–	1	–	–	C. 1
Boroughs and Urban Districts:—						
SUDBURY	–	–	1	–	–	–
Rural Districts:—						
COSFORD	–	–	–	–	–	C. 1
SURREY	–	36	18	2	7	C. 1 E. 1
†CROYDON C.B. ...	–	9	–	–	1	–
Boroughs and Urban Districts:—						
†BARNES	–	–	–	–	1	–
†BEDDINGTON AND WALLINGTON	–	–	4	–	–	–
†CARSHALTON ...	–	1	1	–	–	–
†CATERHAM ...	–	6	–	–	–	–
†COULSDON AND PURLEY	–	–	3	1	–	–
†EPSOM	–	–	1	–	3	–
†FARNHAM ...	–	1	–	–	–	–
†FRIMLEY	–	1	–	–	–	–
†GUILDFORD ...	–	–	–	–	1	–
HAM	–	2	–	–	–	–
†KINGSTON ON THAMES	–	3	–	–	–	–
†MERTON AND MORDEN	–	–	2	–	–	–
†MITCHAM... ...	–	2	2	–	–	–
†REIGATE	–	1	1	–	–	–
†RICHMOND ...	–	1	1	–	1	–
†SUTTON	–	1	–	–	–	–
WEYBRIDGE ...	–	1	–	–	–	–
†WIMBLEDON ...	–	–	1	–	–	–
†WOKING	–	1	–	–	–	–
Rural Districts:—						
DORKING	–	–	–	1	–	C. 1
FARNHAM ...	–	–	1	–	–	–
GODSTONE ...	–	1	1	–	–	–
HAMBLEDON ...	–	3	–	–	–	E. 1
REIGATE	–	2	–	–	–	–
SUSSEX, EAST ...	–	26	9	1	1	C. 1 M. 1
†BRIGHTON C.B. ...	–	2	7	–	–	–
†EASTBOURNE C.B.	–	3	1	–	–	–
Boroughs and Urban Districts:—						
CUCKFIELD ...	–	–	1	–	–	–
EAST GRINSTEAD	–	–	–	1	–	–
†HOVE	–	6	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
EAST GRINSTEAD	–	–	–	–	–	M. 1
NEWHAVEN ...	–	1	–	–	–	–
STEYNING EAST...	–	13	–	–	–	C. 1
UCKFIELD ...	–	1	–	–	–	–
SUSSEX, WEST ...	–	7	1	–	2	E. 1 M. 1
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	1	–	–	–	–
†LITTLEHAMPTON	–	2	–	–	–	–
SHOREHAM BY SEA	–	–	–	–	1	–
†WORTHING ...	–	–	1	–	–	–
Rural Districts:—						
HORSHAM... ...	–	2	–	–	–	E. 1
MIDHURST ...	–	1	–	–	–	M. 1
STEYNING WEST...	–	–	–	–	1	–
WESTHAMPNETT	–	1	–	–	–	–
WARWICK	–	59	42	–	107	C. 5 E. 1 M. 9
†BIRMINGHAM C.B.	–	38	36	–	89	C. 5 M. 7
†COVENTRY C.B. ...	–	12	1	–	3	M. 1
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	–	–	1	–
†NUNEATON ...	–	–	–	–	4	M. 1
†ROYAL LEAMINGTON SPA	–	3	3	–	–	–
†RUGBY	–	–	–	–	1	–
STRATFORD ON AVON	–	–	1	–	–	–
†SUTTON COLDFIELD	–	–	–	–	–	E. 1
WARWICK—*cont.*						
Rural Districts:—						
ATHERSTONE ...	–	2	–	–	6	–
FOLESHILL ...	–	3	–	–	1	–
MERIDEN... ...	–	–	–	–	1	–
RUGBY	–	1	–	–	–	–
SOLIHULL ...	–	–	–	–	1	–
TAMWORTH (part)	–	–	1	–	–	–
WESTMORLAND ...	–	–	–	–	5	–
Boroughs and Urban Districts:—						
APPLEBY... ...	–	–	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	2	–
SOUTH WESTMORLAND	–	–	–	–	1	–
WEST WARD ...	–	–	–	–	1	–
WIGHT, ISLE OF ...	–	4	2	1	–	–
Boroughs and Urban Districts—						
COWES	–	–	1	–	–	–
EAST COWES ...	–	2	–	–	–	–
†RYDE	–	–	–	1	–	–
SHANKLIN ...	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT ..	–	1	1	–	–	–
WILTS	–	20	3	–	2	D. 1 M. 1
Boroughs and Urban Districts:—						
CALNE	–	2	–	–	–	–
†SALISBURY ...	–	–	1	–	–	–
†SWINDON... ...	–	8	1	–	1	D. 1 M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
CALNE	–	1	–	–	1	–
CHIPPENHAM ...	–	2	–	–	–	–
HIGHWORTH ...	–	3	–	–	–	–
PEWSEY	–	2	–	–	–	–
RAMSBURY ...	–	1	1	–	–	–
WARMINSTER ...	–	1	–	–	–	–
WORCESTER ...	–	11	2	–	4	–
†DUDLEY C.B. ...	–	2	–	–	–	–
‡WORCESTER C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†KIDDERMINSTER	–	1	–	–	–	–
†MALVERN... ...	–	–	1	–	–	–
†OLDBURY... ...	–	1	–	–	–	–
†REDDITCH ...	–	1	–	–	–	–
†STOURBRIDGE ...	–	1	1	–	–	–
STOURPORT ...	–	1	–	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	3	–	–	–	–
HALESOWEN ...	–	–	–	–	1	–
MARTLEY... ...	–	1	–	–	–	–
UPTON ON SEVERN	–	–	–	–	2	–
YORKS ... ... (East Riding).	–	3	13	–	4	C. 1 M. 1
†KINGSTON UPON HULL C.B.	–	2	11	–	4	M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	–	–
HEDON	–	1	–	–	–	–
Rural Districts:—						
POCKLINGTON ...	–	–	–	–	–	C. 1
SCULCOATES ...	–	–	1	–	–	–
YORKS ... ... (North Riding).	1	24	3	–	15	C. 2
†MIDDLESBROUGH C.B.	1	14	1	–	3	–
Boroughs and Urban Districts:—						
†ESTON	–	7	–	–	–	–
GUISBOROUGH ...	–	–	–	–	2	–
†REDCAR	–	2	–	–	3	C. 1
RICHMOND ...	–	–	–	–	1	–
SALTBURN BY THE SEA	–	–	–	–	1	–
†SCARBOROUGH ...	–	–	–	–	–	C. 1
†THORNABY ON TEES	*	*	*	*	*	*
Rural Districts:—						
EASINGWOLD ...	–	–	–	–	1	–
LEYBURN... ...	–	1	–	–	–	–
REETH	–	–	–	–	1	–
RICHMOND ..	–	–	1	–	1	–
WATH	–	–	–	–	2	–
WHITBY	–	–	1	–	–	–
YORKS ... ... (West Riding).	3	167	59	9	268	D. 1 E. 1 G. 3 M. 10
†BARNSLEY C.B. ...	–	1	–	–	8	M. 1
†BRADFORD C.B. ...	–	10	7	1	13	–
†DEWSBURY C.B....	–	8	1	–	–	–
†HALIFAX C.B. ...	–	3	3	–	–	–
†HUDDERSFIELD C.B.	–	6	1	–	6	–
†LEEDS C.B. ...	–	39	5	1	17	E. 1 M. 2
†ROTHERHAM C.B.	–	5	1	–	4	G. 1
†SHEFFIELD C.B....	–	30	12	3	165	D. 1 G. 1 M. 5
†WAKEFIELD C.B.	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts:—						
†ADWICK LE STREET	1	–	1	–	2	M. 1
ALTOFTS	–	2	2	–	2	–
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
BAILDON	–	1	–	–	–	–
†BARNOLDSWICK ...	–	2	–	–	–	–
†BATLEY	–	3	–	–	3	–
†BENTLEY WITH ARKSEY	2	1	–	–	–	–
†BINGLEY	–	2	1	–	–	–
†BOLTON UPON DEARNE	–	3	–	–	–	–
BURLEY IN WHARFEDALE	–	–	1	–	–	–
†CASTLEFORD ...	–	2	–	–	–	–
†CONISBROUGH ...	–	3	–	–	–	–
CUDWORTH ...	–	1	–	–	1	–
DARFIELD ...	–	–	2	–	2	–
†DARTON	–	1	–	–	1	G. 1
†DONCASTER ...	–	5	2	–	–	–
†GOOLE	–	–	1	–	–	–
GUISELEY ...	–	–	1	–	–	–
†HARROGATE ...	–	–	–	–	1	–
HIPPERHOLME ...	–	–	–	–	2	–
†HOLMFIRTH ...	–	–	–	–	4	–
†HOYLAND NETHER	–	1	–	–	1	–
ILKLEY	–	1	–	–	–	–
KNOTTINGLEY ...	–	1	–	–	–	–
LINTHWAITE ...	–	1	–	–	–	–
LUDDENDEN FOOT	–	–	–	–	1	–
MELTHAM ...	*	*	*	*	*	*
METHLEY ...	–	1	–	–	–	–
MEXBOROUGH ...	–	–	1	–	1	–
†MIRFIELD ...	–	–	–	–	3	–
†MORLEY	–	–	–	–	2	–
MYTHOLMROYD ...	–	1	–	–	–	–
NEW MILL ...	–	–	1	–	–	–
†NORMANTON ...	–	1	1	–	2	–
†PONTEFRACT ...	–	–	–	–	1	–
†RAWMARSH ...	–	1	–	–	–	–
†ROTHWELL ...	–	–	1	–	–	–
ROYSTON	–	1	–	–	–	–
†SADDLEWORTH ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts— *cont.*						
SHIPLEY	–	2	–	1	–	–
SOWERBY... ...	–	–	1	–	–	–
†SOWERBY BRIDGE	–	1	–	–	–	–
†SPENBOROUGH ...	–	4	–	–	–	–
SPRINGHEAD ...	–	–	–	–	3	–
†STANLEY	–	1	–	–	–	M. 1
THURNSCOE ...	–	1	–	–	–	–
THURSTONLAND	–	–	–	–	1	–
TICKHILL ...	–	1	–	–	–	–
WHITWOOD ...	–	–	–	1	–	–
†WOMBWELL ...	–	2	–	–	4	–
†WORSBOROUGH ...	–	1	–	–	1	–
Rural Districts:—						
DONCASTER ...	–	–	–	–	5	–
GREAT OUSEBURN	–	–	2	1	–	–
HEMSWORTH ...	–	–	1	–	7	–
HUNSLET... ...	–	1	–	–	–	–
KEIGHLEY ...	–	1	–	–	–	–
KIVETON PARK ...	–	1	1	–	–	–
KNARESBOROUGH	*	*	*	*	*	*
PENISTONE ...	–	1	–	–	–	–
PONTEFRACT ...	–	5	–	–	–	–
ROTHERHAM ...	–	–	3	1	1	–
SELBY	–	–	1	–	–	–
SKIPTON	–	1	–	–	–	–
TADCASTER ...	–	3	1	–	–	–
THORNE	–	–	–	–	1	–
TODMORDEN ...	–	1	–	–	–	–
WAKEFIELD ...	–	1	–	–	–	–
WETHERBY ...	–	–	2	–	–	–
WHARFEDALE (SOUTH)	–	–	2	–	1	–
WORTLEY ...	–	–	–	–	1	–
§YORK C.B. ...	–	6	1	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	–	–	1	–	1	–
Boroughs and Urban Districts:—						
AMLWCH	–	–	–	–	1	–
Rural Districts:—						
AETHWY	–	–	1	–	–	–
VALLEY	*	*	*	*	*	*
BRECKNOCK ...	–	1	3	–	2	–
Urban Districts:—						
BRYNMAWR ...	–	–	1	–	1	–
BUILTH WELLS ...	–	1	–	–	–	–
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
YSTRADGYNLAIS	–	–	2	–	1	–
CARMARTHEN ...	–	9	5	–	–	–
Boroughs and Urban Districts:—						
LLANDILO ...	–	1	–	–	–	–
LLANDOVERY ...	–	1	–	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	5	–	–	–	–
LLANDILO FAWR	–	1	1	–	–	–
LLANELLY ...	–	–	4	–	–	–
LLANYBYTHER ...	–	1	–	–	–	–
CARNARVON ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
BETHESDA ...	–	1	–	–	–	–
Rural Districts:—						
GLASLYN	–	–	1	–	–	–
DENBIGH	–	4	–	–	7	–
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN... ...	–	–	–	–	1	–
DENBIGH... ...	–	–	–	–	1	–
†WREXHAM ...	–	1	–	–	–	–
Rural Districts:—						
LLANGOLLEN ...	–	1	–	–	–	–
RUTHIN	–	–	–	–	5	–
WREXHAM ...	–	2	–	–	–	–
FLINT	–	5	1	–	3	–
Boroughs and Urban Districts:—						
FLINT	–	1	–	–	–	–
HOLYWELL ...	–	2	–	–	1	–
MOLD	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	1	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	2	–
ST. ASAPH (FLINT)	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	64	30	2	33	C. 2 E. 1 M. 4
†CARDIFF C.B. ...	–	9	5	–	1	C. 1 E. 1
†MERTHYR TYDFIL C.B.	–	1	4	–	2	–
†SWANSEA C.B. ...	–	10	6	–	1	M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	3	–	–	4	–
†BARRY	–	6	4	–	4	–
†CAERPHILLY ...	–	–	1	–	–	–
†GELLIGAER ...	–	–	2	–	1	–
†MAESTEG ...	–	–	–	–	2	–
†MOUNTAIN ASH ...	–	11	–	–	6	–
†NEATH	–	–	1	–	–	–
†OGMORE AND GARW	–	2	2	1	1	–
†PENARTH ...	–	2	1	–	–	–
†PONTYPRIDD ...	–	1	–	–	4	–
†PORT TALBOT ...	–	1	–	–	–	–
†RHONDDA ...	–	8	1	1	5	C. 1 M. 2
Rural Districts:—						
CARDIFF	–	–	1	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	2	2	–	–	–
NEATH	–	7	–	–	2	M. 1
PONTARDAWE ...	–	1	–	–	–	–
MERIONETH ...	–	–	–	–	1	–
Rural Districts:—						
PENLLYN	–	–	–	–	1	–
MONMOUTH ...	–	14	7	–	9	M. 1
†NEWPORT C.B. ...	–	2	1	–	6	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—						
†ABERCARN ...	*	*	*	*	*	*
†ABERSYCHAN ...	–	–	1	–	–	–
†ABERTILLERY ...	–	1	2	–	1	–
BEDWAS AND MACHEN	–	2	–	–	–	–
†BEDWELLTY ...	–	2	1	–	–	–
†EBBW VALE ...	–	4	–	–	1	–
LLANFRECHFA UPPER	–	–	1	–	–	–
†MYNYDDISLWYN	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	1	–
†PANTEG	–	–	1	–	–	–
†RHYMNEY ...	–	1	–	–	–	–
Rural Districts:—						
SAINT MELLONS...	–	1	–	–	–	–
MONTGOMERY ...	–	2	1	–	2	–
Boroughs and Urban Districts:—						
LLANIDLOES ...	*	*	*	*	*	*
WELSHPOOL ...	*	*	*	*	*	*
Rural Districts:—						
FORDEN	–	–	1	–	1	–
LLANFYLLIN ...	–	2	–	–	1	–
PEMBROKE	–	–	3	–	–	C. 2
Boroughs and Urban Districts:—						
HAVERFORDWEST.	–	–	2	–	–	–
MILFORD HAVEN	–	–	1	–	–	–
†PEMBROKE ...	–	–	–	–	–	C. 1
Rural Districts:—						
HAVERFORDWEST.	–	–	–	–	–	C. 1
NARBERTH ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H. Typhus Fever ; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
RADNOR	–	–	–	–	2	–
Rural Districts :—						
RHAYADER ...	–	–	–	–	2	–
Total of Part II. ...	33	1589	563	52	1187	C. 37 D. 5 E. 8 G. 23 L. 5 M. 130

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COLCHESTER	*	*	*	*	*	*
WELLS (NORFOLK) ...	*	*	*	*	*	*
PORT OF LONDON ...	–	–	1	–	–	–
Total of Part III.— ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	194	197	8	90	C. D. E. F. G. L. M.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	33	1589	563	52	1187	C. D. E. G. L. M. I
Total of Part III.—Port Sanitary Districts	–	–	1	–	–	–
Total (*i.e.*, of returns received), England and Wales ...	33	1783	761	60	1277	C. D. E. F. G. L. M. I

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Po encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague, or Typhus Fever notified during the w The cases of Small-pox notified appear on pages 508, 510, 511, 512, 513, 515, 519, and 520.

e 5.—London and Great Towns in the GREGATE. } { Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Feb. 10.	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.
DON :—													
THS—all ages	1,001	977	1,063	1,074	1,104	1,098	1,162	1,082	1,094	1,126	1,016	1,043	1,047
0 to 1 year ..	117	123	123	106	134	104	112	113	100	120	111	105	118
AT TOWNS, aggregate (including London) :—													
HS	7,688	7,865	7,533	7,925	7,820	7,755	7,844	7,029	7,386	8,216	8,258	7,591	7,970
THS—all ages	4,648	4,446	4,849	4,868	4,667	4,882	4,953	4,991	4,735	4,971	4,539	4,686	4,887
0 to 1 year ..	680	628	714	672	620	636	626	662	557	634	570	548	648
RIC Fever—Cases	30	22	18	18	15	13	18	15	16	26	22	19	30
" Deaths	4	5	8	5	1	3	2	2	4	3	4	1	2
L Pox—Cases ..	10	16	26	16	13	14	3	15	3	10	7	7	1
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
LET Fever—Cases	1,147	1,125	1,062	1,152	1,085	1,007	1,071	907	905	797	952	934	963
" Deaths	12	18	13	15	22	13	17	11	13	15	12	16	11
THERIA—Cases ..	746	662	694	637	570	557	554	563	576	483	542	488	499
" Deaths ..	52	51	38	43	36	43	54	43	37	36	37	40	36
LES—Deaths ..	71	84	79	95	95	108	111	117	105	86	86	69	74
ENZA—Deaths ..	66	71	59	79	84	81	125	120	188	184	169	143	175

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 5th May, 1923. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
N EENWICH).	81	42	70·4	48·0	1
TON ..	74	41	60·6	47·8	8
MOUTH ..	69	45	62·4	49·6	5
CH (EATON).	82	42	69·3	48·4	1
UTH ..	70	47	61·6	49·3	3
L (CLIFTON).	75	45	61·7	47·7	17
GHAM ..	75	43	63·1	47·4	18
GHAM ..	73	44	63·6	47·4	16
NHEAD (BIDSTON).	68	44	58·7	46·9	—
ESTER ..	73	41	61·3	46·9	26
EY.. ..	67	35	57·3	44·3	21
RSFIELD	?	?	?	?	11

Towns.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
Bradford ..	70	39	60·7	45·9	11
Sheffield ..	72	42	62·6	47·3	13
York (Museum)	68	40	62·4	46·1	9
Hull (Pearson Park).	73	39	64·6	44·7	20
Tynemouth ..	67	39	59·3	45·1	7
Cardiff	75	44	60·9	47·4	15
Edinburgh ..	62·0	36·0	57·3	43·0	5
Glasgow ..	61·3	38·7	57·1	43·7	9
Dublin (Phœnix Park).	Not received.				
Fitzwilliam Square.†	64·0	43·1	60·5	49·0	2
Belfast	67·0	38·0	60·5	44·3	3

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 5th May, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
APRIL.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	29	..	29·669	60·2	42·8	17·4	49·8	+ 0·8	46·5	3·3	15·4	2·5	89	123·6	34·6	46·8	SW: WSW.	WSW: SW.	1·1	0·0	0·1	274	- 12	0·08
MONDAY -	30	Perigee. Full	29·798	62·2	48·9	13·3	53·5	+ 4·4	49·5	4·0	11·7	2·3	87	114·0	42·6	47·0	WSW.	WSW: SW.	2·6	0·1	0·4	454	+ 169	0·00
MAY. TUESDAY -	1	..	30·007	62·1	46·3	15·8	53·3	+ 4·0	48·3	5·0	10·8	0·6	83	108·0	38·2	47·1	WSW: SW.	SW.	2·3	0·0	0·2	358	+ 74	0·00
WEDNESDAY	2	..	30·042	70·7	41·7	29·0	57·3	+ 7·8	48·7	8 6	16·5	1·6	73	119·6	34·5	47·5	Calm: Variable	W: Var: Calm.	0·3	0·0	0·0	138	- 144	0·00
THURSDAY -	3	..	29·971	76·5	49·6	26·9	62·2	+12·4	52 9	9·3	21·4	1·4	72	149·5	40·7	47·8	Calm.	SSW.	1·0	0·0	0·1	177	- 103	0·04
FRIDAY -	4	Greatest Declination S.	29·821	80·2	49·5	30·7	66·8	+16·8	52·4	14·4	23·8	2·5	60	129·0	48·9	48·0	Calm: SW.	SW.	1·8	0·0	0·1	212	- 66	0·00
SATURDAY -	5	..	29·679	80·6	52·3	28·3	66·0	+15·7	53·5	12·5	24·7	1·0	64	144·0	46·5	48·4	Calm.	SSW: S: SW.	2·0	0·0	0·1	188	- 88	0·00
MEANS -		..	29·855	70·4	47·3	23·1	58·4	+ 8·8	50·3	8·2	17·8	1·7	75	126·8	40·9	47·5	SW.		..	..	..	Sum 1,801	Sum - 170	Sum 0·12
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. APRIL.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	29	wP to mP	0·8	14·6	Overcast with partially cloudy interval 19h. to 21h. Frequent slight rain 4h. till 12h. and about midnight. Dew at night.
MONDAY ..	30	wP	0·4	14·7	Overcast or nearly overcast throughout. Occasional slight rain 9h. till 12h.
MAY. TUESDAY ..	1	wP ; mP	2·5	14·7	Nearly overcast till 16½h., then cloudy with thin cloud prevalent. Dew at evening. Lunar halo 23h.
WEDNESDAY	2	mP	8·2	14·8	Variably cloudy. Lunar halo 1h. till 2h. Haze 9h. till 15h. Solar halo 12h. Rain about 22h. Lightning 21½h.
THURSDAY	3	mP ; sP from 17h.-20h.	7·9	14·9	Nearly overcast till 12h., then partially cloudy clearing till nearly cloudless by 18½h. Rain about 4h. and 12h. Partial solar halo 15h. Dew at night.
FRIDAY ..	4	mP ; sP 6h.-20h.	12·3	14·9	Nearly cloudless, with nearly overcast period between 15h. and 17½h. Partial solar halo 15h. Solar halo 15h. till 16½h. Dew in morning and at night.
SATURDAY	5	mP ; N at 5h.-6h. then wP	6·4	15·0	Cloudy till 7h., then overcast till 16h. becoming nearly cloudless by 17h. Rain about 1h. and 9h.
			Sum 38·5	Sum 103·6	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea ; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive ; N. negative ; w. weak ; m. moderate ; s. strong ; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·71 in. at the beginning of the week to 29·65 in. by 9h. on April 29th. ; increased to 30·06 in. by 10h. on May 2nd ; decreased generally to 29·52 in. by 19h. on May 5th. ; increased and was 29·58 in. by midnight on the same day.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS,
11-17, Hare Street, E.2

(42149) Wt. 15—P 11 2250 5/23 H. St. G. 43

FOR OFFICIAL USE.

1923. No. 19.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 12TH MAY, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 12TH MAY, 1923.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the nineteenth week of the year numbered 7,665 and corresponded to an annual rate of 20·8 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,478 and corresponded to an annual rate of 12·2 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 12·3, 12·7 and 13·3. Infant mortality was 74 per 1,000 births against 69, 72 and 81 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,891 births, corresponding to a rate of 21·7 per 1,000, and 885 deaths of civilians, corresponding to a rate of 10·2, as against 11·7, 12·0 and 12·0, for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 11·5 per 1,000. The infant mortality was 56 as against 56, 61 and 61 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 409 in the total deaths last week, but the deaths from influenza rose from 175 to 207. In London the number of deaths from all causes fell from 1,047 to 885; while the deaths from diphtheria, which had been 11, 13 and 9 in the preceding three weeks, rose to 10 last week, and those from influenza, which had been 26, 24 and 30 in the three preceding weeks, fell to 23 last week.

Just Published:

Census of England and Wales, 1921. County of Middlesex. Price 10*s.* net.

County of Essex. Price 12*s.* 6*d.* net.

County of Surrey. Price 10*s.* net.

County of Kent. Price 14*s.* net.

To be obtained from H.M. Stationery Office at the following addresses Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London: S.W.1; 37 Peter Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 12th May, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	7,665	4,478	566	1	76	15	66	38	51	207
London	4,534,230*	1,891	885	106	–	10	3	11	10	14	23
Towns in Outer Ring.											
Croydon C.B. ..	192,300	55	34	2	–	–	–	1	–	1	–
Wimbledon ..	61,730	20	10	1	–	–	–	–	–	–	–
Ealing	67,890	33	16	1	–	–	–	–	–	–	–
Acton	62,390	20	15	3	–	–	–	–	–	1	–
Willesden ..	168,200	52	31	4	–	–	–	1	1	–	–
Hendon	55,930	19	13	2	–	–	–	–	–	–	1
Hornsey	87,310	29	24	1	–	–	–	–	1	–	–
Wood Green ..	51,290	15	6	–	–	–	–	–	–	–	1
Tottenham ..	150,500	57	27	2	–	–	1	1	–	–	–
Edmonton ..	68,700	35	16	2	–	–	–	–	–	–	1
Enfield	62,010	13	17	1	–	–	–	–	1	–	–
West Ham C.B. ..	310,200	158	46	6	–	–	–	–	–	1	2
East Ham C.B. ..	145,800	47	16	2	–	1	–	–	–	–	2
Leyton	131,600	38	24	1	–	–	–	–	–	–	–
Walthamstow ..	129,700	55	30	1	–	1	–	1	–	–	2
Ilford	86,370	35	15	2	–	–	–	–	–	–	1
Gillingham	48,630*	22	7	–	–	–	–	–	–	–	–
Canterbury C.B ..	23,680	13	6	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	14	14	–	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	16	11	–	–	–	–	–	–	–	1
Brighton C.B. ..	135,000	49	23	–	–	–	–	–	2	–	1
Portsmouth C.B. ..	236,630*	102	45	4	1	1	–	–	2	–	–
Bournemouth C.B. ..	81,500	15	16	3	–	–	–	1	–	–	–
Southampton C.B. ..	163,700	59	38	3	–	1	–	4	–	–	1
Reading C.B.	92,990	37	23	2	–	–	–	–	–	1	–
Oxford C.B.	56,510	27	7	–	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	33	15	2	–	–	–	–	–	–	–
Luton	58,260	18	13	1	–	–	–	–	–	–	–
Cambridge	59,200	21	16	–	–	–	–	–	–	–	1
Southend-on-Sea C.B.	91,430	34	25	3	–	–	–	–	–	–	–
Ipswich C.B.	80,950	32	12	1	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	22	16	2	–	–	1	–	–	–	–
Norwich C.B. ..	122,900	51	34	2	–	2	–	–	1	–	–
Swindon	55,680	25	11	–	–	–	–	–	–	–	1
Exeter C.B.	59,700	17	10	–	–	1	–	–	–	–	–
Plymouth C.B. ..	200,370*	76	57	5	–	–	–	–	–	1	1
Bath C.B.	68,530	18	13	1	–	1	–	–	–	–	–
Bristol C.B.	383,900	137	73	3	–	2	–	1	–	1	1
Gloucester C.B. ..	52,210	14	10	2	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	274,300	112	78	9	–	1	–	–	–	–	7
Burton-upon-Trent C.B.	49,630	21	14	2	–	–	–	–	–	–	–
Wolverhampton C.B.	105,700	59	19	2	–	–	–	–	–	–	1
Walsall C.B.	99,890	40	24	7	–	–	1	1	–	–	1
West Bromwich C.B.	76,260	31	19	5	–	1	–	–	1	1	1
Dudley C.B.	57,860	31	16	1	–	1	–	–	–	–	1
Worcester C.B. ..	49,240	16	18	2	–	1	–	1	–	–	–
Birmingham C.B. ..	945,100	413	220	26	–	9	–	–	5	–	9
Smethwick C.B. ..	78,140	34	20	2	–	–	–	–	–	–	–
Coventry C.B. ..	131,200	50	21	4	–	–	–	–	–	–	–
Leicester C.B. ..	238,800	97	44	7	–	–	–	1	–	–	–
Lincoln C.B.	66,930	28	15	1	–	–	–	–	–	–	1
Grimsby C.B.	84,650	31	23	1	–	–	–	–	–	–	–
Nottingham C.B. ..	267,900	125	57	7	–	–	–	1	–	–	1
Derby C.B.	132,400	49	25	4	–	–	–	1	–	–	1
Chesterfield ..	63,380	24	19	3	–	–	–	–	–	–	1
Stockport C.B. ..	125,800	40	46	4	–	–	–	1	–	–	4
Chester C.B.	41,190	14	6	1	–	–	–	–	–	–	–
Birkenhead C.B. ..	149,200	56	34	6	–	–	1	–	–	–	–
Wallasey C.B. ..	89,790	29	13	1	–	–	–	–	–	–	–
Liverpool C.B. ..	826,400	382	206	28	–	6	–	6	1	5	3
Bootle C.B.	79,750	35	23	2	–	1	1	–	–	–	2
St. Helens C.B. ..	106,400	49	22	9	–	–	–	–	–	–	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	22	19	2	–	1	–	–	–	–	1
WIGAN C.B.	91,750	46	28	2	–	–	–	2	1	–	2
WARRINGTON C.B. ..	79,150	35	17	5	–	–	–	–	–	–	1
BOLTON C.B.	182,700	53	67	8	–	–	1	–	–	–	8
BURY C.B.	57,400	15	36	1	–	1	–	–	–	–	9
MANCHESTER C.B. ..	748,500	321	230	35	–	5	1	8	1	6	19
SALFORD C.B.	240,700	76	86	16	–	1	–	2	–	3	5
OLDHAM C.B.	148,300	37	73	8	–	–	–	1	1	1	10
ROCHDALE C.B... ..	92,510	28	22	1	–	–	–	–	–	–	2
BURNLEY C.B.	105,100	39	29	5	–	–	–	1	–	–	1
BLACKBURN C.B. ..	129,600	31	27	5	–	–	–	–	–	–	2
PRESTON C.B.	120,900	59	27	6	–	–	–	1	–	1	2
BLACKPOOL C.B. ..	74,050	25	19	2	–	–	–	–	–	–	1
BARROW-IN-FURNESS C.B.	75,690	23	20	1	–	–	1	–	–	–	–
HUDDERSFIELD C.B. ..	111,600	20	29	1	–	–	–	–	–	–	1
HALIFAX C.B.	100,500	39	46	7	–	–	–	–	–	1	2
BRADFORD C.B. ..	291,300	109	88	7	–	3	–	1	1	–	3
LEEDS C.B.	466,700	154	118	11	–	1	–	–	2	–	4
DEWSBURY C.B. ..	55,170	13	16	2	–	–	–	–	–	–	2
WAKEFIELD C.B. ..	53,840	25	17	3	–	–	–	–	–	–	–
BARNSLEY C.B. ..	69,540	27	21	7	–	–	–	–	1	–	–
SHEFFIELD C.B. ..	522,600	185	180	32	–	–	1	6	2	2	46
ROTHERHAM C.B. ..	69,840	32	15	5	–	–	–	1	–	–	1
DONCASTER	55,020	20	20	–	–	–	–	–	–	–	5
YORK C.B.	84,980	35	14	5	–	–	–	–	–	–	–
HULL C.B.	294,000	132	53	4	–	–	–	–	–	–	–
MIDDLESBROUGH C.B.	134,800	64	38	10	–	2	1	–	–	1	–
DARLINGTON C.B. ..	66,710	21	14	2	–	–	–	–	–	–	–
STOCKTON-ON-TEES ..	65,950	25	11	–	–	–	–	–	–	–	–
WEST HARTLEPOOL C.B.	70,020	36	14	4	–	1	1	–	–	–	–
SUNDERLAND C.B. ..	162,900	65	45	7	–	–	–	1	–	2	–
SOUTH SHIELDS C.B. ..	122,400	61	31	8	–	2	–	–	–	1	1
GATESHEAD C.B. ..	127,300	64	34	9	–	5	1	–	–	1	–
NEWCASTLE-ON-TYNE C.B.	281,600	132	82	15	–	4	–	4	1	1	2
TYNEMOUTH C.B. ..	64,640	25	23	2	–	1	–	3	1	–	–
CARLISLE C.B.	53,490	23	22	4	–	1	–	–	–	1	1
NEWPORT (MON.) C.B.	94,880	53	13	4	–	–	–	1	–	1	–
CARDIFF C.B.	223,830	96	45	6	–	–	–	–	–	1	2
RHONDDA	167,500	78	29	2	–	–	–	1	–	2	–
MERTHYR TYDFIL C.B.	82,680	31	19	1	–	6	–	–	1	–	–
ABERDARE	56,580	17	9	1	–	–	–	–	–	–	–
SWANSEA C.B.	161,000	83	30	5	–	2	–	–	1	–	–
GREATER LONDON ..	7,563,730*	2,977	1,456	158	–	13	5	16	13	19	36
OUTER RING	3,029,500*	1,086	571	52	–	3	2	5	3	5	13
16 GREAT TOWNS IN OUTER RING	1,831,920	681	340	31	–	2	1	4	3	3	10
REMAINDER OF OUTER RING	1,197,580*	405	231	21	–	1	1	1	–	2	3
EDINBURGH†	426,000	179	128	22	–	1	1	5	–	2	1
GLASGOW†	1,041,400	526	292	58	–	12	–	10	2	7	2
DUBLIN (REGISTRATION AREA)†	431,000	174	113	22	–	–	–	5	3	3	1
BELFAST†	429,000	217	114	19	–	3	–	12	1	1	4

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available perio

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years.)	Influenza
LONDON‡	4,534,230	1923. May 12	1891	885	10·2	–	–	10	3	11	10	14	
CALCUTTA	896,067	March 31	?	535§	30·6	?	19	?	?	?	?	?	
BOMBAY	1,220,120	April 7	356‖	915§	39·0	–	41	2	?	–	–	36	
MADRAS	526,911	March 31	429	381	37·6	–	4	3	?	–	–	30	
SYDNEY AND SUBURBS	955,900	March (31 days)	1778	623	7·8	6	–	1	1	3	8	48	
BRISBANE (Metropolitan Area).	217,714	Feb. (28 days)	476	176	10·5	1	–	–	–	1	–	17	
PERTH (Metropolitan Area).	155,939	March 17	102	29	9·3	–	–	–	–	–	–	3	
AUCKLAND (Urban Area).	164,450	Feb. (28 days)	244	104	7·6	–	–	–	–	–	2	2	
WELLINGTON (Urban Area).	110,680	Feb. (28 days)	181	68	7·3	–	–	–	–	–	–	–	
CHRISTCHURCH (Urban Area).	110,200	Feb. (28 days)	166	82	8·9	–	–	–	1	–	–	–	
CAPE TOWN	106,727	March 24	26	26	12·7	2	–	–	–	–	–	1	
JOHANNESBURG	156,858	„ 31	64	32	10·6	1	–	–	–	–	–	3	
DURBAN	50,488	„ 31	19	8	8·2	1	–	–	–	–	–	–	
PARIS	2,906,472	April 20 (10 days)	1290	1139	14·3	13	–	29	9	4	5	17	
ANTWERP	300,607	March 3	88	81	12·5	–	–	5	–	–	–	1	
		„ 10	125	65	11·2	–	–	2	–	–	–	4	
AMSTERDAM	699,374	April 21	291	137	10·2	–	–	3	–	–	–	–	
COPENHAGEN	565,000	„ 28	215	145	13·4	–	–	4	–	3	–	2	
STOCKHOLM	424,944	„ 21	100	106	13·0	–	–	–	–	–	1	–	
GOTHENBURG	227,686	March 31	?	30	6·8	–	–	–	–	–	–	–	
CHRISTIANIA	258,933	April 28	103	75	15·1	–	–	–	–	–	1	–	
BERLIN	1,981,000	March 31	344	592	15·5	–	?	4	1	1	–	4	
BRESLAU	558,000	„ 31	222	199	18·5	–	?	1	–	1	2	1	
COLOGNE	694,000	„ 31	278	163	12·2	–	?	5	–	1	3	5	
DRESDEN	610,000	„ 31	176	157	13·4	1	?	1	–	–	1	1	
FRANKFORT-ON-MAIN..	477,000	„ 31	90	72	7·8	–	?	–	–	–	1	–	
HAMBURG	1,085,000	„ 31	280	246	11·8	–	?	9	–	2	1	4	
LEIPZIG	677,000	„ 31	203	194	14·9	–	?	2	–	2	–	3	
MUNICH	685,000	„ 31	190	220	16·7	–	?	4	–	2	–	3	
VIENNA	1,841,326	„ 10	589	622	17·6	1	–	3	–	3	6	11	
PRAGUE AND SUBURBS	697,111	Feb. 28 (13 days)	525	399	16·1	–	–	–	3	2	2	10	
BUDAPEST	945,717	March 3	396	406	22·3	2	–	4	–	4	–	12	
WARSAW	956,087	„ 24	335	271	14·8	1	–	3	3	1	1	9	
CAIRO	791,000	Jan. 21	809	409	26·9	2	–	–	–	?	1	29	
		„ 28	822	431	28·3	4	–	1	–	?	1	25	
ALEXANDRIA	466,700	Jan. 21	575	206	23·0	2	–	1	–	?	–	12	
		„ 28	572	244	27·2	1	–	5	–	?	–	15	
NEW YORK	5,927,617	April 7	2578	1637	14·4	–	–	6	3	9	19	21	
CHICAGO	2,886,121	„ 7	?	767	13·9	–	–	13	1	5	7	17	
RIO DE JANEIRO ..	1,269,046	March 17											
MONTEVIDEO	349,768	Feb. 3											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, V Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 7 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 9 in Calcutta and 109 in Bombay,

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 12th May, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	885	106	26	26	35	43	53	62	97	112	174	151
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	10	7	2	1	–	–	–	–	–	–	–	–
Scarlet fever	3	1	–	1	1	–	–	–	–	–	–	–
Whooping cough	11	5	5	1	–	–	–	–	–	–	–	–
Diphtheria	10	–	3	3	4	–	–	–	–	–	–	–
Influenza	23	–	–	1	1	2	1	1	3	1	5	8
Erysipelas	3	–	–	1	–	1	–	–	–	–	1	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	3	–	–	1	–	–	1	–	1	–	–	–
Meningococcal meningitis	2	2	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	72	–	–	–	4	18	17	9	16	6	2	–
Nerves	12	2	2	3	3	–	1	1	–	–	–	–
Intestines and peritoneum	–	–	–	–	–	–	–	–	–	–	–	–
Other forms	12	1	–	–	3	1	3	1	–	3	–	–
Venereal diseases	3	–	–	–	–	–	–	–	1	1	1	–
Cancer	103	–	–	–	–	2	3	5	10	28	32	13
Rheumatic fever	2	–	–	–	–	1	1	–	–	–	–	–
Diabetes	8	–	–	–	–	–	–	1	–	4	2	1
Alcoholism	1	–	–	–	–	–	–	–	1	–	–	–
Simple meningitis	3	1	2	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	34	–	–	–	–	–	–	2	4	3	12	13
Epilepsy	3	–	–	–	–	2	–	–	–	1	–	–
"Convulsions" (not puerperal) ..	5	5	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	17	–	–	2	1	1	2	4	2	2	2	1
Pericarditis	1	–	–	–	–	–	–	–	–	1	–	–
Acute endocarditis	4	–	–	–	2	–	–	1	–	–	–	1
Other diseases of heart	127	–	–	–	2	–	3	5	16	22	43	36
Other diseases of circulatory system	36	–	–	1	–	–	1	1	2	4	9	18
Bronchitis	48	3	–	–	–	–	–	3	3	8	17	14
Broncho-pneumonia	38	8	5	5	–	1	1	2	3	–	6	7
Lobar-pneumonia	19	–	–	2	1	–	1	5	2	2	6	–
Pneumonia (type not distinguished) ..	14	1	–	–	3	–	1	1	–	3	3	2
Other diseases of respiratory system	6	–	–	–	–	–	1	1	–	–	2	2
Diarrhœa and enteritis	16	9	5	–	–	–	1	–	–	1	–	–
Appendicitis, Typhlitis	7	–	–	1	2	1	2	–	–	–	–	1
Hernia, Intestinal obstruction	11	2	–	–	–	1	–	–	1	2	2	3
Cirrhosis of liver	5	–	–	–	–	–	–	1	1	2	1	–
Other diseases of digestive system ..	19	2	–	–	1	3	–	2	6	2	3	–
Acute nephritis	2	–	–	–	–	–	1	1	–	–	–	–
Chronic Bright's disease	23	–	–	–	–	1	–	3	5	4	7	3
Other diseases of genito-urinary system.	11	–	–	–	1	1	2	–	1	3	2	1
Puerperal sepsis	4	–	–	–	–	1	3	–	–	–	–	–
Other causes incident to childbirth ..	4	–	–	–	–	1	1	2	–	–	–	–
Congenital malformations	9	9	–	–	–	–	–	–	–	–	–	–
Premature birth	28	28	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	10	10	–	–	–	–	–	–	–	–	–	–
Old age..	28	–	–	–	–	–	–	–	–	–	8	20
Suicide	16	–	–	–	–	1	3	3	3	4	2	–
Burns and scalds	4	–	1	1	–	–	–	–	1	–	–	1
Drowning	1	–	–	–	–	–	–	–	–	1	–	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	10	–	–	–	5	1	1	–	1	1	–	1
Other deaths by violence	13	–	–	1	–	2	1	2	2	1	2	2
Other specified causes	30	9	1	1	1	1	1	5	2	2	4	3
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 12th May, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	–	189	216	3	112	C. 14 D. 1 E. 2 M. 17
†CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	17	4	–	6	M. 1
†BERMONDSEY ...	–	6	12	–	3	M. 1
†BETHNAL GREEN	–	4	6	–	6	C. 1 M. 2
†CAMBERWELL ...	–	6	13	–	1	M. 2
†CHELSEA	–	1	4	–	2	M. 1
†DEPTFORD ...	–	6	9	–	3	–
†FINSBURY ...	–	2	12	–	1	–
†FULHAM	–	7	9	–	3	C. 5
†GREENWICH ...	–	8	2	–	3	C. 1
†HACKNEY ...	–	8	11	–	–	M. 2
†HAMMERSMITH ...	–	2	3	–	1	M. 1
†HAMPSTEAD ...	–	2	6	–	2	–
†HOLBORN... ...	–	4	7	–	–	–
†ISLINGTON ...	–	11	14	–	7	M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	2	9	–	5	–
†LAMBETH ...	–	13	9	–	4	C. 4 M. 1
†LEWISHAM ...	–	10	8	–	–	–
†PADDINGTON ...	–	5	7	–	11	–
†POPLAR	–	6	10	–	11	M. 1
†ST. MARYLEBONE	–	2	9	–	4	M. 1
†ST. PANCRAS ...	–	9	7	1	6	E. 2 M. 3
†SHOREDITCH ...	–	9	5	–	7	D. 1
†SOUTHWARK ...	–	11	20	–	4	–
†STEPNEY	–	14	7	1	6	C. 1
†STOKE NEWINGTON	–	2	–	–	–	–
†WANDSWORTH ...	–	17	9	–	10	C. 1
†WESTMINSTER, CITY OF	–	2	1	–	–	–
†WOOLWICH ...	–	2	3	1	6	C. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; J Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	2	–	–	2	C. 1
Boroughs and Urban Districts:—						
†BEDFORD ...	–	2	–	–	1	–
DUNSTABLE ...	–	–	–	–	–	C. 1
Rural Districts:—						
BEDFORD... ...	–	–	–	–	1	–
BERKS	–	18	13	–	–	C. 2
†READING C.B. ...	–	10	–	–	–	C. 1
Boroughs and Urban District:—						
ABINGDON ...	–	1	–	–	–	–
†NEW WINDSOR	–	–	1	–	–	–
Rural Districts:—						
ABINGDON ...	–	3	7	–	–	–
BRADFIELD ...	–	–	–	–	–	C. 1
EASTHAMPSTEAD	–	1	1	–	–	–
FARINGDON (PART)	–	–	1	–	–	–
HUNGERFORD ...	–	–	2	–	–	–
WALLINGFORD ...	–	2	1	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	5	3	–	3	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	3	–	–	–	–
†CHEPPING WYCOMBE ...	–	–	1	–	1	–
CHESHAM... ...	–	–	–	–	1	–
†WOLVERTON ...	–	1	–	–	–	–
Rural Districts:—						
AYLESBURY ...	*	*	*	*	*	*
ETON	–	–	–	–	1	–
LONG CRENDON...	–	–	1	–	–	–
NEWPORT PAGNELL ...	–	1	–	–	–	–
WYCOMBE ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	2	1	–	–	–
Borough:—						
†CAMBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
NEWMARKET ...	–	1	1	–	–	–
SWAVESEY ...	*	*	*	*	*	*
CHESTER	–	46	12	–	58	D. 1 L. 1 M. 2
†BIRKENHEAD C.B.	–	6	2	–	7	D. 1 M. 1
†CHESTER C.B. ...	–	2	–	–	6	–
†STOCKPORT C.B.	–	7	–	–	3	–
†WALLASEY C.B. ...	–	2	1	–	4	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	–	1	–	–	–
†ALTRINCHAM ...	–	–	–	–	5	–
ASHTON UPON MERSEY	–	1	–	–	1	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	2	–
BOLLINGTON ...	–	1	–	–	3	–
BREDBURY AND ROMILEY	–	2	–	–	3	–
†CONGLETON ...	–	6	–	–	3	–
†CREWE	–	1	–	–	1	M. 1
†DUKINFIELD ...	–	1	–	–	2	–
†HOYLAKE AND WEST KIRBY	–	4	–	–	1	–
†HYDE	–	1	1	–	6	–
†MACCLESFIELD ...	–	–	–	–	1	L. 1
MIDDLEWICH ...	–	–	1	–	1	–
MOTTRAM IN LONGDENDALE	–	–	–	–	3	–
NESTON AND PARKGATE	–	–	–	–	1	–
SANDBACH ...	–	3	–	–	–	–
†WINSFORD ...	–	–	3	–	–	–
YEARDSLEY CUM WHALEY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	1	1	–	–	–
MACCLESFIELD ...	–	1	–	–	–	–
NORTHWICH ...	–	1	–	–	–	–
RUNCORN... ...	–	2	1	–	–	–
TARVIN	–	–	1	–	1	–
WIRRAL	–	2	–	–	4	–
CORNWALL ...	–	2	1	–	2	G. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	–	2	–
†FALMOUTH ...	–	1	–	–	–	–
FOWEY	*	*	*	*	*	*
†PENZANCE ...	–	1	–	–	–	–
ST. IVES	*	*	*	*	*	*
TORPOINT ...	–	–	1	–	–	–
Rural Districts:—						
SAINT GERMANS	–	–	–	–	–	G. 1
CUMBERLAND ...	–	12	8	–	2	G. 1 M. 1
†CARLISLE C.B. ...	–	9	4	–	1	M. 1
Boroughs and Urban Districts:—						
†MARYPORT ...	–	–	–	–	1	–
MILLOM	–	–	1	–	–	G. 1
PENRITH	–	1	–	–	–	–
†WORKINGTON ...	–	1	1	–	–	–
Rural Districts:—						
COCKERMOUTH ...	–	1	1	–	–	–
WHITEHAVEN ..	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	1	17	7	1	39	M. 2
†DERBY C.B. ...	–	7	–	1	10	M. 1
Boroughs and Urban Districts:—						
BAKEWELL ...	–	–	–	–	1	–
†BUXTON	–	–	–	–	1	–
†CHESTERFIELD ...	–	1	1	–	5	–
CLAY CROSS ...	–	–	1	–	–	–
DRONFIELD ...	–	2	–	–	–	–
†GLOSSOP	–	–	1	–	1	M. 1
HEAGE	–	–	–	–	1	–
†HEANOR	1	2	–	–	1	–
†ILKESTON ...	–	–	–	–	1	–
†LONG EATON ...	–	1	–	–	1	–
MATLOCK BATH AND SCARTHIN NICK	*	*	*	*	*	*
NEW MILLS ...	–	–	–	–	1	–
†RIPLEY	–	–	–	–	1	–
†SWADLINCOTE DISTRICT	–	–	–	–	2	–
Rural Districts:—						
BELPER	–	–	1	–	–	–
BLACKWELL ...	–	1	2	–	2	–
CHAPEL EN LE FRITH	–	–	1	–	–	–
CHESTERFIELD ...	–	3	–	–	7	–
HARTSHORN AND SEALS	–	–	–	–	1	–
HAYFIELD ...	–	–	–	–	1	–
SHARDLOW ...	–	–	–	–	2	–
DEVON	–	14	7	1	6	C. 1 M. 1
†PLYMOUTH C.B....	–	4	3	–	3	C. 1 M. 1
Boroughs and Urban Districts:—						
BRIXHAM ...	–	–	–	1	2	–
HONITON	–	1	–	–	–	–
KINGSBRIDGE ...	–	–	1	–	–	–
†NEWTON ABBOT...	–	2	–	–	–	–
†TORQUAY ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
Culmstock ...	*	*	*	*	*	*
Honiton ...	–	1	–	–	–	–
Plympton St. Mary	–	–	1	–	–	–
South Molton...	–	2	1	–	–	–
Tavistock ...	–	1	1	–	–	–
Tiverton ..	–	1	–	–	–	–
Torrington ...	–	–	–	–	1	–
DORSET	–	5	–	–	2	–
Boroughs and Urban Districts:—						
Blandford Forum	–	–	–	–	1	–
Dorchester ...	–	4	–	–	–	–
†Portland ...	–	–	–	–	1	–
Rural Districts:—						
Wimborne and Cranborne	–	1	–	–	–	–
DURHAM	–	75	28	2	60	M. 11
†Darlington C.B	–	1	–	–	2	–
†Gateshead C.B.	–	8	4	–	–	–
†South Shields C.B.	–	9	2	–	6	M. 1
†Sunderland C.B.	–	7	2	–	7	M. 2
†West Hartlepool C.B.	–	2	1	–	1	–
Boroughs and Urban Districts:—						
†Annfield Plain	–	2	1	–	–	–
Barnard Castle	–	–	–	–	1	–
Benfieldside ...	–	–	–	–	3	–
†Bishop Auckland	–	2	–	–	–	–
†Blaydon... ...	–	1	–	–	–	–
†Chester le Street	–	1	–	–	3	–
†Consett	–	–	1	–	–	–
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Durham	–	1	–	–	1	–
†Hartlepool ...	–	–	–	–	2	–
†Hebburn ...	–	–	1	–	1	–
†Hetton	–	5	–	–	–	–
†Houghton le Spring	–	1	–	–	1	–
†Jarrow	–	4	–	–	5	–
†Ryton	–	1	–	–	–	–
†Seaham Harbour	–	–	–	–	2	–
†Shildon	–	1	–	–	–	–
†Spennymoor ...	–	–	–	–	–	M. 1
†Stanley	–	1	1	–	1	–
†Stockton on Tees	–	5	1	–	1	M. 2
†Tanfield ...	–	3	–	–	–	–
†Washington ...	–	1	4	–	1	–
†Whickham ...	–	1	–	–	3	–
Wilington ...	–	1	–	–	1	–
Rural Districts:—						
Auckland ...	–	2	3	–	1	–
Chester le Street	–	4	1	–	1	–
Durham	–	2	–	–	–	–
Easington ...	–	2	1	–	3	M. 1
Hartlepool ...	–	1	–	–	–	–
Houghton le Spring	–	2	–	–	5	M. 3
Lanchester ...	–	3	–	–	3	–
Sedgefield ...	–	–	2	–	4	–
South Shields...	–	–	–	2	–	–
Stockton ...	–	–	1	–	–	–
Sunderland ...	–	1	2	–	1	M. 1
ESSEX	–	25	27	–	30	C. 3 M. 2
†East Ham C.B. ...	–	6	1	–	6	–
†Southend-on-Sea C.B.	–	–	1	–	2	–
†West Ham C.B. ...	–	3	11	–	1	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	–	–	4	–
CHINGFORD ...	–	1	–	–	–	–
†CLACTON	–	–	–	–	1	–
†COLCHESTER ...	–	–	1	–	–	–
†GRAYS THURROCK	–	–	1	–	1	–
†ILFORD	–	5	2	–	3	C. 1 M. 1
†LEYTON	–	4	2	–	2	–
LOUGHTON ...	–	1	–	–	–	–
SHOEBURYNESS ...	–	1	–	–	–	–
WALTHAM HOLY CROSS	–	–	–	–	1	–
†WALTHAMSTOW...	–	2	5	–	3	C. 1
WALTON ON THE NAZE	–	–	–	–	1	–
†WANSTEAD ...	–	1	–	–	–	–
WITHAM	–	–	1	–	2	–
†WOODFORD ...	–	–	1	–	1	–
Rural Districts:—						
BRAINTREE ...	–	–	1	–	–	–
EPPING	–	1	–	–	–	–
MALDON... ...	–	–	–	–	–	M. 1
ROCHFORD ...	–	–	–	–	1	–
STANSTED ...	–	–	–	–	1	–
GLOUCESTER ...	6	46	14	2	11	D. 1 L. 1 M. 1
†BRISTOL C.B. ...	–	29	9	–	4	D. 1 L. 1 M. 1
†GLOUCESTER C.B.	–	1	–	–	2	–
Boroughs and Urban Districts:—						
CHARLTON KINGS	*	*	*	*	*	*
†CHELTENHAM ...	3	–	1	–	–	–
†KINGSWOOD ...	–	3	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—						
DURSLEY	–	–	–	–	2	–
EAST DEAN AND UNITED PARISHES ...	–	1	–	–	2	–
GLOUCESTER ...	3	–	–	1	–	–
LYDNEY	–	–	–	1	–	–
STROUD	–	–	2	–	–	–
THORNBURY ...	–	1	–	–	–	–
WARMLEY ...	–	7	–	–	1	–
WEST DEAN ...	–	2	–	–	–	–
WHEATENHURST	–	2	–	–	–	–
WINCHCOMB(part)	–	–	1	–	–	–
HEREFORD ...	–	2	–	–	2	–
Rural Districts:—						
BREDWARDINE ...	–	–	–	–	1	–
LEDBURY... ...	–	2	–	–	–	–
WEOBLEY ...	–	–	–	–	1	–
HERTFORD ...	–	6	2	–	2	M. 1
Boroughs and Urban Districts:—						
BALDOCK ...	–	–	–	–	1	–
HARPENDEN ...	–	–	–	–	–	M. 1
†LETCHWORTH ...	–	–	–	–	1	–
†ST. ALBANS ...	–	–	2	–	–	–
WARE	–	2	–	–	–	–
Rural Districts:—						
BERKHAMPSTEAD	–	1	–	–	–	–
HADHAM	–	1	–	–	–	–
WATFORD ...	–	2	–	–	–	–
HUNTINGDON ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
OLD FLETTON ...	*	*	*	*	*	*
ST. IVES	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON— *cont.*						
Rural Districts:—						
ST. IVES	*	*	*	*	*	*
ST. NEOTS, No. 3 ..	–	1	–	–	–	–
THRAPSTON (part)	–	1	–	–	–	–
KENT	–	27	21	2	5	C. 1 M. 1
Boroughs and Urban Districts:—						
†ASHFORD ...	–	–	1	–	–	–
†BROMLEY ...	–	1	1	–	1	–
†CHATHAM ...	–	–	1	–	1	–
CHERITON ...	–	1	–	–	–	–
CHISLEHURST ...	–	–	–	–	2	–
†ERITH	–	2	–	–	–	–
†FOLKESTONE ...	–	–	–	–	–	C. 1
†GILLINGHAM ...	–	1	–	–	–	–
†GRAVESEND ...	–	3	–	1	–	M. 1
†MAIDSTONE ...	–	1	–	1	–	–
†MARGATE ..	–	3	–	–	–	–
†NORTHFLEET ...	–	–	1	–	–	–
†PENGE	–	2	2	–	–	–
QUEENBOROUGH	–	1	1	–	–	–
†ROCHESTER ...	–	–	5	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	–	–
SIDCUP	–	1	–	–	–	–
SITTINGBOURNE	–	–	1	–	–	–
†TONBRIDGE ...	–	2	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	2	1	–	–	–
CRANBROOK ...	*	*	*	*	*	*
DARTFORD ..	–	1	–	–	–	–
FAVERSHAM ...	–	–	2	–	–	–
ISLE OF THANET	–	–	2	–	–	–
MAIDSTONE ...	–	1	1	–	–	–
MALLING... ...	–	1	–	–	–	–
MILTON	–	1	2	–	–	–
ROMNEY MARSH	–	–	–	–	1	–
STROOD	–	1	–	–	–	–
TONBRIDGE ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	2	258	65	7	307	C. 7 F. 1 G. 8 M. 31
†BARROW IN FURNESS C.B.	–	5	–	–	–	–
†BLACKBURN C.B.	–	3	–	–	10	–
†BLACKPOOL C.B.	–	6	1	–	–	–
†BOLTON C.B. ...	–	9	2	–	14	–
†BOOTLE C.B. ...	–	9	1	–	3	C. 1 M. 1
†BURNLEY C.B. ...	–	9	3	–	2	–
†BURY C.B. ...	–	2	2	–	10	G. 1
†LIVERPOOL C.B. ...	–	35	13	–	43	F. 1 G. 1 M. 15
†MANCHESTER C.B.	–	41	11	2	74	C. 5 G. 1 M. 9
†OLDHAM C.B. ...	–	7	2	–	9	G. 1 M. 1
†PRESTON C.B. ...	–	2	6	–	1	–
†ROCHDALE C.B. ...	–	9	–	1	–	M. 1
†ST. HELENS C.B. ...	–	4	4	–	10	–
†SALFORD C.B. ...	–	6	1	–	9	–
†SOUTHPORT C.B.	–	–	1	–	6	G. 1
†WARRINGTON C.B.	–	3	1	–	8	–
†WIGAN C.B. ...	–	3	2	–	5	
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	2	–	–	1	M. 1
ADLINGTON ...	–	–	–	–	1	–
†ASHTON IN MAKERFIELD	–	1	2	–	–	–
†ASHTON UNDER LYNE	–	–	–	–	2	–
ASPULL	–	1	–	–	–	–
†ATHERTON ...	–	–	1	–	2	–
AUDENSHAW ...	–	4	–	–	2	–
†BACUP	–	1	–	–	2	G. 1
BILLINGE... ...	–	–	–	–	2	
BLACKROD ...	–	–	–	–	2	
CARNFORTH ...	–	–	1	–	–	–
†CHADDERTON ...	–	–	–	–	3	–
†CHORLEY... ...	–	1	–	–	–	–
†COLNE	–	1	–	–	3	–
†CROMPTON ...	–	–	–	–	2	–
†DARWEN	–	1	–	–	1	G. 1
†DENTON	–	6	–	–	2	–
†DROYLSDEN ...	–	1	–	–	4	–
†ECCLES	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FAILSWORTH ...	–	1	–	–	7	–
†FARNWORTH ...	–	–	–	–	4	–
†GREAT CROSBY ...	–	1	–	–	–	–
†GREAT HARWOOD	–	6	3	–	–	M. 1
†HASLINGDEN ...	–	4	–	–	1	–
†HAYDOCK ...	–	2	–	–	–	–
†HEYWOOD ...	–	2	–	–	1	–
†HINDLEY... ...	–	2	–	–	1	–
†HORWICH ...	–	1	1	–	–	–
†INCE IN MAKERFIELD ...	–	4	–	–	1	–
IRLAM	–	–	–	–	1	–
†LANCASTER ...	–	1	2	2	1	–
LEES	–	1	–	–	1	–
†LEIGH	–	4	–	–	3	M. 2
†LITHERLAND ...	–	5	–	–	–	–
†MIDDLETON ...	–	1	–	1	3	–
†MORCAMBE ...	–	–	–	1	–	–
†MOSSLEY	–	–	1	–	–	–
†NELSON	2	1	–	–	–	–
†NEWTON IN MAKERFIELD	–	1	–	–	5	–
NORDEN	*	*	*	*	*	*
†PADIHAM... ...	–	–	–	–	1	–
POULTON LE FYLDE	–	1	–	–	–	–
†RADCLIFFE ...	–	–	–	–	2	–
†RAWTENSTALL ...	–	1	–	–	2	–
RISHTON	–	1	–	–	1	–
†ROYTON	–	1	–	–	2	–
STANDISH WITH LANGTREE	–	1	–	–	1	–
†STRETFORD... ...	–	6	–	–	1	–
†SWINTON AND PENDLEBURY	–	3	1	–	5	–
THORNTON ...	–	–	–	–	1	–
TOTTINGTON ...	–	–	–	–	4	–
†TURTON	–	3	–	–	3	–
†TYLDESLEY WITH SHAKERLEY	–	3	–	–	4	–
†ULVERSTON ...	–	1	–	–	–	–
UPHOLLAND ...	–	1	–	–	–	–
URMSTON... ..	–	–	–	–	1	–
†WALTON LE DALE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	4	1	–	4	G. 1
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
WHITEFIELD ...	–	–	–	–	1	–
WHITWORTH ...	–	–	–	–	1	–
†WIDNES	–	9	–	–	2	–
†WORSLEY... ...	–	1	–	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	–
BLACKBURN ...	–	3	–	–	–	–
BURNLEY... ...	–	–	1	–	1	*
BURY	–	1	–	–	–	–
CHORLEY	–	–	–	–	–	C. 1
CLITHEROE ...	–	–	–	–	1	–
LIMEHURST ...	–	2	–	–	–	–
PRESTON	–	1	–	–	1	–
WARRINGTON ...	–	1	–	–	1	–
WEST LANCASHIRE	–	2	–	–	2	–
WHISTON... ...	–	1	1	–	1	–
LEICESTER... ...	–	15	12	–	9	D. 1
†LEICESTER C.B. ...	–	9	5	–	6	–
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
ASHBY WOULDS...	–	1	1	–	–	–
†COALVILLE ...	–	2	–	–	–	–
MELTON MOWBRAY	–	–	–	–	2	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	3	5	–	–	–
BARROW UPON SOAR	–	–	1	–	–	–
LOUGHBOROUGH	–	–	–	–	1	–
MELTON MOWBRAY	–	–	–	–	–	D. 1

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	1	1	–	1	–
Boroughs and Urban Districts—						
†BOSTON	–	1	–	–	–	–
LONG SUTTON ...	*	*	*	*	*	*
Rural Districts:—						
CROWLAND ...	–	–	1	–	1	–
LINCOLN (parts of Kesteven).	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	–	–	1	–
STAMFORD ...	*	*	*	*	*	*
Rural Districts:—						
GRANTHAM ...	*	*	*	*	*	*
LINCOLN (parts of Lindsey).	–	6	7	–	3	C. 1 G. 1 M. 2
†GRIMSBY C.B. ...	–	1	4	–	–	C. 1 M. 1
†LINCOLN C.B. ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	*	*	*	*	*	*
†CLEETHORPES ...	–	1	–	–	1	–
MARKET RASEN...	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	1	2	–	1	–
Rural Districts:—						
HORNCASTLE ...	–	1	–	–	–	M. 1
ISLE OF AXHOLME	–	–	–	–	1	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	40	37	3	19	E. 2 G. 1
Boroughs and Urban Districts:—						
†ACTON	–	3	1	–	–	–
†BRENTFORD ...	–	3	3	–	–	–
†CHISWICK ...	–	–	3	–	–	–
†EALING	–	3	1	–	–	–
†EDMONTON ...	–	1	3	–	2	–
†ENFIELD	–	–	1	–	1	–
FELTHAM ...	–	1	–	–	–	–
†FINCHLEY ..	–	2	–	–	–	–
†FRIERN BARNET	–	1	–	–	–	–
†HANWELL ...	–	1	1	–	–	–
†HARROW ON THE HILL	–	–	–	–	–	G. 1
†HENDON	–	3	5	1	–	–
†HESTON AND ISLEWORTH	–	1	–	–	2	–
†HORNSEY... ...	–	–	3	–	1	–
RUISLIP NORTHWOOD	–	1	–	–	–	–
†SOUTHALL NORWOOD	–	4	–	–	–	–
†SOUTHGATE ...	–	–	–	1	2	–
SUNBURY ON THAMES	–	–	–	–	–	E. 2
†TOTTENHAM ...	–	6	3	–	4	–
†TWICKENHAM ...	–	–	2	–	1	–
†UXBRIDGE ...	–	–	1	–	–	–
†WEALDSTONE ...	–	2	1	–	1	–
†WEMBLEY ...	–	–	–	1	–	–
†WILLESDEN ...	–	2	7	–	4	–
†WOOD GREEN ...	–	–	–	–	1	–
Rural Districts:—						
HENDON	–	2	2	–	–	–
STAINES	–	3	–	–	–	–
UXBRIDGE ...	–	1	–	–	–	–
NORFOLK	–	52	8	–	4	D. 1 M. 2
†GREAT YARMOUTH C.B.	–	3	–	–	–	–
†NORWICH C.B. ...	–	31	4	–	1	M. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICT, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts:—						
NORTH WALSHAM	–	1	–	–	–	–
SWAFFHAM ...	–	–	3	–	–	–
Rural Districts:—						
BLOFIELD ...	–	2	–	–	–	–
DOCKING	–	–	–	–	1	–
ERPINGHAM ...	–	4	–	–	–	–
FREEBRIDGE LYNN	–	1	–	–	1	–
HENSTEAD ...	–	7	–	–	–	–
LODDON AND CLAVERING	–	1	1	–	–	–
MITFORD AND LAUNDITCH	–	–	–	–	–	D. 1
THETFORD ...	–	1	–	–	–	–
WALSINGHAM ...	–	–	–	–	1	–
WAYLAND ...	–	1	–	–	–	–
NORTHAMPTON ...	–	37	6	–	7	–
†NORTHAMPTON C.B.	–	6	3	–	4	–
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	6	–	–	–	–
FINEDON	–	1	–	–	–	–
†KETTERING ...	–	6	–	–	–	–
ROTHWELL ...	–	8	–	–	–	–
†WELLINGBOROUGH	–	5	–	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	1	–	–	–	–
DAVENTRY ...	–	1	3	–	–	–
KETTERING ...	–	1	–	–	2	–
NORTHAMPTON ...	–	–	–	–	1	–
OXENDEN... ...	–	2	–	–	–	–
NORTHUMBERLAND	–	17	11	1	40	C. 3 D. 1 G. 1 M. 9
†NEWCASTLE UPON TYNE C.B.	–	3	4	1	25	C. 1 M. 1
†TYNEMOUTH C.B	–	–	1	–	–	D. 1 G. 1
Boroughs and Urban Districts:—						
AMBLE	*	*	*	*	*	*
†BEDLINGTONSHIRE	–	1	–	–	1	–
†BERWICK UPON TWEED	–	1	–	–	–	–
†BLYTH	–	1	2	–	4	–
CRAMLINGTON ...	–	3	–	–	–	–
†EARSDON	–	–	1	–	–	–
†GOSFORTH ..	–	3	–	–	–	–
†LONGBENTON ..	–	–	–	–	1	–
MORPETH... ...	–	–	–	–	–	M. 8
†NEWBURN ...	–	–	1	–	–	–
PRUDHOE ...	*	*	*	*	*	*
SEATON DELAVEL	–	1	1	–	–	–
SEGHILL	–	–	–	–	1	–
†WALLSEND ...	–	–	–	–	2	C. 1
WEETSLADE ...	–	1	–	–	–	–
†WHITLEY AND MONKSEATON	–	–	–	–	2	–
Rural Districts:—						
CASTLE WARD ...	–	3	–	–	–	–
GLENDALE ...	–	–	–	–	1	–
HALTWHISTLE ...	–	–	–	–	2	–
HEXHAM	–	–	1	–	1	C. 1
NOTTINGHAM ...	5	19	4	1	15	C. 1 M. 5
†NOTTINGHAM C.B.	–	13	3	1	4	M. 5
Boroughs and Urban Districts:—						
†BEESTON	–	1	–	–	1	–
†CARLTON	–	2	–	–	2	–
†EAST RETFORD ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HUCKNALL ...	–	–	–	–	1	–
†KIRKBY IN ASHFIELD	–	–	–	–	1	–
†MANSFIELD ...	–	–	–	–	2	–
†NEWARK	–	1	–	–	2	–
Rural Districts:—						
BASFORD	3	2	1	–	–	–
BINGHAM ...	*	*	*	*	*	*
EAST RETFORD ...	–	–	–	–	–	C. 1
SOUTHWELL ...	–	–	–	–	1	–
STAPLEFORD ...	2	–	–	–	–	–
OXFORD	–	7	1	–	–	–
†OXFORD C.B. ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
HENLEY ON THAMES	–	2	–	–	–	–
Rural Districts:—						
BICESTER ...	–	1	–	–	–	–
HEADINGTON ...	–	3	–	–	–	–
PETERBOROUGH (Soke of)	–	3	–	–	1	G. 1
Borough:—						
†PETERBOROUGH...	–	3	–	–	1	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	9	2	–	4	C. 1 M. 1
Boroughs and Urban Districts:—						
CHURCH STRETTON	–	1	–	–	–	–
MARKET DRAYTON	–	1	1	–	–	–
†OAKENGATES ...	–	1	–	–	–	M. 1
†SHREWSBURY ...	–	–	–	–	1	–
WHITCHURCH ...	–	–	1	–	–	–
Rural Districts:—						
LUDLOW	–	–	–	–	1	–
OSWESTRY ...	–	1	–	–	–	C. 1
WELLINGTON ...	–	5	–	–	–	–
WEM	–	–	–	–	2	–
SOMERSET	–	21	6	–	6	–
†BATH C.B. ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
CHARD	–	–	–	–	1	–
CREWKERNE ...	–	1	–	–	–	–
†FROME	–	1	–	–	–	–
†TAUNTON... ...	–	1	–	–	–	–
WATCHET ...	–	–	2	–	–	–
†WESTON SUPER MARE	–	2	1	–	–	–
†YEOVIL	–	1	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	1	1	–	1	–
BATH	–	2	–	–	–	–
CHARD	–	–	–	–	1	–
CLUTTON... ...	–	–	–	–	1	–
FROME	–	2	–	–	1	–
KEYNSHAM ...	–	1	1	–	–	–
LANGPORT ...	–	4	–	–	–	–
LONG ASHTON ...	–	3	–	–	–	–
WELLS	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ...	–	25	29	2	4	G. 1 M. 2
†BOURNEMOUTH C.B.	–	2	–	–	–	G. 1
†PORTSMOUTH C.B.	–	10	17	1	2	M. 2
†SOUTHAMPTON C.B.	–	5	5	1	–	–
Boroughs and Urban Districts:—						
†FAREHAM ...	–	2	–	–	–	–
†GOSPORT AND ALVERSTOKE	–	–	5	–	2	–
†WINCHESTER ...	–	–	2	–	–	–
Rural Districts:—						
†BASINGSTOKE ...	*	*	*	*	*	*
FORDINGBRIDGE ..	–	2	–	–	–	–
HARTLEY WINTNEY	–	1	–	–	–	–
HURSLEY	–	1	–	–	–	–
SOUTH STONEHAM	–	1	–	–	–	–
WHITCHURCH ...	–	1	–	–	–	–
STAFFORD	–	83	21	1	72	C. 2 G. 2 M. 11
†SMETHWICK C.B.	–	9	3	–	4	–
†STOKE ON TRENT C.B.	–	31	4	–	31	C. 2 M. 7
†WALSALL C.B. ...	–	3	–	–	3	–
†WEST BROMWICH C.B.	–	1	6	–	1	–
†WOLVERHAMPTON C.B.	–	2	–	–	5	M. 1
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	–	–	–	1	–
BIDDULPH ..	–	2	–	–	–	–
†BILSTON	–	1	–	–	7	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BRIERLEY HILL...	–	1	–	–	1	–
†BROWNHILLS ...	–	2	–	–	3	–
†CANNOCK	–	1	–	–	–	–
†COSELEY	–	–	–	–	1	M. 1
†HEATHTOWN OR WEDNESFIELD HEATH	–	2	–	–	1	–
KIDSGROVE ...	–	2	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	1	–	1	–
†ROWLEY REGIS ...	–	1	–	–	5	–
RUGELEY	–	5	–	–	–	G. 1
SHORT HEATH ..	–	–	1	–	–	–
†STAFFORD ...	–	3	1	–	–	–
TETTENHALL ...	–	1	–	–	–	–
†TIPTON	–	–	–	–	1	–
UTTOXETER ...	–	–	–	–	–	M. 1
†WEDNESBURY ...	–	1	–	–	2	–
†WILLENHALL ...	–	1	–	–	1	G. 1
†WOLSTANTON UNITED	–	5	3	–	1	–
Rural Districts:—						
BLORE HEATH ...	–	–	–	–	1	–
CANNOCK	–	2	–	–	–	–
KINGSWINFORD ...	–	–	1	–	–	–
LEEK	–	2	–	–	1	–
LICHFIELD ...	–	3	–	–	1	M. 1
STAFFORD ...	–	1	–	–	–	–
STONE	–	–	1	–	–	–
TAMWORTH (part)	–	–	–	1	–	–
SUFFOLK, EAST ...	–	7	7	–	6	G. 1
†IPSWICH C.B. ...	–	5	2	–	2	–
Boroughs and Urban Districts:—						
LEISTON CUM SIZEWELL	–	1	–	–	–	–
†LOWESTOFT ...	–	–	1	–	1	–
WOODBRIDGE ...	–	–	3	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
BLYTHING ...	–	–	–	–	–	G. 1
PLOMESGATE ...	–	–	–	–	3	–
SAMFORD	–	1	–	–	–	–
WOODBRIDGE ...	–	–	1	–	–	–
SUFFOLK, WEST ...	–	2	–	1	–	–
Rural Districts:—						
COSFORD	–	–	–	1	–	–
THINGOE	–	2	–	–	–	–
SURREY	–	33	12	–	10	D. 2
†CROYDON C.B. ...	–	6	1	–	–	–
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	–	–
†CATERHAM ...	–	6	–	–	–	–
†COULSDON AND PURLEY	–	–	–	–	1	–
DORKING	–	–	–	–	1	–
†EGHAM	–	1	–	–	–	–
†EPSOM	–	–	1	–	2	–
†ESHER AND THE DITTONS	–	–	–	–	1	D. 1
†FRIMLEY	–	1	–	–	–	–
†GUILDFORD ...	–	–	1	–	–	–
†KINGSTON ON THAMES	–	3	–	–	–	–
†MERTON AND MORDEN	–	2	1	–	–	–
†MITCHAM... ...	–	3	–	–	–	–
†RICHMOND ...	–	–	2	–	1	–
†SURBITON ...	–	1	1	–	1	–
†SUTTON	–	–	1	–	–	–
†THE MALDENS AND COOMBE	–	–	–	–	–	D. 1
†WALTON UPON THAMES	–	–	1	–	–	–
†WIMBLEDON ...	–	–	2	–	–	–
†WOKING	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
DORKING	–	1	–	–	–	–
EPSOM	–	1	–	–	1	–
FARNHAM ...	–	4	–	–	–	–
GODSTONE ...	–	1	–	–	–	–
HAMBLEDON ...	–	1	–	–	2	–
SUSSEX, EAST ...	–	10	20	1	5	L. 1
†BRIGHTON C.B. ...	–	5	14	–	2	–
†EASTBOURNE C.B.	–	1	–	–	–	–
†HASTINGS C.B. ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
BURGESS HILL ...	–	–	–	–	1	–
†HOVE	–	2	–	–	–	–
SEAFORD	–	–	1	–	–	–
Rural Districts:—						
CHAILEY... ...	–	–	1	–	–	–
CUCKFIELD ...	–	–	4	–	–	–
EAST GRINSTEAD	–	1	–	–	–	–
HAILSHAM ...	–	–	–	–	–	L. 1
STEYNING EAST...	–	1	–	–	–	–
UCKFIELD ...	–	–	–	1	–	–
SUSSEX, WEST ...	–	4	–	–	–	C. 1
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	–	–	–	C. 1
Rural Districts:—						
HORSHAM... ...	–	1	–	–	–	–
STEYNING WEST...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK	–	67	38	1	120	C. 2 E. 1 M. 11
†BIRMINGHAM C.B.	–	51	26	–	90	C. 2 M. 10
†COVENTRY C.B. ...	–	5	1	–	9	E. 1 M. 1
Boroughs and Urban Districts:—						
KENILWORTH ...	–	1	–	–	–	–
†NUNEATON ...	–	–	–	–	3	–
†ROYAL LEAMINGTON SPA	–	1	3	–	3	–
†RUGBY	–	1	–	–	5	–
STRATFORD ON AVON	–	–	1	–	–	–
†SUTTON COLDFIELD	–	1	–	–	–	–
Rural Districts:—						
ATHERSTONE ...	–	–	3	–	2	–
COVENTRY ...	–	–	–	–	1	–
FOLESHILL ...	–	2	–	–	1	–
MERIDEN... ...	–	1	2	1	1	–
NUNEATON ...	–	–	1	–	–	–
RUGBY	–	1	–	–	3	–
SOLIHULL ...	–	–	–	–	2	–
SOUTHAM... ...	–	3	–	–	–	–
TAMWORTH (part)	–	–	1	–	–	–
WESTMORLAND ...	–	–	–	–	2	–
Rural Districts:—						
SOUTH WESTMORLAND	–	–	–	–	2	–
WIGHT, ISLE OF ...	–	3	–	–	–	–
Boroughs and Urban Districts—						
†NEWPORT... ...	–	1	–	–	–	–
SHANKLIN ...	–	2	–	–	–	–
WILTS	–	9	3	–	3	M. 1
Boroughs and Urban Districts:—						
CALNE	–	2	–	–	–	–
†SWINDON... ...	–	4	1	–	2	M. 1
Rural Districts:—						
AMESBURY ...	–	–	–	–	1	–
CALNE	–	1	–	–	–	–
DEVIZES	–	1	–	–	–	–
RAMSBURY ...	–	–	2	–	–	–
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–
WORCESTER ...	–	17	3	–	13	M. 1
†DUDLEY C.B. ...	–	1	–	–	–	–
†WORCESTER C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
†KIDDERMINSTER	–	–	–	–	2	–
†MALVERN... ...	–	1	–	–	–	–
†OLDBURY... ...	–	–	–	–	4	–
†REDDITCH ...	–	2	–	–	1	–
†STOURBRIDGE ...	–	–	1	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	3	–	–	1	–
EVESHAM ...	–	–	1	–	–	–
FECKENHAM ...	–	7	–	–	–	–
HALESOWEN ...	–	1	–	–	3	M. 1
STOW ON THE WOLD (part)	–	–	1	–	–	–
UPTON ON SEVERN	–	1	–	–	–	–
YORKS ... ... (East Riding).	–	7	15	2	11	M. 1
†KINGSTON UPON HULL C.B.	–	6	11	–	11	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS (East Riding) —*cont.*						
Boroughs and Urban Districts:—						
†BEVERLEY ...	*	*	*	*	*	*
GREAT DRIFFIELD	–	–	–	2	–	–
Rural Districts:—						
RICCALL	–	1	–	–	–	–
SCULCOATES ...	–	–	3	–	–	–
SKIRLAUGH ...	–	–	1	–	–	–
YORKS ... ... (North Riding).	–	28	3	–	22	C. 1
†MIDDLESBROUGH C.B.	–	22	2	–	11	–
Boroughs and Urban Districts:—						
†ESTON	–	3	–	–	–	–
GUISBOROUGH ...	–	–	–	–	1	–
†REDCAR	–	–	–	–	3	–
†SCARBOROUGH ...	–	1	–	–	2	C. 1
†SKELTON AND BROTTON	–	–	–	–	2	–
Rural Districts:—						
EASINGWOLD ...	–	1	–	–	–	–
RICHMOND ..	–	1	–	–	–	–
SCARBOROUGH ...	*	*	*	*	*	*
WATH	–	–	–	–	3	–
WHITBY	–	–	1	–	–	–
YORKS ... ... (West Riding).	8	160	58	7	331	C. 10 G. 3 M. 11
†BARNSLEY C.B. ...	–	1	1	–	1	–
†BRADFORD C.B. ...	–	14	3	2	15	C. 3
†DEWSBURY C.B. ...	–	4	1	–	–	–
†HALIFAX C.B. ...	–	1	1	–	–	–
†HUDDERSFIELD C.B.	–	4	1	–	5	M. 1
†LEEDS C.B. ...	–	42	12	–	27	C. 3 G. 1 M. 2
†ROTHERHAM C.B.	–	5	–	–	16	M. 1
†SHEFFIELD C.B. ...	–	19	10	–	220	C. 1 G. 1 M. 4
†WAKEFIELD C.B.	–	1	2	–	1	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	1	–	2	–	–	–
ALTOFTS	–	–	1	–	1	–
BAILDON	–	2	–	–	–	–
†BARNOLDSWICK ...	–	4	–	–	1	–
†BATLEY	–	3	–	–	–	–
†BENTLEY WITH ARKSEY	2	1	–	–	–	–
†BINGLEY	–	–	–	–	1	–
†BRIGHOUSE ...	–	–	–	–	–	C. 1
†CASTLEFORD ...	–	6	–	–	–	–
CLAYTON WEST ...	*	*	*	*	*	*
†CONISBROUGH ...	–	3	2	–	–	–
CUDWORTH ...	–	–	–	–	2	–
†DONCASTER ...	4	5	2	–	1	–
EARBY	–	–	–	–	1	–
†FEATHERSTONE ...	–	1	–	–	–	–
GILDERSOME ...	–	–	–	–	1	–
†GOLCAR	–	–	–	–	1	–
†GOOLE	–	–	3	–	2	–
GREASBROUGH ...	–	1	–	–	–	–
†HARROGATE ...	–	1	1	–	2	M. 1
HECKMONDWIKE	–	2	–	–	–	–
†HEMSWORTH ...	–	1	–	–	–	–
HIPPERHOLME ...	–	–	–	–	1	–
†HOLMFIRTH ...	–	–	–	–	1	–
HONLEY	–	–	–	–	1	–
HORSFORTH ...	–	–	2	–	–	–
†HOYLAND NETHER	–	–	–	–	1	–
HOYLAND SWAINE	*	*	*	*	*	*
ILKLEY	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
KIRKHEATON ...	–	–	1	–	–	–
KNARESBOROUGH	*	*	*	*	*	*
KNOTTINGLEY ...	–	–	–	–	3	–
MEXBOROUGH ...	–	2	–	–	1	–
†MIRFIELD ...	–	2	–	–	–	–
†MORLEY	–	–	–	–	2	–
MYTHOLMROYD ...	–	–	–	–	1	–
†NORMANTON ...	–	–	2	1	4	–
†OSSETT	–	5	–	–	–	–
PENISTONE ...	–	–	1	–	–	–
†PONTEFRACT ...	–	2	–	–	–	–
†PUDSEY	–	1	–	–	–	–
†RAWMARSH ...	–	2	–	–	1	–
SOUTHOWRAM ...	–	1	–	–	–	–
†SOWERBY BRIDGE	*	*	*	*	*	*
†SPENBOROUGH ...	–	3	–	1	2	M. 1
SPRINGHEAD ...	–	2	–	–	–	–
STOCKSBRIDGE ...	–	–	–	–	2	–
†SWINTON	–	–	2	–	–	–
THURNSCOE ...	–	1	–	–	–	–
THURSTONLAND	–	1	–	–	–	–
†TODMORDEN ...	1	3	–	–	1	–
†WORSBOROUGH ...	–	1	1	–	–	–
Rural Districts:—						
BARNSLEY ...	*	*	*	*	*	*
DONCASTER ...	–	–	–	2	1	–
GREAT OUSEBURN	–	1	–	–	–	–
HALIFAX	–	1	–	–	–	–
HEMSWORTH ...	–	–	1	–	5	–
KNARESBOROUGH	–	–	–	–	–	G. 1
PONTEFRACT ...	–	2	–	–	1	–
SEDBERGH ...	–	1	–	–	–	–
SELBY	–	1	2	–	1	–
SETTLE	–	–	–	1	–	–
TADCASTER ...	–	2	2	–	1	C. 2
THORNE	–	–	–	–	1	–
TODMORDEN ...	–	–	–	–	1	–
WAKEFIELD ...	–	3	–	–	–	–
WETHERBY ...	–	1	1	–	1	–
WORTLEY ...	–	1	–	–	–	M. 1
§YORK C.B. ...	–	4	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	–	1	–	–	–	–
Rural Districts:—						
VALLEY	–	1	–	–	–	–
BRECKNOCK ...	–	3	1	–	3	–
Urban Districts:—						
BRECKNOCK ...	–	1	–	–	–	–
BRYNMAWR ...	–	–	–	–	2	–
Rural Districts:—						
BUILTH	–	2	–	–	–	–
CRICKHOWELL ...	–	–	–	–	1	–
YSTRADGYNLAIS	–	–	1	–	–	–
CARDIGAN	–	1	1	–	1	M. 1
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	–	–	–	–	M. 1
LAMPETER ...	–	–	–	–	1	–
Rural Districts:—						
ABERAYRON ...	–	1	–	–	–	–
TREGARON ...	–	–	1	–	–	–
CARMARTHEN ...	–	7	5	–	3	C. 1
Boroughs and Urban Districts:—						
BURRY PORT ...	–	1	–	–	2	–
LLANDILO ...	–	–	1	–	–	–
†LLANELLY ...	–	5	–	–	1	–
Rural Districts:—						
LLANDILO FAWR	–	–	–	–	–	C. 1
LLANELLY ...	–	1	2	–	–	–
NEWCASTLE IN EMLYN	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH	–	3	1	–	1	–
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN... ...	–	–	1	–	–	–
Rural Districts:—						
RUTHIN	–	–	–	–	1	–
WREXHAM ...	–	3	–	–	–	–
FLINT	–	–	1	2	10	–
Boroughs and Urban Districts:—						
FLINT	–	–	–	2	–	–
HOLYWELL ...	–	–	–	–	1	–
†RHYL	–	–	1	–	1	–
Rural Districts:—						
HAWARDEN ...	–	–	–	–	4	–
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	4	–
GLAMORGAN ...	–	42	22	–	44	C. 1 L. 2 M. 3
†CARDIFF C.B. ...	–	2	6	–	6	C. 1
†MERTHYR TYDFIL C.B.	–	1	2	–	–	–
†SWANSEA C.B. ...	–	15	4	–	–	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	4	1	–	9	–
†BARRY	–	3	3	–	3	–
†CAERPHILLY ...	–	1	2	–	–	–
†GELLIGAER ...	–	–	1	–	1	–
†MAESTEG ...	–	–	–	–	4	M. 1
†MOUNTAIN ASH ...	–	6	–	–	10	–
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEATH	–	–	1	–	–	–
†OGMORE AND GARW	–	3	–	–	3	M. 1
†RHONDDA ...	–	5	1	–	8	L. 2 M. 1
Rural Districts:—						
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	–	1	–	–	–	–
PONTARDAWE ...	–	1	1	–	–	–
MERIONETH ...	–	–	–	–	1	D. 1
Urban Districts:—						
FESTINIOG ...	–	–	–	–	–	D. 1
Rural Districts:—						
PENLLYN	–	–	–	–	1	–
MONMOUTH ...	–	6	15	1	9	C. 1
†NEWPORT C.B. ...	–	2	4	1	–	C. 1
Boroughs and Urban Districts:—						
†ABERTILLERY ...	–	1	4	–	1	–
BEDWAS AND MACHEN	–	–	1	–	–	–
†BEDWELLTY ...	–	–	1	–	–	–
†EBBW VALE ...	–	1	–	–	1	–
†MYNYDDISLWYN	–	1	2	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	6	–
†RHYMNEY ...	–	–	1	–	–	–
†RISCA	–	–	2	–	1	–
†TREDEGAR ..	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY ...	–	2	2	–	1	–
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	1	–	–	–	–
Rural Districts:—						
LLANFYLLIN ...	–	–	2	–	1	–
NEWTOWN AND LLANIDLOES	–	1	–	–	–	–
PEMBROKE	–	–	3	–	–	–
Boroughs and Urban Districts:—						
HAVERFORDWEST.	–	–	1	–	–	–
MILFORD HAVEN	–	–	1	–	–	–
Rural Districts:—						
HAVERFORDWEST.	–	–	1	–	–	–
Total of Part II. ...	22	1317	564	38	1313	C. 40 D. 8 E. 3 F. 1 G. 21 L. 5 M. 115

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BOSTON	–	–	1	–	–	–
BRISTOL	–	1	–	–	–	–
CARDIFF	–	–	–	–	–	L. 1
HULL AND GOOLE ...	–	–	–	1	–	–
LIVERPOOL	2	–	–	–	–	–
PLYMOUTH	–	–	–	1	–	–
PORT OF LONDON ...	–	–	–	2	–	–
Total of Part III.— ...	2	1	1	4	–	L. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	189	216	3	112	C. 14 D. 1 E. 2 M. 17
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	22	1317	564	38	1313	C. 40 D. 8 E. 3 F. 1 G. 21 L. 5 M. 115
Total of Part III.—Port Sanitary Districts	2	1	1	4	–	L. 1
Total (*i.e.*, of returns received), England and Wales ...	24	1507	781	45	1425	C. 54 D. 9 E. 5 F. 1 G. 21 L. 6 M. 132

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; , Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-ncephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague, or Typhus Fever notified during the week. he cases of Small-pox notified appear on pages 538, 540, 542, 545, 549, 550, and 552.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. BIRTHS, DEATHS (distinguishing certain CAUS and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain I FECTIOUS DISEASES in the last THIRTE WEEKS.

Week ended :—	Feb. 17.	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	Ma 12
LONDON:—													
DEATHS—all ages	977	1,063	1,074	1,104	1,098	1,162	1,082	1,094	1,126	1,016	1,043	1,047	88
„ 0 to 1 year ..	123	123	106	134	104	112	113	100	120	111	105	118	10
GREAT TOWNS, aggregate (including London):—													
BIRTHS	7,865	7,533	7,925	7,820	7,755	7,844	7,029	7,386	8,216	8,258	7,581	7,970	7,66
DEATHS—all ages	4,446	4,849	4,868	4,667	4,882	4,953	4,991	4,735	4,971	4,539	4,686	4,887	4,47
„ 0 to 1 year ..	628	714	672	620	636	626	662	557	634	570	548	648	56
ENTERIC FEVER—Cases	22	18	18	15	13	18	15	16	26	22	19	30	1
„ Deaths	5	8	5	1	3	2	2	4	3	4	1	2	
SMALL POX—Cases ..	16	26	16	13	14	3	15	3	10	7	7	1	
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,125	1,062	1,152	1,085	1,007	1,071	907	905	797	952	934	963	85
„ Deaths	18	13	15	22	13	17	11	13	15	12	16	11	1
DIPHTHERIA—Cases ..	662	694	637	570	557	554	563	576	483	542	488	499	51
„ Deaths ..	51	38	43	36	43	54	43	37	36	37	40	36	3
MEASLES—Deaths ..	84	79	95	95	108	111	117	105	86	86	69	74	7
INFLUENZA—Deaths ..	71	59	79	84	81	125	120	188	184	169	143	175	20

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 12th May, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	72	34	60·7	45·4	10
BRIGHTON ..	66	39	57·5	46·3	26
PORTSMOUTH ..	66	37	59·2	46·3	14
NORWICH (EATON).	70	35	57·6	44·7	8
PLYMOUTH ..	62	37	57·0	44·3	16
BRISTOL (CLIFTON).	63	38	55·7	44·4	15
BIRMINGHAM ..	65	34	55·9	41·0	5
NOTTINGHAM ..	65	35	56·1	41·7	3
BIRKENHEAD (BIDSTON).	58	39	51·3	41·7	16
MANCHESTER ..	63	35	53·9	40·3	11
BURNLEY	58	31	51·6	36·6	21
HUDDERSFIELD	62	37	54·0	40·0	21

TOWNS.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD ..	57	35	52·0	38·3	16
SHEFFIELD ..	Not received.				
YORK (MUSEUM)	62	37	55·0	39·9	12
HULL (PEARSON PARK).	65	37	56·3	39·7	14
TYNEMOUTH ..	60	36	51·9	39·0	16
CARDIFF	63	35	56·4	41·4	10
EDINBURGH ..	56·0	31·0	49·9	37·4	17
GLASGOW ..	53·7	33·7	50·8	39·1	28
DUBLIN (PHŒNIX PARK).	Not received.				
FITZWILLIAM SQUARE.†	58·3	34·6	53·6	40·4	9
BELFAST	63·0	36·8	56·2	44·1	11

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 12th May, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY	6	..	29·804	71·8	55·4	16·4	61·3	+10·8	49·5	11·8	23·8	1·0	65	139·0	45·0	48·9	Calm: WSW.	Calm: SW: WNW.	0·9	0·0	0·0	184	− 89	0·00
MONDAY	7	Last Quarter.	29·917	67·3	48·0	19·3	56·6	+ 5·9	46·9	9·7	17·6	2·3	70	138·0	45·1	49·1	Calm: NNE.	NNE: ESE.	1·0	0·0	0·1	194	− 76	0·00
TUESDAY	8	..	29·837	63·5	48·1	15·4	54·5	+ 3·5	43·7	10·8	19·1	2·3	67	129·5	46·7	49·7	Calm: ESE.	E: ESE.	0·8	0·0	0·0	168	− 96	0·03
WEDNESDAY	9	..	29·602	61·0	44·4	16·6	51·1	− 0·1	40·5	10·6	17·8	6·2	67	108·4	58·1	49·7	NNE: Calm.	WSW: NNW.	1·3	0·0	0·1	192	− 67	0·03
THURSDAY	10	..	29·600	53·6	40·2	13·4	44·9	− 6·6	36·5	8·4	18·9	4·9	72	110·3	35·0	49·8	NNW.	NNW: NW: WSW.	2·2	0·1	0·3	374	+ 119	0·00
FRIDAY	11	In Equator	29·196	56·1	38·5	17·6	45·1	− 6·7	37·3	7·8	16·5	4·5	74	127·9	33·1	49·9	SW: WSW.	W: WNW: WSW.	7·5	0·0	0·5	550	+ 297	0·13
SATURDAY	12	..	29·454	51·7	34·1	17·6	41·5	−10·6	35·5	6·0	12·2	3·4	79	117·0	28·1	49·8	W: WSW.	Var: WSW.	8·6	0·0	0·1	328	+ 72	0·14
MEANS		..	29·630	60·7	44·1	16·6	50·7	− 0·6	41·4	9·3	18·0	3·5	71	124·3	38·7	49·6	Variable		..	..	..	Sum 1,990	Sum + 160	Sum 0·33
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.	MAY.	ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	6	wP	7·7	15·0	Nearly overcast with nearly cloudless intervals till 2h., and between 10h. and 14½h. Solar halo 14½h.
MONDAY ..	7	wP ; wN from 18h.	4·4	15·1	Overcast generally. Slight rain 20h. till 23h.
TUESDAY ..	8	wN to 9h. ; then wP	1·6	15·1	Overcast throughout. Slight rain 21½h. till 23½h.
WEDNESDAY	9	wP generally. mN at 19h.	2·1	15·2	Nearly overcast till 15h. Variably cloudy till 18h., then partially cloudy. Rain 1½h., and 17½h. Haze in morning.
THURSDAY	10	wP	4·4	15·2	Nearly cloudless till 2h., becoming overcast by 3h. Brisk wind till 13h. Rain from 23½h.
FRIDAY ..	11	wN till 6h., and generally after, except mN at 15h. and 19h.	8·8	15·3	Variably cloudy till 21h., then cloudless. Rain till 1h and about 3½h. Brisk wind 7h. till 19h. Rain and hail between 12h. and 20h. Thunder 15½h.
SATURDAY	12	wP till 11h., then frequently alternating between sP and sN.	8·5	15·3	Nearly cloudless till 7½h., then variably cloudy till 15h. Overcast 15h., clearing to nearly cloudless by 17½h. Slight hoar frost in morning. Frequent rain, hail, and snow between 9h. and 16½h. Occasional thunder and lightning between 15h. and 16h.
			Sum 37·5	Sum 106·2	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea ; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive ; N. negative ; w. weak ; m. moderate ; s. strong ; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·58 in. at the beginning of the week to 29·96 in. by 22h. on 7th. ; decreased to 29·52 in. by 1h. on 10th. ; increased to 29·84 in. by 14h. on 10th. ; decreased to 29·16 in. by 12h. on 11th. ; increased and was 29·54 in. by midnight on 12th.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS,
11-17, Hare Street, E.2

FOR OFFICIAL USE.

1923. No. 20.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 19TH MAY, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 19TH MAY, 1923.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twentieth week of the year numbered 8,310 and corresponded to an annual rate of 22·6 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,532 and corresponded to an annual rate of 12·3 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 12·7, 13·3 and 12·2. Infant mortality was 68 per 1,000 births against 72, 81 and 74 in the preceding three weeks.

In London (Administrative County including the City of London) there were 2,014 births, corresponding to a rate of 23·1 per 1,000, and 949 deaths of civilians, corresponding to a rate of 10·9, as against 12·0, 12·0 and 10·2, for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 11·3 per 1,000. The infant mortality was 46 as against 61, 61 and 56 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 54 in the total deaths last week, but the deaths from influenza fell from 207 to 200. In London the number of deaths from all causes rose from 885 to 949; while the deaths from diphtheria, which had been 13, 9 and 10 in the preceding three weeks, rose to 15 last week, and those from influenza, which had been 24, 30 and 23 in the three preceding weeks, fell to 15 last week.

Just Published:

Census of England and Wales, 1921. County of Middlesex. Price 10*s*. net.

County of Essex. Price 12*s*. 6*d*. net.

County of Surrey. Price 10*s*. net.

County of Kent. Price 14*s*. net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; 37 Peter Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 19th May, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns	19,170,420*	8,310	4,532	564	3	70	26	69	34	57	200
London	4,534,230*	2,014	949	93	–	8	2	11	15	9	15
Towns in Outer Ring: Croydon C.B.	192,300	78	44	8	–	–	–	–	1	–	–
Wimbledon	61,730	22	10	1	–	–	–	–	1	–	–
Ealing	67,890	23	8	–	–	–	–	–	–	–	–
Acton	62,390	27	9	–	–	–	–	–	–	–	–
Willesden	168,200	60	31	4	–	–	–	–	–	–	–
Hendon	55,930	11	9	1	–	1	–	1	–	–	–
Hornsey	87,310	28	22	1	–	–	–	–	–	–	–
Wood Green	51,290	9	7	1	–	–	–	1	–	–	–
Tottenham	150,500	51	19	2	–	–	–	–	–	–	–
Edmonton	68,700	49	11	1	–	–	–	–	–	–	–
Enfield	62,010	25	16	1	–	–	–	–	–	–	–
West Ham C.B.	310,200	164	56	8	–	–	–	–	–	–	2
East Ham C.B.	145,800	57	25	1	–	1	–	–	–	–	–
Leyton	131,600	46	13	1	1	–	–	–	–	–	–
Walthamstow	129,700	51	24	2	–	–	–	–	–	1	–
Ilford	86,370	39	8	–	–	–	–	–	–	–	–
Gillingham	48,630*	23	8	2	–	–	–	1	–	–	–
Canterbury C.B	23,680	10	6	1	–	–	–	–	–	–	–
Hastings C.B.	59,500	21	15	–	–	1	–	–	–	–	–
Eastbourne C.B.	53,700	15	11	–	–	–	–	–	–	–	–
Brighton C.B.	135,000	46	40	1	–	–	1	–	–	–	1
Portsmouth C.B.	236,630*	108	31	2	–	–	–	–	–	–	1
Bournemouth C.B.	81,500	27	16	1	–	–	–	–	–	–	–
Southampton C.B.	163,700	73	27	3	–	–	2	–	–	–	–
Reading C.B.	92,990	39	20	3	–	–	–	–	–	1	–
Oxford C.B.	56,510	23	9	1	–	–	–	–	1	–	–
Northampton C.B.	92,950	32	15	1	–	–	1	–	–	–	–
Luton	58,260	17	13	3	–	–	–	–	–	1	–
Cambridge	59,200	18	13	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	91,430	42	14	4	–	–	–	–	–	–	–
Ipswich C.B.	80,950	34	10	2	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	27	17	2	–	–	–	–	–	–	–
Norwich C.B.	122,900	50	38	6	–	–	–	–	–	–	–
Swindon	55,680	25	5	1	–	–	–	–	–	–	–
Exeter C.B.	59,700	22	15	1	–	–	–	–	–	1	1
Plymouth C.B.	200,370*	94	45	3	–	–	1	–	–	–	–
Bath C.B.	68,530	14	18	–	–	2	–	–	–	–	1
Bristol C.B.	383,900	145	91	15	–	1	1	5	–	–	1
Gloucester C.B.	52,210	15	13	1	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	274,300	124	79	8	–	1	3	–	2	1	4
Burton-upon-Trent C.B.	49,630	20	15	1	–	–	–	–	–	–	–
Wolverhampton C.B.	105,700	35	25	1	–	–	–	–	–	–	2
Walsall C.B.	99,890	35	24	4	–	2	–	1	–	1	–
West Bromwich C.B.	76,260	39	24	7	–	–	–	–	1	–	2
Dudley C.B.	57,860	30	13	3	–	1	–	–	–	–	–
Worcester C.B.	49,240	22	8	–	1	–	–	–	–	–	1
Birmingham C.B.	945,100	440	230	30	–	5	1	–	1	2	19
Smethwick C.B.	78,140	30	19	3	–	1	–	–	–	–	1
Coventry C.B.	131,200	53	24	3	–	–	–	1	–	–	1
Leicester C.B.	238,800	101	48	8	–	–	–	–	–	1	1
Lincoln C.B.	66,930	18	10	–	–	–	–	–	–	–	2
Grimsby C.B.	84,650	50	14	2	–	–	–	–	–	–	1
Nottingham C.B.	267,900	108	60	10	–	–	1	1	–	2	1
Derby C.B.	132,400	65	27	5	–	1	–	–	–	–	3
Chesterfield	63,380	33	28	5	–	–	–	1	–	–	6
Stockport C.B.	125,800	37	37	5	–	–	1	–	–	–	3
Chester C.B.	41,190	15	13	1	–	–	–	–	–	–	–
Birkenhead C.B.	149,200	65	29	6	–	–	–	–	–	1	–
Wallasey C.B.	89,790	31	13	–	–	–	–	–	–	–	–
Liverpool C.B.	826,400	439	242	40	1	6	1	6	2	11	4
Bootle C.B.	79,750	57	15	2	–	–	–	–	–	1	1
St. Helens C.B.	106,400	50	31	9	–	–	–	–	–	–	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	29	23	1	–	2	–	–	–	–	2
WIGAN C.B.	91,750	37	33	8	–	–	–	1	–	1	3
WARRINGTON C.B. ..	79,150	33	18	5	–	–	–	–	–	–	3
BOLTON C.B.	182,700	55	48	4	–	–	–	–	–	–	9
BURY C.B.	57,400	15	22	–	–	–	–	–	–	–	5
MANCHESTER C.B. ..	748,500	345	201	24	–	2	1	10	–	3	12
SALFORD C.B.	240,700	97	69	8	–	–	–	1	1	2	9
OLDHAM C.B.	148,300	50	47	4	–	–	–	–	–	1	6
ROCHDALE C.B... ..	92,510	32	31	3	–	–	–	–	–	–	2
BURNLEY C.B.	105,100	31	33	2	–	–	2	–	–	–	2
BLACKBURN C.B. ..	129,600	38	44	4	–	–	–	–	–	1	1
PRESTON C.B.	120,900	46	30	7	–	–	–	–	1	–	1
BLACKPOOL C.B. ..	74,050	26	25	–	–	–	–	–	–	–	1
BARROW-IN-FURNESS C.B.	75,690	28	20	3	–	–	1	–	–	1	–
HUDDERSFIELD C.B. ..	111,600	40	31	2	–	–	–	–	–	–	2
HALIFAX C.B.	100,500	19	42	3	–	1	–	–	–	–	7
BRADFORD C.B. ..	291,300	124	95	8	–	2	1	1	1	2	9
LEEDS C.B.	466,700	203	119	19	–	–	1	1	1	2	–
DEWSBURY C.B. ..	55,170	14	17	4	–	–	–	–	–	–	–
WAKEFIELD C.B. ..	53,840	18	19	4	–	–	–	–	–	–	–
BARNSLEY C.B. ..	69,540	38	26	6	–	–	–	–	–	1	3
SHEFFIELD C.B. ..	522,600	221	172	23	–	–	2	9	2	2	35
ROTHERHAM C.B. ..	69,840	31	13	3	–	–	–	–	–	–	2
DONCASTER	55,020	20	33	3	–	–	–	1	1	–	7
YORK C.B.	84,980	26	20	2	–	–	–	–	–	–	2
HULL C.B.	294,000	156	72	10	–	–	–	1	–	1	–
MIDDLESBROUGH C.B.	134,800	92	33	2	–	4	3	–	–	1	–
DARLINGTON C.B. ..	66,710	29	13	.	–	–	–	–	–	–	2
STOCKTON-ON-TEES ..	65,950	28	14	6	–	–	–	–	–	–	–
WEST HARTLEPOOL C.B.	70,020	39	12	5	–	–	–	–	1	1	–
SUNDERLAND C.B. ..	162,900	81	42	7	–	–	–	5	–	1	–
SOUTH SHIELDS C.B. ..	122,400	75	28	3	–	4	–	1	–	–	
GATESHEAD C.B. ..	127,300	70	40	7	–	7	–	–	–	1	
NEWCASTLE-ON-TYNE C.B.	281,600	133	65	16	–	7	–	1	–	3	
TYNEMOUTH C.B. ..	64,640	48	16	3	–	1	–	1	–	–	
CARLISLE C.B.	53,490	25	18	1	–	1	–	1	–	–	–
NEWPORT (MON.) C.B.	94,880	40	24	1	–	–	–	–	1		
CARDIFF C.B.	223,830	99	41	4	–	–	–	1	1	–	–
RHONDDA	167,500	77	29	4	–	–	–	2	–	–	–
MERTHYR TYDFIL C.B.	82,680	42	31	9	–	8	–	2	–	–	–
ABERDARE	56,580	32	14	1	–	–	–	1	–	–	–
SWANSEA C.B.	161,000	57	30	4	–	–	–	–	–	–	–
GREATER LONDON ..	7,563,730*	3,157	1,151	135	1	12	2	14	17	10	21
OUTER RING	3,029,500*	1,143	502	42	1	4	–	3	2	1	6
16 GREAT TOWNS IN OUTER RING	1,831,920	740	312	32	1	2	–	2	2	1	2
REMAINDER OF OUTER RING	1,197,580*	403	190	10	–	2	–	1	–	–	4
EDINBURGH†	426,000	194	113	9	–	2	1	3	–	–	
GLASGOW†	1,041,400	572	291	54	–	8	4	10	–	5	
DUBLIN (REGISTRATION AREA)†	431,000	224	142	32	1	–	1	7	1	3	2
BELFAST†	429,000	210	140	22	–	2	–	11	–	2	5

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available period.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years.)	Influenza.
LONDON‡	4,534,230	1923. May 19	2014	949	10·9	–	–	8	2	11	15	9	15
CALCUTTA	896,067	April 7	?	451§	25·8	?	11	?	?	?	?	?	6
BOMBAY	1,220,120	„ 14	327‖	878§	37·4	2	33	9	?	–	–	42	11
MADRAS	526,911	„ 7											
SYDNEY AND SUBURBS	955,900	April											
BRISBANE (Metropolitan Area).	217,714	March											
PERTH (Metropolitan Area).	155,939	„ 24	76	22	7·1	–	–	–	–	–	–	2	–
AUCKLAND (Urban Area).	164,450	March											
WELLINGTON (Urban Area).	110,680	„											
CHRISTCHURCH (Urban Area).	110,200	„											
CAPE TOWN	104,400	„ 31	35	21	10·2	–	–	–	–	–	–	1	–
JOHANNESBURG	156,858	April 7	87	27	8·9	2	–	–	–	–	–	–	–
DURBAN	50,488	„ 7	19	23	23·7	–	–	–	–	–	–	–	–
PARIS	2,906,472	„ 30	1397	1190	14·9	14	–	22	6	12	3	22	2
ANTWERP	300,892	(10 days) Mar. 17	110	97	16·8	–	–	5	–	–	–	7	3
		„ 24	106	66	11·1	–	–	4	–	–	–	3	–
AMSTERDAM	699,374	April 28	297	127	9·5	–	–	1	–	–	–	2	1
COPENHAGEN	565,000	May 5	245	143	13·2	–	–	2	2	–	–	2	1
STOCKHOLM	424,944	April 28	86	101	12·3	–	–	–	1	–	–	1	–
GOTHENBURG	227,686	„ 7	?	50	11·4	–	–	–	–	–	–	1	–
CHRISTIANIA	258,933	May 5	87	53	10·6	–	–	–	–	2	–	1	–
BERLIN	1,999,000	April 7	435	569	14·9	–	?	4	–	1	4	5	3
BRESLAU	563,000	„ 7	190	187	17·3	–	?	1	–	1	1	3	6
COLOGNE	699,000	„ 7	226	202	15·0	–	?	5	–	2	1	5	8
DRESDEN	613,000	„ 7	175	171	14·5	1	?	2	2	4	2	2	6
FRANKFORT-ON-MAIN ..	478,000	„ 7	88	79	8·6	–	?	–	1	–	1	–	1
HAMBURG	1,073,000	„ 7	354	337	16·3	–	?	7	–	–	1	2	2
LEIPZIG	683,000	„ 7	201	166	12·6	–	?	–	–	1	2	3	1
MUNICH	685,000	„ 7	216	192	14·6	–	?	6	–	2	–	1	4
VIENNA	1,841,326	Mar. 17	561	634	17·9	–	–	1	1	–	4	7	5
		„ 24	627	576	16·3	1	–	6	1	4	5	8	5
PRAGUE AND SUBURBS	697,111	March 15	646	461	16·1	5	–	–	4	3	–	8	7
BUDAPEST	945,717	(15 days) March 10	335	361	19·8	2	–	2	4	3	–	13	5
WARSAW	956,087	„ 31	265	304	16·5	1	–	2	1	2	–	14	–
CAIRO	791,000	Feb. 4	751	396	26·0	2	–	2		?	3	28	?
		„ 11	740	429	28·2	2	–	6	–	?	2	22	?
ALEXANDRIA	466,700	Feb. 4	539	231	25·7	1	–	2	–	?	3	10	?
		„ 11	505	208	23·2	–	–	–	–	?	–	9	?
NEW YORK	5,927,617	April 14	2503	1500	13·2	–	–	5	3	4	13	23	20
CHICAGO	2,886,121	„ 14	?	802	14·5	–	–	7	3	1	6	20	9
RIO DE JANEIRO ..	1,274,098	Mar. 17	658	497	20·3	2	1	2	–	16	1	?	15
		„ 24	684	467	19·1	3	1	–	–	6	2	?	39
MONTEVIDEO	349,768	Feb. 3											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 23 deaths from *Asiatic Cholera* in Calcutta, and 1 in Bombay, and from *Plague*, 16 in Calcutta and 89 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 19th May, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	949	93	25	28	27	50	56	66	102	157	186	159
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	8	1	4	2	1	–	–	–	–	–	–	–
Scarlet fever	2	–	–	–	2	–	–	–	–	–	–	–
Whooping cough	11	4	4	3	–	–	–	–	–	–	–	–
Diphtheria	15	–	3	11	–	1	–	–	–	–	–	–
Influenza	15	–	–	–	–	2	3	–	4	2	2	2
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	91	–	–	1	4	20	20	20	12	10	4	–
Nerves	11	2	2	3	2	2	–	–	–	–	–	–
Intestines and peritoneum	2	–	1	–	–	–	–	–	–	1	–	–
Other forms	6	–	–	–	2	2	–	–	1	–	1	–
Venereal diseases	4	1	–	–	–	–	–	1	2	–	–	–
Cancer	122	–	–	1	–	–	1	9	13	33	40	15
Rheumatic fever	7	–	–	–	3	2	2	–	–	–	–	–
Diabetes	10	–	–	–	–	–	1	–	1	4	3	1
Alcoholism	–	–	–	–	–	–	–	–		–	–	–
Simple meningitis	1	1		–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	44	–	–	–	–	–	1	–	4	9	16	14
Epilepsy	5	–	–	–	–	2	–	2	1	–	–	–
"Convulsions" (not puerperal)	3	3	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	27	–	–	3	3	1	3	5	3	3	6	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	4	–	–	–	–	2	–		2	–	–	–
Other diseases of heart	119	–	–	–	4	1	4	4	12	33	32	29
Other diseases of circulatory system	50	–	–	–	–	–	–	–	3	4	22	21
Bronchitis	54	5	1	–	–	–	–	1	2	9	10	26
Broncho-pneumonia	31	10	6	1	–	2	–	1	2	1	3	5
Lobar-pneumonia	20	2	–	–	1	1	2	4	2	3	2	3
Pneumonia (type not distinguished)	20	1	–	–	–	–	2	2	3	7	4	1
Other diseases of respiratory system	10	3	–	–	–	–	–	2	1	2	1	1
Diarrhœa and enteritis	12	8	1	–	–	–	–	1	–	–	1	1
Appendicitis, Typhlitis	5	–	–	1	1	–	1	–	1	1	–	–
Hernia, Intestinal obstruction	6	–	–	–	–	–	1	–	2	1	1	1
Cirrhosis of liver	4	–	–	–	–	–	–	–	–	2	1	1
Other diseases of digestive system	31	–	–	–	–	2	1	5	8	8	5	2
Acute nephritis	1	–	–	–	–	–	–	–	–	–	1	–
Chronic Bright's disease	33	–	–	–	–	–	1	1	7	7	9	8
Other diseases of genito-urinary system.	11	–	–	–	–	1	1	–	–	2	4	3
Puerperal sepsis	4	–	–	–	–	–	4	–	–	–	–	–
Other causes incident to childbirth	8	–	–	–	–	1	6	1	–	–	–	–
Congenital malformations	11	9	1	–	–	1	–	–	–	–	–	–
Premature birth	20	20	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	7	7	–	–	–	–	–	–	–	–	–	–
Old age	25	–	–	–	–	–	–	–	–	1	2	22
Suicide	8	–	–	–	–	1	–	1	2	3	1	–
Burns and scalds	4	–	1	1	–	–	–	–	–	–	2	–
Drowning	4	–	–	–	1	2	–	–	1	–	–	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	10	–	–	1	2	1	–	1	–	2	3	–
Other deaths by violence	11	–	–	–	–	–	–	2	–	3	5	1
Other specified causes	39	15	–	–	1	3	2	2	3	6	5	2
Ill-defined causes	1	–	–	–	–	–	–	1	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 19th May, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	155	197	6	87	C. 12 G. 2 L. 1 M. 13
†CITY OF LONDON	–	–	–	1	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	10	11	–	4	M. 1
†BERMONDSEY ...	–	9	9	–	1	–
†BETHNAL GREEN	–	2	4	–	3	C. 1
†CAMBERWELL ...	–	10	20	–	1	C. 1 G. 1 M. 1
†CHELSEA	–	3	2	–	1	–
†DEPTFORD ...	–	6	11	–	1	–
†FINSBURY ...	–	5	8	–	2	C. 1 G. 1 M. 1
†FULHAM	–	6	4	–	4	C. 1
†GREENWICH ...	–	5	2	–	3	–
†HACKNEY ...	–	4	9	–	–	C. 1
†HAMMERSMITH ...	–	6	4	–	1	M. 1
†HAMPSTEAD ...	–	1	4	1	1	–
†HOLBORN... ...	–	5	1	–	1	–
†ISLINGTON ...	–	9	13	–	1	M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	4	5	–	2	–
†LAMBETH ...	–	19	12	1	4	C. 1
†LEWISHAM ...	–	10	8	–	1	–
†PADDINGTON ...	–	2	2	1	3	–
†POPLAR	–	4	5	1	16	–
†ST. MARYLEBONE	–	4	4	–	–	–
†ST. PANCRAS ...	–	10	9	–	6	C. 1 L. 1 M. 1
†SHOREDITCH ...	–	3	7	–	6	C. 1 M. 1
†SOUTHWARK ...		4	16	–	2	M. 1
†STEPNEY	–	4	10	–	8	C. 2 M. 2
†STOKE NEWINGTON	–	–	–	–	2	–
†WANDSWORTH ...	–	6	12	1	8	C. 1 M. 1
†WESTMINSTER, CITY OF	–	–	4	–	2	M. 1
†WOOLWICH ...	–	4	1	–	3	C. 1 M. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	4	–	–	3	–
Boroughs and Urban Districts:—						
†BEDFORD ...	–	1	–	–	2	–
DUNSTABLE ...	*	*	*	*	*	*
†LUTON	*	*	*	*	*	*
Rural Districts:—						
AMPTHILL ...	–	–	–	–	1	–
BEDFORD... ...	–	1	–	–	–	–
BIGGLESWADE ...	–	1	–	–	–	–
EATON BRAY ...	–	1	–	–	–	–
BERKS	–	11	3	–	1	M. 1
†READING C.B. ...	–	5	1	–	1	M. 1
Boroughs and Urban District:—						
ABINGDON ...	–	–	1	–	–	–
†MAIDENHEAD ...	–	–	1	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	3	–	–	–	–
EASTHAMPSTEAD	–	1	–	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	2	4	–	1	–
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE ...	–	2	–	–	–	–
Rural Districts:—						
ETON	–	–	1	–	–	–
HAMBLEDEN ...	–	–	1	–	–	–
NEWPORT PAGNELL ...	–	–	1	–	–	–
WING	–	–	1	–	–	–
WINSLOW... ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	1	2	–	–	–
Rural Districts:—						
CHESTERTON ...	–	–	2	–	–	–
NEWMARKET ...	–	1	–	–	–	–
CHESTER	–	55	12	–	37	G. 1 M. 4
†BIRKENHEAD C.B.	–	11	–	–	4	M. 2
†CHESTER C.B. ...	–	1	3	–	5	–
†STOCKPORT C.B.	–	7	–	–	2	–
†WALLASEY C.B ...	–	1	2	–	4	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	3	–	–	2	–
BUGLAWTON ...	–	1	–	–	1	–
†CONGLETON ...	–	2	–	–	1	–
†CREWE	–	1	–	–	–	M. 1
†ELLESMERE PORT AND WHITBY	–	4	–	–	2	–
HALE	–	–	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	2	1	–	1	–
†HYDE	–	1	2	–	1	–
†MACCLESFIELD ...	–	1	–	–	–	M. 1
MIDDLEWICH ...	–	1	1	–	–	–
†NORTHWICH ...	–	–	1	–	–	–
†RUNCORN... ...	–	2	–	–	7	–
†SALE	–	2	–	–	–	–
SANDBACH ...	–	1	1	–	–	–
†STALYBRIDGE ...	–	–	–	–	1	–
WILMSLOW ...	–	1	–	–	–	–
†WINSFORD ...	*	*	*	*	*	*
Rural Districts:—						
DISLEY	–	2	–	–	–	–
MACCLESFIELD ...	–	1	–	–	–	–
MALPAS	–	2	–	–	–	–
NANTWICH ...	–	1	1	–	2	–
NORTHWICH ...	–	3	–	–	–	G. 1
RUNCORN... ...	–	2	–	–	1	–
TARVIN	–	1	–	–	–	–
WIRRAL	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	1	3	–	5	–
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	–	2	–
HAYLE	–	–	–	–	1	–
LUDGVAN ...	–	–	1	–	–	–
PHILLACK ...	–	–	–	–	1	–
ST. JUST	*	*	*	*	*	*
Rural Districts:—						
CALSTOCK ...	–	–	1	–	–	–
EAST KERRIER ...	–	1	–	–	–	–
ST. AUSTELL ...	–	–	–	–	1	–
TRURO	–	–	1	–	–	–
WEST PENWITH...	*	*	*	*	*	*
CUMBERLAND ...	–	19	1	–	4	–
†CARLISLE C.B. ...	–	7	1	–	1	–
Boroughs and Urban Districts:—						
ASPATRIA ...	*	*	*	*	*	*
CLEATOR MOOR ...	–	1	–	–	–	–
†MARYPORT ...	–	–	–	–	1	–
MILLOM	–	2	–	–	–	–
Rural Districts:—						
ALSTON WITH GARRIGILL	–	–	–	–	1	–
BRAMPTON ...	–	1	–	–	–	–
CARLISLE ...	–	6	–	–	–	–
COCKERMOUTH ...	–	2	–	–	1	–
WIGTON	*	*	*	*	*	*
DERBY	6	22	15	–	37	–
†DERBY C.B. ...	–	6	3	–	8	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	1	–	–	–
BAKEWELL ...	–	1	–	–	1	–
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BUXTON	–	–	–	–	1	–
†CHESTERFIELD ...	–	1	1	–	7	–
DRONFIELD ...	–	1	–	–	2	–
†GLOSSOP	–	–	1	–	3	–
†HEANOR	2	–	1	–	1	–
†ILKESTON ...	–	–	1	–	1	–
†LONG EATON ...	–	1	–	–	–	–
MATLOCK BATH AND SCARTHIN NICK	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	–	1	2	–	–	–
WIRKSWORTH ...	–	1	–	–	–	–
Rural Districts:—						
BAKEWELL ...	–	3	–	–	1	–
BELPER	–	1	–	–	1	–
BLACKWELL ...	–	2	–	–	2	–
CHESTERFIELD ...	–	1	3	–	8	–
CLOWNE	3	–	1	–	–	–
HARTSHORN AND SEALS	–	–	1	–	–	–
SHARDLOW ...	1	2	–	–	1	–
DEVON	–	12	4	1	7	M. 1
†EXETER C.B. ...	–	–	–	1	3	M. 1
†PLYMOUTH C.B....	–	6	3	–	2	–
Boroughs and Urban Districts:—						
BRIXHAM ...	–	–	–	–	1	–
BUCKFASTLEIGH	*	*	*	*	*	*
OKEHAMPTON ...	*	*	*	*	*	*
†TORQUAY ...	–	2	–	–	–	–
Rural Districts:—						
AXMINSTER ...	–	–	1	–	–	–
BARNSTAPLE ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—*cont.*						
HONITON ...	–	1	–	–	–	–
OKEHAMPTON ...	*	*	*	*	*	*
PLYMPTON ST. MARY	–	2	–	–	–	–
ST. THOMAS ...	–	1	–	–	–	–
DORSET	–	5	1	–	–	–
Boroughs and Urban Districts:—						
†POOLE	–	1	–	–	–	–
SWANAGE... ..	–	–	1	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	–	–
Rural Districts:—						
WIMBORNE AND CRANEORNE	–	3	–	–	–	–
DURHAM	–	68	17	2	53	M. 5
†DARLINGTON C.B	–	1	–	–	3	–
†GATESHEAD C.B.	–	4	–	–	1	–
†SOUTH SHIELDS C.B.	–	9	2	1	5	–
†SUNDERLAND C.B.	–	5	1	–	6	–
†WEST HARTLEPOOL C.B.	–	–	–	1	1	M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	1	–	1	M. 1
BENFIELDSIDE ...	–	1	–	–	1	–
†BLAYDON... ...	–	1	2	–	1	–
†CHESTER LE STREET	–	3	–	–	2	–
†CONSETT	–	–	1	–	–	–
†CROOK	–	–	–	–	1	–
†DURHAM	–	2	–	–	1	–
†FELLING	–	–	–	–	1	–
†HEBBURN ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HETTON	–	–	–	–	1	–
†HOUGHTON LE SPRING	–	2	–	–	4	–
†JARROW	–	1	–	–	3	–
†SOUTHWICK ON WEAR	–	1	–	–	–	–
†STANLEY	–	1	1	–	3	–
†STOCKTON ON TEES	–	4	1	–	–	–
†TANFIELD ...	–	2	–	–	–	–
†WASHINGTON ...	–	1	2	–	–	–
†WHICKHAM ...	–	4	–	–	3	–
Rural Districts:—						
AUCKLAND ...	–	–	4	–	–	M. 1
CHESTER LE STREET	–	6	1	–	5	–
DARLINGTON ...	–	3	–	–	–	–
DURHAM	–	3	–	–	–	–
EASINGTON ...	–	–	–	–	2	M. 1
HARTLEPOOL ...	–	1	–	–	–	–
HOUGHTON LE SPRING	–	1	1	–	–	–
LANCHESTER ...	–	6	–	–	–	–
SEDGEFIELD ...	–	–	–	–	4	–
STOCKTON ...	–	–	–	–	1	–
SUNDERLAND ...	–	4	–	–	2	M. 1
ISLE OF ELY ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
CHATTERIS ...	–	–	–	–	2	–
†WISBECH	–	1	–	–	–	–
ESSEX	–	31	29	–	11	C. 3 G. 1 M. 1
†EAST HAM C.B. ...	–	5	3	–	1	M. 1
†SOUTHEND-ON-SEA C.B.	–	3	–	–	1	C. 1
†WEST HAM C.B. ...	–	4	9	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	–	–	1	–
†CHELMSFORD ...	–	–	–	–	–	G. 1
CHINGFORD ...	–	1	–	–	1	–
†COLCHESTER ...	–	–	–	–	2	–
†GRAYS THURROCK	–	–	3	–	–	–
†HARWICH ...	–	1	–	–	–	–
†ILFORD	–	5	5	–	1	C. 2
†LEYTON	–	2	2	–	–	–
LOUGHTON ...	–	1	–	–	–	–
†ROMFORD ...	–	–	1	–	–	–
SHOEBURYNESS ...	–	–	1	–	–	–
†WALTHAMSTOW ...	–	4	3	–	1	–
†WOODFORD ...	–	1	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	–	1	–	–	–
DUNMOW ...	–	–	1	–	–	–
EPPING	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
ROCHFORD ...	–	1	–	–	–	–
ROMFORD... ...	–	1	–	–	–	–
GLOUCESTER ...	11	44	8	3	9	L. 1
†BRISTOL C.B. ...	–	31	6	2	7	L. 1
†GLOUCESTER C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	1	1	–	–	–	–
CIRENCESTER ...	1	–	–	–	–	–
†KINGSWOOD ...	–	2	–	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	3	–	–	–	–
DURSLEY... ...	–	1	1	–	–	–
EAST DEAN AND UNITED PARISHES ...	4	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts— *cont.*						
GLOUCESTER ...	1	1	–	1	–	–
STROUD	4	–	–	–	–	–
THORNBURY ...	–	1	–	–	1	–
WEST DEAN ...	–	2	1	–	–	–
WHEATENHURST	–	1	–	–	–	–
HEREFORD ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
LEDBURY... ...	*	*	*	*	*	*
Rural Districts:—						
DORE	–	–	1	–	–	–
HERTFORD ..	–	14	2	2	4	C. 1
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	1	–	–	–	–
BUSHEY	–	1	–	–	–	–
†CHESHUNT ...	–	2	–	–	1	–
†EAST BARNET VALLEY	–	–	1	–	–	–
†HEMEL HEMPSTEAD	–	6	–	–	–	–
†HERTFORD ...	–	1	–	–	–	–
†ST. ALBANS ...	–	–	1	–	–	–
WARE	–	1	–	–	–	–
†WATFORD ...	–	–	–	–	2	–
Rural Districts:—						
BARNET	–	–	–	–	1	–
HADHAM	–	1	–	–	–	–
HITCHIN... ...	–	–	–	–	–	C. 1
WATFORD ...	–	1	–	2	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	–	1	–	2	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	–	–	2	–
Rural Districts:—						
HUNTINGDON ...	*	*	*	*	*	*
ST. IVES	–	–	1	–	–	–
KENT	–	37	14	1	8	C. 4 E. 1 M. 1
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	1	–	–	–
†BROMLEY ...	–	3	1	–	3	C. 2
†CHATHAM ...	–	3	1	–	–	–
CHERITON ...	–	–	–	–	1	–
CHISLEHURST ...	–	–	–	–	1	–
†DARTFORD ...	–	–	1	–	–	–
†DOVER	–	3	1	–	–	M. 1
†ERITH	–	4	–	–	–	E. 1
†FAVERSHAM ...	–	–	1	–	–	–
†FOLKESTONE ...	–	–	–	–	2	–
†GILLINGHAM ...	–	4	–	–	–	–
†GRAVESEND ...	–	4	–	–	–	–
†MARGATE ..	–	1	–	–	–	–
†PENGE	–	–	–	–	1	–
QUEENBOROUGH	–	1	–	–	–	–
†RAMSGATE ..	–	–	1	–	–	–
†ROCHESTER ...	–	1	2	–	–	–
†SHEERNESS ..	–	2	–	–	–	–
†TONBRIDGE ...	–	2	–	–	–	–
WHITSTABLE ...	–	–	–	1	–	–
Rural Districts:—						
BROMLEY ...	–	2	–	–	–	–
FAVERSHAM ...	–	1	3	–	–	–
HOO	*	*	*	*	*	*
MALLING	–	3	–	–	–	C. 1
MILTON	–	1	2	–	–	–
SHEPPEY	–	–	–	–	–	C. 1
STROOD	–	1	–	–	–	–
LANCASTER ...	3	240	71	4	274	C. 4 D. 2 G. 7 L. 3 M. 36
†BARROW IN FURNESS C.B.	–	4	–	–	1	–
†BLACKBURN C.B.	–	6	2	–	11	G. 1
†BLACKPOOL C.B.	–	3	–	–	–	–
†BOLTON C.B. ...	–	17	3	–	–	–
†BOOTLE C.B. ...	–	1	2	–	1	–
†BURNLEY C.B. ...	–	4	3	–	2	G. 1
†BURY C.B. ...	–	2	–	–	12	–
†LIVERPOOL C.B. ...	–	54	16	–	47	C. 1 D. 1 G. 2 M. 20
†MANCHESTER C.B.	–	32	12	1	77	C. 1 M. 7
†OLDHAM C.B. ...	–	8	–	–	7	–
†PRESTON C.B. ...	–	1	1	–	3	M. 1
†ROCHDALE C.B. ...	–	7	1	–	–	–
†ST. HELENS C.B....	–	1	1	–	4	C. 1 G. 1
†SALFORD C.B. ...	–	10	5	1	18	M. 2
†SOUTHPORT C.B.	–	1	–	–	4	–
†WARRINGTON C.B.	–	2	1	–	10	–
†WIGAN C.B. ...	–	2	1	–	8	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	–	–	–	2	–
†ASHTON IN MAKERFIELD	–	1	–	–	–	–
†ASHTON UNDER LYNE	–	6	1	–	–	–
†ATHERTON ...	–	4	2	–	1	–
AUDENSHAW ...	–	1	–	–	–	–
†BACUP	–	–	1	–	4	M. 1
BARROWFORD ...	1	–	–	–	–	–
BLACKROD ...	–	1	–	–	–	–
BRIERFIELD ...	1	–	–	–	–	–
CARNFORTH ...	–	–	–	–	–	M. 1
†CHADDERTON ...	–	2	–	–	2	–
CHURCH	–	1	–	–	–	–
†COLNE	–	1	–	–	–	–
†CROMPTON ...	–	1	–	–	1	–
†DARWEN	–	1	–	–	–	–
†DENTON	–	2	–	–	–	M. 1
†DROYLSDEN ...	–	–	–	–	1	–
†ECCLES	–	–	–	–	4	C. 1 M. 1
†FAILSWORTH ...	–	–	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis : F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FLEETWOOD ...	–	–	1	–	–	–
FORMBY	–	1	–	–	–	–
†GREAT HARWOOD	–	1	2	–	–	–
†HASLINGDEN ...	–	1	–	–	2	–
†HAYDOCK ...	–	1	–	–	–	–
†HEYWOOD ...	–	3	–	–	6	–
†HINDLEY... ...	–	2	–	–	5	G. 1 M. 1
†HORWICH ...	–	–	–	–	2	–
HURST	–	2	–	–	–	–
†INCE IN MAKERFIELD	–	2	–	–	1	D. 1
IRLAM	–	–	2	–	–	–
KEARSLEY ...	–	2	–	–	–	–
†LANCASTER ...	–	1	2	1	2	–
LATHOM AND BURSCOUGH	–	–	–	–	1	–
†LEIGH	–	5	–	–	2	–
LEYLAND... ...	–	1	–	–	–	–
†LITHERLAND ...	*	*	*	*	*	*
†LYTHAM, ST. ANNE'S	–	1	–	–	–	–
†MIDDLETON ...	–	1	–	–	2	M. 1
†MOSSLEY	–	–	2	–	–	–
†NELSON	1	1	–	–	–	–
†NEWTON IN MAKERFIELD	–	1	1	–	–	–
ORMSKIRK ...	–	1	–	–	–	–
†OSWALDTWISTLE	–	2	–	–	1	–
†PADIHAM... ...	–	–	–	–	2	–
POULTON LE FYLDE	–	–	–	–	1	–
PREESALL ...	–	1	–	–	–	–
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	1	–	–	1	–
†RAMSBOTTOM ...	–	3	–	–	1	–
†RAWTENSTALL ...	–	–	–	–	2	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD... ...	–	7	1	–	1	G. 1
†SWINTON AND PENDLEBURY	–	2	–	–	2	–
TOTTINGTON ...	–	–	–	–	4	–
†TURTON	–	1	–	–	3	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	2	–
†ULVERSTON ...	–	1	–	–	–	–
WARDLE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	–	–	–	–
†WIDNES	–	6	1	–	1	–
WITHNELL ...	–	1	–	–	–	–
†WORSLEY... ...	–	2	1	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	–
BURNLEY... ...	–	–	3	–	–	–
BURY	–	–	1	–	–	–
CLITHEROE ...	–	–	–	–	2	L. 3
FYLDE	–	1	–	–	–	–
LANCASTER ...	–	–	1	–	1	–
WEST LANCASHIRE	–	–	1	–	1	–
WHISTON... ...	–	2	–	1	1	–
WIGAN	–	2	–	–	1	–
LEICESTER... ...	–	18	7	2	10	M. 2
†LEICESTER C.B. ...	–	13	5	–	4	M. 1
Boroughs and Urban Districts:—						
†COALVILLE ...	–	1	1	–	–	–
MELTON MOWBRAY	–	–	–	–	3	M. 1
WIGSTON MAGNA	–	1	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	1	1	1	–
BARROW UPON SOAR	–	–	–	1	–	–
BLABY	–	1	–	–	–	–
MARKET BOSWORTH	–	–	–	–	2	–
MARKET HARBOROUGH	–	1	–	–	–	–

* Returns not received. † Population over 10,000

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever · I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	1	1	–	–	–
Boroughs and Urban Districts—						
†BOSTON	–	1	1	–	–	–
SUTTON BRIDGE	*	*	*	*	*	*
LINCOLN (parts of Kesteven).	–	2	–	–	1	M. 2
Boroughs and Urban Districts :—						
†GRANTHAM ...	–	–	–	–	–	M. 1
SLEAFORD ...	–	2	–	–	–	M. 1
Rural District :—						
BOURNE	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	7	4	–	5	M. 1
†GRIMSBY C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts :—						
BRIGG	–	2	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	–	2	–	4	M. 1
Rural Districts :—						
GLANFORD BRIGG	–	1	2	–	–	–
ISLE OF AXHOLME	–	–	–	–	1	–
SPILSBY	–	1	–	–	–	–
MIDDLESEX ...	–	48	37	–	15	M. 3
Boroughs and Urban Districts :—						
†ACTON	–	3	1	–	1	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BRENTFORD ...	–	1	–	–	–	–
†CHISWICK ...	–	–	1	–	–	–
†EALING	–	2	2	–	–	–
†EDMONTON ...	–	–	–	–	–	M. 1
†ENFIELD	–	4	1	–	1	–
FELTHAM ...	–	1	1	–	2	–
†FINCHLEY ...	–	2	2	–	1	–
†FRIERN BARNET	–	–	1	–	–	–
HAMPTON WICK...	–	–	–	–	1	–
†HANWELL ...	–	2	–	–	–	–
†HARROW ON THE HILL	–	1	–	–	1	–
HAYES	–	1	–	–	–	–
†HENDON	–	5	3	–	–	–
†HESTON AND ISLEWORTH	–	1	2	–	3	M. 1
†HORNSEY... ...	–	6	1	–	1	–
RUISLIP NORTHWOOD	–	2	–	–	–	–
†SOUTHALL NORWOOD	–	2	–	–	2	–
†TEDDINGTON ...	*	*	*	*	*	*
†TOTTENHAM ...	–	9	2	–	1	–
†TWICKENHAM ...	–	1	–	–	–	–
†WILLESDEN ...	–	1	18	–	1	M. 1
†WOOD GREEN ...	–	1	–	–	–	–
Rural Districts :—						
HENDON	–	1	–	–	–	–
STAINES	–	2	2	–	–	–
UXBRIDGE ...	*	*	*	*	*	*
NORFOLK	–	44	6	–	1	–
†GREAT YARMOUTH C.B.	–	4	1	–	–	–
†NORWICH C.B. ...	–	28	3	–	1	–
Boroughs and Urban Districts :—						
SWAFFHAM ...	–	–	1	–	–	–
THETFORD ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
ERPINGHAM ...	–	2	–	–	–	–
FOREHOE ...	–	1	–	–	–	–
HENSTEAD ...	–	4	1	–	–	–
LODDON AND CLAVERING	*	*	*	*	*	*
MARSHLAND ...	–	4	–	–	–	–
SMALLBURGH ...	–	1	–	–	–	–
NORTHAMPTON ...	–	30	4	2	7	C. 1
†NORTHAMPTON C.B.	–	10	2	–	6	C. 1
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	6	–	–	–	–
†KETTERING ...	–	8	–	–	1	–
ROTHWELL ...	–	3	–	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	1	–	–	–	–
EASTON ON THE HILL	–	–	–	1	–	–
KETTERING ...	–	–	–	1	–	–
POTTERSPURY ...	–	1	–	–	–	–
THRAPSTON (part)	–	–	2	–	–	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND	–	45	11	2	38	C. 2 D. 1 M. 3
†NEWCASTLE UPON TYNE C.B.	–	8	5	–	27	C. 2 D. 1
†TYNEMOUTH C.B.	–	1	–	1	2	M. 1
Boroughs and Urban Districts:—						
†BEDLINGTONSHIRE	–	3	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BERWICK UPON TWEED	–	2	–	–	–	–
†BLYTH	–	1	–	–	–	M. 1
CRAMLINGTON ...	–	4	–	1	–	–
†GOSFORTH ..	–	3	–	–	–	–
†LONGBENTON ..	–	6	–	–	2	–
NEWBIGGIN BY THE SEA	–	4	–	–	–	–
†NEWBURN ...	–	–	–	–	3	–
PRUDHOE ...	–	–	–	–	1	–
ROTHBURY ...	–	1	–	–	–	–
SEATON DELAVEL	–	1	1	–	–	–
SEGHILL	–	1	1	–	–	M. 1
†WALLSEND ...	–	–	1	–	–	–
WEETSLADE ...	–	4	–	–	–	–
†WHITLEY AND MONKSEATON	–	–	2	–	–	–
Rural Districts:—						
ALNWICK ...	–	3	–	–	–	–
BELFORD	–	1	–	–	–	–
HALTWHISTLE ...	–	–	–	–	1	–
HEXHAM	–	–	–	–	1	–
MORPETH... ...	–	1	–	–	–	–
NORHAM AND ISLANDSHIRES	–	1	–	–	–	–
NOTTINGHAM ...	3	20	4	–	14	M. 1
†NOTTINGHAM C.B.	–	12	3	–	2	M. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	–	–	–	3	–
†CARLTON	–	2	–	–	2	–
†EAST RETFORD ...	–	–	–	–	2	–
†MANSFIELD ..	–	2	–	–	–	–
†NEWARK	–	1	1	–	2	–
†SUTTON IN ASHFIELD	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis G Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM— *cont.*						
Boroughs and Urban Districts— *cont.*						
WARSOP	*	*	*	*	*	*
†WORKSOP... ...	–	–	–	–	1	–
Rural Districts:—						
BASFORD	3	–	–	–	–	–
BINGHAM ...	–	–	–	–	1	–
MISTERTON ...	–	1	–	–	–	–
NEWARK	–	1	–	–	–	–
STAPLEFORD ...	–	–	–	–	1	–
OXFORD	–	10	1	–	1	–
†OXFORD C.B. ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
HENLEY ON THAMES	–	1	–	–	–	–
Rural Districts:—						
GORING	–	–	–	–	1	–
HEADINGTON ...	–	2	–	–	–	–
WOODSTOCK ...	–	2	1	–	–	–
PETERBOROUGH (Soke of)	–	2	–	–	–	–
Borough:—						
PETERBOROUGH...	–	2	–	–	–	–
SALOP	–	1	2	–	2	M. 3
Boroughs and Urban Districts:—						
LUDLOW	–	–	1	–	–	M. 1
MARKET DRAYTON	–	–	1	–	–	–
†SHREWSBURY ...	–	–	–	–	2	–
Rural Districts:—						
CLEOBURY MORTIMER	–	1	–	–	–	–
OSWESTRY ...	–	–	–	–	–	M. 1
WEM	–	–	–	–	–	M. 1
SOMERSET	–	11	2	–	3	F. 1 M. 2
†BATH C.B. ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
BURNHAM ON SEA	–	–	–	–	1	–
GLASTONBURY ...	*	*	*	*	*	*
†TAUNTON... ...	–	–	–	–	–	M. 1
WATCHET ...	–	–	1	–	–	–
†WESTON SUPER MARE	–	1	–	–	–	–
†YEOVIL	–	–	–	–	–	M. 1
Rural Districts:—						
AXBRIDGE ...	–	2	–	–	–	–
BATH	–	3	–	–	–	–
CHARD	–	–	–	–	1	–
CLUTTON	–	–	–	–	1	–
FROME	–	–	–	–	–	F. 1
KEYNSHAM ...	–	1	–	–	–	–
LANGPORT ...	–	3	–	–	–	–
LONG ASHTON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E. Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ...	–	40	24	2	3	G. 1 M. 4
†Bournemouth C.B.	–	6	3	–	–	M. 1
†Portsmouth C.B.	–	14	12	1	1	M. 2
†Southampton C.B.	–	7	2	1	1	M. 1
Boroughs and Urban Districts:—						
†Aldershot ...	–	2	–	–	–	–
Andover... ...	–	–	–	–	–	G. 1
†Basingstoke ...	–	1	–	–	–	–
Christchurch ...	–	–	2	–	–	–
†Fareham ...	–	2	1	–	–	–
†Gosport	–	1	4	–	1	–
Romsey	–	2	–	–	–	–
†Winchester ...	–	1	–	–	–	–
Rural Districts:—						
Alton	–	1	–	–	–	–
Fareham ...	*	*	*	*	*	*
Fordingbridge..	–	1	–	–	–	–
Havant	*	*	*	*	*	*
South Stoneham	–	1	–	–	–	–
Winchester ...	–	1	–	–	–	–
STAFFORD	–	73	29	2	55	C. 4 D. 1 M. 9
†Burton upon Trent C.B.	–	1	–	–	–	–
†Smethwick C.B.	–	5	1	–	9	M. 1
†Stoke on Trent C.B.	–	26	7	–	13	C. 1 M. 7
†Walsall C.B. ...	–	3	–	–	3	–
†West Bromwich C.B.	–	4	10	1	4	C. 1
†Wolverhampton C.B.	–	3	1	–	2	C. 1
Boroughs and Urban Districts:—						
†Audley	–	1	1	–	–	–
Biddulph ...	–	1	–	–	–	C. 1
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Bilston	–	1	–	–	5	–
†Brownhills ...	–	–	–	–	1	–
†Cannock	–	3	1	–	4	–
†Heathtown or Wednesfield Heath	–	1	1	–	–	–
Kidsgrove ...	–	–	2	–	–	–
†Newcastle under Lyme	–	2	–	–	–	–
Quarry Bank ...	–	–	1	–	–	–
†Rowley Regis ...	–	–	–	–	3	–
Rugeley	–	2	–	–	–	–
†Sedgley	–	–	2	–	1	–
Short Heath ..	–	–	–	–	2	–
†Stafford ...	–	1	–	–	1	–
Tamworth ...	–	2	–	–	–	–
†Tipton	–	2	–	–	–	–
†Wednesbury ...	–	1	–	–	1	–
Wednesfield ...	–	–	–	–	1	–
†Willenhall ...	–	–	–	–	1	–
†Wolstanton United	–	5	1	–	1	–
Rural Districts:—						
Gnosall	–	–	–	–	2	–
Kingswinford ...	–	–	–	1	–	–
Leek	–	2	–	–	–	–
Lichfield ...	–	3	–	–	–	–
Stone	–	1	1	–	–	–
Tutbury... ...	–	–	–	–	–	D. 1 M. 1
Uttoxeter ...	–	3	–	–	–	–
Walsall... ...	–	–	–	–	1	–
SUFFOLK, EAST ...	–	5	6	–	4	–
†Ipswich C.B. ...	–	1	3	–	2	–
Boroughs and Urban Districts:—						
†Lowestoft ...	–	1	–	–	1	–
Stowmarket ...	–	–	–	–	1	–
Woodbridge ...	–	–	3	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
MUTFORD AND LOTHINGLAND	–	3	–	–	–	–
SUFFOLK, WEST ...	–	2	–	–	–	–
Rural Districts:—						
COSFORD	–	1	–	–	–	–
MOULTON... ...	–	1	–	–	–	–
THINGOE	*	*	*	*	*	*
SURREY	–	38	21	–	12	C. 1 F. 1 L. 1 M. 1
†CROYDON C.B. ...	–	7	6	–	1	–
Boroughs and Urban Districts:—						
†BARNES	–	2	1	–	–	–
†BEDDINGTON AND WALLINGTON	–	–	4	–	–	–
†CARSHALTON ...	–	1	2	–	–	–
†CATERHAM ...	–	2	–	–	1	–
†CHERTSEY ...	–	–	–	–	1	–
†COULSDON AND PURLEY	–	1	–	–	–	–
EAST AND WEST MOLESEY	–	–	–	–	2	–
†EGHAM	–	2	–	–	–	–
†KINGSTON ON THAMES	–	1	–	–	–	–
†MERTON AND MORDEN	–	–	1	–	–	–
†MITCHAM... ...	–	6	–	–	2	–
†REIGATE	–	3	–	–	–	–
†RICHMOND ...	–	–	–	–	1	–
†SURBITON ...	–	–	–	–	1	–
†SUTTON	–	–	1	–	2	M. 1
†THE MALDENS AND COOMBE	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WALTON UPON THAMES	–	1	–	–	–	–
†WIMBLEDON ...	–	3	4	–	–	–
†WOKING	–	–	1	–	–	–
Rural Districts:—						
DORKING	–	4	–	–	–	F. 1
EPSOM	–	2	–	–	–	C. 1
GUILDFORD ...	–	–	–	–	1	–
HAMBLEDON ...	–	2	–	–	–	–
REIGATE	–	1	–	–	–	L. 1
SUSSEX, EAST ...	–	5	6	–	5	L. 1 M. 1
†BRIGHTON C.B. ...	–	4	5	–	1	M. 1
†EASTBOURNE C.B.	–	–	1	–	2	–
†HASTINGS C.B. ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
†HOVE	–	1	–	–	–	–
Rural Districts:—						
HAILSHAM ...	–	–	–	–	–	L. 1
RYE	*	*	*	*	*	*
SUSSEX, WEST ...	–	4	–	–	–	M. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	1	–	–	–	–
†CHICHESTER ...	–	–	–	–	–	M. 1
†WORTHING ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST— *cont.*						
Rural Districts:—						
PETWORTH ...	–	1	–	–	–	–
WESTBOURNE ...	–	1	–	–	–	–
WARWICK	–	70	19	–	81	D. 1 E. 1 G. 1 M. 5
†BIRMINGHAM C.B.	–	51	13	–	69	D. 1 G. 1 M. 5
†COVENTRY C.B. ...	–	6	1	–	–	E. 1
Boroughs and Urban Districts:—						
KENILWORTH ...	–	1	–	–	–	–
†NUNEATON ...	–	1	–	–	–	–
†ROYAL LEAMINGTON SPA	–	–	–	–	2	–
†RUGBY	–	1	–	–	2	–
STRATFORD ON AVON	–	1	–	–	–	–
†SUTTON COLDFIELD	–	–	–	–	1	–
†WARWICK ...	–	1	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	–	1	–	1	–
ATHERSTONE ...	–	2	2	–	2	–
FOLESHILL ...	–	3	–	–	–	–
MERIDEN	–	–	–	–	2	–
NUNEATON ...	–	–	–	–	2	–
RUGBY	–	1	1	–	–	–
SOLIHULL ...	–	1	–	–	–	–
TAMWORTH (part)	–	1	1	–	–	–
WESTMORLAND ...	–	8	1	–	3	–
GRASMERE ...	–	3	–	–	–	–
†KENDAL	–	1	–	–	–	–
WINDERMERE ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND— *cont.*						
Rural Ditrict:—						
SOUTH WESTMORLAND	–	2	1	–	3	–
WIGHT, ISLE OF ...	–	–	–	–	2	–
Boroughs and Urban Districts—						
†COWES	–	–	–	–	2	–
WILTS	–	3	4	1	–	M. 2
Boroughs and Urban Districts:—						
†SALISBURY ...	–	–	2	–	–	–
†SWINDON... ...	–	3	–	1	–	M. 2
Rural Districts:—						
MARLBOROUGH ...	–	–	1	–	–	–
RAMSBURY ...	–	–	1	–	–	–
WORCESTER ...	–	9	5	–	4	–
†DUDLEY C.B. ...	–	2	–	–	–	–
†WORCESTER C.B.	–	–	1	–	2	–
Boroughs and Urban Districts:—						
†KIDDERMINSTER	–	–	–	–	1	–
†OLDBURY... ...	–	2	1	–	1	–
†REDDITCH ...	–	2	–	–	–	–
STOURPORT ...	–	2	–	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	–	1	–	–	–
DROITWICH ...	–	–	1	–	–	–
EVESHAM ...	–	–	1	–	–	–
FECKENHAM ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding).	–	4	11	–	6	E. 1
†KINGSTON UPON HULL C.B.	–	2	8	–	4	E. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	2	–
†BRIDLINGTON ...	–	1	–	–	–	–
COTTINGHAM ...	*	*	*	*	*	*
Rural Districts:—						
BEVERLEY ...	–	–	1	–	–	–
HOWDEN	–	–	1	–	–	–
NORTON	*	*	*	*	*	*
SCULCOATES ...	–	–	1	–	–	–
YORKS ... ... (North Riding).	4	29	5	–	15	–
†MIDDLESBROUGH C.B.	4	17	1	–	9	–
Boroughs and Urban Districts:—						
†ESTON	–	5	–	–	–	–
LOFTUS	–	–	–	–	1	–
MALTON	*	*	*	*	*	*
†REDCAR	–	3	–	–	2	–
†SCARBOROUGH ...	–	–	2	–	1	–
†SKELTON AND BROTTON	*	*	*	*	*	*
Rural Districts:—						
CROFT	–	–	–	–	1	–
EASINGWOLD ...	–	2	–	–	1	–
FLAXTON	–	–	1	–	–	–
LEYBURN	–	1	–	–	–	–
MALTON	*	*	*	*	*	*
RICHMOND ..	–	1	–	–	–	–
WHITBY	–	–	1	–	–	–
YORKS ... ... (West Riding).	7	149	51	1	265	C. 5 D. 1 G. 2 M. 7
†BARNSLEY C.B. ...	–	1	1	–	4	–
†BRADFORD C.B. ...	–	11	–	–	23	G. 1
†DEWSBURY C.B....	–	3	–	–	–	–
†HUDDERSFIELD C.B.	–	7	2	–	5	G. 1
†LEEDS C.B. ...	–	34	7	–	15	M. 2
†ROTHERHAM C.B.	–	6	–	–	7	–
†SHEFFIELD C.B....	–	21	8	–	150	C. 3 D. 1 M. 3
†WAKEFIELD C.B.	–	1	1	–	1	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	4	–	2	–
ALTOFTS	–	–	1	–	–	–
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
BAILDON	–	2	–	–	–	–
†BARNOLDSWICK ...	–	2	–	–	–	–
†BATLEY	–	3	–	–	3	–
†BENTLEY WITH ARKSEY	3	–	–	–	–	–
†BINGLEY	–	–	3	–	–	–
BIRKENSHAW ...	–	1	–	–	–	–
†BOLTON UPON DEARNE	–	1	–	–	–	–
†CASTLEFORD ...	–	3	–	–	–	–
†CONISBROUGH ...	–	3	1	–	–	–
CUDWORTH ...	–	–	–	–	3	–
DARFIELD ...	–	–	–	–	1	–
†DONCASTER ...	3	2	2	–	9	–
DRIGHLINGTON ...	–	–	–	–	2	–
EARBY	–	–	1	–	–	–
†ELLAND	–	–	–	–	1	–
†FEATHERSTONE ...	–	2	–	–	–	–
†GOOLE	–	–	3	–	–	–
GUISELEY ...	–	–	1	–	–	–
†HARROGATE ...	–	2	2	–	2	–
HEBDEN BRIDGE	–	2	1	–	–	–
†HEMSWORTH ...	–	–	–	–	–	M. 2
HORBURY ...	–	1	–	–	–	–
†HOYLAND NETHER	–	1	–	–	2	–
HOYLAND SWAINE	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
ILKLEY	–	–	–	–	1	–
†KEIGHLEY ...	–	–	–	–	1	–
LEPTON	–	–	–	–	1	–
METHLEY ...	–	1	–	–	–	–
†MEXBOROUGH ...	–	–	4	–	3	–
†MORLEY	–	1	–	–	1	–
†NORMANTON ...	–	–	–	–	3	–
†OSSETT	–	2	–	–	–	–
OTLEY	–	1	–	–	–	–
PENISTONE ...	–	–	1	–	–	–
†PONTEFRACT ...	1	2	–	–	–	–
RAWDON	–	–	–	–	1	–
†RAWMARSH ...	–	2	–	–	4	–
†ROTHWELL ...	–	1	–	–	2	–
†SADDLEWORTH ...	–	2	–	–	–	–
SELBY	–	–	1	–	–	–
†SHIPLEY... ...	–	2	–	–	–	–
SOUTHOWRAM ...	*	*	*	*	*	*
†SPENBOROUGH ...	–	1	–	–	3	–
STAINLAND WITH OLD LINDLEY	–	1	–	–	–	–
†STANLEY	–	5	–	–	1	–
STOCKSBRIDGE ...	–	2	1	–	–	–
†SWINTON	–	–	1	–	–	–
†TODMORDEN ...	–	5	–	–	–	–
†WATH UPON DEARNE	–	1	–	–	–	–
†WOMBWELL ...	–	–	–	–	1	–
†WORSBOROUGH ...	–	–	–	–	1	–
YEADON	–	1	–	–	–	–
Rural Districts:—						
BARNSLEY ...	–	–	–	–	1	–
DONCASTER ...	–	3	1	–	2	–
GOOLE	–	1	–	–	–	–
GREAT OUSEBURN	–	–	2	–	–	–
HALIFAX	–	1	–	–	–	–
HEMSWORTH ...	–	–	–	–	5	C. 1
KIVETON PARK ...	–	–	1	–	–	
ROTHERHAM ...	–	1	–	1	2	C. 1
SKIPTON	–	2	–	–	–	–
TADCASTER ...	*	*	*	*	*	*
WETHERBY ...	–	1	–	–	–	–
WHARFEDALE (SOUTH)	–	–	–	–	1	–
YORKS (West Riding) —*cont.*						
Rural Districts:— *cont.*						
WORTLEY ...	–	1	–	–	1	–
§YORK C.B. ...	–	1	2	–	1	–
WALES.						
ANGLESEY	–	5	–	–	1	–
Boroughs and Urban Districts:—						
AMLWCH	–	–	–	–	1	–
Rural District:—						
VALLEY	–	5	–	–	–	–
BRECKNOCK ...	–	2	–	–	4	–
Urban Districts:—						
BRYNMAWR ...	–	–	–	–	4	–
HAY	*	*	*	*	*	*
Rural Districts:—						
BUILTH	–	1	–	–	–	–
CRICKHOWELL ...	–	1	–	–	–	–
CARMARTHEN ...	–	4	4	–	2	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	1	–	1	–
BURRY PORT ...	–	1	–	–	–	–
KIDWELLY ...	*	*	*	*	*	*
†LLANELLY ...	–	3	–	–	–	–
Rural Districts:—						
LLANDILO FAWR	–	–	–	–	1	–
LLANELLY ...	–	–	3	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON ...	–	1	3	–	–	–
Boroughs and Urban Districts:—						
CARNARVON ...	–	–	1	–	–	–
PENMAENMAWR...	–	1	–	–	–	–
Rural Districts:—						
CONWAY	–	–	1	–	–	–
GWYRFAI ...	–	–	1	–	–	–
DENBIGH	–	3	3	1	2	–
Boroughs and Urban Districts:—						
LLANGOLLEN ...	*	*	*	*	*	*
Rural Districts:—						
LLANGOLLEN ...	*	*	*	*	*	*
UWCHALED ...	–	–	–	–	2	–
WREXHAM ...	–	3	3	1	–	–
FLINT	–	1	2	–	–	–
Boroughs and Urban Districts:—						
BUCKLEY... ...	–	1	–	–	–	–
FLINT	–	–	1	–	–	–
Rural District:—						
HOLYWELL (HOLYWELL DIV.)	–	–	1	–	–	–
GLAMORGAN ...	–	55	38	1	32	C. 1 E. 1 M. 3
†CARDIFF C.B. ...	–	7	9	–	3	M. 1
†MERTHYR TYDFIL C.B.	–	–	3	–	2	E. 1
†SWANSEA C.B. ...	–	4	3	–	–	–
GLAMORGAN—*cont.*						
Boroughs and Urban Districts:—						
†ABERDARE ...	–	5	–	–	4	–
†BARRY	–	6	1	1	3	–
†CAERPHILLY ...	–	4	–	–	–	–
†GELLIGAER ...	–	–	2	–	1	–
†MAESTEG ...	–	–	1	–	–	–
†MOUNTAIN ASH...	–	9	1	–	8	–
†NEATH	–	–	6	–	–	–
†OGMORE AND GARW	–	3	–	–	2	–
†PONTYPRIDD ...	–	–	1	–	2	–
PORTHCAWL ...	–	1	–	–	–	–
†PORT TALBOT ...	–	2	1	–	–	–
†RHONDDA ...	–	9	5	–	6	C. 1 M. 2
Rural Districts:—						
CARDIFF	–	1	1	–	–	–
GOWER	–	–	–	–	1	–
LLANTRISANT AND LLANTWITFARDRE	–	2	–	–	–	–
NEATH	–	1	1	–	–	–
PENYBONT ...	–	1	1	–	–	–
PONTARDAWE ...	–	–	1	–	–	–
SWANSEA... ...	–	–	1	–	–	–
MERIONETH ...	–	–	–	–	2	–
Urban District:—						
DOLGELLEY ...	–	–	–	–	1	–
Rural District—						
EDEIRNION ...	–	–	–	–	1	–
MONMOUTH ...	–	11	18	1	10	–
†NEWPORT C.B. ...	–	2	6	–	2	–
Boroughs and Urban Districts:—						
†ABERTILLERY ...	–	1	1	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEDWELLTY ...	–	–	3	–	–	–
†BLAENAVON ...	–	–	1	–	–	–
CAERLEON ...	–	–	1	–	–	–
CHEPSTOW ...	–	–	–	–	1	–
†EBBW VALE ...	–	4	1	–	1	–
MONMOUTH ...	–	2	–	–	–	–
†MYNYDDISLWYN	–	2	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	3	–
†RISCA	–	–	2	–	–	–
†TREDEGAR ..	–	–	3	–	2	–
Rural District:—						
MAGOR	–	–	–	–	1	–
MONTGOMERY ...	–	5	–	–	4	–
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	1	–	–	–	–
WELSHPOOL ...	–	–	–	–	2	–
Rural Districts:—						
LLANFYLLIN ...	–	4	–	–	2	–
PEMBROKE	–	–	1	–	–	–
Boroughs and Urban Districts:—						
HAVERFORDWEST.	–	–	1	–	–	–
Rural District:—						
ST. DOGMELLS ...	*	*	*	*	*	*
RADNOR	–	–	2	–	–	–
Urban Districts:—						
KNIGHTON ...	–	–	1	–	–	–
NEW RADNOR ...	*	*	*	*	*	*
PRESTEIGNE ...	–	–	1	–	–	–
Rural District:—						
RHAYADER ...	*	*	*	*	*	*
Total of Part II. ...	34	1333	522	28	1068	C. 26 D. 6 E. 4 F. 2 G. 13 L. 6 M. 99

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COLCHESTER	*	*	*	*	*	*
LIVERPOOL	–	–	1	–	–	–
SOUTHAMPTON ...	–	1	1	–	–	–
WISBECH	*	*	*	*	*	*
PORT OF LONDON ...	–	–	–	1	–	L. 1
Total of Part III.— ...	–	1	2	1	–	L. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever : J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	155	197	6	87	C. 12 G. 2 L. 1 M. 13
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	34	1333	522	28	1068	C. 26 D. 6 E. 4 F. 2 G. 13 L. 6 M. 99
Total of Part III.—Port Sanitary Districts	–	1	2	1	–	L. 1
Total (*i.e.*, **of returns received), England and Wales** ...	34	1489	721	35	1155	C. 38 D. 6 E. 4 F. 2 G. 15 L. 8 M. 112

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague, or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 566, 568, 569, 570, 573, 577, and 578.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. } BIRTHS, DEATHS (distinguishing certain CAUS and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain I FECTIOUS DISEASES in the last THIRTE WEEKS.

Week ended :—	Feb. 24.	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	Ma 19
LONDON:—													
DEATHS—all ages	1,063	1,074	1,104	1,098	1,162	1,082	1,094	1,126	1,016	1,043	1.047	885	94
„ 0 to 1 year ..	123	106	134	104	112	113	100	120	111	105	118	106	9
GREAT TOWNS, aggregate (including London):—													
BIRTHS	7,533	7,925	7,820	7,755	7,844	7,029	7,386	8,216	8,258	7,581	7,970	7,665	8,31
DEATHS—all ages	4,849	4.868	4,667	4,882	4,953	4,991	4,735	4,971	4,539	4,686	4,887	4,478	4,53
„ 0 to 1 year ..	714	672	620	636	626	662	557	634	570	548	648	566	56
ENTERIC FEVER—Cases	18	18	15	13	18	15	16	26	22	19	30	15	1
„ Deaths	8	5	1	3	2	2	4	3	4	1	2	1	
SMALL POX—Cases ..	26	16	13	14	3	15	3	10	7	7	1	4	
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,062	1,152	1,085	1,007	1,071	907	905	797	952	934	963	859	83
„ Deaths	13	15	22	13	17	11	13	15	12	16	11	15	26
DIPHTHERIA—Cases ..	694	637	570	557	554	563	576	483	542	488	499	515	467
„ Deaths ..	38	43	36	43	54	43	37	36	37	40	36	38	34
MEASLES—Deaths ..	79	95	95	108	111	117	105	86	86	69	74	73	70
INFLUENZA—Deaths ..	59	79	84	81	125	120	188	184	169	143	175	207	200

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 19th May, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	61	37	56·6	39·3	7	BRADFORD ..	51	33	48·7	37·4	28
BRIGHTON ..	55	40	53·2	41·8	15	SHEFFIELD§ ..	52	35	50·1	38·0	11
PORTSMOUTH ..	57	41	54·3	42·3	9	YORK (MUSEUM)	56	35	51·3	38·6	21
NORWICH (EATON).	57	35	54·6	38·4	7	HULL (PEARSON PARK).	56	34	52·6	37·4	29
PLYMOUTH ..	57	37	54·3	42·1	17	TYNEMOUTH ..	59	35	50·6	37·7	13
BRISTOL (CLIFTON).	55	36	52·7	41·3	13	CARDIFF	55	36	52·1	39·6	21
BIRMINGHAM ..	53	34	50·3	37·9	8	EDINBURGH ..	54·0	34·8	50·9	36·1	8
NOTTINGHAM ..	54	34	51·7	38·4	6	GLASGOW ..	54·3	34·7	50·9	37·6	26
BIRKENHEAD (BIDSTON).	53	36	50·1	39·6	11	DUBLIN (PHŒNIX PARK).	54·9	31·8	52·3	35·7	20
MANCHESTER ..	52	35	49·7	38·6	24	FITZWILLIAM SQUARE.†	54·0	35·0	51·6	38·4	17
BURNLEY.. ..	49	32	47·7	36·6	37	BELFAST	56·0	36·5	52·6	38·4	13
HUDDERSFIELD	54	36	50·1	38·6	17						

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly. 1 inch = 25·4 millimetres exactly.
§ Week ended 12th May :—63 : 35 : 54·6 : 40·3 : 18.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 19th May, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	13	Apogee	29·422	56·8	38·4	18·4	44·8	− 7·6	39·2	5·6	19·4	3·7	80	130·9	32·9	49·2	SW : WSW.	W : WSW.	6·2	0·0	0·2	398	+ 136	0·09
MONDAY -	14	...	29·579	60·5	40·4	20·1	47·8	− 4·8	37·5	10·3	21·8	3·2	68	133·9	34·2	49·6	WSW : W.	W : SW	2·0	0·0	0·1	357	+ 86	0·00
TUESDAY -	15	New	29·510	56·2	41·2	15·0	45·8	− 7·0	41·9	3·9	12·8	2·0	86	131·5	38·3	49·6	SW	SW	7·9	0·0	0·3	393	+ 113	0·18
WEDNESDAY	16	...	29·527	53·8	37·9	15·9	42·7	−10·3	37·0	5·7	16·2	2·5	80	120·2	28·3	49·4	WSW : W.	W : WSW.	9·1	0·0	0·2	415	+ 129	0·09
THURSDAY -	17	...	29·767	55·4	37·4	18·0	45·1	− 8·0	33·2	11·9	20·5	5·5	63	117·0	31·0	49·4	WSW : WNW.	WNW	2·1	0·0	0·1	381	+ 94	0·00
FRIDAY -	18	Greatest Declination N.	29·913	54·0	39·3	14·7	46·2	− 7·1	35·1	11·1	17·4	4·9	65	99·6	30·5	49·4	W : NW	NW : WNW.	1·0	0·0	0·0	263	− 21	0·00
SATURDAY -	19	..	29·771	59·1	39·9	19·2	49·7	− 3·8	42·2	7·5	14·0	3·0	75	115·0	33·9	49·4	Calm : WSW.	WSW	1·3	0·0	0·0	239	− 41	0·00
MEANS -		..	29·641	56·5	39·2	17·3	46·0	− 6·9	38·0	8·0	17·4	3·5	74	121·2	32·7	49·4	WSW		..	..	..	Sum 2,446	Sum + 496	Sum 0·36
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MAY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	13	wP to 3h.; then mN and sN to 5h.: wP to 16h.; then mP.	6·4	15·4	Nearly cloudless till 2h. Overcast or nearly overcast till 10h. 30m., then cloudy or very cloudy. Rain 3h. till 5h., 14h. 30m. till 15h., rain, hail and sleet 16h. 30m., and rain 22h. 30m. till 23h. Brisk wind 12h. till 23h.
MONDAY ..	14	wP to 6h.; then mP. Sharp variations 11h. to 14h.; then wP.	8·8	15·5	Very cloudy or nearly overcast. Partially cloudy 15h. till 20h. 30m. Thin cloud prevalent after 21h.
TUESDAY ..	15	wP generally. wN at 3h. Sharp variations about 9h., 12h., 15h., 20h., and 22h.	4·3	15·5	Thin cloud prevalent till 4h., then overcast or nearly overcast. Cloudy periods 9h. till 13h. 30m., cloudless from 23h. Occasional showers till 11h. Rain 14h. 30m. till 16h. 30m. Brisk wind 11h. till 15h.
WEDNESDAY	16	wP to 6h.: mP to 12h.; then large variations mP to sP.	8·3	15·5	Nearly cloudless till 6h., variably cloudy till 15h., then few clouds. Occasional showers 8h. till 13h., and shower 20h. 30m. Sleet 13h. Brisk wind 11h. till 19h.
THURSDAY	17	Record failed until 18th. 12h.	7·7	15·6	Nearly cloudless till 2h., becoming nearly overcast by 3h. Cloudy period 12h. till 16h. Little cloud after 18h. Occasional showers.
FRIDAY ..	18	wP from 12h.	3·6	15·7	Becoming nearly overcast by 0h. 30m. Clearing from 2h. to little cloud by 3h. Very cloudy or nearly overcast 6h. 30m. till 14h., then overcast. Clearing after 22h.
SATURDAY	19	wP to 6h.; mP to 11h.; wP to 18h.; then mP.	0·4	15·7	Nearly cloudless till 1h., becoming overcast by 2h., then overcast generally. Shower 9h. 30m.
			Sum 39·5	Sum 108·9	
No. of Col. ..		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·53 in. at the beginning of the week to 29·41 in. by 15h. on 13th.; increased to 29·60 in. by 21h. on 14th.; decreased to 29·43 in. by 5h. on 16th.; increased to 29·92 in. by 8h. on 18th.; then decreased generally, and was 29·75 in. at midnight on 19th.

Printed and published by His Majesty's Stationery Office Press,
11-17, Hare Street, E.2

49960. Wt 15—P 11. 2250. 5/23. H. St. G. 43

FOR OFFICIAL USE.

1923. No. 21.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 26TH MAY, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 26TH MAY, 1923.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-first week of the year numbered 6,717 and corresponded to an annual rate of 18·2 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,225 and corresponded to an annual rate of 11·5 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 13·3, 12·2 and 12·3. Infant mortality was 77 per 1,000 births, against 81, 74 and 68 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,628 births, corresponding to a rate of 18·7 per 1,000, and 905 deaths of civilians, corresponding to a rate of 10·4, as against 12·0, 10·2 and 10·9, for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 10·9 per 1,000. The infant mortality was 60 as against 61, 56 and 46 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 306 in the total deaths last week, and the deaths from influenza fell from 200 to 166. In London the number of deaths from all causes fell from 949 to 905; while the deaths from diphtheria, which had been 9, 10 and 15 in the preceding three weeks, fell to 13 last week, and those from influenza, which had been 30, 23 and 15 in the three preceding weeks, fell to 13 last week.

Just Published:

Census of England and Wales, 1921. County of Middlesex. Price 10*s*. net.

County of Essex. Price 12*s*. 6*d*. net.

County of Surrey. Price 10*s*. net.

County of Kent. Price 14*s*. net.

The Registrar General's Statistical Review, 1921.

Tables, Part II. Civil. Price 5*s*. net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 26th May, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	6,717	4,225	518	5	73	7	57	29	52	166
London	4,534,230*	1,628	905	98	–	7	2	8	13	11	13
Towns in Outer Ring.											
Croydon C.B. ..	192,300	59	33	3	–	–	–	1	1	–	–
Wimbledon ..	61,730	16	7	–	–	–	–	–	–	–	–
Ealing	67,890	27	10	2	–	–	–	1	–	–	–
Acton	62,390	16	3	–	–	–	–	–	–	–	–
Willesden ..	168,200	60	23	4	–	–	–	1	–	–	–
Hendon	55,930	28	9	1	–	–	–	–	–	–	–
Hornsey	87,310	22	20	1	–	–	–	–	1	–	–
Wood Green ..	51,290	21	3	–	–	–	–	–	–	–	–
Tottenham ..	150,500	53	18	3	–	–	–	–	–	–	–
Edmonton ..	68,700	34	10	2	–	–	–	–	–	–	–
Enfield	62,010	21	8	2	–	–	–	–	–	–	–
West Ham C.B. ..	310,200	145	47	8	–	–	–	–	1	–	2
East Ham C.B. ..	145,800	44	21	1	–	–	–	–	–	–	–
Leyton	131,600	41	28	1	–	1	–	–	1	–	2
Walthamstow ..	129,700	29	23	–	–	–	–	–	–	–	–
Ilford	86,370	33	15	1	–	–	–	–	–	–	–
Gillingham	48,630*	25	10	3	–	–	–	1	–	1	–
Canterbury C.B ..	23,680	11	6	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	13	13	1	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	18	5	1	–	–	–	–	–	–	–
Brighton C.B. ..	135,000	38	33	–	–	–	–	–	–	–	–
Portsmouth C.B. ..	236,630*	108	53	3	3	–	–	–	–	–	–
Bournemouth C.B. ..	81,500	26	15	2	–	–	–	–	–	–	–
Southampton C.B. ..	163,700	63	40	3	–	–	–	–	1	–	–
Reading C.B.	92,990	36	16	–	–	–	–	1	–	–	–
Oxford C.B.	56,510	17	18	1	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	31	15	1	–	–	–	–	–	–	–
Luton	58,260	19	4	–	–	–	–	–	–	–	–
Cambridge	59,200	20	6	–	–	–	–	–	–	–	1
Southend-on-Sea C.B.	91,430	27	17	1	–	–	–	–	–	–	1
Ipswich C.B.	80,950	34	8	1	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	22	13	2	–	–	–	–	–	1	–
Norwich C.B. ..	122,900	31	23	2	–	–	–	–	1	–	–
Swindon	55,680	26	7	1	–	–	–	–	–	–	–
Exeter C.B.	59,700	20	11	–	–	1	–	–	–	–	–
Plymouth C.B. ..	200,370*	83	50	1	–	–	–	–	–	–	2
Bath C.B.	68,530	20	17	1	–	–	–	–	–	–	–
Bristol C.B.	383,900	132	68	10	–	–	–	2	–	1	–
Gloucester C.B. ..	52,210	21	12	3	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	274,300	109	76	14	–	–	–	1	–	1	4
Burton-upon-Trent C.B.	49,630	22	15	3	–	3	–	–	–	1	1
Wolverhampton C.B.	105,700	52	27	6	–	–	–	–	–	1	2
Walsall C.B.	99,890	41	28	7	–	1	–	2	–	–	–
West Bromwich C.B.	76,260	35	21	5	–	–	–	–	–	–	4
Dudley C.B.	57,860	14	13	2	–	2	–	1	–	–	1
Worcester C.B. ..	49,240	16	9	1	–	–	–	–	–	–	–
Birmingham C.B. ..	945,100	330	193	25	–	3	–	1	2	1	16
Smethwick C.B. ..	78,140	27	20	3	–	–	–	–	–	–	1
Coventry C.B. ..	131,200	33	25	2	–	–	–	1	–	–	1
Leicester C.B. ..	238,800	71	57	7	–	1	–	1	1	–	1
Lincoln C.B.	66,930	21	15	3	–	–	–	–	–	–	–
Grimsby C.B.	84,650	33	19	4	–	–	–	–	–	1	1
Nottingham C.B. ..	267,900	88	52	6	–	–	–	–	–	1	–
Derby C.B.	132,400	24	25	4	–	1	–	1	–	–	–
Chesterfield ..	63,380	22	17	1	–	–	–	1	–	–	4
Stockport C.B. ..	125,800	43	35	7	–	–	–	2	–	1	4
Chester C.B.	41,190	19	15	1	–	–	–	–	–	2	–
Birkenhead C.B. ..	149,200	66	22	3	–	–	–	–	–	–	–
Wallasey C.B. ..	89,790	24	18	4	–	–	–	–	–	–	2
Liverpool C.B. ..	826,400	359	229	34	–	6	–	5	1	7	3
Bootle C.B.	79,750	40	14	2	–	–	–	–	–	–	–
St. Helens C.B. ..	106,400	38	28	7	–	–	–	–	–	–	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	9	19	–	–	–	–	–	–	–	2
WIGAN C.B.	91,750	33	22	2	–	–	–	–	–	–	1
WARRINGTON C.B. ..	79,150	29	21	3	–	–	–	2	–	–	3
BOLTON C.B.	182,700	44	42	4	–	–		–	–	–	5
BURY C.B.	57,400	11	24	2	–	–	–	–	–	–	4
MANCHESTER C.B. ..	748,500	202	182	28	1	10	–	8	–	6	7
SALFORD C.B.	240,700	51	62	7	–	–	–	1	–	2	7
OLDHAM C.B.	148,300	38	56	7	–	–	–	–	–	2	4
ROCHDALE C.B... ..	92,510	27	30	2	–	–	–	–	–	–	1
BURNLEY C.B.	105,100	38	29	3	–	–	1	–	–	–	1
BLACKBURN C.B. ..	129,600	30	25	–	–	–	–	–	–	–	1
PRESTON C.B.	120,900	41	29	4	–	–	1	–	–	–	1
BLACKPOOL C.B. ..	74,050	22	27	4	–	1	–	–	–	–	2
BARROW-IN-FURNESS C.B.	75,690	18	19	1	–	–	–	–	–	1	1
HUDDERSFIELD C.B. ..	111,600	21	27	1	–	–	–	–	–	–	3
HALIFAX C.B.	100,500	22	26	4	–	–	–	–	–	–	2
BRADFORD C.B. ..	291,300	84	90	5	–	–	–	1	–	–	12
LEEDS C.B.	466,700	135	112	12	–	–	–	–	–	1	3
DEWSBURY C.B. ..	55,170	5	9	–	–	–	1	1	–	–	–
WAKEFIELD C.B. ..	53,840	24	12	–	–	–	–	–	–	–	–
BARNSLEY C.B. ..	69,540	20	15	5	–	–	–	–	–	–	2
SHEFFIELD C.B. ..	522,600	187	160	24	–	–	1	7	1	4	22
ROTHERHAM C.B. ..	69,840	32	13	3	–	–	–	–	–	–	2
DONCASTER	55,020	21	23	4	–	–	–	–	–	1	7
YORK C.B.	84,980	30	18	3	–	–	–	–	–	–	2
HULL C.B.	294,000	118	55	4	–	1	–	–	–	–	–
MIDDLESBROUGH C.B.	134,800	59	34	5	–	5	–	–	–	1	–
DARLINGTON C.B. ..	66,710	36	12	2	–	–	–	–	–	–	–
STOCKTON-ON-TEES ..	65,950	29	13	2	–	–	–	–	–	1	2
WEST HARTLEPOOL C.B.	70,020	33	17	6	–	–	–	–	–	–	–
SUNDERLAND C.B. ..	162,900	71	42	3	–	2	–	–	–	1	–
SOUTH SHIELDS C.B. ..	122,400	63	29	2	–	1	–	–	–	–	1
GATESHEAD C.B. ..	127,300	47	32	7	–	6	–	1	1	1	–
NEWCASTLE-ON-TYNE C.B.	281,600	114	80	13	1	7	–	2	–	–	–
TYNEMOUTH C.B. ..	64,640	29	7	2	–	1	–	–	–	–	–
CARLISLE C.B.	53,490	22	16	1	–	–	–	1	–	–	–
NEWPORT (MON.) C.B.	94,880	32	16	2	–	–	–	1	–	–	–
CARDIFF C.B.	223,830	94	50	5	–	–	–	–	2	–	1
RHONDDA	167,500	62	42	10	–	6	–	1	–	–	–
MERTHYR TYDFIL C.B.	82,680	17	22	3	–	7	–	–	1	–	–
ABERDARE	56,580	9	9	3	–	–	–	–	–	–	–
SWANSEA C.B.	161,000	63	41	5	–	–	1	–	1	1	–
GREATER LONDON ..	7,563,730*	2,644	1,354	143	1	9	2	11	17	13	19
OUTER RING	3,029,500*	1,016	449	45	1	2	–	3	4	2	6
16 GREAT TOWNS IN OUTER RING	1,831,920	649	278	29	–	1	–	3	4	–	4
REMAINDER OF OUTER RING	1,197,580*	367	171	16	1	1	–	–	–	2	2
EDINBURGH†	426,000	152	114	15	–	4	–	5	2	2	–
GLASGOW†	1,041,400	478	293	51	–	6	2	12	–	3	3
DUBLIN (REGISTRATION AREA)†	431,000	155	114	27	–	–	–	5	–	6	2
BELFAST†	429,000			Not	rece	ived.					

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available peri

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years)
London‡	4,524,230	1923. May 26	1628	905	10·4	–	–	7	2	8	13	11
Calcutta	896,067	April 14	?	456§	26·1	?	3	?	?	?	?	?
Bombay	1,220,120	„ 21	332‖	889§	37·9	2	22	9	?	–	–	44
Madras	526,911	„ 7	462	400§	39·5	1	12	–	?	–	–	37
Sydney and Suburbs	955,900	April										
Brisbane (Metropolitan Area).	217,714	March										
Perth (Metropolitan Area).	155,939	„ 31	68	33	10·6	–	–	–	–	–	–	–
Auckland (Urban Area).	164,450	March										
Wellington (Urban Area).	110,680	„										
Christchurch (Urban Area).	110,200	„										
Cape Town	106,727	April 7	38	25	12·2	1	–	–	–	–	–	3
		„ 14	45	13	6·3	–	–	–	–	–	–	2
Johannesburg	156,858	„ 14	89	43	14·2	–	–	–	–	–	1	1
Durban	50,488	„ 14	37	12	12·4	1	–	–	–	–	–	–
Paris	2,906,472	May 10 (10 days)	1251	1126	14·1	10	–	18	5	3	4	23
Antwerp	300,892	Mar. 31										
Amsterdam	699,374	May 5	298	127	9·5	–	–	1	–	2	–	1
Copenhagen	565,000	„ 12	232	122	11·2	–	–	1	–	3	1	1
Stockholm	424,944	„ 5	120	83	10·2	–	–	1	–	–	–	–
Gothenburg	228,074	April 14	?	40	9·1	–	–	–	–	1	–	–
		„ 21	?	40	9·1	–	–	–	–	–	–	–
Christiania	258,933	May 12	75	64	12·8	–	–	–	–	–	–	1
Berlin	1,990,000	April 14	370	592	15·5	–	?	6	–	1	2	3
Breslau	563,000	„ 14	179	209	19·3	–	?	4	–	6	2	3
Cologne	699,000	„ 14	279	197	14·7	1	?	3	–	7	1	1
Dresden	613,000	„ 14	194	188	16·0	–	?	4	–	1	1	–
Frankfort-on-Main	478,000	„ 14	102	89	9·7	–	?	–	–	–	1	1
Hamburg	1,073,000	„ 14	334	297	14·4	–	?	7	1	–	2	1
Leipzig	683,000	„ 14	206	154	11·7	–	?	1	–	–	2	4
Munich	685,000	„ 14	199	216	16·4	–	?	8	1	1	–	4
Vienna	1,841,326	Mar. 31	568	562	15·9	2	–	5	–	4	1	17
Prague and Suburbs	697,111	March 31 (16 days)	631	447	14·6	1	–	–	–	1	2	7
Budapest	945,717	March 17	394	377	20·7	1	–	7	3	2	5	4
Warsaw	956,087	April 7	1498	217	11·8	–	–	1	2	1	–	10
		„ 14	455	299	16·3	2	–	1	–	2	1	22
Cairo	791,000	Feb. 18	743	406	26·7	2	–	7	–		6	26
Alexandria	466,700	„ 18	497	235	26·2	–	–	5	–	?	–	15
New York	5,927,617	April 21										
Chicago	2,886,121	„ 21	?	719	13·0	–	1	10	–	4	4	18
Rio de Janeiro	1,274,098	Mar. 31	647	442	18·1	1	1	2	–	9	1	?
Montevideo	349,768	Feb. 3	205	157	23·7	4	–	3	–	1	–	21

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vie Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *yea age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 16 deaths from *Asiatic Cholera* in Calcutta, and 1 in Madras, and from *Plague*, 7 in Calcutta and 10 Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 26th May, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	905	98	15	22	32	42	37	55	109	134	177	184
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	7	4	1	1	1	–	–	–	–	–	–	–
Scarlet fever	2	–	–	2	–	–	–	–	–	–	–	–
Whooping cough	8	5	–	3	–	–	–	–	–	–	–	–
Diphtheria	13	–	1	4	8	–	–	–	–	–	–	–
Influenza	13	–	–	1	–	1	–	3	1	1	2	4
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	2	–	–	–	1	1	–	–	–	–	–	–
Meningococcal meningitis	4	2	–	–	1	1	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	77	–	–	1	2	13	12	11	12	14	10	2
Nerves	9	1	3	1	3	1	–	–	–	–	–	–
Intestines and peritoneum	2	1	–	–	–	–	–	–	–	1	–	–
Other forms	3	1	–	–	1	1	–	–	–	–	–	–
Venereal diseases	3	–	–	–	–	–	–	1	1	–	1	–
Cancer	119	–	–	–	1	3	2	10	28	24	28	23
Rheumatic fever	4	–	–	–	1	2	1	–	–	–	–	–
Diabetes	7	–	–	–	–	–	–	–	2	3	1	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	4	4	–	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	59	–	–	–	–	–	–	–	5	8	22	24
Epilepsy	8	–	–	–	1	1	1	2	3	–	–	–
"Convulsions" (not puerperal)	6	6	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	30	–	1	1	1	4	3	3	4	4	5	4
Pericarditis	2	–	–	–	–	–	–	–	–	1	1	–
Acute endocarditis	6	–	–	–	1	2	2	–	1	–	–	–
Other diseases of heart	133	–	–	–	2	5	3	6	18	24	39	36
Other diseases of circulatory system	39	–	–	–	–	–	–	1	4	8	14	12
Bronchitis	49	2	–	–	1	–	1	1	3	5	10	26
Broncho-pneumonia	19	7	3	3	–	–	–	–	1	2	1	2
Lobar-pneumonia	20	–	–	–	–	2	3	5	3	2	3	2
Pneumonia (type not distinguished)	12	2	–	–	–	–	1	–	2	3	3	1
Other diseases of respiratory system	8	–	–	–	1	2	1	–	1	1	2	–
Diarrhœa and enteritis	16	9	2	1	–	–	–	1	–	2	1	–
Appendicitis, Typhlitis	1	–	–	–	1	–	–	–	–	–	–	–
Hernia, Intestinal obstruction	10	3	–	–	1	1	–	–	1	2	–	2
Cirrhosis of liver	4	–	–	–	–	–	–	–	3	1	–	–
Other diseases of digestive system	19	–	2	1	–	–	–	3	4	4	4	1
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	29	–	–	–	–	–	2	–	6	7	6	8
Other diseases of genito-urinary system.	10	–	–	–	–	–	–	2	–	3	1	4
Puerperal sepsis	1	–	–	–	–	–	1	–	–	–	–	–
Other causes incident to childbirth	1	–	–	–	–	1	–	–	–	–	–	–
Congenital malformations	10	10	–	–	–	–	–	–	–	–	–	–
Premature birth	18	18	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	3	3	–	–	–	–	–	–	–	–	–	–
Old age	36	–	–	–	–	–	–	–	–	2	8	26
Suicide	7	–	–	–	–	–	–	1	2	4	–	–
Burns and scalds	1	–	–	–	–	–	–	–	–	–	–	1
Drowning	3	–	–	–	–	–	1	1	–	1	–	–
Suffocation in bed	3	3	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	5	–	–	–	2	–	1	1	–	–	–	1
Other deaths by violence	17	1	–	1	–	1	1	1	1	2	5	4
Other specified causes	42	16	2	1	2	–	1	2	3	5	10	–
Ill-defined causes	1	–	–	1	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 26th May, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	‡Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	–	172	167	5	85	C. 6 D. 2 E. 3 G. 2 M. 23
Metropolitan Boroughs :—						
†BATTERSEA ...	–	10	7	–	6	D. 1 M. 1
†BERMONDSEY ...	–	7	8	–	1	M. 5
†BETHNAL GREEN	–	3	4	–	2	–
†CAMBERWELL ...	–	8	15	–	4	C. 1 M. 1
†CHELSEA	–	2	3	–	–	–
†DEPTFORD ...	–	8	8	–	1	–
†FINSBURY ...	–	3	3	–	1	–
†FULHAM	–	13	3	–	1	–
†GREENWICH ...	–	4	4	1	4	D. 1
†HACKNEY ...	–	11	3	–	–	C. 1 M. 2
†HAMMERSMITH ...	–	5	6	–	–	C. 1 M. 1
†HAMPSTEAD ...	–	3	4	–	–	–
†HOLBORN... ...	–	5	1	–	1	–
†ISLINGTON ...	–	15	17	1	2	M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	2	2	–	2	C. 1 M. 1
†LAMBETH ...	–	17	14	–	1	C. 2 E. 1
†LEWISHAM ...	–	9	2	–	4	–
†PADDINGTON ...	–	3	6	–	11	–
†POPLAR	–	3	7	–	9	M. 1
†ST. MARYLEBONE	–	3	4	–	–	–
†ST. PANCRAS ...	–	6	12	1	2	G. 1 M. 3
†SHOREDITCH ...	–	2	6	–	4	M. 4
†SOUTHWARK ...	–	4	7	–	4	E. 1 M. 1
†STEPNEY	–	10	7	–	4	E. 1 M. 1
†STOKE NEWINGTON	–	1	–	1	2	–
†WANDSWORTH ...	–	8	5	1	10	G. 1 M. 1
†WESTMINSTER, CITY OF	–	2	2	–	–	–
†WOOLWICH ...	–	5	7	–	9	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	4	1	–	2	–
Boroughs and Urban Districts:—						
†BEDFORD ...	–	–	–	–	1	–
Rural Districts:—						
AMPTHILL ...	–	2	–	–	–	–
BEDFORD... ...	–	–	1	–	–	–
EATON BRAY ...	–	2	–	–	–	–
LUTON	–	–	–	–	1	–
BERKS	–	13	5	1	2	C. 1
†READING C.B. ...	–	7	2	1	–	C. 1
Boroughs and Urban District:—						
NEWBURY ...	–	–	1	–	–	–
Rural Districts:—						
ABINGDON ...	–	6	1	–	–	–
BRADFIELD ...	–	–	–	–	2	–
WINDSOR... ...	–	–	1	–	–	–
BUCKINGHAM ...	–	3	4	2	3	–
Boroughs and Urban Districts:—						
BEACONSFIELD ...	–	–	1	–	–	–
†WOLVERTON ...	–	1	–	–	1	–
Rural Districts:—						
AMERSHAM ...	–	–	1	–	–	–
ETON	–	1	1	–	–	–
HAMBLEDEN ...	*	*	*	*	*	*
NEWPORT PAGNELL ...	–	1	–	–	–	–
WING	–	–	–	1	–	–
WINSLOW... ...	–	–	–	–	1	–
WYCOMBE ...	–	–	1	1	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	2	–	–	1	–
Borough:—						
†CAMBRIDGE ...	–	2	–	–	1	–
CHESTER	–	56	9	2	30	G. 2 M. 5
†BIRKENHEAD C.B.	–	6	–	–	1	M. 1
†CHESTER C.B. ...	–	3	–	–	4	–
†STOCKPORT C.B.	–	5	1	–	4	G. 1 M. 1
†WALLASEY C.B. ...	–	3	–	–	2	–
Boroughs and Urban Districts:—						
ALSAGER	–	1	–	–	–	–
†ALTRINCHAM ...	–	1	–	–	–	–
ASHTON UPON MERSEY	–	–	–	–	2	–
†BEBINGTON AND BROMBOROUGH	–	2	–	–	–	–
BREDBURY AND ROMILEY	–	–	–	–	1	–
†CONGLETON ...	–	2	–	–	–	–
†CREWE	–	2	–	–	–	–
†DUKINFIELD ...	–	3	–	–	1	–
†ELLESMERE PORT AND WHITBY	–	1	–	–	–	–
HALE	–	1	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	2	–	1	3	–
†HYDE	–	1	–	–	–	G. 1
LYMM	–	1	–	–	–	–
†MACCLESFIELD ...	–	7	–	–	1	–
MARPLE	–	–	1	–	–	–
MIDDLEWICH ...	–	–	1	–	1	–
NANTWICH ...	–	–	–	–	–	M. 1
†NORTHWICH ...	–	1	1	–	–	–
†RUNCORN... ...	–	–	1	–	3	M. 1
†SALE	–	1	–	–	–	–
SANDBACH ...	–	2	–	–		–
†STALYBRIDGE ...	–	1	–	–	1	–
†WINSFORD ...	–	2	1	–	3	–
Rural Districts:—						
BUCKLOW ...	–	1	1	1	1	–
CHESTER	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—*cont.*						
CONGLETON ...	–	–	1	–	–	–
MACCLESFIELD ...	–	2	–	–	–	–
NORTHWICH ...	–	1	–	–	–	–
RUNCORN... ...	–	2	1	–	–	M. 1
WIRRAL	–	–	–	–	1	–
CORNWALL ...	–	5	2	–	6	–
Boroughs and Urban Districts:—						
FOWEY	–	–	1	–	–	–
HAYLE	*	*	*	*	*	*
PHILLACK ...	*	*	*	*	*	*
REDRUTH ...	–	–	1	–	3	–
ST. IVES	–	1	–	–	–	–
Rural Districts:—						
CALSTOCK ...	–	3	–	–	–	–
EAST KERRIER ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	3	–
CUMBERLAND ...	–	6	1	–	6	M. 1
†CARLISLE C.B. ...	–	1	1	–	4	M. 1
Boroughs and Urban Districts:—						
KESWICK... ...	–	–	–	–	1	–
†MARYPORT ...	–	2	–	–	1	–
Rural Districts:—						
CARLISLE RURAL ...	–	1	–	–	–	–
COCKERMOUTH ...	–	2	–	–	–	–
DERBY	4	15	5	–	42	–
†DERBY C.B. ...	–	2	–	–	10	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	1	–	1	–
ALVASTON AND BOULTON		–	–	–	2	–
BAKEWELL ...	–	–	–	–	1	–
†BELPER	–	–	1	–	–	–
†BOLSOVER ...	1	–	–	–	–	–
†BUXTON	–	1	–	–	–	–
†CHESTERFIELD ...	–	–	–	–	6	–
DRONFIELD ...	–	–	1	–	–	–
HEAGE	–	–	–	–	1	–
†HEANOR	1	–	–	–	3	–
†LONG EATON ...	–	–	–	–	3	–
MATLOCK BATH AND SCARTHIN NICK	*	*	*	*	*	*
NEW MILLS ...	–	–	1	–	2	–
†RIPLEY	–	–	–	–	1	–
†SWADLINCOTE DISTRICT	–	1	–	–	–	–
Rural Districts:—						
BAKEWELL ...	–	5	–	–	–	–
BELPER	–	1	–	–	–	–
BLACKWELL ...	–	2	–	–	–	–
CHAPEL EN LE FRITH	–	–	–	–	4	–
CHESTERFIELD ...	–	2	–	–	6	–
CLOWNE	2	1	–	–	–	–
HARTSHORN AND SEALS	–	–	1	–	–	–
HAYFIELD ...	–	–	–	–	1	–
SHARDLOW ...	–	–	–	–	1	–
DEVON	–	11	6	–	11	C. 1
†EXETER C.B. ...	–	–	–	–	1	C. 1
†PLYMOUTH C.B....	–	4	2	–	3	–
Boroughs and Urban Districts:—						
BAMPTON ...	–	–	–	–	1	–
†BARNSTAPLE ...	–	–	–	–	1	–
BRIXHAM ...	–	–	1	–	1	–
OKEHAMPTON ...	–	1	–	–	–	–
SALCOMBE ...	–	–	1	–	–	–
†TORQUAY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
Barnstaple ...	–	–	–	–	2	–
Honiton ...	–	1	–	–	–	–
Plympton St. Mary	–	3	2	–	1	–
Torrington ...	–	1	–	–	1	–
DORSET	–	–	–	1	–	–
Boroughs and Urban Districts:—						
Swanage... ..	–	–	–	1	–	–
DURHAM	–	80	21	2	65	C. 1 M. 11
†Darlington C.B	–	1	1	–	–	–
†Gateshead C.B.	–	8	5	–	2	M. 4
†South Shields C.B.	–	12	–	–	11	M. 1
†Sunderland C.B.	–	5	–	–	13	M. 2
†West Hartlepool C.B.	–	2	–	–	–	C. 1 M. 1
Boroughs and Urban Districts:—						
†Annfield Plain	–	1	2	–	–	–
Benfieldside ...	–	–	1	–	–	–
†Blaydon... ...	–	1	–	–	2	–
†Brandon and Byshottles	–	1	–	–	–	–
†Chester le Street	–	2	–	–	–	–
†Consett	–	–	1	–	–	–
†Crook	–	–	1	–	1	–
†Durham	–	–	1	–	–	–
†Felling	–	1	–	–	–	–
†Hebburn ...	–	3	–	–	–	–
†Hetton	–	3	–	–	5	–
†Houghton le Spring	–	1	–	–	1	M. 1
†Jarrow	–	2	1	–	3	–
Leadgate ...	–	1	1	–	–	–
†Ryton	–	4	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts— *cont.*						
†Seaham Harbour	–	–	–	–	3	–
†Shildon	–	–	1	1	–	–
†Southwick on Wear	–	1	–	–	–	–
†Spennymoor ...	–	1	–	–	–	–
†Stanley	–	1	–	–	1	–
†Stockton on Tees	–	1	–	–	5	M. 1
†Washington ...	–	–	1	–	–	–
Willington ...	–	2	–	–	–	–
Rural Districts:—						
Auckland ...	–	3	1	1	–	–
Barnard Castle	–	1	–	–	–	–
Chester le Street	–	6	1	–	3	–
Darlington ...	–	3	–	–	–	–
Durham	–	3	–	–	–	–
Easington ...	–	3	2	–	1	–
Houghton le Spring	–	2	–	–	3	–
Lanchester ...	–	–	–	–	1	–
Sedgefield ...	–	4	1	–	5	M. 1
Stockton ...	–	–	–	–	1	–
Sunderland ...	–	1	–	–	3	–
Weardale ...	–	–	–	–	1	–
ESSEX	–	39	16	5	10	G. 1 M. 1
†East Ham C.B. ...	–	2	3	–	–	–
†Southend-on-Sea C.B.	–	8	–	–	1	–
†West Ham C.B. ...	–	5	4	1	2	M. 1
Boroughs and Urban Districts:—						
†Barking Town...	–	–	1	–	1	–
Chingford ...	–	–	–	1	–	–
†Colchester ...	–	2	–	–	–	–
Epping	–	4	–	–	–	–
†Harwich ...	–	1	–	–	–	–
†Leyton	–	1	4	–	2	–
Loughton ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROMFORD ...	–	–	1	–	–	–
SHOEBURYNESS ...	–	–	1	–	1	–
†WALTHAMSTOW ...	–	4	2	–	1	–
†WANSTEAD ...	–	1	–	–	–	–
WITHAM	–	–	–	–	–	G. 1
Rural Districts:—						
BELCHAMP ...	*	*	*	*	*	*
BILLERICAY ...	–	–	–	1	–	–
CHELMSFORD ...	–	1	–	1	1	–
DUNMOW ...	–	3	–	–	–	–
EPPING	–	1	–	–	–	–
HALSTED... ...	–	3	–	–	–	–
LEXDEN AND WINSTREE	–	–	–	1	–	–
ROCHFORD ...	–	1	–	–	–	–
ROMFORD... ...	–	1	–	–	1	–
GLOUCESTER ...	3	51	10	–	5	–
†BRISTOL C.B. ...	–	34	6	–	1	–
†GLOUCESTER C.B.	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	–	–	1	–
†KINGSWOOD ...	–	2	1	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	3	–	–	1	–
CIRENCESTER ...	1	–	–	–	–	–
EAST DEAN AND UNITED PARISHES ...	1	7	–	–	1	–
NEWENT	–	–	2	–	–	–
STROUD	1	1	–	–	–	–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	2	–	–	–	–
HEREFORD ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	–	–	1	–
Rural Districts:—						
LEDBURY... ...	–	–	1	–	–	–
LEOMINSTER ...	–	1	–	–	–	–
HERTFORD ...	–	4	3	1	–	L. 1
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	1	–	–	–	–
HARPENDEN ...	–	–	1	–	–	–
†WATFORD ...	–	–	1	–	–	–
Rural Districts:—						
BARNET	–	–	1	–	–	–
WARE	–	1	–	–	–	–
WATFORD ...	–	2	–	1	–	L. 1
HUNTINGDON ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	*	*	*	*	*	*
Rural Districts:—						
NORMAN CROSS ...	–	–	–	–	2	–
ST. NEOTS, NO. 2	*	*	*	*	*	*
KENT	–	39	14	4	4	D. 1 M. 5
Boroughs and Urban Districts:—						
†BEXLEY	–	1	3	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	1	–	1	M. 1
†BROMLEY ...	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHATHAM ...	–	2	–	–	–	–
†DARTFORD ...	–	–	–	–	–	D. 1
†DOVER	–	–	2	–	–	M. 1
†ERITH	–	3	1	1	–	–
†FAVERSHAM ...	–	–	–	–	–	M. 1
†FOLKESTONE ...	–	2	–	–	–	–
†GILLINGHAM ...	–	3	–	–	–	–
†GRAVESEND ...	–	4	–	–	–	–
†MARGATE ...	–	1	–	–	–	–
†NORTHFLEET ...	–	1	–	–	–	–
†PENGE	–	–	1	–	–	–
†ROCHESTER ...	–	–	–	2	–	–
†ROYAL TUNBRIDGE WELLS	–	–	–	1	–	–
†SHEERNESS ..	–	2	–	–	–	–
SITTINGBOURNE	–	–	1	–	–	–
†TONBRIDGE ...	–	3	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	4	1	–	–	–
EAST ASHFORD ...	–	1	–	–	–	–
ELHAM	–	–	–	–	1	
HOLLINGBOURNE	–	–	–	–	–	M. 2
ISLE OF THANET	–	4	1	–	–	–
MALLING... ...	–	2	–	–	2	–
SEVENOAKS ...	–	1	2	–	–	–
TONBRIDGE ...	–	–	1	–	–	–
LANCASTER ..	2	225	84	5	181	C. 6 E. 1 G. 3 L. 1 M. 26
†BARROW IN FURNESS C.B.	–	8	1	–	–	–
†BLACKBURN C.B.	–	3	1	–	3	–
†BLACKPOOL C.B.	–	8	1	–	3	–
†BOLTON C.B. ...	–	14	1	–	3	–
†BOOTLE C.B. ...	–	4	3	–	1	–
†BURNLEY C.B. ...	–	12	3	–	1	M. 1
†BURY C.B. ...	–	4	2	1	6	–
†LIVERPOOL C.B. ...	–	41	23	1	33	G. 2 M. 12
†MANCHESTER C.B.	–	22	14	–	32	C. 5 G. 1 M. 4

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†OLDHAM C.B. ...	–	6	–	–	7	–
†PRESTON C.B. ...	–	4	1	–	3	–
†ROCHDALE C.B. ...	–	6	4	–	–	M. 2
†ST. HELENS C.B....	–	1	4	–	4	M. 1
†SALFORD C.B. ...	–	15	6	1	9	M. 1
†SOUTHPORT C.B.	–	2	1	–	2	–
†WARRINGTON C.B.	–	3	1	–	13	M. 1
†WIGAN C.B. ...	–	2	–	2	7	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	2	–	–	–	–
†ASHTON IN MAKERFIELD	–	2	–	–	–	–
†ASHTON UNDER LYNE	–	4	–	–	1	–
ASPULL	–	–	–	–	1	–
†ATHERTON ...	–	1	–	–	5	–
AUDENSHAW ...	–	1	–	–	–	–
†BACUP	–	–	–	–	1	M. 1
BILLINGE... ...	–	–	–	–	1	–
BLACKROD ...	–	3	–	–	–	–
CARNFORTH ...	–	–	2	–	–	–
†CHADDERTON ...	–	1	–	–	1	–
CHURCH	–	1	–	–	–	–
CLAYTON LE MOORS	–	–	1	–	–	–
†COLNE	–	2	–	–	2	–
†CROMPTON ...	–	1	–	–	1	–
†DALTON IN FURNESS	–	–	–	–	1	–
†DENTON	–	1	1	–	1	–
†DROYLSDEN ...	–	1	–	–	–	–
†ECCLES	–	1	–	–	1	–
†FAILSWORTH ...	–	2	1	–	–	–
†FARNWORTH ...	–	–	–	–	2	–
†FLEETWOOD ...	–	–	–	–	2	–
†GREAT HARWOOD	–	4	–	–	–	–
†HASLINGDEN ...	–	1	–	–	1	–
†HAYDOCK ...	–	–	–	–	2	–
†HEYWOOD ...	–	1	1	–	1	–
†HINDLEY... ...	–	2	1	–	–	M. 1
†INCE IN MAKERFIELD	–	2	–	–	–	–
IRLAM	–	1	–	–	–	–
†LANCASTER ...	–	–	–	–	–	C. 1
LATHOM AND BURSCOUGH	–	1	–	–	1	–
†LEIGH	–	3	2	–	2	–
†LITHERLAND ...	–	5	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
LONGRIDGE ...	–	1	–	–	–	–
†MIDDLETON ...	–	1	–	–	1	E. 1
†MORCAMBE ...	–	1	–	–	–	–
†MOSSLEY	–	1	–	–	–	–
†NELSON	2	–	–	–	–	–
†NEWTON IN MAKERFIELD	–	1	–	–	2	–
ORMSKIRK ...	–	1	1	–	–	–
ORRELL	–	–	1	–	–	–
†OSWALDTWISTLE	–	–	2	–	–	–
†PADIHAM... ...	–	2	–	–	–	–
†PRESTWICH ...	–	3	–	–	–	–
†RADCLIFFE ...	–	1	–	–	–	–
†RAMSBOTTOM ...	–	1	–	–	3	–
†ROYTON	–	–	–	–	2	–
†STRETFORD... ..	–	4	1	–	1	M. 2
†SWINTON AND PENDLEBURY	–	1	–	–	4	–
TOTTINGTON ...	–	–	–	–	2	–
†TURTON	–	1	–	–	1	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	1	–
URMSTON... ..	–	–	–	–	1	–
†WESTHOUGHTON	–	1	–	–	–	–
WHITEFIELD ...	–	1	–	–	1	–
WHITWORTH ...	–	–	–	–	1	–
†WIDNES	–	2	1	–	3	–
WITHNELL ...	*	*	*	*	*	*
†WORSLEY... ...	*	*	*	*	*	*
Rural Districts:—						
CLITHEROE ...	–	–	–	–	–	L. 1
FYLDE	–	2	–	–	–	–
LEIGH	–	–	–	–	2	–
WARRINGTON ...	–	1	–	–	2	–
WEST LANCASHIRE	–	1	–	–	–	–
WIGAN	–	–	1	–	–	–
LEICESTER... ...	–	14	4	–	10	M. 3
†LEICESTER C.B. ..	–	5	2	–	5	M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	–
ASHBY WOULDS...	–	1	–	–	–	–
†HINCKLEY ..	–	1	–	–	–	–
†LOUGHBOROUGH	–	–	1	–	–	–
MELTON MOWBRAY	–	1	–	–	1	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
BARROW UPON SOAR	–	1	1	–	–	–
BELVOIR	–	–	–	–	1	–
BILLESDON ...	–	1	–	–	–	–
HINCKLEY ...	–	1	–	–	1	–
MARKET BOSWORTH	–	1	–	–	–	M. 1
MELTON MOWBRAY	–	1	–	–	1	–
LINCOLN (parts of Holland).	–	1	1	–	–	–
Boroughs and Urban Districts—						
†BOSTON	–	1	1	–	–	–
†SPALDING ...	*	*	*	*	*	*
LINCOLN (parts of Kesteven).	–	1	1	–	1	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	–	–	–	–
SLEAFORD ...	–	–	–	–	1	–
STAMFORD ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	8	1	–	6	M. 2
†GRIMSBY C.B. ...	–	3	–	–	–	–
†LINCOLN C.B. ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever · I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	–	–	1	–
CROWLE	–	–	–	–	3	–
LOUTH	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	2	1	–	1	M. 2
WINTERTON ...	*	*	*	*	*	*
Rural District:—						
GLANFORD BRIGG	–	–	–	–	1	–
MIDDLESEX ...	–	26	24	–	9	D. 1 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	2	2	–	–	–
†BRENTFORD ...	–	2	–	–	–	–
†EALING	–	2	–	–	–	–
†EDMONTON ...	–	2	2	–	–	–
FELTHAM ...	–	1	–	–	–	–
†FINCHLEY ...	–	1	–	–	–	–
†HARROW ON THE HILL	–	1	–	–	–	–
†HENDON	–	1	–	–	–	–
†HESTON AND ISLEWORTH	–	2	3	–	2	–
†HORNSEY	–	2	–	–	–	–
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	3	2	–	4	M. 1
†TWICKENHAM ...	–	2	–	–	–	–
†UXBRIDGE ...	–	1	–	–	1	–
†WEMBLEY ...	–	–	1	–	–	–
†WILLESDEN ...	–	1	12	–	2	D. 1
YIEWSLEY ...	–	–	2	–	–	–
Rural District:—						
STAINES	–	2	–	–	–	–
NORFOLK	–	45	13	–	1	M. 1
†GREAT YARMOUTH C.B.	–	2	–	–	–	–
†NORWICH C.B. ...	–	30	8	–	–	M. 1
NORFOLK—*cont.*						
Boroughs and Urban Districts:—						
NEW HUNTSTANTON	–	3	–	–	–	–
SWAFFHAM ...	–	–	3	–	–	–
Rural Districts:—						
DOCKING	–	–	1	–	–	–
ERPINGHAM ...	–	1	–	–	–	–
FOREHOE ...	–	1	1	–	–	–
HENSTEAD ...	–	1	–	–	–	–
MITFORD AND LAUNDITCH	–	4	–	–	–	–
SMALLBURGH ...	–	3	–	–	–	–
WALSINGHAM ...	–	–	–	–	1	–
NORTHAMPTON ...	–	27	5	–	9	C. 2 M. 1
†NORTHAMPTON C.B.	–	9	1	–	5	C. 2
Boroughs and Urban Districts:—						
BRACKLEY ...	*	*	*	*	*	*
DESBOROUGH ...	–	5	–	–	–	–
IRTHLINGBOROUGH	–	–	–	–	1	–
†KETTERING ...	–	2	–	–	–	–
OUNDLE	*	*	*	*	*	*
ROTHWELL ...	–	1	–	–	–	–
†RUSHDEN ...	–	–	–	–	2	–
†WELLINGBOROUGH	–	6	–	–	–	–
Rural Districts:—						
BRACKLEY ...	*	*	*	*	*	*
BRIXWORTH ...	–	1	–	–	–	–
DAVENTRY ...	–	1	–	–	–	–
KETTERING ...	–	–	–	–	–	M. 1
NORTHAMPTON ...	–	–	–	–	1	–
POTTERSPURY ...	–	2	–	–	–	–
THRAPSTON (part)	–	–	3	–	–	–
TOWCESTER ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND	–	30	8	2	37	M. 4
†NEWCASTLE UPON TYNE C.B.	–	7	2	–	19	M. 2
†TYNEMOUTH C.B.	–	2	–	1	–	M. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	2	–	–	3	–
†BEDLINGTONSHIRE	–	1	–	–	5	–
†BERWICK UPON TWEED	–	4	–	–	–	–
†BLYTH	–	2	–	–	2	M. 1
†EARSDON	–	1	–	–	–	–
†GOSFORTH ..	–	1	–	–	–	–
†LONGBENTON ..	–	2	1	–	–	–
NEWBIGGIN BY THE SEA	–	1	–	–	–	–
†NEWBURN ...	–	–	–	–	1	–
PRUDHOE ...	–	–	–	–	1	–
ROTHBURY ...	–	3	–	–	–	–
SEATON DELAVEL	–	–	–	1	2	–
†WALLSEND ...	–	1	1	–	1	–
†WHITLEY AND MONKSEATON	–	–	–	–	2	–
Rural Districts:—						
CASTLE WARD ...	–	2	1	–	–	–
HALTWHISTLE ...	–	–	2	–	1	–
HEXHAM	–	–	1	–	–	–
NORHAM AND ISLANDSHIRES	–	1	–	–	–	–
NOTTINGHAM ...	–	20	3	–	14	C. 2 G. 1 M. 2
†NOTTINGHAM C.B	–	14	3	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
†CARLTON	–	1	–	–	1	M. 1
†EAST RETFORD ...	–	–	–	–	2	–
†HUCKNALL ...	–	1	–	–	–	C. 1
HUTHWAITE ...	–	–	–	–	–	G. 1
†KIRKBY IN ASHFIELD	–	–	–	–	1	–
NOTTINGHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MANSFIELD ...	–	2	–	–	–	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK	–	–	–	–	1	–
†WORKSOP... ...	–	–	–	–	2	–
Rural Districts:—						
BASFORD	–	–	–	–	1	–
BINGHAM ...	–	–	–	–	3	–
MISTERTON ...	–	–	–	–	1	–
STAPLEFORD ...	–	1	–	–	–	–
OXFORD	–	8	3	1	1	C. 1
†OXFORD C.B. ...	–	–	3	1	–	–
Rural Districts:—						
CULHAM	–	–	–	–	–	C. 1
HEADINGTON ...	–	6	–	–	–	–
HENLEY	–	–	–	–	1	–
WOODSTOCK ...	–	2	–	–	–	–
SALOP	–	–	3	1	3	L. 1 M. 2
Boroughs and Urban Districts:—						
DAWLEY	–	–	1	–	–	–
WELLINGTON ...	–	–	1	–	–	–
WENLOCK ...	–	–	–	–	–	L. 1
Rural Districts:—						
CLUN	–	–	1	–	–	–
DRAYTON... ...	–	–	–	–	1	–
LUDLOW	–	–	–	–	1	–
OSWESTRY ...	–	–	–	–	–	M. 2
WELLINGTON ...	–	–	–	1	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET	–	17	–	2	10	–
†BATH C.B. ...	–	2	–	1	–	–
Boroughs and Urban Districts:—						
†FROME	–	1	–	–	–	–
RADSTOCK ...	–	1	–	–	–	–
STREET	–	–	–	–	2	–
†TAUNTON... ...	–	1	–	–	1	–
WELLINGTON ...	–	1	–	–	–	–
WELLS	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	1	–	–	–	–
BATH	–	3	–	–	–	–
CLUTTON... ...	–	–	–	–	1	–
FROME	–	5	–	–	–	–
KEYNSHAM ...	–	1	–	–	2	–
LANGPORT ...	–	1	–	–	–	–
WELLINGTON ...	–	–	–	–	1	–
WELLS	–	–	–	1	1	–
YEOVIL	–	–	–	–	1	–
SOUTHAMPTON ...	–	30	19	2	–	C. 2 D. 1 G. 1 M. 1
†BOURNEMOUTH C.B.	–	4	–	–	–	–
†PORTSMOUTH C.B.	–	14	6	–	–	G. 1 M. 1
†SOUTHAMPTON C.B.	–	4	3	1	–	C. 1
Boroughs and Urban Districts:—						
†BASINGSTOKE ...	–	1	1	–	–	–
CHRISTCHURCH ...	–	1	1	–	–	C. 1
†EASTLEIGH AND BISHOPSTOKE	–	–	1	–	–	–
†GOSPORT	–	–	2	–	–	–
ROMSEY	–	1	–	–	–	–
Rural Districts:—						
BASINGSTOKE ...	–	1	1	–	–	–
CATHERINGTON ...	–	–	1	–	–	–
CHRISTCHURCH ...	–	–	1	–	–	–
SOUTHAMPTON— *cont.*						
Rural Districts— *cont.*						
FORDINGBRIDGE ..	–	1	–	–	–	–
HARTLEY WINTNEY	–	–	1	–	–	–
HAVANT	–	–	–	–	–	D. 1
NEW FOREST ...	–	1	–	–	–	–
RINGWOOD ...	–	1	–	–	–	–
SOUTH STONEHAM	–	1	–	1	–	–
WINCHESTER ...	–	–	1	–	–	–
STAFFORD	–	64	22	2	48	C. 3 E. 1 M. 13
†BURTON UPON TRENT C.B.	–	–	–	–	–	M. 1
†SMETHWICK C.B.	–	4	2	–	3	M. 1
†STOKE ON TRENT C.B.	–	18	5	–	17	M. 6
†WALSALL C.B. ...	–	1	–	–	2	C. 1
†WEST BROMWICH C.B.	–	4	5	–	2	E. 1
†WOLVERHAMPTON C.B.	–	3	1	–	1	C. 1 M. 2
Boroughs and Urban Districts:—						
†AUDLEY	–	4	–	–	–	–
BIDDULPH ...	–	1	–	–	1	–
†BILSTON	–	–	1	–	1	–
†BRIERLEY HILL...	–	1	–	–	–	–
†BROWNHILLS ...	–	2	1	–	–	–
†CANNOCK	–	–	–	–	1	–
†COSELEY	–	1	–	–	1	–
KIDSGROVE ...	–	2	–	–	–	–
†LEEK	–	–	–	–	–	M. 1
LICHFIELD ...	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	–	3	–	–	C. 1
QUARRY BANK ...	–	1	–	–	2	–
†ROWLEY REGIS ...	–	2	–	–	5	–
RUGELEY	–	2	–	–	–	–
†SEDGLEY	–	–	1	–	1	–
SHORT HEATH ...	–	1	–	–	–	–
†STAFFORD ...	–	2	–	1	2	–
†TIPTON	–	3	–	–	–	–
†WEDNESBURY ...	–	2	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
WEDNESFIELD ...	–	–	–	–	1	–
†WILLENHALL ...	–	–	–	–	4	M. 1
†WOLSTANTON UNITED	–	7	1	–	1	M. 1
Rural Districts:—						
CHEADLE	–	–	1	–	–	–
KINGSWINFORD ...	–	–	–	1	–	–
LICHFIELD ...	–	1	–	–	–	–
TAMWORTH (part)	–	–	1	–	–	–
UTTOXETER ...	–	1	–	–	–	–
SUFFOLK, EAST ...	–	3	8	–	4	–
†IPSWICH C.B. ...	–	2	2	–	1	–
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	–	2	–	1	–
STOWMARKET ...	–	–	–	–	1	–
WOODBRIDGE ...	–	–	4	–	–	–
Rural Districts:—						
HOXNE	–	–	–	–	1	–
WOODBRIDGE ...	–	1	–	–	–	–
SUFFOLK, WEST ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
GLEMSFORD ...	*	*	*	*	*	*
Rural Districts:—						
BRANDON... ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	–	23	17	1	4	C. 1 M. 1
†CROYDON C.B. ...	–	4	4	–	–	C. 1
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	–	–
†BEDDINGTON AND WALLINGTON	–	–	2	–	–	–
†CARSHALTON ...	–	1	–	–	–	–
†CATERHAM ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	1	–	–	–	–
DORKING	–	1	–	–	–	–
†EGHAM	–	–	–	1	–	–
GODALMING ...	*	*	*	*	*	*
†KINGSTON ON THAMES	–	2	1	–	–	–
LEATHERHEAD ...	–	1	1	–	–	–
†MERTON AND MORDEN	–	1	3	–	–	–
†MITCHAM... ...	–	2	1	–	–	–
†WIMBLEDON ...	–	1	–	–	–	–
†WOKING	–	–	3	–	1	–
Rural Districts:—						
CHERTSEY ...	–	1	–	–	1	–
FARNHAM ...	*	*	*	*	*	*
GODSTONE ...	–	–	1	–	–	–
GUILDFORD ...	–	–	–	–	2	–
HAMBLEDON ...	–	6	1	–	–	M. 1
SUSSEX, EAST ...	–	24	37	–	3	–
†BRIGHTON C.B. ...	–	5	3	–	1	–
†EASTBOURNE C.B	–	1	3	–	–	–
†HASTINGS C.B. ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	4	–	–	1	–
†HOVE	–	3	–	–	–	–
†LEWES	–	1	–	–	–	–
PORTSLADE BY SEA	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST— *cont.*						
Rural Districts :—						
CUCKFIELD ...	–	–	31	–	–	–
NEWHAVEN ...	–	6	–	–	–	–
STEYNING EAST...	–	1	–	–	–	–
UCKFIELD ...	–	1	–	–	–	–
SUSSEX, WEST ...	–	2	2	–	1	M. 1
Boroughs and Urban Districts :—						
†BOGNOR	–	1	–	–	–	–
†CHICHESTER ...	–	–	–	–	1	–
SOUTHWICK ...	–	1	1	–	–	–
Rural Districts :—						
WESTBOURNE ...	–	–	–	–	–	M. 1
WESTHAMPNETT	–	–	1	–	–	–
WARWICK	–	63	25	2	74	C. 2 S. 1 M. 12
†BIRMINGHAM C.B.	–	41	23	1	59	C. 2 M. 12
†COVENTRY C.B. ...	–	6	1	–	1	–
Boroughs and Urban Districts :—						
KENILWORTH ...	–	1	–	–	1	–
†NUNEATON ...	–	1	–	–	2	–
†RUGBY	–	2	–	–	5	–
STRATFORD ON AVON	–	–	1	–	–	–
†SUTTON COLDFIELD	–	–	–	–	1	–
Rural Districts :—						
ATHERSTONE ...	–	–	–	–	2	–
BRAILES	–	2	–	–	–	–
FOLESHILL ...	–	6	–	–	–	–
MERIDEN... ...	–	–	–	–	1	–
RUGBY	–	1	–	1	1	–
STRATFORD ON AVON	–	–	–	–	–	G. 1
TAMWORTH (part)	–	2	–	–	–	–
WARWICK ...	–	1	–	–	1	–
WESTMORLAND ...	–	1	1	–	2	–
Boroughs and Urban Districts :—						
†KENDAL	–	1	–	–	1	–
Rural District :—						
SOUTH WESTMORLAND	–	–	1	–	1	–
WIGHT, ISLE OF ...	–	1	–	–	–	–
Boroughs and Urban Districts—						
SHANKLIN ...	–	1	–	–	–	–
WILTS	–	8	3	–	–	M. 1
Boroughs and Urban Districts :—						
MELKSHAM ...	*	*	*	*	*	*
†SWINDON... ...	–	5	–	–	–	–
Rural Districts :—						
CALNE	–	1	–	–	–	–
CHIPPENHAM ...	–	1	–	–	–	M. 1
CRICKLADE AND WOOTTON BASSETT... ...	–	–	1	–	–	–
HIGHWORTH ...	–	–	1	–	–	–
MELKSHAM ...	*	*	*	*	*	*
WARMINSTER ...	–	–	1	–	–	–
WESTBURY AND WHORWELLSDOWN	–	1	–	–	–	–
WORCESTER ...	–	11	7	1	12	G. 1
†WORCESTER C.B.	–	4	2	–	3	G. 1
Boroughs and Urban Districts :—						
BROMSGROVE ...	–	1	–	–	–	–
†KIDDERMINSTER	–	1	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
LYE AND WOLLESCOTE	–	–	2	–	–	–
†OLDBURY... ...	–	–	1	–	3	–
†STOURBRIDGE ...	–	–	1	–	–	–
STOURPORT ...	–	2	–	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	–	–	–	1	–
DROITWICH ...	–	–	1	–	–	–
HALESOWEN ...	–	1	–	–	1	–
MARTLEY... ...	–	1	–	–	1	–
PERSHORE ...	–	1	–	–	–	–
UPTON ON SEVERN	–	–	–	1	–	–
YORKS ... ... (East Riding).	–	6	7	–	7	M. 1
†KINGSTON UPON HULL C.B.	–	5	4	–	5	M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	1	–	–	–
Rural Districts:—						
HOWDEN	–	–	1	–	–	–
SCULCOATES ...	–	–	1	–	–	–
SKIRLAUGH ...	–	–	–	–	2	–
YORKS ... ... (North Riding).	–	37	4	1	7	–
†MIDDLESBROUGH C.B.	–	22	1	–	4	–
Boroughs and Urban Districts:—						
†ESTON	–	6	–	–	–	–
†REDCAR	–	1	–	–	1	–
†SCARBOROUGH ...	–	1	2	–	–	–
YORKS (North Riding)—*cont.*						
Rural Districts:—						
†SKELTON AND BROTTON	–	–	1	–	1	–
EASINGWOLD ...	–	5	–	–	1	–
NORTHALLERTON	–	1	–	1	–	–
STOKESLEY ...	–	1	–	–	–	–
YORKS ... ... (West Riding).	9	135	41	–	250	C. 2 D. 1 E. 1 G. 2 M. 1
†BARNSLEY C.B. ...	–	1	3	–	1	C. 2
†BRADFORD C.B. ...	–	9	3	–	34	C. 1
†DEWSBURY C.B....	–	6	–	–	2	–
†HALIFAX C.B. ...	–	3	1	–	1	–
†HUDDERSFIELD C.B.	–	2	–	–	6	E. 1
†LEEDS C.B. ...	–	23	4	–	15	C. 2 G. 1 M. 1
†ROTHERHAM C.B.	–	3	–	–	8	–
†SHEFFIELD C.B....	–	26	10	–	128	C. 5 M. 8
†WAKEFIELD C.B.	–	1	1	–	2	–
Boroughs and Urban Districts:—						
ALTOFTS	–	–	1	–	–	–
†BARNOLDSWICK ...	–	1	–	–	–	–
†BATLEY	–	2	–	–	1	–
†BENTLEY WITH ARKSEY	7	2	–	–	–	–
†BINGLEY	–	3	2	–	3	D. 1
†BOLTON UPON DEARNE	–	–	–	–	1	–
†CASTLEFORD ...	–	3	–	–	–	–
†CONISBROUGH ...	–	1	2	–	–	–
CUDWORTH ...	–	–	–	–	1	–
DARFIELD ...	–	–	–	–	4	–
DENBY AND CUMBERWORTH	–	–	1	–	–	–
†DONCASTER ...	1	5	2	–	2	–
†FEATHERSTONE ...	–	2	–	–	–	–
†GOOLE	–	–	2	–	–	–
HEBDEN BRIDGE	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
HIPPERHOLME ...	–	–	–	–	2	–
HORBURY ...	–	1	–	–	–	–
†HOYLAND NETHER	–	–	–	–	2	–
HOYLAND SWAINE	*	*	*	*	*	*
ILKLEY	–	–	–	–	–	G. 1
†KEIGHLEY ...	–	–	1	–	–	M. 1
KIRKHEATON ...	–	–	1	–	–	–
KNOTTINGLEY ...	–	–	–	–	4	–
†MEXBOROUGH ...	–	–	1	–	2	–
†MIRFIELD ...	–	–	–	–	2	–
†MORLEY	–	1	–	–	2	–
†NORMANTON ...	*	*	*	*	*	*
†OSSETT	–	4	–	–	–	–
OTLEY	–	1	–	–	–	C. 1
PENISTONE ...	*	*	*	*	*	*
QUEENSBURY ...	–	–	1	–	–	–
†RAWMARSH ...	–	–	1	–	1	–
†ROTHWELL ...	–	1	–	–	–	–
†SADDLEWORTH ...	–	2	–	–	–	–
†SHIPLEY... ...	–	3	–	–	–	C. 1
†SKIPTON	–	1	–	–	1	–
†SPENBOROUGH ...	–	1	–	–	3	–
STAINLAND WITH OLD LINDLEY	–	2	–	–	1	–
†STANLEY	–	3	–	–	2	–
STOCKSBRIDGE ...	–	3	–	–	–	–
THURSTONLAND...	–	–	–	–	1	–
TICKHILL ...	–	–	–	–	2	–
†TODMORDEN ...	–	4	1	–	–	–
†WATH UPON DEARNE	–	2	–	–	–	–
†WOMBWELL ...	–	–	–	–	1	–
†WORSBOROUGH ...	–	–	–	–	1	–
YEADON	–	–	1	–	–	–
Rural Districts:—						
DONCASTER ...	–	2	–	–	–	–
GREAT OUSEBURN	–	–	1	–	–	
HEMSWORTH ...	–	1	–	–	7	M. 1
KIVETON PARK ...	–	5	1	–	–	–
PONTEFRACT ...	–	3	–	–	–	–
ROTHERHAM ...	–	–	–	–	5	–
YORKS (West Riding) —*cont.*						
Rural Districts:— *cont.*						
TADCASTER ...	–	1	–	–	–	–
THORNE	–	–	–	–	1	–
WAKEFIELD ...	1	1	–	–	–	–
§YORK C.B. ...	–	3	–	–	–	–
WALES.						
ANGLESEY	–	1	–	–	–	–
Rural Districts:—						
AETHWY	–	1	–	–	–	–
BRECKNOCK ...	–	–	–	–	5	–
Urban District:—						
BRYNMAWR ...	–	–	–	–	5	–
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
CARMARTHEN ...	–	2	4	–	–	M. 1
Boroughs and Urban Districts:—						
†LLANELLY ...	–	2	–	–	–	M. 1
Rural Districts:—						
CARMARTHEN ...	–	–	3	–	–	–
LLANELLY ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON ...	–	4	1	1	1	–
Boroughs and Urban Districts:—						
CARNARVON ...	–	–	–	1	1	–
CONWAY	–	1	–	–	–	–
PENMAENMAWR...	–	1	–	–	–	–
Rural District:—						
CONWAY	–	2	1	–	–	–
DENBIGH	–	3	2	–	2	G. 1
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN... ...	–	–	1	–	–	–
†WREXHAM ...	–	–	1	–	–	G. 1
Rural Districts:—						
GLAN CONWAY &c. (parishes)	–	2	–	–	–	–
RUTHIN	–	–	–	–	2	–
WREXHAM ...	–	1	–	–	–	–
FLINT	–	2	6	1	2	–
Boroughs and Urban Districts:—						
FLINT	–	–	1	–	–	–
HOLYWELL ...	–	–	2	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	–	1	1	–
HOLYWELL (HOLYWELL DIV.)	–	1	3	–	1	–
OVERTON ..	–	1	–	–	–	–
GLAMORGAN ...	–	44	27	–	31	C. 1 M. 4
†CARDIFF C.B. ...	–	2	2	–	5	C. 1 M. 1
†MERTHYR TYDFIL C.B.	–	3	1	–	–	–
†SWANSEA C.B. ...	–	7	6	–	–	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	4	1	–	1	–
†BARRY	–	1	4	–	4	–
†CAERPHILLY ...	–	2	1	–	–	–
†GELLIGAER ...	–	2	1	–	–	–
†GLYNCORWG ...	*	*	*	*	*	*
†MAESTEG ...	–	–	1	–	–	M. 1
†MOUNTAIN ASH...	–	3	3	–	8	M. 1
†NEATH	*	*	*	*	*	*
†OGMORE AND GARW	–	3	1	–	–	–
†PENARTH ...	–	3	–	–	–	–
†PONTYPRIDD ...	–	–	–	–	3	–
†PORT TALBOT ...	–	2	–	–	–	–
†RHONDDA ...	–	7	3	–	7	M. 1
Rural Districts:—						
GOWER	–	–	1	–	1	–
LLANTRISANT AND LLANTWITFARDRE	–	2	–	–	1	–
NEATH	–	–	–	–	1	–
PONTARDAWE ...	–	–	1	–	–	–
SWANSEA... ...	–	3	1	–	–	–
MONMOUTH ...	–	9	9	–	4	–
†NEWPORT C.B. ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†ABERCARN ...	–	–	1	–	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	1	4	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
BEDWAS AND MACHEN	-	1	-	-	-	-
†BEDWELLTY ...	-	-	2	-	-	-
LLANFRECHFA UPPER	-	-	1	-	-	-
MONMOUTH ...	-	1	-	-	-	-
†NANTYGLO AND BLAINA	-	-	-	-	3	-
†RHYMNEY ...	-	1	-	-	-	-
†TREDEGAR ..	-	2	-	-	1	-
Rural Districts:—						
MAGOR	-	1	-	-	-	-
MONTGOMERY ..	-	1	-	-	1	-
Rural District:—						
LLANFYLLIN ...	-	1	-	-	1	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE	-	-	4	-	-	-
Boroughs and Urban Districts:—						
GOODWICK ...	*	*	*	*	*	*
HAVERFORDWEST.	-	-	2	-	-	-
†PEMBROKE ...	*	*	*	*	*	*
Rural Districts:—						
HAVERFORDWEST.	-	-	1	-	-	-
NARBERTH ...	-	-	1	-	-	-
RADNOR	-	-	-	-	2	-
Urban District:—						
KNIGHTON ...	-	-	-	-	1	-
Rural District:—						
KNIGHTON ...	-	-	-	-	1	-
Total of Part II. ...	18	1228	495	40	932	C. 35 D. 4 E. 3 G. 13 L. 3 M. 111

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIFF	-	-	-	-	1	-
HAYLE	*	*	*	*	*	*
LIVERPOOL	-	1	-	-	1	-

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
PLYMOUTH	-	-	-	-	2	L. 1
PORT OF LONDON ...	-	-	1	1	-	-
Total of Part III.— ..	-	1	1	1	4	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	172	167	5	85	C. 6 D. 2 E. 3 G. 2 M. 23
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	18	1228	495	40	932	C. 35 D. 4 E. 3 G. 13 L. 3 M. 111
Total of Part III.—Port Sanitary Districts	–	1	1	1	4	L. 1
Total (*i.e.*, of returns received), England and Wales ...	18	1401	663	46	1021	C. 41 D. 6 E. 6 G. 15 L. 4 M. 134

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague, or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 594, 596, 597, 598, 604, and 605.

e 5.—London and Great Towns in the GREGATE. } Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Mar. 3.	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.
DON :—													
THS—all ages	1,074	1,104	1,098	1,162	1,082	1,094	1,126	1,016	1,043	1,047	885	949	905
, 0 to 1 year ..	106	134	104	112	113	100	120	111	105	118	106	93	98
AT TOWNS, aggregate (including London) :—													
THS	7,925	7,820	7,755	7,844	7,029	7,386	8,216	8,258	7,581	7,970	7,665	8,310	6,717
THS—all ages	4,868	4,667	4,882	4,953	4,991	4,735	4.971	4,539	4,686	4,887	4,478	4,531	4,225
, 0 to 1 year ..	672	620	636	626	662	557	634	570	548	648	566	564	518
ERIC Fever—Cases	18	15	13	18	15	16	26	22	19	30	15	18	18
„ Deaths	5	1	3	2	2	4	3	4	1	2	1	3	5
LL Pox—Cases ..	16	13	14	3	15	3	10	7	7	1	4	7	1
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
RLET Fever—Cases	1,152	1,085	1,007	1,071	907	905	797	952	934	963	859	830	891
„ Deaths	15	22	13	17	11	13	15	12	16	11	15	25	7
HTHERIA—Cases ..	637	570	557	554	563	576	483	542	488	499	515	467	405
„ Deaths ..	43	36	43	54	43	37	36	37	40	36	38	34	29
ASLES—Deaths ..	95	95	108	111	117	105	86	86	69	74	73	73	73
LUENZA—Deaths ..	79	84	81	125	120	188	184	169	143	175	207	200	166

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 26th May, 1923. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
NDON (GREENWICH).	67	37	61·7	43·9	11
IGHTON ..	59	43	56·5	46·1	12
RTSMOUTH ..	61	40	59·1	45·9	9
RWICH (EATON).	59	33	57·1	42·7	8
YMOUTH ..	61	40	57·0	45·7	18
ISTOL (CLIFTON).	60	39	56·0	45·7	8
RMINGHAM ..	59	36	55·3	42·7	6
TTINGHAM ..	57	32	55·0	42·3	21
RKENHEAD (BIDSTON).	55	40	53·0	44·4	23
ANCHESTER ..	58	37	53·7	41·7	28
RNLEY.. ..	57	30	52·9	39·3	33
DDERSFIELD	55	33	53·0	41·1	24

Towns.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD ..	54	35	52·0	41·9	30
SHEFFIELD ..	57	38	53·6	42·1	32
YORK (MUSEUM)	57	34	54·9	42·1	14
HULL (PEARSON PARK).	60	33	54·9	41·6	20
TYNEMOUTH ..	58	39	52·7	42·7	4
CARDIFF	57	39	56·4	43·9	19
EDINBURGH ..	56·0	37·0	50·9	39·7	13
GLASGOW ..	55·0	38·3	53·2	41·6	5
DUBLIN (PHŒNIX PARK).	57·4	29·9	55·0	48·1	18
FITZWILLIAM SQUARE.†	57·9	36·3	54·7	43·8	3
BELFAST	Not received.				

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 26th May, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	20	..	29·688	60·1	47·1	13·0	51·8	− 2·0	43·9	7·9	13·5	2·1	75	119·0	44·5	49·3	WSW : SW.	SW	1·9	0·0	0·1	298	+ 23	0·00
MONDAY -	21	..	29·722	63·0	47·8	15·2	54·8	+ 0·6	44·4	10·4	17·9	2·1	68	117·4	36·8	49·3	SW : WSW.	WSW : WNW.	1·4	0·0	0·1	320	+ 50	0·00
TUESDAY -	22	..	29·818	66·8	44·5	22·3	54·5	− 0·1	48·2	6·3	16·7	1·9	80	120·0	32·5	49·4	SW	SW : WSW.	1·8	0·0	0·1	289	+ 23	0·04
WEDNESDAY	23	First Quarter.	29·806	63·2	42·3	20·9	50·7	− 4·2	48·0	2·7	11·1	2·2	91	108·0	40·9	49·7	SW : WSW.	WSW : NW : NNE.	2·7	0·0	0·2	337	+ 74	0·39
THURSDAY -	24	..	30·007	58·5	37·4	21·1	47·7	− 7·6	37·8	9·9	18·1	2·4	69	125·9	33·4	49·8	NNE : NE.	Calm : SSW.	0·4	0·0	0·0	184	− 77	0·00
FRIDAY -	25	In Equator	29·650	60·7	40·7	20·0	49·2	− 6·3	40·9	8·3	18·0	4·1	73	117·0	32·4	49·9	SW	SW : W : NW.	1·2	0·0	0·1	269	+ 12	0·01
SATURDAY -	26	..	29·692	58·8	36·8	22·0	48·4	− 7·4	37·9	10·5	19·3	2·8	67	124·6	26·5	49·9	Calm	N : NE	1·0	0·0	0·0	161	− 93	0·00
MEANS -		..	29·769	61·6	42·4	19·2	51·0	− 3·9	43·0	8·0	16·4	2·5	75	118·8	35·3	49·6	Westerly		..	..	..	Sum 1,858	Sum + 12	Sum 0·44
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MAY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	20	wN to 5h.; then mP	0·4	15·7	Overcast or nearly overcast. Occasional very slight rain from 9h.
MONDAY ..	21	wP to 16h.; then mP.	1·6	15·8	Overcast or nearly overcast till 16h. 30m. Very cloudy till 22h., becoming nearly cloudless by 23h. Shower 1h.
TUESDAY ..	22	wP to 16h.; mP to 23h.; then wP.	3·3	15·8	Cloudless till 1½h., becoming overcast generally by 2h. Cloudy period 14h. till 18h. Slight shower 6h. Rain 7h. 45m. till 10h. Rain or damping 22h. till 23h.
WEDNESDAY	23	wP to 5h.: mP to 11h.; large fluctuations sP to mN, 11h. to 17h., then mP	0·5	15·9	Overcast generally till 23h., clearing to cloudy by midnight. Rain 10h. 30m. till 11h. 30m. and 13h. till 21h.
THURSDAY	24	mP to 5h.; sP to 8h.; mP to 16h.; sP to 20h.; then wP.	9·8	15·9	Becoming nearly cloudless by 1h. Partially cloudy 7h. 30m. till noon, very cloudy or nearly overcast till 18h. 30m., clearing to cloudless generally by 19h. 30m.
FRIDAY ..	25	wP to 6h.; mN to 7h.; mP to 13h.; then failure of register.	3·3	16·0	Cloudless or nearly cloudless till 4h., becoming nearly overcast by 5h. Occasional very cloudy periods from 12h. Clearing from 19h. to cloudless by 20h. 30m. Rain 6h. till 7h. Showers 10h. 30m. and 17h.
SATURDAY	26	wP from 11h.	4·8	16·0	Cloudless or nearly cloudless till 6h., very cloudy generally till 21h., then overcast. Little cloud 17h. till 19h. 30m. Hoar frost in morning.
			Sum 23·7	Sum 111·1	
No. of Col. ..		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·75 in. at the beginning of the week to 29·69 in. by 2h. on May 21st; increased to 29·83 in. by 9h. on May 22nd; decreased slightly on May 23rd, and then increased generally to 30·05 in. by 6h. on May 24th; decreased to 29·60 in. by 16h. on 25th.; then increased and was 29·73 in. at midnight on May 26th.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS,
11-17, Hare Street, E.2

(42436) Wt. 15—P 11 2250 5/23 H. St. G. 48

FOR OFFICIAL USE.

1923. No. 22.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 2ND JUNE, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 2ND JUNE, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-second week of the year numbered 8,723 and corresponded to an annual rate of 23·7 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,151 and corresponded to an annual rate of 11·3 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 12·2, 12·3 and 11·5. Infant mortality was 58 per 1,000 births, against 74, 68 and 77 in the preceding three weeks.

In London (Administrative County including the City of London) there were 2,040 births, corresponding to a rate of 23·4 per 1,000, and 840 deaths of civilians, corresponding to a rate of 9·7, as against 10·2, 10·9 and 10·4, for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 10·3 per 1,000. The infant mortality was 41 as against 56, 46 and 60 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 73 in the total deaths last week, and the deaths from influenza fell from 166 to 155. In London the number of deaths from all causes fell from 905 to 840; while the deaths from diphtheria, which had been 10, 15 and 13 in the preceding three weeks, fell to 2 last week, and those from influenza, which had been 23, 15 and 13 in the three preceding weeks, fell to 10 last week.

Just Published:

Census of England and Wales, 1921. County of Middlesex. Price 10*s.* net.

County of Essex. Price 12*s.* 6*d.* net.

County of Surrey. Price 10*s.* net.

County of Kent. Price 14*s.* net.

County of Hertford. Price 7*s.* 6*d.* net.

The Registrar General's Statistical Review, 1921.

Tables, Part II. Civil. Price 5*s.* net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 2nd June, 1923.

TOWNS.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	8,723	4,151	506	–	60	12	52	15	45	155
London	4,534,230*	2,040	840	83	–	6	1	9	2	12	10
Towns in Outer Ring.											
Croydon C.B. ..	192,300	66	35	4	–	–	–	–	1	–	2
Wimbledon ..	61,730	24	7	1	–	–	–	–	–	–	–
Ealing	67,890	33	15	1	–	–	–	1	–	–	1
Acton	62,390	33	11	1	–	–	–	–	–	–	1
Willesden ..	168,200	66	24	1	–	–	–	–	–	–	–
Hendon	55,930	21	5	–	–	–	–	1	–	–	–
Hornsey	87,310	27	23	3	–	–	–	–	–	–	1
Wood Green ..	51,290	23	3	1	–	–	–	–	–	–	–
Tottenham ..	150,500	46	20	4	–	–	–	–	–	1	–
Edmonton ..	68,700	50	7	1	–	–	–	–	–	1	–
Enfield	62,010	21	6	1	–	–	–	–	–	–	–
West Ham C.B. ..	310,200	174	44	6	–	–	–	–	–	–	–
East Ham C.B. ..	145,800	60	26	2	–	–	–	–	–	–	–
Leyton	131,600	35	14	1	–	–	–	–	–	–	–
Walthamstow ..	129,700	48	19	3	–	–	–	–	–	1	–
Ilford	86,370	26	9	–	–	–	–	–	–	–	–
Gillingham	48,630*	32	16	2	–	–	–	–	1	1	–
Canterbury C.B ..	23,680	11	5	2	–	–	–	–	–	–	–
Hastings C.B.	59,500	22	20	–	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	15	14	–	–	–	–	–	–	–	–
Brighton C.B. ..	135,000	53	27	3	–	–	–	–	–	–	–
Portsmouth C.B. ..	236,630*	109	49	4	–	–	–	1	–	1	–
Bournemouth C.B. ..	81,500	18	18	3	–	–	–	–	–	–	–
Southampton C.B. ..	163,700	71	29	4	–	–	–	3	–	1	1
Reading C.B.	92,990	36	17	–	–	–	–	–	–	–	–
Oxford C.B.	56,510	27	4	1	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	44	19	1	–	–	–	–	–	–	–
Luton	58,260	22	9	–	–	–	–	–	–	–	–
Cambridge	59,200	12	15	1	–	–	–	–	–	–	1
Southend-on-Sea C.B.	91,430	31	21	2	–	–	–	–	–	–	1
Ipswich C.B.	80,950	26	18	–	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	33	11	–	–	–	–	–	–	–	–
Norwich C.B. ..	122,900	73	27	2	–	–	–	–	2	–	–
Swindon	55,680	27	8	1	–	–	–	1	1	–	–
Exeter C.B.	59,700	22	11	1	–	–	–	–	–	–	–
Plymouth C.B. ..	200,370*	86	40	5	–	–	–	–	–	1	–
Bath C.B.	68,530	28	9	2	–	–	–	–	1	–	1
Bristol C.B.	383,900	178	91	5	–	4	–	3	–	–	2
Gloucester C.B. ..	52,210	33	9	3	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	274,300	149	64	8	–	1	1	–	–	–	4
Burton-upon-Trent C.B.	49,630	25	22	1	–	–	–	–	–	–	1
Wolverhampton C.B.	105,700	57	25	1	–	–	–	1	–	–	–
Walsall C.B.	99,890	44	28	5	–	1	–	2	–	–	–
West Bromwich C.B.	76,260	40	21	4	–	1	–	–	–	1	2
Dudley C.B.	57,860	33	14	1	–	3	–	–	–	–	–
Worcester C.B. ..	49,240	24	10	3	–	–	–	–	–	–	–
Birmingham C.B. ..	945,100	448	211	33	–	2	1	–	–	4	13
Smethwick C.B. ..	78,140	44	13	1	–	–	–	–	–	–	1
Coventry C.B. ..	131,200	69	19	–	–	–	–	–	–	–	1
Leicester C.B. ..	238,800	115	48	5	–	–	–	–	–	–	3
Lincoln C.B.	66,930	23	13	1	–	–	–	–	–	–	1
Grimsby C.B.	84,650	29	14	–	–	–	–	–	–	–	1
Nottingham C.B. ..	267,900	102	58	8	–	–	1	2	1	–	1
Derby C.B.	132,400	51	22	4	–	–	–	–	–	–	–
Chesterfield ..	63,380	30	18	–	–	–	–	–	–	–	4
Stockport C.B. ..	125,800	50	36	5	–	–	–	–	2	–	3
Chester C.B.	41,190	16	10	1	–	–	–	1	–	–	–
Birkenhead C.B. ..	149,200	77	35	4	–	–	–	–	–	1	–
Wallasey C.B. ..	89,790	36	19	2	–	–	–	–	–	–	1
Liverpool C.B. ..	826,400	407	218	38	–	11	3	2	1	5	1
Bootle C.B.	79,750	59	11	3	–	–	–	–	–	–	–
St. Helens C.B. ..	106,400	59	21	2	–	–	–	1	1	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	15	15	–	–	1	–	–	–	–	1
WIGAN C.B.	91,750	41	27	9	–	–	–	–	–	1	2
WARRINGTON C.B. ..	79,150	41	18	4	–	–	–	1	–	–	2
BOLTON C.B.	182,700	56	43	5	–	–	–	–	–	1	3
BURY C.B.	57,400	19	18	1	–	–	–	–	–	–	1
MANCHESTER C.B. ..	748,500	398	187	20	–	1	1	7	–	2	10
SALFORD C.B.	240,700	146	52	8	–	–	–	2	–	–	2
OLDHAM C.B.	148,300	57	47	4	–	–	–	1	–	–	3
ROCHDALE C.B... ..	92,510	44	29	4	–	–	–	–	–	–	4
BURNLEY C.B.	105,100	42	23	2	–	–	–	–	–	2	–
BLACKBURN C.B. ..	129,600	51	29	1	–	–	–	–	–	–	2
PRESTON C.B.	120,900	68	44	4	–	–	–	1	–	–	3
BLACKPOOL C.B. ..	74,050	13	14	2	–	–	–	–	–	–	–
BARROW-IN-FURNESS C.B.	75,690	22	17	2	–	–	–	–	–	–	2
HUDDERSFIELD C.B. ..	111,600	31	26	3	–	–	–	–	–	1	–
HALIFAX C.B.	100,500	34	21	3	–	–	–	–	–	–	–
BRADFORD C.B. ..	291,300	114	110	12	–	–	–	–	–	–	8
LEEDS C.B.	466,700	172	118	9	–	1	1	–	–	2	6
DEWSBURY C.B. ..	55,170	18	17	1	–	–	1	–	–	–	3
WAKEFIELD C.B. ..	53,840	22	15	5	–	–	–	–	–	–	1
BARNSLEY C.B. ..	69,540	39	15	3	–	–	–	–	1	–	2
SHEFFIELD C.B. ..	522,600	205	153	24	–	1	1	4	–	1	28
ROTHERHAM C.B. ..	69,840	33	20	5	–	–	–	–	–	–	1
DONCASTER	55,020	29	9	–	–	–	–	–	–	–	2
YORK C.B.	84,980	25	17	1	–	–	–	–	–	–	1
HULL C.B.	294,000	145	73	9	–	1	–	1	–	–	1
MIDDLESBROUGH C.B.	134,800	103	26	3	–	1	1	–	1	–	2
DARLINGTON C.B. ..	66,710	30	14	–	–	–	–	–	–	–	–
STOCKTON-ON-TEES ..	65,950	48	16	3	–	–	–	–	–	–	–
WEST HARTLEPOOL C.B.	70,020	57	17	4	–	–	–	–	–	–	–
SUNDERLAND C.B. ..	162,900	94	47	5	–	–	–	1	–	1	2
SOUTH SHIELDS C.B. ..	122,400	65	28	6	–	9	–	1	–	–	–
GATESHEAD C.B. ..	127,300	79	38	7	–	5	–	1	–	–	–
NEWCASTLE-ON-TYNE C.B.	281,600	150	64	14	–	3	–	1	–	1	–
TYNEMOUTH C.B. ..	64,640	35	10	2	–	–	–	–	–	2	–
CARLISLE C.B.	53,490	34	17	5	–	–	–	1	–	–	–
NEWPORT (MON.) C.B.	94,880	48	13	3	–	–	–	–	–	1	–
CARDIFF C.B.	223,830	100	55	8	–	1	–	–	–	–	1
RHONDDA	167,500	79	43	9	–	4	–	1	–	–	2
MERTHYR TYDFIL C.B.	82,680	30	15	1	–	3	–	–	–	–	1
ABERDARE	56,580	31	7	1	–	–	–	1	–	–	1
SWANSEA C.B.	161,000	71	39	9	–	–	–	–	–	–	–
GREATER LONDON ..	7,563,730*	3,224	1,331	134	–	6	1	11	5	15	15
OUTER RING	3,029,500*	1,184	491	51	–	–	–	2	3	3	5
16 GREAT TOWNS IN OUTER RING	1,831,920	753	268	30	–	–	–	2	1	3	5
REMAINDER OF OUTER RING	1,197,580*	431	223	21	–	–	–	–	2	–	–
EDINBURGH†	426,000	186	119	11	–	1	–	4	–	–	1
GLASGOW†	1,041,400	573	291	51	1	11	2	9	3	3	2
DUBLIN (REGISTRATION AREA)†	431,000	211	110	13	–	–	–	3	–	2	2
BELFAST†	429,000	236	112	21	–	4	1	6	–	1	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available period.**

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years)	Influenza.
London‡	4,534,230	1923. June 2	2040	840	9·7	–	–	6	1	9	2	12	10
Calcutta	896,067	April 21	?	420§	24·1	?	3	?	?	?	?	?	4
Bombay	1,220,120	„ 28											
Madras	526,911	April 14	481	359§	35·4	3	9	1	?	–	–	29	–
Sydney and Suburbs	955,900	April											
Brisbane (Metropolitan Area).	217,714	March											
Perth (Metropolitan Area).	155,939	April 7	96	30	9·6	1	–	–	–	–	–	3	–
Auckland (Urban Area).	164,450	March											
Wellington (Urban Area).	110,680	„											
Christchurch (Urban Area).	110,200	„											
Cape Town	106,727	April 21	37	21	10·2	–	–	–	–	–	–	2	–
Johannesburg	156,858	„ 21	66	30	9·9	1	–	–	–	–	1	–	–
Durban	50,488	„ 21	27	20	20·6	–	–	–	–	–	–	1	1
Paris	2,906,472	May 20 (10 days)	1277	1094	13·7	6	–	10	7	10	3	13	–
Antwerp	300,892	Mar. 31											
Amsterdam	699,816	May 12	257	123	9·2	1	–	–	–	1	1	2	–
Copenhagen	565,000	„ 19	275	160	14·8	–	–	1	–	–	1	2	1
Stockholm	424,944	„ 12	116	83	10·2	–	–	–	–	–	–	–	–
Gothenburg	228,074	April 28	?	46	10·5	–	–	–	–	–	–	–	–
Christiania	258,933	May 19	101	59	11·8	–	–	–	–	1	–	1	–
Berlin	1,990,000	April 21	392	566	14·8	–	?	4	–	3	1	6	4
Breslau	563,000	„ 21	208	176	16·3	–	?	4	–	2	1	3	4
Cologne	699,000	„ 21	266	175	13·0	–	?	5	–	2	1	2	4
Dresden	613,000	„ 21	197	165	14·0	–	?	2	–	–	1	2	2
Frankfort-on-Main..	478,000	„ 21	91	78	8·5	–	?	–	–	–	–	–	3
Hamburg	1,073,000	„ 21	298	264	12·8	–	–	6	1	–	5	1	6
Leipzig	683,000	„ 21	194	167	12·7	1	?	–	–	2	–	4	2
Munich	685,000	„ 21	219	190	14·4	–	?	7	1	1	–	1	1
Vienna	1,841,326	„ 7	692	647	18·3	–	–	3	1	3	3	17	7
Prague and Suburbs	697,111	„ 15 (15 days)											
Budapest	945,717	March 24											
Warsaw	956,087	April 21	408	256	14·0	–	–	–	5	1	1	16	1
Cairo	791,000	Feb. 25											
Alexandria	466,700	„ 25											
New York	5,927,617	April 21											
Chicago	2,886,121	April 28	?	728	13·2	1	–	9	2	2	6	23	11
Rio de Janeiro ..	1,274,098	„ 7	681	469	19·2	3	–	2	–	10	1	?	33
Montevideo	349,768	Feb. 10	215	127	23·8	1	–	1	–	1	–	13	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 31 deaths from *Asiatic Cholera* in Calcutta, and from *Plague*, 7 in Calcutta.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 2nd June, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	840	83	19	17	28	43	36	74	94	144	149	153
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	6	2	3	1	–	–	–	–	–	–	–	–
Scarlet fever	1	–	–	–	1	–	–	–	–	–	–	–
Whooping cough	9	2	2	5	–	–	–	–	–	–	–	–
Diphtheria	2	–	1	1	–	–	–	–	–	–	–	–
Influenza	10	–	–	–	1	1	–	1	1	1	5	–
Erysipelas	2	–	–	–	–	–	–	1	–	1	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	1	–	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	83	–	–	–	1	23	18	21	13	5	2	–
Nerves	12	1	4	3	4	–	–	–	–	–	–	–
Intestines and peritoneum	3	–	–	–	1	1	1	–	–	–	–	–
Other forms	7	1	–	1	–	1	–	1	1	2	–	–
Venereal diseases	4	3	–	–	–	–	–	–	1	–	–	–
Cancer	130	–	–	–	–	–	1	7	23	48	32	19
Rheumatic fever	2	–	–	–	2	–	–	–	–	–	–	–
Diabetes	11	–	–	–	–	–	–	3	2	2	3	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	5	3	1	–	–	1	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	49	–	–	1	–	–	1	2	2	8	15	20
Epilepsy	3	–	–	–	–	1	–	–	–	–	2	–
"Convulsions" (not puerperal) ..	1	1	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	20	–	–	–	1	–	2	3	6	5	3	–
Pericarditis	1	–	–	–	–	–	–	–	–	–	–	1
Acute endocarditis	4	–	–	–	–	–	2	1	1	–	–	–
Other diseases of heart	97	–	–	–	5	6	–	5	9	23	20	29
Other diseases of circulatory system	40	–	–	–	–	–	–	1	4	9	13	13
Bronchitis	56	5	–	–	–	–	–	2	2	8	13	26
Broncho-pneumonia	22	6	4	–	3	1	–	–	–	3	1	4
Lobar-pneumonia	20	–	–	–	2	–	3	5	2	4	4	–
Pneumonia (type not distinguished) ..	9	–	–	1	–	1	–	–	3	3	1	–
Other diseases of respiratory system	11	–	–	–	–	2	–	–	2	1	2	4
Diarrhœa and enteritis	16	11	1	–	–	–	2	–	–	1	1	–
Appendicitis, Typhlitis	4	–	–	–	1	–	1	1	1	–	–	–
Hernia, Intestinal obstruction	11	2	1	–	–	–	1	3	1	–	3	–
Cirrhosis of liver	8	–	–	–	–	–	–	5	–	2	1	–
Other diseases of digestive system ..	13	2	–	–	1	1	–	2	3	1	–	3
Acute nephritis	2	–	–	–	–	–	–	–	1	1	–	–
Chronic Bright's disease	26	–	–	–	–	–	1	–	6	6	10	3
Other diseases of genito-urinary system.	11	1	–	–	–	–	–	3	1	–	6	–
Puerperal sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other causes incident to childbirth ..	3	–	–	–	–	–	–	3	–	–	–	–
Congenital malformations	9	9	–	–	–	–	–	–	–	–	–	–
Premature birth	19	19	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	6	6	–	–	–	–	–	–	–	–	–	–
Old age..	29	–	–	–	–	–	–	–	–	1	6	22
Suicide	8	–	–	–	–	1	–	–	4	2	–	1
Burns and scalds	2	1	1	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	1	–	–	–	1	–	–	–
Suffocation in bed	2	2	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	5	–	–	1	1	–	–	1	–	–	1	1
Other deaths by violence	15	–	–	1	2	2	1	2	1	2	2	2
Other specified causes	27	6	1	2	–	1	1	1	3	5	3	4
Ill-defined causes	1	–	–	–	1	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 2nd June, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	–	189	173	9	92	C. 5 D. 1 E. 2 G. 2 K. 1 L. 1 M. 22
†CITY OF LONDON	–	1	–	–	1	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	8	4	–	8	M. 3
†BERMONDSEY ...	–	9	5	–	1	–
†BETHNAL GREEN	–	8	6	–	5	C. 1 M. 1
†CAMBERWELL ...	–	19	14	2	1	–
†CHELSEA	–	2	1	–	1	–
†DEPTFORD ...	–	7	9	–	–	M. 1
†FINSBURY ...	–	1	13	–	1	C. 1
†FULHAM	–	9	3	1	1	–
†GREENWICH ...	–	3	3	–	2	–
†HACKNEY ...	–	7	6	–	1	M. 1
†HAMMERSMITH ...	–	5	8	–	4	–
†HAMPSTEAD ...	–	5	5	–	1	C. 1 G. 1
†HOLBORN... ...	–	3	–	–	2	–
†ISLINGTON ...	–	9	20	–	5	M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	2	4	1	6	–
†LAMBETH ...	–	12	12	–	4	K. 1 M. 2
†LEWISHAM ...	–	4	2	1	3	–
†PADDINGTON ...	–	2	3	–	5	L. 1 M. 1
†POPLAR	–	7	7	–	4	M. 3
†ST. MARYLEBONE	–	5	7	–	2	M. 1
†ST. PANCRAS ...	–	6	9	1	4	E. 1 M. 2
†SHOREDITCH ...	–	9	7	–	4	M. 2
†SOUTHWARK ...		9	8	–	8	C. 1 G. 1 M. 1
†STEPNEY	–	13	5	–	9	C. 1
†STOKE NEWINGTON	–	–	–	1	–	–
†WANDSWORTH ...	–	11	4	1	2	D. 1 M. 2
†WESTMINSTER, CITY OF	–	4	4	–	2	M. 1
†WOOLWICH ...	–	9	4	1	5	E. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	1	1	–	1	–
Boroughs and Urban Districts:—						
†LUTON	–	1	1	–	–	–
Rural Districts:—						
AMPTHILL ...	–	–	–	–	1	–
LUTON	*	*	*	*	*	*
BERKS	–	15	3	–	–	–
†READING C.B. ...	–	5	–	–	–	–
Boroughs and Urban District:—						
ABINGDON ...	–	1	–	–	–	–
WALLINGFORD ...	–	–	1	–	–	–
Rural Districts:—						
ABINGDON ...	–	3	2	–	–	–
COOKHAM ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	4	–	–	–	–
WANTAGE ...	–	1	–	–	–	–
BUCKINGHAM ...	–	7	3	–	2	G. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	–	–
BEACONSFIELD ...	–	–	2	–	–	–
BLETCHLEY ...	–	–	–	–	1	–
†CHEPPING WYCOMBE ...	–	2	–	–	–	G. 1
ETON	–	1	–	–	–	–
LINSLADE ...	–	1	–	–	–	–
Rural Districts:—						
AMERSHAM ...	–	–	–	–	1	–
AYLESBURY ...	–	1	–	–	–	–
WYCOMBE ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	2	3	1	1	C. 1
Borough:—						
†CAMBRIDGE ...	–	–	2	1	–	–
Rural Districts:—						
CAXTON AND ARRINGTON ...	–	–	–	–	–	C. 1
CHESTERTON ...	–	2	–	–	1	–
LINTON	–	–	1	–	–	–
CHESTER	–	41	18	1	30	G. 1 M. 3
†BIRKENHEAD C.B.	–	12	4	–	5	M. 1
†CHESTER C.B. ...	–	–	–	–	1	–
†STOCKPORT C.B.	–	1	2	–	3	–
†WALLASEY C.B. ...	–	2	–	–	3	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	–	7	–	2	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	1	–
BREDBURY AND ROMILEY	–	–	–	–	2	–
†CHEADLE AND GATLEY	–	3	–	–	–	–
COMPSTALL ...	–	–	–	–	1	–
†CONGLETON ...	–	1	–	–	–	–
†CREWE	–	2	–	–	–	–
†DUKINFIELD ...	–	–	1	–	–	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	1	–
HOOLE	–	–	–	–	1	–
†HYDE	–	1	1	–	1	M. 1
†MACCLESFIELD ...	–	3	–	–	–	–
MARPLE	–	1	–	–	1	–
MIDDLEWICH ...	–	–	2	–	–	–
NESTON AND PARKGATE	–	1	–	–	–	–
†RUNCORN... ..	–	1	–	–	4	–
†STALYBRIDGE ...	–	1	–	–	–	M. 1
†WINSFORD ...	–	–	–	1	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	–	1	–	2	–
CHESTER	–	1	–	–	–	–
MACCLESFIELD ...	–	6	–	–	–	–
MALPAS	–	2	–	–	–	–
NORTHWICH ...	–	3	–	–	–	G. 1
RUNCORN... ...	–	–	–	–	1	–
CORNWALL ...	–	5	–	–	2	D. 2
Boroughs and Urban Districts:—						
PAUL	–	1	–	–	–	–
TORPOINT ...	–	–	–	–	1	–
†TRURO	–	1	–	–	–	D. 1
Rural Districts:—						
CALSTOCK ...	–	2	–	–	–	–
EAST KERRIER ...	–	1	–	–	–	–
HELSTON	–	–	–	–	–	D. 1
REDRUTH ...	–	–	–	–	1	–
CUMBERLAND ...	–	11	4	–	1	–
†CARLISLE C.B. ...	–	4	2	–	–	–
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	–	–	1	–
HARRINGTON ...	–	1	–	–	–	–
†MARYPORT ...	–	2	1	–	–	–
WIGTON	–	–	1	–	–	–
†WORKINGTON ...	–	3	–	–	–	–
Rural Districts:—						
CARLISLE ...	–	1	–	–	–	–
DERBY	6	29	10	1	26	M. 2
†DERBY C.B. ...	–	2	1	–	7	–
Boroughs and Urban Districts:—						
BAKEWELL ...	–	–	–	–	1	–
†BELPER	–	–	1	–	–	–
†BUXTON	–	1	–	–	–	–
†CHESTERFIELD ...	–	1	2	–	6	M. 1
DRONFIELD ...	–	2	–	–	–	–
HEAGE	–	–	–	–	2	–
†HEANOR	2	2	1	–	–	–
†ILKESTON ...	–	–	–	–	1	–
†LONG EATON ...	–	–	2	–	–	–
MATLOCK BATH AND SCARTHIN NICK	*	*	*	*	*	*
NEW MILLS ...	–	–	1	–	–	–
†RIPLEY	–	–	–	–	2	–
†SWADLINCOTE DISTRICT	–	3	–	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	1	–
BAKEWELL ...	–	1	–	–	–	–
BELPER	–	1	–	–	–	–
BLACKWELL ...	–	8	1	1	–	–
CHESTERFIELD ...	–	4	–	–	4	–
CLOWNE	4	1	–	–	–	–
NORTON	–	–	–	–	1	–
SHARDLOW ...	–	3	1	–	1	M. 1
DEVON	–	13	8	–	9	–
†PLYMOUTH C.B....	–	4	6	–	2	–
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	–	–	3	–
BRIXHAM ...	–	–	1	–	2	–
†EXMOUTH ...	–	1	–	–	–	–
NORTHAM ...	–	–	1	–	–	–
OTTERY ST. MARY	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†PAIGNTON ...	–	1	–	–	–	–
TIVERTON ...	–	–	–	–	1	–
†TORQUAY ...	–	1	–	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
CREDITON ...	–	2	–	–	–	–
CULMSTOCK ...	*	*	*	*	*	*
NEWTON ABBOT...	–	2	–	–	–	–
PLYMPTON ST. MARY	–	1	–	–	–	–
ST. THOMAS ...	–	1	–	–	–	–
DORSET	–	7	1	–	2	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	–	–
LYME REGIS ...	*	*	*	*	*	*
SHERBORNE ...	–	–	–	–	1	–
WIMBORNE MINSTER	–	–	1	–	–	–
Rural Districts:—						
BLANDFORD ...	–	–	–	–	1	–
WAREHAM AND PURBECK	–	2	–	–	–	–
WEYMOUTH ...	–	4	–	–	–	–
DURHAM	–	74	17	–	60	M. 4
†DARLINGTON C.B	–	1	1	–	–	–
†GATESHEAD C.B.	–	3	–	–	4	M. 1
†SOUTH SHIELDS C.B.	–	2	2	–	10	M. 1
†SUNDERLAND C.B.	–	6	–	–	6	M. 1
†WEST HARTLEPOOL C.B.	–	6	–	–	7	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	–	–	1	–
BENFIELDSIDE ...	–	–	1	–	–	–
BILLINGHAM ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BLAYDON... ...	–	3	–	–	–	–
†BRANDON AND BYSHOTTLES	–	1	–	–	–	–
†CHESTER LE STREET	–	–	–	–	1	–
†CONSETT	–	–	1	–	–	–
†DURHAM	–	–	–	–	1	–
†FELLING	–	–	–	–	1	–
†HEBBURN ...	–	3	–	–	3	–
†HETTON	–	7	–	–	2	–
†HOUGHTON LE SPRING	–	1	–	–	–	–
†JARROW	–	–	–	–	1	–
†RYTON	–	3	–	–	–	–
†SEAHAM HARBOUR	–	–	1	–	2	–
†SHILDON	–	1	1	–	–	–
†SOUTHWICK ON WEAR	–	2	–	–	1	–
†STANLEY	–	2	1	–	–	–
†STOCKTON ON TEES	–	3	–	–	4	–
†WASHINGTON ...	–	–	1	–	–	–
†WHICKHAM ...	–	–	–	–	1	–
Rural Districts:—						
AUCKLAND ...	–	5	–	–	–	–
CHESTER LE STREET	–	6	–	–	–	–
DURHAM	–	1	–	–	2	*
EASINGTON ...	–	4	2	–	3	–
HOUGHTON LE SPRING	–	5	1	–	–	–
LANCHESTER ...	–	2	1	–	–	–
SEDGEFIELD ...	–	2	1	–	5	–
SOUTH SHIELDS...	–	1	–	–	2	–
SUNDERLAND ...	–	1	2	–	3	M 1.
ESSEX	–	35	18	–	21	C. 3 D. 1 F. 1 L. 1 M. 1
†EAST HAM C.B. ...	–	1	2	–	1	–
†SOUTHEND-ON-SEA C.B.	–	11	1	–	7	–
†WEST HAM C.B. ...	–	10	7	–	6	C. 1 F. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†Barking Town...	–	–	–	–	2	–
†Chelmsford ...	–	1	–	–	–	–
†Colchester ...	–	–	1	–	–	L. 1
†Harwich ...	–	–	1	–	–	–
†Ilford	–	6	2	–	–	D. 1 M. 1
†Leyton	–	–	1	–	1	–
Loughton ...	–	1	–	–	–	–
Shoeburyness ...	–	–	1	–	1	–
Waltham Holy Cross	–	–	1	–	–	–
†Walthamstow ...	–	4	1	–	1	–
Rural Districts:—						
Braintree ...	–	–	–	–	1	–
Halstead ...	–	1	–	–	–	–
Ongar	–	–	–	–	1	–
Orsett	–	–	–	–	–	C. 1
Romford... ...	–	–	–	–	–	C. 1
GLOUCESTER ...	15	45	12	1	17	C. 1 M. 1
†Bristol C.B. ...	–	26	5	–	15	C. 1 M. 1
†Gloucester C.B.	–	4	–	–	–	–
Boroughs and Urban Districts:—						
Charlton Kings	–	–	1	–	–	–
†Cheltenham ...	2	2	1	–	–	–
†Kingswood ...	–	1	–	–	–	–
Stroud	1	–	–	–	–	–
Westbury on Severn	1	–	–	–	–	–
Rural Districts:—						
Campden... ...	–	1	–	–	–	–
Chipping Sodbury	–	1	–	–	–	–
Dursley	1	1	1	–	1	–
East Dean and United Parishes ...	–	–	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts— *cont.*						
Gloucester ...	1	–	–	–	–	–
Lydney	–	–	4	–	–	–
Stroud	9	–	–	–	–	–
Thornbury ...	–	2	–	–	–	–
Warmley ...	–	3	–	–	–	–
West Dean ...	–	4	–	–	–	–
Wheatenhurst	–	–	–	–	1	–
HEREFORD ...	–	2	2	–	4	L. 1 M. 1
Boroughs and Urban Districts:—						
†Hereford ...	–	1	–	–	–	M. 1
Ross	–	–	–	–	1	–
Rural Districts:—						
Hereford ...	–	–	1	–	–	–
Kington	–	–	–	–	1	–
Ross	–	–	1	–	–	–
Weobley ...	–	1	–	–	1	–
Wigmore ...	–	–	–	–	1	L. 1
HERTFORD ...	–	6	4	1	–	–
Boroughs and Urban Districts:—						
†Barnet	–	–	1	–	–	–
Bushey	–	3	–	–	–	–
†East Barnet Valley	–	–	1	–	–	–
Harpenden ...	–	1	–	–	–	–
Rural Districts:—						
Ashwell ...	–	1	–	–	–	–
Hadham	–	–	–	1	–	–
Hitchin	–	–	1	–	–	–
St. Albans ...	–	1	–	–	–	–
Watford ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	24	15	3	17	M. 1
†CANTERBURY C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1	–	–	1	–
†BEXLEY	–	2	3	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	2	–	2	–
†BROMLEY ...	–	1	1	–	1	–
†CHATHAM ...	–	1	–	–	–	–
†DOVER	*	*	*	*	*	*
†ERITH	–	4	–	–	1	–
†FOLKESTONE ...	–	2	–	–	–	–
†GILLINGHAM ...	–	–	1	–	–	–
†MAIDSTONE ...	–	–	1	–	–	–
†MARGATE ...	–	1	–	1	2	–
NEW ROMNEY .	–	–	–	–	1	–
†PENGE	–	–	1	–	2	–
†RAMSGATE ...	–	–	–	–	1	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	–	–
SANDGATE ...	–	1	–	–	–	–
SIDCUP	–	–	1	–	–	–
SITTINGBOURNE	–	1	–	–	–	–
SOUTHBOROUGH	–	–	–	–	1	–
WROTHAM ...	–	1	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	2	–	–	–	–
CRANBROOK ...	–	1	–	–	–	–
EAST ASHFORD ...	–	1	–	–	–	–
EDHAM	–	–	–	–	2	–
FAVERSHAM ...	–	2	3	–	–	–
HOLLINGBOURNE	–	–	–	–	–	M. 1
HOO	*	*	*	*	*	*
ISLE OF THANET	–	1	1	–	–	–
MAIDSTONE ...	–	–	–	1	–	–
MALLING... ...	–	1	–	–	1	–
MILTON	–	–	1	–	–	–
SEVENOAKS ...	–	–	–	1	–	–
SHEPPEY	–	–	–	–	1	–
LANCASTER ...	–	260	70	5	271	C. 7 G. 6 M. 33
†BARROW IN FURNESS C.B.	–	4	–	–	–	–
†BLACKBURN C.B.	–	3	2	–	6	–
LANCASTER—*cont.*						
†BLACKPOOL C.B.	–	6	–	–	3	M. 1
†BOLTON C.B. ...	–	7	2	–	1	M. 1
†BOOTLE C.B. ...	–	6	3	–	1	C. 1
†BURNLEY C.B. ...	–	9	–	1	2	M. 1
†BURY C.B. ...	–	1	2	–	7	–
†LIVERPOOL C.B. ...	–	52	10	–	41	M. 14
†MANCHESTER C.B.	–	41	17	–	73	C. 2 G. 1 M. 8
†OLDHAM C.B. ...	–	4	1	–	6	G. 2
†PRESTON C.B. ...	–	4	–	–	–	M. 1
†ROCHDALE C.B. ...	–	13	1	–	5	–
†ST. HELENS C.B. ...	–	6	5	–	8	–
†SALFORD C.B. ...	–	11	2	1	7	C. 1 M. 2
†SOUTHPORT C.B.	–	3	1	–	4	–
†WARRINGTON C.B.	–	2	3	–	24	–
†WIGAN C.B. ...	–	2	1	–	6	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	–	–	–	–
†ASHTON UNDER LYNE	–	6	–	–	–	C. 1 G. 1
†ATHERTON ...	–	2	–	–	3	–
AUDENSHAW ...	–	4	–	–	–	–
CARNFORTH ...	–	–	1	–	–	–
†CHADDERTON ...	–	–	–	–	4	–
†CLITHEROE ...	–	–	–	1	–	–
†COLNE	–	2	–	–	1	–
†CROMPTON ...	–	1	–	–	1	M. 1
†DALTON IN FURNESS	–	1	–	–	–	–
†DENTON	–	3	–	–	1	–
†DROYLSDEN ...	–	–	–	–	5	–
†ECCLES	–	1	–	–	–	–
†FAILSWORTH ...	–	3	–	–	–	–
†FARNWORTH ...	–	–	1	–	1	M. 1
†FLEETWOOD ...	–	–	–	–	3	–
GOLBORNE ..	–	1	–	1	–	–
†GREAT HARWOOD	–	2	–	–	–	–
†HASLINGDEN ...	–	5	–	–	–	–
†HAYDOCK ...	–	–	1	–	–	–
†HEYWOOD ...	–	3	3	–	3	–
†HINDLEY... ...	–	2	1	–	7	–
†HORWICH ...	–	–	–	–	–	M. 1
†INCE IN MAKERFIELD	–	2	–	–	2	–
IRLAM	–	–	–	–	1	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LANCASTER ...	–	2	–	–	2	–
†LEIGH	–	3	1	–	–	–
LEYLAND	–	1	–	–	–	–
†LITHERLAND ...	*	*	*	*	*	*
†LITTLEBOROUGH	–	–	–	–	–	M. 1
†MIDDLETON ...	–	2	1	–	3	–
†MORCAMBE ...	–	–	1	–	–	–
†MOSSLEY	–	1	–	–	–	–
†NELSON	–	4	–	–	–	–
†NEWTON IN MAKERFIELD	–	1	–	–	7	–
ORRELL	–	–	1	–	–	–
†OSWALDTWISTLE	–	–	–	–	2	–
†PADIHAM... ...	–	–	–	–	1	–
POULTON LE FYLDE	–	–	–	–	–	G. 1
PRESCOT	–	1	–	–	–	–
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	3	1	–	6	C. 1
RAINFORD ...	*	*	*	*	*	*
†RAMSBOTTOM ...	–	1	–	–	3	–
†RAWTENSTALL ...	–	1	–	–	–	–
RISHTON	–	1	–	–	–	–
†ROYTON	–	1	–	–	–	–
†STRETFORD... ...	–	12	–	–	1	G. 1
†SWINTON AND PENDLEBURY	–	2	–	–	1	–
TOTTINGTON ...	–	–	–	–	4	–
†TURTON	–	3	–	–	–	C. 1
UPHOLLAND ...	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	–	2	–	–	–
†WESTHOUGHTON	–	–	1	–	–	–
WHITWORTH ...	–	–	–	–	1	–
†WIDNES	–		3	–	10	–
WITHNELL ...	–	4	–	–	1	–
†WORSLEY... ...	–	–	1	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	–
BURY	–	–	–	–	1	–
LEIGH	–	–	1	–		–
ULVERSTON ...	–	–	–	1	–	–
LANCASTER—*cont.*						
Rural Districts—*cont.*						
WARRINGTON ...	–	–	–	–	1	–
WEST LANCASHIRE	–	–	–	–	1	–
WHISTON... ...	–	1	–	–	–	–
LEICESTER... ...	–	15	7	–	16	C. 1 L. 1 M. 1
†LEICESTER C.B. ...	–	12	1	–	7	M. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
†COALVILLE ...	–	2	–	–	–	C. 1
†HINCKLEY ..	–	–	–	–	–	L. 1
MELTON MOWBRAY	–	–	–	–	4	–
OADBY	–	–	1	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	2	–	1	–
BARROW UPON SOAR	–	1	–	–	–	–
MARKET BOSWORTH	–	–	2	–	1	–
MELTON MOWBRAY	–	–	1	–	3	–
LINCOLN (parts of Kesteven).	–	–	3	–	1	M. 2
Boroughs and Urban Districts:—						
BOURNE	–	–	–	–	–	M. 1
†GRANTHAM ...	–	–	–	–	–	M. 1
STAMFORD ...	–	–	2	–	–	–
Rural Districts:—						
BRANSTON ...	–	–	1	–	–	–
SLEAFORD ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever · I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	–	9	4	1	6	–
†GRIMSBY C.B. ...	–	2	–	–	1	–
†LINCOLN C.B. ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
BRIGG	–	1	–	–	–	–
†CLEETHORPES ...	–	–	1	1	–	–
CROWLE	*	*	*	*	*	*
LOUTH	–	–	2	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	1	1	–	3	–
Rural Districts:—						
GAINSBOROUGH ...	–	1	–	–	1	–
SIBSEY	*	*	*	*	*	*
MIDDLESEX ...	–	27	26	1	21	C. 2 M. 2
Boroughs and Urban Districts:—						
†ACTON	–	2	–	–	1	C. 1
†BRENTFORD ...	–	3	2	–	–	–
†CHISWICK ...	–	3	–	–	1	–
†EALING	–	–	2	–	–	–
†EDMONTON ...	–	1	–	–	–	–
†ENFIELD	–	–	–	–	3	–
FELTHAM ...	–	1	–	–	–	–
†FINCHLEY ...	–	1	2	–	1	–
†FRIERN BARNET	–	–	–	–	1	–
HAMPTON WICK...	–	1	–	–	–	–
†HANWELL ...	–	1	–	–	–	–
†HARROW ON THE HILL	–	–	–	1	–	–
†HENDON	–	–	2	–	–	–
†HESTON AND ISLEWORTH	–	3	1	–	1	C. 1
†HORNSEY... ...	–	1	–	–	2	–
KINGSBURY ...	*	*	*	*	*	*
RUISLIP NORTHWOOD	–	1	–	–	–	–
†SOUTHALL NORWOOD	–	1	3	–	1	–
†TOTTENHAM ...	–	1	4	–	6	M. 1
†TWICKENHAM ...	–	–	1	–	–	–
†WILLESDEN ...	–	3	8	–	2	M. 1
†WOOD GREEN ...	–	2	–	–	–	–
YIEWSLEY ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Rural Districts:—						
HENDON	–	2	–	–	–	–
STAINES	–	–	–	–	2	–
NORFOLK	–	36	12	–	4	–
†GREAT YARMOUTH C.B.	–	4	–	–	–	–
†NORWICH C.B. ...	–	19	8	–	–	–
Boroughs and Urban Districts:—						
EAST DEREHAM ...	–	1	–	–	–	–
†KING'S LYNN ...	–	–	–	–	1	–
SWAFFHAM ...	–	3	–	–	–	–
WELL	–	–	–	–	1	–
Rural Districts:—						
AYLSHAM... ...	–	2	–	–	–	–
BLOFIELD ...	–	1	1	–	–	–
DEPWADE ...	–	2	1	–	–	–
FOREHOE ...	–	1	–	–	–	–
FREEBRIDGE LYNN	–	–	–	–	1	–
LODDON AND CLAVERING	*	*	*	*	*	*
MITFORD AND LAUNDITCH	–	1	–	–	–	–
SMALLBURGH ...	–	1	–	–	–	–
THETFORD ...	–	1	2	–	–	–
WALSINGHAM ...	–	–	–	–	1	–
NORTHAMPTON ...	–	31	3	–	12	M. 1
†NORTHAMPTON C.B.	–	3	1	–	7	–
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	4	–	–	–	–
†KETTERING ...	–	9	–	–	–	–
†WELLINGBOROUGH	–	3	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON— *cont.*						
Rural Districts:—						
BRIXWORTH ...	–	2	1	–	–	–
DAVENTRY ...	–	1	–	–	–	M. 1
HARDINGSTONE ...	–	1	–	–	1	–
KETTERING ...	–	1	–	–	–	–
NORTHAMPTON ...	–	–	–	–	1	–
OXENDEN... ...	–	3	–	–	–	–
POTTERSPURY ...	–	1	–	–	1	–
THRAPSTON (part)	–	2	–	–	–	–
TOWCESTER ...	–	–	1	–	–	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND	–	31	6	3	36	D. 1
†NEWCASTLE UPON TYNE C.B.	–	7	1	–	23	–
†TYNEMOUTH C.B.	–	1	–	1	1	D. 1
Boroughs and Urban Districts:—						
AMBLE	–	–	1	–	–	–
†BEDLINGTONSHIRE	–	2	1	–	4	–
†BERWICK UPON TWEED	–	2	–	1	–	–
†BLYTH	–	2	–	1	1	–
CRAMLINGTON ...	–	5	–	–	1	–
†EARSDON	–	1	–	–	–	–
HEXHAM	–	1	–	–	–	–
†LONGBENTON ..	–	3	1	–	1	–
NEWBIGGIN BY THE SEA	*	*	*	*	*	*
†NEWBURN ...	–	1	–	–	–	–
PRUDHOE... ...	–	–	–	–	1	–
†WALLSEND ...	–	1	–	–	1	–
WEETSLADE ...	–	2	–	–	–	–
†WHITLEY AND MONKSEATON	–	–	1	–	1	–
Rural Districts:—						
CASTLE WARD ...	–	1	–	–	2	–
MORPETH... ...	–	2	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	5	20	7	2	11	M. 3
†NOTTINGHAM C.B.	–	15	3	1	7	M. 3
Boroughs and Urban Districts:—						
†ARNOLD	–	2	–	–	–	–
†EAST RETFORD ...	–	–	–	–	4	–
HUTHWAITE ...	–	–	1	–	–	–
†MANSFIELD ...	*	*	*	*	*	*
†SUTTON IN ASHFIELD	–	1	–	–	–	–
WARSOP	*	*	*	*	*	*
Rural Districts:—						
BASFORD	2	1	1	–	–	–
EAST RETFORD ...	–	–	2	–	–	–
SOUTHWELL ...	–	–	–	1	–	–
STAPLEFORD ...	3	1	–	–	–	–
OXFORD	–	12	5	1	1	M. 1
†OXFORD C.B. ...	–	3	2	1	–	M. 1
Rural Districts:—						
BICESTER ...	–	2	–	–	–	–
CULHAM	–	1	–	–	–	–
GORING	–	1	–	–	1	–
HEADINGTON ...	–	4	–	–	–	–
HENLEY	–	–	2	–	–	–
WITNEY	–	–	1	–	–	–
WOODSTOCK ...	–	1	–	–	–	–
PETERBOROUGH (Soke of)	–	2	–	–	1	–
Borough:—						
†PETERBOROUGH...	–	2	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	9	5	–	1	L. 1 M. 1
Boroughs and Urban Districts:—						
DAWLEY	–	–	–	–	–	L. 1
MARKET DRAYTON	–	–	1	–	–	–
OSWESTRY ...	–	2	1	–	–	–
WHITCHURCH ...	–	–	1	–	–	–
Rural Districts:—						
ATCHAM	–	1	–	–	–	–
CLUN	–	5	–	–	–	–
LUDLOW	–	–	1	–	–	–
OSWESTRY ...	–	–	–	–	–	M. 1
WELLINGTON ...	–	1	–	–	1	–
WHITCHURCH ...	–	–	1	–	–	–
SOMERSET	–	16	4	–	4	C. 1 M, 1
†BATH C.B. ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
CREWKERNE ...	–	2	–	–	–	–
†FROME	–	1	–	–	–	–
GLASTONBURY ...	–	–	–	–	1	–
MINEHEAD ...	*	*	*	*	*	*
RADSTOCK ...	–	–	1	–	–	–
†TAUNTON... ...	–	3	–	–	1	–
WATCHET ...	–	–	1	–	–	–
WELLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	1	1	–	–	–
BATH	–	2	–	–	–	–
BRIDGWATER ...	–	1	–	–	–	–
CLUTTON... ...	–	1	–	–	–	–
KEYNSHAM ...	–	1	–	–	–	–
LONG ASHTON ...	–	1	–	–	–	–
WINCANTON ...	–	–	–	–	1	–
YEOVIL	–	–	–	–	–	C. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ...	–	23	20	1	6	G. 1 M. 1
†BOURNEMOUTH C.B.	–	1	–	–	1	–
†PORTSMOUTH C.B.	–	9	9	1	2	–
†SOUTHAMPTON C.B.	–	3	2	–	2	–
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	5	1	–	–	–
ANDOVER... ...	–	–	–	–	–	G. 1
CHRISTCHURCH ...	–	1	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	–	M. 1
†FAREHAM ...	–	1	1	–	–	–
†GOSPORT	–	1	1	–	–	–
†WINCHESTER ...	–	1	4	–	–	–
Rural Districts:—						
CHRISTCHURCH ...	–	–	1	–	–	–
RINGWOOD ...	–	1	–	–	–	–
WHITCHURCH ...	–	–	–	–	1	–
WINCHESTER ...	–	–	1	–	–	–
STAFFORD	–	55	20	1	80	C. 3 M. 12
†BURTON UPON TRENT C.B.	–	–	–	–	2	–
†SMETHWICK C.B.	–	3	2	–	9	–
†STOKE ON TRENT C.B.	–	17	9	–	24	C. 2 M. 8
†WALSALL C.B. ...	–	1	2	–	7	C. 1
†WEST BROMWICH C.B.	–	3	2	–	4	–
†WOLVERHAMPTON C.B.	–	2	–	–	2	M. 3
Boroughs and Urban Districts:—						
†AUDLEY	–	2	–	–	–	–
BIDDULPH ...	–	1	–	–	1	–
†BILSTON	*	*	*	*	*	*
†BRIERLEY HILL...	–	2	–	–	2	–
†BROWNHILLS ...	–	1	–	–	1	–
†CANNOCK	–	2	2	–	4	

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DARLASTON ...	–	–	–	–	1	–
LICHFIELD ...	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	–	–	–	–
QUARRY BANK ...	–	–	–	–	1	–
†ROWLEY REGIS ...	–	1	–	–	4	–
RUGELEY	–	–	–	–	1	–
†SEDGLEY	–	–	–	–	2	–
SHORT HEATH ..	–	–	–	–	1	–
†STAFFORD ...	–	2	1	–	1	–
†TIPTON	–	–	–	–	3	–
†WEDNESBURY ...	–	–	–	–	2	–
†WILLENHALL ...	–	–	–	–	2	–
†WOLSTANTON UNITED	–	5	–	–	1	M. 1
Rural Districts:—						
CHEADLE... ...	–	1	1	–	4	–
GNOSALL	–	2	–	–	–	–
KINGSWINFORD ...	–	1	–	1	–	–
LICHFIELD ...	–	3	–	–	–	–
SEISDON	–	–	–	–	1	–
STAFFORD ...	–	3	–	–	–	–
STONE	–	–	1	–	–	–
TAMWORTH (part)	–	1	–	–	–	–
SUFFOLK, EAST ...	–	9	5	1	3	–
†IPSWICH C.B. ...	–	6	1	–	2	–
Boroughs and Urban Districts:—						
LEISTON CUM SIZEWELL	–	–	–	–	1	–
†LOWESTOFT ..	–	2	1	–	–	–
WOODBRIDGE ...	–	–	2	–	–	–
Rural Districts:—						
BLYTHING ...	–	–	1	–	–	–
BOSMERE AND CLAYDON	–	–	–	1	–	–
HOXNE	*	*	*	*	*	*
MUTFORD AND LOTHINGLAND	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST ...	–	–	3	–	–	–
Rural Districts:—						
BRANDON... ...	–	–	2	–	–	–
THEDWASTRE ...	–	–	1	–	–	–
SURREY	–	24	19	–	3	D. 1 G. 2 L. 1 M. 2
†CROYDON C.B. ...	–	12	8	–	–	M. 1
Boroughs and Urban Districts:—						
†BARNES	–	–	–	–	–	G. 1
†BEDDINGTON AND WALLINGTON	–	–	1	–	–	–
†CHERTSEY ...	–	–	–	–	–	G. 1
†COULSDON AND PURLEY	–	–	–	–	1	–
†EPSOM	–	–	–	–	–	D. 1
†ESHER AND THE DITTONS	–	1	–	–	–	–
†FARNHAM ...	–	1	–	–	1	–
†GUILDFORD ...	–	–	–	–	–	M. 1
HASLEMERE ..	*	*	*	*	*	*
†KINGSTON ON THAMES	–	1	1	–	–	–
†MITCHAM... ...	–	1	1	–	–	–
†REIGATE	–	1	–	–	–	–
†RICHMOND ...	–	–	1	–	–	–
†SURBITON ...	–	–	1	–	–	–
†SUTTON	–	2	–	–	–	–
†THE MALDENS AND COOMBE	–	1	–	–	1	–
†WIMBLEDON ..	–	2	2	–	–	–
†WOKING	–	–	2	–	–	–
Rural Districts:—						
EPSOM	–	2	–	–	–	–
GODSTONE ...	–	–	1	–	–	–
HAMBLEDON ...	–	–	1	–	–	–
REIGATE	–	–	–	–	–	L. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUSSEX, EAST ...	–	30	5	–	9	L. 1
†BRIGHTON C.B. ...	–	5	4	–	2	–
†EASTBOURNE C.B.	–	1	–	–	2	–
†HASTINGS C.B. ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†BEXHILL	–	–	1	–	–	–
EAST GRINSTEAD	–	1	–	–	1	–
HAYWARD'S HEATH	–	1	–	–	–	–
†HOVE	–	7	–	–	1	–
PORTSLADE BY SEA	–	1	–	–	–	–
SEAFORD	–	2	–	–	–	–
Rural Districts:—						
CHAILEY... ...	–	2	–	–	–	–
EASTBOURNE ...	–	–	–	–	2	–
HAILSHAM ...	–	–	–	–	–	L. 1
NEWHAVEN ...	–	7	–	–	–	–
STEYNING EAST...	–	3	–	–	–	–
SUSSEX, WEST ...	–	2	1	–	2	C. 1
Boroughs and Urban Districts:—						
ARUNDEL... ..	–	–	–	–	1	–
†CHICHESTER ...	–	1	–	–	–	–
SHOREHAM BY SEA	–	1	–	–	–	–
Rural Districts:—						
HORSHAM... ...	–	–	1	–	–	C. 1
WESTHAMPNETT	–	–	–	–	1	–
WARWICK	–	54	24	–	89	C. 3 D. 1 G. 3 M. 10
†BIRMINGHAM C.B	–	44	18	–	67	C. 3 D. 1 G. 3 M. 7
†COVENTRY C.B. ...	–	3	–	–	4	–
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
†NUNEATON ...	–	–	1	–	2	M. 3
†ROYAL LEAMINGTON SPA	–	1	–	–	2	–
†RUGBY	–	–	–	–	5	–
†SUTTON COLDFIELD	–	1	–	–	–	–
Rural Districts:—						
ATHERSTONE ...	–	2	2	–	3	–
FOLESHILL ...	–	–	2	–	2	–
MERIDEN... ...	–	1	–	–	2	–
NUNEATON ...	–	2	–	–	–	–
RUGBY	–	–	–	–	2	–
TAMWORTH (part)	–	–	1	–	–	–
WESTMORLAND ...	–	2	–	–	6	–
Boroughs and Urban Districts:—						
AMBLESIDE ...	–	–	–	–	1	–
APPLEBY... ...	–	–	–	–	2	–
†KENDAL	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	1	–
SOUTH WESTMORLAND	–	–	–	–	2	–
WILTS	–	7	1	–	2	–
Boroughs and Urban Districts:—						
†SWINDON... ...	–	3	–	–	1	–
WARMINSTER ...	*	*	*	*	*	*
Rural Districts:—						
AMESBURY ...	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT... ...	–	–	1	–	–	–
DEVIZES	–	2	–	–	–	–
MALMESBURY ...	–	1	–	–	–	–
MARLBOROUGH ...	–	–	–	–	1	–
WARMINSTER ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	9	3	–	4	M. 3
†DUDLEY C.B. ...	–	2	–	–	–	M. 1
†WORCESTER C.B.	–	1	2	–	–	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
DROITWICH ...	*	*	*	*	*	*
EVESHAM	–	1	–	–	–	–
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY... ...	–	–	1	–	1	–
†REDDITCH ...	–	1	–	–	1	–
STOURPORT ...	–	1	–	–	–	–
Rural Districts:—						
HALESOWEN ...	–	1	–	–	2	M. 2
YORKS ... ... **(East Riding.)**	–	7	9	–	8	C. 2
†KINGSTON UPON HULL C.B.	–	2	4	–	3	C. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	1	–	2	–
HORNSEA	–	–	–	–	2	–
WITHERNSEA ...	–	–	1	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	1	–	–	–
DRIFFIELD ...	–	–	1	–	–	
HOWDEN	–	–	1	–	1	–
PATRINGTON ...	–	1	–	–	–	–
POCKLINGTON ...	–	1	–	–	–	–
RICCALL	–	3	–	–	–	–
YORKS ... ... **(North Riding.)**	3	15	9	1	15	–
†MIDDLESBROUGH C.B.	3	12	4	–	8	–
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ESTON	–	1	–	–	–	–
KIRKLINGTON CUM UPSLAND ...	*	*	*	*	*	*
PICKERING ...	*	*	*	*	*	*
†REDCAR	–	–	–	–	1	–
†SCARBOROUGH ...	–	1	2	–	1	–
†SKELTON AND BROTTON	–	–	2	–	2	–
†THORNABY ON TEES	–	–	1	–	–	–
Rural Districts:—						
FLAXTON	–	–	–	1	–	–
NORTHALLERTON	–	1	–	–	–	–
PICKERING ...	–	–	–	–	1	–
STOKESLEY ...	–	–	–	–	2	–
YORKS ... ... **(West Riding.)**	14	115	45	2	236	C. 3 G. 2 L. 1 M. 8
†BARNSLEY C.B. ...	–	1	–	–	7	–
†BRADFORD C.B. ...	–	10	2	–	24	G. 1
†DEWSBURY C.B....	–	3	–	–	5	M. 1
†HALIFAX C.B. ...	–	1	1	–	2	–
†HUDDERSFIELD C.B.	–	4	1	–	3	–
†LEEDS C.B. ...	–	30	8	–	21	C. 1 M. 1
†ROTHERHAM C.B.	–	3	–	–	16	–
†SHEFFIELD C.B....	–	24	3	–	84	C. 1 M. 4
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	2	–	1	–
ARDSLEY, EAST AND WEST	–	–	–	–	1	–
†BARNOLDSWICK ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†BATLEY	–	2	–	–	3	–
†BENTLEY WITH ARKSEY	4	–	–	–	–	–
†BINGLEY	–	–	3	–	–	–
BIRSTALL... ...	*	*	*	*	*	*
†BRIGHOUSE ...	–	–	–	–	1	–
†CASTLEFORD ...	–	2	–	1	–	–
CLAYTON	–	–	–	–	1	–
CLAYTON WEST ...	*	*	*	*	*	*
†CONISBROUGH ...	–	–	–	–	1	–
CUDWORTH ...	–	–	3	–	–	–
DARFIELD ..	–	–	1	–	–	–
†DARTON	–	–	–	–	2	–
DODWORTH ...	–	1	–	–	–	–
†DONCASTER ...	5	1	4	–	–	–
†FEATHERSTONE ...	–	–	–	–	1	–
†GOLCAR	–	–	–	–	1	–
†GOOLE	–	1	–	–	2	–
GREETLAND ...	*	*	*	*	*	*
†HARROGATE ...	–	–	1	–	1	–
†HEMSWORTH ...	–	–	1	–	2	–
†HOLMFIRTH ...	–	–	2	–	2	–
†HOYLAND NETHER	–	–	–	–	6	–
ILKLEY	–	–	–	–	1	–
†KEIGHLEY ...	–	1	–	–	–	M. 1
KIRKBURTON ...	–	–	–	–	1	–
KIRKHEATON ...	–	–	–	–	1	–
KNARESBOROUGH	*	*	*	*	*	*
KNOTTINGLEY ...	–	1	–	–	1	–
†MIRFIELD ...	*	*	*	*	*	*
†MORLEY	–	–	1	–	4	–
†NORMANTON ...	*	*	*	*	*	*
†OSSETT	–	3	–	–	–	–
OTLEY	–	–	–	–	1	–
†PONTEFRACT ...	–	2	–	–	1	–
QUEENSBURY ...	–	–	1	–	–	–
RAWDON	–	–	–	–	1	–
†RAWMARSH ...	–	3	1	–	2	–
†ROTHWELL ...	–	–	–	–	1	–
SELBY	–	1	–	–	–	–
SHELLEY... ...	–	–	–	–	2	–
†SHIPLEY	–	2	–	–	–	–
†SPENBOROUGH ...	–	1	–	–	4	–
†STANLEY	–	1	4	–	1	–
STOCKSBRIDGE ...	–	–	–	–	1	–
THURNSCOE ...	–	4	–	–	–	G. 1
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
THURSTONLAND...	–	–	–	–	–	L. 1
†TODMORDEN ...	–	2	–	–	2	M. 1
WHITWOOD ...	–	–	–	–	1	–
†WOMBWELL ...	–	1	1	–	2	–
†WORSBOROUGH ...	–	–	–	–	1	–
YEADON	–	1	–	–	2	–
Rural Districts:—						
DONCASTER ...	5	2	1	–	10	–
HEMSWORTH ...	–	3	1	–	5	–
PONTEFRACT ...	–	1	–	–	–	–
ROTHERHAM ...	–	1	–	–	1	C. 1
SETTLE	–	–	–	1	–	–
SKIPTON	–	–	1	–	–	–
TADCASTER ...	–	1	1	–	–	–
THORNE	–	–	–	–	3	–
WETHERBY ...	–	–	1	–	–	–
§YORK C.B. ...	–	6	–	–	1	–
WALES.						
ANGLESEY	–	1	1	–	2	–
Boroughs and Urban Districts:—						
AMLWCH	*	*	*	*	*	*
†HOLYHEAD ...	–	–	1	–	–	–
MENAI BRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
TWRCELYN ...	*	*	*	*	*	*
VALLEY	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	–	–	–	1	–
Rural Districts:—						
CRICKHOWELL ...	–	–	–	–	1	–
CARDIGAN	–	2	1	1	–	C. 1
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	–	–	1	–	–
NEW QUAY ...	–	1	–	–	–	–
Rural Districts:—						
ABERAYRON ...	–	–	1	–	–	–
ABERYSTWYTH (SOUTH)	–	–	–	–	–	C. 1
CARDIGAN ...	–	1	–	–	–	–
CARMARTHEN ...	–	9	6	1	3	–
Boroughs and Urban Districts:—						
KIDWELLY ...	–	–	–	–	1	–
LLANDILO ...	–	–	2	–	–	–
†LLANELLY ...	–	8	–	1	2	–
Rural Districts:—						
CARMARTHEN ...	–	1	–	–	–	–
LLANDILO FAWR	–	–	2	–	–	–
LLANELLY ...	–	–	2	–	–	–
CARNARVON ...	–	1	3	–	–	–
Boroughs and Urban Districts:—						
CARNARVON ...	–	–	2	–	–	–
Rural Districts:—						
GWYRFAI ...	–	–	1	–	–	–
OGWEN	–	1	–	–	–	–
DENBIGH	–	–	1	2	1	–
Boroughs and Urban Districts:—						
DENBIGH... ...	–	–	–	2	–	–
Rural Districts:—						
WREXHAM ...	–	–	1	–	1	–
FLINT	–	3	–	1	1	–
Boroughs and Urban Districts:—						
FLINT	–	1	–	1	–	–
HOLYWELL ...	–	–	–	–	1	–
Rural Districts:—						
HAWARDEN ...	–	1	–	–	–	–
OVERTON ..	–	1	–	–	–	–
GLAMORGAN ...	–	49	25	2	46	C. 2 M. 5
†CARDIFF C.B. ...	–	4	3	–	5	C. 1 M. 1
†MERTHYR TYDFIL C.B.	–	1	2	–	1	–
†SWANSEA C.B. ...	–	8	6	–	–	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	4	–	–	7	–
†BARRY	–	1	2	–	5	–
†CAERPHILLY ...	–	–	2	1	–	–
†GELLIGAER ...	–	1	2	–	1	–
†MAESTEG ...	–	1	–	–	7	–
†MOUNTAIN ASH...	–	3	–	–	8	M. 1
†NEATH	–	–	1	–	1	–
†OGMORE AND GARW	–	6	1	–	3	–
†PENARTH ...	–	2	–	–	–	–
†PONTYPRIDD ...	–	2	–	1	1	–
PORTHCAWL ...	–	–	1	–	–	–
†RHONDDA ...	–	9	2	–	5	M. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
COWBRIDGE ...		–	–	–	–	C. 1
GOWER	–	–	1	–	–	–
LLANTRISANT AND LLANTWIT-FARDRE	–	2	1	–	–	M. 1
NEATH	–	3	1	–	1	–
PENYBONT ...	–	2	–	–	–	–
SWANSEA... ...	–	–	–	–	1	–
MERIONETH ...	–	–	3	–	–	–
Rural Districts:—						
EDEIRNION ...	–	–	3	–	–	–
MONMOUTH ...	–	15	13	–	4	C. 1 M. 1
†NEWPORT C.B. ...	–	4	5	–	1	C. 1
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	–	1	–	–	–
†ABERTILLERY ...	–	1	2	–	–	–
BEDWAS AND MACHEN	–	–	1	–	1	–
†BEDWELLTY ...	–	2	3	–	–	–
†EBBW VALE ...	–	–	–	–	1	–
LLANTARNAM ...	–	1	–	–	–	–
MONMOUTH ...	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	1	M. 1
†RHYMNEY ...	–	1	–	–	–	–
†TREDEGAR ..	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
MONMOUTH—*cont.*						
Rural Districts:—						
CHEPSTOW ...	–	3	1	–	–	–
SAINT MELLONS...	–	1	–	–	–	–
MONTGOMERY ...	–	–	–	–	2	–
Borough and Urban District:—						
WELSHPOOL ...	–	–	–	–	2	–
PEMBROKE... ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
GOODWICK ...	*	*	*	*	*	*
HAVERFORDWEST.	–	–	1	–	–	–
†PEMBROKE ...	–	1	1	–	–	–
Rural Districts:—						
ST. DOGMELLS ...	*	*	*	*	*	*
RADNOR	–	1	–	–	–	–
Rural District:—						
NEW RADNOR ...	–	1	–	–	–	–
Total of Part II. ...	43	1225	490	34	1102	C. 32 D. 6 F. 1 G. 16 L. 7 M. 100

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CARDIFF	–	–	–	1	–	–	SOUTHAMPTON ...	–	–	–	5	–	–
DOVER	*	*	*	*	*	*							
							Total of Part III.— ...	–	–	–	6	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	189	173	9	92	C. 5 D. 1 E. 2 G. 2 K. 1 L. 1 M. 22
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	43	1225	490	34	1102	C. 32 D. 6 F. 1 G. 16 L. 7 M. 100
Total of Part III.—Port Sanitary Districts	–	–	–	6	–	–
Total (*i.e.*, of returns received), England and Wales ...	43	1414	663	49	1194	C. 37 D. 7 E. 2 F. 1 G. 18 K. 1 L. 8 M. 122

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-cephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague, or Typhus Fever notified during the week. he cases of Small-pox notified appear on pages 622, 624, 628, 632, and 633.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. } { BIRTHS, DEATHS (distinguishing certain CAUSE and DEATHS of INFANTS under 1 YEAR O AGE) and NOTIFIED CASES of certain IN FECTIOUS DISEASES in the last THIRTEE WEEKS.

Week ended :—	Mar. 10.	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.
LONDON:—													
DEATHS—all ages	1,104	1,098	1,162	1,082	1,094	1,126	1,016	1,043	1,047	885	949	905	840
" 0 to 1 year ..	134	104	112	113	100	120	111	105	118	106	93	98	83
GREAT TOWNS, aggregate (including London):—													
BIRTHS	7,820	7,755	7,844	7,029	7,386	8,216	8,258	7,581	7,970	7,665	8,310	6,717	8,723
DEATHS—all ages	4,667	4,882	4,953	4,991	4,735	4,971	4,539	4,686	4,887	4,478	4,531	4,224	4,151
" 0 to 1 year ..	620	636	626	662	557	634	570	548	648	566	564	518	506
ENTERIC FEVER—Cases	15	13	18	15	16	26	22	19	30	15	18	18	16
" Deaths	1	3	2	2	4	3	4	1	2	1	3	5	—
SMALL POX—Cases ..	13	14	3	15	3	10	7	7	1	4	7	1	8
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,085	1,007	1,071	907	905	797	952	934	963	859	830	891	804
" Deaths	22	13	17	11	13	15	12	16	11	15	25	7	12
DIPHTHERIA—Cases ..	570	557	554	563	576	483	542	488	499	515	467	405	405
" Deaths ..	36	43	54	43	37	36	37	40	36	38	34	29	15
MEASLES—Deaths ..	95	108	111	117	105	86	86	69	74	73	73	73	60
INFLUENZA—Deaths ..	84	81	125	120	188	184	169	143	175	207	200	166	155

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 2nd June, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	63	43	56·7	44·3	19	BRADFORD ..	61	38	51·1	41·4	5
BRIGHTON ..	64	41	56·2	42·9	25	SHEFFIELD ..	57	40	51·7	41·6	10
PORTSMOUTH ..	64	40	57·4	44·7	38	YORK (MUSEUM)	58	43	53·4	43·9	6
NORWICH (EATON).	55	37	53·1	44·6	9	HULL (PEARSON PARK).	54	41	51·6	43·1	11
PLYMOUTH ..	63	43	57·4	47·1	10	TYNEMOUTH ..	54	40	50·0	43·0	3
BRISTOL (CLIFTON).	62	43	55·3	44·4	5	CARDIFF	60	42	55·6	44·1	9
BIRMINGHAM ..	57	38	52·6	41·4	7	EDINBURGH ..	70·0	38·0	53·4	41·3	0
NOTTINGHAM ..	56	40	53·7	42·9	8	GLASGOW ..	70·4	38·9	59·3	43·7	0
BIRKENHEAD (BIDSTON).	60	42	54·7	43·6	2	DUBLIN (PHŒNIX PARK).	65·0	34·3	56·0	39·1	1
MANCHESTER ..	65	38	55·1	43·6	1	FITZWILLIAM SQUARE.†	64·0	42·7	55·4	45·1	1
BURNLEY.. ..	65	34	53·0	40·0	3	BELFAST	63·8	45·0	59·6	48·3	1
HUDDERSFIELD	60	39	51·9	42·0	8						

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 2nd June, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
MAY			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	27	..	29·814	55·9	43·5	12·4	48·1	− 7·9	39·3	8·8	15·5	2·2	71	106·6	35·8	49·8	Calm: N: NE.	NNE	1·1	0·0	0·1	231	− 21	0·00
MONDAY -	28	Perigee.	29·852	58·2	44·4	13·8	50·1	− 6·1	46·0	4·1	11·0	2·2	86	112·5	43·8	49·8	N: NNW.	N: E	1·4	0·0	0·1	218	− 33	0·17
TUESDAY -	29	..	29·883	51·0	44·1	6·9	47·4	− 9·0	46·8	0·6	2·6	0·4	98	64·7	41·3	49·8	N	NNE: Calm.	1·5	0·0	0·1	299	+ 49	0·58
WEDNESDAY	30	Full	29·932	62·7	42·8	19·9	50·8	− 5·9	48·1	2·7	12·6	0·4	91	132·1	39·3	49·9	Calm: NNE.	NE: E	1·4	0·0	0·1	228	− 21	0·00
THURSDAY -	31	Greatest Declination S.	29·979	55·5	44·1	11·4	48·0	− 9·1	42·3	5·7	14·2	3·4	81	86·6	44·9	49·9	NE: NNE.	NE: NNE.	1·8	0·0	0·1	315	+ 66	0·00
JUNE. FRIDAY -	1	..	30·006	56·2	45·3	10·9	50·2	− 7·2	46·7	3·5	7·2	1·7	88	76·0	45·0	50·0	NNE: N.	Calm: NNE.	0·6	0·0	0·0	223	− 26	0·00
SATURDAY -	2	..	30·138	53·5	42·3	11·2	48·2	− 9·6	43·4	4·8	9·2	2·4	83	74·8	38·8	49·9	N	N: NNE	0·8	0·0	0·0	224	− 26	0·00
MEANS -		..	29·943	56·1	43·8	12·4	49·0	− 7·8	44·7	4·3	10·3	1·8	85	93·3	41·3	49·9	NNE		..	..	..	Sum 1,738	Sum − 12	Sum 0·75
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. MAY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	27	wP	1·2	16·0	Overcast generally. Partial solar halo 9h. Slight rain from 23h. 30m.
MONDAY ..	28	wN at 0h.; then wP to 9h.; mP to 12h; v. to 14h.; then wP.	1·7	16·1	Overcast till 9h., nearly overcast till 18h., then overcast. Occasional showers till 14h. Rain from 18h. 30m.
TUESDAY ..	29	Fluctuating sP to sN till 2h.; then mP or v. to 14h.; then mP.	0·0	16·1	Overcast throughout. Rain generally till 15h., then frequent drizzle till 21h.
WEDNESDAY	30	mP to 12h.; then wP.	4·9	16·1	Overcast generally. Cloudy period 12h. till 19h. 30m. Mist 2h. till 9h.
THURSDAY	31	wP to 6h.; mP to 17h.; then v. to wP.	0·0	16·2	Overcast throughout.
JUNE. FRIDAY ..	1	wP	0·0	16·2	Overcast throughout. Damping 2½h. till 5h. Slight rain 13h.
SATURDAY	2	wP	0·0	16·2	Overcast throughout. Shower 5h. Occasional very slight damping between 6h. and 9h.
			Sum 7·8	Sum 112·9	
No. of Col. ..		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·73 in. at the beginning of the week to 29·96 in. by 23h. on 28th; decreased to 29·87 in. by 16h. on 29th; increased generally to 30·02 in. by 10h. on 31st; decreased to 29·92 in. by 18h. on 31st; increased to 30·15 in. by 9h. on June 2nd; decreased and was 30·12 in. by midnight of the same day.

(42560) Wt. 15—P 11 2250 6/23 H. St. G. 43

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS
11-17, Hare Street, E.2

FOR OFFICIAL USE.

1923. No. 23.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 9TH JUNE, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 9TH JUNE, 1923.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-third week of the year numbered 8,052 and corresponded to an annual rate of 21·9 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,267 and corresponded to an annual rate of 11·6 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 12·3, 11·5 and 11·3. Infant mortality was 65 per 1,000 births, against 68, 77 and 58 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,942 births, corresponding to a rate of 22·3 per 1,000, and 847 deaths of civilians, corresponding to a rate of 9·7, as against 10·9, 10·4 and 9·7, for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 10·2 per 1,000. The infant mortality was 38 as against 46, 60 and 41 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 116 in the total deaths last week, but the deaths from influenza fell from 155 to 140. In London the number of deaths from all causes rose from 840 to 847; while the deaths from diphtheria, which had been 15, 13 and 2 in the preceding three weeks, rose to 12 last week, and those from influenza, which had been 15, 13 and 10 in the three preceding weeks, were again 10 last week.

Just Published:

Census of England and Wales, 1921. County of Middlesex. Price 10*s*. net.

County of Essex. Price 12*s*. 6*d*. net.

County of Surrey. Price 10*s*. net.

County of Kent. Price 14*s*. net.

County of Hertford. Price 7*s*. 6*d*. net.

The Registrar General's Statistical Review, 1921.

Tables, Part II. Civil. Price 5*s*. net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 9th June, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	8,052	4,267	521	2	97	7	42	33	45	140
London	4,534,230*	1,942	847	74	–	6	–	8	12	7	10
Towns in Outer Ring.											
Croydon C.B. ..	192,300	61	29	3	–	1	–	–	–	–	–
Wimbledon ..	61,730	18	9	–	–	–	–	–	–	–	–
Ealing	67,890	27	9	1	–	–	–	1	–	–	–
Acton	62,390	19	15	3	–	–	–	–	–	–	–
Willesden ..	168,200	62	36	8	–	–	–	–	–	–	–
Hendon	55,930	11	6	–	–	–	–	–	–	–	–
Hornsey	87,310	24	25	–	–	–	–	–	–	–	–
Wood Green ..	51,290	22	10	–	–	–	–	–	–	–	–
Tottenham ..	150,500	66	25	4	–	–	–	–	–	–	–
Edmonton ..	68,700	39	11	2	–	–	–	–	–	–	–
Enfield	62,010	16	10	2	–	–	–	–	–	–	–
West Ham C.B. ..	310,200	158	64	13	–	1	–	–	–	2	1
East Ham C.B. ..	145,800	55	20	1	–	–	–	–	–	–	–
Leyton	131,600	47	23	3	–	–	–	–	–	–	–
Walthamstow ..	129,700	43	13	–	–	–	–	–	–	–	1
Ilford	86,370	32	7	–	–	–	–	–	–	–	–
Gillingham	48,630*	18	12	1	–	–	–	–	1	–	1
Canterbury C.B ..	23,680	8	4	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	23	6	1	–	–	–	–	–	–	2
Eastbourne C.B. ..	53,700	20	11	3	–	–	–	–	–	–	–
Brighton C.B. ..	135,000	46	30	3	–	–	–	–	–	–	1
Portsmouth C.B. ..	236,630*	106	32	3	–	–	–	–	–	1	–
Bournemouth C.B. ..	81,500	17	20	–	–	–	–	–	–	–	2
Southampton C.B. ..	163,700	70	35	1	–	1	–	1	–	–	1
Reading C.B.	92,990	30	18	2	–	–	–	–	–	–	–
Oxford C.B.	56,510	20	4	–	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	36	21	–	–	–	–	–	–	–	–
Luton	58,260	27	9	–	–	–	–	–	–	–	–
Cambridge	59,200	15	11	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	91,430	33	14	2	–	–	–	–	–	–	–
Ipswich C.B.	80,950	31	8	1	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	17	12	1	–	–	–	–	–	1	–
Norwich C.B. ..	122,900	52	24	–	–	1	–	–	–	–	–
Swindon	55,680	15	12	2	–	–	–	–	–	–	–
Exeter C.B.	59,700	18	12	1	–	–	–	–	–	–	–
Plymouth C.B. ..	200,370*	82	55	9	–	1	–	–	2	–	–
Bath C.B.	68,530	22	17	4	–	1	–	–	–	–	–
Bristol C.B.	383,900	163	76	8	–	–	1	1	–	1	–
Gloucester C.B. ..	52,210	26	9	1	–	–	–	1	–	–	–
Stoke-on-Trent C.B.	274,300	122	78	12	–	2	–	–	1	2	12
Burton-upon-Trent C.B.	49,630	18	11	–	–	–	1	–	–	–	–
Wolverhampton C.B.	105,700	50	27	1	–	–	–	–	–	–	2
Walsall C.B.	99,890	45	17	1	–	–	–	–	–	–	–
West Bromwich C.B.	76,260	39	20	1	–	–	–	1	1	–	1
Dudley C.B.	57,860	35	12	1	–	3	–	–	–	–	–
Worcester C.B. ..	49,240	18	10	2	–	–	–	–	–	–	–
Birmingham C.B. ..	945,100	408	209	30	–	9	–	2	3	4	4
Smethwick C.B. ..	78,140	30	15	–	–	–	–	–	1	–	1
Coventry C.B. ..	131,200	47	28	6	–	–	–	–	–	1	–
Leicester C.B. ..	238,800	108	55	10	–	1	–	2	–	1	–
Lincoln C.B.	66,930	19	14	1	–	–	–	–	–	–	–
Grimsby C.B.	84,650	42	13	4	–	–	–	–	–	–	–
Nottingham C.B. ..	267,900	111	59	11	–	–	–	2	1	1	–
Derby C.B.	132,400	46	32	5	–	–	–	4	–	1	–
Chesterfield ..	63,380	39	17	6	–	–	–	–	–	–	3
Stockport C.B. ..	125,800	43	33	4	–	–	–	–	–	1	2
Chester C.B.	41,190	26	9	2	–	–	–	–	–	–	–
Birkenhead C.B. ..	149,200	55	28	1	–	–	–	–	–	–	1
Wallasey C.B. ..	89,790	32	18	1	–	–	–	–	–	–	–
Liverpool C.B. ..	826,400	375	213	23	–	13	1	1	2	7	4
Bootle C.B.	79,750	50	12	2	–	–	–	–	–	–	–
St. Helens C.B. ..	106,400	49	28	5	–	–	–	–	–	–	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	24	18	2	-	1	-	-	-	-	-
WIGAN C.B.	91,750	39	38	10	-	-	-	1	-	-	6
WARRINGTON C.B. ..	79,150	23	19	2	-	-	-	1	-	-	5
BOLTON C.B.	182,700	77	42	3	-	-	-	-	1	1	2
BURY C.B.	57,400	16	23	3	-	-	-	-	-	-	1
MANCHESTER C.B. ..	748,500	307	189	29	-	5	-	6	3	2	7
SALFORD C.B.	240,700	99	54	10	1	-	-	-	-	2	3
OLDHAM C.B.	148,300	54	46	4	-	-	-	-	-	-	1
ROCHDALE C.B... ..	92,510	41	25	2	-	-	-	-	-	-	2
BURNLEY C.B.	105,100	29	24	2	-	-	-	-	-	-	2
BLACKBURN C.B. ..	129,600	43	46	6	-	-	-	-	-	1	1
PRESTON C.B.	120,900	57	40	4	-	-	-	1	1	-	3
BLACKPOOL C.B. ..	74,050	10	15	-	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	75,690	28	17	3	-	1	-	-	-	1	-
HUDDERSFIELD C.B. ..	111,600	51	29	9	-	-	-	-	-	-	3
HALIFAX C.B.	100,500	31	37	3	-	-	-	-	-	-	6
BRADFORD C.B. ..	291,300	110	125	13	-	2	-	-	-	-	19
LEEDS C.B.	466,700	208	132	18	-	1	-	-	1	1	7
DEWSBURY C.B. ..	55,170	25	18	-	-	-	-	-	-	-	-
WAKEFIELD C.B. ..	53,840	27	15	2	-	-	-	-	-	-	-
BARNSLEY C.B. ..	69,540	38	16	3	-	1	-	-	-	-	2
SHEFFIELD C.B. ..	522,600	213	134	24	-	-	1	3	-	2	14
ROTHERHAM C.B. ..	69,840	42	15	4	-	-	-	-	-	-	-
DONCASTER	55,020	29	14	1	-	-	-	-	-	-	1
YORK C.B.	84,980	33	23	2	-	-	-	-	-	-	1
HULL C.B.	294,000	139	46	7	-	1	-	-	1	-	-
MIDDLESBROUGH C.B.	134,800	80	47	6	-	5	-	-	1	-	-
DARLINGTON C.B. ..	66,710	28	9	1	-	-	-	-	-	-	1
STOCKTON-ON-TEES ..	65,950	32	18	1	-	2	-	-	-	-	-
WEST HARTLEPOOL C.B.	70,020	42	16	1	-	-	1	-	-	-	-
SUNDERLAND C.B. ..	162,900	90	46	7	-	1	1	-	-	2	-
SOUTH SHIELDS C.B. ..	122,400	57	49	10	-	12	-	1	-	2	-
GATESHEAD C.B. ..	127,300	45	31	7	-	5	-	-	-	-	-
NEWCASTLE-ON-TYNE C.B.	281,600	138	84	10	-	10	-	1	-	-	1
TYNEMOUTH C.B. ..	64,640	38	16	3	-	-	-	2	-	-	-
CARLISLE C.B.	53,490	16	11	2	-	-	-	-	1	1	-
NEWPORT (MON.) C.B.	94,880	41	19	1	-	-	-	-	-	-	-
CARDIFF C.B.	223,830	120	45	4	1	-	-	-	-	-	-
RHONDDA	167,500	68	49	10	-	3	-	1	-	-	1
MERTHYR TYDFIL C.B.	82,680	34	20	3	-	6	-	1	-	-	1
ABERDARE	56,580	23	7	-	-	1	-	-	-	-	-
SWANSEA C.B.	161,000	63	31	3	-	-	1	-	-	-	-
GREATER LONDON ..	7,563,730*	3,108	1,346	125	-	9	-	10	12	9	13
OUTER RING	3,029,500*	1,166	499	51	-	3	-	2	-	2	3
16 GREAT TOWNS IN OUTER RING	1,831,920	700	312	40	-	2	-	1	-	2	2
REMAINDER OF OUTER RING	1,197,580*	466	187	11	-	1	-	1	-	-	1
EDINBURGH†	426,000	153	94	12	-	-	1	1	4	1	-
GLASGOW†	1,041,400	466	320	56	-	16	1	6	3	3	-
DUBLIN (REGISTRATION AREA)†	431,000	198	116	18	-	-	1	7	-	3	1
BELFAST†	429,000	208	113	19	-	7	-	8	-	1	5

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period.

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years)	Influenza.
London‡	4,534,230	1923. June 9	1942	847	9·7	–	–	6	–	8	12	7	10
Calcutta	896,067	April 28	?	445§	25·5	?	2	?	?	?	?	?	5
Bombay	1,220,120	„ 28											
Madras	526,911	„ 21	475	382	37·7	2	9	–	?	–	–	38	–
Sydney and Suburbs	955,900	April	1869	680	8·5	3	–	1	–	4	3	55	4
Brisbane (Metropolitan Area).	217,714	March											
Perth (Metropolitan Area).	161,773	April 14	79	43	13·8	–		–	–	–	–	6	–
Auckland (Urban Area).	164,450	March	252	108	7·9	–	–	–	1	–	3	1	–
Wellington (Urban Area).	110.680	„	175	71	7·7	–	–	–	–	–	1	–	1
Christchurch (Urban Area).	110,200	„	173	80	8·6	–	–	–	–	–	–	–	–
Cape Town	106,727	April 28	41	32	15·6	2	–	–	–	–	–	1	–
Johannesburg	156 858	„ 28	66	28	9·3	1	–	–	–	–	1	1	–
Durban	50,488	„ 28	33	10	10·3	–	–	–	–	–	–	–	–
Paris	2,906,472	May 31 (11 days)											
Antwerp	300,892	Mar. 31											
Amsterdam	699,816	May 19	278	129	9·6	3	–	–	–	1	1	–	1
Copenhagen	565.000	„ 26	237	126	11·6	–	–	–	–	1	–	2	1
Stockholm	424,944	„ 19	121	102	12·5	–	–	–	–	–	–	–	–
Gothenburg	228,074	„ 5	?	37	8·4	–	–	–	–	–	–	1	–
		„ 12	?	29	6·6	–	–	–	–	–	–	–	–
Christiania	258,933	„ 26	88	57	11·4	–	–	–	–	–	–	–	–
Berlin	1,990,000	April 28	386	562	14·7	–	?	13	1	1	3	7	6
Breslau	563,000	„ 28	212	200	18·5	–	?	2	–	1	2	6	7
Cologne	699,000	„ 28	258	160	11·9	–	?	1	–	–	2	2	4
Dresden	613,000	„ 28	173	161	13·7	–	?	2	–	–	–	5	2
Frankfort-on-Main..	478,000	„ 28	89	76	8·3	–	?	1	–	–	–	–	1
Hamburg	1,073,000	„ 28	357	256	12·4	–	?	9	–	1	1	3	2
Leipzig	683,000	„ 28	204	174	13·2	–	?	–	–	1	–	2	1
Munich	685,000	„ 28	197	189	14·3	–	?	7	–	–	–	2	1
Vienna	1,841,326	„ 7	692	647	18·3	–	–	3	1	3	3	17	7
Prague and Suburbs	697,111	„ 15 (15 days)											
Budapest	945,717	March 24											
Warsaw	956,087	April 21	408	256	14·0	–	–	–	5	1	1	16	1
		„ 28	527	256	14·0	–	–	1	–	3	1	16	1
Cairo	791,000	Feb. 25											
Alexandria	466,700	„ 25											
New York	5,927,617	April 21											
Chicago	2,886,121	May 5	?	719	13·0	1	–	17	2	4	6	23	7
Rio de Janeiro ..	1,274,098	April 14	684	486	19·9	–	–	3	–	9	–	?	33
Montevideo	349,768	Feb. 17	201	138	22·5	4	–	2	–	–	–	18	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 20 deaths from *Asiatic Cholera*, and 10 from *Plague*.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 9th June, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	847	74	12	23	19	30	26	80	101	147	169	166
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	6	1	3	2	–	–	–	–	–	–	–	–
Scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	8	5	1	1	1	–	–	–	–	–	–	–
Diphtheria	12	–	1	7	4	–	–	–	–	–	–	–
Influenza	10	1	–	–	1	–	–	–	3	1	3	1
Erysipelas	1	–	–	–	–	–	–	–	–	–	1	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	77	1	–	–	2	14	9	23	17	7	4	–
Nervous system	3	1	–	–	1	1	–	–	–	–	–	–
Intestines and peritoneum	1	–	–	–	–	–	–	1	–	–	–	–
Other forms	7	–	–	–	2	–	–	2	1	–	1	1
Venereal diseases	1	–	–	–	–	–	–	1	–	–	–	–
Cancer	114	–	–	–	–	1	3	14	14	28	36	18
Rheumatic fever	2	–	–	–	–	2	–	–	–	–	–	–
Diabetes	4	–		–	–	–	–	–	2	2	–	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	49	–	–	–	–	–	–	1	5	12	13	18
Epilepsy	10	–	–	1	–	1	1	–	1	1	–	5
"Convulsions" (not puerperal) ..	1	–	–	1	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	23	–	–	–	–	1	–	3	5	5	5	4
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	2	–	–	–	2	–	–	–	–	–	–	–
Other diseases of heart	125	–	–	–	–	2	1	12	16	28	35	31
Other diseases of circulatory system	36	–	–	–	–	–	–	–	3	9	11	13
Bronchitis	63	2	1	1	–	1	1	2	6	9	20	20
Broncho-pneumonia	25	5	1	4	–	–	–	–	2	3	4	6
Lobar-pneumonia	17	2	–	–	1	–	1	3	1	5	4	–
Pneumonia (type not distinguished) ..	5	1	–	–	–	–	1	–	1	1	–	1
Other diseases of respiratory system	15	–	1	–	1	–	1	2	1	2	5	2
Diarrhœa and enteritis	8	7	–	–	–	–	–	–	–	–	1	–
Appendicitis, Typhlitis	2	–	–	–	–	1	–	–	–	–	1	–
Hernia, Intestinal obstruction	11	–	–	–	–	–	–	–	2	4	2	3
Cirrhosis of liver	4	–	–	–	–	–	–	1	–	1	2	–
Other diseases of digestive system ..	23	1	–	1	–	–	1	1	7	7	3	2
Acute nephritis	2	–	–	1	–	–	–	–	–	1	–	–
Chronic Bright's disease	30	–	–	–	–	1	–	4	7	12	5	1
Other diseases of genito-urinary system.	9	–	–	–	–	–	–	1	2	–	3	3
Puerperal sepsis	2	–	–	–	–	1	–	1	–	–	–	–
Other causes incident to childbirth ..	2	–	–	–	–	–	2	–	–	–	–	–
Congenital malformations	2	2	–	–	–	–	–	–	–	–	–	–
Premature birth	26	26	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	4	4	–	–	–	–	–	–	–	–	–	–
Old age	33	–	–	–	–	–	–	–	–	–	2	31
Suicide	5	–	–	–	–	–	–	3	1	1	–	–
Burns and scalds	5	–	3	2	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	1	–	–	–	–	–	1	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	7	–	–	1	2	–	2	–	1	–	1	–
Other deaths by violence	13	1	–	–	1	1	1	3	–	3	1	2
Other specified causes	38	13	1	1	–	3	2	2	3	4	5	4
Ill-defined causes	1	–	–	–	–	–	–	–	–	1	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 9th June, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	161	176	7	92	C. 6 D. 2 E. 3 G. 2 M. 10
†CITY OF LONDON	–	2	–	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	4	3	–	7	–
†BERMONDSEY ...	–	8	8	–	2	–
†BETHNAL GREEN	–	5	6	–	1	E. 1
†CAMBERWELL ...	–	10	9	2	1	C. 1
†CHELSEA	–	2	2	1	–	
†DEPTFORD ...	–	3	12	–	1	–
†FINSBURY ...	–	2	5	–	–	–
†FULHAM	–	8	6	–	1	–
†GREENWICH ...	–	5	5	–	1	M. 1
†HACKNEY ...	–	9	5	–	1	C. 1 E. 1
†HAMMERSMITH ...	–	3	1	–	1	C. 1
†HAMPSTEAD ...	–	1	–	–	–	–
†HOLBORN... ...	–	2	2	–	2	–
†ISLINGTON ...	–	16	16	–	6	C. 1 M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	2	3	–	7	–
†LAMBETH ...	–	8	11	–	4	D. 1 M. 3
†LEWISHAM ...	–	6	–	1	–	–
†PADDINGTON ...	–	2	4	–	6	G. 1
†POPLAR	–	4	6	–	11	C. 1 D. 1 M. 1
†ST. MARYLEBONE	–	4	3	–	–	–
†ST. PANCRAS ...	–	9	16	–	5	C. 1 E. 1 M. 2
†SHOREDITCH ...	–	6	8	–	5	M. 1
†SOUTHWARK ...		8	12	–	3	M. 1
†STEPNEY	–	11	15	–	8	G. 1
†STOKE NEWINGTON	–	3	6	–	–	–
†WANDSWORTH ...	–	12	8	3	11	–
†WESTMINSTER, CITY OF	–	2	2	–	4	–
†WOOLWICH ...	–	4	2	–	4	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	2	3	–	1	
Boroughs and Urban Districts:—						
†BEDFORD ...	–	–	1	–	–	–
DUNSTABLE ...	–	–	1	–	–	–
†LUTON	–	–	1	–	–	–
Rural Districts:—						
AMPTHILL ...	–	2	–	–	1	–
BEDFORD... ...	*	*	*	*	*	*
BERKS	–	7	5	–	6	M. 2
†READING C.B. ...	–	2	2	–	1	M. 1
Boroughs and Urban District:—						
ABINGDON ...	–	–	1	–	–	–
Rural Districts:—						
ABINGDON ...	–	–	1	–	–	–
BRADFIELD ...	–	1	–	–	4	M. 1
COOKHAM ...	–	1	–	–	–	–
NEWBURY ...	–	1	–	–	1	–
WANTAGE ...	–	2	–	–	–	–
WINDSOR... ...	–	–	1	–	–	–
BUCKINGHAM ...	–	2	1	2	2	–
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE ...	–	1	1	–	–	–
NEWPORT PAGNELL ...	–	–	–	1	–	–
Rural Districts:—						
ETON	–	1	–	–	1	–
NEWPORT PAGNELL	–	–	–	1	–	–
WYCOMBE ...	–	–	–	–	1	–
CAMBRIDGE ...	–	3	–	–	–	–
Borough:—						
†CAMBRIDGE ...	–	3	–	–	–	–
CHESTER	–	48	7	2	22	C. 1
†BIRKENHEAD C.B.	–	10	2	–	4	–
†CHESTER C.B. ...	–	3	–	–	2	C. 1
†STOCKPORT C.B.	–	5	3	–	1	–
†WALLASEY C.B. ...	–	5	–	–	2	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	2	–	–	1	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
†CREWE	–	3	–	–	–	–
†DUKINFIELD ...	–	1	–	–	–	–
†ELLESMERE PORT AND WHITBY	–	1	–	–	–	–
HALE	–	–	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	5	–	–	1	–
†HYDE	–	1	–	–	1	–
†MACCLESFIELD ...	–	2	–	–	1	–
MARPLE	–	1	–	–	–	–
MIDDLEWICH ...	–	–	–	–	1	–
NANTWICH ...	–	–	–	–	1	–
†NORTHWICH ...	–	1	–	–	1	–
†RUNCORN... ...	–	–	–	–	1	–
SANDBACH ...	–	1	–	–	–	–
†STALYBRIDGE ...	–	–	–	–	1	–
WILMSLOW ...	–	1	–	–	–	–
†WINSFORD ...	*	*	*	*	*	*
Rural Districts:—						
BUCKLOW ...	–	–	–	–	2	–
CHESTER	–	–	–	2	–	–
MALPAS	–	1	–	–	–	–
NORTHWICH ...	–	3	1	–	–	–
WIRRAL	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	5	1	1	4	C. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	–	1	–
HAYLE	–	–	–	–	1	–
LOOE	–	1	–	–	–	–
PAUL	–	–	1	–	–	–
Rural Districts:—						
BODMIN	–	–	–	–	–	C. 1
EAST KERRIER ...	–	3	–	–	–	–
HOLSWORTHY (part)	–	–	–	1	–	–
REDRUTH ...	–	–	–	–	2	–
ST. AUSTELL ...	–	1	–	–	–	–
CUMBERLAND ...	–	8	5	–	3	G. 1
†CARLISLE C.B. ...	–	3	1	–	1	–
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	1	–	–	–	–
†MARYPORT ...	–	1	–	–	1	–
MILLOM	–	1	–	–	1	–
WIGTON	–	–	3	–	–	–
†WORKINGTON ...	–	2	–	–	–	–
Rural Districts:—						
PENRITH	–	–	1	–	–	–
WHITEHAVEN ...	–	–	–	–	–	G. 1
DERBY	6	18	7	–	31	C. 1 M. 1
†DERBY C.B. ...	–	4	–	–	11	–
Boroughs and Urban Districts:—						
ALVASTON AND BOULTON	*	*	*	*	*	*
†BELPER	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BOLSOVER ...	–	–	–	–	1	–
†CHESTERFIELD ...	–	2	–	–	4	–
DRONFIELD ...	–	1	1	–	–	–
†HEANOR	5	–	–	–	1	–
†ILKESTON ...	–	–	–	–	3	–
†LONG EATON ...	–	2	–	–	–	–
MATLOCK BATH AND SCARTHIN NICK	*	*	*	*	*	*
†RIPLEY	–	–	–	–	2	–
†SWADLINCOTE DISTRICT	–	–	–	–	3	–
Rural Districts:—						
BAKEWELL ...	–	1	–	–	–	–
BELPER	–	1	1	–	1	–
BLACKWELL ...	–	2	1	–	–	–
CHESTERFIELD ...	–	3	1	–	5	–
CLOWNE	1	1	1	–	–	–
HARTSHORN AND SEALS	*	*	*	*	*	*
SHARDLOW ...	–	1	1	–	–	C. 1 M. 1
DEVON	–	19	12	2	9	M. 1
†EXETER C.B. ...	–	1	2	1	–	M. 1
†PLYMOUTH C.B....	–	3	5	–	3	–
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	–	–	1	–
BIDEFORD ...	–	–	1	–	–	–
BRIXHAM ...	–	–	–	–	1	–
†EXMOUTH ...	–	1	–	–	–	–
HONITON	–	1	–	1	–	–
KINGSBRIDGE ...	–	–	2	–	–	–
†NEWTON ABBOT...	–	1	1	–	–	–
NORTHAM ...	–	1	–	–	–	–
OTTERY ST. MARY	–	3	–	–	–	–
†PAIGNTON ...	–	–	–	–	1	–
TAVISTOCK ...	–	–	–	–	1	–
†TORQUAY ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
CREDITON ...	–	1	–	–	–	–
HONITON ...	*	*	*	*	*	*
OKEHAMPTON ...	–	2	–	–	–	–
PLYMPTON ST. MARY	–	2	1	–	1	–
ST. THOMAS ...	–	1	–	–	–	–
TAVISTOCK ...	–	–	–	–	1	–
DORSET	–	4	1	1	–	–
Boroughs and Urban Districts:—						
SWANAGE ...	–	1	–	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	1	–	–	–	–
DORCHESTER ...	–	–	–	1	–	–
SHAFTESBURY ...	–	–	1	–	–	–
WEYMOUTH ...	–	2	–	–	–	–
DURHAM	4	68	15	–	58	C. 1 D. 2 E. 1 M. 11
†DARLINGTON C.B	–	2	–	–	2	–
†GATESHEAD C.B.	–	6	–	–	5	M. 2
†SOUTH SHIELDS C.B.	–	3	2	–	12	–
†SUNDERLAND C.B.	–	3	1	–	9	M. 4
†WEST HARTLEPOOL C.B.	–	4	–	–	5	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	1	–	–	D. 1 M. 1
BENFIELDSIDE ...	–	–	1	–	–	–
BILLINGHAM ...	–	–	–	–	1	–
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BISHOP AUCKLAND	–	–	–	–	–	M. 1
†BLAYDON... ...	–	2	–	–	1	D. 1
†CROOK	–	1	–	–	–	–
†DURHAM	–	–	2	–	–	–
†HEBBURN ...	–	2	–	–	1	–
†HETTON	–	3	–	–	2	–
†HOUGHTON LE SPRING	–	–	–	–	–	M. 1
†JARROW	–	–	–	–	2	–
†SEAHAM HARBOUR	–	–	–	–	1	–
†SPENNYMOOR ...	–	–	–	–	–	M. 1
†STANLEY	–	7	1	–	–	–
†STOCKTON ON TEES	4	1	–	–	4	C. 1
†WASHINGTON ...	–	1	–	–	–	–
†WHICKHAM ...	–	1	1	–	–	–
WILLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	4	2	–	–	–
CHESTER LE STREET	–	7	–	–	2	–
DURHAM	–	8	–	–	2	E. 1
EASINGTON ...	–	3	1	–	4	–
HOUGHTON LE SPRING	–	1	–	–	3	–
LANCHESTER ...	–	3	1	–	–	M 1.
SEDGEFIELD ...	–	2	1	–	–	–
STOCKTON ...	–	–	1	–	–	–
SUNDERLAND ...	–	2	–	–	2	–
ISLE OF ELY ...	–	–	–	–	3	–
Boroughs and Urban Districts:—						
CHATTERIS ...	–	–	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	27	20	1	13	C. 2 M. 6
†EAST HAM C.B. ...	–	3	–	–	1	–
†SOUTHEND-ON-SEA C.B.	–	8	–	–	4	M. 3
†WEST HAM C.B. ...	–	2	9	–	3	–
Boroughs and Urban Districts:—						
†BARKING TOWN..	–	–	–	–	1	–
BRENTWOOD ...	–	1	–	–	–	–
†CHELMSFORD ...	–	–	–	–	1	–
†COLCHESTER ...	–	1	–	–	–	M. 1
EPPING	–	1	–	–	–	–
†ILFORD	–	–	2	–	–	C. 1
†LEYTON	–	2	1	–	1	–
†ROMFORD ...	–	1	–	–	–	–
SHOEBURYNESS ...	–	–	2	–	1	–
WALTHAM HOLY CROSS	–	3	–	–	–	–
†WALTHAMSTOW ...	–	3	3	–	–	–
†WOODFORD ...	–	–	1	–	–	–
Rural Districts:—						
BRAINTREE ...	–	–	–	1	–	–
DUNMOW ...	–	–	1	–	–	–
LEXDEN AND WINSTREE	–	1	1	–	–	–
ONGAR	–	–	–	–	1	–
ROCHFORD ...	–	–	–	–	–	M. 1
ROMFORD... ...	–	–	–	–	–	C. 1 M. 1
SAFFRON WALDEN	–	1	–	–	–	–
GLOUCESTER ...	35	41	19	2	10	G. 3 L. 1
†BRISTOL C.B. ...	–	19	8	–	6	G. 3 L. 1
†GLOUCESTER C.B.	26	4	3	–	–	–
Boroughs and Urban Districts:—						
CHARLTON KINGS	–	–	1	–	–	–
†CHELTENHAM ...	1	2	1	–	–	–
CIRENCESTER ...	1	–	–	–	–	–
COLEFORD ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KINGSWOOD ...	–	1	–	–	–	–
STROUD	1	–	–	–	–	–
Rural Districts:—						
CAMPDEN... ...	–	2	–	–	–	–
CIRENCESTER ...	–	2	–	–	–	–
DURSLEY... ...	–	–	1	–	1	–
EAST DEAN AND UNITED PARISHES ...	1	3	1	–	1	–
GLOUCESTER ...	–	–	–	2	–	–
LYDNEY	1	–	–	–	–	–
NEWENT	–	–	1	–	–	–
STROUD	4	2	1	–	–	–
TETBURY (part)	–	–	1	–	–	–
TEWKESBURY (part)	–	–	–	–	1	–
THORNBURY ...	–	1	–	–	1	–
WARMLEY ...	–	2	1	–	–	–
WEST DEAN ...	–	3	–	–	–	–
HEREFORD ..	–	3	1	–	1	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	–	–	1	–
KINGTON	–	1	–	–	–	–
ROSS	–	1	–	–	–	–
Rural Districts:—						
BROMYARD ...	–	1	–	–	–	–
ROSS	–	–	1	–	–	–
HERTFORD ..	–	8	6	1	4	C. 1
Boroughs and Urban Districts:—						
BUSHEY	–	2	–	–	–	–
†CHESHUNT ...	–	1	–	1	1	–
†HERTFORD ...	–	–	2	–	–	C. 1
HODDESDON ...	–	–	2	–	–	–
†LETCHWORTH ...	–	–	–	–	2	–
WARE	–	–	1	–	–	–
†WATFORD ...	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
ST. ALBANS ...	–	1	–	–	–	–
WATFORD ...	–	4	–	–	–	–
HUNTINGDON ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	*	*	*	*	*	*
Rural Districts:—						
ST. IVES	–	1	–	–	–	–
KENT	–	42	26	1	7	C. 1 D. 1 M. 5
†CANTERBURY C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†ASHFORD ...	–	–	2	–	–	–
†BEXLEY	–	–	3	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	1	M. 1
†BROMLEY ...	–	2	–	–	1	–
†CHATHAM ...	–	2	–	–	–	M. 1
†CRAYFORD ...	–	1	2	–	–	–
†ERITH	–	6	–	–	–	M. 1
†FAVERSHAM ...	–	5	–	–	–	–
†FOLKESTONE ...	–	3	–	–	1	–
†GILLINGHAM ...	–	1	7	–	–	–
†GRAVESEND ...	–	1	–	–	–	–
†MAIDSTONE ...	–	1	1	1	2	–
†MARGATE ...	–	1	–	–	–	–
†PENGE	–	–	1	–	1	–
SEVENOAKS ...	–	–	1	–	–	–
†SHEERNESS ..	–	2	–	–	–	–
†TONBRIDGE ...	–	1	–	–	–	–
WROTHAM ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts:—						
BROMLEY ...	–	3	1	–	–	–
DARTFORD ...	–	1	–	–	–	–
ELHAM	–	–	–	–	–	D. 1
FAVERSHAM ...	–	–	3	–	–	–
HOLLINGBOURNE	–	2	–	–	–	
ISLE OF THANET	–	3	–	–	–	–
MALLING	–	2	–	–	–	–
SEVENOAKS ...	–	–	2	–	–	–
SHEPPEY	–	–	1	–	1	–
STROOD	–	1	2	–	–	–
TONBRIDGE ...	–	1	–	–	–	C. 1 M. 2
LANCASTER ...	–	277	92	4	209	C. 9 D. 2 G. 7 L. 1 M. 35
†BARROW IN FURNESS C.B.	–	6	–	–	–	–
†BLACKBURN C.B.	–	7	–	–	7	C. 1 M. 2
†BLACKPOOL C.B.	–	1	1	1	–	C. 1 M. 5
†BOLTON C.B. ...	–	13	4	1	6	–
†BOOTLE C.B. ...	–	9	2	–	–	–
†BURNLEY C.B. ...	–	8	1	–	3	–
†BURY C.B. ...	–	2	2	–	2	–
†LIVERPOOL C.B. ...	–	39	21	–	49	C. 1 D. 1 G. 3 M. 13
†MANCHESTER C.B.	–	58	11	–	48	C. 2 G. 2 M. 9
†OLDHAM C.B. ...	–	2	–	–	–	–
†PRESTON C.B. ...	–	3	7	–	1	–
†ROCHDALE C.B. ...	–	6	2	1	–	–
†ST. HELENS C.B. ...	–	4	4	–	2	G. 1 M. 1
†SALFORD C.B. ...	–	13	4	–	8	C. 1 M. 2
†SOUTHPORT C.B.	–	–	–	–	5	–
†WARRINGTON C.B.	–	3	2	–	13	C. 1 M. 2
†WIGAN C.B. ...	–	1	1	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K. Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	2	2	–	2	–
†ASHTON IN MAKERFIELD	–	3	2	–	–	–
†ASHTON UNDER LYNE	–	2	–	–	1	C. 1
†ATHERTON ...	–	2	1	–	1	–
AUDENSHAW ...	–	3	–	–	–	–
BARROWFORD ...	–	2	–	–	–	–
†CHADDERTON ...	–	1	–	–	–	–
†CHORLEY... ...	–	–	–	–	2	–
CLAYTON LE MOORS	–	1	–	–	–	–
†DALTON IN FURNESS	–	1	–	–	–	–
†DARWEN	–	2	1	–	–	–
†DENTON	–	–	1	–	2	–
†DROYLSDEN ...	–	–	–	–	1	–
†ECCLES	–	2	–	–	–	–
†FAILSWORTH ...	–	1	–	–	–	–
†FARNWORTH ...	–	5	–	–	1	–
†FLEETWOOD ...	–	–	–	–	1	–
†GREAT HARWOOD	–	5	–	–	–	–
†HASLINGDEN ...	–	2	–	–	1	–
†HAYDOCK ...	–	2	–	–	–	–
HEYSHAM ...	–	1	–	–	1	–
†HEYWOOD ...	–	–	–	–	1	–
†HINDLEY... ...	–	–	1	–	2	–
†HORWICH ...	–	–	1	–	2	–
†INCE IN MAKERFIELD	–	1	–	–	1	–
IRLAM	–	2	–	–	1	–
†LANCASTER ...	–	3	–	–	2	–
†LEIGH	–	3	1	–	1	–
LEYLAND... ...	–	1	–	–	–	–
†LITHERLAND ...	–	3	1	–	–	–
LITTLE LEVER ...	–	1	–	–	–	–
†LYTHAM, ST. ANNE'S	–	2	–	–	–	–
†MIDDLETON ...	–	2	–	–	4	–
†MOSSLEY	–	2	1	–	–	–
†NELSON	–	5	1	–	–	–
†NEWTON IN MAKERFIELD	–	1	–	–	1	–
ORMSKIRK ...	–	–	1	–	5	C. 1
ORRELL	–	–	1	–	–	–
†OSWALDTWISTLE	–	–	1	–	–	M. 1
†PADIHAM... ...	–	–	–	–	1	–
POULTON LE FYLDE	–	3	–	–	–	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
PREESALL ...	*	*	*	*	*	*
PRESCOT	–	1	–	–	–	–
†PRESTWICH ...	–	5	–	–	–	–
†RADCLIFFE ...	–	4	2	–	–	–
RAINFORD ...	–	–	–	1	–	–
†RAMSBOTTOM ...	–	1	–	–	1	–
†RAWTENSTALL ...	–	1	–	–	1	–
†ROYTON	–	2	–	–	–	–
SKELMERSDALE ...	–	1	–	–	1	–
†STRETFORD... ...	–	2	1	–	3	–
†SWINTON AND PENDLEBURY	–	3	–	–	2	–
†TURTON	–	–	–	–	1	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	1	–
†WALTON LE DALE	–	1	–	–	–	–
WARDLE	*	*	*	*	*	*
†WATERLOO WITH SEAFORTH	–	1	3	–	–	–
†WESTHOUGHTON	–	2	–	–	3	–
WHITWORTH ...	–	–	–	–	1	–
†WIDNES	–	8	2	–	2	–
†WORSLEY... ...	–	–	–	–	–	G. 1
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	3	–
BURNLEY... ...	–	–	–	–	1	–
CHORLEY... ...	*	*	*	*	*	*
CLITHEROE ...	–	2	–	–	–	–
LANCASTER ..	–	–	1	–	–	–
LEIGH	*	*	*	*	*	*
LIMEHURST ...	–	–	1	–	–	–
WARRINGTON ...	–	–	–	–	2	D. 1
WEST LANCASHIRE	–	–	–	–	2	–
WHISTON... ...	–	–	–	–	–	L. 1
WIGAN	–	–	1	–	–	–
LEICESTER... ...	–	14	2	–	7	G. 2 M. 3
†LEICESTER C.B. ...	–	10	1	–	3	G. 2 M. 3

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever · I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts:—						
ASHBY WOULDS...	*	*	*	*	*	*
MARKET HARBOROUGH	–	1	–	–	–	–
OADBY	–	–	–	–	1	–
WIGSTON MAGNA	–	2	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–	–	–
BARROW UPON SOAR	–	1	–	–	–	–
BLABY	–	–	–	–	2	–
MELTON MOWBRAY	–	–	–	–	1	–
LINCOLN (parts of Kesteven).	–	3	–	–	4	–
Boroughs and Urban Districts:—						
BOURNE	–	1	–	–	–	–
†GRANTHAM ...	–	2	–	–	–	–
SLEAFORD ...	–	–	–	–	2	–
Rural Districts:—						
SLEAFORD ...	–	–	–	–	2	–
LINCOLN (parts of Lindsey).	–	9	4	2	4	–
†GRIMSBY C.B. ...	–	3	1	–	1	–
†LINCOLN C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
CROWLE	–	–	–	–	1	–
†GAINSBOROUGH ...	–	2	–	–	–	–
LOUTH	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	–	–	–	2	–
WINTERTON ...	*	*	*	*	*	*
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts:—						
GRIMSBY	–	–	1	–	–	–
ISLE OF AXHOLME	–	–	1	–	–	–
LOUTH	–	–	1	2	–	–
SIBSEY	–	1	–	–	–	–
MIDDLESEX ...	–	30	27	1	17	G. 2
Boroughs and Urban Districts:—						
†ACTON	–	–	2	–	1	–
†BRENTFORD ...	–	1	2	–	–	–
†EALING	–	4	1	–	–	–
†EDMONTON ...	–	–	–	–	3	G. 1
†ENFIELD	–	–	1	–	–	–
FELTHAM ...	–	–	1	–	–	–
†FINCHLEY ...	–	–	1	–	–	–
†HANWELL ...	–	2	1	–	–	–
HAYES	–	1	–	–	–	
†HENDON	–	1	3	1	–	G. 1
†HESTON AND ISLEWORTH	–	3	–	–	2	–
†HORNSEY... ...	–	3	–	–	1	–
KINGSBURY ...	*	*	*	*	*	*
RUISLIP NORTHWOOD	–	1	–	–	–	–
†SOUTHALL NORWOOD	–	1	–	–	–	–
†TOTTENHAM ...	–	7	1	–	6	–
†TWICKENHAM ...	–	–	1	–	–	–
†WILLESDEN ...	–	2	10	–	4	–
†WOOD GREEN ...	–	1	–	–	–	–
YIEWSLEY ...	–	1	1	–	–	–
Rural Districts:—						
STAINES	–	2	1	–	–	–
UXBRIDGE ...	–	–	1	–	–	–
NORFOLK	–	68	7	1	3	G. 1 M. 2
†GREAT YARMOUTH C.B.	–	15	–	–	–	–
†NORWICH C.B. ...	–	27	4	1	1	G. 1 M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts:—						
NEW HUNSTANTON	–	3	–	–	–	–
SWAFFHAM ...	–	–	1	–	–	–
Rural Districts:—						
DEPWADE ...	–	–	1	–	1	–
EAST AND WEST FLEGG	–	1	–	–	–	–
ERPINGHAM ...	–	1	–	–	–	–
FOREHOE ...	–	9	–	–	1	–
FREEBRIDGE LYNN	–	1	–	–	–	–
HENSTEAD ...	–	–	1	–	–	–
LODDON AND CLAVERING	–	1	–	–	–	M. 1
MITFORD AND LAUNDITCH	–	8	–	–	–	–
ST. FAITH'S ...	–	2	–	–	–	–
NORTHAMPTON ...	–	39	5	–	11	M. 1
†NORTHAMPTON C.B.	–	8	4	–	8	–
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	1	–	–	–	–
†KETTERING ...	–	16	1	–	–	–
ROTHWELL ...	–	1	–	–	–	–
†WELLINGBOROUGH	–	5	–	–	–	M. 1
Rural Districts:—						
DAVENTRY ...	–	2	–	–	1	–
KETTERING ...	–	2	–	–	–	–
NORTHAMPTON ...	–	–	–	–	2	–
POTTERSPURY ...	–	1	–	–	–	–
WELLINGBOROUGH	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND	–	34	9	–	38	D. 2 G. 1 M. 3
†NEWCASTLE UPON TYNE C.B.	–	3	2	–	19	D. 2 M. 2
†TYNEMOUTH C.B.	–	3	–	–	1	M. 1
Boroughs and Urban Districts:—						
AMBLE	–	–	1	–	–	–
†BEDLINGTONSHIRE	–	3	–	–	3	G. 1
†BERWICK UPON TWEED	–	3	–	–	–	–
†BLYTH	–	6	–	–	4	–
CRAMLINGTON ...	–	1	–	–	1	–
†EARSDON	–	–	3	–	3	–
†GOSFORTH ..	–	2	1	–	–	–
HEXHAM	–	1	–	–	–	–
†LONGBENTON ...	*	*	*	*	*	*
MORPETH... ...	–	1	–	–	–	–
NEWBIGGIN BY THE SEA	–	5	–	–	–	–
SEATON DELAVEL	–	–	1	–	–	–
†WALLSEND ...	–	2	–	–	3	–
WEETSLADE ...	–	3	–	–	–	–
†WHITLEY AND MONKSEATON	–	–	–	–	1	–
Rural Districts:—						
BELLINGHAM ...	–	1	–	–	1	–
CASTLE WARD ...	–	–	1	–	2	–
NOTTINGHAM ...	4	25	8	–	10	M. 3
†NOTTINGHAM C.B	1	14	3	–	2	M. 2
Boroughs and Urban Districts:—						
†BEESTON	–	2	–	–	2	–
†CARLTON	–	1	1	–	2	–
†EAST RETFORD ...	–	–	1	–	2	–
EASTWOOD ...	*	*	*	*	*	*
†MANSFIELD ...	–	1	–	–	–	M. 1
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK	–	1	–	–	–	–
†SUTTON IN ASHFIELD	–	2	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NOTTINGHAM— *cont.*						
Rural Districts:—						
BASFORD	3	1	–	–	–	–
EAST RETFORD ...	–	–	–	–	1	–
MISTERTON ...	–	–	1	–	–	–
NEWARK	–	2	1	–	–	–
OXFORD	–	11	1	–	1	–
†OXFORD C.B. ...	–	3	–	–	1	–
Boroughs and Urban Districts:—						
BANBURY ...	–	1	–	–	–	–
HENLEY ON THAMES	–	2	–	–	–	–
Rural Districts:—						
HEADINGTON ...	–	3	1	–	–	–
WITNEY	–	1	–	–	–	–
WOODSTOCK ...	–	1	–	–	–	–
PETERBOROUGH (Soke of)	–	1	–	–	1	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	1	–
RUTLAND	–	1	–	–	1	–
Rural District:—						
UPPINGHAM ...	–	1	–	–	1	–
SALOP	–	6	2	1	3	–
Boroughs and Urban Districts:—						
ELLESMERE ...	–	1	–	–	–	–
NEWPORT ...	–	1	–	–	1	–
OSWESTRY ...	–	2	1	–	–	–
†SHREWSBURY ...	–	–	–	–	1	–
WELLINGTON ...	–	–	–	1	–	–
WENLOCK ...	–	1	–	–	–	–
SALOP— *cont.*						
Rural Districts:—						
CLUN	–	–	–	–	1	–
ELLESMERE ...	–	1	–	–	–	–
NEWPORT ...	–	–	1	–	–	–
SOMERSET	–	13	5	–	5	D. 1 L. 1 M. 1
†BATH C.B. ...	–	1	1	–	2	–
Boroughs and Urban Districts:—						
CREWKERNE ...	–	1	–	–	–	–
†FROME	–	1	–	–	–	–
RADSTOCK ...	–	1	–	–	–	–
WELLS	–	–	1	–	–	–
†WESTON SUPER MARE	–	1	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	–	2	–	–	–
BATH	–	1	–	–	–	–
DULVERTON ...	–	–	1	–	–	–
FROME	–	1	–	–	1	–
KEYNSHAM ...	–	2	–	–	–	–
LANGPORT ...	–	2	–	–	1	–
LONG ASHTON ...	–	1	–	–	–	–
SHEPTON MALLET	–	–	–	–	–	D. 1
TAUNTON ...	–	–	–	–	–	L. 1
WELLS	–	–	–	–	1	–
WINCANTON ...	–	1	–	–	–	–
YEOVIL	–	–	–	–	–	M. 1
SOUTHAMPTON ...	–	32	21	3	4	C. 2 G. 1 M. 4
†BOURNEMOUTH C.B.	–	–	3	–	–	M. 1
†PORTSMOUTH C.B.	–	13	13	1	–	C. 1
†SOUTHAMPTON C.B.	–	8	3	–	1	M. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	3	–	–	–	–
ANDOVER... ...	–	–	1	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FAREHAM ...	–	–	–	–	1	G. 1
†GOSPORT	–	1	–	–	–	–
PETERSFIELD ...	–	1	–	–	–	–
†WINCHESTER ...	–	–	–	–	2	–
Rural Districts:—						
ALTON	–	–	–	–	–	M. 1
CATHERINGTON ...	–	–	–	1	–	–
DROXFORD ...	–	–	–	–	–	C. 1
FORDINGBRIDGE..	–	–	–	1	–	–
HARTLEY WINTNEY	–	1	–	–	–	–
HAVANT	–	1	–	–	–	–
HURSLEY... ...	–	–	1	–	–	–
NEW FOREST ...	–	1	–	–	–	–
WINCHESTER ...	–	2	–	–	–	–
STAFFORD	–	60	17	–	81	C. 2 L. 1 M. 7
†BURTON UPON TRENT C.B.	–	1	–	–	4	–
†SMETHWICK C.B.	–	5	4	–	2	C. 1
†STOKE ON TRENT C.B.	–	19	3	–	37	M. 3
†WALSALL C.B. ...	–	6	–	–	3	C. 1 M. 1
†WEST BROMWICH C.B.	–	4	4	–	4	–
†WOLVERHAMPTON C.B.	–	3	1	–	–	M. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	2	–	–	–	–
BIDDULPH ..	–	3	–	–	3	
†BILSTON	–	–	1	–	1	–
†BRIERLEY HILL...	–	1	–	–	1	–
†BROWNHILLS ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CANNOCK	–	3	–	–	1	–
†DARLASTON ...	–	–	–	–	2	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	1	–	–	–	–
KIDSGROVE ...	–	–	1	–	–	–
LICHFIELD ...	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	–	–	–	–
QUARRY BANK ...	–	1	–	–	2	–
†ROWLEY REGIS ...	–	–	1	–	4	L. 1 M. 1
†SEDGLEY	–	–	–	–	2	–
SHORT HEATH ..	–	–	–	–	1	–
†STAFFORD ...	–	–	–	–	2	M. 1
†TIPTON	–	2	–	–	1	–
†WEDNESBURY ...	–	–	–	–	3	–
†WILLENHALL ...	–	–	–	–	1	–
†WOLSTANTON UNITED	–	2	1	–	5	–
Rural Districts:—						
CANNOCK	–	1	–	–	–	–
GNOSALL	–	–	–	–	1	–
KINGSWINFORD ...	–	1	–	–	–	–
STONE	–	–	1	–	–	–
UTTOXETER ...	–	2	–	–	–	–
SUFFOLK, EAST ...	–	3	6	1	3	M. 1
†IPSWICH C.B. ...	–	1	2	–	1	M. 1
Boroughs and Urban Districts:—						
BECCLES	*	*	*	*	*	*
LEISTON CUM SIZEWELL	–	–	–	–	1	–
†LOWESTOFT ...	–	–	1	–	1	–
WOODBRIDGE ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever:

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST— *cont.*						
Rural Districts:—						
BLYTHING ...	–	1	–	–	–	–
BOSMERE AND CLAYDON	–	–	–	1	–	–
EAST STOW ...	–	1	1	–	–	–
HOXNE	–	–	1	–	–	–
SUFFOLK, WEST ...	–	1	–	–	–	–
Rural Districts:—						
COSFORD	–	1	–	–	–	–
SURREY	–	34	11	3	4	E. 2 L. 1 M. 1
†CROYDON C.B. ...	–	7	5	1	1	E. 1
Boroughs and Urban Districts:—						
†BARNES	–	4	–	–	–	–
†BEDDINGTON AND WALLINGTON	–	–	1	–	–	–
†CARSHALTON ...	–	1	–	–	–	–
†CATERHAM ...	–	3	1	–	1	–
†CHERTSEY ...	–	1	–	–	–	E. 1
†COULSDON AND PURLEY	–	1	1	–	–	–
†FARNHAM ...	–	1	–	–	–	–
†GUILDFORD ...	–	3	–	–	–	–
†KINGSTON ON THAMES	–	5	–	1	–	–
†MITCHAM... ...	–	3	1	–	1	–
†SURBITON ...	–	2	–	1	–	M. 1
†WIMBLEDON ...	–	2	2	–	–	–
Rural Districts:—						
EPSOM	–	–	–	–	–	L. 1
HAMBLEDON ...	–	1	–	–	1	–
SUSSEX, EAST ...	–	15	11	1	1	G. 1 L. 1
†BRIGHTON C.B. ...	–	6	9	1	–	G. 1
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	2	–	–	–	–
†HOVE	–	1	–	–	1	–
PORTSLADE BY SEA	–	1	–	–	–	–
SEAFORD	–	–	1	–	–	–
Rural Districts:—						
CHAILEY... ...	–	–	–	–	–	L. 1
NEWHAVEN ...	–	5	–	–	–	–
RYE	*	*	*	*	*	*
UCKFIELD ...	–	–	1	–	–	–
SUSSEX, WEST ...	–	2	1	–	7	M. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	–	1	–	–	–
SOUTHWICK ...	–	1	–	–	–	–
†WORTHING ...	–	1	–	–	–	–
Rural Districts:—						
HORSHAM ...	–	–	–	–	7	–
WESTBOURNE ...	–	–	–	–	–	M. 1
WARWICK	–	73	28	1	57	C. 6 M. 2
†BIRMINGHAM C.B.	–	50	20	–	41	C. 5
†COVENTRY C.B. ...	–	7	1	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	3	3	–	1	–
†ROYAL LEAMINGTON SPA	–	2	–	–	1	–
†RUGBY	–	–	1	–	1	–
†SUTTON COLDFIELD	–	1	–	–	–	–
†WARWICK ...	–	3	1	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ATHERSTONE ...	–	1	–	–	6	–
FOLESHILL ...	–	–	–	–	2	–
MERIDEN	–	1	1	–	1	–
NUNEATON ...	–	1	–	–	–	–
RUGBY	–	3	–	–	1	–
SOLIHULL ...	–	–	–	–	1	–
TAMWORTH (part)	–	1	1	–	–	–
WARWICK ...	–	–	–	1	–	–
WESTMORLAND ...	–	3	–	–	1	–
Boroughs and Urban Districts:—						
†KENDAL	–	–	–	–	1	–
Rural Districts:—						
SOUTH WESTMORLAND	–	3	–	–	–	–
WIGHT, ISLE OF ...	–	2	2	–	–	–
Boroughs and Urban Districts—						
†COWES	–	–	2	–	–	–
SANDOWN ...	–	2	–	–	–	–
WILTS	–	12	–	–	2	C. 1 M. 3
Boroughs and Urban Districts:—						
†SWINDON... ...	–	6	–	–	2	M. 2
Rural Districts:—						
HIGHWORTH ...	–	1	–	–	–	M. 1
PEWSEY	–	1	–	–	–	–
RAMSBURY ...	–	2	–	–	–	–
†SALISBURY ...	–	1	–	–	–	–
WARMINSTER ...	–	1	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	14	–	–	7	C. 1 M. 1
†DUDLEY C.B. ...	–	1	–	–	–	–
†WORCESTER C.B.	–	–	–	–	3	M. 1
Boroughs and Urban Districts:—						
†KIDDERMINSTER	–	1	–	–	–	–
†OLDBURY... ...	–	2	–	–	2	–
†STOURBRIDGE ...	–	–	–	–	1	C. 1
STOURPORT ...	–	3	–	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
EVESHAM ...	–	1	–	–	–	–
FECKENHAM ...	–	2	–	–	–	–
HALESOWEN ...	–	1	–	–	1	–
KIDDERMINSTER	–	1	–	–	–	–
TENBURY... ...	–	1	–	–	–	–
YORKS ... ... (East Riding.)	–	7	4	–	5	C. 1 M. 1
†KINGSTON UPON HULL C.B.	–	7	3	–	4	C. 1 M. 1
Rural Districts:—						
SCULCOATES ...	–	–	–	–	1	–
SKIRLAUGH ...	–	–	1	–	–	–
YORKS ... ... (North Riding.)	2	41	4	1	16	C. 1
†MIDDLESBROUGH C.B.	2	30	1	–	6	–
Boroughs and Urban Districts:—						
†ESTON	–	10	–	–	–	–
GUISBOROUGH ...	–	–	–	–	2	C. 1
KIRKLINGTON CUM UPSLAND	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
LOFTUS	–	–	–	–	1	–
†REDCAR	–	–	–	–	2	–
SALTBURN BY THE SEA	–	–	1	–	–	–
†SCARBOROUGH ...	–	1	–	–	1	–
†SKELTON AND BROTTON	–	–	–	–	1	–
†THORNABY ON TEES	–	–	1	–	–	–
Rural Districts:—						
KIRKBY MOORSIDE	–	–	1	–	1	–
RICHMOND ...	–	–	–	1	–	–
STOKESLEY ...	–	–	–	–	1	–
YORKS ... ... (West Riding.)	2	133	49	5	212	C. 6 D. 3 M. 10
†BARNSLEY C.B. ...	–	–	1	–	1	–
†BRADFORD C.B. ...	–	20	5	1	25	D. 1
†DEWSBURY C.B....	–	3	1	–	–	D. 1
†HALIFAX C.B. ...	–	1	2	–	2	–
†HUDDERSFIELD C.B.	–	4	5	–	3	D. 1 M. 1
†LEEDS C.B. ...	–	34	4	–	15	C. 2
†ROTHERHAM C.B.	–	6	1	–	8	–
†SHEFFIELD C.B....	–	15	6	–	91	C. 3 M. 7
†WAKEFIELD C.B.	–	2	2	–	1	C. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	1	–	–	–
ALTOFTS	–	–	1	–	1	–
ARDSLEY, EAST AND WEST	–	–	–	–	3	–
BAILDON	–	2	–	–	–	–
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BARNOLDSWICK ...	–	2	–	–	–	–
†BATLEY	–	1	–	–	1	–
†BINGLEY	–	1	–	–	1	–
BIRKENSHAW ...	–	1	–	–	–	–
BURLEY IN WHARFEDALE	–	–	–	–	1	–
†CASTLEFORD ...	–	3	–	–	–	–
†CONISBROUGH ...	–	3	1	–	–	–
DARFIELD ...	–	–	–	–	1	–
†DARTON	–	–	1	–	1	–
†DONCASTER ...	–	1	3	1	1	–
†ELLAND	–	–	–	–	1	–
FARSLEY	–	–	1	–	–	–
†FEATHERSTONE ...	–	–	–	–	1	–
FLOCKTON ..	–	–	–	–	2	–
GILDERSOME ...	–	–	–	–	2	–
†GOOLE	–	–	–	–	1	–
†HARROGATE ...	–	–	–	1	1	–
HAWORTH ...	–	1	–	–	–	–
†HEMSWORTH ...	–	–	1	–	1	–
†HOLMFIRTH ...	–	–	–	–	1	–
†HOYLAND NETHER	–	1	–	–	5	–
KNARESBOROUGH	–	–	–	–	3	–
KNOTTINGLEY ...	–	–	–	–	3	–
LEPTON	–	–	–	–	1	–
†MEXBOROUGH ...	–	–	1	–	–	–
†MIRFIELD ...	–	1	1	–	1	–
†MORLEY	–	–	–	–	3	–
†NORMANTON ...	–	–	2	–	5	–
†OSSETT	–	1	–	–	–	–
†PONTEFRACT ...	–	1	–	–	–	–
†RAWMARSH ...	–	1	–	–	1	–
†ROTHWELL ...	–	1	–	–	–	–
SHELF	–	1	–	–	–	–
SHEPLEY... ...	–	–	–	–	2	–
†SHIPLEY	–	–	1	–	–	–
SKELMANTHORPE	–	–	1	–	–	–
†SPENBOROUGH ...	–	4	–	–	1	–
†STANLEY	–	2	–	–	3	–
STOCKSBRIDGE ...	–	1	–	–	–	–
THURNSCOE ...	–	1	–	–	–	–
†TODMORDEN ...	–	2	–	–	–	–
†WOMBWELL ...	–	4	–	–	–	–
†WORSBOROUGH ...	–	1	–	–	–	–
YEADON	–	2	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio. J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) *cont.*						
Rural Districts:—						
DONCASTER ...	2	2	1	–	7	–
HEMSWORTH ...	–	1	2	1	5	–
KNARESBOROUGH	–	–	–	–	–	M. 1
PONTEFRACT ...	–	4	–	–	–	–
SETTLE	–	–	–	1	–	–
SKIPTON	–	1	–	–	1	–
TADCASTER ...	–	1	–	–	–	–
THORNE	–	–	–	–	1	M. 1
WAKEFIELD ...	–	–	1	–	–	–
WETHERBY ...	–	–	3	–	2	–
§YORK C.B. ...	–	1	–	–	–	–
WALES.						
ANGLESEY	–	–	–	–	1	–
Boroughs and Urban Districts:—						
AMLWCH	–	–	–	–	1	–
BRECKNOCK ...	–	–	–	1	2	M. 1
Urban District:—						
BRYNMAWR ...	–	–	–	–	2	–
Rural Districts:—						
CRICKHOWELL ...	–	–	–	–	–	M. 1
YSTRADGYNLAIS...	–	–	–	1	–	–
CARDIGAN	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN ...	–	3	6	–	1	–
Boroughs and Urban Districts:—						
LLANDILO ...	–	–	1	–	–	–
†LLANELLY ...	–	–	1	–	–	–
Rural Districts:—						
LLANELLY ...	–	3	3	–	–	–
LLANYBYTHER ...	–	–	1	–	1	–
CARNARVON ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†LLANDUDNO ...	–	1	–	–	–	–
LLANFAIRFECHAN	–	1	–	–	–	–
Rural Districts:—						
GLASLYN	–	1	–	–	–	–
DENBIGH	–	2	–	–	6	C. 1
Boroughs and Urban Districts:—						
DENBIGH... ...	*	*	*	*	*	*
Rural Districts:—						
CHIRK	–	1	–	–	–	C. 1
LLANSILIN ...	–	1	–	–	–	–
RUTHIN	–	–	–	–	4	–
WREXHAM ...	–	–	–	–	2	–
FLINT	–	3	2	–	3	D. 1
Boroughs and Urban Districts:—						
†RHYL	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT—*cont.*						
Rural Districts:—						
HAWARDEN ...	–	3	–	–	–	D. 1
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	2	–
ST. ASAPH (FLINT)	–	–	1	–	–	–
GLAMORGAN ...	5	54	24	–	36	D. 1 L. 1 M. 9
†CARDIFF C.B. ...	5	6	3	–	5	D. 1 L. 1 M. 4
†MERTHYR TYDFIL C.B.	–	1	2	–	–	–
†SWANSEA C.B. ...	–	7	5	–	–	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	3	–	–	5	M. 1
†BARRY	–	3	1	–	2	M. 1
†CAERPHILLY ...	–	–	2	–	–	M. 1
†GELLIGAER ...	–	–	1	–	–	–
†MAESTEG ...	–	–	3	–	–	–
†MOUNTAIN ASH ...	–	6	–	–	7	–
†NEATH	–	–	2	–	–	–
†OGMORE AND GARW	–	8	–	–	–	–
†PENARTH ...	–	2	–	–	–	–
†PONTYPRIDD ...	–	3	–	–	3	–
†RHONDDA ...	–	7	3	–	14	M. 1
Rural Districts:—						
CARDIFF	–	–	1	–	–	–
COWBRIDGE ...	–	–	–	–	–	M. 1
GOWER	–	–	1	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	1	–	–	–	–
NEATH	–	5	–	–	–	–
PENYBONT ...	–	1	–	–	–	–
SWANSEA... ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MERIONETH ...	–	1	–	–	1	–
Urban Districts:—						
BARMOUTH ..	*	*	*	*	*	*
Rural Districts:—						
DOLGELLEY ...	–	1	–	–	1	–
MONMOUTH ...	–	3	6	–	8	E. 1 G. 1 M. 1
†NEWPORT C.B. ...	–	–	–	–	3	E. 1
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	–	2	–	–	–
†BEDWELLTY ...	–	–	–	–	1	–
LLANFRECHFA UPPER	–	–	1	–	–	–
MONMOUTH ...	–	1	–	–	–	–
†MYNYDDISLWYN	–	–	–	–	–	M. 1
†NANTYGLO AND BLAINA	–	–	–	–	3	–
†PANTEG	–	–	–	–	–	G. 1
†TREDEGAR ..	–	–	–	–	1	–
Rural Districts:—						
CHEPSTOW ...	–	–	1	–	–	–
MAGOR	–	–	1	–	–	–
PONTYPOOL ...	–	–	1	–	–	–
SAINT MELLONS...	–	1	–	–	–	–
MONTGOMERY ...	–	2	1	–	5	–
Borough and Urban District:—						
LLANFYLLIN ...	–	1	–	–	–	–
NEWTOWN AND LLANLLWCHAIARN ...	–	–	1	–	–	–
WELSHPOOL ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY— *cont.*						
Rural Districts :—						
FORDEN	–	–	–	–	2	–
LLANFYLLIN ...	–	1	–	–	1	–
NEWTOWN AND LLANIDLOES	*	*	*	*	*	*
PEMBROKE	–	–	2	–	–	–
Boroughs and Urban Districts :—						
GOODWICK ...	*	*	*	*	*	*
HAVERFORDWEST.	–	–	1	–	–	–
MILFORD HAVEN	–	–	1	–	–	–
NEYLAND... ...	*	*	*	*	*	*
†PEMBROKE ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
RADNOR	–	–	–	–	1	–
Urban District :—						
KNIGHTON ...	–	–	–	–	1	–
Total of Part II. ...	58	1341	486	38	953	C. 38 D. 13 E. 4 G. 20 L. 7 M. 116

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIFF	–	1	–	–	–	–
LIVERPOOL	–	–	1	–	–	–

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
PORT OF LONDON ...	–	–	–	1	–	
Total of Part III.— ...	–	1	1	1	–	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	161	176	7	92	C. 6 D. 2 E. 3 G. 2 M. 10
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	58	1341	486	38	953	C. 38 D. 13 E. 4 G. 20 L. 7 M. 116
Total of Part III.—Port Sanitary Districts	–	1	1	1	–	–
Total (*i.e.*, of returns received), England and Wales ...	58	1503	663	46	1045	C. 44 D. 15 E. 7 G. 22 L. 7 M. 126¾

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poliophalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued r; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague, or Typhus Fever notified during the week. cases of Small-pox notified appear on pages 650, 651, 652, 656, 657, 660, 662, and 663.

Table 5.—London and Great Towns in the Aggregate. { Births, Deaths (distinguishing certain Caus and Deaths of Infants under 1 Year Age) and Notified Cases of certain I fectious Diseases in the last Thirte Weeks.

Week ended :—	Mar. 17.	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	Jun 9.
LONDON:—													
Deaths—all ages	1,098	1,162	1,082	1,094	1,126	1,016	1,043	1,047	885	949	905	840	8
„ 0 to 1 year ..	104	112	113	100	120	111	105	118	106	93	98	83	
GREAT TOWNS, aggregate (including London):—													
Births	7,755	7,844	7,029	7,386	8,216	8,258	7,581	7,970	7,665	8,310	6,717	8,723	8,0
Deaths—all ages	4,882	4,953	4,991	4,735	4,971	4,539	4,686	4,887	4,478	4,531	4,224	4,151	4,2
„ 0 to 1 year ..	636	626	662	557	634	570	548	648	566	564	518	506	5
Enteric Fever—Cases	13	18	15	16	26	22	19	30	15	18	18	16	
„ Deaths	3	2	2	4	3	4	1	2	1	3	5	—	
Small Pox—Cases ..	14	3	15	3	10	7	7	1	4	7	1	8	
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever—Cases	1,007	1,071	907	905	797	952	934	963	859	830	891	804	8
„ Deaths	13	17	11	13	15	12	16	11	15	25	7	12	
Diphtheria—Cases ..	557	554	563	576	483	542	488	499	515	467	405	405	4
„ Deaths ..	43	54	43	37	36	37	40	36	38	34	29	15	
Measles—Deaths ..	108	111	117	105	86	86	69	74	73	73	73	60	
Influenza—Deaths ..	81	125	120	188	184	169	143	175	207	200	166	155	1

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 9th June, 1923. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
London (Greenwich).	71	35	62·3	44·6	5
Brighton ..	63	41	58·6	48·6	1
Portsmouth ..	64	41	60·5	49·2	0
Norwich (Eaton).	72	37	60·9	44·6	5
Plymouth ..	62	44	58·6	48·9	3
Bristol (Clifton).	66	42	62·4	48·6	1
Birmingham ..	65	41	59·4	46·0	5
Nottingham ..	70	40	59·7	46·0	7
Birkenhead (Bidston).	64	46	56·9	48·7	4
Manchester ..	68	43	59·7	47·6	6
Burnley.. ..	65	41	57·9	45·3	20
Huddersfield	65	42	60·0	46·4	12

Towns.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.
	°	°	°	°	
Bradford ..	67	40	58·6	45·9	17
Sheffield ..	68	40	58·6	46·4	12
York (Museum)	70	42	61·3	46·0	7
Hull (Pearson Park).	72	40	61·7	45·9	4
Tynemouth ..	64	41	57·7	46·3	7
Cardiff	67	44	60·4	47·9	9
Edinburgh ..	63·0	40·0	57·1	45·6	17
Glasgow ..	61·0	41·0	57·1	47·3	17
Dublin (Phœnix Park).	68·0	43·0	61·3	47·4	1
Fitzwilliam Square.†	68·3	48·0	61·1	50·3	0
Belfast	66·0	48·0	60·7	51·0	4

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 9th June, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JUNE.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY - 3	..	29·869	71·0	35·4	35·6	54·5	− 3·6	44·5	10·0	22·5	1·3	69	110·0	29·5	50·0	Calm	W : NNW.	1·5	0·0	0·1	218	− 34	0·00
MONDAY - 4	..	29·760	52·7	43·3	9·4	47·4	−10·9	38·1	9·3	12·9	5·2	70	104·0	36·8	50·0	NNW : N.	NNE : N	3·0	0·0	0·2	388	+ 134	0·03
TUESDAY - 5	..	29·832	57·5	42·4	15·1	47·9	−10·5	40·8	7·1	15·1	5·2	76	113·0	35·6	50·0	N : Calm.	N : SW	0·3	0·0	0·0	159	− 99	0·02
WEDNESDAY 6	Last Quarter.	29·875	57·0	46·3	10·7	50·1	− 8·2	47·6	2·5	8·8	0·2	91	89·0	39·5	50·1	WNW : NW.	Calm	1·8	0·0	0·1	225	− 34	0·13
THURSDAY - 7	In Equator	30·040	66·0	45·6	20·4	54·8	− 3·4	48·5	6·3	14·5	0·2	80	114·2	37·4	50·2	Calm : NW.	SW	0·5	0·0	0·0	177	− 82	0·00
FRIDAY - 8	..	29·920	64·5	46·3	18·2	55·1	− 3·0	46·7	8·4	26·6	3·6	74	123·9	37·2	50·2	SW	SW	4·5	0·0	0·4	416	+ 159	0·00
SATURDAY - 9	Apogee	29·846	66·5	53·4	13·1	58·8	+ 0·8	55·8	3·0	9·0	2·5	90	111·3	50·5	50·2	SW	SW : SSW.	3·0	0·1	0·4	451	+ 196	0·00
MEANS -	..	29·877	62·2	54·7	17·5	52·7	− 5·5	46·0	6·7	15·6	2·6	79	109·3	38·1	50·1	Westerly		..	..	..	Sum 2,034	Sum + 240	Sum 0·18
No. of COLUMN	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JUNE.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	3	mP	8·4	16·3	Overcast generally with cloudless periods till 3h., and between 7h. and 9h. Mist between 9h. and 12h. Solar halo 13h. to 14h. Very slight rain 15¾h.
MONDAY ..	4	wP at 5h.; then mP.	1·7	16·3	Nearly overcast till 19½h., then partially cloudy. Rain till 2h. Shower 7½h.
TUESDAY ..	5	mP to 11h.; sP to 19h., then mP.	2·3	16·3	Overcast with cloudy period between 15h. and 17½h. Occasional slight rain between 6h. and 12h.
WEDNESDAY	6	mP to 5h.; sP to 14h.; then wP.	0·1	16·3	Overcast. Frequent rain between 12h. and 18½h. Gloom about 12h. Mist from 16h.
THURSDAY	7	wP to 4h.; mP to 6h; sP. to 12h.; mP to 20h.; then wP.	0·7	16·4	Overcast till 19½h., becoming nearly cloudless by 20h.
FRIDAY ..	8	wP to 8h.; mP generally to 22h.; then wP.	2·6	16·4	Little cloud till 3h., becoming nearly overcast by 4h. Brisk wind 10h. till 21h. Slight shower about 18h.
SATURDAY	9	wP to 7h.; mP to 19h., then wP.	0·1	16·4	Overcast generally.
			Sum 15·9	Sum 114·4	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·12 in. at the beginning of the week to 29·67 in. by 4h. on 4th; increased to 29·85 in. by 10h. on 5th; decreased to 29·77 in. by 3h. on 6th.; increased to 30·06 in. by 10h. on 7th; decreased to 29·80 in. by 5h. on 9th; increased and was 29·89 in. by midnight of the same day.

(42693) Wt. 15—P 11 2250 6/23 H. St. G. 43

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS
11-17, Hare Street, E.2

FOR OFFICIAL USE.

1923. No. 24.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 16TH JUNE, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 16TH JUNE, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-fourth week of the year numbered 8,106 and corresponded to an annual rate of 22·0 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,060 and corresponded to an annual rate of 11·0 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 11·5, 11·3 and 11·6. Infant mortality was 58 per 1,000 births, against 77, 58 and 64 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,988 births, corresponding to a rate of 22·8 per 1,000, and 871 deaths of civilians, corresponding to a rate of 10·0, as against 10·4, 9·7 and 9·7, for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 10·0 per 1,000. The infant mortality was 45 as against 60, 41 and 38 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 204 in the total deaths last week, and the deaths from influenza fell from 140 to 120. In London the number of deaths from all causes rose from 847 to 871; while the deaths from diphtheria, which had been 13, 2 and 12 in the preceding three weeks, fell to 9 last week, and those from influenza, which had been 13, 10 and 10 in the three preceding weeks, were again 10 last week.

Just Published:

Census of England and Wales, 1921. County of Middlesex. Price 10*s.* net

County of Essex. Price 12*s.* 6*d.* net.

County of Surrey. Price 10*s.* net.

County of Kent. Price 14*s.* net.

County of Hertford. Price 7*s.* 6*d.* net.

The Registrar General's Statistical Review, 1921.
Tables, Part II. Civil. Price 5*s.* net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 16th June, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	8,106	4,060	474	2	85	9	45	26	58	120
London	4,534,230*	1,988	871	90	2	8	2	9	9	7	10
Towns in Outer Ring.											
Croydon C.B. ..	192,300	85	27	1	-	-	-	-	-	-	-
Wimbledon ..	61,730	21	10	-	-	-	-	-	-	-	-
Ealing	67,890	20	9	1	-	-	-	-	-	-	-
Acton	62,390	22	15	1	-	-	-	-	-	-	-
Willesden ..	168,200	42	19	2	-	-	-	1	-	-	-
Hendon	55,930	23	5	2	-	-	-	-	-	-	-
Hornsey	87,310	15	11	-	-	-	-	-	-	-	-
Wood Green ..	51,290	17	6	1	-	-	-	-	-	-	-
Tottenham ..	150,500	52	26	5	-	-	-	-	-	-	-
Edmonton ..	68,700	35	9	1	-	-	-	-	-	1	-
Enfield	62,010	17	5	1	-	-	-	-	-	-	-
West Ham C.B. ..	310,200	181	55	7	-	-	-	1	-	1	1
East Ham C.B. ..	145,800	47	20	3	-	-	-	-	-	-	1
Leyton	131,600	23	20	3	-	-	-	1	-	-	-
Walthamstow ..	129,700	37	19	2	-	-	-	-	-	-	-
Ilford	86,370	20	16	1	-	-	-	-	-	-	-
Gillingham	48,630*	19	5	-	-	-	-	-	-	-	-
Canterbury C.B ..	23,680	7	7	-	-	-	-	-	-	-	-
Hastings C.B.	59,500	16	13	-	-	-	-	-	-	-	-
Eastbourne C.B. ..	53,700	20	16	-	-	-	-	-	-	-	1
Brighton C.B. ..	135,000	45	26	4	-	-	-	-	1	-	1
Portsmouth C.B. ..	236,630*	125	45	3	-	-	1	-	2	-	2
Bournemouth C.B. ..	81,500	26	26	1	-	-	-	-	-	-	-
Southampton C.B. ..	163,700	73	30	-	-	-	-	1	-	-	2
Reading C.B.	92,990	32	18	2	-	-	-	-	-	1	-
Oxford C.B.	56,510	23	8	1	-	-	-	1	-	-	1
Northampton C.B. ..	92,950	44	16	-	-	-	-	-	-	-	-
Luton	58,260	25	8	1	-	-	-	-	-	1	-
Cambridge	59,200	15	12	1	-	-	-	-	-	-	-
Southend-on-Sea C.B.	91,430	26	14	-	-	-	-	-	-	-	-
Ipswich C.B.	80,950	33	11	2	-	1	-	-	-	-	-
Great Yarmouth C.B.	56,700	27	16	2	-	-	-	1	-	1	-
Norwich C.B. ..	122,900	55	26	2	-	-	-	-	2	-	-
Swindon	55,680	21	6	2	-	-	-	-	-	1	-
Exeter C.B.	59,700	29	11	1	-	-	-	-	-	-	-
Plymouth C.B. ..	200,370*	102	44	6	-	-	-	-	-	-	-
Bath C.B.	68,530	19	16	-	-	-	-	-	-	-	1
Bristol C.B.	383,900	168	80	8	-	2	-	2	-	-	1
Gloucester C.B. ..	52,210	20	9	-	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	274,300	145	54	5	-	-	1	1	-	1	2
Burton-upon-Trent C.B.	49,630	24	12	1	-	-	-	-	-	-	-
Wolverhampton C.B.	105,700	43	23	3	-	-	-	-	-	1	1
Walsall C.B.	99,890	47	25	8	-	3	-	-	-	-	2
West Bromwich C.B.	76,260	31	13	1	-	-	-	-	2	-	1
Dudley C.B.	57,860	20	16	3	-	-	-	-	1	-	1
Worcester C.B. ..	49,240	19	7	-	-	-	-	-	-	-	-
Birmingham C.B. ..	945,100	385	175	21	-	3	1	2	2	4	4
Smethwick C.B. ..	78,140	25	11	1	-	-	-	-	1	-	-
Coventry C.B. ..	131,200	43	22	2	-	-	-	-	-	-	1
Leicester C.B. ..	238,800	103	63	11	-	1	-	-	-	2	3
Lincoln C.B.	66,930	24	7	1	-	-	-	-	-	-	-
Grimsby C.B.	84,650	29	14	-	-	-	-	-	-	-	-
Nottingham C.B. ..	267,900	124	46	9	-	-	-	1	-	-	-
Derby C.B.	132,400	55	23	4	-	-	-	1	-	-	-
Chesterfield ..	63,380	22	17	3	-	-	-	-	-	-	2
Stockport C.B. ..	125,800	50	38	8	-	1	-	-	-	1	4
Chester C.B.	41,190	11	6	1	-	-	-	-	-	-	-
Birkenhead C.B. ..	149,200	79	26	3	-	-	-	1	-	1	-
Wallasey C.B. ..	89,790	26	10	2	-	-	-	-	-	-	1
Liverpool C.B. ..	826,400	404	205	36	-	19	1	4	1	9	4
Bootle C.B.	79,750	41	10	1	-	-	-	-	-	-	-
St. Helens C.B. ..	106,400	56	20	2	-	-	-	1	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from						
					Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	28	15	–	–	–	–	–	–	–	–
WIGAN C.B.	91,750	30	22	1	–	–	–	–	–	–	2
WARRINGTON C.B. ..	79,150	44	24	4	–	–	–	2	–	–	3
BOLTON C.B.	182,700	72	34	2	–	–	1	–	–	–	1
BURY C.B.	57,400	18	24	1	–	–	–	–	–	–	2
MANCHESTER C.B. ..	748,500	324	195	21	–	3	–	3	–	3	3
SALFORD C.B.	240,700	93	52	7	–	–	–	–	–	3	1
OLDHAM C.B.	148,300	57	37	3	–	–	–	1	–	–	2
ROCHDALE C.B... ..	92,510	30	22	3	–	–	–	–	–	–	3
BURNLEY C.B.	105,100	41	18	4	–	–	–	–	–	–	–
BLACKBURN C.B. ..	129,600	46	34	4	–	–	–	–	–	–	3
PRESTON C.B.	120,900	45	30	2	–	–	–	–	–	–	1
BLACKPOOL C.B. ..	74,050	20	18	1	–	–	–	–	–	–	1
BARROW-IN-FURNESS C.B.	75,690	31	15	3	–	–	–	–	–	–	–
HUDDERSFIELD C.B. ..	111,600	41	24	3	–	1	–	–	–	–	3
HALIFAX C.B.	100,500	38	31	3	–	–	–	–	–	2	3
BRADFORD C.B. ..	291,300	111	101	8	–	1	–	1	–	–	11
LEEDS C.B.	466,700	211	140	12	–	–	1	–	1	4	13
DEWSBURY C.B. ..	55,170	13	18	1	–	–	–	–	–	–	–
WAKEFIELD C.B. ..	53,840	30	15	4	–	–	–	–	–	1	1
BARNSLEY C.B. ..	69,540	32	20	–	–	–	–	–	1	–	2
SHEFFIELD C.B. ..	522,600	214	146	20	–	–	–	2	–	3	10
ROTHERHAM C.B. ..	69,840	37	18	1	–	–	–	1	–	–	–
DONCASTER	55,020	24	7	3	–	–	–	1	–	–	1
YORK C.B.	84,980	26	17	1	–	–	–	–	–	–	1
HULL C.B.	294,000	144	51	7	–	1	–	–	–	2	1
MIDDLESBROUGH C.B.	134,800	80	32	10	–	4	–	–	–	–	1
DARLINGTON C.B. ..	66,710	22	17	2	–	–	–	–	–	–	–
STOCKTON-ON-TEES ..	65,950	27	17	1	–	1	–	–	–	1	–
WEST HARTLEPOOL C.B.	70,020	42	19	4	–	–	–	–	1	–	1
SUNDERLAND C.B. ..	162,900	74	44	1	–	–	–	2	–	1	–
SOUTH SHIELDS C.B. ..	122,400	70	39	7	–	9	–	1	1	–	–
GATESHEAD C.B. ..	127,300	58	37	7	–	11	–	–	–	1	–
NEWCASTLE-ON-TYNE C.B.	281,600	141	64	14	–	6	–	1	–	2	–
TYNEMOUTH C.B. ..	64,640	29	20	2	–	–	–	–	–	–	–
CARLISLE C.B.	53,490	22	9	1	–	–	–	–	–	–	–
NEWPORT (MON.) C.B.	94,880	56	27	1	–	–	–	–	–	–	1
CARDIFF C.B.	223,830	76	42	1	–	–	–	1	–	–	–
RHONDDA	167,500	75	57	13	–	5	1	1	1	2	2
MERTHYR TYDFIL C.B.	82,680	25	13	3	–	2	–	–	–	–	–
ABERDARE	56,580	15	10	–	–	3	–	–	–	–	–
SWANSEA C.B.	161,000	73	36	5	–	–	–	–	–	1	–
GREATER LONDON ..	7,563,730*	3,075	1,331	143	2	8	2	12	10	9	14
OUTER RING	3,029,500*	1,087	460	53	–	–	–	3	1	2	4
16 GREAT TOWNS IN OUTER RING	1,831,920	657	272	31	–	–	–	3	–	2	2
REMAINDER OF OUTER RING	1,197,580*	430	188	22	–	–	–	–	1	–	2
EDINBURGH†	426,000	189	99	12	–	2	2	1	1	–	–
GLASGOW†	1,041,400	549	269	48	–	5	3	2	2	8	1
DUBLIN (REGISTRATION AREA)†	431,000	177	106	11	–	–	–	4	–	1	3
BELFAST†	429,000	229	112	15	–	10	1	2	–	2	–

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available period

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years)	Influenza.
LONDON‡	4,534,230	1923. June 16	1988	871	10·0	2	–	8	2	9	9	7	1
CALCUTTA	896,067	May 5	?	446§	25·5	?	–	?	?	?	?	?	
BOMBAY	1,220,120	April 28											
MADRAS	526,911	„ 28	437	349	34·4	2	6	–	?	–	–	33	
SYDNEY AND SUBURBS	955,900	May											
BRISBANE (Metropolitan Area).	217,714	March											
PERTH (Metropolitan Area).	161,773	April 21	68	28	9·0	–	–	–	–	–	–	1	
AUCKLAND (Urban Area).	164,450	April											
WELLINGTON (Urban Area).	110,680	„											
CHRISTCHURCH (Urban Area).	110,200	„											
CAPE TOWN	106,727	May 5	41	29	14·1	–	–	–	–	–	1	–	
JOHANNESBURG	156,858	„ 5	67	27	8·9	–	–	–	–	–	1	–	
DURBAN	50,488	„ 5	33	12	12·4	–	–	–	–	–	–	–	
PARIS	2,906,472	May 31 (11 days)											
ANTWERP	300,892	March 31	103	79	13·6	–	–	6	–	1	1	4	
		April 7	119	71	12·0	–	–	4	–	–	–	4	
AMSTERDAM	699,816	May 26	294	131	9·8	2	–	–	–	1	–	2	
COPENHAGEN	565,000	June 2	218	112	10·3	–	–	4	–	–	–	1	
STOCKHOLM	424,944	May 26	121	88	10·8	–	–	3	–	–	–	2	
GOTHENBURG	228,074	„ 19	?	44	10·0	–	–	–	–	–	–	–	
CHRISTIANIA	258,933	June 2	67	55	11·0	–	–	1	–	–	–	–	
BERLIN	1,990,000	May 5	395	566	14·8	1	?	8	–	3	1	6	
		„ 12	388	538	14·1	–	?	4	–	–	2	4	
BRESLAU	563,000	May 5	202	162	15·0	–	?	6	–	–	–	3	
		„ 12	196	170	15·7	–	?	2	1	3	1	1	
COLOGNE	699,000	May 5	263	187	13·9	–	?	1	–	4	3	9	
		„ 12	254	154	11·5	–	?	2	–	6	1	3	
DRESDEN	613,000	May 5	199	141	12·0	–	?	1	–	–	–	2	
		„ 12	172	145	12·3	1	?	1	–	–	–	–	
FRANKFORT-ON-MAIN ..	478,000	May 5	90	91	9·9	–	?	2	–	–	–	–	
		„ 12	82	66	7·2	–	?	–	–	–	–	1	
HAMBURG	1,073,000	May 5	307	267	12·9	–	?	3	2	1	2	1	
		„ 12	302	297	14·4	–	?	7	–	1	–	–	
LEIPZIG	683,000	May 5	234	153	11·6	–	?	–	–	2	–	6	
		„ 12	185	163	12·4	–	?	–	–	2	1	2	
MUNICH	685,000	May 5	197	185	14·0	–	?	10	–	–	–	2	
		„ 12	189	183	13·9	–	?	8	–	3	1	5	
VIENNA	1,841,326	April 14											
PRAGUE AND SUBURBS	697,111	April 15 (15 days)											
BUDAPEST	946,000	March 24	427	374	20·6	2	–	6	2	2	2	?	
WARSAW	956,087	May 5	394	178	9·7	–	–	–	1	–	1	5	
		„ 12	460	300	16·3	3	–	–	–	3	–	27	
CAIRO	791,000	Feb. 25											
ALEXANDRIA	466,700	„ 25											
NEW YORK	5,927,617	April 21											
CHICAGO	2,886,121	May 12	?	663	12·0	–	–	14	2	3	4	14	
		„ 19	?	700	12·6	–	–	12	3	1	6	21	
RIO DE JANEIRO ..	1,280,253	April 21	642	471	19·3	2	1	1	–	8	–	?	
		„ 28	664	506	20·6	2	–	1	–	8	2	?	
MONTEVIDEO	349,768	Feb. 24	186	145	22·4	3	–	2	–	2	–	14	

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vie Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *ye age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 24 deaths from *Asiatic Cholera*, and 6 from *Plague*.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 16th June, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	871	90	21	19	30	39	48	61	111	133	169	150
Enteric fever	2	-	-	-	1	-	-	-	1	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	8	1	5	1	-	1	-	-	-	-	-	-
Scarlet fever	2	-	1	-	1	-	-	-	-	-	-	-
Whooping cough	9	7	1	1	-	-	-	-	-	-	-	-
Diphtheria	9	1	1	1	5	1	-	-	-	-	-	-
Influenza	10	-	-	-	1	1	1	1	2	1	3	-
Erysipelas	1	-	-	-	-	-	-	-	-	-	-	1
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	-	-	-	-	1	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	95	-	-	1	1	19	23	16	19	10	6	-
Nervous system	1	-	-	1	-	-	-	-	-	-	-	-
Intestines and peritoneum	1	-	-	-	-	-	-	-	-	1	-	-
Other forms	3	1	-	-	1	-	1	-	-	-	-	-
Venereal diseases	3	2	-	-	-	-	-	-	1	-	-	-
Cancer	117	-	-	-	-	-	-	7	19	40	31	20
Rheumatic fever	6	-	-	-	4	1	1	-	-	-	-	-
Diabetes	3	-	-	-	-	-	1	1	-	-	1	-
Alcoholism	-	-	-	-	-	-	-	-	-	-	-	-
Simple meningitis	3	1	1	1	-	-	-	-	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	38	-	-	-	-	-	-	2	5	8	15	8
Epilepsy	5	-	-	-	-	-	-	1	3	-	-	1
"Convulsions" (not puerperal) ..	4	4	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	25	-	-	1	3	1	4	2	7	1	4	2
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	6	-	-	1	-	-	1	2	1	-	1	-
Other diseases of heart	124	-	-	2	2	4	2	7	14	21	38	34
Other diseases of circulatory system	38	-	-	-	-	-	1	-	4	5	9	19
Bronchitis	34	6	1	-	-	-	-	1	1	7	7	11
Broncho-pneumonia	30	10	5	1	-	-	-	-	2	4	3	5
Lobar-pneumonia	20	-	1	-	2	1	-	-	6	4	5	1
Pneumonia (type not distinguished) ..	16	3	1	1	-	-	1	-	1	5	4	-
Other diseases of respiratory system	12	1	-	1	-	-	1	-	2	1	1	5
Diarrhœa and enteritis	13	7	-	1	2	-	-	-	-	1	-	2
Appendicitis, Typhlitis	6	-	-	-	2	-	2	-	-	1	1	-
Hernia, Intestinal obstruction	13	1	-	-	2	-	-	-	2	1	6	1
Cirrhosis of liver	5	-	-	-	-	-	-	-	1	2	2	-
Other diseases of digestive system ..	22	3	1	-	1	-	2	4	4	6	1	-
Acute nephritis	2	-	-	-	-	-	-	1	1	-	-	-
Chronic Bright's disease	22	-	-	-		-	1	2	3	3	12	1
Other diseases of genito-urinary system.	19	-	-	-	-	-	1	3	2	2	7	4
Puerperal sepsis	2	-	-	-	-	2	-	-	-	-	-	-
Other causes incident to childbirth ..	6	-	-	-	-	1	3	2	-	-	-	-
Congenital malformations	-	-	-	-	-	-	-	-	-	-	-	-
Premature birth	17	17	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	7	7	-	-	-	-	-	-	-	-	-	-
Old age..	29	-	-	-	-	-	-	-	-	1	2	26
Suicide	13	-	-	-	-	-	-	5	4	1	1	2
Burns and scalds	3	1	1	-	-	-	-	-	1	-	-	-
Drowning	2	-	-	-	-	-	1	-	1	-	-	-
Suffocation in bed	2	2	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	14	1	-	3	1	2	-	1	-	4	1	1
Other deaths by violence	10	-	-	-	-	2	-	2	2	1	2	1
Other specified causes	38	14	2	2	1	3	1	1	2	1	6	5
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 16th June, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	–	177	191	6	84	C. 3 D. 2 G. 1 M. 17
†CITY OF LONDON	–	1	–	–	–	M. 1
Metropolitan Boroughs:—						
†BATTERSEA ...	–	3	11	–	4	M. 1
†BERMONDSEY ...	–	6	7	–	2	–
†BETHNAL GREEN	–	9	8	–	8	M. 1
†CAMBERWELL ...	–	5	16	–	4	–
†CHELSEA	–	4	1	–	–	–
†DEPTFORD ...	–	9	13	–	1	–
†FINSBURY ...	–	5	1	–	2	–
†FULHAM	–	10	4	–	4	–
†GREENWICH ...	–	3	2	1	1	D. 1 M. 1
†HACKNEY ...	–	13	7	2	–	M. 2
†HAMMERSMITH ...	–	–	6	–	1	–
†HAMPSTEAD ...	–	1	1	–	1	–
†HOLBORN... ...	–	5	4	–	1	–
†ISLINGTON ...	–	11	19	–	5	M. 4

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	5	8	1	–	M. 1
†LAMBETH ...	–	15	9	–	3	C. 1 M. 1
†LEWISHAM ...	–	3	4	–	4	–
†PADDINGTON ...	–	8	2	–	6	–
†POPLAR	–	7	3	–	1	C. 1
†ST. MARYLEBONE	–	1	5	–	1	M. 1
†ST. PANCRAS ...	–	9	8	1	6	M. 2
†SHOREDITCH ...	–	11	9	–	1	–
†SOUTHWARK ...	–	10	17	–	4	C. 1
†STEPNEY	–	6	10	–	11	G. 1
†STOKE NEWINGTON	–	1	2	–	–	–
†WANDSWORTH ...	–	5	9	–	7	D. 1 M. 1
†WESTMINSTER, CITY OF	–	2	1	–	1	–
†WOOLWICH ...	–	9	4	1	5	M. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD	–	1	2	–	1	–
Boroughs and Urban Districts:—						
†BEDFORD ...	–	1	–	–	–	–
BIGGLESWADE ...	–	–	–	–	1	–
†LUTON	–	–	1	–	–	–
Rural Districts:—						
AMPTHILL ...	–	–	1	–	–	–
BERKS	–	16	10	–	2	–
†READING C.B. ...	–	4	5	–	2	–
Boroughs and Urban District:—						
ABINGDON ...	–	1	–	–	–	–
†MAIDENHEAD ...	–	–	1	–	–	–
NEWBURY ...	–	–	1	–	–	–
WOKINGHAM ...	–	2	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	4	2	–	–	–
BRADFIELD ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	1	–	–	–	–
WALLINGFORD ...	–	2	–	–	–	–
WANTAGE ...	–	1	–	–	–	–
WINDSOR... ...	–	–	1	–	–	–
BUCKINGHAM ...	–	6	1	–	4	M. 2
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE ...	–	3	–	–	2	
CHESHAM... ...	–	1	–	–	–	–
NEWPORT PAGNELL ...	–	–	–	–	–	M. 1
†WOLVERTON ...	–	1	–	–	–	–
BUCKINGHAM—*cont.*						
Rural Districts:—						
AMERSHAM ...	–	–	–	–	1	–
AYLESBURY ...	–	1	–	–	–	–
ETON	–	–	1	–	1	–
NEWPORT PAGNELL	–	–	–	–	–	M. 1
CAMBRIDGE ...	–	3	2	–	1	–
Borough:—						
†CAMBRIDGE ...	–	1	2	–	1	–
Rural Districts:—						
CHESTERTON ...	–	2	–	–	–	–
CHESTER	–	40	12	–	23	C. 2 D. 1 G. 1 L. 2 M. 3
†BIRKENHEAD C.B.	–	7	4	–	3	D. 1
†CHESTER C.B. ...	–	3	–	–	5	–
†STOCKPORT C.B.	–	5	2	–	1	C. 1
†WALLASEY C.B. ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	2	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	–	M. 1
BOLLINGTON ...	–	–	–	–	1	–
COMPSTALL ...	–	–	–	–	2	–
†CONGLETON ...	–	1	–	–	–	–
†CREWE	–	1	–	–	–	–
†DUKINFIELD ...	–	–	–	–	1	–
HOOLE	–	–	1	–	–	–
†HOYLAKE AND WEST KIRBY	–	2	–	–	1	–
†HYDE	–	1	–	–	4	M. 1
KNUTSFORD ...	–	1	–	–	–	–
†MACCLESFIELD ...	–	4	–	–	–	L. 2
MIDDLEWICH ...	–	–	–	–	1	–
NESTON AND PARKGATE	–	–	–	–	1	G. 1
†RUNCORN... ..	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SALE	–	–	–	–	–	M. 1
†STALYBRIDGE ...	–	1	1	–	–	–
†WINSFORD ...	–	1	–	–	1	–
Rural Districts:—						
BUCKLOW ...	–	1	–	–	–	–
CONGLETON ...	–	2	–	–	–	–
MACCLESFIELD ...	–	1	–	–	–	–
MALPAS	–	2	–	–	–	–
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...	–	2	1	–	–	C. 1
RUNCORN... ...	–	1	2	–	1	–
CORNWALL ...	–	–	–	–	4	D. 1
Boroughs and Urban Districts:—						
NEWQUAY ...	–	–	–	–	1	–
TORPOINT ...	–	–	–	–	3	–
Rural Districts:—						
CAMELFORD ...	*	*	*	*	*	*
SAINT GERMANS	–	–	–	–	–	D. 1
CUMBERLAND ...	–	8	4	–	4	–
†CARLISLE C.B. ...	–	2	–	–	3	–
Boroughs and Urban Districts:—						
COCKERMOUTH ...	–	2	–	–	–	–
EGREMONT ..	–	–	1	–	–	–
WIGTON	–	–	1	–	–	–
†WORKINGTON ...	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CUMBERLAND—*cont.*						
Rural Districts:—						
BRAMPTON ...	–	1	–	–	–	–
CARLISLE ...	–	2	–	–	–	–
COCKERMOUTH ...	–	–	–	–	1	–
WHITEHAVEN ...	–	–	1	–	–	–
DERBY	1	22	5	–	16	D. 1 L. 1 M. 5
†DERBY C.B. ...	–	8	1	–	4	M. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	–	2	–	–	1	L. 1 M. 1
BAKEWELL ...	–	–	–	–	1	–
†BELPER	–	2	–	–	–	–
†BOLSOVER ...	–	–	1	–	–	–
†BUXTON	–	1	–	–	–	–
†CHESTERFIELD ...	–	1	–	–	–	–
HEAGE	–	–	–	–	1	–
†HEANOR	1	–	–	–	1	–
†ILKESTON ...	–	2	–	–	–	–
MATLOCK ...	–	1	–	–	–	–
MATLOCK BATH AND SCARTHIN NICK	*	*	*	*	*	*
NEW MILLS ...	–	1	–	–	–	–
†RIPLEY	–	–	–	–	1	–
†SWADLINCOTE DISTRICT	–	–	–	–	1	–
Rural Districts:—						
BAKEWELL ...	–	1	–	–	1	–
BELPER	–	1	–	–	–	–
BLACKWELL ...	–	–	1	–	1	–
CHESTERFIELD ..	–	2	–	–	4	M. 2
CLOWNE	–	–	1	–	–	–
HARTSHORN AND SEALS	–	–	–	–	–	D. 1
NORTON	*	*	*	*	*	*
SHARDLOW ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DEVON	–	28	11	2	8	–
†EXETER C.B. ...	–	1	–	–	–	–
†PLYMOUTH C.B....	–	8	3	1	6	–
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	–	1	1	–
BRIXHAM ...	–	–	–	–	1	–
BUCKFASTLEIGH	*	*	*	*	*	*
†EXMOUTH ...	–	1	–	–	–	–
†NEWTON ABBOT...	–	2	–	–	–	–
OTTERY ST. MARY	–	6	–	–	–	–
†TORQUAY ...	–	5	–	–	–	–
Rural Districts:—						
AXMINSTER ...	–	1	–	–	–	–
BIDEFORD ...	–	–	5	–	–	–
KINGSBRIDGE ...	–	1	–	–	–	–
OKEHAMPTON ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	1	3	–	–	–
ST. THOMAS ...	–	1	–	–	–	–
DORSET	–	3	3	–	1	D. 1 M. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	–	–
†POOLE	–	–	–	–	–	M. 1
SHAFTESBURY ...	–	–	–	–	–	D. 1
Rural Districts:—						
WAREHAM AND PURBECK	–	–	1	–	–	–
WEYMOUTH ...	–	2	2	–	–	–
WIMBORNE AND CRANBORNE	–	–	–	–	1	–
DURHAM	–	82	20	–	53	G. 1 L. 1 M. 11
†DARLINGTON C.B	–	2	–	–	–	–
†GATESHEAD C.B.	–	6	2	–	3	M. 1
†SOUTH SHIELDS C.B.	–	1	–	–	11	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DURHAM—*cont.*						
†SUNDERLAND C.B.	–	7	1	–	5	M. 2
†WEST HARTLEPOOL C.B.	–	2	2	–	4	M. 2
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	–	–	1	–
BARNARD CASTLE	–	1	1	–	–	–
BENFIELDSIDE ...	–	–	3	–	–	–
†BISHOP AUCKLAND	–	2	–	–	–	–
†BLAYDON... ...	–	2	–	–	–	–
†BRANDON AND BYSHOTTLES	–	–	1	–	–	–
†CONSETT	–	–	–	–	1	–
†CROOK	–	–	–	–	1	–
†DURHAM	–	1	–	–	–	–
†FELLING	–	2	–	–	1	–
†HEBBURN ...	–	–	4	–	1	–
†HETTON	–	5	–	–	–	–
†HOUGHTON LE SPRING	–	–	–	–	1	M. 1
†JARROW	–	1	–	–	2	M. 3
LEADGATE ...	–	–	1	–	1	–
†RYTON	–	1	–	–	–	–
†SEAHAM HARBOUR	–	–	–	–	2	–
†SHILDON	–	–	–	–	–	M. 1
†SOUTHWICK ON WEAR	–	1	–	–	–	–
†SPENNYMOOR ...	–	6	1	–	–	–
†STANLEY	–	3	–	–	1	–
†STOCKTON ON TEES	–	1	1	–	3	L. 1
†TANFIELD ...	–	1	–	–	–	–
†WASHINGTON ..	–	3	1	–	2	–
†WHICKHAM ...	*	*	*	*	*	*
Rural Districts:—						
AUCKLAND ...	–	3	–	–	–	–
CHESTER LE STREET		14	–	–	2	–
DURHAM		5	–	–	–	–
EASINGTON ...	–	5	–	–	2	–
HOUGHTON LE SPRING	–	3	–	–	4	–
LANCHESTER ...	–	–	1	–	–	–
SEDGEFIELD ...	–	3	–	–	1	G. 1
STOCKTON ...	–	–	1	–	1	–
SUNDERLAND ...	–	–	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ISLE OF ELY ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
MARCH	*	*	*	*	*	*
†WISBECH	–	–	1	–	–	–
ESSEX	2	35	38	3	8	C. 2 G. 2 M. 3
†EAST HAM C.B. ...	–	1	1	–	–	–
†SOUTHEND-ON-SEA C.B.	–	8	–	–	1	C. 1
†WEST HAM C.B. ...	2	7	15	1	4	C. 1 M. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	1	–	–	–
BRENTWOOD ...	–	1	–	–	–	–
BURNHAM ON CROUCH	–	–	–	1	–	–
†CHELMSFORD ...	–	–	–	–	–	G. 1
†COLCHESTER ...	–	–	–	1	1	–
†GRAYS THURROCK	–	–	–	–	1	–
†HARWICH ...	–	1	–	–	–	–
†ILFORD	–	3	5	–	–	G. 1
†LEYTON	–	2	2	–	–	–
LOUGHTON ...	*	*	*	*	*	*
†ROMFORD ...	–	1	–	–	–	–
SAFFRON WALDEN	–	1	–	–	–	–
SHOEBURYNESS ...	–	–	2	–	–	–
WALTHAM HOLY CROSS	–	–	2	–	–	–
†WALTHAMSTOW ...	–	3	8	–	–	M 1.
†WOODFORD ...	–	1	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	–	1	–	–	–
HALSTEAD ...	–	1	1	–	–	–
MALDON... ...	–	1	–	–	–	–
ONGAR	–	2	–	–	1	–
ROCHFORD ...	–	1	–	–	–	–
ROMFORD... ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	58	39	11	2	14	C. 1 M. 3
†BRISTOL C.B. ...	–	27	6	–	3	C. 1 M. 3
†GLOUCESTER C.B.§	52	–	1	–	4	–
Boroughs and Urban Districts:—						
CHARLTON KINGS	–	–	1	–	–	–
†CHELTENHAM ...	–	1	1	–	–	–
†KINGSWOOD ...	–	2	–	–	–	–
STOW ON THE WOLD	–	–	–	–	1	–
STROUD	–	–	–	–	1	–
Rural Districts:—						
CAMPDEN... ...	–	1	1	–	–	–
CHIPPING SODBURY	–	2	–	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
DURSLEY... ...	–	–	–	–	1	–
EAST DEAN AND UNITED PARISHES ...	–	1	–	1	–	–
GLOUCESTER ...	3	–	–	1	–	–
MARSTON SICCA	–	4	–	–	–	–
STOW ON THE WOLD (part)	–	–	–	–	1	–
STROUD	1	–	–	–	1	–
THORNBURY ...	–	–	1	–	2	–
WHEATENHURST	2	–	–	–	–	–
HEREFORD ...	–	1	2	1	5	G. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	1	–	–	–
LEDBURY... ...	–	–	–	–	1	–
LEOMINSTER ...	–	–	–	–	1	–
ROSS	–	–	–	1	–	–
Rural Districts:—						
BREDWARDINE ...	–	–	–	–	2	–
BROMYARD ...	–	1	–	–	1	–
HEREFORD ...	–	–	–	–	–	G. 1
WEOBLEY ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

§ 21 cases of chicken-pox were notified.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ..	–	9	–	–	3	–
Boroughs and Urban Districts:—						
BUSHEY	–	3	–	–	–	–
†CHESHUNT ...	–	–	–	–	2	–
HARPENDEN ...	–	1	–	–	–	–
†WATFORD ...	–	1	–	–	–	–
Rural Districts:—						
HADHAM	–	1	–	–	–	–
HERTFORD ...	–	–	–	–	1	–
WATFORD ...	–	3	–	–	–	–
KENT	–	39	13	1	7	C. 2 E. 1 L. 1 M. 1
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	–	–	–	1	–
†BEXLEY	–	–	1	–	–	E. 1
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	–	–
†BROMLEY ...	–	1	–	–	1	–
†CHATHAM ...	–	2	–	–	–	–
†DOVER	–	–	2	–	1	–
†ERITH	–	9	–	–	–	L. 1
†FAVERSHAM ...	–	2	–	–	–	M. 1
†FOLKESTONE ...	–	4	–	–	–	–
†GILLINGHAM ...	–	3	3	–	–	–
†GRAVESEND ...	–	2	2	–	–	–
HYTHE	–	1	–	–	–	–
†MAIDSTONE ...	–	2	–	–	–	–
†PENGE	–	–	1	–	–	–
†ROCHESTER ...	–	2	–	–	–	–
SEVENOAKS ...	–	–	1	–	–	–
†SHEERNESS ...	–	–	1	–	3	–
Rural Districts:—						
BROMLEY ...	–	1	–	–	–	–
EAST ASHFORD ...	–	–	–	–	1	–
ELHAM	–	–	1	–	–	–
HOO	*	*	*	*	*	*
ISLE OF THANET	–	2	1	–	–	–
MALLING	–	1	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts—*cont.*						
SEVENOAKS ...	–	1	–	–	–	–
STROOD	–	5	–	–	–	–
TONBRIDGE ...	–	–	–	–	–	C. 1
LANCASTER ...	–	248	72	3	154	C. 5 G. 2 L. 7 M. 43
†BARROW IN FURNESS C.B.	–	5	–	–	–	M. 1
†BLACKBURN C.B.	–	1	1	–	7	–
†BLACKPOOL C.B.	–	3	1	–	–	M. 2
†BOLTON C.B. ...	–	14	3	–	3	G. 1 M. 4
†BOOTLE C.B. ...	–	6	3	–	2	L. 6
†BURNLEY C.B. ...	–	9	1	–	3	–
†BURY C.B. ...	–	3	3	–	5	–
†LIVERPOOL C.B. ...	–	39	19	–	31	M. 19
†MANCHESTER C.B.	–	35	10	–	28	C. 3 M. 10
†OLDHAM C.B. ...	–	2	–	–	3	C. 1
†PRESTON C.B. ...	–	4	1	–	1	–
†ROCHDALE C.B. ...	–	9	1	–	–	–
†ST. HELENS C.B. ...	–	3	2	1	4	–
†SALFORD C.B. ...	–	12	1	–	6	C. 1 M. 3
†SOUTHPORT C.B.	–	1	1	–	–	M. 1
†WARRINGTON C.B.	–	–	–	–	8	M. 1
†WIGAN C.B. ...	–	–	2	–	5	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	2	–	–	2	–
†ASHTON IN MAKERFIELD	–	–	1	–	–	–
†ASHTON UNDER LYNE	–	2	1	–	2	–
†ATHERTON ...	–	2	–	–	–	–
AUDENSHAW ...	–	5	–	–	–	–
†BACUP	–	–	1	–	–	M. 1
BARROWFORD ...	–	–	–	–	1	–
BRIERFIELD ...	–	3	–	–	–	–
†CHADDERTON ...	–	2	–	–	–	–
†COLNE	–	1	–	–	–	–
†CROMPTON ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DALTON IN FURNESS	–	–	–	–	1	–
†DARWEN	–	1	–	–	–	–
†ECCLES	–	–	1	–	2	M. 1
†FAILSWORTH ...	–	2	–	–	1	–
†FARNWORTH ...	–	1	–	2	–	–
†GREAT HARWOOD	–	5	–	–	–	–
†HASLINGDEN ...	–	3	–	–	1	–
HEYSHAM ...	–	1	1	–	–	–
†HEYWOOD ...	–	2	–	–	5	–
†HINDLEY... ...	–	3	1	–	2	–
†HORWICH ...	–	–	1	–	1	–
†INCE IN MAKERFIELD	–	5	–	–	–	–
IRLAM	–	1	–	–	–	–
KEARSLEY ...	–	1	–	–	–	–
†LANCASTER ...	–	–	1	–	–	–
LATHOM AND BURSCOUGH	–	–	–	–	1	–
†LEIGH	–	3	1	–	–	–
†LITHERLAND ...	–	3	1	–	–	–
†MIDDLETON ...	–	1	–	–	1	–
MILNROW... ...	–	–	–	–	–	G. 1
†MOSSLEY	–	1	–	–	–	–
†NELSON	–	2	–	–	–	–
NORDEN	–	–	1	–	–	–
ORMSKIRK ...	–	1	–	–	1	–
ORRELL	–	–	1	–	–	–
PREESALL ...	–	1	–	–	–	–
PRESCOT	–	1	–	–	–	–
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	2	–	–	–	–
†RAMSBOTTOM ...	–	1	–	–	3	–
†RAWTENSTALL ...	–	–	–	–	1	–
RISHTON	–	–	–	–	2	–
†ROYTON	–	5	–	–	2	–
†STRETFORD... ...	–	5	1	–	2	–
†SWINTON AND PENDLEBURY	–	–	–	–	3	–
THORNTON ...	–	–	–	–	1	–
TOTTINGTON ...	–	–	–	–	1	–
†TURTON	–	1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	4	–
†ULVERSTON ...	–	2	–	–	–	–
UPHOLLAND ...	–	2	–	–	–	–
URMSTON... ..	–	–	–	–	1	–
†WALTON LE DALE	–	–	1	–	–	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WATERLOO WITH SEAFORTH	–	–	4	–	–	–
†WESTHOUGHTON	–	2	1	–	–	–
†WIDNES	–	16	2	–	2	–
†WORSLEY... ...	–	2	–	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	1	–
BURNLEY... ...	–	–	1	–	–	–
CHORLEY	–	–	1	–	–	–
FYLDE	–	1	–	–	–	–
LEIGH	–	1	–	–	–	–
PRESTON	–	2	–	–	–	–
SEFTON	–	–	–	–	1	–
WARRINGTON ...	–	–	–	–	2	–
WHISTON... ...	–	–	–	–	–	L. 1
WIGAN	–	3	–	–	–	–
LEICESTER... ...	–	14	8	–	13	D. 1 G. 2 M. 2
†LEICESTER C.B. ...	–	13	3	–	6	D. 1 G. 2 M. 2
Boroughs and Urban Districts:—						
MARKET HARBOROUGH	–	–	–	–	1	–
MELTON MOWBRAY	–	–	–	–	2	–
QUORNDON ...	–	–	1	–	–	–
SHEPSHED ...	–	–	–	–	1	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	2	–	–	–
BARROW UPON SOAR	–	1	1	–	–	–
LOUGHBOROUGH	–	–	–	–	1	–
MELTON MOWBRAY	–	–	1	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	–	1	–	–	–
Boroughs and Urban Districts—						
LONG SUTTON ...	*	*	*	*	*	*
†SPALDING ...	–	–	1	–	–	–
Rural Districts:—						
CROWLAND ...	*	*	*	*	*	*
LINCOLN (parts of Kesteven).	–	3	2	–	–	–
Boroughs and Urban Districts:—						
BOURNE	–	1	–	–	–	–
†GRANTHAM ...	–	1	–	–	–	–
STAMFORD ...	*	*	*	*	*	*
Rural Districts:—						
BOURNE	–	–	1	–	–	–
GRANTHAM ...	–	1	1	–	–	–
LINCOLN (parts of Lindsey).	–	14	3	–	8	–
†GRIMSBY C.B. ...	–	4	1	–	1	–
†LINCOLN C.B. ...	–	4	1	–	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	1	–	–	–	–
BRIGG	–	1	–	–	–	–
†CLEETHORPES ...	–	–	–	–	1	–
CROWLE	–	2	–	–	–	–
MABLETHORPE ...	–	1	–	–	–	–
MARKET RASEN...	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	1	1	–	4	–
Rural Districts:—						
GRIMSBY	*	*	*	*	*	*
ISLE OF AXHOLME	–	–	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	47	24	–	14	G. 1 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	2	–	–	–	M. 1
†CHISWICK ...	–	3	–	–	–	–
†EALING	–	4	–	–	–	–
†EDMONTON ...	–	–	–	–	2	–
†FRIERN BARNET	–	–	1	–	–	–
GREENFORD ...	–	1	–	–	–	–
†HANWELL ...	–	5	2	–	–	–
†HARROW ON THE HILL	–	1	–	–	–	–
†HENDON	–	–	–	–	1	–
†HESTON AND ISLEWORTH	–	4	3	–	2	–
†HORNSEY... ..	–	1	[illegible]	–	3	–
RUISLIP NORTHWOOD	–	1	–	–	–	–
†SOUTHALL NORWOOD	–	1	–	–	–	–
†SOUTHGATE ...	–	1	–	–	–	–
STAINES	–	1	–	–	–	–
SUNBURY ON THAMES	–	1	–	–	–	–
†TEDDINGTON ...	–	4	–	–	–	–
†TOTTENHAM ...	–	4	5	–	2	–
†TWICKENHAM ...	–	–	3	–	–	–
†WEALDSTONE ...	–	3	–	–	–	–
†WILLESDEN ...	–	6	8	–	4	G. 1
†WOOD GREEN ...	–	1	–	–	–	–
YIEWSLEY ...	*	*	*	*	*	*
Rural Districts:—						
STAINES	–	3	–	–	–	–
NORFOLK	–	27	8	1	6	L. 1
†GREAT YARMOUTH C.B.	–	6	–	–	1	–
†NORWICH C.B. ...	–	17	5	–	3	–
Boroughs and Urban Districts:—						
EAST DEREHAM ...	–	1	–	–	–	–
NORTH WALSHAM	–	–	1	–	–	–
SWAFFHAM ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
BLOFIELD ...	–	–	–	1	–	–
DEPWADE ...	–	–	1	–	–	–
FREEBRIDGE LYNN	–	–	–	–	1	–
LODDON AND CLAVERING	–	2	–	–	–	–
ST. FAITH'S ...	–	–	–	–	–	L. 1
SMALLBURGH ...	–	1	–	–	–	–
WALSINGHAM ...	–	–	–	–	1	–
NORTHAMPTON ...	–	24	1	–	10	–
†NORTHAMPTON C.B.	–	2	1	–	7	–
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	1	–	–	–	–
†KETTERING ...	–	10	–	–	1	–
RAUNDS	–	1	–	–	–	–
ROTHWELL ...	–	1	–	–	–	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	2	–	–	1	–
KETTERING ...	–	3	–	–	–	–
OXENDEN... ...	–	–	–	–	1	–
POTTERSPURY ...	*	*	*	*	*	*
THRAPSTON (part)	–	2	–	–	–	–
NORTHUMBERLAND	–	30	8	–	45	C. 1 M. 3
†NEWCASTLE UPON TYNE C.B.	–	6	4	–	22	M. 2
†TYNEMOUTH C.B.	–	1	–	–	3	M. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	2	–	–	–	–
†BEDLINGTONSHIRE	–	1	–	–	8	–
†BERWICK UPON TWEED	–	2	–	–	–	–
†BLYTH	–	3	1	–	4	–
CRAMLINGTON ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EARSDON	–	–	2	–	–	–
†GOSFORTH ..	–	–	–	–	2	–
†LONGBENTON ...	–	7	–	–	–	–
NEWBIGGIN BY THE SEA	–	1	–	–	–	–
†NEWBURN ...	–	2	–	–	2	–
SEATON DELAVEL	–	1	–	–	1	–
SEGHILL	–	1	–	–	–	–
†WALLSEND ...	–	–	1	–	1	C. 1
WEETSLADE ...	–	1	–	–	–	–
Rural Districts:—						
BELLINGHAM ...	–	1	–	–	–	–
CASTLE WARD ...	–	–	–	–	1	–
NOTTINGHAM ...	5	21	13	4	13	M. 5
†NOTTINGHAM C.B.	–	12	3	1	1	M. 3
Boroughs and Urban Districts:—						
†ARNOLD	–	–	–	–	2	–
†BEESTON	*	*	*	*	*	*
†CARLTON	–	1	–	–	1	M. 1
†EAST RETFORD ...	–	–	–	–	2	–
†HUCKNALL ...	–	–	1	–	–	–
†KIRKBY IN ASHFIELD	–	–	–	–	1	–
†MANSFIELD ...	–	2	–	–	1	M. 1
†NEWARK	–	–	1	–	–	–
†SUTTON IN ASHFIELD	–	1	1	3	1	–
WARSOP... ...	–	1	–	–	–	–
†WORKSOP... ...	–	–	1	–	–	–
Rural Districts:—						
BASFORD	–	1	1	–	1	–
EAST RETFORD ...	–	1	5	–	2	–
NEWARK	–	2	–	–	–	–
STAPLEFORD ...	5	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	6	–	–	4	–
†OXFORD C.B. ...	–	2	–	–	1	–
Rural Districts:—						
BANBURY ...	–	–	–	–	1	–
GORING	–	1	–	–	–	–
HEADINGTON ...	–	3	–	–	2	–
PETERBOROUGH (Soke of)	–	2	–	–	–	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	–	–
Rural Districts:—						
PETERBOROUGH...	–	1	–	–	–	–
RUTLAND	–	2	–	–	–	–
Rural District:—						
UPPINGHAM ...	–	2	–	–	–	–
SALOP	–	11	3	–	–	C. 1 D. 2 E. 1
Boroughs and Urban Districts:—						
DAWLEY	–	–	1	–	–	–
LUDLOW	–	1	–	–	–	–
NEWPORT ...	–	1	1	–	–	–
†OAKENGATES ...	–	–	–	–	–	D. 2
OSWESTRY ...	–	3	–	–	–	–
WHITCHURCH ...	–	–	1	–	–	–
Rural Districts:—						
NEWPORT ...	–	3	–	–	–	C. 1
OSWESTRY ...	–	1	–	–	–	–
WELLINGTON ...	–	2	–	–	–	E. 1
SOMERSET	–	19	4	–	5	E. 1 M. 1
†BATH C.B. ...	–	–	2	–	1	–
SOMERSET—*cont.*						
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
†TAUNTON... ...	–	–	1	–	–	–
WELLINGTON ...	–	2	–	–	–	–
†WESTON SUPER MARE	–	4	1	–	–	–
†YEOVIL	–	–	–	–	1	M. 1
Rural Districts:—						
AXBRIDGE ...	–	1	–	–	3	–
BATH	–	3	–	–	–	–
BRIDGWATER ...	–	1	–	–	–	–
CLUTTON	–	1	–	–	–	–
DULVERTON ...	–	–	–	–	–	E. 1
FROME	–	1	–	–	–	–
KEYNSHAM ...	–	2	–	–	–	–
LANGPORT ...	–	2	–	–	–	–
LONG ASHTON ...	*	*	*	*	*	*
TAUNTON ...	–	1	–	–	–	–
SOUTHAMPTON ...	–	27	33	3	3	F. 1 G. 3 M. 1
†BOURNEMOUTH C.B.	–	2	4	–	–	F. 1 G. 1
†PORTSMOUTH C.B.	–	7	20	–	–	G. 1 M. 1
†SOUTHAMPTON C.B.	–	8	2	2	2	–
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	3	–	–	–	–
ANDOVER... ...	–	–	–	–	–	G. 1
†BASINGSTOKE ...	–	1	2	–	–	–
†FAREHAM ...	–	–	1	–	–	–
†GOSPORT	–	3	–	–	–	–
†WINCHESTER ...	–	–	3	–	–	–
Rural Districts:—						
ALRESFORD ...	–	–	–	1	–	–
DROXFORD ...	–	2	–	–	–	–
KINGSCLERE ...	–	–	1	–	–	–
WHITCHURCH ...	–	–	–	–	1	–
WINCHESTER ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD	–	62	23	1	45	M. 11
†BURTON UPON TRENT C.B.	–	1	2	–	1	–
†SMETHWICK C.B.	–	6	3	–	5	M. 1
†STOKE ON TRENT C.B.	–	18	1	–	12	M. 5
†WALSALL C.B. ...	–	1	–	–	2	–
†WEST BROMWICH C.B.	–	7	9	–	3	–
†WOLVERHAMPTON C.B.	–	3	2	–	2	M. 4
Boroughs and Urban Districts:—						
†AUDLEY	–	6	–	–	–	–
BIDDULPH ..	–	6	–	–	–	–
†BILSTON	–	–	–	–	1	–
†BROWNHILLS ...	–	–	–	–	3	–
†CANNOCK	–	–	–	–	4	M. 1
†DARLASTON ...	–	–	–	–	1	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	–	2	–	–	–
†NEWCASTLE UNDER LYME	–	–	1	–	2	–
RUGELEY	–	2	–	–	–	–
SHORT HEATH ...	–	–	–	–	2	–
†STAFFORD ...	–	1	–	–	1	–
TETTENHALL ...	*	*	*	*	*	*
†TIPTON	–	2	–	–	–	–
†WEDNESBURY ...	–	–	1	–	1	–
†WILLENHALL ...	–	1	–	–	5	–
†WOLSTANTON UNITED	–	–	1	–	–	–
Rural Districts:—						
KINGSWINFORD ...	–	3	–	–	–	–
LICHFIELD ...	–	3	–	–	–	–
MAYFIELD ...	–	–	–	1	–	–
STONE	–	1	–	–	–	–
TAMWORTH (part)	–	–	1	–	–	–
UTTOXETER ...	–	1	–	–	–	–
SUFFOLK, EAST ...	–	8	3	1	3	C. 1
†IPSWICH C.B. ...	–	1	2	1	2	C. 1
SUFFOLK, EAST—*cont.*						
Boroughs and Urban Districts:—						
BECCLES	–	2	–	–	–	–
BUNGAY	–	–	–	–	1	–
†LOWESTOFT ...	–	4	–	–	–	–
WOODBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
BLYTHING ...	–	1	–	–	–	–
SUFFOLK, WEST ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	1	–
Rural Districts:—						
COSFORD	*	*	*	*	*	*
SURREY	–	32	15	1	1	G. 2; M. 1
†CROYDON C.B. ...	–	6	4	–	–	G. 1
Boroughs and Urban Districts:—						
†BARNES	–	3	–	–	–	–
†BEDDINGTON AND WALLINGTON	–	–	1	1	–	–
†CATERHAM ...	–	3	–	–	–	–
†COULSDON AND PURLEY	–	1	3	–	–	–
DORKING	–	–	1	–	–	–
†EGHAM	–	1	–	–	1	–
†GUILDFORD ...	–	2	–	–	–	G. 1
†KINGSTON ON THAMES	–	3	–	–	–	–
†MERTON AND MORDEN	–	–	3	–	–	–
†MITCHAM... ...	–	5	–	–	–	–
†SURBITON ...	–	1	–	–	–	M. 1
†SUTTON	–	–	1	–	–	–
†WALTON UPON THAMES	–	–	1	–	–	–
†WIMBLEDON ...	–	1	–	–	–	–
†WOKING	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
DORKING	–	1	–	–	–	–
EPSOM	–	1	1	–	–	–
HAMBLEDON ...	–	1	–	–	–	–
SUSSEX, EAST ...	–	15	10	1	2	–
†BRIGHTON C.B. ...	–	6	7	–	–	–
†EASTBOURNE C.B.	–	–	2	–	–	–
†HASTINGS C.B. ...	–	–	–	1	2	–
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	1	1	–	–	–
†HOVE	–	1	–	–	–	–
†LEWES	–	1	–	–	–	–
PORTSLADE BY SEA	–	1	–	–	–	–
Rural Districts:—						
NEWHAVEN ...	–	4	–	–	–	–
RYE	–	1	–	–	–	–
SUSSEX, WEST ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
†WORTHING ...	–	1	–	–	–	–
Rural Districts:—						
HORSHAM ...	–	1	–	–	–	–
STEYNING WEST...	–	–	–	–	1	–
WARWICK	–	68	20	–	54	C. 6 F. 1 M. 10
†BIRMINGHAM C.B.	–	45	15	–	40	C. 5 M. 10
†COVENTRY C.B. ...	–	3	–	–	3	–
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	–	–	1	–
†NUNEATON ...	–	2	1	–	2	–
†ROYAL LEAMINGTON SPA	–	1	1	–	–	–
†RUGBY	–	1	–	–	4	–
STRATFORD ON AVON	–	–	1	–	–	–
†SUTTON COLDFIELD	–	–	–	–	1	–
†WARWICK ...	–	1	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	–	–	–	1	–
ATHERSTONE ...	–	5	–	–	–	–
FOLESHILL ...	–	2	–	–	–	–
NUNEATON ...	–	7	–	–	1	–
RUGBY	–	–	–	–	1	–
SOUTHAM... ...	–	–	–	–	–	C. 1
STRATFORD ON AVON	–	–	–	–	–	F. 1
TAMWORTH (part)	–	1	2	–	–	–
WESTMORLAND ...	–	1	1	–	4	–
Boroughs and Urban Districts:—						
AMBLESIDE ...	–	–	–	–	1	–
APPLEBY	–	–	–	–	1	–
†KENDAL	–	–	1	–	1	–
Rural Districts:—						
SOUTH WESTMORLAND	–	1	–	–	1	–
WIGHT, ISLE OF ...	–	1	–	1	–	–
Boroughs and Urban Districts—						
†RYDE	–	–	–	1	–	–
SHANKLIN ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	14	5	–	1	M. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
†SALISBURY ...	–	–	4	–	–	–
†SWINDON... ...	–	8	–	–	1	M. 1
Rural Districts:—						
CALNE	–	2	–	–	–	–
CHIPPENHAM ...	–	–	1	–	–	–
RAMSBURY ...	–	1	–	–	–	–
†SALISBURY ...	–	1	–	–	–	–
WARMINSTER ...	–	1	–	–	–	–
WORCESTER ...	–	15	4	1	3	C. 1
†DUDLEY C.B. ...	–	1	1	–	–	–
†WORCESTER C.B.	–	1	1	–	1	–
Boroughs and Urban Districts:—						
BEWDLEY ...	–	1	–	–	–	–
BROMSGROVE ...	–	1	–	–	–	–
†KIDDERMINSTER	–	1	–	–	2	–
†OLDBURY... ...	–	–	1	–	–	C. 1
†REDDITCH ...	–	1	–	1	–	–
STOURPORT ...	–	2	–	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
DROITWICH ...	–	–	1	–	–	–
HALESOWEN ...	–	2	–	–	–	–
MARTLEY... ...	–	1	–	–	–	–
ROCK	–	1	–	–	–	–
SHIPSTON ON STOUR	–	1	–	–	–	–
YORKS ... ... (**East Riding.**)	–	6	8	–	8	M. 3
†KINGSTON UPON HULL C.B.	–	1	6	–	8	M. 2
YORKS (East Riding) —*cont.*						
Boroughs and Urban Districts:—						
BEVERLEY ...	–	–	–	–	–	M. 1
GREAT DRIFFIELD	–	–	1	–	–	–
HEDON	–	1	–	–	–	–
Rural Districts:—						
PATRINGTON ...	–	4	–	–	–	–
SCULCOATES ...	–	–	1	–	–	–
YORKS ... ... (**North Riding.**)	1	21	3	–	17	C. 1
†MIDDLESBROUGH C.B.	–	12	–	–	10	–
Boroughs and Urban Districts:—						
†ESTON	–	8	–	–	–	–
GUISBOROUGH ...	–	–	–	–	1	–
†REDCAR	–	1	–	–	2	–
†SCARBOROUGH ...	–	–	1	–	1	C. 1
†SKELTON AND BROTTON	–	–	–	–	3	–
†THORNABY ON TEES	1	–	–	–	–	–
†WHITBY	–	–	2	–	–	–
Rural Districts:—						
SCARBOROUGH ...	*	*	*	*	*	*
YORKS ... ... (**West Riding.**)	11	150	35	2	177	C. 3 D. 1 E. 1 L. 1 M. 6
†BARNSLEY C.B. ...	–	2	1	–	4	C. 1
†BRADFORD C.B. ...	–	3	–	–	15	C. 1
†DEWSBURY C.B....	–	2	1	–	–	–
†HALIFAX C.B. ...	–	3	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
†HUDDERSFIELD C.B.	–	1	2	–	4	–
†LEEDS C.B. ...	–	39	5	–	33	M. 1
†ROTHERHAM C.B.	–	4	–	–	10	–
†SHEFFIELD C.B....	–	19	4	–	58	C. 1 L. 1 M. 4
†WAKEFIELD C.B.	–	–	–	–	2	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	1	2	–	1	–
ALTOFTS	–	2	–	–	–	–
BAILDON	–	1	–	–	–	–
†BARNOLDSWICK ...	–	2	–	–	1	–
†BATLEY	–	1	–	–	–	–
†BENTLEY WITH ARKSEY	5	–	–	–	–	–
†BINGLEY	–	1	3	–	1	–
BIRKENSHAW ...	–	1	–	–	–	–
BIRSTALL... ...	–	1	–	–	–	–
†BOLTON UPON DEARNE	–	4	–	–	–	–
†BRIGHOUSE ...	–	1	–	–	–	–
†CASTLEFORD ...	–	1	–	–	–	–
†CONISBROUGH ...	–	3	–	–	–	–
†DARTON	–	–	–	–	1	–
†DONCASTER ...	2	–	1	–	–	–
DRIGHLINGTON ...	–	–	–	–	1	–
EARBY	–	–	1	–	–	–
†ELLAND	–	1	–	–	–	–
FARNLEY TYAS ...	–	–	–	–	1	–
FARSLEY	–	1	–	–	–	–
†GOOLE	–	1	3	–	4	–
GREETLAND ...	–	–	–	–	1	–
GUISELEY ...	–	–	1	–	–	–
†HARROGATE ...	–	2	–	–	5	–
HEBDEN BRIDGE	–	2	–	–	–	–
†HOYLAND NETHER	–	–	1	–	1	–
†KEIGHLEY ...	–	1	1	–	1	–
KNOTTINGLEY ...	–	1	1	–	1	–
METHLEY ...	*	*	*	*	*	*
†MEXBOROUGH ...	–	–	–	–	2	–
†MORLEY	–	1	2	1	2	–
†NORMANTON ...	–	2	1	–	4	–
†OSSETT	–	1	–	–	–	–
OTLEY	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) *cont.*						
Boroughs and Urban Districts— *cont.*						
PENISTONE ...	–	1	–	–	–	–
†PONTEFRACT ...	–	1	–	–	–	–
QUEENSBURY ...	–	–	2	–	–	–
RAWDON	–	–	–	–	4	–
†RAWMARSH ...	–	2	–	–	1	–
†ROTHWELL ...	–	1	–	–	2	–
ROYSTON	–	3	–	–	–	–
†SADDLEWORTH ...	–	1	–	–	–	–
SELBY	–	3	–	–	–	–
†SHIPLEY	–	–	–	–	–	D. 1
SKELMANTHORPE	*	*	*	*	*	*
†SKIPTON	–	2	–	–	–	–
†SPENBOROUGH ...	–	13	–	–	1	–
†STANLEY	–	4	–	–	–	–
STOCKSBRIDGE ...	–	1	–	–	–	–
WHITWOOD ...	–	2	–	–	–	–
†WOMBWELL ...	–	–	–	1	–	–
†WORSBOROUGH ...	–	–	–	–	1	–
YEADON	–	1	–	–	–	–
Rural Districts:—						
BARNSLEY ...	*	*	*	*	*	*
BOWLAND ...	–	1	–	–	1	–
DONCASTER ...	4	1	–	–	1	–
GREAT OUSEBURN	–	–	–	–	–	M. 1
HEMSWORTH ...	–	–	–	–	3	–
KNARESBOROUGH	*	*	*	*	*	*
PONTEFRACT ...	–	5	–	–	–	–
ROTHERHAM ...	–	1	–	–	1	–
TADCASTER ...	–	1	–	–	3	–
THORNE	–	–	–	–	1	–
WAKEFIELD ...	–	–	–	–	1	–
WETHERBY ...	–	–	2	–	2	–
WHARFEDALE (SOUTH)	–	–	–	–	1	–
WORTLEY ...	–	1	–	–	2	E. 1
§YORK C.B. ...	–	1	1	–	2	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	–	3	1	–	2	–
Boroughs and Urban Districts:—						
AMLWCH	–	–	–	–	1	–
MENAI BRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
AETHWY	–	–	–	–	1	–
VALLEY	–	3	–	–	–	–
BRECKNOCK ...	–	–	2	–	3	–
Urban District:—						
BRYNMAWR ...	–	–	–	–	2	–
Rural Districts:—						
CRICKHOWELL ...	–	–	–	–	1	–
YSTRADGYNLAIS...	–	–	2	–	–	–
CARDIGAN	–	1	1	–	–	–
Rural Districts:—						
ABERYSTWYTH (SOUTH)	–	–	1	–	–	–
LAMPETER ...	–	1	–	–	–	–
YSGUBOR Y COED (parish).	*	*	*	*	*	*
CARMARTHEN ...	–	3	3	–	2	–
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	–	–	1	–
BURRY PORT ...	–	1	–	–	–	–
†LLANELLY ...	–	1	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN— *cont.*						
Rural Districts:—						
CARMARTHEN ...	–	1	–	–	–	–
LLANELLY ...	–	–	1	–	–	–
NEWCASTLE IN EMLYN	–	–	1	–	–	–
WHITLAND ...	*	*	*	*	*	*
CARNARVON ...	–	1	2	–	3	–
Boroughs and Urban Districts:—						
†BANGOR	–	1	1	–	3	–
Rural Districts:—						
GEIRIONYDD ...	–	–	1	–	–	–
DENBIGH	–	2	1	–	2	–
Boroughs and Urban Districts:—						
DENBIGH... ...	–	–	1	–	–	–
Rural Districts:—						
RUTHIN	–	–	–	–	2	–
WREXHAM ...	–	2	–	–	–	–
FLINT	–	2	2	2	1	–
Boroughs and Urban Districts:—						
FLINT	–	–	–	2	–	–
†RHYL	–	–	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	2	1	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	55	15	–	43	G. 1 M. 7
†CARDIFF C.B. ...	–	11	3	–	7	M. 2
†MERTHYR TYDFIL C.B.	–	–	1	–	–	–
†SWANSEA C.B. ...	–	9	3	–	–	M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	6	2	–	10	–
†BARRY	–	2	1	–	5	M. 1
†CAERPHILLY ...	–	3	–	–	–	–
†GLYNCORWG ...	*	*	*	*	*	*
†MAESTEG ...	–	1	–	–	–	–
†MOUNTAIN ASH ...	–	4	–	–	2	–
†NEATH	–	–	2	–	2	G. 1
†OGMORE AND GARW	–	–	–	–	1	–
†PONTYPRIDD ...	–	–	–	–	6	–
†RHONDDA ...	–	10	2	–	9	M. 3
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	–	2	1	–	–	–
NEATH	–	3	–	–	1	–
PONTARDAWE ...	–	1	–	–	–	–
SWANSEA... ...	–	3	–	–	–	–
MERIONETH ...	–	1	3	–	1	–
Urban Districts:—						
BARMOUTH ..	–	–	2	–	–	–
FESTINIOG ...	–	1	–	–	–	–
TOWYN	–	–	1	–	–	–
Rural Districts:—						
EDEIRNION ...	–	–	–	–	1	–
MONMOUTH ...	1	9	5	–	6	C. 1
†NEWPORT C.B. ...	–	2	–	–	2	C. 1
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—						
†ABERTILLERY ...	–	–	3	–	–	–
BEDWAS AND MACHEN	–	2	–	–	1	–
†BEDWELLTY ...	–	–	1	–	–	–
†BLAENAVON ...	–	–	1	–	–	–
†EBBW VALE ...	–	2	–	–	–	–
†MYNYDDISLWYN	–	2	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	2	–
†RHYMNEY ...	–	1	–	–	–	–
†RISCA	1	–	–	–	–	–
†TREDEGAR ..	–	–	–	–	1	–
MONTGOMERY ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
MACHYNLLETH ...	*	*	*	*	*	–
WELSHPOOL ...	–	1	–	–	1	–
Rural Districts:—						
FORDEN	–	–	–	–	1	–
PEMBROKE	–	–	–	–	–	–
Boroughs and Urban Districts:—						
†PEMBROKE ...	*	*	*	*	*	*
RADNOR	–	–	–	–	1	G. 1
Urban Districts:—						
KNIGHTON ...	–	–	–	–	1	
LLANDRINDOD WELLS	–	–	–	–	–	G. 1
Total of Part II. ...	79	1301	478	29	814	C. 27 D. 8 E. 4 F. 2 G. 17 L. 14 M. 125

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHEPSTOW	–	1	–	–	–	–	PORT OF LONDON ...	–	–	–	1	1	–
HARWICH	–	1	–	–	–	–							
							Total of Part III.— ...	–	2	–	1	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	177	191	6	84	C. 3 D. 2 G. 1 M. 17
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	79	1301	478	29	814	C. 27 D. 8 E. 4 F. 2 G. 17 L. 14 M. 125
Total of Part III.—Port Sanitary Districts	–	2	–	1	1	–
Total (*i.e.*, of returns received), England and Wales ...	79	1480	669	36	899	C. 30 D. 10 E. 4 F. 2 G. 18 L. 14 M. 142

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague, or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 678, 680, 684, 688, 689, and 691.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUS and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain I FECTIOUS DISEASES in the last THIRTE WEEKS.

Week ended :—	Mar. 24.	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2	June 9.	Jun 16
LONDON:—													
DEATHS—all ages	1,162	1,082	1,094	1,126	1,016	1,043	1,047	885	949	905	840	847	87
" 0 to 1 year ..	112	113	100	120	111	105	118	106	93	98	83	74	9
GREAT TOWNS, aggregate (including London):—													
BIRTHS	7,844	7,029	7,386	8,216	8,258	7,581	7,970	7,665	8,310	6,717	8,723	8,055	8,10
DEATHS—all ages	4,953	4,991	4,735	4,971	4,539	4,686	4,887	4,478	4,531	4,224	4,152	4,264	4,06
" 0 to 1 year ..	626	662	557	634	570	548	648	566	564	518	506	518	47
ENTERIC FEVER—Cases	18	15	16	26	22	19	30	15	18	18	16	18	1
" Deaths	2	2	4	3	4	1	2	1	3	5	—	2	
SMALL POX—Cases ..	3	15	3	10	7	7	1	4	7	1	8	38	5
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	1,071	907	905	797	952	934	963	859	830	891	804	833	76
" Deaths	17	11	13	15	12	16	11	15	25	7	12	7	
DIPHTHERIA—Cases ..	554	563	576	483	542	488	499	515	467	405	405	441	44
" Deaths ..	54	43	37	36	37	40	36	38	34	29	15	33	2
MEASLES—Deaths ..	111	117	105	86	86	69	74	73	73	73	60	97	8
INFLUENZA—Deaths ..	125	120	188	184	169	143	175	207	200	166	155	140	12

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 16th June, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	72	45	65·4	49·7	5
BRIGHTON ..	72	47	62·7	51·9	9
PORTSMOUTH ..	68	46	62·6	51·4	7
NORWICH (EATON).	68	43	60·1	48·4	12
PLYMOUTH ..	63	49	61·1	51·6	4
BRISTOL (CLIFTON).	66	47	62·3	50·1	10
BIRMINGHAM ..	64	44	58·9	49·0	4
NOTTINGHAM ..	65	43	59·3	48·7	3
BIRKENHEAD (BIDSTON).	63	46	56·0	49·3	2
MANCHESTER ..	63	47	56·7	49·9	7
BURNLEY.. ..	60	43	55·3	46·4	7
HUDDERSFIELD	?	44	?	47·4	4
BRADFORD ..	62	43	57·0	47·0	5
SHEFFIELD ..	63	44	57·6	48·0	4
YORK (MUSEUM)	64	44	59·0	48·0	10
HULL (PEARSON PARK).	69	43	61·4	47·3	5
TYNEMOUTH ..	62	44	55·3	47·0	9
CARDIFF	66	47	60·9	48·7	10
EDINBURGH ..	61·0	39·0	56·6	44·0	7
GLASGOW ..	59·7	38·0	56·4	44·7	10
DUBLIN (PHŒNIX PARK).	Not received.				
FITZWILLIAM SQUARE.†	64·0	49·0	60·6	50·9	15
BELFAST	66·0	48·0	61·9	50·1	8

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 16th June, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	10	..	29·930	70·7	52·0	18·7	58·2	+ 0·1	50·8	7·4	21·5	3·5	76	137·2	43·3	50·4	SSW : SW.	SSW : W.	3·7	0·1	0·4	487	+ 235	0·00
MONDAY -	11	..	30·143	65·6	48·2	17·4	55·7	− 2·5	44·0	11·7	20·1	3·8	69	125·0	36·8	50·8	WSW : WNW.	NNW : N.	2·1	0·0	0·3	377	+ 127	0·00
TUESDAY -	12	..	30·157	65·9	44·6	21·3	54·6	− 3·8	46·1	8·5	19·5	0·8	73	126·8	29·8	50·9	NNW : W.	W : WSW.	2·6	0·0	0·2	354	+ 106	0·08
WEDNESDAY	13	..	29·812	72·0	52·6	19·4	61·7	+ 3·2	50·7	11·0	19·0	0·8	67	132·8	50·8	51·0	WSW : W.	WNW : NNW.	7·0	0·0	0·5	495	+ 247	0·00
THURSDAY -	14	New	29·994	63·2	47·6	15·6	53·7	− 5·0	45·1	8·6	17·8	0·8	73	121·6	36·7	51·1	NNW : N.	N : Calm.	2·0	0·0	0·1	258	+ 11	0·00
FRIDAY -	15	Greatest Declination N.	29·815	62·7	47·4	15·3	53·3	− 5·5	49·9	3·4	15·9	0·8	88	111·0	36·4	51·3	SW : WSW.	WSW	1·4	0·0	0·0	242	− 3	0·10
SATURDAY -	16	..	29·846	56·8	48·7	8·1	49·9	− 9·0	43·7	6·2	13·2	5·3	79	108·0	42·1	51·3	NW : N	N : Calm.	3·4	0·0	0·2	346	+ 102	0·00
MEANS -		..	29·957	65·3	48·7	16·5	55·3	− 3·2	47·2	8·1	18·1	2·3	75	123·2	39·4	51·0	Variable		..	..	..	Sum 3,559	Sum + 825	Sum 0·18
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JUNE.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	10	Zero to 12h., then wP.	7·1	16·5	Overcast generally till 12h., then partially cloudy clearing to nearly cloudless by 20h. Shower about 11h. Brisk wind from 12h.
MONDAY ..	11	Zero to 6h.; wP to 8h.; then mP.	9·7	16·5	Nearly cloudless becoming very cloudy by 8h. Cloudless from 21h.
TUESDAY ..	12	wP to 4h.; zero to 6h.; mP generally to 18h.; wP to 21h. then zero.	4·7	16·5	Thin cloud till 8½h., then overcast. Solar halos between 8¾h. and 12h. Rain from 14½h. till 23h. Brisk wind 15h. to 21h.
WEDNESDAY	13	Zero to 6h., wP to 10h.; mP to 23h., then failure of register.	6·8	16·5	Overcast generally, with variably cloudy period between 13½h. and 19h. Brisk wind 9h. till 12h. and from 15h.
THURSDAY	14	Failure of register to 10h., mP generally to 21h.; wP to 22h., then zero.	3·0	16·5	Overcast generally, becoming nearly cloudless by 23h.
FRIDAY ..	15	Zero to 4h.; wP to 6h.; mP generally to 12h.; wP to 15½h.; sN to 16½h.; mP to 21h., then wP.	0·1	16·5	Overcast. Solar halo 9h. Rain from 11¾h. till 16h., and from 22½h.
SATURDAY	16	wP to 13h.; mP to 21h.; then wP.	0·5	16·5	Overcast. Occasional rain between 6h. and 9h. Damping 22½h.
			Sum 31·9	Sum 115·5	
No. of Col. ..		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·89 in. at the beginning of the week to 30·29 in. by 2h. on 12th; decreased to 29·76 in. by 14h. on 13th: increased to 30·01 in. by 13h. on 14th.; decreased to 29·65 in. by 4h. on 16th; increased and was 29·94 in. by midnight on the same day.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS,
11-17, Hare Street, E.2

(29827) Wt. 15—P 11 2250 6/23 H. St. G. 43

FOR OFFICIAL USE.

1923. No. 25.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 23RD JUNE, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 23RD JUNE, 1923.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-fifth week of the year numbered 7,901 and corresponded to an annual rate of 21·4 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,857 and corresponded to an annual rate of 10·5 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 11·3, 11·6 and 11·0. Infant mortality was 59 per 1,000 births, against 58, 64 and 58 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,818 births, corresponding to a rate of 20·9 per 1,000, and 855 deaths of civilians, corresponding to a rate of 9·8, as against 9·7, 9·7 and 10·0, for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 9·8 per 1,000. The infant mortality was 47 as against 41, 38 and 45 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 203 in the total deaths last week, and the deaths from influenza fell from 120 to 92. In London the number of deaths from all causes fell from 871 to 855; while the deaths from diphtheria, which had been 2, 12 and 9 in the preceding three weeks, rose to 12 last week, and those from influenza, which had been 10, 10 and 10 in the three preceding weeks, fell to 8 last week.

Just Published:

Census of England and Wales, 1921. County of Middlesex. Price 10*s.* net.

County of Essex. Price 12*s.* 6*d.* net.

County of Surrey. Price 10*s.* net.

County of Kent. Price 14*s.* net.

County of Hertford. Price 7*s.* 6*d.* net.

County of Lancaster. Price 20*s.* net.

The Registrar General's Statistical Review, 1921.

Tables, Part II. Civil. Price 5*s.* net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 23rd June, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	7,901	3,857	464	2	61	16	45	32	50	92
London	4,534,230*	1,818	855	86	1	4	3	8	12	12	8
Towns in Outer Ring.											
Croydon C.B. ..	192,300	78	28	2	-	1	-	-	-	-	-
Wimbledon ..	61,730	11	8	-	-	-	-	-	-	-	-
Ealing	67,890	24	13	1	-	-	-	-	-	-	-
Acton	62,390	34	11	1	-	-	-	-	-	-	1
Willesden ..	168,200	62	30	-	-	-	-	-	-	-	1
Hendon	55,930	11	12	1	-	-	-	1	-	-	-
Hornsey	87,310	20	15	-	-	-	-	-	-	-	-
Wood Green ..	51,290	15	8	1	-	-	-	-	-	-	-
Tottenham ..	150,500	45	16	2	-	-	1	-	-	-	-
Edmonton ..	68,700	55	15	1	-	-	-	-	1	-	-
Enfield	62,010	23	11	1	-	-	-	-	-	-	-
West Ham C.B. ..	310,200	172	38	6	-	-	-	-	-	-	-
East Ham C.B. ..	145,800	60	23	3	-	-	-	-	-	-	1
Leyton	131,600	41	20	2	-	-	-	-	-	-	-
Walthamstow ..	129,700	47	16	3	-	-	-	-	-	-	-
Ilford	86,370	27	16	3	-	-	-	-	-	-	-
Gillingham	48,630*	29	3	-	-	-	-	-	-	-	-
Canterbury C.B ..	23,680	11	3	-	-	-	-	-	-	-	-
Hastings C.B.	59,500	14	20	-	-	1	-	-	-	-	-
Eastbourne C.B. ..	53,700	12	3	1	-	-	-	-	-	-	-
Brighton C.B. ..	135,000	39	22	1	-	-	-	-	-	-	-
Portsmouth C.B. ..	236,630*	103	45	4	-	-	-	1	2	1	-
Bournemouth C.B. ..	81,500	24	17	2	-	-	-	-	-	-	-
Southampton C.B. ..	163,700	66	25	2	-	-	-	1	-	-	-
Reading C.B.	92,990	31	19	1	-	-	-	1	-	-	-
Oxford C.B.	56,510	16	6	-	-	-	-	-	-	-	-
Northampton C.B. ..	92,950	26	17	2	-	-	-	-	-	-	1
Luton	58,260	22	6	1	-	-	-	-	1	-	-
Cambridge	59,200	24	12	3	-	-	-	-	1	-	1
Southend-on-Sea C.B.	91,430	33	15	-	-	-	1	-	1	-	-
Ipswich C.B.	80,950	30	13	1	-	-	-	-	-	-	-
Great Yarmouth C.B.	56,700	29	12	4	-	-	-	-	-	-	-
Norwich C.B. ..	122,900	51	25	4	-	-	1	-	1	-	-
Swindon	55,680	18	4	-	-	-	-	-	-	-	-
Exeter C.B.	59,700	24	25	2	-	1	-	-	-	-	1
Plymouth C.B. ..	200,370*	87	28	2	-	-	-	-	-	-	2
Bath C.B.	68,530	23	13	2	-	-	-	-	-	-	-
Bristol C.B.	383,900	144	83	9	-	-	-	3	-	-	-
Gloucester C.B. ..	52,210	21	17	2	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	274,300	132	56	6	-	-	-	-	-	1	3
Burton-upon-Trent C.B.	49,630	8	12	3	-	1	-	-	-	1	1
Wolverhampton C.B.	105,700	57	16	2	-	-	-	-	-	-	-
Walsall C.B.	99,890	50	15	3	-	-	-	-	-	-	-
West Bromwich C.B.	76,260	33	14	4	-	1	-	-	1	1	4
Dudley C.B.	57,860	33	14	6	-	-	-	-	-	1	-
Worcester C.B. ..	49,240	28	13	2	-	-	-	-	-	-	-
Birmingham C.B. ..	945,100	397	174	16	-	3	3	-	1	1	4
Smethwick C.B. ..	78,140	29	14	3	-	-	-	-	-	-	1
Coventry C.B. ..	131,200	44	28	2	-	-	-	-	-	-	2
Leicester C.B. ..	238,800	90	50	3	-	-	-	1	-	-	2
Lincoln C.B.	66,930	28	16	2	-	-	-	-	-	-	-
Grimsby C.B.	84,650	38	19	3	-	-	-	1	-	-	-
Nottingham C.B. ..	267,900	95	44	6	-	-	-	-	-	-	1
Derby C.B.	132,400	45	24	-	-	-	-	2	1	-	-
Chesterfield ..	63,380	23	17	4	-	-	-	-	-	-	1
Stockport C.B. ..	125,800	45	26	2	-	-	-	1	-	-	-
Chester C.B.	41,190	15	7	1	-	-	-	-	-	-	-
Birkenhead C.B. ..	149,200	62	24	-	-	-	-	-	1	-	-
Wallasey C.B. ..	89,790	26	14	-	-	-	-	-	-	-	1
Liverpool C.B. ..	826,400	455	226	32	-	15	-	2	3	4	1
Bootle C.B.	79,750	44	12	1	-	-	-	-	-	-	-
St. Helens C.B. ..	106,400	48	18	2	-	-	-	1	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	24	8	1	-	1	-	-	-	-	-
WIGAN C.B.	91,750	40	16	2	-	-	-	-	1	1	1
WARRINGTON C.B. ..	79,150	42	14	-	-	-	-	1	-	-	2
BOLTON C.B.	182,700	60	34	2	-	-	-	1	-	-	1
BURY C.B.	57,400	17	14	-	-	-	-	-	-	-	-
MANCHESTER C.B. ..	748,500	310	179	15	-	3	1	4	-	2	2
SALFORD C.B.	240,700	119	47	8	-	-	1	-	-	-	-
OLDHAM C.B.	148,300	57	30	3	-	-	-	2	-	-	-
ROCHDALE C.B... ..	92,510	27	21	2	-	-	1	-	1	-	1
BURNLEY C.B.	105,100	34	22	3	-	-	-	-	-	-	-
BLACKBURN C.B. ..	129,600	36	34	3	-	-	-	1	-	-	3
PRESTON C.B.	120,900	35	32	-	-	-	-	-	-	-	3
BLACKPOOL C.B. ..	74,050	33	21	2	-	-	-	-	-	-	1
BARROW-IN-FURNESS C.B.	75,690	31	12	2	-	-	-	-	-	-	-
HUDDERSFIELD C.B. ..	111,600	47	21	5	-	-	-	-	-	-	1
HALIFAX C.B.	100,500	36	21	-	-	-	-	-	-	-	4
BRADFORD C.B. ..	291,300	103	87	8	-	-	-	-	-	-	6
LEEDS C.B.	466,700	186	139	15	-	-	-	-	-	1	10
DEWSBURY C.B. ..	55,170	16	16	1	-	-	1	-	-	1	1
WAKEFIELD C.B. ..	53,840	21	13	4	-	-	-	-	-	1	-
BARNSLEY C.B. ..	69,540	40	11	4	-	-	-	-	-	1	2
SHEFFIELD C.B. ..	522,600	203	97	18	-	-	-	2	-	5	7
ROTHERHAM C.B. ..	69,840	37	14	1	-	-	-	-	-	-	1
DONCASTER	55,020	12	14	-	1	-	-	1	1	-	-
YORK C.B.	84,980	33	15	-	-	-	1	-	-	-	1
HULL C.B.	294,000	147	53	10	-	1	-	3	-	3	-
MIDDLESBROUGH C.B.	134,800	66	46	8	-	2	1	-	2	-	2
DARLINGTON C.B. ..	66,710	31	16	2	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	65,950	42	16	6	-	-	-	-	-	1	2
WEST HARTLEPOOL C.B.	70,020	38	11	1	-	-	-	-	-	-	-
SUNDERLAND C.B. ..	162,900	87	44	13	-	1	-	2	-	5	-
SOUTH SHIELDS C.B. ..	122,400	50	42	9	-	14	-	-	-	-	2
GATESHEAD C.B. ..	127,300	51	28	5	-	5	-	-	-	-	-
NEWCASTLE-ON-TYNE C.B.	281,600	133	71	19	-	3	-	2	1	1	-
TYNEMOUTH C.B. ..	64,640	20	13	3	-	1	-	1	-	-	-
CARLISLE C.B.	53,490	33	11	2	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	94,880	44	16	1	-	-	-	-	-	-	-
CARDIFF C.B.	223,830	103	44	7	-	-	-	1	-	2	-
RHONDDA	167,500	94	27	10	-	2	-	1	-	2	1
MERTHYR TYDFIL C.B.	82,680	31	20	3	-	-	-	-	-	1	1
ABERDARE	56,580	18	13	1	-	-	-	-	-	-	-
SWANSEA C.B.	161,000	69	33	6	-	1	1	-	-	1	-
GREATER LONDON ..	7,563,730*	2,984	1,339	133	1	5	4	14	14	15	14
OUTER RING	3,029,500*	1,166	484	47	-	1	1	6	2	3	6
16 GREAT TOWNS IN OUTER RING	1,831,920	725	280	27	-	1	1	1	1	-	3
REMAINDER OF OUTER RING	1,197,580*	441	204	20	-	-	-	5	1	3	3
EDINBURGH†	426,000	189	119	15	-	2	1	3	2	-	-
GLASGOW†	1,041,400	524	273	44	1	4	1	6	2	5	1
DUBLIN (REGISTRATION AREA)†	431,000	234	95	21	-	-	-	2	1	3	-
BELFAST†	429,000	212	109	16	-	6	2	4	-	1	3

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available perio

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years)	Influenza
LONDON‡	4,534,230	1923. June 23	1818	855	9·8	1	–	4	3	8	12	12	
CALCUTTA	896,067	May 19	?	466§	26·7	?	3	?	?	?	?	?	
BOMBAY	1,220,120	April 28											
MADRAS	526,911	May 5	470	347	34·2	3	–	1	?	2	–	23	
SYDNEY AND SUBURBS	955,900	May											
BRISBANE (Metropolitan Area).	217,714	March (31 days)	481	131	7·2	–	–	–	–	–	–	4	
PERTH (Metropolitan Area).	161,773	April 28	89	30	9·6	–	–	–	–	–	–	4	
AUCKLAND (Urban Area).	164,450	April											
WELLINGTON (Urban Area).	110,680	,,											
CHRISTCHURCH (Urban Area).	110,200	,,											
CAPE TOWN	106,727	May 12	35	19	9·3	1	–	–	–	–	–	–	
JOHANNESBURG	156,858	,, 12	69	25	8·3	–	–	–	–	–	1	–	
DURBAN	50,488	,, 12	29	15	15·4	–	–	–	–	–	–	–	
PARIS	2,906,472	May 31 (11 days)											
ANTWERP	300,892	April 14	116	58	10·0	–	–	5	1	1	1	1	
		,, 21	118	52	9·0	–	–	3	–	1	–	2	
AMSTERDAM	699,816	June 2	287	117	8·7	2	–	1	–	–	–	–	
COPENHAGEN	565,000	,, 9	222	117	10·8	–	–	1	1	–	1	–	
STOCKHOLM	424,944	,, 2	124	95	11·6	–	–	4	–	–	–	–	
GOTHENBURG	228,074	May 26	?	52	11·9	–	–	–	–	–	–	–	
CHRISTIANIA	258,962	June 9	96	52	10·4	–	–	–	–	1	–	–	
BERLIN	1,990,000	May 19	409	514	13·4	–	?	4	–	3	1	3	
BRESLAU	563,000	,, 19	197	169	15·6	–	?	4	–	–	1	6	
COLOGNE	699,000	,, 19	229	173	12·9	–	?	2	–	5	3	1	
DRESDEN	613,000	,, 19	169	139	11·8	–	?	1	–	–	–	1	
FRANKFORT-ON-MAIN..	478,000	,, 19	65	87	9·5	–	?	1	–	–	1	1	
HAMBURG	1,073,000	,, 19	253	318	15·4	–	?	7	2	1	2	2	
LEIPZIG	683,000	,, 19	209	143	10·9	–	?	2	–	2	1	3	
MUNICH	685,000	,, 19	203	211	16·0	–	?	8	–	3	1	7	
VIENNA	1,841,326	April 14										–	
PRAGUE AND SUBURBS	697,111	April 15 (15 days)	517	440	15·3	5	–	–	6	6	1	11	
BUDAPEST	946,000	March 31	303	448	24·6	3	–	9	3	–	1	?	
WARSAW	956,087	May 19	441	231	12·6	–	–	1	–	5	–	21	
		,, 26	788	253	13·8	2	–	1	3	1	3	27	
CAIRO	791,000	Feb. 25	786	412	27·1	–	–	9	–	?	4	28	
		March 4	773	395	26·0	4	–	6	–	?	2	28	
ALEXANDRIA	466,700	Feb. 25	514	253	28·2	–	–	8	–	?	2	14	
		March 4	513	227	25·3	–	–	8	–	?	–	15	
NEW YORK	5,927,617	April 28	2,612	1,555	13·7	3	–	9	7	2	16	28	
		May 5	2,417	1,423	12·5	2	–	15	3	4	12	27	
CHICAGO	2,886,121	May 26	?	656	11·9	1	–	11	2	1	3	15	
		June 2	?	612	11·1	–	–	10	2	1	7	11	
RIO DE JANEIRO ..	1,280,253	May 5	697	448	18·1	2	1	–	–	8	–	?	
MONTEVIDEO	349,314	March 3	208	127	21·0	4	–	2	–	–	–	15	
		,, 10	190	134	20·8	5	–	1	–	–	–	16	

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vie Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *yea age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 51 deaths from Asiatic Cholera, and 1 from Plague.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 23rd June, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	855	86	19	22	28	40	38	66	116	126	177	137
Enteric fever	1	–	–	–	1	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	4	–	2	1	1	–	–	–	–	–	–	–
Scarlet fever	3	–	1	1	1	–	–	–	–	–	–	–
Whooping cough	8	3	3	1	1	–	–	–	–	–	–	–
Diphtheria	12	1	2	4	4	1	–	–	–	–	–	–
Influenza	8	–	–	–	1	–	1	–	2	–	3	1
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis	1	–	–	1	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	1	–	–	–	1	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	60	–	–	–	1	13	13	13	8	8	4	–
Nervous system	5	1	–	2	1	1	–	–	–	–	–	–
Intestines and peritoneum	–	–	–	–	–	–	–	–	–	–	–	–
Other forms	8	1	–	–	1	1	1	–	2	1	1	–
Venereal diseases	2	–	–	–	–	–	–	1	–	1	–	–
Cancer	117	–	–	–	–	1	3	12	28	29	28	16
Rheumatic fever	1	–	–	–	1	–	–	–	–	–	–	–
Diabetes	12	–	–	–	–	–	1	1	4	2	2	2
Alcoholism	2	–	–	–	–	–	1	1	–	–	–	–
Simple meningitis	2	–	–	–	1	–	1	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	40	–	–	–	–	1	–	1	3	9	14	12
Epilepsy	3	–	–	–	–	–	1	1	–	–	1	–
"Convulsions" (not puerperal) ..	2	1	1	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	18	–	–	1	1	–	–	4	2	3	5	2
Pericarditis	2	–	–	–	–	–	–	–	–	–	2	–
Acute endocarditis	5	–	–	–	2	–	2	–	1	–	–	–
Other diseases of heart	110	–	–	–	–	4	–	3	14	25	38	26
Other diseases of circulatory system	46	–	–	–	–	–	–	1	7	11	12	15
Bronchitis	40	3	1	–	–	1	–	2	5	6	8	14
Broncho-pneumonia	36	14	5	3	–	1	1	–	1	3	5	3
Lobar-pneumonia	21	1	–	1	–	1	2	3	8	–	3	2
Pneumonia (type not distinguished) ..	15	–	1	–	–	1	2	2	4	3	1	1
Other diseases of respiratory system	9	1	–	1	–	1	–	–	2	1	2	1
Diarrhœa and enteritis	12	10	2	–	–	–	–	–	–	–	–	–
Appendicitis, Typhlitis	10	–	–	–	2	2	1	1	1	2	1	–
Hernia, Intestinal obstruction	12	1	–	–	1	–	–	1	–	2	4	3
Cirrhosis of liver	6	–	–	–	–	–	–	–	2	1	3	–
Other diseases of digestive system ..	16	–	–	–	–	1	1	2	4	–	7	1
Acute nephritis	2	–	–	–	1	–	–	–	1	–	–	–
Chronic Bright's disease	28	–	–	–	–	–	–	2	6	7	11	2
Other diseases of genito-urinary system.	14	–	–	–	–	–	–	2	3	1	7	1
Puerperal sepsis	1	–	–	–	–	–	–	1	–	–	–	–
Other causes incident to childbirth ..	5	–	–	–	–	2	–	3	–	–	–	–
Congenital malformations	11	11	–	–	–	–	–	–	–	–	–	–
Premature birth	22	22	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	5	5	–	–	–	–	–	–	–	–	–	–
Old age	28	–	–	–	–	–	–	–	–	2	1	25
Suicide	15	–	–	–	–	2	2	3	2	1	4	1
Burns and scalds	3	–	1	1	–	–	–	–	–	1	–	–
Drowning	2	–	–	–	–	1	–	–	1	–	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	9	–	–	–	3	1	–	1	1	1	2	–
Other deaths by violence	18	3	–	3	1	1	2	2	–	2	1	3
Other specified causes	40	7	–	2	2	3	3	3	4	3	7	6
Ill-defined causes	2	1	–	–	–	–	–	–	–	1	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 23rd June, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	171	186	6	70	C. 4 D. 1 E. 1 G. 2 M. 17
†CITY OF LONDON	–	–	2	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	18	11	1	7	M. 1
†BERMONDSEY ...	–	10	6	–	–	–
†BETHNAL GREEN	–	3	7	–	3	M. 1
†CAMBERWELL ...	–	6	5	1	–	–
†CHELSEA	–	1	2	–	1	–
†DEPTFORD ...	–	10	10	1	1	C. 1 E. 1 M. 1
†FINSBURY ...	–	7	5	–	–	–
†FULHAM	–	5	3	–	3	C. 1
†GREENWICH ...	–	1	4	–	4	–
†HACKNEY ...	–	14	8	–	–	–
†HAMMERSMITH ...	–	3	2	1	4	–
†HAMPSTEAD ...	–	6	4	–	–	–
†HOLBORN... ...	–	–	5	–	1	–
†ISLINGTON ...	–	19	21	–	1	D. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	3	5	–	–	M. 1 C. 1 G. 1
†LAMBETH ...	–	12	10	–	6	M. 2
†LEWISHAM ...	–	5	1	–	1	–
†PADDINGTON ...	–	9	3	–	8	M. 1
†POPLAR	–	5	5	–	7	M. 1
†ST. MARYLEBONE	–	2	4	–	1	–
†ST. PANCRAS ...	–	7	14	–	2	M. 1
†SHOREDITCH ...	–	1	7	–	2	M. 4
†SOUTHWARK ...		4	14	–	4	C. 1
†STEPNEY	–	9	14	1	6	M. 2
†STOKE NEWINGTON	–	–	1	–	–	M. 1
†WANDSWORTH ...	–	7	8	–	6	G. 1 M. 1
†WESTMINSTER, CITY OF	–	2	2	–	–	–
†WOOLWICH ...	–	2	3	1	2	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD	–	6	1	–	2	M. 1
Boroughs and Urban Districts:—						
AMPTHILL ...	–	–	1	–	–	–
†BEDFORD ...	–	–	–	–	2	–
LEIGHTON BUZZARD	–	4	–	–	–	–
†LUTON	–	1	–	–	–	–
Rural Districts:—						
AMPTHILL ...	–	–	–	–	–	M. 1
EATON BRAY ...	–	1	–	–	–	–
BERKS	–	10	10	–	4	–
†READING C.B. ...	–	4	2	–	3	–
Boroughs and Urban District:—						
†NEWBURY ...	–	1	–	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	2	1	–	–	–
COOKHAM ...	–	–	–	–	1	–
WALLINGFORD ...	–	2	–	–	–	–
WINDSOR... ...	–	–	6	–	–	–
WOKINGHAM ...	–	–	1	–	–	–
BUCKINGHAM ...	–	4	3	1	–	–
Rural Districts:—						
AMERSHAM ...	–	1	–	–	–	–
WINSLOW... ...	–	–	–	1	–	–
WYCOMBE ...	–	3	3	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CAMBRIDGE ...	–	2	2	–	2	–
Borough:—						
†CAMBRIDGE ...	–	2	1	–	–	–
Rural Districts:—						
CAXTON AND ARRINGTON ...	–	–	–	–	1	–
CHESTERTON ...	–	–	1	–	1	–
CHESTER	–	47	14	–	22	M. 2
†BIRKENHEAD C.B.	–	9	5	–	5	M. 1
†CHESTER C.B. ...	–	4	–	–	4	–
†STOCKPORT C.B.	–	2	1	–	–	–
†WALLASEY C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
BOLLINGTON ...	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	–	–	–	2	–
BUGLAWTON ...	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	–	1	–	1	–
COMPSTALL ...	–	–	–	–	1	–
†CONGLETON ...	–	2	–	–	1	–
†CREWE	–	1	–	–	2	–
†DUKINFIELD ...	–	1	–	–	1	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	1	–
HOOLE	–	–	1	–	–	–
†HOYLAKE AND WEST KIRBY	–	1	–	–	1	–
†HYDE	–	2	1	–	1	–
KNUTSFORD ...	–	2	–	–	–	–
MIDDLEWICH ...	–	–	1	–	–	–
NESTON AND PARKGATE	–	1	–	–	–	–
†RUNCORN... ..	–	2	–	–	–	–
SANDBACH ...	–	1	–	–	–	–
WILMSLOW ...	–	1	–	–	–	–
†WINSFORD ...	–	1	–	–	1	–
Rural Districts:—						
BUCKLOW ...	–	1	1	–	–	–
CONGLETON ...	–	2	2	–	–	–
MACCLESFIELD ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
NANTWICH ...	–	1	–	–	–	M. 1
NORTHWICH ...	–	4	–	–	–	–
RUNCORN... ...	–	3	1	–	–	–
WIRRAL	–	1	–	–	–	–
CORNWALL ...	–	8	–	–	5	G. 2 M. 1
Boroughs and Urban Districts:—						
BODMIN	–	2	–	–	–	–
LOOE	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	2	–
ST. IVES	–	1	–	–	–	–
ST. JUST	*	*	*	*	*	*
TORPOINT ...	–	2	–	–	1	–
Rural Districts:—						
EAST KERRIER ...	–	2	–	–	–	–
LISKEARD ...	–	–	–	–	1	G. 2
REDRUTH ...	–	–	–	–	–	M. 1
ST. AUSTELL ...	–	–	–	–	1	–
CUMBERLAND ...	–	10	4	–	5	M. 2
†CARLISLE C.B. ...	–	4	–	–	1	M. 2
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	1	–	–	–	–
EGREMONT ..	–	–	1	–	–	–
HOLME CULTRAM	–	–	–	–	1	–
MILLOM	–	1	–	–	–	–
†WORKINGTON ...	–	2	2	–	–	–
Rural Districts:—						
BOOTLE	–	–	–	–	2	–
COCKERMOUTH ...	–	–	1	–	1	–
LONGTOWN ...	–	2	–	–	–	–
DERBY	12	25	5	–	27	D. 1
†DERBY C.B. ...	–	6	4	–	6	–
Boroughs and Urban Districts:—						
†ALFRETON ...	1	–	–	–	–	–
ALVASTON AND BOULTON	*	*	*	*	*	*
†BELPER	1	2	–	–	–	–
†BOLSOVER ...	–	1	–	–	1	–
†CHESTERFIELD ...	–	–	–	–	3	–
DRONFIELD ...	–	1	–	–	–	–
†GLOSSOP	–	–	–	–	1	–
HEAGE	–	–	1	–	1	–
†HEANOR	4	2	–	–	1	–
†LONG EATON ...	5	–	–	–	–	–
MATLOCK ...	–	1	–	–	–	–
MATLOCK BATH AND SCARTHIN NICK	*	*	*	*	*	*
NEW MILLS ...	–	–	–	–	1	–
†RIPLEY	–	–	–	–	4	–
†SWADLINCOTE DISTRICT	–	1	–	–	2	–
WIRKSWORTH ...	–	1	–	–	–	–
Rural Districts:—						
BAKEWELL ...	–	2	–	–	–	–
BLACKWELL ...	–	3	–	–	3	–
CHAPEL EN LE FRITH	–	4	–	–	1	–
CHESTERFIELD ..	–	1	–	–	2	–
CLOWNE	1	–	–	–	–	–
HARTSHORN AND SEALS	–	–	–	–	–	D. 1
NORTON	*	*	*	*	*	*
DEVON	–	21	5	1	6	M. 2
†EXETER C.B. ...	–	1	–	–	2	M. 1
†PLYMOUTH C.B....	–	1	2	–	2	M. 1
Boroughs and Urban Districts:—						
BUDLEIGH SALTERTON	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Exmouth ...	–	4	–	–	–	–
Ottery St. Mary	–	2	–	–	–	–
†Torquay ...	–	8	–	–	–	–
Rural Districts:—						
Barnstaple ...	–	–	–	–	1	–
Honiton ...	–	1	1	–	–	–
Newton Abbot...	–	1	–	–	–	–
Okehampton ...	–	2	–	–	–	–
Plympton St. Mary	–	–	–	1	1	–
South Molton...	–	–	1	–	–	–
Tiverton ..	–	1	–	–	–	–
DORSET	–	4	1	–	1	–
Boroughs and Urban Districts:—						
Dorchester ...	–	1	1	–	–	–
Rural Districts:—						
Shaftesbury ...	–	–	–	–	1	–
Wimborne and Cranborne	–	3	–	–	–	–
DURHAM	1	89	19	–	52	E. 1 M. 5
†Darlington C.B	–	1	–	–	2	–
†Gateshead C.B.	–	6	2	–	4	–
†South Shields C.B.	–	7	3	–	13	–
†Sunderland C.B.	–	6	1	–	4	M. 1
†West Hartlepool C.B.	–	–	1	–	2	E. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†Annfield Plain	–	1	–	–	–	–
Barnard Castle	–	–	1	–	–	–
Benfieldside ...	–	1	–	–	–	–
Bishop Auckland	–	–	1	–	–	–
†Blaydon... ...	–	3	–	–	–	M. 2
†Chester le Street	–	3	–	–	2	–
†Crook	–	–	1	–	–	–
†Durham	–	–	–	–	1	–
†Hartlepool ...	–	1	–	–	1	–
†Hebburn ...	–	–	1	–	2	–
†Hetton	–	4	–	–	2	–
†Houghton le Spring	–	1	–	–	–	–
†Jarrow	–	2	–	–	2	–
Leadgate ...	–	1	–	–	–	–
†Ryton	–	3	–	–	–	–
†Seaham Harbour	–	–	–	–	2	–
†Shildon	–	1	–	–	–	–
†Southwick on Wear	–	–	–	–	1	–
†Spennymoor ...	–	4	–	–	–	–
†Stanley	–	9	1	–	1	–
†Stockton on Tees	1	9	–	–	2	–
†Tanfield ...	–	1	–	–	1	–
†Whickham ...	–	1	–	–	2	–
Willington ...	–	3	–	–	1	–
Rural Districts:—						
Auckland ...	–	4	4	–	–	–
Chester le Street	–	4	–	–	3	M. 1
Darlington ...	–	3	–	–	–	–
Durham	–	3	–	–	1	–
Easington ...	*	*	*	*	*	*
Houghton le Spring	–	3	–	–	–	–
Sedgefield ..	–	1	2	–	–	–
South Shields...	–	2	–	–	–	–
Stockton ...	–		–	–	–	–
Sunderland ...	–	–	1	–	3	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	2	–	–	–	–
Rural Districts:—						
WHITTLESEY ...	–	1	–	–	–	–
WISBECH	–	1	–	–	–	–
ESSEX	–	39	26	3	11	D. 1 M. 1
†EAST HAM C.B. ..	–	2	2	–	1	–
†SOUTHEND-ON-SEA C.B.	–	7	–	1	2	M. 1
†WEST HAM C.B. ...		13	11	1	1	–
Boroughs and Urban Districts:—						
†BARKING TOWN..	–	–	2	–	–	–
BRIGHTLINGSEA	–	–	–	–	1	–
BURNHAM ON CROUCH	–	–	1	–	–	–
EPPING	–	–	–	–	1	–
†HARWICH ...	–	1	1	–	–	–
†ILFORD	–	4	3	–	–	–
†LEYTON	–	2	2	–	–	–
LOUGHTON ...	–	–	–	1	–	–
†ROMFORD ...	–	–	1	–	–	–
†WALTHAMSTOW ...	–	5	1	–	3	–
†WANSTEAD ...	–	1	2	–	–	–
Rural Districts:—						
BILLERICAY ...	–	2	–	–	–	–
BRAINTREE ...	–	–	–	–	1	–
LEXDEN AND WINSTREE	–	1	–	–	1	–
ROMFORD... ...	–	1	–	–	–	–
TENDRING ...	–	–	–	–	–	D. 1
GLOUCESTER ...	90	32	13	–	10	C. 1 G. 1 M. 1
†BRISTOL C.B. ...	–	21	8	–	10	C. 1 G. 1 M. 1
†GLOUCESTER C.B.	79§	2	1	–	–	–
GLOUCESTER—*cont.*						
Boroughs and Urban Districts:—						
†CHELTENHAM ...	1	2	1	–	–	–
†KINGSWOOD ...	–	4	–	–	–	–
STROUD	2	–	–	–	–	–
WESTBURY ON SEVERN	1	–	–	–	–	–
Rural Districts:—						
DURSLEY	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES ...	4	–	–	–	–	–
GLOUCESTER ...	3	–	–	–	–	–
MARSTON SICCA	*	*	*	*	*	*
NEWENT	–	–	2	–	–	–
THORNBURY ...	–	–	1	–	–	–
WARMLEY ...	–	1	–	–	–	–
WEST DEAN ...	–	1	–	–	–	–
HEREFORD ...	1	–	4	–	2	–
Boroughs and Urban Districts:—						
†HEREFORD ...	1	–	1	–	1	–
Rural Districts:—						
KINGTON	–	–	1	–	–	–
LEOMINSTER ...	–	–	1	–	1	–
WEOBLEY ...	–	–	1	–	–	–
HERTFORD ..	–	8	6	–	–	M. 1
Boroughs and Urban Districts:—						
†BARNET	–	–	–	–	–	M. 1
BUSHEY	–	1	–	–	–	–
†CHESHUNT ...	–	1	–	–	–	–
†EAST BARNET VALLEY	*	*	*	*	*	*
†HEMEL HEMPSTEAD	–	2	–	–	–	–
HODDESDON ...	–	1	–	–	–	–
†LETCHWORTH ...	–	–	1	–	–	–
ST. ALBANS ...	–	1	–	–	–	–
†WATFORD ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ Including 31 cases notified as chicken-pox, but re-diagnosed as small-pox. In addition, 45 other cases of chicken-pox were notified.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
BERKHAMPSTEAD	–	–	1	–	–	–
†HEMEL HEMPSTEAD	–	–	1	–	–	–
HITCHIN	–	1	–	–	–	–
WATFORD ...	–	–	1	–	–	–
WELWYN	–	–	1	–	–	–
HUNTINGDON ...	–	–	–	–	–	–
Rural Districts:—						
ST. NEOTS, No. 4 ..	*	*	*	*	*	*
KENT	–	26	11	1	5	C. 2 E. 1
Boroughs and Urban Districts:—						
†BROMLEY ...	–	–	–	–	1	E. 1
CHISLEHURST ...	–	–	–	–	1	–
†DARTFORD ...	–	–	–	–	–	C. 1
†DOVER	–	–	1	–	–	–
†ERITH	–	3	–	–	–	–
†FAVERSHAM ...	–	1	–	–	–	–
†FOLKESTONE ...	–	1	–	–	–	–
†GILLINGHAM ...	–	7	4	–	–	–
†GRAVESEND ...		4	–	–	–	C. 1
†HERNE BAY ...	–	–	1	–	–	–
†MAIDSTONE ...	–	1	–	–	–	–
†MARGATE ...	–	1	1	–	–	–
†NORTHFLEET ...	–	1	–	–	–	–
†PENGE	–	–	–	–	1	–
†RAMSGATE ...	–	–	1	–	–	–
†TONBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	3	–	1	–	–
EASTRY	–	–	–	–	1	–
ELHAM	–	–	–	–	1	–
KENT—*cont.*						
Rural Districts— *cont.*						
FAVERSHAM ...	–	1	–	–	–	–
HOLLINGBOURNE	–	1	–	–	–	–
ISLE OF THANET	–	1	1	–	–	–
STROOD	–	–	2	–	–	–
LANCASTER ...	–	234	46	3	130	C. 7 G. 3 M. 35
†BARROW IN FURNESS C.B.	–	5	–	–	–	–
†BLACKBURN C.B.	–	4	1	–	4	–
†BLACKPOOL C.B.	–	3	1	–	–	–
†BOLTON C.B. ...	–	15	3	–	1	M. 2
†BOOTLE C.B. ...	–	4	1	–	1	–
†BURNLEY C.B. ...	–	3	–	–	3	–
†BURY C.B. ...	–	–	–	–	4	M. 1
†LIVERPOOL C.B. ...	–	44	6	–	20	C. 4 G. 1 M. 17
†MANCHESTER C.B.	–	35	4	3	38	C. 3 G. 1 M. 11
†OLDHAM C.B. ...	–	6	2	–	1	–
†PRESTON C.B. ...	–	6	–	–	1	–
†ROCHDALE C.B. ...	–	12	–	–	–	–
†ST. HELENS C.B. ...	–	3	–	–	1	–
†SALFORD C.B. ...	–	10	4	–	5	G. 1
†SOUTHPORT C.B.	–	2	–	–	1	–
†WARRINGTON C.B.	–	3	–	–	3	–
†WIGAN C.B. ...	–	3	3	–	3	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	–	–	–	1	–
†ASHTON IN MAKERFIELD	–	2	3	–	2	–
†ASHTON UNDER LYNE	–	2	–	–	1	–
†ATHERTON ...	–	2	3	–	–	–
†COLNE	–	–	–	–	2	–
†CROMPTON ...	–	1	–	–	1	–
†DALTON IN FURNESS	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DARWEN	–	3	–	–	–	–
†DENTON	–	2	–	–	1	–
†DROYLSDEN ...	–	–	–	–	2	–
†ECCLES	–	–	–	–	1	–
†FAILSWORTH ...	–	1	1	–	2	–
†FARNWORTH ...	–	1	–	–	1	–
†FLEETWOOD ...	–	1	3	–	1	–
FULWOOD ...	–	1	–	–	–	–
†GREAT CROSBY ...	–	–	–	–	1	–
†HASLINGDEN ...	–	2	–	–	–	–
†HEYWOOD ...	–	4	–	–	3	–
†HINDLEY... ...	–	1	1	–	3	–
†HORWICH ...	–	–	1	–	1	–
HURST	–	–	–	–	1	–
†INCE IN MAKERFIELD	–	3	–	–	–	–
†LANCASTER ...	–	5	–	–	–	–
LATHOM AND BURSCOUGH	–	–	–	–	1	–
†LEIGH	–	3	–	–	–	–
LEYLAND... ...	–	1	–	–	–	–
LONGRIDGE ...	*	*	*	*	*	*
†MIDDLETON ...	–	2	–	–	2	–
†MORCAMBE ...	–	1	–	–	–	–
†MOSSLEY	–	1	–	–	–	–
†NELSON	–	2	–	–	–	–
†NEWTON IN MAKERFIELD	–	2	–	–	2	–
ORMSKIRK ...	–	1	–	–	–	–
†OSWALDTWISTLE	–	–	–	–	1	–
†PADIHAM... ...	–	–	1	–	1	–
PRESCOT	–	1	–	–	–	–
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	3	2	–	–	–
†RAMSBOTTOM ...	–	1	–	–	1	–
†RAWTENSTALL ...	–	–	–	–	1	–
RISHTON	–	–	–	–	1	–
†ROYTON	–	–	–	–	1	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD... ...	*	*	*	*	*	*
†SWINTON AND PENDLEBURY	–	–	–	–	4	–
TOTTINGTON ...	–	2	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	–	–
UPHOLLAND ...	–	1	–	–	–	–
URMSTON... ..	*	*	*	*	*	*
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WALTON LE DALE	–	–	–	–	–	M. 1
†WATERLOO WITH SEAFORTH	–	3	–	–	–	M. 3
†WESTHOUGHTON	–	3	2	–	–	–
WHITEFIELD ...	–	2	–	–	–	–
WHITWORTH ...	–	–	–	–	1	–
†WIDNES	–	7	1	–	1	–
Rural Districts:—						
FYLDE	–	1	–	–	–	–
LANCASTER ...	*	*	*	*	*	*
LIMEHURST ...	–	1	1	–	–	–
PRESTON	–	1	–	–	–	–
SEFTON	–	1	1	–	–	–
ULVERSTON ...	–	1	–	–	–	–
WEST LANCASHIRE	–	1	–	–	1	–
WHISTON... ...	–	–	1	–	–	–
LEICESTER... ...	–	10	6	–	15	C. 1 M. 4
†LEICESTER C.B. ...	–	6	4	–	11	C. 1 M. 3
Boroughs and Urban Districts:—						
MELTON MOWBRAY	–	–	–	–	2	M. 1
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–	–	–
CASTLE DONNINGTON	–	1	1	–	–	–
MARKET BOSWORTH	–	2	–	–	–	–
MARKET HARBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	3	–	–	–	–
Boroughs and Urban Districts—						
†BOSTON	–	1	–	–	–	–
LONG SUTTON ...	*	*	*	*	*	*
Rural Districts:—						
BOSTON	–	2	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	4	–	1	–
Boroughs and Urban Districts:—						
SLEAFORD ...	–	1	–	–	–	–
Rural Districts:—						
BRANSTON ...	–	–	–	–	1	–
SLEAFORD ...	–	–	4	–	–	–
LINCOLN (parts of Lindsey).	–	5	6	–	5	–
†GRIMSBY C.B. ...	–	1	2	–	–	–
†LINCOLN C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
BRIGG	–	1	–	–	–	–
†CLEETHORPES ...	–	–	–	–	3	–
†SCUNTHORPE AND FRODINGHAM	–	1	3	–	1	–
Rural Districts:—						
GLANFORD BRIGG	–	–	1	–	1	–
GRIMSBY	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	41	17	–	20	M. 4
Boroughs and Urban Districts:—						
†ACTON	–	1	–	–	–	–
†BRENTFORD ...	–	3	–	–	–	–
†CHISWICK ...	–	4	–	–	–	–
†EALING	–	–	1	–	1	–
†EDMONTON ...	–	2	3	–	–	–
†ENFIELD	–	–	–	–	2	–
†HANWELL ...	–	1	–	–	–	–
†HARROW ON THE HILL	–	1	–	–	–	–
†HENDON	–	1	1	–	–	–
†HESTON AND ISLEWORTH	–	2	1	–	4	–
†HORNSEY... ...	–	1	1	–	–	–
†SOUTHALL NORWOOD	–	1	–	–	2	M. 1
†SOUTHGATE ...	–	1	–	–	1	–
†TEDDINGTON ...	–	2	–	–	–	–
†TOTTENHAM ...	–	8	3		5	M. 2
†TWICKENHAM ...	–	2	–	–	1	–
†WEALDSTONE ...	–	1	–	–	–	–
†WEMBLEY ...	–	–	–	–	2	–
†WILLESDEN ...	–	8	3	–	1	–
†WOOD GREEN ...	–	–	–	–	1	M. 1
YIEWSLEY ...	–	–	2	–	–	–
Rural Districts:—						
HENDON	–	1	1	–	–	–
STAINES	–	1	1	–	–	–
NORFOLK	–	30	4	–	5	–
†GREAT YARMOUTH C.B.	–	13	–	–	–	–
†NORWICH C.B. ...	–	4	1	–	3	–
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	1	–	–	1	–
THETFORD ...	–	1	–	–	–	–
Rural Districts:—						
ERPINGHAM ...	–	–	2	–	–	–
FOREHOE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
HENSTEAD ...	–	1	–	–	–	–
MITFORD AND LAUNDITCH	–	4	–	–	–	–
SWAFFHAM ...	–	–	–	–	1	–
WAYLAND ...	–	–	1	–	–	–
NORTHAMPTON ...	–	26	5	–	11	D. 1 M. 1
†NORTHAMPTON C.B.	–	2	–	–	8	M. 1
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	2	–	–	–	–
IRTHLINGBOROUGH	–	–	1	–	–	–
†KETTERING ...	–	6	–	–	–	–
ROTHWELL ...	–	1	–	–	–	–
†RUSHDEN ...	–	–	1	–	1	–
†WELLINGBOROUGH	–	4	–	–	–	D. 1
Rural Districts:—						
DAVENTRY ...	–	4	1	–	–	–
HARDINGSTONE ...	–	1	1	–	2	–
KETTERING ...	–	4	–	–	–	–
POTTERSPURY ...	–	2	–	–	–	–
THRAPSTON (part)	–	–	1	–	–	–
NORTHUMBERLAND	–	25	3	–	34	C. 1
†NEWCASTLE UPON TYNE C.B.	–	9	1	–	18	–
†TYNEMOUTH C.B.	–	1	–	–	4	–
Boroughs and Urban Districts:—						
AMBLE	*	*	*	*	*	*
†ASHINGTON ...	–	1	–	–	–	C. 1
†BEDLINGTONSHIRE	–	–	–	–	2	–
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BERWICK UPON TWEED	–	2	–	–	–	–
†BLYTH	–	–	–	–	3	–
CRAMLINGTON ...	–	1	–	–	–	–
†GOSFORTH ..	–	1	–	–	–	–
HEXHAM	–	–	–	–	1	–
†LONGBENTON ..	–	4	–	–	1	–
NEWBIGGIN BY THE SEA	*	*	*	*	*	*
†NEWBURN ...	–	–	–	–	1	–
PRUDHOE... ...	–	–	1	–	2	–
SEATON DELAVEL	–	–	1	–	1	–
SEGHILL	*	*	*	*	*	*
†WALLSEND ...	–	1	–	–	–	–
WEETSLADE ...	–	1	–	–	–	–
Rural Districts:—						
GLENDALE ...	–	–	–	–	1	–
MORPETH... ...	–	1	–	–	–	–
NORHAM AND ISLANDSHIRES	–	3	–	–	–	–
NOTTINGHAM ...	21	18	6	3	11	C. 1 M. 5
†NOTTINGHAM C.B	–	12	2	2	3	M. 2
Boroughs and Urban Districts:—						
ARNOLD	*	*	*	*	*	*
†CARLTON	–	3	1	–	2	–
†EAST RETFORD ...	–	–	–	–	2	–
EASTWOOD ...	*	*	*	*	*	*
†KIRKBY IN ASHFIELD	6	–	–	–	–	–
†MANSFIELD ..	–	1	–	–	3	C. 1
†NEWARK	–	–	–	1	–	–
†SUTTON IN ASHFIELD	–	1	–	–	–	–
WARSOP	15	–	–	–	–	–
†WORKSOP... ...	–	–	–	–	–	M. 3

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NOTTINGHAM— *cont.*						
Rural Districts:—						
EAST RETFORD ...	–	–	3	–	1	–
STAPLEFORD ...	–	1	–	–	–	–
OXFORD	–	8	1	–	1	G. 1 M. 1
†OXFORD C.B. ...	–	2	–	–	–	M. 1
Boroughs and Urban Districts:—						
BICESTER... ...	–	1	–	–	–	–
HENLEY ON THAMES	–	–	–	–	–	G. 1
Rural Districts:—						
BICESTER... ...	–	1	–	–	–	–
CULHAM	–	–	1	–	–	–
HEADINGTON ...	–	4	–	–	1	–
PETERBOROUGH (Soke of)	–	1	–	–	3	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	2	–
Rural Districts:—						
PETERBOROUGH...	–	–	–	–	1	–
SALOP	–	8	2	–	3	–
Boroughs and Urban Districts:—						
OSWESTRY ...	–	2	–	–	–	–
†SHREWSBURY ...	–	1	–	–	–	–
WELLINGTON ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SALOP— *cont.*						
Rural Districts:—						
BRIDGENORTH ...	–	–	–	–	1	–
LUDLOW	–	–	1	–	1	–
OSWESTRY ...	–	2	–	–	–	–
WELLINGTON ...	–	3	–	–	–	–
WEM	–	–	1	–	–	–
SOMERSET	–	14	4	–	5	E. 1. M. 1
†BATH C.B. ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
MIDSOMER NORTON	–	2	–	–	–	–
MINEHEAD ...	*	*	*	*	*	*
RADSTOCK ...	–	1	–	–	–	–
†WESTON SUPER MARE	–	2	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	–	2	–	2	–
BATH	–	1	–	–	–	–
CLUTTON... ...	–	1	–	–	1	–
DULVERTON ...	–	–	–	–	–	E. 1
FROME	–	1	–	–	–	–
KEYNSHAM ...	–	1	–	–	–	–
LANGPORT ...	–	1	–	–	–	–
LONG ASHTON ...	–	1	–	–	–	M. 1
TAUNTON ...	–	2	–	–	1	–
WELLINGTON ...	–	–	1	–	–	–
SOUTHAMPTON ...	–	36	16	3	9	–
†BOURNEMOUTH C.B.	–	1	–	–	1	–
†PORTSMOUTH C.B.	–	15	13	2	3	–
†SOUTHAMPTON C.B.	–	13	1	1	3	–
Boroughs and Urban Districts:—						
ANDOVER... ...	–	–	–	–	2	–
†BASINGSTOKE ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	–	1	–	–	–
†FAREHAM ...	–	1	–	–	–	–
PETERSFIELD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Rural Districts:—						
CATHERINGTON ...	*	*	*	*	*	*
HARTLEY WINTNEY	–	3	–	–	–	–
HURSLEY	–	1	–	–	–	–
LYMINGTON ...	–	–	1	–	–	–
STAFFORD	–	53	22	2	54	C. 4 D. 1 M. 10
†BURTON UPON TRENT C.B.	–	3	1	–	–	–
†SMETHWICK C.B.	–	4	6	–	7	C. 2 M. 3
†STOKE ON TRENT C.B.	–	13	6	1	13	C. 1 D. 1 M. 7
†WALSALL C.B. ...	–	–	–	–	4	–
†WEST BROMWICH C.B.	–	2	1	–	5	–
†WOLVERHAMPTON C.B.	–	3	–	–	1	–
Boroughs and Urban Districts:—						
†AUDLEY	–	3	–	–	–	–
BIDDULPH ..	–	5	–	–	–	–
†BRIERLEY HILL...	–	–	–	–	2	–
†BROWNHILLS ...	–	–	–	–	1	–
†CANNOCK	–	–	–	–	1	–
†COSELEY	–	–	–	–	2	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	–	2	–	–	–
†LEEK	–	–	–	1	–	–
†NEWCASTLE UNDER LYME	–	1	2	–	–	–
QUARRY BANK ...	–	1	–	–	2	–
†ROWLEY REGIS ...	–	–	1	–	2	–
†SEDGLEY	–	–	–	–	3	–
SHORT HEATH ..	–	–	–	–	–	C. 1
†STAFFORD ...	–	2	–	–	–	–
TAMWORTH ...	–	1	–	–	–	–
†TIPTON	–	3	–	–	–	–
UTTOXETER ...	–	–	–	–	1	–
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEDNESBURY ...	–	1	–	–	–	–
†WILLENHALL ...	–	2	–	–	1	–
†WOLSTANTON UNITED	–	3	1	–	2	–
Rural Districts:—						
CHEADLE... ...	–	–	–	–	5	–
KINGSWINFORD ...	–	–	1	–	–	–
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	5	–	–	2	–
TAMWORTH (part)	–	–	1	–	–	–
UTTOXETER ...	*	*	*	*	*	*
SUFFOLK, EAST ...	–	3	6	1	4	M. 1
†IPSWICH C.B. ...	–	1	6	–	1	–
Boroughs and Urban Districts:—						
BECCLES	–	1	–	–	–	–
HALESWORTH ...	*	*	*	*	*	*
†LOWESTOFT ...	–	1	–	1	–	–
Rural Districts:—						
EAST STOW ...	–	–	–	–	–	M. 1
HARTISMERE ...	–	–	–	–	3	–
SUFFOLK, WEST ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	1	–	–	–	–
SURREY	–	49	9	2	10	–
†CROYDON C.B. ...	–	13	–	–	2	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts:—						
†BARNES	–	3	–	–	1	–
†BEDDINGTON AND WALLINGTON	–	2	1	–	–	–
†CATERHAM ...	–	2	–	–	–	–
†CHERTSEY ...	–	1	–	–	1	–
†COULSDON AND PURLEY	–	2	–	1	–	–
DORKING	–	–	1	–	–	–
EAST AND WEST MOLESEY	–	–	1	–	–	–
†EGHAM	–	–	1	–	2	–
†KINGSTON ON THAMES	–	2	–	–	–	–
†MERTON AND MORDEN	–	1	3	–	–	–
†MITCHAM... ...	–	9	1	–	1	–
†RICHMOND ...	–	–	1	–	1	–
†SURBITON ...	–	1	–	–	–	–
†SUTTON	–	1	–	–	–	–
†WIMBLEDON ...	–	3	–	1	–	–
†WOKING	–	4	–	–	1	–
Rural Districts:—						
EPSOM	–	1	–	–	–	–
FARNHAM ...	–	1	–	–	1	–
HAMBLEDON ...	–	3	–	–	–	–
SUSSEX, EAST ...	–	9	14	–	4	–
†BRIGHTON C.B. ...	–	4	10	–	3	–
†EASTBOURNE C.B.	–	–	1	–	1	–
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	2	–	–	–	–
Rural Districts:—						
BATTLE	–	–	3	–	–	–
EAST GRINSTEAD	–	2	–	–	–	–
HAILSHAM ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST ...	–	3	3	–	–	C. 1 M. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	1	–	–	–	–
†CHICHESTER ...	–	–	2	–	–	–
†HORSHAM ...	–	1	–	–	–	–
SOUTHWICK ...	–	–	–	–	–	C. 1
†WORTHING ...	–	–	1	–	–	–
Rural Districts:—						
HORSHAM ...	–	1	–	–	–	–
WESTBOURNE ...	–	–	–	–	–	M. 1
WARWICK	1	85	29	1	58	C. 8 G. 1 M. 12
†BIRMINGHAM C.B.	1	57	25	1	45	C. 8 M. 10
†COVENTRY C.B. ...	–	10	1	–	2	G. 1
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	–	–	2	–
†NUNEATON ...	–	2	1	–	2	M. 1
†ROYAL LEAMINGTON SPA	–	3	–	–	–	–
†RUGBY	–	1	–	–	3	–
STRATFORD ON AVON	*	*	*	*	*	*
†SUTTON COLDFIELD	–	–	–	–	–	M. 1
†WARWICK ...	–	4	–	–	–	–
Rural Districts:—						
ATHERSTONE ...	–	3	–	–	1	–
MERIDEN... ...	–	2	–	–	–	–
MONKS KIRBY ...	–	–	–	–	2	–
NUNEATON ...	*	*	*	*	*	*
RUGBY	–	–	1	–	1	–
STRATFORD ON AVON	*	*	*	*	*	*
TAMWORTH (part)	–	3	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND ...	–	–	–	–	1	–
Rural Districts:—						
SOUTH WESTMORLAND	–	–	–	–	1	–
WIGHT, ISLE OF ...	–	4	–	1	–	–
Boroughs and Urban Districts—						
EAST COWES ...	–	1	–	–	–	–
SANDOWN ...	–	2	–	–	–	–
SHANKLIN ...	–	–	–	1	–	–
Rural Districts:—						
ISLE OF WIGHT ..	–	1	–	–	–	–
WILTS	–	11	4	–	2	–
Boroughs and Urban Districts:—						
CALNE	–	2	–	–	–	–
DEVIZES	–	1	–	–	–	–
†SALISBURY ...	–	1	2	–	–	–
†SWINDON... ...	–	4	1	–	–	–
Rural Districts:—						
CHIPPENHAM ...	–	1	–	–	1	–
RAMSBURY ...	–	1	–	–	1	–
†SALISBURY ...	–	–	1	–	–	–
WARMINSTER ...	–	1	–	–	–	–
WORCESTER ...	1	11	3	1	9	M. 1
†DUDLEY C.B. ...	–	–	1	–	–	–
†WORCESTER C.B.	–	1	–	–	5	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	*	*	*	*	*	*
DROITWICH ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KIDDERMINSTER	–	2	–	–	–	M. 1
LYE AND WOLLESCOTE	–	–	–	–	1	–
†MALVERN... ...	–	1	–	–	–	–
NORTH BROMSGROVE	*	*	*	*	*	*
†OLDBURY... ...	–	1	–	–	1	–
STOURPORT ...	–	2	–	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
HALESOWEN ...	–	–	–	–	2	–
MARTLEY... ...	1	1	1	–	–	–
PERSHORE ...	–	1	1	–	–	–
ROCK	–	–	–	1	–	–
YORKS ... ... (East Riding.)	–	8	12	1	3	M. 1
†KINGSTON UPON HULL C.B.	–	5	8	1	–	M. 1
Boroughs and Urban Districts:—						
BEVERLEY ...	–	–	–	–	1	–
HESSLE	–	–	–	–	1	–
NORTON	*	*	*	*	*	*
WITHERNSEA ...	–	–	1	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	1	–	–	–
PATRINGTON ...	–	3	–	–	–	–
SCULCOATES ...	–	–	2	–	–	–
SHERBURN ...	–	–	–	–	1	–
YORKS ... ... (North Riding.)	1	37	4	–	14	–
†MIDDLESBROUGH C.B.	1	26	3	–	7	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ESTON	–	7	–	–	–	–
GUISBOROUGH ...	–	–	–	–	2	–
†REDCAR	–	2	–	–	2	–
†SCARBOROUGH ...	–	–	–	–	2	–
†WHITBY	–	–	1	–	–	–
Rural Districts:—						
KIRKBY MOORSIDE	–	–	–	–	1	–
REETH	–	2	–	–	–	–
YORKS ... ... (West Riding.)	12	132	38	4	200	C. 8 G. 3 M. 10
†BARNSLEY C.B. ...	–	2	–	–	6	–
†BRADFORD C.B. ...	–	3	10	–	26	–
†DEWSBURY C.B....	–	6	–	–	–	–
†HALIFAX C.B. ...	–	1	–	–	3	M. 1
†HUDDERSFIELD C.B.	–	–	1	–	3	–
†LEEDS C.B. ...	–	31	5	–	38	C. 5 G. 2 M. 2
†ROTHERHAM C.B.	–	9	–	1	17	–
†SHEFFIELD C.B....	–	28	4	1	54	M. 4
†WAKEFIELD C.B.	–	–	1	–	1	C. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	2	–	–	–
ALTOFTS	–	–	–	–	1	–
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
†BARNOLDSWICK ...	–	1	–	–	–	–
†BATLEY	–	1	–	–	–	–
†BENTLEY WITH ARKSEY	2	1	–	–	–	–
†CASTLEFORD ...	–	1	–	1	–	–
CUDWORTH ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
DARFIELD ..	–	–	–	–	1	–
†DARTON	–	2	–	–	–	–
DODWORTH ...	–	2	–	–	–	–
†DONCASTER ...	–	3	–	–	–	–
DRIGHLINGTON ...	–	–	1	–	–	–
†ELLAND	–	2	–	–	–	–
†GOOLE	–	1	–	–	–	–
GREETLAND ...	–	–	–	–	1	–
†HARROGATE ...	–	1	–	–	3	–
HAWORTH ...	–	1	–	–	–	–
HEBDEN BRIDGE	–	–	–	–	1	–
HECKMONDWIKE	–	1	–	–	–	–
†HEMSWORTH ...	–	–	1	–	–	–
†HOLMFIRTH ...	–	2	–	–	–	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	1	–	–	1	–
KNARESBOROUGH	–	–	1	–	–	–
KNOTTINGLEY ..	–	1	–	–	2	–
LEPTON	–	–	1	–	–	–
†MEXBOROUGH ...	–	–	1	–	3	–
†MIRFIELD ...	–	–	–	–	2	–
†MORLEY	–	1	–	–	6	–
MYTHOLMROYD ...	–	–	–	–	1	–
†NORMANTON ...	–	1	1	–	4	–
†PONTEFRACT ...	–	–	–	–	2	–
RAWDON	–	–	–	–	2	–
†RAWMARSH ...	–	–	–	–	1	–
†ROTHWELL ...	–	1	–	–	1	M. 1
ROYSTON	–	3	–	1	–	–
SHELF	–	1	–	–	–	G. 1
SKELMANTHORPE	–	–	1	–	–	–
†SKIPTON	–	2	–	–	–	–
†SPENBOROUGH ...	–	10	1	–	1	–
†STANLEY	–	–	1	–	–	–
STOCKSBRIDGE ...	–	2	–	–	3	–
THURNSCOE ...	–	–	–	–	2	–
†TODMORDEN ...	–	–	–	–	–	M. 2
†WOMBWELL ...	–	1	–	–	1	–
Rural Districts—						
BARNSLEY ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Rural Districts:—						
DONCASTER ...	10	3	–	–	1	–
GREAT OUSEBURN	–	–	–	–	–	C. 1
HEMSWORTH ...	–	–	1	–	3	–
KEIGHLEY ...	–	–	–	–	1	–
KIVETON PARK ...	–	1	–	–	–	–
PATELEY BRIDGE	*	*	*	*	*	*
PONTEFRACT ...	–	1	–	–	–	–
RIPON	*	*	*	*	*	*
ROTHERHAM ...	–	1	–	–	1	–
SELBY	–	–	1	–	1	–
SETTLE	–	–	2	–	1	–
TADCASTER ...	–	–	1	–	1	C. 1
THORNE	–	–	–	–	1	–
WAKEFIELD ...	–	–	1	–	–	–
WHARFEDALE (SOUTH)	–	–	–	–	1	–
WORTLEY ...	–	2	–	–	–	–
†YORK C.B. ...	–	6	–	1	–	–
WALES.						
ANGLESEY	–	8	–	–	2	–
Rural Districts:—						
VALLEY	–	8	–	–	2	–
BRECKNOCK ...	–	–	–	1	–	–
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
VAYNOR AND PENDERYN	–	–	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN	–	–	1	–	–	–
Boroughs and Urban Districts:—						
LAMPETER ...	–	–	1	–	–	–
CARMARTHEN ...	–	10	9	1	5	–
Boroughs and Urban Districts:—						
BURRY PORT ...	–	–	–	–	2	–
†CARMARTHEN ...	–	–	1	–	–	–
CWMAMMAN ...	–	–	–	–	2	–
LLANDILO ...	–	–	1	–	–	–
LLANDOVERY ...	–	3	–	–	–	–
†LLANELLY ...	–	3	3	1	–	–
Rural Districts:—						
CARMARTHEN ...	–	3	1	–	1	–
LLANDILO FAWR..	–	1	1	–	–	–
LLANELLY ...	–	–	2	–	–	–
CARNARVON ...	–	–	1	1	–	–
Boroughs and Urban Districts:—						
CARNARVON ...	–	–	–	1	–	–
LLANFAIRFECHAN	–	–	1	–	–	–
DENBIGH	–	1	1	–	3	C. 1
Boroughs and Urban Districts:—						
DENBIGH... ...	–	–	–	–	3	–
†WREXHAM ...	*	*	*	*	*	*
Rural Districts:—						
CHIRK	–	1	–	–	–	–
RUTHIN	–	–	1	–	–	–
UWCHALED ...	–	–	–	–	–	C. 1
WREXHAM ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	1	1	–	2	–
Boroughs and Urban Districts:—						
HOLYWELL ...	–	–	–	–	1	–
†RHYL	–	1	–	–	–	–
Rural Districts:—						
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	1	–
ST. ASAPH (FLINT)	–	–	1	–	–	–
GLAMORGAN ...	–	60	37	1	18	C. 4 M. 7
†CARDIFF C.B. ...	–	9	5	–	2	C. 1 M. 3
†MERTHYR TYDFIL C.B.	–	1	4	–	–	–
†SWANSEA C.B. ...	–	7	8	–	1	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	2	2	–	2	M. 2
†BARRY	–	3	3	–	3	–
BRIDGEND ...	–	1	–	–	–	–
†CAERPHILLY ...	–	1	–	–	–	–
†GELLIGAER ..	–	3	1	–	–	–
†MAESTEG ...	–	–	–	–	–	M. 1
†MOUNTAIN ASH ...	–	8	–	–	3	–
†NEATH	–	–	6	–	–	–
†OGMORE AND GARW	–	10	1	–	–	C. 1
†PENARTH ...	–	1	–	–	–	–
†PONTYPRIDD ...	–	2	1	1	2	C. 2
PORTHCAWL ...	–	–	1	–	–	–
†PORT TALBOT ...	–	–	1	–	–	–
†RHONDDA ..	–	3	1	–	3	M. 1
Rural Districts:—						
COWBRIDGE ...	–	1	–	–	–	–
GOWER	–	1	2	–	–	–
LLANTRISANT AND LLANTWIT FARDRE	–	1	–	–	–	–
GLAMORGAN—*cont.*						
Rural Districts—*cont.*						
NEATH	–	2	–	–	2	–
PENYBONT ...	–	1	1	–	–	–
PONTARDAWE ...	–	1	–	–	–	–
SWANSEA... ...	–	2	–	–	–	–
MERIONETH ...	–	2	–	–	–	–
Urban Districts:—						
TOWYN	–	2	–	–	–	–
MONMOUTH ...	1	5	7	1	5	G. 1 M. 3
†NEWPORT C.B. ...	–	–	2	–	2	M. 1
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	–	1	–	–	–
†ABERTILLERY ...	–	2	1	–	–	–
BEDWAS AND MACHEN	–	–	–	–	1	–
†BEDWELLTY ...	–	–	1	–	–	–
†BLAENAVON ...	–	–	–	–	–	M. 1
MONMOUTH ...	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	1	M. 1
†PANTEG	–	–	–	–	–	G. 1
†RISCA	1	–	–	1	–	–
†TREDEGAR ..	–	1	1	–	1	–
Rural Districts:—						
MAGOR	–	1	–	–	–	–
MONMOUTH ...	–	–	1	–	–	–
MONTGOMERY ...	–	2	–	–	2	–
Rural Districts:—						
FORDEN	–	2	–	–	1	–
LLANFYLLIN ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
PEMBROKE	–	1	–	–	–	M. 2
Boroughs and Urban Districts:—						
Goodwick ...	*	*	*	*	*	*
Milford Haven	–	1	–	–	–	M. 2
Neyland... ...	*	*	*	*	*	*
†Pembroke ...	*	*	*	*	*	*
RADNOR	–	–	–	–	1	–
Rural Districts:—						
Knighton ...	–	–	–	–	1	
Total of Part II. ...	141	1295	445	34	804	C. 39 D. 4 E. 3 G. 12 M. 116

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Hartlepool	*	*	*	*	*	*
Liverpool	–	–	1	–	–	–
Plymouth	–	–	–	–	4	L. 3
Port of London ...	–	–	–	1	–	–
Total of Part III.— ...	–	–	1	1	4	L. 3

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	171	186	6	70	C. 4 D. 1 E. 1 G. 2 M. 17
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	141	1295	445	34	804	C. 39 D. 4 E. 3 G. 12 M. 116
Total of Part III.—Port Sanitary Districts	–	–	1	1	4	L. 3
Total (*i.e.*, of returns received), England and Wales ...	141	1466	632	41	878	C. 43 D. 5 E. 4 G. 14 L. 3 M. 133

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-cephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ›ver; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague, or Typhus Fever notified during the week. ıe cases of Small-pox notified appear on pages 706, 707, 708, 712, 715, 716, 717, 718, and 719.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CA and DEATHS of INFANTS under 1 YEA AGE) and NOTIFIED CASES of certain N FECTIOUS DISEASES in the last THIRT WEEKS.

Week ended :—	Mar. 31.	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	Ju
LONDON:—													
DEATHS—all ages	1,082	1,094	1,126	1,016	1,043	1,047	885	949	905	840	847	871	55
" 0 to 1 year ..	113	100	120	111	105	118	106	93	98	83	74	90	36
GREAT TOWNS, aggregate (including London):—													
BIRTHS	7,029	7,386	8,216	8,258	7,581	7,970	7,665	8,309	6,717	8,723	8,055	8,106	01
DEATHS—all ages	4,991	4,735	4,971	4,539	4,686	4,887	4,478	4,531	4,224	4,152	4,264	4,060	57
" 0 to 1 year ..	662	557	634	570	548	648	566	564	518	506	518	474	64
ENTERIC FEVER—Cases	15	16	26	22	19	30	15	18	18	16	18	15	24
" Deaths	2	4	3	4	1	2	1	3	5	—	2	2	2
SMALL POX—Cases ..	15	3	10	7	7	1	4	7	1	8	38	56	82
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	907	905	797	952	934	963	859	830	891	804	833	762	125
" Deaths	11	13	15	12	16	11	15	25	7	12	7	9	16
DIPHTHERIA—Cases ..	563	576	483	542	488	499	515	467	405	405	441	448	115
" Deaths ..	43	37	36	37	40	36	38	34	29	15	33	26	32
MEASLES—Deaths ..	117	105	86	86	69	74	73	73	73	60	97	85	61
INFLUENZA—Deaths ..	120	188	184	169	143	175	207	200	166	155	140	120	92

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 23rd June, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.*				Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.*				Rai ll M me s.‡
	Highest.	Lowest.	Mean Maximum.	Mean Minimum.			Highest.	Lowest	Mean Maximum.	Mean Minimum.	
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	79	38	66·9	48·3	1	BRADFORD ..	68	38	60·3	48·0	
BRIGHTON ..	79	45	65·8	50·4	2	SHEFFIELD ..	68	41	60·4	49·4	
PORTSMOUTH ..	75	48	66·0	51·1	0	YORK (MUSEUM)	73	39	62·9	49·3	
NORWICH (EATON).	75	38	63·6	46·7	1	HULL (PEARSON PARK).	76	40	62·6	49·0	
PLYMOUTH ..	71	47	64·4	50·7	1	TYNEMOUTH ..	74	41	60·4	48·9	
BRISTOL (CLIFTON).	73	46	65·7	50·7	2	CARDIFF	70	45	64·7	49·6	
BIRMINGHAM ..	70	43	61·1	48·6	3	EDINBURGH ..	70·0	40·0	62·4	47·1	
NOTTINGHAM ..	70	43	61·6	49·9	1	GLASGOW ..	64·0	39·7	60·1	47·7	
BIRKENHEAD (BIDSTON).	67	46	60·0	50·3	0·1	DUBLIN (PHŒNIX PARK).		Not	receive	d.	
MANCHESTER ..	68	39	60·0	48·9	3	FITZWILLIAM SQUARE.†	69·0	45·0	64·8	51·7	
BURNLEY.. ..	68	35	60·6	47·0	3	BELFAST	71·2	48·8	64·5	52·8	
HUDDERSFIELD	70	45	61·4	49·6	1						

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 23rd June, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JUNE.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY - 17	..	30·010	61·0	40·6	20·4	48·9	−10·1	40·6	8·3	20·6	1·8	73	125·0	29·6	51·6	Calm: N.	N: Calm	1·2	0·0	0·1	242	− 1	0·01
MONDAY - 18	..	29·975	65·3	38·2	27·1	52·2	− 7·0	44·3	7·9	18·9	1·8	75	123·8	28·1	51·7	Calm	W: Calm.	0·2	0·0	0·0	142	− 101	0·00
TUESDAY - 19	..	29·903	60·9	51·1	9·8	54·7	− 4·8	47·6	7·1	14·4	1·4	77	94·2	45·4	51·6	Calm: WSW: NW.	N	1·6	0·0	0·1	273	+ 29	0·02
WEDNESDAY 20	..	30·014	59·2	49·1	10·1	52·6	− 7·3	42·8	9·8	14·7	6·0	69	109·9	43·9	51·7	NNE.	NE: N	2·2	0·0	0·2	329	+ 83	0·01
THURSDAY - 21	First Quarter.	30·041	68·6	47·5	21·1	58·1	− 2·2	49·9	8·2	16·9	3·1	75	114·9	40·6	51·8	NW: W.	NW: WNW.	1·5	0·0	0·1	260	+ 13	0·00
FRIDAY - 22	In Equator	30·039	72·1	54·7	17·4	62·8	+ 2·2	52·6	10·2	16·3	1·8	69	139·9	44·2	51·8	W: NNW.	NNW	2·0	0·0	0·1	342	+ 93	0·00
SATURDAY - 23	..	30·097	79·2	51·9	27·3	65·6	+ 4·7	53·1	12·5	24·2	3·0	64	144·0	39·0	52·0	NW: WNW.	WNW: NNW.	1·0	0·0	0·1	235	− 15	0·00
MEANS -	..	30·011	66·6	47·6	19·0	56·4	− 3·5	47·3	9·1	18·0	2·7	72	121·7	38·7	51·7	Northerly		..	..	..	Sum 1,823	Sum + 101	Sum 0·04
No. of COLUMN	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JUNE.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	17	Zero generally to 6h., then wP.	7·9	16·5	Nearly overcast till 20h., then nearly cloudless. Damping till 1h. Dew at night.
MONDAY ..	18	Zero generally to 6h.; wP to 10½h.; wN to 11h.; then wP.	0·2	16·6	Cloudless till 1h., then overcast generally. Mist in morning.
TUESDAY ..	19	Loss of register till 11h.; then mP generally.	0·5	16·6	Overcast. Occasional rain or damping 4½h. till 12h.
WEDNESDAY	20	wP to 19h.; mP generally to 21h.; then wP.	0·9	16·6	Overcast generally. Slight showers 9h. and 10½h.
THURSDAY	21	wP or zero to 6h.; mP to 16h.; then wP.	1·6	16·6	Overcast generally, with a nearly cloudless interval about 1½h. Slight showers between 19h. and 21h. Slight mist at night.
FRIDAY ..	22	wP to 10h.; then mP.	4·9	16·6	Nearly overcast generally till 18h., then nearly cloudless. Solar halo 15h.
SATURDAY	23	wP or zero to 8h.; then mP generally.	13·9	16·6	Nearly cloudless till 15h., then partially cloudy. Overcast from 23h.
		26	Sum 29·9	Sum 116·1	
No. of Col.	..		27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·94 in. at the beginning of the week to 30·04 in. by 23h. on 17th; decreased to 29·87 in. by 3h. on 20th; increased to 30·10 in. by 23h. on 20th.; decreased to 30·00 in. by 4h. on 22nd; increased to 30·13 in. by 7h. on the 23rd; decreased and was 30·10 in. by midnight on the same day.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS,
11–17, Hare Street, E.2

(43016) Wt. 392—P 31 2250 6/23 H. St. G. 43

FOR OFFICIAL USE.

1923. No. 26.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 30TH JUNE, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
23 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course

NOTES FOR THE WEEK ENDED 30TH JUNE, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-sixth week of the year numbered 7,792 and corresponded to an annual rate of 21·2 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,668 and corresponded to an annual rate of 10·0 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 11·6, 11·0 and 10·5. Infant mortality was 60 per 1,000 births, against 64, 58 and 59 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,877 births, corresponding to a rate of 21·6 per 1,000, and 772 deaths of civilians, corresponding to a rate of 8·9, as against 9·7, 10·0 and 9·8, for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 9·6 per 1,000. The infant mortality was 40 as against 38, 45 and 47 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 190 in the total deaths last week, and the deaths from influenza fell from 92 to 81. In London the number of deaths from all causes fell from 855 to 772; while the deaths from diphtheria, which had been 12, 9 and 12 in the preceding three weeks, fell to 7 last week, and those from influenza, which had been 10, 10 and 8 in the three preceding weeks, rose to 12 last week.

Just Published:

Census of England and Wales, 1921. County of Middlesex. Price 10*s.* net.

County of Essex. Price 12*s.* 6*d.* net.

County of Surrey. Price 10*s.* net.

County of Kent. Price 14*s.* net.

County of Hertford. Price 7*s.* 6*d.* net.

County of Lancaster. Price 20*s.* net.

The Registrar General's Statistical Review, 1921.
Tables, Part II. Civil. Price 5*s.* net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 30th June, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	7,792	3,668	471	1	61	11	47	24	57	81
London	4,534,230*	1,877	772	76	1	2	2	9	7	7	12
Towns in Outer Ring.											
Croydon C.B. ..	192,300	68	28	2	–	–	–	–	–	–	–
Wimbledon ..	61,730	21	10	2	–	–	–	–	–	–	–
Ealing	67,890	19	8	–	–	–	–	–	–	–	–
Acton	62,390	15	11	–	–	–	–	–	–	–	1
Willesden ..	168,200	65	33	4	–	1	–	–	1	–	–
Hendon	55,930	14	3	1	–	–	–	–	–	–	–
Hornsey	87,310	21	18	1	–	–	–	–	–	–	–
Wood Green ..	51,290	19	10	–	–	–	–	–	–	–	–
Tottenham ..	150,500	59	17	1	–	1	–	–	–	–	–
Edmonton ..	68,700	26	8	1	–	–	–	–	–	–	–
Enfield	62,010	22	8	1	–	–	–	–	1	–	–
West Ham C.B. ..	310,200	133	51	7	–	–	–	–	–	3	1
East Ham C.B. ..	145,800	59	28	5	–	–	–	–	1	–	–
Leyton	131,600	42	15	2	–	–	–	–	–	–	–
Walthamstow ..	129,700	44	19	–	–	–	–	–	–	–	–
Ilford	86,370	16	15	1	–	–	–	–	–	–	–
Gillingham	48,630*	17	6	–	–	–	–	1	–	–	–
Canterbury C.B ..	23,680	6	2	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	11	8	–	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	15	6	–	–	–	–	–	–	–	–
Brighton C.B. ..	135,000	52	31	2	–	–	–	–	–	1	1
Portsmouth C.B. ..	236,630*	90	41	1	–	–	–	–	1	–	1
Bournemouth C.B. ..	81,500	26	22	1	–	–	–	–	–	–	–
Southampton C.B. ..	163,700	65	30	5	–	–	–	–	1	1	–
Reading C.B.	92,990	40	14	1	–	–	–	–	–	–	–
Oxford C.B.	56,510	14	5	–	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	37	13	2	–	–	1	–	–	1	–
Luton	58,260	16	13	2	–	–	–	–	–	–	–
Cambridge	59,200	15	8	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	91,430	26	16	1	–	–	–	–	–	1	–
Ipswich C.B.	80,950	32	19	–	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	21	8	–	–	–	–	–	–	–	–
Norwich C.B. ..	122,900	36	20	4	–	–	–	–	–	–	–
Swindon	55,680	23	8	3	–	–	–	–	–	–	–
Exeter C.B.	59,700	26	14	7	–	1	–	–	–	1	–
Plymouth C.B. ..	200,370*	71	28	–	–	–	–	–	–	1	–
Bath C.B.	68,530	25	12	–	–	–	–	–	–	–	–
Bristol C.B.	383,900	152	76	3	–	–	1	–	1	–	–
Gloucester C.B. ..	52,210	33	12	–	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	274,300	141	76	17	–	–	2	–	–	4	3
Burton-upon-Trent C.B.	49,630	22	13	2	–	–	–	1	–	–	–
Wolverhampton C.B.	105,700	48	21	4	–	–	–	–	–	1	–
Walsall C.B.	99,890	46	20	2	–	–	–	–	–	–	1
West Bromwich C.B.	76,260	51	15	2	–	1	–	–	–	2	–
Dudley C.B.	57,860	23	10	2	–	–	–	–	–	1	1
Worcester C.B. ..	49,240	16	14	–	–	1	–	–	–	–	–
Birmingham C.B. ..	945,100	390	151	10	–	2	2	2	2	3	3
Smethwick C.B. ..	78,140	38	12	2	–	–	–	–	–	–	3
Coventry C.B. ..	131,200	43	20	2	–	–	1	1	–	–	1
Leicester C.B. ..	238,800	89	38	3	–	–	–	–	–	–	2
Lincoln C.B.	66,930	26	15	2	–	–	–	1	–	–	–
Grimsby C.B.	84,650	37	18	4	–	–	–	–	–	–	2
Nottingham C.B. ..	267,900	111	54	10	–	–	–	1	–	–	3
Derby C.B.	132,400	53	30	5	–	–	–	–	–	–	–
Chesterfield ..	63,380	34	18	3	–	1	–	–	–	–	3
Stockport C.B. ..	125,800	38	27	4	–	–	–	1	–	1	1
Chester C.B.	41,190	16	6	3	–	–	–	–	–	1	–
Birkenhead C.B. ..	149,200	63	37	7	–	–	–	1	1	1	–
Wallasey C.B. ..	89,790	24	17	1	–	–	–	–	–	–	–
Liverpool C.B. ..	826,400	407	178	27	–	18	–	4	2	3	2
Bootle C.B.	79,750	46	11	–	–	1	–	–	1	–	–
St. Helens C.B. ..	106,400	41	19	3	–	–	–	–	–	–	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	16	19	3	-	-	-	-	-	-	-
WIGAN C.B.	91,750	44	17	4	-	-	-	-	-	-	2
WARRINGTON C.B. ..	79,150	33	10	2	-	-	-	-	-	-	2
BOLTON C.B.	182,700	70	37	2	-	-	-	-	-	-	4
BURY C.B.	57,400	17	11	1	-	-	-	-	-	-	1
MANCHESTER C.B. ..	748,500	329	148	25	-	-	-	5	-	1	1
SALFORD C.B.	240,700	107	55	9	-	1	1	2	-	4	1
OLDHAM C.B.	148,300	57	44	3	-	-	-	-	-	-	3
ROCHDALE C.B... ..	92,510	29	25	2	-	-	-	-	-	-	1
BURNLEY C.B.	105,100	39	29	6	-	-	-	-	-	-	-
BLACKBURN C.B. ..	129,600	47	25	5	-	-	-	-	-	-	3
PRESTON C.B.	120,900	53	25	5	-	-	-	-	-	-	2
BLACKPOOL C.B. ..	74,050	26	16	-	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	75,690	30	17	6	-	-	-	-	-	-	1
HUDDERSFIELD C.B. ..	111,600	30	22	5	-	1	-	-	-	1	-
HALIFAX C.B.	100,500	30	23	1	-	-	-	-	-	-	1
BRADFORD C.B. ..	291,300	110	55	6	-	-	-	2	1	-	2
LEEDS C.B.	466,700	175	112	11	-	-	-	-	1	2	7
DEWSBURY C.B. ..	55,170	27	12	3	-	-	-	-	-	1	1
WAKEFIELD C.B. ..	53,840	19	10	2	-	-	-	-	-	-	-
BARNSLEY C.B. ..	69,540	30	14	3	-	-	-	-	-	1	1
SHEFFIELD C.B. ..	522,600	185	97	15	-	-	-	2	-	3	3
ROTHERHAM C.B. ..	69,840	32	21	3	-	-	-	1	-	-	-
DONCASTER	55,020	16	14	2	-	-	-	1	-	-	-
YORK C.B.	84,980	33	11	-	-	-	-	-	-	-	-
HULL C.B.	294,000	127	76	15	-	-	-	1	1	1	-
MIDDLESBROUGH C.B.	134,800	78	42	7	-	1	-	-	-	2	2
DARLINGTON C.B. ..	66,710	37	11	4	-	1	-	-	-	-	-
STOCKTON-ON-TEES ..	65,950	46	17	5	-	-	-	-	1	1	1
WEST HARTLEPOOL C.B.	70,020	25	14	4	-	-	-	-	-	2	-
SUNDERLAND C.B. ..	162,900	86	38	6	-	1	-	2	-	1	-
SOUTH SHIELDS C.B. ..	122,400	61	36	6	-	7	-	1	1	-	-
GATESHEAD C.B. ..	127,300	39	34	2	-	7	-	2	-	-	-
NEWCASTLE-ON-TYNE C.B.	281,600	122	80	12	-	8	-	2	-	2	-
TYNEMOUTH C.B. ..	64,640	25	10	2	-	-	-	-	-	-	-
CARLISLE C.B.	53,490	22	10	1	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	94,880	43	8	1	-	-	-	1	-	-	-
CARDIFF C.B.	223,830	113	39	8	-	-	-	1	-	1	-
RHONDDA	167,500	79	38	9	-	4	1	2	-	1	-
MERTHYR TYDFIL C.B.	82,680	44	24	4	-	-	-	-	-	-	-
ABERDARE	56,580	24	10	4	-	1	-	-	-	-	-
SWANSEA C.B.	161,000	65	26	6	-	-	-	-	-	-	-
GREATER LONDON ..	7,563,730*	2,960	1,233	121	1	5	3	11	11	12	16
OUTER RING	3,029,500*	1,083	461	45	-	3	1	2	4	5	4
16 GREAT TOWNS IN OUTER RING	1,831,920	643	282	28	-	2	-	-	3	3	2
REMAINDER OF OUTER RING	1,197,580*	440	179	17	-	1	1	2	1	2	2
EDINBURGH†	426,000	192	83	8	-	3	3	-	1	-	1
GLASGOW†	1,041,400	554	270	37	-	12	2	12	-	5	4
DUBLIN (REGISTRATION AREA)†	431,000	231	108	15	-	-	-	5	-	-	1
BELFAST†	429,000	219	110	22	-	8	-	4	-	4	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period.

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years)	Influenza.
London‡	4,534,230	1923. June 30	1877	772	8·9	1	–	2	2	9	7	7	12
Calcutta	896,067	May 26	?	498§	28·5	?	1	?	?	?	?	?	7
Bombay	1,220,120	April 28											
Madras	526,911	May 12	452	385	38·0	–	3	–	?	–	–	37	–
Sydney and Suburbs	955,900	May											
Brisbane (Metropolitan Area).	217,714	April											
Perth (Metropolitan Area).	161,773	May 5	73	21	6·8	–	–	–	–	–	–	1	–
Auckland (Urban Area).	164,450	April											
Wellington (Urban Area).	110,680	"											
Christchurch (Urban Area).	110,200	"											
Cape Town	106,727	May 19	56	28	13·6	–	–	–	–	–	1	2	–
		" 26	23	24	11·7	–	–	–	–	–	1	2	–
Johannesburg	156,858	May 19	85	44	14·6	–	–	–	1	1	–	1	–
		" 26	81	36	11·9	–	–	1	–	–	–	–	–
Durban	50,488	May 19	28	8	8·2	–	–	–	–	–	–	–	–
		" 26	22	9	9·3	–	–	–	–	1	–	–	–
Paris	2,906,472	May 31 (11 days)											
Antwerp	300,892	April 28	108	77	13·3	1	–	3	–	–	1	1	–
Amsterdam	699,816	June 9	269	130	9·7	–	–	–	–	–	–	–	–
Copenhagen	570,000	" 16	233	117	10·8	–	–	4	–	1	–	–	–
Stockholm	424,944	" 9	118	103	12·6	–	–	5	–	–	–	–	–
Gothenburg	228,074	" 2	?	60	13·7	–	–	–	–	–	–	2	–
Christiania	258,962	" 16	70	45	9·0	–	–	–	–	–	–	–	–
Berlin	1,990,000	May 26	344	457	11·9	–	?	5	1	–	2	8	2
		June 2	369	504	13·2	–	?	3	1	3	1	9	5
Breslau	563,000	May 26	204	173	16·0	–	?	3	–	–	1	9	–
		June 2	213	161	14·9	–	?	3	–	–	1	8	2
Cologne	699,000	May 26	253	147	10·9	–	?	2	–	7	4	2	4
		June 2	217	158	11·8	–	?	2	–	–	1	2	2
Dresden	613,000	May 26	183	125	10·6	–	?	1	–	2	2	1	1
		June 2	177	143	12·1	–	?	–	–	–	–	–	3
Frankfort-on-Main..	478,000	May 26	84	81	8·8	–	?	2	–	–	–	1	2
		June 2	71	77	8·4	1	?	1	–	–	–	–	–
Hamburg	1,073,000	May 26	326	284	13·8	–	?	1	1	–	2	–	–
		June 2	301	299	14·5	1	?	5	1	–	–	3	1
Leipzig	683,000	May 26	212	146	11·1	–	?	2	–	1	–	2	–
		June 2	202	138	10·5	–	?	2	–	1	–	2	1
Munich	685,000	May 26	212	208	15·8	–	?	13	–	–	2	3	3
		June 2	174	203	15·4	–	?	8	1	1	–	3	2
Vienna	1,841,326	April 14											
Prague and Suburbs	697,111	April 30 (15 days)	552	413	14·4	1	–	1	7	2	1	8	7
Budapest	946,000	April 7	450	457	25·1	2	–	9	1	5	2	?	3
Warsaw	956,087	June 2	534	233	13·3	1	–	1	1	2	–	17	–
Cairo	791,000	Mar. 11	846	448	29·5	1	2	10	–	?	4	32	?
		" 18	845	470	30·9	3	–	16	–	?	1	37	?
Alexandria	466,700	" 11	461	235	26·2	–	–	9	–	?	–	18	?
		" 18	489	249	27·7	–	–	11	–	?	1	23	?
New York	5,927,617	May 12	2,337	1,347	11·9	2	–	19	6	4	14	10	5
		" 19	2,528	1,405	12·4	2	–	14	6	4	9	14	10
Chicago	2,886,121	June 9	?	661	11·9	1	–	8	1	3	3	15	–
Rio de Janeiro ..	1,280,253	May 12	764	496	20·1	5	–	3	–	2	–	?	30
Montevideo	349,314	Mar. 17	179	134	20·7	2	–	3	–	2	–	9	–
		" 24	185	153	20·8	–	–	–	–	–	–	11	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 57 deaths from Asiatic Cholera, and 4 from Plague.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 30th June, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	772	76	22	19	22	46	35	62	93	119	148	130
Enteric fever	1	–	–	–	–	1	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	1	1	–	–	–	–	–	–	–	–	–
Scarlet fever	2	–	–	–	2	–	–	–	–	–	–	–
Whooping cough	9	3	2	3	1	–	–	–	–	–	–	–
Diphtheria	7	–	–	6	–	1	–	–	–	–	–	–
Influenza	12	–	–	–	–	–	2	2	2	2	3	1
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	72	–	1	1	1	14	13	16	12	8	6	–
Nervous system	6	1	2	1	1	–	1	–	–	–	–	–
Intestines and peritoneum	2	–	–	–	–	1	–	–	–	1	–	–
Other forms	3	–	–	–	–	3	–	–	–	–	–	–
Venereal diseases	4	1	–	–	–	–	–	2	1	–	–	–
Cancer	94	–	–	–	–	2	4	7	11	28	23	19
Rheumatic fever	2	–	–	–	1	1	–	–	–	–	–	–
Diabetes	5	–	–	–	–	–	–	–	–	2	3	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	2	–	1	–	1	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	46	–	–	–	–	–	–	2	4	9	17	14
Epilepsy	2	–	–	–	–	1	–	–	–	–	1	–
"Convulsions" (not puerperal) ..	4	3	–	–	–	–	1	–	–	–	–	–
Other diseases of nervous system ..	26	–	–	1	4	–	3	3	6	5	2	2
Pericarditis	1	–	–	–	–	1	–	–	–	–	–	–
Acute endocarditis	6	–	–	–	–	2	3	–	–	1	–	–
Other diseases of heart	110	–	–	–	3	5	1	6	12	20	36	27
Other diseases of circulatory system	38	1	–	–	–	–	–	1	3	5	17	11
Bronchitis	27	2	1	–	–	–	–	–	–	4	9	11
Broncho-pneumonia	27	8	9	2	1	–	1	1	1	–	–	4
Lobar-pneumonia	19	–	1	2	–	1	–	4	5	3	2	1
Pneumonia (type not distinguished) ..	16	–	1	–	1	–	1	1	8	2	1	1
Other diseases of respiratory system	4	–	–	–	–	–	–	1	1	1	–	1
Diarrhœa and enteritis	13	7	–	1	–	–	–	2	1	–	1	1
Appendicitis, Typhlitis	6	–	–	–	1	4	–	–	1	–	–	–
Hernia, Intestinal obstruction	6	1	–	–	–	–	1	1	1	1	–	1
Cirrhosis of liver	9	–	–	–	–	–	1	–	4	3	1	–
Other diseases of digestive system ..	21	–	–	–	–	–	–	2	4	7	6	2
Acute nephritis	3	–	–	–	–	2	–	1	–	–	–	–
Chronic Bright's disease	15	–	–	1	1	–	1	–	4	6	1	1
Other diseases of genito-urinary system.	16	–	–	–	–	1	–	1	2	3	3	6
Puerperal sepsis	1	–	–	–	–	–	–	1	–	–	–	–
Other causes incident to childbirth ..	3	–	–	–	–	1	1	1	–	–	–	–
Congenital malformations	5	4	1	–	–	–	–	–	–	–	–	–
Premature birth	27	27	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	4	4	–	–	–	–	–	–	–	–	–	–
Old age	30	–	–	–	–	–	–	–	–	1	9	20
Suicide	12	–	–	–	–	–	1	4	3	2	1	1
Burns and scalds	1	–	–	–	–	–	–	–	–	–	–	1
Drowning	2	–	1	–	–	–	–	1	–	–	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	6	–	–	1	1	2	–	–	1	–	–	1
Other deaths by violence	9	2	–	–	1	3	–	–	–	2	1	–
Other specified causes	34	11	1	–	2	–	–	2	6	3	5	4
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 30th June, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	194	156	4	100	C. 4 E. 3 G. 2 M. 10
†CITY OF LONDON	–	–	–	–	1	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	18	6	1	7	–
†BERMONDSEY ...	–	7	6	–	1	M. 1
†BETHNAL GREEN	–	7	6	–	2	–
†CAMBERWELL ...	–	13	12	–	1	G. 1
†CHELSEA	–	1	1	–	1	
†DEPTFORD ...	–	4	3	–	–	–
†FINSBURY ...	–	1	6	–	4	–
†FULHAM	–	10	4	–	4	M. 1
†GREENWICH ...	–	2	3	–	–	C. 1 M. 1
†HACKNEY ...	–	9	11	2	1	C. 2
†HAMMERSMITH ...	–	2	3	–	–	E. 1
†HAMPSTEAD ...	–	2	–	–	2	–
†HOLBORN... ...	–	1	3	–	–	–
†ISLINGTON ...	–	11	20	–	3	M. 1

LONDON.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	2	4	1	1	M. 1
†LAMBETH ...	–	13	8	–	6	M. 1
†LEWISHAM ...	–	6	–	–	–	–
†PADDINGTON ...	–	12	5	–	8	E. 1
†POPLAR	–	10	6	–	7	–
†ST. MARYLEBONE	–	–	8	–	–	–
†ST. PANCRAS ...	–	11	5	–	4	–
†SHOREDITCH ...	–	9	3	–	3	M. 1
†SOUTHWARK ...	–	9	8	–	11	C. 1
†STEPNEY	–	8	13	–	12	E. 1 M. 2
†WANDSWORTH ...	–	11	5	–	10	G. 1
†WESTMINSTER, CITY OF	–	7	1	–	–	M. 1
†WOOLWICH ...	–	8	6	–	11	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	3	2	1	2	M. 1
Boroughs and Urban Districts:—						
†BEDFORD ...	–	–	1	–	1	M. 1
BIGGLESWADE ...	–	–	–	–	1	–
LEIGHTON BUZZARD	–	2	–	–	–	–
†LUTON	–	–	1	1	–	–
Rural Districts:—						
EATON SOCON ...	–	1	–	–	–	–
BERKS	–	13	1	1	–	M. 1
†READING C.B. ...	–	3	1	–	–	–
Boroughs and Urban District:—						
†NEWBURY ...	–	1	–	–	–	M. 1
†NEW WINDSOR	–	1	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	4	–	–	–	–
COOKHAM ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	–	–	1	–	–
HUNGERFORD ...	–	1	–	–	–	–
WINDSOR... ...	–	2	–	–	–	–
BUCKINGHAM ...	–	3	6	–	1	D. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	–	–
†WOLVERTON ...	–	–	4	–	–	–
Rural Districts:—						
WYCOMBE ...	–	2	2	–	1	D. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	4	2	–	–	–
Borough:—						
†CAMBRIDGE ...	–	3	1	–	–	–
Rural Districts:—						
CHESTERTON ...	–	1	1	–	–	–
CHESTER	–	50	7	1	24	C. 2 L. 1 M. 5
†BIRKENHEAD C.B.	–	9	2	–	6	M. 1
†CHESTER C.B. ...	–	4	–	–	3	–
†STOCKPORT C.B.	–	1	–	–	4	M. 1
†WALLASEY C.B. ...	–	2	–	1	1	–
Boroughs and Urban Districts:—						
†BEBINGTON AND BROMBOROUGH	–	1	1	–	–	–
BOLLINGTON ...	–	–	1	–	1	–
BOWDON	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	–	–	–	–	M. 1
†CREWE	–	1	–	–	–	–
†DUKINFIELD ...	–	5	–	–	–	M. 1
†ELLESMERE PORT AND WHITBY	–	–	–	–	–	C. 1
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE ... ⋮	–	1	–	–	2	M. 1
KNUTSFORD ...	–	1	–	–	–	–
†MACCLESFIELD ...	–	3	–	–	–	L. 1
MARPLE	–	–	–	–	1	–
MIDDLEWICH ...	*	*	*	*	*	*
NANTWICH ...	–	–	1	–	–	–
NESTON AND PARKGATE	–	–	–	–	1	–
NORTHWICH ...	–	3	–	–	–	–
†RUNCORN... ...	–	–	–	–	2	–
†SALE	*	*	*	*	*	*
SANDBACH ...	–	1	–	–	–	–
†STALYBRIDGE ...	–	1	–	–	1	–
YEARDSLEY CUM WHALEY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	3	1	–	–	–
CONGLETON ...	–	3	–	–	–	–
MACCLESFIELD ...	–	4	–	–	–	–
NORTHWICH ...	–	3	–	–	–	–
RUNCORN... ...	–	1	–	–	1	–
WIRRAL	–	–	1	–	1	C. 1
CORNWALL ...	–	1	2	1	1	–
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	1	1	–
LAUNCESTON ...	–	–	1	–	–	–
LOOE	*	*	*	*	*	*
†PENZANCE ...	–	1	–	–	–	–
REDRUTH ...	*	*	*	*	*	*
ST. JUST... ...	*	*	*	*	*	*
Rural Districts:—						
EAST KERRIER ...	–	–	1	–	–	–
CUMBERLAND ...	2	14	2	1	4	G. 1
†CARLISLE C.B. ...	–	5	2	–	–	–
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	–	–	1	–	–
MILLOM	2	2	–	–	1	–
†WHITEHAVEN ...	–	–	–	–	1	–
†WORKINGTON ...	–	1	–	–	–	–
Rural Districts:—						
BOOTLE	–	–	–	–	1	–
BRAMPTON ...	–	–	–	–	–	G. 1
LONGTOWN ...	–	6	–	–	–	–
PENRITH	–	–	–	–	1	–
DERBY	3	25	5	–	24	C. 2 M. 3
†DERBY C.B. ...	–	3	2	–	9	C. 1 M. 1
DERBY—*cont.*						
Boroughs and Urban Districts:—						
†ALFRETON ...	1	–	–	–	–	–
ALVASTON AND BOULTON	–	1	–	–	–	–
†BOLSOVER ...	–	–	–	–	–	M. 2
†BUXTON	–	1	–	–	1	–
†CHESTERFIELD ...	–	1	1	–	4	–
DRONFIELD ...	–	1	–	–	–	–
†HEANOR	–	–	–	–	1	–
†ILKESTON ...	–	1	–	–	3	–
†LONG EATON ...	2	2	–	–	1	–
NEW MILLS ...	–	–	–	–	1	–
†SWADLINCOTE DISTRICT	–	1	–	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	1	–
BAKEWELL ...	–	1	–	–	–	–
BELPER	–	1	–	–	–	–
BLACKWELL ...	–	1	–	–	–	–
CHAPEL EN LE FRITH	–	7	–	–	1	–
CHESTERFIELD ..	–	1	–	–	–	–
CLOWNE	–	–	1	–	–	C. 1
SHARDLOW ...	–	2	1	–	2	–
DEVON	–	27	4	–	7	M. 2
†PLYMOUTH C.B....	–	6	3	–	1	–
Boroughs and Urban Districts:—						
AXMINSTER ...	–	–	1	–	–	–
†BARNSTAPLE ...	*	*	*	*	*	*
BRIXHAM ...	–	–	–	–	3	M. 1
†ILFRACOMBE ...	–	–	–	–	1	–
†NEWTON ABBOT...	–	2	–	–	–	–
OTTERY ST. MARY	–	4	–	–	–	–
†PAIGNTON ...	–	–	–	–	1	–
SIDMOUTH ...	–	1	–	–	–	–
†TORQUAY ...	–	7	–	–	1	–
Rural Districts:—						
AXMINSTER ...	–	1	–	–	–	–
BARNSTAPLE ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts—*cont.*						
NEWTON ABBOT...	–	2	–	–	–	–
PLYMPTON ST. MARY	–	1	–	–	–	–
ST. THOMAS ...	–	1	–	–	–	M. 1
TOTNES	–	2	–	–	–	–
DORSET	–	7	–	–	2	G. 1
Boroughs and Urban Districts:—						
†POOLE	–	–	–	–	2	G. 1
†PORTLAND ...	–	1	–	–	–	–
SWANAGE ...	–	4	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	–	–
Rural Districts:—						
POOLE	–	1	–	–	–	–
DURHAM	–	68	18	2	45	C. 2 M. 6
†DARLINGTON C.B.	–	5	–	1	2	M. 1
†GATESHEAD C.B.	–	2	2	–	1	–
†SOUTH SHIELDS C.B.	–	5	2	–	9	–
†SUNDERLAND C.B.	–	4	1	–	9	C 1 M. 1
†WEST HARTLEPOOL C.B.	–	3	–	–	2	C. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	–	–	1	–
BENFIELDSIDE ...	–	–	–	–	3	–
†BISHOP AUCKLAND	–	2	1	–	–	–
†BLAYDON... ...	–	1	–	–	1	M. 1
†BRANDON AND BYSHOTTLES	–	3	–	–	–	–
†CHESTER LE STREET	–	2	1	–	–	–
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CROOK	–	–	1	–	1	–
†FELLING	–	–	–	–	2	–
†HARTLEPOOL ...	–	1	–	–	–	M. 1
†HEBBURN ...	–	1	2	–	3	–
†HETTON	–	2	–	–	–	–
†JARROW	–	1	2	–	2	–
†SEAHAM HARBOUR	–	–	–	–	2	–
†SHILDON	–	1	1	–	–	–
†SPENNYMOOR ...	–	1	–	–	–	–
†STANLEY	–	2	3	–	–	–
†STOCKTON ON TEES	–	5	1	–	1	–
†TANFIELD ...	–	3	–	–	–	–
†WASHINGTON ..	–	1	–	–	1	–
†WHICKHAM ...	–	–	–	–	1	–
WILLINGTON ...	*	*	*	*	*	*
Rural Districts:—						
AUCKLAND ...	–	4	–	–	–	–
CHESTER LE STREET	–	5	–	–	1	–
DURHAM	–	4	–	–	–	–
HARTLEPOOL ...	–	2	–	–	–	–
HOUGHTON LE SPRING	–	1	–	–	1	M. 1
LANCHESTER ...	–	1	1	–	–	–
SEDGEFIELD ...	–	3	–	–	–	–
SOUTH SHIELDS...	–	1	–	1	–	–
STOCKTON ...	–	1	–	–	–	–
SUNDERLAND ...	–	–	–	–	2	M. 1
ELY, ISLE OF ...	–	1	–	1	1	–
Boroughs and Urban Districts:—						
CHATTERIS ...	–	–	–	–	1	–
†WISBECH	–	–	–	1	–	–
Rural Districts:—						
WHITTLESEY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	40	19	1	16	M. 2
†EAST HAM C.B. ...	–	4	3	–	2	M. 1
†SOUTHEND-ON-SEA C.B.	–	4	–	–	3	–
†WEST HAM C.B. ...		10	5	–	1	–
Boroughs and Urban Districts:—						
†BARKING TOWN..	–	–	1	–	3	–
BUCKHURST HILL	–	–	–	–	1	–
†COLCHESTER ...	–	1	–	–	–	–
†ILFORD	–	2	4	–	3	–
†LEYTON	–	4	1	–	2	M. 1
†ROMFORD ...	–	1	–	–	–	–
†WALTHAMSTOW ...	–	4	2	–	1	–
Rural Districts:—						
BILLERICAY ...	*	*	*	*	*	*
CHELMSFORD ...	–	3	–	1	–	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
ORSETT	–	1	–	–	–	–
ROCHFORD ...	–	3	–	–	–	–
ROMFORD... ...	–	2	3	–	–	–
GLOUCESTER ...	96	35	15	–	7	C. 1 M. 3
†BRISTOL C.B. ...	–	22	12	–	6	C. 1 M. 3
†GLOUCESTER C.B.	90§	3	–	–	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	–	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
COLEFORD ...	–	1	–	–	–	–
TEWKESBURY ..	–	–	–	–	1	–
Rural Districts:—						
CIRENCESTER ...	–	1	–	–	–	–
DURSLEY	1	–	–	–	–	–
EAST DEAN AND UNITED PARISHES ...	3	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts—*cont.*						
GLOUCESTER ...	–	1	1	–	–	–
NEWENT	–	–	1	–	–	–
STROUD	1	1	–	–	–	–
TETBURY (part)	–	1	–	–	–	–
WARMLEY ...	–	2	–	–	–	–
WEST DEAN ...	–	1	–	–	–	–
WHEATENHURST	1	–	–	–	–	–
HEREFORD ...	–	3	3	–	3	M. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	–	–	2	–
Rural Districts:—						
BROMYARD ...	–	–	–	–	1	–
KINGTON	–	–	2	–	–	–
LEOMINSTER ...	–	1	–	–	–	–
WEOBLEY ...	–	2	–	–	–	M. 1
WIGMORE ...	–	–	1	–	–	–
HERTFORD ...	–	5	4	–	3	–
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	1	–	–	–	–
BUSHEY	–	3	–	–	–	–
†HERTFORD ...	–	–	1	–	–	–
HITCHIN	–	–	1	–	–	–
ST. ALBANS ...	–	1	1	–	1	–
Rural Districts:—						
HADHAM	–	–	–	–	1	–
HEMEL HEMPSTEAD	–	–	1	–	–	–
WATFORD ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague, encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

§ Including 21 cases notified as chicken-pox, but re-diagnosed as small-pox. In addition, 22 other cases of chicken-pox were notified.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	–	–	–	2	–
Rural Districts:—						
ST. NEOTS, No. 3 ..	–	1	–	–	–	–
KENT	–	33	27	5	9	M. 4
Boroughs and Urban Districts:—						
†ASHFORD... ...	–	–	–	–	1	–
†BECKENHAM ...	–	–	3	–	–	M. 1
†BEXLEY	–	1	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	2	–	–	–
†BROMLEY ...	–	–	1	–	–	–
†CHATHAM ...	–	1	–	–	–	–
†CRAYFORD ...	–	1	–	–	–	–
†DARTFORD ...	–	2	–	–	–	–
†DOVER	–	–	2	–	1	M. 1
†ERITH	–	6	–	1	–	–
†FAVERSHAM ...	–	–	–	–	–	M. 1
†FOLKESTONE ...	–	2	–	–	3	–
†GILLINGHAM ...	–	3	12	–	–	–
†MAIDSTONE ...	*	*	*	*	*	*
†MARGATE ...	–	2	1	–	–	M. 1
†NORTHFLEET ...	–	–	1	–	–	–
†PENGE	–	2	–	1	–	–
†RAMSGATE ..	–	1	1	–	2	–
†ROCHESTER ...	–	2	–	–	–	–
SANDGATE ...	*	*	*	*	*	*
SEVENOAKS ...	–	–	1	–	–	–
WHITSTABLE ...	–	–	–	2	–	–
Rural Districts:—						
BLEAN	–	–	–	–	1	–
EASTRY	–	1	1	–	–	–
FAVERSHAM ...	–	–	1	–	–	–
HOLLINGBOURNE	–	4	–	1	–	–
ISLE OF THANET	–	2	–	–	–	–
MAIDSTONE ...	–	–	–	–	1	–
MALLING... ...	–	1	–	–	–	–
SEVENOAKS ...	–	2	–	–	–	–
SHEPPEY	*	*	*	*	*	*
STROOD	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	222	59	4	136	C. 2 G. 2 L. 3 M. 28
†BLACKBURN C.B.	–	8	–	–	5	C. 1 M. 1
†BLACKPOOL C.B.	–	6	–	–	3	M. 2
†BOLTON C.B. ...	–	10	1	–	1	–
†BOOTLE C.B. ...	–	4	1	–	–	M. 1
†BURNLEY C.B. ...	–	3	2	–	1	M. 1
†BURY C.B. ...	–	1	1	–	6	–
†LIVERPOOL C.B. ...	–	27	13	–	27	M. 11
†MANCHESTER C.B.	–	44	6	1	25	C. 1 G. 1 M. 7
†OLDHAM C.B. ...	–	3	–	–	2	–
†PRESTON C.B. ...	–	6	1	–	3	M. 1
†ROCHDALE C.B. ...	–	11	–	–	1	–
†ST. HELENS C.B....	–	4	3	–	2	–
†SALFORD C.B. ...	–	16	5	–	3	M. 1
†SOUTHPORT C.B.	–	–	–	–	1	–
†WARRINGTON C.B.	–	2	–	–	3	–
†WIGAN C.B. ...	–	1	–	–	5	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	–	–	–	1	–
ADLINGTON ...	–	–	–	–	1	–
†ASHTON IN MAKERFIELD	–	–	2	–	2	–
†ASHTON UNDER LYNE	–	3	–	–	2	–
†ATHERTON ...	–	–	1	–	3	–
AUDENSHAW ...	–	1	–	–	1	–
†BACUP	–	–	–	–	4	–
†CHADDERTON ...	–	1	1	–	1	–
†CHORLEY... ...	–	1	–	–	–	–
†CLITHEROE ...	–	1	–	–	–	–
†CROMPTON ...	–	–	–	–	1	–
†DALTON IN FURNESS	–	1	–	–	–	–
†DENTON	–	2	–	–	–	–
†DROYLSDEN ...	–	1	–	–	–	–
†ECCLES	–	–	–	–	2	–
†FAILSWORTH ...	–	2	1	–	–	–
†FLEETWOOD ...	–	1	–	–	–	G. 1
FORMBY	–	1	1	–	–	–
FULWOOD ...	–	–	–	–	–	M. 1
GOLBORNE ...	–	–	1	–	–	–
†GREAT CROSBY ...	–	1	–	–	1	–
†GREAT HARWOOD	–	1	–	–	–	–
†HAYDOCK ...	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEYWOOD ...	–	2	1	–	1	M. 1
†HINDLEY... ...	–	–	1	–	4	–
†HORWICH ...	–	–	1	–	–	–
HURST	–	2	–	–	–	–
†INCE IN MAKERFIELD	–	2	–	–	1	–
IRLAM	–	2	–	–	2	–
†LANCASTER ...	–	2	1	–	–	–
LATHOM AND BURSCOUGH	–	–	–	–	2	–
LEES	–	1	–	–	–	–
†LEIGH	–	4	1	–	–	–
LITTLE HULTON..	–	–	–	–	–	M. 1
†MIDDLETON ...	–	3	–	1	–	–
†MORECAMBE ...	–	4	–	–	–	–
†NEWTON IN MAKERFIELD	–	3	1	–	1	–
†PADIHAM... ...	–	–	2	–	–	–
PRESCOT	–	2	–	–	–	–
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	–	1	–	1	–
†RAMSBOTTOM ...	–	3	–	–	–	–
†RAWTENSTALL ...	–	–	–	–	1	–
†ROYTON	–	1	–	–	–	–
STANDISH WITH LANGTREE	–	1	–	–	–	–
†STRETFORD... ...	–	7	1	–	1	–
†SWINTON AND PENDLEBURY	–	1	–	–	2	–
TOTTINGTON ...	–	–	–	–	3	–
†TURTON	*	*	*	*	*	*
†TYLDESLEY WITH SHAKERLEY	–	2	–	–	2	–
UPHOLLAND ...	–	1	–	1	–	–
URMSTON... ..	–	–	–	–	1	–
†WALTON LE DALE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	4	–	–	–	–
†WESTHOUGHTON	–	–	1	–	–	–
WHITEFIELD ...	–	–	–	–	1	–
WHITWORTH ...	–	–	–	–	1	–
†WIDNES	–	5	2	–	3	–
Rural Districts:—						
CHORLEY	–	–	1	1	–	–
CLITHEROE ...	–	–	–	–	–	L. 2
LANCASTER—*cont.*						
Rural Districts—*cont.*						
FYLDE	–	1	1	–	–	–
GARSTANG ...	–	–	1	–	–	–
LEIGH	–	1	–	–	–	–
LIMEHURST ...	–	1	–	–	–	–
ULVERSTON ...	–	1	1	–	1	–
WARRINGTON ...	–	1	–	–	–	–
WHISTON... ...	–	–	1	–	–	L. 1.
LEICESTER... ...	–	10	2	–	10	C. 1 M. 3
†LEICESTER C.B. ...	–	6	1	–	5	C. 1 M. 3
Boroughs and Urban Districts:—						
†LOUGHBOROUGH	–	1	1	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
BARROW UPON SOAR	–	–	–	–	1	–
BLABY	–	–	–	–	2	–
MARKET HARBOROUGH	–	2	–	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	2	–	–	–	M. 1
Boroughs and Urban Districts—						
SPALDING ...	–	1	–	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	–	M 1
CROWLAND ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LINCOLN (parts of Kesteven).	–	3	2	–	2	G. 1
Boroughs and Urban Districts :—						
SLEAFORD ...	–	1	–	–	–	–
Rural Districts :—						
BOURNE	–	2	–	–	–	–
BRANSTON ...	–	–	–	–	1	–
CLAYPOLE ...	–	–	1	–	–	–
GRANTHAM ...	–	–	–	–	1	G. 1
SLEAFORD ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	10	4	2	4	C. 1 M. 1
†GRIMSBY C.B. ...	–	5	1	–	–	–
†LINCOLN C.B. ...	–	–	1	–	–	–
Boroughs and Urban Districts :—						
BARTON UPON HUMBER	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	4	2	–	4	C. 1
Rural Districts :—						
GAINSBOROUGH ...	–	–	–	–	–	M. 1
LOUTH	–	–	–	1	–	–
SPILSBY	–	–	–	1	–	–
MIDDLESEX ...	–	40	41	1	17	C. 1 G. 1 M. 3
Boroughs and Urban Districts :—						
†ACTON	–	2	–	–	–	G. 1
†BRENTFORD ...	–	–	1	–	2	–
†CHISWICK ...	–	2	1	–	–	–
†EALING	–	2	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EDMONTON ...	–	7	5	–	1	C. 1 M. 2
†ENFIELD	–	4	–	–	1	–
FELTHAM ...	–	1	1	–	–	–
†FINCHLEY ...	–	1	3	–	–	–
†FRIERN BARNET	–	–	1	–	–	–
†HANWELL ...	–	–	1	–	–	–
†HENDON	–	–	2	–	–	M. 1
†HESTON AND ISLEWORTH	–	1	1	–	1	–
†HORNSEY... ...	–	2	4	–	1	–
KINGSBURY ...	*	*	*	*	*	*
†SOUTHALL NORWOOD	–	1	–	–	2	–
†SOUTHGATE ...	–	3	1	–	3	–
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	5	2	–	–	–
†TWICKENHAM ...	–	1	3	–	–	–
†UXBRIDGE ...	–	–	–	–	2	–
†WEMBLEY ...	–	2	2	1	–	–
†WILLESDEN ...	–	2	5	–	3	–
†WOOD GREEN ...	–	–	1	–	1	–
YIEWSLEY ...	–	–	1	–	–	–
Rural Districts :—						
HENDON	–	1	–	–	–	–
STAINES	–	2	3	–	–	–
UXBRIDGE ...	–	–	1	–	–	–
NORFOLK	–	40	9	–	3	C. 1 M. 1
†GREAT YARMOUTH C.B.	–	8	1	–	–	–
†NORWICH C.B. ...	–	19	5	–	2	–
Boroughs and Urban Districts :—						
DISS	*	*	*	*	*	*
NEW HUNSTANTON	–	1	–	–	–	–
NORTH WALSHAM	–	1	–	–	–	M. 1
SWAFFHAM ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
BLOFIELD ...	–	1	–	–	–	–
DOWNHAM ...	–	1	–	–	–	–
ERPINGHAM ...	–	2	–	–	1	–
FOREHOE ...	–	1	–	–	–	–
HENSTEAD ...	–	2	–	–	–	–
MITFORD AND LAUNDITCH	–	3	–	–	–	–
SMALLBURGH ...	–	–	2	–	–	C. 1
NORTHAMPTON ...	–	27	2	2	11	E. 1
†NORTHAMPTON C.B.	–	7	2	–	6	E. 1
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	1	–	–	1	–
†KETTERING ...	–	7	–	–	–	–
†WELLINGBOROUGH	–	7	–	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	–	–	–	2	–
DAVENTRY ...	–	1	–	–	1	–
HARDINGSTONE ...	–	1	–	–	–	–
KETTERING ...	–	1	–	–	–	–
NORTHAMPTON ..	–	–	–	2	–	–
OXENDEN... ...	–	1	–	–	–	–
THRAPSTON (part)	–	1	–	–	–	–
WELLINGBOROUGH	–	–	–	–	1	–
NORTHUMBERLAND	–	26	7	–	31	M. 1
†NEWCASTLE UPON TYNE C.B.	–	3	4	–	5	M. 1
†TYNEMOUTH C.B.	–	2	–	–	5	–
Boroughs and Urban Districts:—						
AMBLE	–	1	–	–	–	–
†ASHINGTON ...	–	1	–	–	–	–
†BEDLINGTONSHIRE	–	1	–	–	9	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BLYTH	–	1	–	–	5	–
†EARSDON	–	2	–	–	–	–
†GOSFORTH ..	–	1	–	–	–	–
†LONGBENTON ..	–	–	–	–	1	–
†NEWBURN ...	–	–	–	–	1	–
PRUDHOE... ...	–	–	–	–	1	–
SEATON DELAVEL	–	–	1	–	1	–
†WALLSEND ...	–	4	1	–	2	–
†WHITLEY AND MONKSEATON	–	–	–	–	1	–
Rural Districts:—						
ALNWICK ...	–	2	–	–	–	–
CASTLE WARD ...	–	1	1	–	–	–
HEXHAM	–	1	–	–	–	–
NOTTINGHAM ...	15	20	9	2	8	M. 4
†NOTTINGHAM C.B.	2	8	2	–	1	M. 3
Boroughs and Urban Districts:—						
†ARNOLD	–	2	–	–	–	–
†BEESTON	–	1	–	–	–	–
†CARLTON	–	2	1	–	–	–
†EAST RETFORD ...	–	–	1	–	–	–
†HUCKNALL ...	–	–	–	–	2	M. 1
†KIRKBY IN ASHFIELD	11	1	1	–	1	–
†MANSFIELD ...	–	2	1	–	3	–
†SUTTON IN ASHFIELD	–	1	–	1	–	–
WARSOP	2	–	–	–	–	–
Rural Districts:—						
BASFORD	–	2	2	–	1	–
BINGHAM ...	–	–	1	–	–	–
EAST RETFORD ...	–	1	–	–	–	–
NEWARK	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	7	2	–	1	–
†OXFORD C.B. ...	–	2	–	–	–	–
Rural Districts:—						
CROWMARSH ...	–	1	–	–	–	–
CULHAM	–	1	–	–	–	–
HEADINGTON ...	–	2	1	–	–	–
HENLEY	–	–	1	–	–	–
THAME	–	1	–	–	–	–
WOODSTOCK ...	–	–	–	–	1	–
PETERBOROUGH (Soke of)	–	1	–	–	–	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	–	–
SALOP	–	10	–	1	3	D. 1 M. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	1	–	–	1	–
DAWLEY	–	2	–	–	–	–
†OAKENGATES ...	–	–	–	–	1	–
OSWESTRY ...	–	2	–	–	–	–
WEM	–	1	–	–	–	–
WHITCHURCH ...	–	–	–	1	–	–
Rural Districts:—						
BURFORD... ...	–	–	–	–	–	M. 1
LUDLOW	–	–	–	–	1	D. 1
OSWESTRY ...	–	3	–	–	–	–
WELLINGTON ...	–	1	–	–	–	–
SOMERSET	–	12	3	3	5	M. 4
†BATH C.B. ...	–	3	–	1	–	M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Boroughs and Urban Districts:—						
CHARD	–	–	–	–	2	–
GLASTONBURY ...	*	*	*	*	*	*
MIDSOMER NORTON	–	1	–	–	–	–
†TAUNTON... ...	–	1	1	1	–	M. 1
†WESTON SUPER MARE	–	–	1	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	1	–	–	3	M. 1
BATH	–	1	–	–	–	–
BRIDGWATER ...	–	1	–	–	–	–
CLUTTON... ...	*	*	*	*	*	*
DULVERTON ...	–	–	1	–	–	–
KEYNSHAM ...	–	2	–	–	–	–
LONG ASHTON ...	–	2	–	–	–	–
TAUNTON ...	–	–	–	1	–	–
SOUTHAMPTON ...	–	35	17	5	5	C. 1 D. 1 G. 1 M. 4
†BOURNEMOUTH C.B.	–	1	2	–	–	–
†PORTSMOUTH C.B.	–	8	6	2	–	C. 1 G. 1 M. 3
†SOUTHAMPTON C.B.	–	11	4	–	4	D. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	2	–	–	–	–
ANDOVER... ...	–	–	–	–	–	M. 1
†BASINGSTOKE ...	–	2	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	1	–
†FAREHAM ...	–	–	1	1	–	–
†GOSPORT	–	4	–	–	–	–
HAVANT	*	*	*	*	*	*
ROMSEY	–	–	1	–	–	–
†WINCHESTER ...	–	3	1	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Rural Districts:—						
Fareham ...	–	–	1	–	–	–
Hartley Wintney	–	1	–	–	–	–
New Forest ...	–	–	–	1	–	–
Petersfield ...	–	1	–	–	–	–
Romsey	–	1	–	–	–	–
South Stoneham	–	–	1	–	–	–
Winchester ...	–	1	–	–	–	–
STAFFORD	2	70	13	4	59	M. 13
†Burton upon Trent C.B.	–	–	–	–	1	–
†Smethwick C.B.	1	7	1	–	9	–
†Stoke on Trent C.B.	–	21	2	–	24	M. 7
†Walsall C.B. ...	–	3	–	–	2	M. 2
†West Bromwich C.B.	1	4	7	–	5	–
†Wolverhampton C.B.	–	4	–	–	3	M. 2
Boroughs and Urban Districts:—						
†Audley	–	1	1	–	–	–
Biddulph ..	–	9	–	–	2	–
†Bilston	–	1	–	–	–	–
†Brierley Hill...	–	1	–	–	–	–
†Cannock	–	1	–	–	1	–
†Coseley	–	1	–	–	1	–
†Darlaston ...	–	–	–	–	2	–
Kidsgrove ...	–	–	–	–	–	M. 1
†Leek	–	1	–	–	–	–
†Newcastle under Lyme	–	2	–	–	–	–
†Rowley Regis ...	–	–	1	–	–	–
†Sedgley	–	–	–	–	–	M. 1
†Stafford ...	–	3	–	–	–	–
Stone	–	1	–	–	–	–
†Tipton	–	1	–	2	1	–
†Wednesbury ...	–	–	–	–	2	–
†Willenhall ...	–	–	–	–	1	–
†Wolstanton United	–	5	1	–	–	–
STAFFORD—*cont.*						
Rural Districts:—						
Cheadle	–	1	–	–	5	–
Kingswinford ...	–	1	–	2	–	–
Leek	–	2	–	–	–	–
SUFFOLK, EAST ...	–	4	5	2	2	C. 1 M. 1
†Ipswich C.B. ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
Beccles	*	*	*	*	*	*
†Felixstowe ...	–	–	1	–	–	–
†Lowestoft ...	–	1	–	1	1	–
Woodbridge ...	–	–	2	–	–	–
Rural Districts:—						
Blything ...	–	–	–	–	–	C. 1 M. 1
Bosmere and Claydon	–	–	–	1	–	–
Mutford and Lothingland	–	–	1	–	–	–
Plomesgate ...	–	–	–	–	1	–
Wangford ...	–	1	–	–	–	–
SUFFOLK, WEST ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†Bury St. Edmunds	–	1	–	–	–	–
Rural Districts:—						
Thingoe	*	*	*	*	*	*
SURREY	–	36	5	1	1	C. 1
†Croydon C.B. ...	–	2	–	1	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts:—						
†BARNES	–	6	–	–	–	–
†CATERHAM ...	–	4	1	–	–	–
†CHERTSEY ...	–	1	–	–	–	–
†EGHAM	–	1	–	–	–	–
†FARNHAM ...	–	1	–	–	–	–
†GUILDFORD ...	–	2	–	–	–	–
†KINGSTON ON THAMES	–	5	–	–	–	–
†MERTON AND MORDEN	–	1	1	–	–	–
†MITCHAM... ...	–	3	1	–	–	C. 1
†SURBITON ...	–	2	–	–	–	–
WEYBRIDGE ...	–	1	–	–	–	–
†WIMBLEDON ...	–	3	1	–	–	–
†WOKING	–	1	–	–	–	–
Rural Districts:—						
EPSOM	–	–	1	–	–	–
FARNHAM ...	–	2	–	–	–	–
HAMBLEDON ...	–	1	–	–	–	–
SUSSEX, EAST ...	–	29	6	1	6	G. 1 L. 3 M. 1
†BRIGHTON C.B. ...	–	8	6	–	2	–
†EASTBOURNE C.B.	–	1	–	–	3	L. 1
†HASTINGS C.B. ...	–	4	–	–	1	G. 1 M. 1
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	2	–	–	–	–
†HOVE	–	1	–	1	–	–
†LEWES	–	1	–	–	–	–
PORTSLADE BY SEA	–	1	–	–	–	–
Rural Districts:—						
CHAILEY... ...	–	–	–	–	–	L. 2
CUCKFIELD ...	–	3	–	–	–	–
EAST GRINSTEAD	–	1	–	–	–	–
NEWHAVEN ...	–	6	–	–	–	–
STEYNING EAST...	–	1	–	–	–	–
SUSSEX, WEST ...	–	7	1	3	1	–
Boroughs and Urban Districts:—						
†HORSHAM ...	–	2	–	–	–	–
†LITTLEHAMPTON	–	1	–	–	–	–
SHOREHAM BY SEA	–	1	–	–	–	–
SOUTHWICK ...	–	1	–	–	–	–
†WORTHING ...	–	–	–	1	1	–
Rural Districts:—						
EAST PRESTON ...	–	–	1	–	–	–
HORSHAM ...	–	1	–	–	–	–
WESTBOURNE ...	–	–	–	2	–	–
WESTHAMPNETT	–	1	–	–	–	–
WARWICK	2	86	33	4	73	C. 5 M. 10
†BIRMINGHAM C.B.	2	58	21	1	53	C. 3 M. 8
†COVENTRY C.B. ...	–	5	1	–	5	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	–	–	–	1	C. 1 M. 1
†ROYAL LEAMINGTON SPA	–	4	–	3	1	–
†RUGBY	–	–	–	–	4	C. 1
STRATFORD ON AVON	–	–	7	–	–	–
†SUTTON COLDFIELD	–	2	–	–	–	–
†WARWICK ...	–	1	–	–	–	–
Rural Districts:—						
ATHERSTONE ...	–	3	–	–	2	–
FOLESHILL ...	–	4	–	–	–	–
MERIDEN... ...	–	1	1	–	4	–
NUNEATON ...	–	2	1	–	2	–
RUGBY	–	1	–	–	1	–
SOLIHULL ...	–	2	–	–	–	–
SOUTHAM... ...	–	1	–	–	–	M. 1
STRATFORD ON AVON	–	1	–	–	–	–
TAMWORTH (part)	–	1	1	–	–	–
WARWICK ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND ...	–	1	1	–	3	–
Boroughs and Urban Districts:—						
†KENDAL	–	1	–	–	2	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	1	–
SOUTH WESTMORLAND	–	–	1	–	–	–
WIGHT, ISLE OF ...	–	3	–	–	–	–
Boroughs and Urban Districts—						
SANDOWN ...	–	2	–	–	–	–
SHANKLIN ...	–	1	–	–	–	–
WILTS	–	16	4	1	–	G. 1 M. 2
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
MELKSHAM ...	*	*	*	*	*	*
†SALISBURY ...	–	–	1	–	–	–
†SWINDON... ...	–	7	2	–	–	G. 1 M. 1
TROWBRIDGE ...	–	–	1	–	–	M. 1
WARMINSTER ...	*	*	*	*	*	*
Rural Districts:—						
BRADFORD-ON-AVON	–	1	–	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
HIGHWORTH ...	–	1	–	–	–	–
MALMESBURY ...	–	1	–	–	–	–
MELKSHAM ...	*	*	*	*	*	*
PEWSEY	–	1	–	–	–	–
RAMSBURY ...	–	3	–	–	–	–
†SALISBURY ...	*	*	*	*	*	*
TISBURY	*	*	*	*	*	*
WARMINSTER ...	*	*	*	*	*	*
WILTON	–	–	–	1	–	

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	12	6	1	4	M. 1
†DUDLEY C.B. ...	–	1	1	–	–	–
†WORCESTER C.B.	–	2	–	–	1	M. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	2	1	–	–	–
EVESHAM... ...	–	–	–	1	–	–
†KIDDERMINSTER	–	–	2	–	–	–
†OLDBURY... ...	–	1	–	–	2	–
†REDDITCH ...	–	1	1	–	–	–
†STOURBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
EVESHAM ...	–	1	–	–	–	–
HALESOWEN ...	–	1	–	–	1	–
SHIPSTON ON STOUR	–	1	–	–	–	–
UPTON ON SEVERN	–	1	–	–	–	–
YORKS ... ... **(East Riding.)**	–	6	11	–	5	M. 2
†KINGSTON UPON HULL C.B.	–	5	6	–	5	M. 2
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	–	1	–	–	–
HEDON	–	1	–	–	–	–
HORNSEA... ...	–		1	–	–	–
Rural Districts:—						
BRIDLINGTON ...	–	–	3	–	–	–
NORTON	*	*	*	*	*	*
YORKS ... ... **(North Riding.)**	3	35	5	1	17	–
†MIDDLESBROUGH C.B.	–	20	3	–	12	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ESTON	–	6	–	1	–	–
GUISBOROUGH ...	–	1	–	–	–	–
KIRKLINGTON CUM UPSLAND	*	*	*	*	*	*
MALTON	*	*	*	*	*	*
†REDCAR	–	2	–	–	2	–
†SCARBOROUGH ...	–	1	–	–	1	–
†SKELTON AND BROTTON	–	–	–	–	2	–
†THORNABY ON TEES	2	–	–	–	–	–
Rural Districts:—						
BEDALE	–	–	1	–	–	–
EASINGWOLD ...	–	1	–	–	–	–
KIRKBY MOORSIDE	–	–	1	–	–	–
MALTON	*	*	*	*	*	*
MIDDLESBROUGH	–	1	–	–	–	–
PICKERING ...	1	–	–	–	–	–
RICHMOND ...	–	1	–	–	–	–
STARTFORTH ...	–	1	–	–	–	–
STOKESLEY ...	–	1	–	–	–	–
WATH	*	*	*	*	*	*
YORKS ... ... (West Riding.)	2	123	42	3	167	C. 4 L. 1 M. 9
†BARNSLEY C.B. ...	–	1	–	–	1	C. 1 M. 1
†BRADFORD C.B. ...	–	4	4	–	7	M. 2
†DEWSBURY C.B....	–	2	2	–	–	M. 1
†HALIFAX C.B. ...	–	4	1	–	–	–
†HUDDERSFIELD C.B.	–	3	–	–	3	–
†LEEDS C.B. ...	–	30	5	–	31	M. 1
†ROTHERHAM C.B.	–	4	–	–	16	–
†SHEFFIELD C.B....	–	14	5	1	52	C. 1 M. 2
†WAKEFIELD C.B.	–	2	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	1	1	–	1	M. 1
ARDSLEY, EAST AND WEST	–	–	–	–	2	–
†BARNOLDSWICK ...	–	1	–	–	–	–
†BATLEY	–	1	–	–	1	–
†BENTLEY WITH ARKSEY	1	–	–	–	–	–
†BINGLEY	–	2	2	–	2	–
BIRSTALL... ...	–	1	–	–	–	–
†BRIGHOUSE ...	–	1	–	–	–	–
†CASTLEFORD ...	–	3	2	–	–	–
CUDWORTH ...	–	–	–	–	1	–
DARFIELD ...	–	–	–	1	2	–
†DARTON	–	1	–	–	–	–
DENHOLME ...	*	*	*	*	*	*
†DONCASTER ...	–	3	2	–	1	–
DRIGHLINGTON ...	–	–	1	–	–	–
EARBY	–	1	–	–	–	–
†ELLAND	–	1	–	–	1	–
†FEATHERSTONE ...	–	1	–	–	–	–
†GOLCAR	–	–	1	–	–	–
†GOOLE	–	–	1	–	–	–
†HARROGATE ...	–	1	–	1	1	–
HAWORTH ...	–	1	–	–	–	–
HEBDEN BRIDGE	–	2	–	–	–	–
†HEMSWORTH ...	–	1	–	–	–	–
†HOLMFIRTH ...	–	–	1	–	1	–
HONLEY	–	–	–	–	1	–
HORBURY ...	–	1	–	–	–	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	–	1	–	4	–
ILKLEY	–	–	1	–	–	–
†KEIGHLEY ...	–	–	1	–	1	–
KIRKBURTON ...	–	1	–	–	–	C. 1
KIRKHEATON ...	*	*	*	*	*	*
KNOTTINGLEY ...	–	–	–	–	1	–
LEPTON	–	–	1	–	1	–
†MEXBOROUGH ...	–	1	–	–	–	C. 1
†MORLEY	–	1	1	–	2	–
MYTHOLMROYD ...	*	*	*	*	*	*
†NORMANTON ...	–	–	–	–	3	–
OTLEY	–	–	1	–	–	–
PENISTONE ...	–	1	–	–	–	–
†RAWMARSH ...	–	–	–	–	1	–
†ROTHWELL ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
ROYSTON	–	1	–	–	–	–
†SHIPLEY	–	1	–	–	–	–
SKELMANTHORPE	–	–	1	–	–	–
†SKIPTON	–	2	–	–	–	–
†SPENBOROUGH ...	–	11	–	–	1	–
†STANLEY	–	1	–	–	–	–
STOCKSBRIDGE ...	–	–	–	–	1	–
†SWINTON... ...	–	–	–	–	3	–
THURLSTONE ...	–	–	–	–	1	–
THURNSCOE ...	–	2	–	–	2	–
†WORSBOROUGH ...	–	1	–	–	–	–
YEADON	–	1	–	–	–	–
Rural Districts—						
DONCASTER ...	1	3	–	–	3	–
HEMSWORTH ...	–	1	1	–	9	–
HUNSLET... ...	–	1	–	–	–	–
KEIGHLEY ...	–	–	1	–	1	–
PONTEFRACT ...	–	2	–	–	–	–
RIPON	*	*	*	*	*	*
ROTHERHAM ...	–	3	–	–	1	M. 1
TADCASTER ...	–	–	1	–	1	–
TODMORDEN ...	–	1	–	–	–	–
WAKEFIELD ...	–	–	3	–	–	–
WETHERBY ...	–	–	1	–	1	–
WHARFEDALE (SOUTH)	–	–	–	–	2	L. 1
†YORK C.B. ...	–	1	2	–	–	–
WALES.						
ANGLESEY	–	1	–	–	–	–
Rural Districts:—						
VALLEY	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	2	–	–	2	M. 1
Urban District:—						
BRYNMAWR ...	–	–	–	–	1	–
HAY	–	–	–	–	–	M. 1
Rural Districts:—						
CRICKHOWELL ...	–	1	–	–	–	–
VAYNOR AND PENDERYN	–	1	–	–	–	–
YSTRADGYNLAIS...	–	–	–	–	1	–
CARDIGAN	–	1	–	–	–	–
Rural Districts:—						
TREGARON ...	–	1	–	–	–	–
CARMARTHEN ...	–	12	1	–	1	–
Boroughs and Urban Districts:—						
BURRY PORT ...	*	*	*	*	*	*
LLANDOVERY ...	–	2	–	–	–	–
†LLANELLY ...	–	2	–	–	–	–
Rural Districts:—						
CARMARTHEN ...	–	6	–	–	–	–
LLANELLY ...	–	2	1	–	1	–
CARNARVON ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
CARNARVON ...	–	–	1	–	–	–
DENBIGH	–	1	–	–	2	M. 1
Boroughs and Urban Districts:—						
DENBIGH... ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ York C.B. is a County of itself outside any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH—*cont.*						
Rural Districts :—						
RUTHIN	–	1	–	–	–	–
WREXHAM ...	–	–	–	–	–	M. 1
FLINT	–	1	2	–	1	–
Boroughs and Urban Districts :—						
†RHYL	–	1	–	–	–	–
Rural Districts :—						
HAWARDEN ...	–	–	2	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	1	–
GLAMORGAN ...	8	56	41	1	28	C. 3 M. 2
†CARDIFF C.B. ...	1	9	4	–	2	C. 1 M. 1
†MERTHYR TYDFIL C.B.	–	2	–	1	2	–
†SWANSEA C.B. ...	–	6	2	–	–	–
Boroughs and Urban Districts :—						
†ABERDARE ...	–	4	–	–	2	–
†BARRY	–	4	6	–	3	–
†CAERPHILLY ...	–	–	2	–	–	–
†GELLIGAER ..	–	1	1	–	–	–
†GLYNCORWG ...	–	–	3	–	2	C. 1
†MAESTEG ...	–	–	2	–	–	M. 1
†MOUNTAIN ASH ...	–	6	1	–	2	–
†NEATH	–	1	6	–	–	–
†OGMORE AND GARW	–	7	–	–	1	–
†PENARTH ...	–	1	–	–	–	–
†PONTYPRIDD ...	–	–	4	–	5	–
†RHONDDA ..	7	5	1	–	8	C. 1
GLAMORGAN—*cont.*						
Rural Districts :—						
CARDIFF	–	1	1	–	–	–
GOWER	–	–	4	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	2	–	–	–	–
NEATH	–	5	1	–	1	–
PENYBONT ...	–	1	2	–	–	–
PONTARDAWE ...	–	–	1	–	–	–
SWANSEA... ...	–	1	–	–	–	–
MERIONETH ...	–	–	–	–	–	–
Rural Districts :—						
PENLLYN	*	*	*	*	*	*
MONMOUTH ...	–	8	8	–	9	M. 1
†NEWPORT C.B. ...	–	2	1	–	3	–
Boroughs and Urban Districts :—						
†ABERTILLERY ...	–	1	2	–	–	–
BEDWAS AND MACHEN	–	–	–	–	1	–
†BEDWELLTY ...	–	1	–	–	–	–
†EBBW VALE ...	–	–	1	–	–	–
†MYNYDDISLWYN	*	*	*	*	*	*
†NANTYGLO AND BLAINA	–	–	–	–	3	–
†RHYMNEY ...	–	–	2	–	–	–
†TREDEGAR ..	–	2	2	–	2	–
Rural Districts :—						
CHEPSTOW ...	–	1	–	–	–	–
MONMOUTH ...	–	1	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY ...	–	–	–	–	3	–
Boroughs and Urban Districts:—						
Welshpool ...	–	–	–	–	1	–
Rural Districts:—						
Forden	–	–	–	–	1	–
Llanfyllin ...	–	–	–	–	1	–
PEMBROKE	–	1	2	–	–	–
Boroughs and Urban Districts:—						
Goodwick ...	*	*	*	*	*	*
Haverfordwest.	–	–	1	–	–	–
†Pembroke ...	*	*	*	*	*	*
PEMBROKE—*cont.*						
Rural Districts:—						
Haverfordwest.	–	1	–	–	–	–
St. Dogmells ...	–	–	1	–	–	–
RADNOR	–	–	–	–	1	–
Rural Districts:—						
Rhayader ...	–	–	–	–	1	
Total of Part II. ...	133	1305	463	56	772	C. 28 D. 3 E. 1 G. 9 L. 8 M. 123

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Bristol	–	–	–	–	–	H. 1
Hartlepool	*	*	*	*	*	*
Liverpool	–	–	–	–	1	–
Plymouth	–	–	–	1	–	–
Swansea	–	–	–	1	–	–
Port of London ...	1	–	–	1	–	–
Total of Part III.— ...	1	–	–	3	1	H. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	194	156	4	100	C. 4 E. 3 G. 2 M. 10
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	133	1305	463	56	772	C. 28 D. 3 E. 1 G. 9 L. 8 M. 123
Total of Part III.—Port Sanitary Districts	1	–	–	3	1	H. 1
Total (*i.e.*, of returns received), England and Wales ...	134	1499	619	63	873	C. 32 D. 3 E. 4 G. 11 H. 1 L. 8 M. 133

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poliophalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued r; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera or Plague notified during the week. The case of Typhus r notified appears on page 748. The cases of Small-pox notified appear on pages 734, 736, 742, 743, 744, 745, 746, 747, and 748.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAU and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIRT WEEKS.

Week ended :—	April 7.	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	Ju 3
LONDON:—													
DEATHS—all ages	1,094	1,126	1,016	1,043	1,047	885	949	905	840	847	871	855	
„ 0 to 1 year ..	100	120	111	105	118	106	93	98	83	74	90	86	
GREAT TOWNS, aggregate (including London):—													
BIRTHS	7,386	8,216	8,258	7,581	7,969	7,665	8,309	6,717	8,723	8,054	8,106	7,901	7,
DEATHS—all ages	4,735	4,971	4,539	4,686	4,887	4,478	4,532	4,224	4,152	4,264	4,060	3,858	3,
„ 0 to 1 year ..	557	634	570	548	648	566	564	518	506	518	474	464	
ENTERIC FEVER—Cases	16	26	22	19	30	15	18	18	16	18	15	24	
„ Deaths	4	3	4	1	2	1	3	5	—	2	2	2	
SMALL POX—Cases ..	3	10	7	7	1	4	7	1	8	38	56	82	
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	
SCARLET FEVER—Cases	905	797	952	934	963	859	830	891	804	833	762	825	
„ Deaths	13	15	12	16	11	15	25	7	12	7	9	16	
DIPHTHERIA—Cases ..	576	483	542	488	499	515	467	405	405	441	448	415	
„ Deaths ..	37	36	37	40	36	38	34	29	15	33	26	32	
MEASLES—Deaths ..	105	86	86	69	74	73	73	73	60	97	85	61	
INFLUENZA—Deaths ..	188	184	169	143	175	207	200	166	155	140	120	92	

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 30th June, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.*				Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.*				Rainfa in Milli metre
	Highest.	Lowest.	Mean Maximum.	Mean Minimum.			Highest.	Lowest	Mean Maximum.	Mean Minimum.	
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	78	43	69·3	50·7	2	BRADFORD ..	67	43	63·1	48·4	3
						SHEFFIELD ..	68	47	63·4	49·7	1
BRIGHTON ..	73	42	64·6	52·3	0	YORK (MUSEUM)	70	47	66·1	49·6	2
PORTSMOUTH ..	72	47	67·3	53·7	1	HULL (PEARSON PARK).	72	42	66·9	47·6	2
NORWICH (EATON).	70	39	64·0	46·0	3						
						TYNEMOUTH ..	69	45	60·7	49·4	4
PLYMOUTH ..	74	50	69·6	52·0	1	CARDIFF	72	46	67·9	50·7	0·3
BRISTOL (CLIFTON).	74	49	68·1	52·7	1						
						EDINBURGH ..	72·0	43·0	64·4	46·4	2
BIRMINGHAM ..	71	46	63·3	49·9	0·4	GLASGOW ..	68·9	41·4	63·3	49·2	–
NOTTINGHAM ..	73	47	64·7	49·9	0·2	DUBLIN (PHŒNIX PARK).	69·0	37·9	65·6	48·3	1
BIRKENHEAD (BIDSTON).	62	49	58·7	51·1	2						
						FITZWILLIAM SQUARE.†	65·1	46·2	63·7	52·2	2
MANCHESTER ..	66	49	62·4	51·3	2						
BURNLEY.. ..	65	46	62·7	49·4	1						
HUDDERSFIELD	70	46	65·0	49·7	2	BELFAST	71·0	52·0	64·8	55·0	4

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 30th June, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JUNE.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
DAY -	24	..	30·032	72·8	60·2	12·6	65·2	+ 4·0	50·6	14·6	20·7	8·3	59	135·7	52·2	52·0	NNW: NW.	NW: NNW.	1·6	0·0	0·1	281	+ 29	0·00
NDAY -	25	Perigee.	29·938	61·0	49·0	12·0	53·2	− 8·2	49·8	3·4	10·3	2·3	88	84·0	47·0	52·2	NW	N: Calm	1·3	0·0	0·1	241	− 12	0·08
ESDAY -	26	..	29·931	63·9	46·2	17·7	54·0	− 7·5	47·1	6·9	15·0	1·1	78	117·9	36·9	52·4	Calm	WSW	0·4	0·0	0·0	134	− 118	0·00
DNESDAY	27	..	29·981	66·3	43·4	22·9	55·8	− 5·8	50·0	5·8	14·5	0·4	81	112·3	34·0	52·8	SW	SW: Calm.	0·5	0·0	0·0	168	− 84	0·00
URSDAY -	28	Greatest Declination S. Full	30·029	71·7	49·2	22·5	60·8	− 0·8	47·5	13·3	24·0	0·8	62	135·0	39·9	52·9	Calm	Calm: NNW.	0·5	0·0	0·0	143	− 108	0·00
DAY -	29	..	30·023	78·3	51·2	27·1	62·5	+ 0·9	51·5	11·0	24·8	1·2	67	135·0	38·7	53·0	NNW: Calm.	Calm: NE.	0·6	0·0	0·0	123	− 126	0·00
URDAY -	30	..	29·912	71·3	47·7	23·6	60·4	− 1·1	47·8	12·6	19·9	1·2	63	133·3	35·3	52·9	Calm: NW.	NW: NNW.	1·4	0·0	0·1	193	− 55	0·00
ANS -		..	29·978	69·3	49·6	19·8	58·8	− 2·6	49·2	9·7	18·5	2·2	71	121·9	40·6	52·6	N.W.		..	..	..	Sum 1,283	Sum − 474	Sum 0·08
of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JUNE.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
UNDAY ..	24	wP	6·8	16·6	Overcast generally with partially cloudy interval between 3h. and 9h,
IONDAY ..	25	wP	0·0	16·6	Overcast. Slight shower 10¾h. Occasional slight rain 12h. till 23h.
UESDAY ..	26	wP	2·8	16·6	Nearly overcast throughout. Haze in afternoon.
VEDNESDAY	27	wP till 14h.; mP to 17h.; then wP or zero.	0·8	16·5	Nearly cloudless till 3h.; then nearly overcast clearing to nearly cloudless by 20¾h. Slight mist and dew at night.
HURSDAY	28	wP to 6h.; mP to 18h.; then wP.	1·7	16·5	Nearly overcast throughout.
RIDAY ..	29	wP to 9h.; mP to 16h.; then wP.	10·7	16·5	Cloudless generally till 9h., then partially cloudy. Cloudless from 18h. Slight mist and dew at night.
ATURDAY	30	wP or zero to 7h.; mP generally to 21h., then wP.	3·7	16·5	Cloudless generally till 6h., then thin cloud prevalent. Nearly overcast generally from 9h. Solar halo 9h. till 11h. Slight misty rain occasionally between 15h. and 21h.
			Sum 26·5	Sum 115·8	
Io. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·10 in. at the beginning of the week to 29·90 in. by 4h. on 26th; increased generally to 30·05 in. by 7h. on 29th; d ecreased and was 29·90 in. by midnight on the 30th.

Printed and published by His Majesty's Stationery Office Press,
11-17, Hare Street, E.2

FOR OFFICIAL USE.

1923. No. 27.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 7TH JULY, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 7TH JULY, 1923.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-seventh week of the year numbered 7,746 and corresponded to an annual rate of 21·0 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,704 and corresponded to an annual rate of 10·1 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 11·0, 10·5 and 10·0. Infant mortality was 55 per 1,000 births, against 58, 59 and 60 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,859 births, corresponding to a rate of 21·3 per 1,000, and 834 deaths of civilians, corresponding to a rate of 9·6, as against 10·0, 9·8, and 8·9 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 9·6 per 1,000. The infant mortality was 46 as against 45, 47 and 40 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 36 in the total deaths last week, and the deaths from influenza fell from 81 to 59. In London the number of deaths from all causes rose from 772 to 834; while the deaths from diphtheria, which had been 9, 12 and 7 in the preceding three weeks, fell to 5 last week, and those from influenza, which had been 10, 8 and 12 in the three preceding weeks, fell to 7 last week.

Just Published:

Census of England and Wales, 1921. County of Middlesex. Price 10*s.* net.

County of Essex. Price 12*s.* 6*d.* net.

County of Surrey. Price 10*s.* net.

County of Kent. Price 14*s.* net.

County of Hertford. Price 7*s.* 6*d.* net.

County of Lancaster. Price 20*s.* net.

The Registrar General's Statistical Review, 1921.
Tables, Part II. Civil. Price 5*s.* net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 7th July, 1923.**

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	7,746	3,704	428	3	42	7	49	15	47	56
London	4,534,230*	1,859	834	85	1	2	2	8	5	5	7
Towns in Outer Ring.											
Croydon C.B. ..	192,300	70	35	3	-	-	-	-	-	-	-
Wimbledon ..	61,730	27	6	-	-	-	-	-	-	-	-
Ealing	67,890	27	13	-	-	-	-	1	-	-	-
Acton	62,390	24	10	-	-	-	-	-	-	-	-
Willesden ..	168,200	42	28	3	-	-	-	1	-	-	-
Hendon	55,930	21	5	-	-	-	-	-	-	-	1
Hornsey	87,310	16	17	-	-	-	-	-	-	-	-
Wood Green ..	51,290	14	6	-	-	-	-	-	-	-	-
Tottenham ..	150,500	65	27	2	-	-	-	-	-	-	-
Edmonton ..	68,700	30	9	1	-	-	-	1	1	-	-
Enfield	62,010	21	7	1	-	-	-	-	-	-	-
West Ham C.B. ..	310,200	164	57	4	-	-	-	-	-	-	-
East Ham C.B. ..	145,800	49	25	5	-	-	-	1	-	1	-
Leyton	131,600	46	22	1	-	-	-	-	-	-	1
Walthamstow ..	129,700	50	10	-	-	-	-	-	-	-	-
Ilford	86,370	45	9	1	-	-	-	-	-	-	-
Gillingham	48,630*	19	13	-	-	-	-	-	-	-	-
Canterbury C.B ..	23,680	8	6	-	-	-	-	-	-	-	-
Hastings C.B.	59,500	19	12	2	-	-	-	-	-	1	-
Eastbourne C.B. ..	53,700	17	10	2	-	-	-	-	-	1	-
Brighton C.B. ..	135,000	42	21	2	-	-	-	-	-	2	-
Portsmouth C.B. ..	236,630*	98	32	3	-	-	-	-	-	1	-
Bournemouth C.B. ..	81,500	31	16	1	-	-	-	-	-	-	-
Southampton C.B. ..	163,700	47	38	2	1	-	-	-	-	-	-
Reading C.B.	92,990	48	13	1	-	-	-	-	-	1	-
Oxford C.B.	56,510	14	6	-	-	-	-	-	-	-	-
Northampton C.B. ..	92,950	38	14	3	-	-	-	-	-	1	-
Luton	58,260	21	6	-	-	-	-	-	-	-	-
Cambridge	59,200	18	7	-	-	-	-	-	-	-	-
Southend-on-Sea C.B.	91,430	34	18	4	-	-	-	-	-	-	-
Ipswich C.B.	80,950	33	14	4	-	-	-	-	-	-	-
Great Yarmouth C.B.	56,700	11	7	1	-	-	-	1	-	-	-
Norwich C.B ..	122,900	55	28	4	-	1	-	-	2	1	-
Swindon	55,680	17	6	-	-	-	-	-	-	-	-
Exeter C.B.	59,700	23	14	-	-	1	-	-	-	-	-
Plymouth C.B. ..	200,370*	109	41	3	-	-	-	-	1	1	-
Bath C.B.	68,530	16	5	-	-	-	-	-	-	-	-
Bristol C.B.	383,900	136	63	10	-	1	1	3	-	-	2
Gloucester C.B. ..	52,210	19	17	2	-	-	-	1	-	-	-
Stoke-on-Trent C.B.	274,300	134	67	9	-	-	-	-	-	3	2
Burton-upon-Trent C.B.	49,630	21	5	2	-	-	-	-	-	1	2
Wolverhampton C.B.	105,700	44	12	2	-	-	-	-	-	-	-
Walsall C.B.	99,890	34	18	1	-	-	-	-	-	-	-
West Bromwich C.B.	76,260	34	18	2	-	-	-	-	-	-	2
Dudley C.B.	57,860	27	14	3	-	-	-	-	-	1	-
Worcester C.B. ..	49,240	16	7	2	-	1	-	-	-	-	-
Birmingham C.B. ..	945,100	361	160	20	-	1	-	1	1	3	4
Smethwick C.B. ..	78,140	33	12	1	-	-	-	-	1	-	1
Coventry C.B. ..	131,200	47	17	1	-	-	-	-	-	-	-
Leicester C.B. ..	238,800	99	56	8	-	-	-	-	-	-	2
Lincoln C.B.	66,930	13	7	1	-	-	-	-	-	-	-
Grimsby C.B.	84,650	33	11	1	-	-	-	-	-	-	-
Nottingham C.B. ..	267,900	97	61	7	-	-	-	-	-	-	1
Derby C.B.	132,400	61	23	3	-	-	-	2	-	1	-
Chesterfield ..	63,380	31	13	1	-	-	-	-	-	-	2
Stockport C.B. ..	125,800	36	29	2	-	-	-	-	-	1	2
Chester C.B.	41,190	15	8	2	-	-	-	1	-	-	-
Birkenhead C.B. ..	149,200	61	28	5	-	-	-	2	-	-	-
Wallasey C.B. ..	89,790	19	23	3	-	-	-	-	-	-	-
Liverpool C.B. ..	826,400	390	176	37	-	13	1	2	1	4	-
Bootle C.B.	79,750	32	20	2	-	1	-	-	-	-	-
St. Helens C.B. ..	106,400	44	23	3	-	-	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	25	17	3	-	-	-	-	-	1	-
WIGAN C.B.	91,750	31	15	-	-	-	-	1	-	-	-
WARRINGTON C.B. ..	79,150	38	15	2	-	-	-	1	-	-	2
BOLTON C.B.	182,700	31	42	3	-	-	-	-	-	-	1
BURY C.B.	57,400	22	11	-	-	-	-	-	-	-	-
MANCHESTER C.B. ..	748,500	324	147	19	1	2	1	4	-	1	2
SALFORD C.B.	240,700	98	58	3	-	-	-	-	-	-	2
OLDHAM C.B.	148,300	65	37	4	-	-	-	2	-	1	-
ROCHDALE C.B... ..	92,510	25	24	1	-	-	-	1	-	-	-
BURNLEY C.B.	105,100	38	27	2	-	-	-	1	-	-	1
BLACKBURN C.B. ..	129,600	43	26	-	-	-	-	-	-	-	-
PRESTON C.B.	120,900	55	22	6	-	-	-	-	-	-	2
BLACKPOOL C.B. ..	74,050	20	24	1	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	75,690	24	13	1	-	-	-	-	-	-	-
HUDDERSFIELD C.B. ..	111,600	57	32	2	-	-	-	-	-	1	-
HALIFAX C.B.	100,500	26	34	3	-	-	-	-	-	1	1
BRADFORD C.B. ..	291,300	103	67	6	-	-	-	-	2	1	5
LEEDS C.B.	466,700	188	102	11	-	-	1	-	-	-	2
DEWSBURY C.B. ..	55,170	22	19	2	-	-	-	-	-	1	2
WAKEFIELD C.B. ..	53,840	16	11	1	-	-	-	-	-	-	-
BARNSLEY C.B. ..	69,540	42	24	6	-	-	-	-	-	-	3
SHEFFIELD C.B. ..	522,600	226	88	13	-	-	-	3	-	1	4
ROTHERHAM C.B. ..	69,840	26	16	2	-	-	-	1	-	-	1
DONCASTER	55,020	22	12	2	-	-	-	1	-	-	1
YORK C.B.	84,980	26	15	4	-	-	-	-	-	-	-
HULL C.B.	294,000	115	50	10	-	-	-	1	-	2	-
MIDDLESBROUGH C.B.	134,800	73	37	5	-	1	-	-	-	1	-
DARLINGTON C.B. ..	66,710	32	16	2	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	65,950	24	11	4	-	-	-	-	-	-	-
WEST HARTLEPOOL C.B.	70,020	32	16	3	-	-	-	-	-	-	-
SUNDERLAND C.B. ..	162,900	74	47	9	-	-	-	4	-	5	-
SOUTH SHIELDS C.B. ..	122,400	62	26	4	-	4	-	1	-	-	-
GATESHEAD C.B. ..	127,300	45	32	2	-	4	-	-	-	-	-
NEWCASTLE-ON-TYNE C.B.	281,600	127	50	8	-	4	-	-	-	2	-
TYNEMOUTH C.B. ..	64,640	44	14	-	-	-	-	-	-	-	-
CARLISLE C.B.	53,490	13	10	1	-	-	-	-	1	-	-
NEWPORT (MON.) C.B.	94,880	52	19	2	-	-	-	-	-	-	-
CARDIFF C.B.	223,830	116	40	2	-	-	-	1	-	-	-
RHONDDA	167,500	86	32	3	-	5	1	1	-	-	-
MERTHYR TYDFIL C.B.	82,680	32	18	-	-	-	-	-	-	-	1
ABERDARE	56,580	31	14	2	-	1	-	-	-	-	-
SWANSEA C.B.	161,000	70	39	6	-	-	-	1	-	-	-
GREATER LONDON ..	7,563,730*	2,998	1,301	121	1	3	3	13	7	6	9
OUTER RING	3,029,500*	1,139	467	36	-	1	1	5	2	1	2
16 GREAT TOWNS IN OUTER RING	1,831,920	711	286	21	-	-	-	4	1	1	2
REMAINDER OF OUTER RING	1,197,580*	428	181	15	-	1	1	1	1	-	-
EDINBURGH†	426,000	188	97	12	-	-	3	2	-	2	-
GLASGOW†	1,041,400	489	267	43	-	8	-	7	2	6	-
DUBLIN (REGISTRATION AREA)†	431,000	198	102	14	-	1	-	6	1	5	-
BELFAST†	429,000	199	107	22	-	16	-	9	-	2	2

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available period.

CITIES	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,534,230	1923. July 7	1859	834	9·6	1	–	2	2	8	5	5	7
CALCUTTA	896,067	June 2	?	438§	25·0	?	–	?	?	?	?	?	7
BOMBAY	1,220,120	April 28	370‖	913§	38·9	4	27	6	?	–	–	45	16
MADRAS	526,911	May 19	418	344	33·9	2	–	–	?	1	–	30	–
		„ 26	445	344	33·9	–	–	–	?	–	–	36	–
SYDNEY AND SUBURBS	955,900	May											
BRISBANE (Metropolitan Area).	217,714	April											
PERTH (Metropolitan Area).	161,773	May 12	69	29	9·3	–	–	–	–	–	–	–	–
		„ 19	106	36	11·6	–	–	–	–	–	1	1	–
AUCKLAND (Urban Area).	164,450	April											
WELLINGTON (Urban Area).	110,680	„											
CHRISTCHURCH (Urban Area).	110,200	„											
CAPE TOWN	106,727	June 2	49	24	11·7	–	–	–	–	–	–	1	–
JOHANNESBURG	156,858	„ 2	74	48	15·9	–	–	–	–	1	1	–	1
DURBAN	50,488	„ 2	21	8	8·2	–	–	–	–	1	–	–	–
PARIS	2,906,472	May 31 (11 days)											
ANTWERP	303,375	May 5	114	70	12·1	–	–	2	–	–	–	4	–
		„ 12	115	63	10·9	3	–	–	–	1	–	4	1
AMSTERDAM	700,312	June 16	278	111	8·3	2	–	1	–	–	–	–	–
COPENHAGEN	570,000	„ 23	231	111	10·2	–	–	1	–	–	–	2	1
STOCKHOLM	424,944	„ 16	123	86	10·5	–	–	–	–	–	1	–	–
GOTHENBURG	228,074	„ 9	?	46	10·5	–	–	–	–	–	1	–	–
CHRISTIANIA	258,962	„ 23	77	62	12·4	–	–	–	–	–	–	–	–
BERLIN	1,990,000	June 9	350	450	11·8	1	?	3	1	–	1	5	1
		„ 16	338	499	13·0	1	?	3	–	3	1	7	1
BRESLAU	563,000	„ 9	181	150	13·9	–	?	1	–	1	1	6	2
		„ 16	201	148	13·7	–	?	3	–	–	–	7	–
COLOGNE	699,000	„ 9	288	119	8·9	–	?	4	–	1	–	2	2
		„ 16	215	148	11·0	–	?	2	–	2	–	2	2
DRESDEN	613,000	„ 9	177	153	13·0	–	?	1	1	1	–	1	3
		„ 16	159	117	9·9	2	?	–	–	–	–	1	2
FRANKFORT-ON-MAIN..	478,000	„ 9	84	93	10·1	–	?	1	–	1	–	1	2
		„ 16	79	72	7·8	–	?	1	–	–	1	1	–
HAMBURG	1,073,000	„ 9	280	244	11·8	–	?	4	1	–	3	2	2
		„ 16	311	248	12·0	1	?	3	–	2	–	2	3
LEIPZIG	683,000	„ 9	184	147	11·2	–	?	3	–	1	–	3	1
		„ 16	181	135	10·3	–	?	2	–	–	1	4	2
MUNICH	685,000	„ 9	183	147	11·2	–	?	3	–	3	–	3	–
		„ 16	190	162	12·3	–	?	4	–	1	1	3	–
VIENNA	1,841,326	April 14											
PRAGUE AND SUBURBS	697,111	May 15 (15 days)	597	439	15·3	1	–	–	1	7	–	3	2
BUDAPEST	946,000	April 14	355	429	23·6	1	–	15	3	5	2	?	1
		„ 21	382	428	23·5	–	–	22	2	3	1	?	2
WARSAW	956,087	June 9											
CAIRO	791,000	Mar. 25	818	448	29·5	2	1	27	–	?	1	29	?
		April 1	743	493	32·4	–	–	25	–	?	3	40	?
ALEXANDRIA	466,700	Mar. 25	481	260	29·0	–	–	6	–	?	–	29	?
		April 1	410	250	28·1	–	–	10	–	?	–	23	?
NEW YORK	5,927,617	May 26	2,477	1,230	10·8	–	–	18	2	7	14	13	6
CHICAGO	2,886,121	June 16	?	582	10·5	–	–	7	2	1	2	10	3
RIO DE JANEIRO ..	1,280,253	May 19											
MONTEVIDEO	349,314	Mar. 31	205	131	20·8	6	–	–	–	–	–	12	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under 1 year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 34 deaths from Asiatic Cholera in Calcutta and from Plague, 2 in Calcutta and 84 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 7th July, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	834	85	15	20	32	29	50	66	88	151	168	130
Enteric fever	1	–	–	–	–	–	1	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	–	1	1	–	–	–	–	–	–	–	–
Scarlet fever	2	1	1	–	–	–	–	–	–	–	–	–
Whooping cough	8	6	1	1	–	–	–	–	–	–	–	–
Diphtheria	5	–	–	2	3	–	–	–	–	–	–	–
Influenza	7	1	–	–	–	1	1	–	1	–	3	–
Erysipelas	1	–	–	–	–	–	–	–	1	–	–	–
Acute Poliomyelitis, Polioencephalitis	1	–	–	–	1	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	1	–	–	–	1	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	79	–	–	–	2	9	23	20	10	8	7	–
Nervous system	8	3	2	1	2	–	–	–	–	–	–	–
Intestines and peritoneum	4	–	–	1	2	–	–	–	–	1	–	–
Other forms	3	–	–	1	–	1	–	–	–	1	–	–
Venereal diseases	1	1	–	–	–	–	–	–	–	–	–	–
Cancer	106	–	–	–	–	1	2	7	17	40	29	10
Rheumatic fever	1	–	–	–	–	–	1	–	–	–	–	–
Diabetes	10	–	–	–	–	1	1	–	–	2	5	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	3	1	1	–	–	–	–	–	1	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	46	–	–	–	–	–	1	1	2	14	16	12
Epilepsy	3	–	–	–	1	1	–	1	–	–	–	–
"Convulsions" (not puerperal) ..	4	4	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	22	–	–	–	3	–	1	4	8	3	3	–
Pericarditis	3	1	–	1	1	–	–	–	–	–	–	–
Acute endocarditis	3	–	–	–	–	2	–	–	1	–	–	–
Other diseases of heart	113	–	–	–	2	4	6	7	8	22	38	26
Other diseases of circulatory system	41	–	–	–	–	–	1	2	1	8	14	15
Bronchitis	34	–	1	–	–	–	–	–	1	2	14	16
Broncho-pneumonia	33	8	5	3	–	–	1	–	3	6	2	5
Lobar-pneumonia	20	–	–	2	2	1	–	5	4	4	1	1
Pneumonia (type not distinguished) ..	4	–	–	1	–	–	–	1	1	–	1	–
Other diseases of respiratory system	13	–	–	–	1	1	1	2	–	3	2	3
Diarrhœa and enteritis	8	5	–	–	–	–	1	–	1	–	–	1
Appendicitis, Typhlitis	8	–	–	1	–	1	1	1	2	1	1	–
Hernia, Intestinal obstruction	6	2	–	–	–	–	–	–	–	2	1	1
Cirrhosis of liver	7	–	–	–	–	–	–	1	3	2	1	–
Other diseases of digestive system ..	19	1	–	1	2	–	–	2	3	6	2	2
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	31	–	–	–	2	1	1	1	5	9	6	6
Other diseases of genito-urinary system.	16	–	–	–	–	–	1	2	1	3	7	2
Puerperal sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other causes incident to childbirth ..	1	–	–	–	–	–	1	–	–	–	–	–
Congenital malformations	8	6	–	1	1	–	–	–	–	–	–	–
Premature birth	26	26	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	9	9	–	–	–	–	–	–	–	–	–	–
Old age..	31	–	–	–	–	–	–	–	–	1	5	25
Suicide	14	–	–	–	–	1	1	3	5	3	1	–
Burns and scalds	1	–	–	–	–	1	–	–	–	–	–	–
Drowning	5	–	–	–	2	–	1	–	1	1	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	13	–	–	1	3	1	2	1	1	3	1	–
Other deaths by violence	17	1	–	1	1	1	1	1	4	4	2	1
Other specified causes	32	9	3	1	–	1	–	4	3	2	6	3
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 7th July, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	180	166	5	96	C. 7 D. 1 E. 3 G. 3 M. 8
†CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	4	5	–	2	–
†BERMONDSEY ...	–	7	6	–	1	–
†BETHNAL GREEN	–	7	7	–	3	C. 1 M. 1
†CAMBERWELL ...	–	12	19	1	–	–
†CHELSEA	–	3	–	–	1	–
†DEPTFORD ...	–	3	8	–	–	M. 1
†FINSBURY ...	–	4	8	–	1	–
†FULHAM	–	1	7	–	7	–
†GREENWICH ...	–	3	7	–	–	–
†HACKNEY ...	–	10	7	–	–	G. 1
†HAMMERSMITH ...	–	1	–	1	3	E. 2 G. 1
†HAMPSTEAD ...	–	1	1	–	2	–
†HOLBORN... ...	–	5	1	–	2	–
†ISLINGTON ...	–	10	23	1	4	C. 1

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	4	3	–	3	C. 2
†LAMBETH ...	–	12	10	–	8	C. 1 M. 1
†LEWISHAM ...	–	7	6	–	1	–
†PADDINGTON ...	–	1	4	–	8	–
†POPLAR	–	9	4	1	10	–
†ST. MARYLEBONE	–	4	1	1	1	–
†ST. PANCRAS ...	–	9	9	–	6	–
†SHOREDITCH ...	–	8	4	–	7	M. 1
†SOUTHWARK ...	–	15	10	–	5	C. 1 M. 2
†STEPNEY	–	17	5	–	8	E. 1 M. 1
†STOKE NEWINGTON	–	1	5	–	–	M. 1
†WANDSWORTH ...	–	16	4	–	6	D. 1
†WESTMINSTER, CITY OF	–	1	2	–	1	C. 1 G. 1
†WOOLWICH ...	–	4	–	–	6	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	2	2	1	–	M. 2
Boroughs and Urban Districts:—						
†BEDFORD ...	–	–	2	–	–	M. 1
†LUTON	–	–	–	1	–	–
Rural Districts:—						
BEDFORD... ...	–	1	–	–	–	M. 1
LUTON	–	1	–	–	–	–
BERKS	–	3	8	–	–	–
†READING C.B. ...	–	–	4	–	–	–
Boroughs and Urban District:—						
ABINGDON ...	–	–	1	–	–	–
WOKINGHAM ...	–	–	2	–	–	–
Rural Districts:—						
ABINGDON ...	–	1	–	–	–	–
BRADFIELD ...	–	1	–	–	–	–
FABINGDON (part)	–	–	1	–	–	–
WALLINGFORD ...	–	1	–	–	–	–
BUCKINGHAM ...	–	7	2	1	–	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	–	–
BEACONSFIELD ...	*	*	*	*	*	*
Rural Districts:—						
AMERSHAM ...	–	1	–	1	–	–
ETON	–	2	–	–	–	–
WYCOMBE ...	–	3	2	–	–	–
CAMBRIDGE ...	–	1	1	–	–	–
Borough:—						
†CAMBRIDGE ...	–	1	1	–	–	–
CHESTER	–	51	20	2	23	E. 1 G. 1 L. 1 M. 4
†BIRKENHEAD C.B.	–	4	5	–	4	M. 2
†CHESTER C.B. ...	–	3	1	–	3	–
†STOCKPORT C.B.	–	14	2	1	1	–
†WALLASEY C.B. ...	–	3	1	1	2	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	1	1	–	–	–
†ALTRINCHAM ...	–	1	–	–	1	–
†BEBINGTON AND BROMBOROUGH	–	1	1	–	–	–
BREDBURY AND ROMILEY	–	–	–	–	1	–
BUGLAWTON ...	–	–	–	–	1	–
†CHEADLE AND GATLEY	–	–	1	–	–	–
†CONGLETON ...	–	2	1	–	–	M. 1
†CREWE	–	1	–	–	–	–
†DUKINFIELD ...	–	–	1	–	1	–
HALE	–	–	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	3	–	–	–	–
†HYDE	–	1	1	–	3	–
KNUTSFORD ...	–	3	–	–	–	–
†MACCLESFIELD ...	–	2	–	–	–	L. 1
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN... ...	–	1	1	–	2	M. 1
WILMSLOW ...	–	1	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	1	1	–	1	E. 1
CHESTER	–	–	1	–	–	–
CONGLETON ...	–	2	1	–	1	–
MACCLESFIELD ...	–	2	1	–	–	–
NANTWICH ...	–	–	–	–	1	–
NORTHWICH ...	–	3	–	–	–	–
RUNCORN... ...	–	1	–	–	–	G. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	3	2	1	2	–
Boroughs and Urban Districts:—						
NEWQUAY ...	–	–	1	1	–	–
REDRUTH ...	–	1	–	–	–	–
ST. JUST... ...	*	*	*	*	*	*
TORPOINT ...	–	–	1	–	–	–
Rural Districts:—						
LISKEARD ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	1	–
SAINT AUSTELL	–	1	–	–	–	–
SAINT GERMANS	–	–	–	–	1	–
WEST PENWITH...	*	*	*	*	*	*
CUMBERLAND ...	–	19	–	–	2	M. 1
†CARLISLE C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
MILLOM	–	–	–	–	1	–
†WHITEHAVEN ...	–	–	–	–	–	M. 1
†WORKINGTON ...	–	3	–	–	–	–
Rural Districts:—						
LONGTOWN ...	–	12	–	–	–	–
PENRITH	–	–	–	–	1	–
WHITEHAVEN ...	–	1	–	–	–	–
DERBY	15	18	7	1	12	–
†DERBY C.B. ...	–	6	2	–	3	–
Boroughs and Urban Districts:—						
†ALFRETON ...	1	–	–	–	1	–
†BUXTON	–	1	–	–	–	–
†CHESTERFIELD ...	–	–	2	–	–	–
†GLOSSOP	–	–	–	–	2	–
†ILKESTON ...	–	–	–	–	1	–
†LONG EATON ...	13	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
MATLOCK BATH AND SCARTHIN NICK	*	*	*	*	*	*
†RIPLEY	–	1	–	–	1	–
WIRKSWORTH ...	–	–	–	1	–	–
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	–	–
BAKEWELL ...	–	1	–	–	1	–
BELPER	–	1	3	–	–	–
BLACKWELL ...	–	2	–	–	2	–
CHAPEL EN LE FRITH	–	1	–	–	–	–
CHESTERFIELD ...	–	3	–	–	–	–
REPTON	–	1	–	–	–	–
SHARDLOW ...	1	–	–	–	–	–
DEVON	–	13	14	1	7	C. 1 E. 1
†EXETER C.B. ...	–	–	2	–	2	–
†PLYMOUTH C.B....	–	3	7	–	–	C. 1
Boroughs and Urban Districts:—						
BIDEFORD ...	*	*	*	*	*	*
BRIXHAM ...	–	1	–	–	1	–
BUDLEIGH SALTERTON	–	–	2	–	–	–
†EXMOUTH ...	–	1	–	–	–	–
HONITON	–	2	–	–	–	–
†ILFRACOMBE ...	–	–	1	–	–	–
IVYBRIDGE ...	–	–	–	1	–	–
†NEWTON ABBOT...	–	1	–	–	–	–
SOUTH MOULTON	–	–	–	–	1	–
†TORQUAY ...	–	5	–	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
OKEHAMPTON ...	–	–	1	–	–	E. 1
PLYMPTON ST. MARY	–	–	1	–	1	–
TORRINGTON ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	3	4	–	2	M. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	–	–	–	1	–
DORCHESTER ...	*	*	*	*	*	*
†PORTLAND ...	–	–	–	–	1	–
SHERBORNE ...	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	–	M. 1
Rural Districts:—						
BEAMINSTER ...	–	–	4	–	–	–
DORCHESTER ...	*	*	*	*	*	*
WIMBORNE AND CRANBORNE	–	1	–	–	–	–
DURHAM	1	65	13	1	53	M. 6
†DARLINGTON C.B	–	–	1	–	4	–
†GATESHEAD C.B.	–	1	–	–	3	–
†SOUTH SHIELDS C.B.	–	6	–	–	5	–
†SUNDERLAND C.B.	–	2	4	–	8	M. 4
†WEST HARTLEPOOL C.B.	–	–	1	–	1	M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	–	–	2	–
BARNARD CASTLE	–	–	1	–	–	–
BENFIELDSIDE ...	–	–	–	–	1	–
†BISHOP AUCKLAND	–	1	–	–	–	–
†BLAYDON... ...	–	2	–	–	–	–
†CHESTER LE STREET	–	1	–	–	1	–
†CONSETT	–	–	1	–	–	–
†CROOK	–	–	–	–	2	–
†FELLING	–	5	–	–	1	–
†HARTLEPOOL ...	–	1	–	–	–	–
†HEBBURN ...	–	1	–	–	2	–
†HETTON	–	2	–	–	1	M. 1
†JARROW	–	2	1	–	2	–
†RYTON	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SEAHAM HARBOUR	–	2	–	–	2	–
†SOUTHWICK ON WEAR	–	–	–	–	3	–
†SPENNYMOOR ...	–	3	–	–	1	–
†STANLEY	–	5	–	–	–	–
†STOCKTON ON TEES	§1	–	2	–	1	–
†WASHINGTON ..	–	2	1	–	–	–
†WHICKHAM ...	–	–	–	–	1	–
Rural Districts:—						
AUCKLAND ...	–	2	1	–	–	–
CHESTER LE STREET	–	12	–	–	3	–
DURHAM	–	2	–	–	–	–
EASINGTON ...	–	3	–	–	2	–
HOUGHTON LE SPRING	–	2	–	–	1	
LANCHESTER ...	–	1	–	–	2	–
SEDGEFIELD ...	–	4	–	1	2	–
SUNDERLAND ...	–	2	–	–	2	–
ELY, ISLE OF ...	–	1	–	8	–	M. 1
Boroughs and Urban Districts:—						
†WISBECH	–	–	–	3	–	–
Rural Districts:—						
WHITTLESEY ...	–	1	–	–	–	–
WISBECH	–	–	–	5	–	M. 1
ESSEX	–	43	23	3	13	L. 1 M. 2
†EAST HAM C.B. ...	–	1	5	–	1	–
†SOUTHEND-ON-SEA C.B.	–	3	1	–	5	M. 1
†WEST HAM C.B. ...	–	15	7	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ This is a doubtful case of Small-pox.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	–	–	1	–
BRIGHTLINGSEA	–	1	–	–	–	–
CHINGFORD ...	–	2	–	–	–	–
†COLCHESTER ...	–	–	–	–	2	–
†HARWICH ...	–	1	1	–	–	–
†ILFORD	–	5	–	–	1	L. 1
†LEYTON	–	1	–	–	1	M. 1
†ROMFORD ...	–	–	1	1	–	–
SHOEBURYNESS ...	–	–	1	–	–	–
†WALTHAMSTOW ...	–	9	3	1	1	–
†WANSTEAD ...	–	–	2	–	–	–
WIVENHOE ...	*	*	*	*	*	*
Rural Districts:—						
CHELMSFORD ...	–	3	–	–	–	–
DUNMOW	*	*	*	*	*	*
EPPING	–	–	–	–	1	–
ROCHFORD ...	–	1	1	–	–	–
ROMFORD... ...	–	1	1	1	–	–
GLOUCESTER ...	93	41	20	1	13	E. 1 M. 2
†BRISTOL C.B. ...	–	25	8	–	9	E. 1 M. 2
†GLOUCESTER C.B.	§91	5	–	–	1	–
Boroughs and Urban Districts:—						
AWRE	–	–	2	–	–	–
CHARLTON KINGS	–	–	2	–	–	–
†KINGSWOOD ...	–	4	–	–	–	–
STOW ON THE WOLD	–	1	–	–	–	–
Rural Districts:—						
CHELTENHAM ...	–	1	–	–	–	–
CHIPPING SODBURY	–	–	–	–	1	–
DURSLEY	–	1	1	–	–	–
EAST DEAN AND UNITED PARISHES ...	–	1	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts— *cont.*						
GLOUCESTER ...	1	–	3	1	–	–
MARSTON SICCA	–	–	1	–	–	–
NEWENT	–	–	1	–	–	–
STROUD	1	–	–	–	–	–
TEWKESBURY (part)	–	–	1	–	–	–
WARMLEY ...	–	1	–	–	1	–
WINCHCOMB (part)	–	2	–	–	–	–
HEREFORD ...	–	12	1	–	2	M. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	–	–	1	M. 1
KINGTON	–	2	–	–	–	–
LEOMINSTER ...	–	–	1	–	–	–
Rural Districts:—						
BROMYARD ...	–	1	–	–	–	–
DORE	–	2	–	–	–	–
KINGTON	–	2	–	–	1	–
LEDBURY... ...	–	1	–	–	–	–
WEOBLEY ...	–	4	–	–	–	–
HERTFORD ..	–	11	1	–	3	–
Boroughs and Urban Districts:—						
BALDOCK ...	–	–	–	–	2	–
†CHESHUNT ...	–	1	–	–	–	–
HARPENDEN ...	–	3	–	–	–	–
†HITCHIN	–	1	–	–	–	–
†ST. ALBANS ...	–	1	–	–	–	–
Rural Districts:—						
BARNET	–	–	1	–	–	–
BUNTINGFORD ...	–	3	–	–	–	–
HATFIELD ...	–	1	–	–	–	–
HERTFORD ...	–	–	–	–	1	–
ST. ALBANS ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague, encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

§ Including 18 cases of Chicken-pox re-diagnosed as Small-pox. In addition 39 other cases of Chicken-pox were notified.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	–	–	–	1	–
Rural Districts:—						
St. Neots, No. 1	–	–	–	–	1	–
KENT	–	33	19	4	11	C. 1 M. 1
Boroughs and Urban Districts:—						
†Ashford... ...	–	–	–	–	1	–
†Broadstairs and St. Peter's	–	–	3	–	–	–
†Bromley ...	–	–	–	–	3	–
Cheriton ...	–	–	–	–	–	C. 1
†Crayford ...	–	–	–	–	1	–
†Dartford ...	–	–	–	–	1	–
†Erith	–	5	–	–	–	–
†Folkestone ...	–	2	–	–	1	–
†Gillingham ...	–	2	4	–	1	–
†Margate ...	–	–	1	–	–	–
†Northfleet ...	–	1	–	–	–	–
†Penge	–	–	1	–	–	–
†Ramsgate ...	–	2	–	–	1	M. 1
†Rochester ...	–	1	–	–	–	–
†Royal Tunbridge Wells	–	–	1	–	2	–
Sevenoaks ...	–	1	–	–	–	–
†Sheerness ...	–	4	–	–	–	–
Sittingbourne	–	–	1	1	–	–
Tenterden ...	–	–	–	1	–	–
†Tonbridge ...	–	3	1	–	–	–
Whitstable ...	–	–	–	1	–	–
Rural Districts:—						
Bromley ...	–	1	–	–	–	–
Eastry	–	–	4	–	–	–
Faversham ...	–	1	2	–	–	–
Malling... ...	–	5	–	1	–	–
Sevenoaks ...	–	2	–	–	–	–
Sheppey	–	2	1	–	–	–
Tonbridge ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	1	216	74	13	114	C. 4 D. 1 E. 2 G. 6 L. 1 M. 28
†Barrow in Furness C.B.	–	4	–	–	–	–
†Blackburn C.B.	–	6	–	1	4	–
†Blackpool C.B.	–	1	1	–	1	M. 1
†Bolton C.B. ...	–	7	2	–	1	–
†Bootle C.B. ...	–	8	1	–	2	–
†Burnley C.B. ...	–	3	2	–	–	–
†Bury C.B. ...	–	4	–	–	–	–
†Liverpool C.B. ...	–	38	20	3	14	C. 1 E. 2 G. 2 M. 11
†Manchester C.B.		34	5	1	36	C. 2 G. 2 M. 11
†Oldham C.B. ...	–	4	1	–	1	–
†Preston C.B. ...	–	6	4	1	–	–
†Rochdale C.B. ...	–	6	1	–	3	–
†St. Helens C.B....	–	2	3	–	4	–
†Salford C.B. ...	–	16	7	2	4	M. 2
†Southport C.B.	–	1	1	–	1	–
†Warrington C.B.	–	3	1	–	3	–
Boroughs and Urban Districts:—						
Abram	–	–	–	–	3	–
†Accrington ...	–	–	–	1	–	–
†Ashton in Makerfield	–	–	2	–	–	–
†Ashton under Lyne	–	1	–	–	–	–
†Atherton ...	–	–	3	–	1	–
Audenshaw ...	–	1	–	–	–	G. 1
†Bacup	–	–	–	–	1	–
†Chadderton ...	–	–	–	–	1	–
Church	–	1	–	–	1	–
Clayton le Moors	–	1	–	–	–	–
†Colne	1	–	–	–	3	–
†Crompton ...	–	1	–	–	–	–
†Dalton in Furness	–	1	–	–	–	–
†Darwen	–	3	–	–	–	–
†Denton	–	1	–	–	–	G. 1
†Droylsden ...	–	1	–	–	–	–
†Eccles	–	3	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FAILSWORTH ...	–	3	–	–	–	D. 1
†FARNWORTH ...	–	1	–	–	–	–
FORMBY	–	–	1	–	–	–
†GREAT CROSBY ...	–	1	–	–	–	–
†GREAT HARWOOD	–	1	1	–	–	–
†HASLINGDEN ...	–	1	–	–	4	–
HEYSHAM ...	–	1	–	–	–	–
†HEYWOOD ...	–	1	1	–	1	–
†HINDLEY... ...	–	–	2	–	1	–
HURST	–	–	–	–	1	–
HUYTON WITH ROBY ...	*	*	*	*	*	*
†INCE IN MAKERFIELD	–	2	1	–	1	–
IRLAM	–	–	2	–	–	–
†LANCASTER ...	–	–	1	–	2	–
†LEIGH	–	1	–	–	–	M. 2
†LITHERLAND ...	–	7	–	–	–	–
LITTLE HULTON ..	*	*	*	*	*	*
LITTLE LEVER ...	–	1	–	–	–	–
†LYTHAM, ST. ANNE'S	–	1	–	–	–	–
†MIDDLETON ...	–	1	–	1	–	–
†MORECAMBE ...	–	2	–	–	–	–
†MOSSLEY	–	2	–	–	–	–
†NELSON	–	–	–	1	2	–
†NEWTON IN MAKERFIELD	–	–	–	–	2	–
NORDEN	–	–	–	–	–	C. 1
PRESCOT	–	3	–	–	–	–
†RADCLIFFE ...	–	1	–	–	–	–
†RAMSBOTTOM ...	–	–	–	–	1	–
†ROYTON	–	1	–	–	1	–
†STRETFORD... ...	–	8	–	–	–	M. 1
TOTTINGTON ...	–	–	2	–	–	–
†TURTON	–	–	–	–	3	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	1	–
†ULVERSTON ...	–	2	1	–	–	–
UPHOLLAND ...	–	1	–	–	–	–
†WESTHOUGHTON	–	1	–	–	–	–
WHITEFIELD ...	–	–	–	–	2	–
WHITWORTH ...	–	1	–	1	1	–
†WIDNES	–	4	4	–	3	–
LANCASTER—*cont.*						
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	–
BURNLEY... ...	–	–	1	–	–	–
CHORLEY... ...	–	1	–	–	–	–
FYLDE	–	–	–	1	–	–
LEIGH	–	1	–	–	–	–
LIMEHURST ...	–	2	–	–	–	–
SEFTON	–	2	–	–	–	–
ULVERSTON ...	–	2	–	–	–	–
WARRINGTON ...	–	–	–	–	2	–
WEST LANCASHIRE	–	1	1	–	–	–
WHISTON... ...	–	–	1	–	1	L. 1.
LEICESTER... ...	–	25	8	1	7	M. 1
†LEICESTER C.B. ...	–	19	6	–	3	–
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	–
†COALVILLE ...	–	1	–	–	–	–
†LOUGHBOROUGH	–	–	1	–	–	M. 1
MARKET HARBOROUGH	–	–	–	–	1	–
MELTON MOWBRAY	–	–	–	–	1	–
SHEPSHED ...	–	–	–	–	1	–
WIGSTON MAGNA	–	1	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–	–	–
BARROW UPON SOAR	–	2	–	–	–	–
BLABY	–	–	–	1	–	–
HINCKLEY ...	–	1	–	–	–	–
MARKET BOSWORTH	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	–	–	–	1	–
Rural Districts:—						
CROWLAND ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	–	2	3	–	1	M. 1
Boroughs and Urban Districts :—						
BOURNE	–	–	1	–	–	–
STAMFORD ...	–	1	–	–	–	–
Rural Districts :—						
BOURNE	–	1	1	–	–	–
CLAYPOLE ...	–	–	1	–	–	–
SLEAFORD ...	–	–	–	–	1	M. 1
LINCOLN (parts of Lindsey).	–	9	5	–	8	–
†GRIMSBY C.B. ...	–	1	2	–	–	–
†LINCOLN C.B. ...	–	1	–	–	2	–
Boroughs and Urban Districts :—						
†CLEETHORPES ...	–	1	–	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	5	2	–	4	–
Rural Districts :—						
CAISTOR	–	–	1	–	–	–
GRIMSBY	–	–	–	–	1	–
LOUTH	–	1	–	–	–	–
MIDDLESEX ...	–	37	26	1	13	E. 1 G. 3 M. 2
Boroughs and Urban Districts :—						
†ACTON	–	5	–	–	–	–
†BRENTFORD ...	–	2	–	–	1	–
†CHISWICK ...	–	2	1	–	–	E. 1
†EALING	–	3	–	–	–	–
†EDMONTON ...	–	1	1	–	1	G. 1
†ENFIELD	–	1	1	–	1	–
FELTHAM ...	–	–	1	–	–	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FINCHLEY ...	–	2	–	–	–	–
†FRIERN BARNET	–	2	–	–	–	–
†HANWELL ...	–	1	–	–	–	–
†HARROW ON THE HILL	–	2	1	–	–	–
†HENDON	–	2	1	–	–	–
†HESTON AND ISLEWORTH	–	1	–	1	3	M. 1
†HORNSEY... ...	–	2	3	–	1	–
RUISLIP NORTHWOOD	–	2	–	–	–	–
†SOUTHALL NORWOOD	–	2	–	–	–	–
†SOUTHGATE ...	–	–	1	–	1	–
SUNBURY ON THAMES	–	1	–	–	–	–
†TEDDINGTON ...	–	–	2	–	–	–
†TOTTENHAM ...	–	4	4	–	1	G. 1
†TWICKENHAM ...	–	–	1	–	–	–
†UXBRIDGE ...	–	–	–	–	1	–
†WEALDSTONE ...	*	*	*	*	*	*
†WEMBLEY ...	–	–	1	–	–	–
†WILLESDEN ...	–	1	7	–	3	G. 1 M. 1
Rural Districts :—						
STAINES	–	1	1	–	–	–
NORFOLK	–	26	10	4	2	G. 1
†GREAT YARMOUTH C.B.	–	7	–	–	–	–
†NORWICH C.B. ...	–	13	8	–	2	–
Boroughs and Urban Districts :—						
NORTH WALSHAM	–	1	–	–	–	–
WALSOKEN ...	–	–	–	1	–	–
Rural Districts :—						
BLOFIELD ...	–	–	1	1	–	–
DOWNHAM ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
EAST AND WEST FLEGG	–	1	–	–	–	–
FOREHOE ...	–	1	–	–	–	–
MARSHLAND ...	–	1	–	1	–	–
MITFORD AND LAUNDITCH	–	2	–	–	–	–
ST. FAITH'S ...	–	–	–	–	–	G. 1
SMALLBURGH ...	–	–	1	–	–	–
NORTHAMPTON ...	–	19	3	1	10	C. 2
†NORTHAMPTON C.B.	–	3	1	1	9	C. 1
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	–	–	–	–	C. 1
IRTHLINGBOROUGH	–	–	1	–	–	–
†KETTERING ...	–	6	–	–	–	–
ROTHWELL ...	*	*	*	*	*	*
†RUSHDEN ...	–	1	–	–	–	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	2	–	–	–	–
KETTERING ...	–	1	–	–	–	–
POTTERSPURY ...	–	3	–	–	1	–
THRAPSTON (part)	–	–	1	–	–	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND	–	17	4	1	35	C. 1 M. 1
†NEWCASTLE UPON TYNE C.B.	–	1	1	–	18	M. 1
†TYNEMOUTH C.B.	–	5	1	–	3	C. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	1	–	–	–	–
†BEDLINGTONSHIRE	–	1	–	–	4	–
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BERWICK UPON TWEED	–	1	–	–	–	–
†BLYTH	–	–	1	–	–	–
CRAMLINGTON ...	–	2	–	–	–	–
HEXHAM	–	–	1	–	2	–
†LONGBENTON ..	–	2	–	–	1	–
SEATON DELAVEL	–	–	–	–	1	–
†WALLSEND ...	–	1	–	–	2	–
Rural Districts:—						
CASTLE WARD ...	–	1	–	1	1	–
GLENDALE ...	–	–	–	–	1	–
HALTWHISTLE ...	–	2	–	–	1	–
MORPETH... ...	–	–	–	–	1	–
NOTTINGHAM ...	22	30	5	1	8	C. 2 M. 5
†NOTTINGHAM C.B.	–	15	2	–	4	M. 4
Boroughs and Urban Districts:—						
†ARNOLD	–	2	–	–	–	–
†BEESTON	*	*	*	*	*	*
†CARLTON	–	1	–	–	–	–
†EAST RETFORD ...	–	–	–	–	1	–
†KIRKBY IN ASHFIELD	8	–	–	–	–	–
†MANSFIELD ...	–	2	–	–	–	C. 2
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK	–	–	–	1	–	–
†SUTTON IN ASHFIELD	–	4	1	–	–	–
WARSOP	14	–	–	–	–	–
†WORKSOP... ...	–	–	–	–	1	–
Rural Districts:—						
BASFORD	–	3	–	–	–	–
BINGHAM ...	–	–	–	–	1	–
EAST RETFORD ...	–	–	–	–	1	–
NEWARK	–	2	2	–	–	–
SOUTHWELL ...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
OXFORD	–	5	1	–	2	–
†OXFORD C.B. ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
BANBURY... ...	–	2	–	–	–	–
Rural Districts:—						
HEADINGTON ...	–	2	1	–	–	–
WOODSTOCK ...	–	–	–	–	1	–
PETERBOROUGH (Soke of)	–	1	1	–	3	–
Borough:—						
†PETERBOROUGH...	–	1	1	–	3	–
SALOP	–	13	5	–	1	–
Boroughs and Urban Districts:—						
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	1	–	–	–	–
Rural Districts:—						
ATCHAM	–	3	–	–	–	–
CHIRBURY ...	–	1	1	–	–	–
NEWPORT ...	–	–	–	–	1	–
OSWESTRY ...	–	4	2	–	–	–
WELLINGTON ...	–	3	1	–	–	–
SOMERSET	–	7	4	–	4	M. 1
†BATH C.B. ...	–	1	–	–	2	M. 1
Boroughs and Urban Districts:—						
BRIDGWATER ...	–	–	1	–	–	–
BURNHAM ON SEA	–	1	–	–	–	–
SOMERSET—*cont.* **Boroughs and Urban Districts**—*cont.*						
RADSTOCK ...	–	–	–	–	1	–
STREET	–	–	1	–	–	–
†TAUNTON... ...	–	–	1	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	2	1	–	–	–
BATH	–	2	–	–	–	–
CHARD	–	–	–	–	1	–
LONG ASHTON ...	*	*	*	*	*	*
WINCANTON ...	–	1	–	–	–	–
SOUTHAMPTON ...	–	27	26	6	3	C. 1 M. 1
†BOURNEMOUTH C.B.	–	3	–	–	–	–
†PORTSMOUTH C.B.	–	9	20	2	–	–
†SOUTHAMPTON C.B.	–	4	4	4	–	C. 1 M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	2	–	–	–	–
†FAREHAM ...	–	2	–	–	–	–
†GOSPORT	–	1	–	–	2	–
WARBLINGTON ...	–	1	–	–	–	–
†WINCHESTER ...	–	–	1	–	–	–
Rural Districts:—						
ALTON	–	1	–	–	–	–
FORDINGBRIDGE..	–	1	–	–	–	–
NEW FOREST ...	–	2	–	–	1	–
PETERSFIELD ...	–	–	1	–	–	–
RINGWOOD ...	–	1	–	–	–	–
STAFFORD	–	60	15	2	53	C. 4 M. 14
†BURTON UPON TRENT C.B.	–	1	–	–	–	–
†SMETHWICK C.B.	–	4	4	–	6	M. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
†STOKE ON TRENT C.B.	–	21	2	–	22	C. 3 M. 10
†WALSALL C.B. ...	–	4	–	1	4	–
†WEST BROMWICH C.B.	–	1	5	–	3	–
†WOLVERHAMPTON C.B.	–	5	–	–	3	C. 1 M. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	1	–	–	–	–
BIDDULPH ..	–	5	–	–	–	–
†BRIERLEY HILL...	–	–	–	–	1	–
†BROWNHILLS ...	–	–	1	–	3	–
†DARLASTON ...	–	1	–	–	1	–
KIDSGROVE ...	–	1	–	–	–	–
†LEEK	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	1	–	–	–
†ROWLEY REGIS...	–	2	–	–	2	–
RUGELEY... ...	–	1	–	–	–	–
†SEDGLEY	–	1	–	–	–	–
†STAFFORD ...	–	–	–	1	1	–
TAMWORTH ...	–	2	–	–	–	–
†TIPTON	–	1	–	–	–	–
†WEDNESBURY ...	–	–	1	–	–	–
WEDNESFIELD ...	–	–	–	–	1	–
†WILLENHALL ...	–	1	–	–	1	–
†WOLSTANTON UNITED	–	3	–	–	1	M. 1
Rural Districts:—						
CANNOCK	–	–	1	–	–	–
CHEADLE... ...	–	–	–	–	2	–
GNOSALL	*	*	*	*	*	*
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	1	–	–	–	–
SEISDON	–	1	–	–	–	–
STAFFORD ...	*	*	*	*	*	*
STONE	–	–	–	–	1	–
TUTBURY... ...	*	*	*	*	*	*
WALSALL... ...	–	–	–	–	1	–
SUFFOLK, EAST ...	–	5	4	–	3	C. 1 E. 1
†IPSWICH C.B. ...	–	–	2	–	1	E. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	4	1	–	1	–
WOODBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
HARTISMERE ...	–	–	–	–	1	C. 1
WOODBRIDGE ...	–	1	–	–	–	–
SUFFOLK, WEST ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
NEWMARKET ...	–	1	–	–	–	–
SURREY	–	38	13	3	6	G. 1 M. 1
†CROYDON C.B. ...	–	6	4	–	–	–
Boroughs and Urban Districts:—						
†BARNES	–	4	–	–	1	–
†BEDDINGTON AND WALLINGTON	–	–	1	–	–	–
†CARSHALTON ...	–	–	–	–	1	M. 1
†CATERHAM ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	–	–	–	1	–
DORKING	–	–	1	–	–	–
†EGHAM	–	2	–	1	–	–
†FRIMLEY	–	2	–	–	–	–
GODALMING ...	–	1	–	–	–	–
†KINGSTON ON THAMES	–	4	–	–	–	–
†MERTON AND MORDEN	–	–	1	–	–	–
†MITCHAM... ...	–	2	–	–	1	–
†REIGATE	–	–	–	2	–	–
†RICHMOND ...	–	–	1	–	–	–
†SURBITON ...	–	2	2	–	–	–
†THE MALDENS AND COOMBE	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WALTON UPON THAMES	–	–	–	–	–	G. 1
†WIMBLEDON ...	–	2	1	–	–	–
†WOKING	–	1	–	–	–	–
Rural Districts:—						
CHERTSEY ...	–	1	–	–	–	–
DORKING	–	7	–	–	–	–
EPSOM	–	–	1	–	–	–
FARNHAM ...	–	1	–	–	–	–
GUILDFORD ...	–	–	–	–	1	–
HAMBLEDON ...	–	1	–	–	–	–
REIGATE	–	–	–	–	1	–
SUSSEX, EAST ...	–	17	11	7	1	M. 1
†BRIGHTON C.B. ...	–	6	6	–	–	–
†EASTBOURNE C.B.	–	1	1	1	–	–
†HASTINGS C.B. ...	–	2	–	3	1	M. 1
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	5	–	–	–	–
†HOVE	–	1	3	–	–	–
PORTSLADE BY SEA	–	1	–	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	1	1	–	–	–
NEWHAVEN ...	–	–	–	2	–	–
UCKFIELD ...	–	–	–	1	–	–
SUSSEX, WEST ...	–	2	3	–	1	–
Boroughs and Urban Districts:—						
†WORTHING ...	–	1	1	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	–	1	–	–	–
STEYNING WEST...	–	1	1	–	–	–
WESTHAMPNETT	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK	–	98	27	5	61	C. 2 M. 16
†BIRMINGHAM C.B.	–	62	19	–	50	C. 2 M. 14
†COVENTRY C.B. ...	–	12	–	2	1	M. 2
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	–	–	2	–
†NUNEATON ...	–	1	–	–	3	–
†ROYAL LEAMINGTON SPA	–	2	–	2	1	–
†RUGBY	–	–	–	–	1	–
STRATFORD ON AVON	–	–	3	–	–	–
†SUTTON COLDFIELD	–	1	1	–	–	–
†WARWICK ...	–	1	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	–	–	1	–	–
ATHERSTONE ...	–	3	1	–	2	–
FOLESHILL ...	–	4	–	–	–	–
MERIDEN... ...	–	4	1	–	–	–
NUNEATON ...	–	2	–	–	–	–
RUGBY	–	1	–	–	1	–
SOLIHULL ...	–	1	–	–	–	–
SOUTHAM... ...	–	2	–	–	–	–
TAMWORTH (part)	–	2	2	–	–	–
WESTMORLAND ...	1	1	–	–	1	–
Boroughs and Urban Districts:—						
†KENDAL	–	1	–	–	–	–
WINDERMERE ...	1§	–	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	1	–
WIGHT, ISLE OF ...	–	4	–	–	–	–
Boroughs and Urban Districts—						
ST. HELENS ..	–	1	–	–	–	–
SANDOWN ...	–	2	–	–	–	–
SHANKLIN ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

§ This is a doubtful case of Small-pox.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	1	12	5	–	3	C. 1 L. 1 M. 1
Boroughs and Urban Districts:—						
MARLBOROUGH ...	–	1	–	–	–	–
MELKSHAM ...	*	*	*	*	*	*
†SALISBURY ...	–	1	4	–	–	–
†SWINDON... ...	1	4	1	–	3	L. 1 M. 1
Rural Districts:—						
CHIPPENHAM ...	–	2	–	–	–	–
DEVIZES	–	1	–	–	–	C. 1
MELKSHAM ...	*	*	*	*	*	*
PEWSEY	–	1	–	–	–	–
RAMSBURY ...	–	1	–	–	–	–
SALISBURY ...	–	1	–	–	–	–
WORCESTER ...	–	13	1	1	9	–
†WORCESTER C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
BEWDLEY ...	–	1	–	–	–	–
BROMSGROVE ...	*	*	*	*	*	*
†KIDDERMINSTER	–	3	–	–	–	–
NORTH BROMSGROVE	*	*	*	*	*	*
†OLDBURY... ...	–	1	–	–	4	–
†REDDITCH ...	*	*	*	*	*	*
†STOURBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
DROITWICH ...	–	–	1	–	–	–
FECKENHAM ...	–	1	–	–	–	–
HALESOWEN ...	–	2	–	–	2	–
MARTLEY... ...	–	–	–	–	1	–
SHIPSTON ON STOUR	–	1	–	–	–	–
UPTON ON SEVERN	–	2	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding.)	–	13	8	–	5	C. 1 M. 5
†KINGSTON UPON HULL C.B.	–	9	5	–	3	C. 1 M. 4
Boroughs and Urban Districts:—						
†BEVERLEY ...	*	*	*	*	*	*
COTTINGHAM ...	–	1	–	–	–	–
GREAT DRIFFIELD	–	–	–	–	–	M. 1
HESSLE	–	–	1	–	–	–
HORNSEA... ...	–	–	1	–	–	–
WITHERNSEA ...	–	–	1	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	–	–	1	–
HOWDEN	–	3	–	–	1	–
NORTON	*	*	*	*	*	*
YORKS ... ... (North Riding.)	–	40	1	–	12	M. 1
†MIDDLESBROUGH C.B.	–	21	1	–	6	M. 1
Boroughs and Urban Districts:—						
†ESTON	–	12	–	–	–	–
GUISBOROUGH ...	–	2	–	–	3	–
HINDERWELL ...	*	*	*	*	*	*
MALTON	*	*	*	*	*	*
†REDCAR	–	2	–	–	–	–
RICHMOND ..	*	*	*	*	*	*
†SCARBOROUGH ...	–	1	–	–	1	–
†SKELTON AND BROTTON	–	–	–	–	2	–
Rural Districts:—						
EASINGWOLD ...	–	2	–	–	–	–
MALTON	*	*	*	*	*	*
NORTHALLERTON	*	*	*	*	*	*
RICHMOND ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding.)	8	128	56	6	109	C. 2 D. 1 M. 15
†BARNSLEY C.B. ...	–	–	2	–	1	C. 1
†BRADFORD C.B. ...	–	9	1	1	8	M. 2
†DEWSBURY C.B....	–	1	1	–	1	–
†HALIFAX C.B. ...	–	1	–	–	1	D. 1
†HUDDERSFIELD C.B.	1	2	–	–	2	M. 1
†LEEDS C.B. ...	–	22	6	–	32	C. 1 M. 2
†ROTHERHAM C.B.	–	5	–	–	4	–
†SHEFFIELD C.B....	–	16	11	1	28	M. 6
†WAKEFIELD C.B.	–	3	–	–	1	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	3	–	–	M. 1
ARDSLEY, EAST AND WEST	–	–	–	–	1	–
BAILDON	–	1	–	–	–	–
†BATLEY	–	9	–	–	–	–
†BENTLEY WITH ARKSEY	1	1	–	–	–	–
†BINGLEY	–	1	4	–	2	–
†BOLTON UPON DEARNE	–	–	1	–	–	–
†BRIGHOUSE ...	–	1	–	–	2	–
†CASTLEFORD ...	–	2	–	–	–	–
CLAYTON WEST ...	–	–	1	–	–	–
†CONISBROUGH ...	–	1	1	–	–	–
DARFIELD ...	–	–	–	–	2	–
†DARTON	–	2	–	–	–	–
DENHOLME ...	–	–	2	–	–	–
†DONCASTER ...	1	3	4	–	2	–
†ELLAND	–	–	–	–	1	–
†FEATHERSTONE ...	–	–	1	–	1	–
†GOLCAR	–	–	–	1	1	–
†GOOLE	–	2	–	–	–	–
†HARROGATE ...	–	–	–	1	1	–
ILKLEY	–	1	1	–	–	–
MELTHAM ...	–	–	1	–	–	–
†MEXBOROUGH ...	–	–	1	–	2	–
†MIRFIELD ...	–	1	–	–	–	–
†MORLEY	–	1	1	–	1	–
NEW MILL ...	–	–	–	–	1	–
†NORMANTON ...	–	–	1	–	2	–
OAKWORTH ...	–	–	–	1	–	–
†OSSETT	–	1	–	–	–	–
OTLEY	–	2	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†RAWMARSH ...	–	2	–	–	–	–
†ROTHWELL ...	–	–	–	–	1	–
SCAMMONDEN ...	–	–	–	–	1	–
SHEPLEY	–	1	–	–	–	–
†SKIPTON	–	2	–	–	–	–
†SPENBOROUGH ...	–	10	–	–	3	M. 1
STAINLAND WITH OLD LINDLEY	–	–	–	–	1	–
†STANLEY	–	1	4	–	–	–
†SWINTON	–	–	–	–	1	–
THURNSCOE ...	–	2	–	–	–	–
WHITWOOD ...	–	–	–	–	1	–
†WORSBOROUGH ...	–	1	–	–	–	–
YEADON	–	1	–	–	–	–
Rural Districts—						
DONCASTER ...	5	5	–	–	–	M. 1
HEMSWORTH ...	–	–	1	–	1	M. 1
HUNSLET... ...	–	1	–	–	–	–
PONTEFRACT ...	–	1	–	–	1	–
TADCASTER ...	–	5	3	–	–	–
TODMORDEN ...	–	–	1	–	–	–
WAKEFIELD ...	–	7	3	–	1	–
WHARFEDALE (SOUTH)	–	–	–	1	1	–
WORTLEY ...	–	1	–	–	–	–
County Borough :—						
†YORK§	–	2	–	–	–	–
WALES.						
ANGLESEY						
Boroughs and Urban Districts:—						
†HOLYHEAD ...	*	*	*	*	*	*
BRECKNOCK ...	–	–	–	–	3	M. 1
Urban Districts:—						
BRYNMAWR ...	–	–	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

§ York C.B. is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK—*cont.*						
Rural Districts:—						
YSTRADGYNLAIS...	–	–	–	–	–	M. 1
CARDIGAN	–	3	–	–	3	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	–	–	–	1	–
CARDIGAN ...	–	1	–	–	–	–
Rural Districts:—						
ABERAYRON ...	–	2	–	–	–	–
ABERYSTWYTH (SOUTH)	–	–	–	–	2	–
CARMARTHEN ...	–	3	4	–	1	–
Boroughs and Urban Districts:—						
LLANDILO ...	–	–	1	–	–	–
†LLANELLY ...	–	2	1	–	1	–
Rural Districts:—						
LLANDOVERY ...	–	1	–	–	–	–
LLANELLY ...	–	–	2	–	–	–
DENBIGH	–	1	2	–	1	–
Boroughs and Urban Districts:—						
†WREXHAM ...	–	–	1	–	–	–
Rural Districts:—						
GLAN CONWAY &c. (parishes)	–	1	–	–	–	–
LLANRWST ...	–	–	–	–	1	–
ST. ASAPH (DENBIGH)	–	–	1	–	–	–
FLINT	1	1	4	–	3	G. 1
Boroughs and Urban Districts:—						
FLINT	1	–	–	–	–	–
HOLYWELL ...	–	–	1	–	–	–
†RHYL	–	–	1	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT—*cont.*						
Rural Districts:—						
HAWARDEN ...	–	1	–	–	3	–
HOLYWELL (HOLYWELL DIV.)	–	–	2	–	–	–
GLAMORGAN ...	–	60	24	–	17	C. 2 E. 1 F. 1 M. 4
†CARDIFF C.B. ...	–	5	2	–	1	C. 1 E. 1 M. 1
†MERTHYR TYDFIL C.B.	–	3	–	–	–	–
†SWANSEA C.B. ...	–	9	2	–	2	F. 1 M. 2
Boroughs and Urban Districts:—						
†ABERDARE ...	–	3	–	–	1	–
†BARRY	–	5	5	–	1	–
†CAERPHILLY ...	–	–	2	–	–	–
†GELLIGAER ...	–	4	2	–	–	–
†MAESTEG ...	–	2	–	–	–	–
†MOUNTAIN ASH ...	–	5	1	–	3	–
†NEATH	–	–	5	–	1	C. 1
†OGMORE AND GARW	–	7	2	–	–	–
†PONTYPRIDD ...	–	2	–	–	3	–
†PORT TALBOT ...	–	1	–	–	1	–
†RHONDDA ...	–	10	3	–	2	M. 1
Rural Districts:—						
COWBRIDGE ...	–	1	–	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	2	–	–	–	–
NEATH	–	–	–	–	2	–
PONTARDAWE ...	–	1	–	–	–	–
MERIONETH ...	–	–	1	–	–	–
Urban Districts:—						
FESTINIOG ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MONMOUTH ...	2	20	10	–	2	M. 1
†NEWPORT C.B. ...	–	6	1	–	1	M. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	–	5	–	–	–	–
†ABERSYCHAN ...	–	1	2	–	–	–
†ABERTILLERY ...	–	1	–	–	–	–
†BEDWELLTY ...	–	1	–	–	–	–
†EBBW VALE ...	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	1	–
†RHYMNEY ...	1	–	2	–	–	–
†RISCA	1	–	1	–	–	–
†TREDEGAR ..	–	2	–	–	–	–
Rural Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
CHEPSTOW ...	–	2	2	–	–	–
MONMOUTH ...	–	–	1	–	–	–
SAINT MELLONS...	–	–	1	–	–	–
MONTGOMERY ...	–	–	4	–	1	C. 1
Boroughs and Urban Districts:—						
WELSHPOOL ...	–	–	–	–	1	–
Rural Districts:—						
FORDEN	–	–	3	–	–	–
LLANFYLLIN ...	–	–	1	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
PEMBROKE	–	1	2	–	–	–
Boroughs and Urban Districts:—						
HAVERFORDWEST.	–	1	–	–	–	–
†PEMBROKE ...	*	*	*	*	*	*
TENBY	*	*	*	*	*	*
Rural Districts:—						
HAVERFORDWEST.	–	–	2	–	–	–
ST. DOGMELLS ...	*	*	*	*	*	*
RADNOR	–	–	4	2	–	–
Urban Districts:—						
LLANDRINDOD WELLS	–	–	–	1	–	–
PRESTEIGNE ...	–	–	4	–	–	–
Rural Districts:—						
PAINSCASTLE ...	–	–	–	1	–	–
Total of Part II. ...	145	1283	511	78	651	C. 26 D. 2 E. 8 F. 1 G. 13 L. 4 M. 121

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J. Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BRISTOL	–	–	–	–	1	–	PORT OF LONDON ...	–	–	–	1	–	–
LIVERPOOL	–	–	–	2	–	–							
PLYMOUTH	–	–	–	–	1	–	**Total of Part III.—** ...	–	–	–	3	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	180	166	5	96	C. 7 D. 1 E. 3 G. 3 M. 8
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	145	1283	511	78	651	C. 26 D. 2 E. 8 F. 1 G. 13 L. 4 M. 121
Total of Part III.—Port Sanitary Districts	–	–	–	3	2	–
Total (*i.e.*, of returns received), England and Wales ...	145	1463	677	86	749	C. 33 D. 3 E. 11 F. 1 G. 16 L. 4 M. 129

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; , Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-ncephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The ases of Small-pox notified appear on pages 762, 763, 764, 765, 768, 771, 772, 773, 774, and 775.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAU and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain FECTIOUS DISEASES in the last THIRTI WEEKS.

Week ended :—	April 14.	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	Ju 7
LONDON:—													
DEATHS—all ages	1,126	1,016	1,043	1,047	885	949	906	840	847	871	855	772	8
" 0 to 1 year ..	120	111	105	118	106	93	98	83	74	90	86	76	
GREAT TOWNS, aggregate (including London):—													
BIRTHS	8,216	8,258	7,581	7,969	7,665	8,309	6,717	8,724	8,054	8,106	7,901	7,792	7,7
DEATHS—all ages	4,971	4,539	4,686	4,887	4,478	4,532	4,225	4,152	4,264	4,060	3,858	3,668	3,7
" 0 to 1 year ..	634	570	548	648	566	564	518	506	518	474	464	471	4
ENTERIC FEVER—Cases	26	22	19	30	15	18	18	16	18	15	24	15	
" Deaths	3	4	1	2	1	3	5	—	2	2	2	1	
SMALL POX—Cases ..	10	7	7	1	4	7	1	8	38	56	82	104	
" Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	797	952	934	963	859	830	891	804	833	762	825	817	7
" Deaths	15	12	16	11	15	25	7	12	7	9	16	11	
DIPHTHERIA—Cases ..	483	542	488	499	515	467	405	405	441	448	415	378	4
" Deaths ..	36	37	40	36	38	34	29	15	33	26	32	24	1
MEASLES—Deaths ..	86	86	69	74	73	73	73	60	97	85	61	61	4
INFLUENZA—Deaths ..	184	169	143	175	207	200	166	155	140	120	92	81	5

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 7th July, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	90	50	77·4	54·1	0
BRIGHTON ..	87	51	71·0	57·5	0
PORTSMOUTH ..	85	54	72·5	58·5	0
NORWICH (SOUTHWELL LODGE).	88	47	76·2	53·0	2
PLYMOUTH ..	83	49	69·7	57·4	0
BRISTOL (CLIFTON).	90	50	73·1	57·3	1
BIRMINGHAM ..	88	48	71·9	55·4	2
NOTTINGHAM ..	88	50	73·3	55·7	17
BIRKENHEAD (BIDSTON).	84	50	69·7	55·3	3
MANCHESTER ..	83	50	72·3	57·9	6
BURNLEY.. ..	83	49	69·1	54·4	13
HUDDERSFIELD	84	50	73·1	54·3	8

TOWNS.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD ..	83	50	69·7	54·4	11
SHEFFIELD ..	86	50	71·6	55·6	0·3
YORK (MUSEUM)	89	50	72·9	55·6	3
HULL (PEARSON PARK).	85	50	73·1	53·7	1
TYNEMOUTH ..	68	51	66·1	53·9	2
CARDIFF	88	47	70·1	55·1	1
EDINBURGH ..	72·0	48·0	66·3	53·3	10
GLASGOW ..	80·3	50·5	67·4	55·1	6
DUBLIN (PHŒNIX PARK).	78·4	49·0	70·9	54·0	19
FITZWILLIAM SQUARE.†	75·7	52·9	69·0	57·8	20
BELFAST	Not received.				

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 7th July, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	1	..	29·914	67·0	54·4	12·6	58·8	− 2·7	45·6	13·2	20·0	6·3	62	128·9	51·0	53·0	NNW.	NNW.	1·0	0·0	0·0	195	− 53	0·00
MONDAY -	2	..	29·849	71·8	51·4	20·4	60·6	− 1·0	48·3	12·3	22·6	3·4	64	127·8	43·5	53·1	Calm.	SW	0·6	0·0	0·0	155	− 93	0·00
TUESDAY -	3	..	29·825	68·3	49·9	18·4	59·3	− 2·5	51·9	7·4	14·4	1·6	76	122·4	40·8	53·2	SW	SW	1·0	0·0	0·1	224	− 26	0·00
WEDNESDAY	4	..	29·926	76·0	52·8	23·2	62·6	+ 0·5	50·4	12·2	23·3	2·4	64	150·6	40·7	53·6	SW	SW: WSW	1·0	0·0	0·1	238	− 14	0·00
THURSDAY -	5	In Equator	29·989	84·2	52·3	31·9	68·2	+ 5·9	54·4	13·8	25·4	2·4	62	158·0	40·6	53·7	Calm	Calm: ESE	1·6	0·0	0·1	163	− 90	0·00
FRIDAY -	6	Last Quarter.	29·973	85·1	56·5	28·6	71·4	+ 9·0	57·0	14·4	26·1	2·5	60	152·5	48·4	54·0	Calm ESE.	ESE	2·2	0·0	0·2	221	− 34	0·00
SATURDAY -	7	Apogee	29·878	90·1	58·2	31·9	76·6	+14·2	54·3	22·3	32·0	2·3	46	162·8	48·1	54·4	Calm: SE.	S: SW	1·2	0·0	0·1	197	− 58	0·00
MEANS -		..	29·908	77·5	53·7	23·9	65·4	+ 3·3	51·7	13·7	23·4	3·0	62	143·3	44·7	53·6	S.W.		..	..	..	Sum 1,393	Sum − 368	Sum 0·00
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JULY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	1	wP	2·4	16·5	Overcast generally with cloudy period between 15h. and 20h.
MONDAY ..	2	wP till 8h.; mP till 12h.; then wP.	1·4	16·5	Variably cloudy clearing to nearly cloudless by 21h. Dew.
TUESDAY ..	3	wP	1·6	16·5	Thin clouds till 5h., then overcast. Frequent slight rain 14¼h. till 17½h.
WEDNESDAY	4	wP	9·3	16·5	Nearly overcast till 13h., then partially cloudy. Nearly cloudless from 18h. Dew.
THURSDAY	5	wP till 7h.; mP till 9h.; then wP.	12·0	16·4	Variably cloudy till 12h., then nearly cloudless. Dew at night.
FRIDAY ..	6	wP	13·9	16·4	Nearly cloudless throughout.
SATURDAY	7	wP	10·2	16·4	Nearly cloudless, becoming partially cloudy by 7½h. Overcast from 20h.
			Sum 50·8	Sum 115·2	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·90 in. at the beginning of the week to 29·93 in. by 23h. on 1st; decreased to 29·82 in. by 4h. on 3rd; increased to 30·01 in. by 23h. on 5th; decreased to 29·85 in. by 17h. on 7th.; increased and was 29·88 in. by midnight on the same day.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS,
11-17, Hare Street, E.2

(43280) Wt. 302—P 31 2250 7/23 H. St. G. 43

FOR OFFICIAL USE.

1923. No. 28.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 14TH JULY, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 14TH JULY, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-eighth week of the year numbered 7,331 and corresponded to an annual rate of 19·9 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,053 and corresponded to an annual rate of 11·0 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 10·5, 10·0 and 10·1. Infant mortality was 70 per 1,000 births, against 59, 60 and 55 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,614 births, corresponding to a rate of 18·5 per 1,000, and 1,016 deaths of civilians, corresponding to a rate of 11·7, as against 9·8, 8·9 and 9·6, for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 10·0 per 1,000. The infant mortality was 66 as against 47, 40 and 46 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 350 in the total deaths last week, and the deaths from influenza fell from 59 to 34. In London the number of deaths from all causes rose from 834 to 1,016; while the deaths from diphtheria, which had been 12, 7 and 5 in the preceding three weeks, rose to 11 last week, and those from influenza, which had been 8, 12 and 7 in the three preceding weeks, fell to 3 last week.

Just Published:

Census of England and Wales, 1921. County of Middlesex. Price 10*s.* net.

County of Essex. Price 12*s.* 6*d.* net.

County of Surrey. Price 10*s.* net.

County of Kent. Price 14*s.* net.

County of Hertford. Price 7*s.* 6*d.* net.

County of Lancaster. Price 20*s.* net.

The Registrar General's Statistical Review, 1921.

Tables, Part II. Civil. Price 5*s.* net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 14th July, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	7,331	4,053	516	1	51	10	45	17	68	34
London	4,534,230*	1,614	1,016	106	–	9	4	15	11	17	3
Towns in Outer Ring.											
Croydon C.B. ..	192,300	44	38	7	–	–	–	–	–	1	–
Wimbledon ..	61,730	19	18	2	–	–	–	–	–	1	–
Ealing	67,890	26	11	1	–	–	–	–	–	–	–
Acton	62,390	22	9	2	–	–	–	–	–	1	–
Willesden ..	168,200	64	30	4	–	–	–	–	–	–	–
Hendon	55,930	12	8	–	–	–	–	–	–	–	1
Hornsey	87,310	24	24	4	–	–	–	–	–	–	–
Wood Green ..	51,290	16	10	1	–	–	–	–	–	–	–
Tottenham ..	150,500	54	29	8	–	–	–	–	–	–	–
Edmonton ..	68,700	33	9	1	–	–	–	–	–	–	–
Enfield	62,010	14	11	–	–	–	–	–	–	–	–
West Ham C.B. ..	310,200	154	68	10	–	–	–	–	–	2	–
East Ham C.B. ..	145,800	39	29	3	–	–	–	–	–	–	–
Leyton	131,600	50	21	1	–	–	–	–	–	–	–
Walthamstow ..	129,700	40	21	–	–	–	–	–	–	–	–
Ilford	86,370	32	11	1	–	–	–	–	–	–	–
Gillingham	48,630*	24	9	1	–	–	–	–	–	–	–
Canterbury C.B ..	23,680	11	4	2	–	–	–	–	–	1	–
Hastings C.B.	59,500	20	14	–	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	24	9	–	–	–	–	–	–	–	–
Brighton C.B. ..	135,000	37	26	–	–	–	–	–	–	–	–
Portsmouth C.B. ..	236,630*	114	39	3	–	–	–	–	–	–	–
Bournemouth C.B. ..	81,500	21	21	–	–	–	–	–	–	–	–
Southampton C.B. ..	163,700	74	22	2	–	–	–	–	–	–	–
Reading C.B.	92,990	41	27	5	–	–	–	–	–	–	–
Oxford C.B.	56,510	22	9	–	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	34	26	3	–	–	1	–	–	2	–
Luton	58,260	25	14	2	–	–	–	–	–	–	–
Cambridge	59,200	19	15	1	–	–	1	–	–	–	–
Southend-on-Sea C.B.	91,430	25	17	2	–	–	–	–	–	–	–
Ipswich C.B.	80,950	34	27	5	–	–	–	–	–	–	1
Great Yarmouth C.B.	56,700	19	12	–	–	–	–	–	–	–	–
Norwich C.B ..	122,900	38	27	2	–	–	–	–	2	–	–
Swindon	55,680	7	11	1	–	–	–	–	–	–	–
Exeter C.B.	59,700	26	5	–	–	–	–	–	–	–	–
Plymouth C.B. ..	200,370*	79	49	4	–	–	–	1	–	1	–
Bath C.B.	68,530	19	22	1	–	–	–	–	–	–	1
Bristol C.B.	383,900	153	69	6	–	2	–	2	–	1	–
Gloucester C.B. ..	52,210	17	16†	2	1	–	–	–	–	–	–
Stoke-on-Trent C.B.	274,300	135	56	14	–	–	–	–	–	3	–
Burton-upon-Trent C.B.	49,630	25	12	2	–	–	–	–	–	–	–
Wolverhampton C.B.	105,700	41	24	4	–	–	–	1	–	–	–
Walsall C.B.	99,890	41	19	5	–	–	–	–	–	–	–
West Bromwich C.B.	76,260	19	19	4	–	3	–	–	–	2	–
Dudley C.B.	57,860	26	7	–	–	–	–	–	–	–	–
Worcester C.B. ..	49,240	18	13	–	–	1	–	–	–	–	–
Birmingham C.B. ..	945,100	356	178	18	–	–	–	–	1	3	2
Smethwick C.B. ..	78,140	34	12	1	–	–	1	–	–	–	–
Coventry C.B. ..	131,200	40	28	1	–	–	–	–	–	–	1
Leicester C.B. ..	238,800	86	56	10	–	–	1	1	–	1	2
Lincoln C.B.	66,930	19	13	–	–	–	–	–	–	–	–
Grimsby C.B.	84,650	33	15	2	–	–	–	–	–	1	–
Nottingham C.B. ..	267,900	99	61	8	–	–	–	–	–	2	–
Derby C.B.	132,400	38	26	1	–	–	–	–	–	–	–
Chesterfield ..	63,380	27	9	3	–	–	–	1	–	–	–
Stockport C.B. ..	125,800	39	23	8	–	–	–	–	–	–	–
Chester C.B.	41,190	21	14	2	–	–	–	–	–	–	–
Birkenhead C.B. ..	149,200	70	14	3	–	–	–	–	–	2	–
Wallasey C.B. ..	89,790	23	11	1	–	–	–	–	–	–	–
Liverpool C.B. ..	826,400	385	169	39	–	12	–	2	–	5	–
Bootle C.B.	79,750	39	15	2	–	–	–	–	–	–	–
St. Helens C.B. ..	106,400	46	30	5	–	–	–	–	–	–	1

* Population adjusted by the exclusion of non-civilians.
† Including one death from small-pox.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	31	9	–	–	–	–	–	–	–	–
WIGAN C.B.	91,750	46	18	5	–	–	–	1	–	–	–
WARRINGTON C.B. ..	79,150	38	9	2	–	–	–	1	–	–	–
BOLTON C.B.	182,700	70	39	3	–	–	–	–	–	–	1
BURY C.B.	57,400	18	15	3	–	–	–	–	–	–	1
MANCHESTER C.B. ..	748,500	321	180	18	–	6	1	1	–	1	1
SALFORD C.B.	240,700	107	49	9	–	–	–	–	–	–	2
OLDHAM C.B.	148,300	49	37	4	–	–	–	3	–	–	1
ROCHDALE C.B... ..	92,510	24	23	2	–	–	–	–	–	–	1
BURNLEY C.B.	105,100	26	26	8	–	–	–	1	–	–	–
BLACKBURN C.B. ..	129,600	39	30	6	–	–	–	–	–	–	–
PRESTON C.B.	120,900	42	22	3	–	–	–	2	–	–	–
BLACKPOOL C.B. ..	74,050	24	16	2	–	–	–	–	–	–	–
BARROW-IN-FURNESS C.B.	75,690	34	15	2	–	–	–	–	–	–	–
HUDDERSFIELD C.B. ..	111,600	41	26	–	–	–	–	–	–	–	–
HALIFAX C.B.	100,500	20	29	3	–	–	–	–	–	–	–
BRADFORD C.B. ..	291,300	97	46	3	–	–	–	1	–	1	1
LEEDS C.B.	466,700	147	109	14	–	–	1	1	–	4	4
DEWSBURY C.B. ..	55,170	16	8	–	–	–	–	–	–	–	–
WAKEFIELD C.B. ..	53,840	19	19	2	–	1	–	–	–	1	1
BARNSLEY C.B. ..	69,540	31	16	4	–	–	–	–	–	–	2
SHEFFIELD C.B. ..	522,600	204	104	14	–	–	–	3	–	6	3
ROTHERHAM C.B. ..	69,840	36	10	3	–	–	–	–	–	–	–
DONCASTER	55,020	15	10	–	–	–	–	–	–	–	–
YORK C.B.	84,980	29	17	3	–	–	–	1	–	–	–
HULL C.B.	294,000	116	60	11	–	–	–	1	1	2	–
MIDDLESBROUGH C.B.	134,800	75	26	4	–	–	–	–	1	1	–
DARLINGTON C.B. ..	66,710	27	19	1	–	–	–	–	–	–	1
STOCKTON-ON-TEES ..	65,950	41	20	3	–	–	–	–	–	–	1
WEST HARTLEPOOL C.B.	70,020	31	17	2	–	–	–	1	–	–	1
SUNDERLAND C.B. ..	162,900	72	37	8	–	–	–	–	–	1	–
SOUTH SHIELDS C.B. ..	122,400	52	27	7	–	2	–	–	–	–	–
GATESHEAD C.B. ..	127,300	59	23	5	–	5	–	1	–	–	–
NEWCASTLE-ON-TYNE C.B.	281,600	144	70	7	–	4	–	–	–	–	–
TYNEMOUTH C.B. ..	64,640	31	6	1	–	–	–	–	–	–	–
CARLISLE C.B.	53,490	21	16	–	–	–	–	–	1	–	–
NEWPORT (MON.) C.B.	94,880	45	16	2	–	–	–	2	–	–	–
CARDIFF C.B.	223,830	96	53	6	–	–	–	2	–	–	–
RHONDDA	167,500	75	40	11	–	2	–	–	–	2	–
MERTHYR TYDFIL C.B.	82,680	34	21	1	–	1	–	–	–	–	–
ABERDARE	56,580	24	12	2	–	1	–	–	–	1	–
SWANSEA C.B.	161,000	64	31	6	–	2	–	–	–	2	1
GREATER LONDON ..	7,563,730*	2,637	1,569	169	–	9	4	15	11	24	5
OUTER RING	3,029,500*	1,023	553	63	–	–	–	–	–	7	2
16 GREAT TOWNS IN OUTER RING	1,831,920	643	347	45	–	–	–	–	–	5	1
REMAINDER OF OUTER RING	1,197,580*	380	206	18	–	–	–	–	–	2	1
EDINBURGH†	426,000	168	81	2	–	2	2	2	–	–	–
GLASGOW†	1,041,400	529	275	46	1	2	1	5	2	4	–
DUBLIN (REGISTRATION AREA)†	431,000	188	102	18	–	–	–	5	–	3	–
BELFAST†	429,000	155	105	16	–	6	2	4	–	2	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years)	Influenza.
London‡	4,534,230	1923. July 14	1614	1016	11·7	–	–	9	4	15	11	17	
Calcutta	896,067	June 9	?	406§	23·2	–	2	?	?	?	?	?	
Bombay	1,220,120	May 5	402‖	812§	34·6	2	26	4	?	–	–	42	
Madras	526,911	June 2	393	252	24·9	–	3	–	?	–	–	30	
Sydney and Suburbs	955,900	May (31 days)	1921	767	9·6	2	–	5	–	7	8	39	
Brisbane (Metropolitan Area).	217,714	April											
Perth (Metropolitan Area).	161,773	May 26	72	34	10·9	–	–	–	–	–	–	2	
Auckland (Urban Area).	164,450	April (30 days)	255	120	8·8	–	–	–	–	–	1	–	
Wellington (Urban Area).	110,680	,,	146	59	6·4	–	–	–	–	–	–	–	
Christchurch (Urban Area).	110,200	,,	180	96	10·4	–	–	–	1	–	–	2	
Cape Town	106,727	June 9	41	22	10·7	–	–	–	–	–	2	1	
Johannesburg	156,858	,, 9	67	37	12·3	–	–	–	–	–	–	1	
Durban	50,488	,, 9	45	13	13·4	–	–	–	–	–	–	–	
Paris	2,906,472	May 31 (11 days)	1484	1202	14·5	8	–	13	1	6	5	33	
Antwerp	303,252	May 19	99	62	10·7	–	–	5	–	1	1	4	
		,, 26	100	66	10·8	–	–	3	–	1	–	2	
Amsterdam	700,312	June 23	279	125	9·3	1	–	2	–	–	–	1	
Copenhagen	570,000	,, 30	247	91	8·3	–	–	1	–	–	–	–	
Stockholm	424,944	,, 23	104	85	10·4	–	–	3	–	1	–	–	
Gothenburg	228,074	,, 16	?	47	10·7	–	–	–	–	–	1	–	
Christiania	258,962	,, 30	86	50	10·0	–	–	–	–	–	–	–	
Berlin	1,990,000	June 23	343	495	12·9	–	?	5	–	2	2	6	
Breslau	563,000	,, 23	199	144	13·3	–	?	2	–	–	–	7	
Cologne	699,000	,, 23	246	169	12·6	–	?	4	–	2	1	3	
Dresden	613,000	,, 23	166	132	11·2	2	?	–	–	–	1	1	
Frankfort-on-Main..	478,000	,, 23	95	77	8·4	1	?	2	–	1	1	1	
Hamburg	1,073,000	,, 23	268	228	11·1	–	?	3	–	–	–	4	
Leipzig	683,000	,, 23	196	147	11·2	1	?	1	–	–	–	1	
Munich	685,000	,, 23	203	175	13·3	–	?	3	–	–	1	1	
Vienna	1,841,326	April 14											
Prague and Suburbs	697,111	May 31 (16 days)	540	433	14·2	–	–	–	1	1	–	10	
Budapest	946,000	April 28	367	428	23·5	2	–	22	3	3	–	?	
Warsaw	956,087	June 9											
Cairo	791,000	April 8	715	515	33·9	4	1	28	–	?	3	37	
		,, 15	678	567	37·3	3	–	32	–	?	1	60	
Alexandria	466,700	,, 8	398	267	29·7	1	–	8	–	?	2	24	
		,, 15	419	276§	30·8	–	–	8	–	?	–	36	
New York	5,927,617	June 9	2447	1413	12·4	–	–	10	2	6	13	26	
Chicago	2,886,121	,, 23	?	585	10·7	–	–	6	1	–	3	13	
Rio de Janeiro ..	1,280,253	May 19											
Montevideo	349,314	April 7											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienn Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 21 deaths from Asiatic Cholera in Calcutta and from Plague, 1 in Calcutta and 80 in Bombay. and 1 Alexandria.

‖ The registration of births in Bombay is incomplete

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 14th July, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1016	106	29	22	28	41	53	71	109	176	194	187
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	9	6	3	–	–	–	–	–	–	–	–	–
Scarlet fever	4	–	–	3	–	–	1	–	–	–	–	–
Whooping cough	15	7	6	2	–	–	–	–	–	–	–	–
Diphtheria	11	–	–	7	4	–	–	–	–	–	–	–
Influenza	3	–	–	–	–	1	–	–	1	–	–	1
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	2	–	–	–	–	–	–	–	–	1	1	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis:—												
Respiratory system	82	–	–	–	2	15	23	20	13	7	1	1
Nervous system	7	–	2	2	1	2	–	–	–	–	–	–
Intestines and peritoneum	1	–	1	–	–	–	–	–	–	–	–	–
Other forms	5	1	–	2	–	–	–	1	–	–	1	–
Venereal diseases	3	2	–	–	–	–	–	–	–	1	–	–
Cancer	125	–	–	–	1	–	2	8	20	40	39	15
Rheumatic fever	6	–	–	–	2	2	–	–	1	1	–	–
Diabetes	8	–	–	–	–	1	–	–	1	3	3	–
Alcoholism	2	–	–	–	–	–	–	–	1	–	–	1
Simple meningitis	3	2	1	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	67	–	–	–	–	1	1	3	2	16	28	16
Epilepsy	1	–	–	–	–	–	–	–	–	1	–	–
"Convulsions" (not puerperal) ..	5	5	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	35	1	–	2	–	2	2	4	8	8	5	3
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	5	–	–	–	1	1	–	1	1	1	–	–
Other diseases of heart	141	–	–	–	1	1	5	8	13	30	35	48
Other diseases of circulatory system	44	–	–	–	–	1	–	2	3	4	15	19
Bronchitis	48	4	1	–	–	–	–	–	1	9	15	18
Broncho-pneumonia	32	13	8	1	–	1	–	–	2	2	3	2
Lobar-pneumonia	22	2	1	–	1	–	–	2	6	4	3	3
Pneumonia (type not distinguished) ..	12	–	–	–	1	1	–	3	1	4	1	1
Other diseases of respiratory system	13	–	–	–	–	–	–	1	3	3	6	–
Diarrhœa and enteritis	23	15	2	–	–	2	1	–	–	–	2	1
Appendicitis, Typhlitis	10	–	–	–	5	2	–	2	1	–	–	–
Hernia, Intestinal obstruction	13	–	–	1	1	–	–	1	4	3	1	2
Cirrhosis of liver	8	–	–	–	–	–	–	1	3	3	1	–
Other diseases of digestive system ..	20	2	–	–	–	1	3	3	2	7	2	–
Acute nephritis	3	1	–	–	–	–	2	–	–	–	–	–
Chronic Bright's disease	26	–	–	–	–	1	3	2	3	8	6	3
Other diseases of genito-urinary system.	13	–	–	–	–	–	1	–	2	2	5	3
Puerperal sepsis	3	–	–	–	–	1	2	–	–	–	–	–
Other causes incident to childbirth ..	2	–	–	–	–	–	2	–	–	–	–	–
Congenital malformations	4	4	–	–	–	–	–	–	–	–	–	–
Premature birth	20	20	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	5	5	–	–	–	–	–	–	–	–	–	–
Old age..	47	–	–	–	–	–	–	–	–	1	9	37
Suicide	7	–	–	–	–	–	1	2	2	2	–	–
Burns and scalds	1	–	1	–	–	–	–	–	–	–	–	–
Drowning	5	–	–	1	2	1	1	–	–	–	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	9	–	–	–	3	–	–	–	2	1	2	1
Other deaths by violence	31	4	–	1	1	2	–	4	5	2	9	3
Other specified causes	49	11	–	–	2	2	2	3	7	12	1	9
Ill-defined causes	6	1	3	–	–	–	1	–	1	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 14th July, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	173	178	10	99	C. 8 F. 2 G. 1 L. 2 M. 19
Metropolitan Boroughs :—						
†BATTERSEA ...	–	2	8	–	8	M. 1
†BERMONDSEY ...	–	6	10	–	–	–
†BETHNAL GREEN	–	3	4	–	–	M. 1
†CAMBERWELL ...	–	17	11	–	1	C. 2 L. 1 M. 1
†CHELSEA	–	3	2	–	–	–
†DEPTFORD ...	–	2	7	–	1	–
†FINSBURY ...	–	2	8	–	1	–
†FULHAM	–	1	7	–	4	–
†GREENWICH ...	–	3	2	2	1	–
†HACKNEY ...	–	13	3	–	2	M. 1
†HAMMERSMITH ...	–	6	5	–	2	–
†HAMPSTEAD ...	–	4	7	2	1	–
†HOLBORN... ...	–	10	2	–	–	C. 1
†ISLINGTON ...	–	22	23	2	3	–

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	2	8	1	2	M. 1
†LAMBETH ...	–	15	11	–	6	C. 2 G. 1 M. 2
†LEWISHAM ...	–	4	3	–	2	–
†PADDINGTON ...	–	5	4	–	6	M. 1
†POPLAR	–	4	10	–	11	M. 1
†ST. MARYLEBONE	–	4	2	–	–	–
†ST. PANCRAS ...	–	4	6	1	10	C. 1 E. 1 M. 3
†SHOREDITCH ...	–	13	5	–	8	M. 2
†SOUTHWARK ...	–	8	12	–	4	C. 1 M. 1
†STEPNEY	–	8	12	–	7	M. 1
†WANDSWORTH ...	–	8	4	–	15	M. 2
†WESTMINSTER, CITY OF	–	3	–	1	2	C. 1 M. 1
†WOOLWICH ...	–	1	2	1	2	E. 1 L. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	2	1	–	–	C. 1 M. 1
Boroughs and Urban Districts:—						
†BEDFORD ...	–	–	1	–	–	–
LEIGHTON BUZZARD	–	1	–	–	–	–
Rural Districts:—						
BEDFORD... ...	–	–	–	–	–	M. 1
BIGGLESWADE ...	–	1	–	–	–	C. 1
BERKS	–	6	5	–	–	–
†READING C.B. ...	–	–	3	–	–	–
Boroughs and Urban Districts:—						
WOKINGHAM ...	–	–	1	–	–	–
Rural Districts:—						
ABINGDON ...	–	5	–	–	–	–
NEWBURY ...	–	1	–	–	–	–
WINDSOR... ...	–	–	1	–	–	–
BUCKINGHAM ...	–	5	–	–	3	–
Boroughs and Urban Districts:—						
BLETCHLEY ...	–	–	–	–	1	–
MARLOW	*	*	*	*	*	*
†WOLVERTON ...	–	1	–	–	1	–
Rural Districts:—						
AMERSHAM ...	–	1	–	–	–	–
AYLESBURY ...	–	–	–	–	1	–
ETON	–	1	–	–	–	–
WYCOMBE ...		2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	1	1	–	–	–
Borough:—						
†CAMBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
SWAVESEY ...	–	–	1	–	–	–
CHESTER	–	49	24	3	20	C. 1 G. 1 M. 7
†BIRKENHEAD C.B.	–	7	5	1	6	M. 3
†CHESTER C.B. ...	–	–	–	–	1	–
†STOCKPORT C.B.	–	5	2	–	–	M. 1
†WALLASEY C.B. ...	–	5	3	–	3	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	–	6	–	–	–
†ALTRINCHAM ...	–	–	1	–	–	–
ASHTON UPON MERSEY	–	–	–	–	2	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	–	M. 1
BOLLINGTON ...	–	4	–	–	–	–
†CONGLETON ...	–	1	–	–	–	–
†CREWE	–	–	–	1	–	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	2	1	–	–	–
†HYDE	–	2	–	–	1	M. 2
KNUTSFORD ...	–	–	1	–	–	–
†MACCLESFIELD ...	–	2	–	–	–	–
MARPLE	–	–	–	–	1	–
MIDDLEWICH ...	–	–	1	–	–	–
NANTWICH ...	–	1	–	–	–	G. 1
NESTON AND PARKGATE	–	–	–	–	2	–
†RUNCORN... ...	–	2	–	–	–	–
SANDBACH ...	–	2	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	1	–	–	–	–
CHESTER	–	–	3	1	–	–
CONGLETON ...	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
MACCLESFIELD ...	–	6	–	–	1	–
MALPAS	–	1	–	–	–	–
NANTWICH ...	–	–	–	–	1	–
NORTHWICH ...	–	3	–	–	–	–
RUNCORN... ...	–	5	–	–	–	–
WIRRAL	–	–	1	–	1	–
CORNWALL ...	–	–	–	1	3	–
Boroughs and Urban Districts:—						
PHILLACK ...	–	–	–	–	1	–
SAINT AUSTELL	*	*	*	*	*	*
ST. JUST	–	–	–	–	1	–
SALTASH	–	–	–	1	–	–
Rural Districts:—						
REDRUTH ...	–	–	–	–	1	–
WEST PENWITH...	*	*	*	*	*	*
CUMBERLAND ...	–	9	4	–	1	C. 1
†CARLISLE C.B. ...	–	1	3	–	1	C. 1
Boroughs and Urban Districts:—						
HOLME CULTRAM	–	1	–	–	–	–
KESWICK	*	*	*	*	*	*
†WORKINGTON ...	–	1	1	–	–	–
Rural Districts:—						
COCKERMOUTH ...	–	2	–	–	–	–
LONGTOWN ...	–	2	–	–	–	–
PENRITH	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	3	27	10	–	24	C. 1 D. 1 M. 1
†DERBY C.B. ...	–	13	–	–	3	D. 1 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	1	–	–	–	–	–
†BELPER	–	1	–	–	–	–
†BUXTON	–	2	1	–	–	–
†CHESTERFIELD ...	–	1	3	–	2	–
CLAY CROSS ...	–	–	–	–	6	–
DRONFIELD ...	–	1	2	–	–	–
†GLOSSOP	–	1	–	–	1	–
†HEANOR	–	1	–	–	3	–
†ILKESTON ...	–	–	–	–	1	–
†LONG EATON ...	2	2	–	–	2	–
MATLOCK BATH AND SCARTHIN NICK	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	–	1	–	–	–	–
Rural Districts:—						
BELPER	–	–	1	–	1	–
BLACKWELL ...	–	–	–	–	3	–
CHESTERFIELD ...	–	4	1	–	1	C. 1
REPTON	–	–	2	–	–	–
SHARDLOW ...	–	–	–	–	1	–
DEVON	–	9	2	–	2	G. 1
†EXETER C.B. ...	–	–	1	–	–	–
†PLYMOUTH C.B....	–	4	–	–	2	–
Boroughs and Urban Districts:—						
†TORQUAY ...	–	2	–	–	–	G. 1
TOTNES	*	*	*	*	*	*
Rural Districts:—						
NEWTON ABBOT...	–	3	–	–	–	–
OKEHAMPTON ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	2	5	–	2	M. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	–	–	–	2	–
DORCHESTER ...	–	–	1	–	–	–
†POOLE	–	1	–	–	–	–
SWANAGE ...	–	1	–	–	–	M. 1
Rural Districts:—						
DORCHESTER ...	–	–	4	–	–	–
DURHAM	1	64	8	1	45	G. 1 M. 8
†DARLINGTON C.B.	–	1	–	–	1	M. 1
†GATESHEAD C.B.	–	5	1	–	2	–
†SOUTH SHIELDS C.B.	–	9	1	–	10	–
†SUNDERLAND C.B.	–	1	2	–	7	M. 3
†WEST HARTLEPOOL C.B.	–	1	–	–	2	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	–	–	–	–
†BISHOP AUCKLAND	–	1	–	–	–	–
†BLAYDON... ...	–	–	–	–	1	–
†BRANDON AND BYSHOTTLES	–	1	–	–	–	–
†CHESTER LE STREET	–	2	–	–	–	–
†DURHAM	–	–	–	–	1	–
†FELLING	–	5	–	–	–	–
†HARTLEPOOL ...	–	1	–	–	–	–
†HEBBURN ...	–	–	–	–	1	–
†HETTON	–	–	–	–	1	–
†JARROW	–	1	–	–	4	–
†RYTON	–	1	–	–	–	–
†SEAHAM HARBOUR	–	–	–	–	1	–
†SOUTHWICK ON WEAR	–	2	–	–	–	M. 1
†SPENNYMOOR ...	–	1	–	–	–	G. 1
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STANLEY	–	–	–	–	2	–
†STOCKTON ON TEES	1	5	–	–	2	–
†TANFIELD ...	–	–	–	–	3	–
†WASHINGTON ...	–	2	1	–	–	–
†WHICKHAM ...	–	–	–	1	–	–
WILLINGTON ...	–	2	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	4	2	–	–	–
CHESTER LE STREET	–	5	–	–	2	–
DARLINGTON ...	–	3	1	–	–	–
DURHAM	–	1	–	–	–	–
EASINGTON ...	–	–	–	–	–	M. 1
HOUGHTON LE SPRING	–	2	–	–	1	M. 1
LANCHESTER ...	–	1	–	–	1	–
SEDGEFIELD ...	–	3	–	–	1	–
SUNDERLAND ...	–	2	–	–	2	M. 1
WEARDALE ...	–	1	–	–	–	–
ELY, ISLE OF ...	–	–	–	7	–	M. 1
Boroughs and Urban Districts:—						
CHATTERIS ...	–	–	–	–	–	M. 1
†WISBECH	–	–	–	4	–	–
Rural Districts:—						
ELY	*	*	*	*	*	*
WISBECH	–	–	–	3	–	–
ESSEX	–	37	19	–	25	C. 2 M. 6
†EAST HAM C.B. ...	–	6	–	–	2	–
†SOUTHEND-ON-SEA C.B.	–	1	–	–	3	–
†WEST HAM C.B. ...	–	9	10	–	9	C. 1 M. 4

* Returns not received. † Population over 10,000.

Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	1	1	–	–	–
BRENTWOOD ...	–	1	–	–	–	–
HALSTEAD ...	–	7	–	–	2	–
†ILFORD	–	3	–	–	1	–
†LEYTON	–	1	3	–	2	C. 1 M. 2
LOUGHTON ...	*	*	*	*	*	*
SHOEBURYNESS ...	–	–	–	–	2	–
†WALTHAMSTOW ...	–	2	2	–	3	–
†WOODFORD ...	–	1	–	–	–	–
Rural Districts:—						
BRAINTREE ...	–	–	–	–	1	–
CHELMSFORD ...	–	1	–	–	–	–
ROCHFORD ...	–	1	–	–	–	–
ROMFORD... ...	–	3	3	–	–	–
GLOUCESTER ...	115	27	4	2	5	C. 1 M. 1
†BRISTOL C.B. ...	–	16	4	1	4	C. 1 M. 1
†GLOUCESTER C.B.	112 §	5	–	1	–	–
Boroughs and Urban Districts:—						
†KINGSWOOD ...	–	1	–	–	–	–
STROUD	1	–	–	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	1	–	–	–	–
DURSLEY... ...	–	–	–	–	1	–
EAST DEAN AND UNITED PARISHES ...	–	1	–	–	–	–
GLOUCESTER ...	2	–	–	–	–	–
WEST DEAN ...	–	1	–	–	–	–
WINCHCOMB (part)	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	–	1	2	–	1	F. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	1	–	–	F. 1
Rural Districts:—						
BROMYARD ...	–	–	–	–	1	–
DORE	–	1	–	–	–	–
LEDBURY... ...	–	–	1	–	–	–
HERTFORD ...	–	7	–	1	1	E. 1
Boroughs and Urban Districts:—						
HARPENDEN ...	–	2	–	–	–	–
†HEMEL HEMPSTEAD	–	1	–	–	–	–
RICKMANSWORTH	–	1	–	–	–	–
†ST. ALBANS ...	–	2	–	–	–	–
TRING	–	–	–	1	–	–
Rural Districts:—						
BUNTINGFORD ...	–	–	–	–	–	E. 1
HADHAM	–	–	–	–	1	–
ST. ALBANS ...	–	1	–	–	–	–
HUNTINGDON ...	–	–	–	–	–	–
Boroughs and Urban Districts:—						
ST. NEOTS ...	*	*	*	*	*	*
Rural Districts:—						
ST. NEOTS, No. 1	*	*	*	*	*	*
KENT	–	31	16	1	7	E. 2 M. 1
Boroughs and Urban Districts:—						
†ASHFORD... ...	–	1	–	–	–	–
†BEXLEY	–	1	–	–	–	–
†BROMLEY ...	–	2	–	–	–	–
†CHATHAM ...	–	–	2	–	–	–
†CRAYFORD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

§ Including 18 cases of Chicken-pox re-diagnosed as Small-pox. In addition 16 other cases of Chicken-pox were notified.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Dartford ...	–	3	–	–	1	–
†Erith	–	5	–	–	–	–
†Faversham ...	–	2	–	–	–	–
†Folkestone ...	–	3	–	–	–	–
†Gillingham ...	–	1	3	–	1	–
†Maidstone ...	–	–	2	–	–	–
†Margate ...	–	1	1	–	–	–
Milton Regis ...	–	–	–	–	1	–
†Penge	–	–	–	–	–	E. 1
†Sheerness ...	–	1	–	–	–	–
Sidcup	–	–	–	–	1	–
Sittingbourne	–	2	1	–	–	–
Tenterden ...	–	1	1	–	–	–
Whitstable ...	–	3	–	–	–	–
Wrotham ...	–	2	–	–	–	–
Rural Districts:—						
Bridge	–	–	–	1	–	M. 1
Cranbrook ...	–	–	1	–	–	–
Dartford ...	–	–	1	–	–	–
Eastry	–	–	3	–	–	E. 1
Elham	–	–	–	–	1	–
Hoo	*	*	*	*	*	*
Malling	–	2	–	–	–	–
Milton	–	–	1	–	–	–
Sheppey	–	–	–	–	2	–
LANCASTER ...	–	216	68	10	113	C. 9 D. 1 E. 1 G. 2 L. 1 M. 38
†Barrow in Furness C.B.	–	4	1	–	–	–
†Blackburn C.B.	–	2	–	–	5	–
†Blackpool C.B.	–	6	1	–	2	M. 1
†Bolton C.B. ...	–	4	2	–	1	M. 2
†Bootle C.B. ...	–	8	2	–	–	M. 1
†Burnley C.B. ...	–	1	1	–	–	–
†Bury C.B. ...	–	3	–	–	2	–
†Liverpool C.B. ...	–	33	19	–	25	C. 1 D. 1 E. 1 G. 1 M. 18

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†Manchester C.B.		34	6	3	27	C. 4 M. 9
†Oldham C.B. ...	–	2	2	–	5	C. 1
†Preston C.B. ...	–	3	2	–	–	–
†Rochdale C.B. ...	–	9	2	–	–	C. 1 M. 2
†St. Helens C.B. ...	–	4	1	–	4	G. 1
†Salford C.B. ...	–	17	9	–	9	M. 2
†Southport C.B.	–	–	1	–	4	–
†Warrington C.B.	–	1	–	2	2	–
†Wigan C.B. ...	–	–	1	–	2	–
Boroughs and Urban Districts:—						
†Accrington ...	–	3	–	–	1	–
†Ashton in Makerfield	–	–	2	–	–	–
†Ashton under Lyne	–	1	–	1	–	–
Aspull	–	–	–	–	1	–
Audenshaw ...	–	–	–	–	1	–
†Bacup	–	–	–	–	1	–
†Chadderton ...	–	1	–	–	–	–
†Colne	–	1	–	1	1	–
†Crompton ...	–	–	1	–	–	–
†Darwen	–	1	–	2	–	–
†Denton	–	1	–	–	–	–
†Droylsden ...	–	1	–	–	–	–
†Failsworth ...	–	3	1	–	–	–
†Farnworth ...	–	2	–	–	–	–
†Fleetwood ...	–	1	1	–	1	–
†Great Crosby ...	–	2	–	–	–	–
†Haslingden ...	–	1	–	–	–	–
†Haydock ...	–	1	1	–	–	–
†Heywood ...	–	1	–	–	2	–
†Hindley... ...	–	1	–	–	2	–
Hurst	–	–	–	–	1	–
†Ince in Makerfield	–	3	–	–	–	M. 1
†Lancaster ...	–	6	1	–	–	–
Lathom and Burscough	–	1	–	–	–	–
†Leigh	–	2	–	–	–	M. 1
Leyland... ...	–	1	–	–	–	–
†Litherland ...	–	4	1	–	–	–
Little Lever ...	–	1	–	–	–	–
†Middleton ...	–	3	–	–	1	–
Norden	–	–	–	–	1	–
†Oswaldtwistle	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K. Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†PADIHAM... ...	–	1	1	–	1	–
POULTON LE FYLDE	–	1	–	–	–	–
PRESCOT	–	1	–	–	–	–
†PRESTWICH ...	–	2	–	–	–	–
†RADCLIFFE ...	–	–	1	–	5	–
†RAMSBOTTOM ...	–	2	–	–	1	M. 1
†RAWTENSTALL ...	–	–	2	–	–	–
SKELMERSDALE...	–	1	–	–	–	–
†STRETFORD... ...	–	5	–	–	–	–
†SWINTON AND PENDLEBURY	–	2	1	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	1	–
†ULVERSTON ...	–	3	–	–	–	–
UPHOLLAND ...	–	1	–	–	–	–
URMSTON... ..	–	–	–	–	1	–
†WATERLOO WITH SEAFORTH	–	–	1	–	–	–
WHITEFIELD ...	–	1	–	–	–	–
WHITWORTH ...	–	–	–	–	1	–
†WIDNES	–	11	2	–	1	–
WITHNELL ...	–	–	–	1	–	–
†WORSLEY... ...	–	2	–	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	–
BURNLEY... ...	–	1	–	–	–	–
BURY	–	1	–	–	–	–
CHORLEY... ...	–	1	–	–	–	–
FYLDE	–	–	1	–	–	–
LEIGH	–	1	–	–	–	C. 1
LIMEHURST ...	–	1	–	–	–	–
PRESTON	–	1	–	–	–	–
ULVERSTON ...	–	2	–	–	–	–
WARRINGTON ...	–	1	–	–	–	–
WHISTON... ...	–	–	1	–	–	L. 1.
WIGAN	–	–	–	–	1	–
LEICESTER... ...	–	11	6	–	4	M. 2
†LEICESTER C.B. ...	–	10	3	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
MELTON MOWBRAY	–	–	–	–	2	M. 2
QUORNDON ...	–	–	1	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–	–	–
LOUGHBOROUGH	–	–	1	–	–	–
MARKET BOSWORTH	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	3	3	–	–	–
Boroughs and Urban Districts—						
LONG SUTTON ...	–	–	1	–	–	–
†SPALDING ...	–	2	1	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	–	–
EAST ELLOE ...	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	2	1	–	2	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	–	–	–	–
Rural Districts:—						
BRANSTON ...	–	–	–	–	2	–
CLAYPOLE ...	–	–	1	–	–	–
UFFINGTON ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	4	5	–	1	M. 1
†GRIMSBY C.B. ...	–	–	1	–	–	–
†LINCOLN C.B. ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever : I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
BRIGG	–	–	1	–	–	–
†CLEETHORPES ...	–	2	1	–	–	–
LOUTH	–	–	–	–	1	M. 1
†SCUNTHORPE AND FRODINGHAM	–	1	–	–	–	–
Rural Districts:—						
WELTON	–	1	–	–	–	–
MIDDLESEX ...	–	29	31	2	19	G. 1 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	–	4	1	–	–
†BRENTFORD ...	–	4	2	–	–	–
†CHISWICK ...	–	2	–	–	–	–
†EALING	–	2	3	–	–	–
†EDMONTON ...	–	–	1	–	1	–
†ENFIELD	–	2	–	–	–	G. 1
†FINCHLEY ...	–	–	–	–	1	–
†FRIERN BARNET	–	1	–	–	–	–
GREENFORD ...	*	*	*	*	*	*
†HAMPTON ...	*	*	*	*	*	*
†HANWELL ...	–	8	–	–	–	–
†HENDON	–	1	1	–	3	M. 1
†HESTON AND ISLEWORTH	–	1	2	–	1	–
†HORNSEY	–	1	3	–	1	–
RUISLIP NORTHWOOD	–	1	–	–	–	–
†SOUTHGATE ...	–	–	–	–	1	–
†TOTTENHAM ...	–	1	7	–	1	–
†WEALDSTONE ...	–	–	–	–	1	–
†WEMBLEY ...	–	–	1	–	1	–
†WILLESDEN ...	–	2	6	–	4	–
†WOOD GREEN ...	–	2	–	–	1	–
Rural Districts:—						
HENDON	–	1	–		1	–
STAINES	–	–	1	–	–	–
UXBRIDGE ...	–	–	–	1	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK	–	24	8	7	2	–
†GREAT YARMOUTH C.B.	–	7	–	–	–	–
†NORWICH C.B. ...	–	13	5	–	–	–
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	–	–	2	–
NORTH WALSHAM	*	*	*	*	*	*
Rural Districts:—						
BLOFIELD ...	–	–	1	–	–	–
DOCKING	–	–	1	–	–	–
EAST AND WEST FLEGG	–	–	–	1	–	–
ERPINGHAM ...	–	1	–	–	–	–
HENSTEAD ...	–	–	1	–	–	–
MARSHLAND ...	–	–	–	5	–	–
MITFORD AND LAUNDITCH	–	2	–	–	–	–
ST. FAITH'S ...	–	1	–	–	–	–
SMALLBURGH ...	*	*	*	*	*	*
SWAFFHAM ...	–	–	–	1	–	–
NORTHAMPTON ...	–	28	2	1	9	–
†NORTHAMPTON C.B.	–	3	2	–	6	–
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	2	–	–	–	–
FINEDON	*	*	*	*	*	*
†KETTERING ...	–	10	–	–	–	–
ROTHWELL ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	5	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	2	–	–	–	–
HARDINGSTONE ...	–	1	–	–	–	–
KETTERING ...	–	1	–	–	–	–
POTTERSPURY ...	–	4	–	–	1	–
TOWCESTER ...	–	–	–	1	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND	–	14	3	–	28	M. 1
†NEWCASTLE UPON TYNE C.B.	–	7	3	–	13	M. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	1	–	–	–	–
†BLYTH	–	–	–	–	2	–
CRAMLINGTON ...	–	1	–	–	–	–
†LONGBENTON ...	–	1	–	–	1	–
NEWBIGGIN BY THE SEA	*	*	*	*	*	*
†NEWBURN ...	–	–	–	–	3	–
SEATON DELAVAL	–	–	–	–	1	–
†WALLSEND ...	–	–	–	–	1	–
†WHITLEY AND MONKSEATON	–	–	–	–	2	–
Rural Districts:—						
CASTLE WARD ...	–	2	–	–	–	–
GLENDALE ...	–	–	–	–	1	–
HEXHAM	–	1	–	–	4	–
MORPETH... ...	–	1	–	–	–	–
NOTTINGHAM ...	23	16	9	–	12	M. 2
†NOTTINGHAM C.B.	1	11	2	–	3	M. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	1	–	–	–	M. 1
†CARLTON	–	–	1	–	1	–
†EAST RETFORD ...	–	–	–	–	2	–
†HUCKNALL ...	–	–	–	–	1	–
†KIRKBY IN ASHFIELD	12	–	–	–	1	–
†MANSFIELD ...	4	2	1	–	1	–
†MANSFIELD WOODHOUSE	1	–	–	–	1	–
†NEWARK	–	–	1	–	–	–
†SUTTON IN ASHFIELD	–	1	–	–	–	–
WARSOP	4	–	–	–	–	–
†WEST BRIDGFORD	–	1	–	–	–	–
Rural Districts:—						
BASFORD	1	–	1	–	1	–
EAST RETFORD ...	–	–	3	–	–	–
STAPLEFORD ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	25	2	1	2	M. 2
†OXFORD C.B. ...	–	19	–	–	–	M. 2
Boroughs and Urban Districts:—						
WOODSTOCK ...	–	–	1	–	–	–
Rural Districts:—						
BICESTER... ...	–	1	–	–	–	–
CHIPPING NORTON	–	–	–	1	1	–
CULHAM	–	1	1	–	–	–
HEADINGTON ...	–	4	–	–	1	–
PETERBOROUGH (Soke of)	–	–	–	–	1	–
Borough:—						
†PETERBOROUGH...	–	–	–	–	1	–
RUTLAND	–	1	–	–	–	–
Rural District:—						
UPPINGHAM ...	–	1	–	–	–	–
SALOP	–	2	6	–	2	M. 2
Boroughs and Urban Districts:—						
DAWLEY	–	–	1	–	–	–
†SHREWSBURY ...	–	1	1	–	1	–
WEM	–	–	–	–	–	M. 1
†WENLOCK ...	–	–	–	–	1	M. 1
Rural Districts:—						
ATCHAM	–	–	1	–	–	–
CHURCH STRETTON	–	1	–	–	–	–
OSWESTRY ...	–	–	2	–	–	–
WEM	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET	–	15	6	–	1	–
†BATH C.B. ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
†FROME	–	1	–	–	–	–
PORTISHEAD ...	*	*	*	*	*	*
RADSTOCK ...	–	1	–	–	–	–
†WESTON SUPER MARE	–	1	1	–	–	–
†YEOVIL	–	1	–	–	–	–
Rural Districts:—						
BATH	–	2	–	–	–	–
CHARD	–	1	–	–	1	–
CLUTTON	–	1	–	–	–	–
KEYNSHAM ...	–	3	–	–	–	–
LONG ASHTON ...	–	2	–	–	–	–
WINCANTON ...	–	–	3	–	–	–
SOUTHAMPTON ...	–	19	22	4	1	–
†BOURNEMOUTH C.B.	–	–	2	–	–	–
†PORTSMOUTH C.B.	–	7	8	2	–	–
†SOUTHAMPTON C.B.	–	6	9	–	1	–
Boroughs and Urban Districts:—						
†FAREHAM ...	–	1	1	–	–	–
†GOSPORT	–	1	–	–	–	–
HAVANT	–	–	–	1	–	–
†WINCHESTER ...	–	–	1	–	–	–
Rural Districts:—						
ALTON	–	1	–	–	–	–
†BASINGSTOKE ...	–	1	–	–	–	–
NEW FOREST ...	–	1	–	–	–	–
ROMSEY	–	1	–	–	–	–
SOUTH STONEHAM	–	–	1	–	–	–
STOCKBRIDGE ...	–	–	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD	–	62	24	–	42	G. 1 M. 14
†BURTON UPON TRENT C.B.	–	1	1	–	3	–
†SMETHWICK C.B.	–	5	5	–	–	–
†STOKE ON TRENT C.B.	–	28	3	–	22	G. 1 M. 10
†WALSALL C.B. ...	–	1	1	–	3	M. 3
†WEST BROMWICH C.B.	–	2	3	–	4	–
†WOLVERHAMPTON C.B.	–	4	–	–	–	–
Boroughs and Urban Districts:—						
†AUDLEY	–	–	1	–	–	–
BIDDULPH ...	–	5	–	–	–	–
†BILSTON	–	–	–	–	1	–
†BROWNHILLS ...	–	–	–	–	1	–
†CANNOCK	–	–	1	–	–	M. 1
†HEATHTOWN OR WEDNESFIELD HEATH	–	–	1	–	–	–
KIDSGROVE ...	–	2	–	–	–	–
†LEEK	–	–	1	–	–	–
QUARRY BANK ...	–	1	–	–	–	–
†ROWLEY REGIS ...	–	2	1	–	–	–
RUGELEY	–	2	–	–	–	–
†SEDGLEY	–	–	–	–	1	–
SHORT HEATH ...	–	–	–	–	2	–
†STAFFORD ...	–	1	1	–	–	–
†TIPTON	–	–	–	–	1	–
†WEDNESBURY ...	–	1	–	–	–	–
†WILLENHALL ...	–	1	–	–	–	–
†WOLSTANTON UNITED	–	3	3	–	–	–
Rural Districts:—						
CANNOCK	–	2	–	–	–	–
CHEADLE	–	–	1	–	1	–
LICHFIELD ...	–	–	–	–	1	–
MAYFIELD ...	*	*	*	*	*	*
SEISDON	–	1	–	–	–	–
STONE	–	–	–	–	1	–
TUTBURY	–	–	1	–	–	–
WALSALL	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST ...	–	1	2	–	5	C. 1
†IPSWICH C.B. ...	–	1	1	–	1	C. 1
Boroughs and Urban Districts:—						
ALDEBURGH ...	*	*	*	*	*	*
†LOWESTOFT ...	–	–	–	–	3	–
WOODBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	–	–	1	–
SUFFOLK, WEST ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
GLEMSFORD ...	–	1	–	–	–	–
NEWMARKET ...	–	–	–	–	1	–
Rural Districts:—						
BRANDON... ...	–	–	1	–	–	–
SURREY	–	20	9	1	5	G. 1 M. 2
†CROYDON C.B. ...	–	2	4	1	2	–
Boroughs and Urban Districts:—						
†BARNES	–	2	–	–	–	–
†BEDDINGTON AND WALLINGTON	–	–	1	–	–	–
†COULSDON AND PURLEY	–	1	–	–	–	–
†EGHAM	–	–	–	–	–	M. 1
EPSOM	–	–	–	–	1	–
†ESHER AND THE DITTONS	–	1	–	–	–	–
†FRIMLEY	–	3	–	–	–	–
†GUILDFORD ...	–	1	–	–	–	–
HASLEMERE ...	–	–	–	–	1	–
†KINGSTON ON THAMES	–	–	–	–	–	M. 1
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MERTON AND MORDEN	–	–	1	–	–	–
†MITCHAM... ...	–	–	1	–	–	–
†RICHMOND ...	–	–	–	–	1	–
†SURBITON ...	–	1	–	–	–	–
†WIMBLEDON ...	–	3	1	–	–	–
†WOKING	–	–	–	–	–	G. 1
Rural Districts:—						
EPSOM	–	1	–	–	–	–
FARNHAM ...	–	1	–	–	–	–
GUILDFORD ...	–	–	1	–	–	–
HAMBLEDON ...	–	2	–	–	–	–
REIGATE	–	2	–	–	–	–
SUSSEX, EAST ...	–	16	8	1	4	M. 1
†BRIGHTON C.B. ...	–	3	5	–	–	M. 1
†EASTBOURNE C.B.	–	1	1	–	–	–
†HASTINGS C.B. ...	–	3	–	–	2	–
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	2	–	–	–	–
†HOVE	–	–	–	1	2	–
SEAFORD	–	–	1	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	–	1	–	–	–
EASTBOURNE ...	–	2	–	–	–	–
EAST GRINSTEAD	–	1	–	–	–	–
NEWHAVEN ...	–	1	–	–	–	–
STEYNING EAST...	–	1	–	–	–	–
TICEHURST ...	–	1	–	–	–	–
UCKFIELD ...	–	1	–	–	–	–
SUSSEX, WEST ...	–	3	1	2	1	C. 1 M. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	–	–	1	–	M. 1
†CHICHESTER ...	–	–	–	1	–	C. 1
†WORTHING ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST—*cont.*						
Rural Districts:—						
HORSHAM ...	–	1	–	–	1	–
WESTBOURNE ...	–	1	–	–	–	–
WARWICK	1	72	34	1	57	C. 3 M. 13
†BIRMINGHAM C.B.	–	57	26	–	45	C. 2 M. 13
†COVENTRY C.B. ...	–	4	–	–	2	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	2	–	–	–	–
†ROYAL LEAMINGTON SPA	–	4	1	1	–	C. 1
†RUGBY	–	–	–	–	4	–
STRATFORD ON AVON	–	–	2	–	–	–
Rural Districts:—						
ALCESTER ...	1	–	–	–	2	–
ATHERSTONE ...	–	1	3	–	2	–
COVENTRY ...	–	–	–	–	1	–
FOLESHILL ..	–	2	–	–	–	–
MONKS KIRBY ...	–	1	–	–	–	–
NUNEATON ...	–	1	–	–	–	–
RUGBY	–	–	–	–	1	–
SOLIHULL ...	–	–	1	–	–	–
TAMWORTH (part)	–	–	1	–	–	–
WESTMORLAND ...	–	2	–	–	2	–
Boroughs and Urban Districts:—						
†KENDAL	–	1	–	–	2	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF ...	–	1	–	–	–	–
Boroughs and Urban Districts—						
†NEWPORT... ...	–	1	–	–	–	–
WILTS	–	7	2	–	–	M. 3
Boroughs and Urban Districts:—						
†SALISBURY ...	–	–	2	–	–	–
†SWINDON... ...	–	2	–	–	–	M. 2
Rural Districts:—						
AMESBURY ...	–	1	–	–	–	–
HIGHWORTH ...	–	1	–	–	–	–
PEWSEY	–	–	–	–	–	M. 1
WESTBURY AND WHORWELLSDOWN	–	3	–	–	–	–
WORCESTER ...	–	16	1	–	8	–
†DUDLEY C.B. ...	–	1	–	–	–	–
†WORCESTER C.B.	–	–	1	–	3	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	8	–	–	–	–
†KIDDERMINSTER	–	2	–	–	–	–
†MALVERN... ...	–	–	–	–	1	–
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY... ...	–	1	–	–	2	–
†STOURBRIDGE ...	–	–	–	–	2	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
FECKENHAM ...	–	1	–	–	–	–
UPTON ON SEVERN	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding.)	–	4	1	–	2	G. 1 M. 1
†KINGSTON UPON HULL C.B.	–	2	1	–	–	G. 1 M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	–	–
†BRIDLINGTON ...	–	1	–	–	–	–
WITHERNSEA ...	–	–	–	–	1	–
Rural Districts:—						
BEVERLEY ...	–	–	–	–	1	–
YORKS ... ... (North Riding.)	–	25	7	1	9	–
†MIDDLESBROUGH C.B.	–	17	3	–	5	–
Boroughs and Urban Districts:—						
†ESTON	–	4	–	–	–	–
†REDCAR	–	1	–	–	1	–
†SCARBOROUGH ...	–	2	1	–	–	–
†SKELTON AND BROTTON	–	–	1	–	–	–
†WHITBY	–	–	–	–	2	–
Rural Districts:—						
EASINGWOLD ...	–	–	2	–	–	–
FLAXTON	–	–	–	1	–	–
RICHMOND ...	–	1	–	–	–	–
WATH	–	–	–	–	1	–
YORKS ... ... (West Riding.)	4	122	39	1	103	C. 6 G. 1 M. 15
†BARNSLEY C.B. ...	–	2	2	–	5	M. 2
†BRADFORD C.B. ...	–	10	3	–	2	–
YORKS (West Riding) —*cont.*						
†DEWSBURY C.B....	–	3	–	–	–	–
†HALIFAX C.B. ...	–	3	–	1	–	–
†HUDDERSFIELD C.B.	–	–	–	–	4	–
†LEEDS C.B. ...	–	39	6	–	16	M. 2
†ROTHERHAM C.B.	–	2	2	–	10	–
†SHEFFIELD C.B....	–	9	6	–	36	C. 3 G. 1 M. 8
†WAKEFIELD C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
ALTOFTS	–	–	1	–	1	–
†BARNOLDSWICK ...	–	1	–	–	1	–
†BATLEY	–	5	–	–	–	–
†BENTLEY WITH ARKSEY	2	1	–	–	–	–
†BINGLEY	–	–	1	–	1	C. 1
BIRKENSHAW ...	–	1	–	–	–	–
†BOLTON UPON DEARNE	–	1	–	–	–	–
†BRIGHOUSE ...	–	1	–	–	–	–
†CASTLEFORD ...	–	1	1	–	–	–
DARFIELD ...	–	–	–	–	1	–
†DARTON	–	2	–	–	–	–
DENBY AND CUMBERWORTH	*	*	*	*	*	*
†DONCASTER ...	–	1	–	–	2	M. 1
FARSLEY	–	–	1	–	–	–
†FEATHERSTONE ...	–	–	–	–	1	–
†GOOLE	–	1	–	–	–	–
†HARROGATE ...	–	–	–	–	–	M. 1
HECKMONDWIKE	–	–	–	–	–	C. 1
†HOLMFIRTH ...	–	–	–	–	1	–
†HOYLAND NETHER	–	–	–	–	1	–
ILKLEY	–	–	1	–	–	–
†KEIGHLEY ...	–	–	–	–	2	–
KNARESBOROUGH	–	1	–	–	–	–
KNOTTINGLEY ...	–	–	–	–	2	–
LINTHWAITE ...	–	–	1	–	–	–
MELTHAM ...	–	1	–	–	–	–
METHLEY ...	*	*	*	*	*	*
†MEXBOROUGH ...	–	1	–	–	–	–
†MIRFIELD ...	–	1	–	–	–	–
†MORLEY	–	2	3	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†Normanton ...	–	–	1	–	1	–
†Ossett	–	1	–	–	–	–
Otley	–	1	–	–	1	–
†Pudsey	–	–	1	–	–	–
Queensbury ...	–	1	–	–	–	–
†Rothwell ...	–	1	–	–	–	–
Royston	–	2	–	–	–	–
†Saddleworth ...	–	1	–	–	–	–
Selby	–	1	–	–	–	–
Shepley... ...	–	1	–	–	–	–
South Crosland	–	–	–	–	1	–
†Spenborough ...	–	7	–	–	–	M. 1
Springhead ...	–	–	–	–	1	–
Stainland with Old Lindley	–	1	–	–	–	–
†Stanley	–	1	–	–	–	–
†Swinton... ...	–	1	–	–	–	–
Thurstonland	–	1	–	–	–	–
†Wombwell ...	–	2	–	–	–	–
Rural Districts—						
Doncaster ...	2	1	–	–	5	–
Hemsworth ...	–	1	2	–	1	–
Hunslet... ...	–	1	1	–	–	–
Knaresborough	–	–	–	–	2	–
Penistone ...	–	1	–	–	–	–
Pontefract ...	–	4	–	–	–	–
Rotherham ...	–	1	–	–	1	–
Selby	–	–	–	–	1	–
Tadcaster ...	–	1	1	–	–	–
Thorne	–	–	–	–	–	C. 1
Wakefield ...	–	–	1	–	1	–
Wetherby ...	–	–	3	–	–	–
Wharfedale (North)	–	–	1	–	–	–
Wharfedale (South)	–	1	–	–	–	–
Wortley ...	–	–	–	–	1	–
County Borough :—						
†York§	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	–	–	–	1	–	–
Boroughs and Urban Districts :—						
†Holyhead ...	–	–	–	1	–	–
BRECKNOCK ...	–	1	2	–	–	–
Rural Districts :—						
Brecknock (Devynock)	–	–	1	–	–	–
Ystradfellte (parish).	–	1	–	–	–	–
Ystradgynlais...	–	–	1	–	–	–
CARDIGAN	–	1	–	–	–	–
Rural Districts :—						
Aberayron ...	–	1	–	–	–	–
Lampeter ...	*	*	*	*	*	*
CARMARTHEN ...	–	5	2	–	1	–
Boroughs and Urban Districts :—						
Llandovery ...	–	1	–	–	–	–
Rural Districts :—						
Carmarthen ...	–	3	–	–	–	–
Llandilo Fawr..	–	–	1	–	–	–
Llanelly ...	–	1	1	–	1	–
CARNARVON ...	–	1	–	–	–	–
Rural Districts :—						
Conway	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

§ York C.B. is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH	–	3	–	–	1	M. 3
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN ...	–	1	–	–	–	–
DENBIGH... ...	*	*	*	*	*	*
Rural Districts:—						
GLAN CONWAY &c. (parishes)	–	1	–	–	–	–
WREXHAM ...	–	1	–	–	1	M. 3
FLINT	–	–	1	–	–	–
Boroughs and Urban Districts:—						
CONNAH'S QUAY...	*	*	*	*	*	*
FLINT	*	*	*	*	*	*
†RHYL	–	–	1	–	–	–
GLAMORGAN ...	–	39	34	1	24	C. 1 G. 2 M. 5
†CARDIFF C.B. ...	–	7	6	–	–	G. 2 M. 3
†MERTHYR TYDFIL C.B.	–	1	5	–	–	C. 1
†SWANSEA C.B. ...	–	9	5	–	1	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	4	–	–	4	–
†BARRY	–	6	2	–	2	–
†CAERPHILLY ...	–	–	2	–	–	–
†GELLIGAER ..	–	1	1	–	–	–
†GLYNCORWG ...	–	–	2	–	2	–
†MAESTEG ...	–	–	1	–	1	–
†MOUNTAIN ASH...	–	–	–	–	1	–
†NEATH	–	–	7	–	–	M. 1
†OGMORE AND GARW	–	4	–	–	1	–
†PONTYPRIDD ...	-	–	–	–	2	–
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
PORTHCAWL ...	–	–	–	–	1	–
†PORT TALBOT ...	–	1	–	–	2	–
†RHONDDA ...	–	1	2	1	5	–
Rural Districts:—						
CARDIFF	–	–	–	–	–	–
GOWER	–	–	1	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	2	–	–	–	M. 1
NEATH	–	2	–	–	2	–
PONTARDAWE ...	–	1	–	–	–	–
MONMOUTH ...	1	6	8	1	9	M. 3
†NEWPORT C.B. ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
†ABERCARN ...	1	–	–	–	–	–
†ABERTILLERY ...	–	2	5	–	–	–
†BEDWELLTY ...	–	–	–	–	1	M. 1
†EBBW VALE ...	–	–	2	1	–	–
†NANTYGLO AND BLAINA	–	–	–	–	5	M. 2
†RISCA	–	–	1	–	–	–
†TREDEGAR ..	–	2	–	–	2	–
MONTGOMERY ...	–	3	1	–	1	–
Boroughs and Urban Districts:—						
NEWTOWN AND LLANLLWCHAIARN ...	–	1	–	–	–	–
Rural Districts:—						
LLANFYLLIN ...	–	2	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
PEMBROKE	–	–	4	–	1	C. 1
Boroughs and Urban Districts:—						
GOODWICK ...	–	–	1	–	–	–
HAVERFORDWEST	–	–	1	–	–	–
MILFORD HAVEN	–	–	1	–	1	–
†PEMBROKE ...	*	*	*	*	*	*
PEMBROKE—*cont.*						
Rural Districts:—						
HAVERFORDWEST.	–	–	–	–	–	C. 1
NARBERTH ...	–	–	1	–	–	–
Total of Part II. ...	148	1098	454	51	612	C. 29 D. 2 E. 4 F. 1 G. 12 L. 1 M. 137

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BARNSTAPLE	*	*	*	*	*	*
CHESTER	*	*	*	*	*	*
SOUTHAMPTON ...	–	–	–	2	–	–
Total of Part III.— ...	–	–	–	2	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	173	178	10	99	C. 8 E. 2 G. 1 L. 2 M. 19
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	148	1098	454	51	612	C. 29 D. 2 E. 4 F. 1 G. 12 L. 1 M. 137
Total of Part III.—Port Sanitary Districts	–	–	–	2	–	–
Total (*i.e.*, of returns received), England and Wales ...	148	1271	632	63	711	C. 37 D. 2 E. 6 F. 1 G. 13 L. 3 M. 156

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 790, 791, 792, 796, 799, 800, 801, and 802.

le 5.—London and Great Towns in the GGREGATE. } Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	April 21.	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.
DON :—													
THS—all ages	1,016	1,043	1,047	885	949	906	840	847	871	855	772	834	1,016
, 0 to 1 year ..	111	105	118	106	93	98	83	74	90	86	76	85	106
AT TOWNS, aggregate (including London) :—													
THS	8,258	7,581	7,969	7,665	8,309	6,717	8,724	8,054	8,106	7,901	7,792	7,746	7,331
THS—all ages	4,539	4,686	4,887	4,478	4,532	4,225	4,152	4,264	4,060	3,858	3,668	3,703	4,053
, 0 to 1 year ..	570	548	648	566	564	518	506	518	474	464	471	428	516
ERIC Fever—Cases	22	19	30	15	18	18	16	18	15	24	15	33	24
„ Deaths	4	1	2	1	3	5	—	2	2	2	1	3	1
LL Pox—Cases ..	7	7	1	4	7	1	8	38	56	82	104	95	114
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	—	1
LET Fever—Cases	952	934	963	859	830	891	804	833	762	825	817	798	733
„ Deaths	12	16	11	15	25	7	12	7	9	16	11	7	10
HTHERIA—Cases ..	542	488	499	515	467	405	405	441	448	415	378	424	431
„ Deaths ..	37	40	36	38	34	29	15	33	26	32	24	15	17
SLES—Deaths ..	86	69	74	73	73	73	60	97	85	61	61	42	51
UENZA—Deaths ..	169	143	175	207	200	166	155	140	120	92	81	59	34

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 14th July, 1923. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
DON	92	52	87·1	61·7	48	Bradford ..	82	52	74·7	57·9	14
REENWICH).						Sheffield ..	88	54	77·6	60·0	71
HTON ..	90	51	77·6	62·1	52	York (Museum)	87	57	77·9	59·3	16
SMOUTH ..	89	53	80·3	63·0	4	Hull (Pearson Park).	86	51	76·6	58·1	18
VICH (SOUTHELL LODGE).	94	57	85·8	59·8	1	Tynemouth ..	75	53	65·3	56·3	14
IOUTH ..	87	59	75·9	60·4	6	Cardiff	90	57	79·7	60·7	1
TOL (Clifton).	95	58	81·7	62·6	3	Edinburgh ..	78·0	53·0	69·1	55·1	7
INGHAM ..	92	55	80·0	60·4	40	Glasgow ..	75·2	50·4	71·6	56·8	21
INGHAM ..	92	51	79·1	60·6	34	Dublin (Phœnix Park).		Not	receive	d.	
ENHEAD (Bidston).	78	56	71·9	58·3	11						
CHESTER ..	89	56	79·1	61·3	11	Fitzwilliam Square.†	75·9	55·7	71·1	57·7	1
NLEY.. ..	84	50	75·9	57·3	12						
DERSFIELD	84	49	80·1	58·0	17	Belfast	83·6	54·5	74·4	59·9	3

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 14th July, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY -	8	..	29·949	83·2	60·1	23·1	69·3	+ 6·9	56·3	13·0	26·9	6·2	63	165·0	46·7	54·7	W	W: WSW.	1·2	0·0	0·1	246	− 8	0·00
MONDAY -	9	..	29·940	84·7	52·2	32·5	69·8	+ 7·4	51·2	18·6	34·6	1·8	52	164·2	38·6	55·0	Calm	Calm: ESE.	1·0	0·0	0·1	168	− 85	0·50
TUESDAY -	10	..	29·816	83·0	61·2	21·8	72·0	+ 9·5	63·2	8·8	17·7	0·2	74	148·6	59·1	56·0	Calm: NE.	Calm	1·1	0·0	0·0	183	− 68	1·38
WEDNESDAY	11	..	30·009	92·2	61·4	30·8	77·1	+14·4	63·0	14·1	29·5	0·4	62	161·0	54·6	56·1	Calm	Calm	0·2	0·0	0·0	105	− 143	0·00
THURSDAY -	12	Greatest Declination N.	30·018	89·6	65·9	23·7	78·4	+15·5	59·1	19·3	29·5	1·3	52	159·0	56·2	56·5	Calm: ESE.	ESE	0·6	0·0	0·0	160	− 85	0·00
FRIDAY -	13	..	29·922	92·1	64·2	27·9	78·2	+15·1	61·1	17·1	30·0	3·6	56	163·2	53·1	56·9	Calm: ENE.	S	1·6	0·0	0·1	200	− 43	0·00
SATURDAY -	14	New	29·894	84·5	62·9	21·6	72·8	+ 9·5	58·7	14·1	24·2	2·4	61	156·2	51·7	57·0	S: SW	SW	0·5	0·0	0·0	179	− 63	0·00
MEANS -		..	29·935	87·0	61·1	25 9	73·9	+11·2	58·9	15·0	27·5	2·3	60	159·6	51·4	56·0	Southerly		..	..	..	Sum 1,241	Sum − 495	Sum 1·88
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JULY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	8	wP	8·0	16·3	Overcast till 10h.; partially cloudy till 18h., then nearly cloudless
MONDAY ..	9	wP till 23h., then large variations sP to sN.	14·2	16·3	Nearly cloudless till 16½h.; overcast by 22h. Thunder and lightning from 21¾h. Rain from 23½h.
TUESDAY ..	10	Thunderstorm till 5h.; extremely large variations sP to sN. wP to 18h.: variably sP to sN till 19h., then wN.	7·2	16·3	Nearly overcast throughout. Thunder, lightning and rain till 7½h., and between 18½h. and 19h. Lightning 23h.
WEDNESDAY	11	wN to 6h., then wP	12·8	16·3	Nearly cloudless. Slight dew at night.
THURSDAY	12	wP	13·8	16·2	Cloudless till 15h., then nearly cloudless.
FRIDAY ..	13	wP	13·1	16·2	Nearly cloudless generally.
SATURDAY	14	wP to 6h.; variably sP to sN till 8h.; then wP.	6·2	16·2	Little cloud till 2h. 30m., cloudy till 4h., very cloudy or nearly overcast till 15h., then little cloud. Rain 6.20 till 7.45.
			Sum 75·3	Sum 113·8	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·88 in. at the beginning of the week to 30·00 in. by 5h. on 9th; decreased to 29·79 in. by 18h. on 10th; increased to 30·05 in. by 5h. on 12th; decreased generally and was 29·86 in. by midnight on the 14th.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS,
11-17, Hare Street, E.2

(43383) Wt. 392—P 31 2250 7/23 H. St. G. 43

FOR OFFICIAL USE.

1923. No. 29.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 21ST JULY, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 21ST JULY, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the twenty-ninth week of the year numbered 8,275 and corresponded to an annual rate of 22·5 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,618 and corresponded to an annual rate of 9·8 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 10·0, 10·1 and 11·0. Infant mortality was 59 per 1,000 births, against 60, 55 and 70 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,974 births, corresponding to a rate of 22·7 per 1,000, and 902 deaths of civilians, corresponding to a rate of 10·4, as against 8·9, 9·6 and 11·7, for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 10·2 per 1,000. The infant mortality was 57 as against 40, 46 and 66 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 434 in the total deaths last week, but the deaths from influenza rose from 34 to 36. In London the number of deaths from all causes fell from 1,016 to 902; while the deaths from diphtheria, which had been 7, 5 and 11 in the preceding three weeks, fell to 4 last week, and those from influenza, which had been 12, 7 and 3 in the three preceding weeks, were again 3 last week.

Just Published:

Census of England and Wales, 1921. County of Essex. Price 12*s*. 6*d*. net.

County of Surrey. Price 10*s*. net.

County of Kent. Price 14*s*. net.

County of Hertford. Price 7*s*. 6*d*. net.

County of Lancaster. Price 20*s*. net.

Yorkshire. Price 25*s*. net.

The Registrar General's Statistical Review, 1921.

Tables, Part II. Civil. Price 5*s*. net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 21st July, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	8,275	3,618	492	3	53	2	29	16	85	36
London	4,534,230*	1,974	902	112	2	7	1	4	4	18	3
Towns in Outer Ring.											
Croydon C.B. ..	192,300	78	38	2	-	-	-	-	-	-	-
Wimbledon ..	61,730	20	9	-	-	-	-	-	1	-	-
Ealing	67,890	28	13	3	-	-	-	-	-	-	-
Acton	62,390	27	13	2	-	-	-	-	1	1	-
Willesden ..	168,200	57	30	6	-	-	-	1	-	-	-
Hendon	55,930	23	5	1	-	-	-	-	-	-	1
Hornsey	87,310	17	22	1	-	-	-	-	-	-	1
Wood Green ..	51,290	21	4	-	-	-	-	-	-	-	-
Tottenham ..	150,500	59	19	1	-	-	-	-	-	-	-
Edmonton ..	68,700	37	12	2	-	-	-	1	-	1	-
Enfield	62,010	28	11	2	-	-	-	-	-	1	-
West Ham C.B. ..	310,200	168	65	7	-	1	-	2	-	1	-
East Ham C.B. ..	145,800	52	18	3	-	-	-	-	-	2	-
Leyton	131,600	43	26	5	-	-	-	-	-	2	-
Walthamstow ..	129,700	60	21	4	-	-	-	-	-	-	-
Ilford	86,370	37	12	-	-	-	-	-	-	-	-
Gillingham	48,630*	21	8	-	-	-	-	-	-	-	1
Canterbury C.B ..	23,680	11	6	1	-	-	-	-	-	-	-
Hastings C.B.	59,500	27	15	2	-	-	-	-	-	-	-
Eastbourne C.B. ..	53,700	14	15	2	-	-	-	-	-	-	-
Brighton C.B. ..	135,000	48	25	3	-	-	-	-	1	-	-
Portsmouth C.B. ..	236,630*	117	45	4	-	-	-	-	-	2	1
Bournemouth C.B. ..	81,500	24	17	2	-	-	-	1	-	-	-
Southampton C.B. ..	163,700	68	29	4	-	-	-	-	1	-	-
Reading C.B.	92,990	35	21	-	-	-	-	-	-	-	-
Oxford C.B.	56,510	20	7	1	-	-	-	-	-	-	-
Northampton C.B. ..	92,950	34	20	2	-	-	-	-	-	-	1
Luton	58,260	23	8	1	-	-	-	-	-	-	-
Cambridge	59,200	24	11	1	-	-	-	-	-	-	-
Southend-on-Sea C.B.	91,430	29	22	-	-	-	-	1	-	-	-
Ipswich C.B.	80,950	31	13	-	-	-	-	-	-	-	-
Great Yarmouth C.B.	56,700	28	10	-	-	-	-	-	-	-	-
Norwich C.B ..	122,900	52	28	2	-	-	-	-	-	-	1
Swindon	55,680	15	8	1	-	1	-	-	-	1	-
Exeter C.B.	59,700	30	11	1	-	-	-	-	-	-	-
Plymouth C.B. ..	200,370*	87	37	9	-	1	-	-	-	-	1
Bath C.B.	68,530	23	14	-	-	-	-	-	-	-	-
Bristol C.B.	383,900	199	66	11	-	-	-	-	-	4	1
Gloucester C.B. ..	52,210	23	9†	2	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	274,300	131	45	13	-	-	-	-	-	2	2
Burton-upon-Trent C.B.	49,630	24	5	-	-	-	-	-	-	-	-
Wolverhampton C.B.	105,700	49	22	6	-	-	-	-	-	1	-
Walsall C.B.	99,890	55	15	1	-	-	-	-	-	1	-
West Bromwich C.B.	76,260	46	15	4	-	1	-	-	-	1	1
Dudley C.B.	57,860	30	15	3	-	1	-	-	-	-	-
Worcester C.B. ..	49,240	21	11	-	-	1	-	-	-	-	-
Birmingham C.B. ..	945,100	365	155	25	1	4	-	2	2	6	-
Smethwick C.B. ..	78,140	20	10	1	-	-	-	-	1	-	-
Coventry C.B. ..	131,200	41	22	1	-	-	-	-	-	-	-
Leicester C.B. ..	238,800	92	50	4	-	-	-	-	-	1	-
Lincoln C.B.	66,930	17	12	3	-	-	-	-	-	-	1
Grimsby C.B.	84,650	56	12	2	-	-	-	-	-	-	-
Nottingham C.B. ..	267,900	108	45	11	-	-	-	2	-	2	1
Derby C.B.	132,400	64	14	-	-	-	-	-	-	-	-
Chesterfield ..	63,380	33	5	1	-	-	-	-	-	-	-
Stockport C.B. ..	125,800	48	17	3	-	1	-	-	-	-	-
Chester C.B.	41,190	25	6	-	-	-	-	-	-	-	-
Birkenhead C.B. ..	149,200	61	22	5	-	-	-	-	-	2	-
Wallasey C.B. ..	89,790	35	14	1	-	-	-	-	-	1	-
Liverpool C.B. ..	826,400	442	186	37	-	17	-	2	4	10	-
Bootle C.B.	79,750	41	12	2	-	-	-	-	-	-	-
St. Helens C.B. ..	106,400	56	23	2	-	-	-	-	-	-	-

* Population adjusted by the exclusion of non-civilians.
† Including one death from small-pox.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	19	19	1	–	–	–	–	–	–	–
WIGAN C.B.	91,750	25	21	8	–	–	–	2	–	–	1
WARRINGTON C.B. ..	79,150	38	17	3	–	–	–	2	1	1	1
BOLTON C.B.	182,700	65	35	5	–	–	–	1	–	2	–
BURY C.B.	57,400	22	21	–	–	1	–	–	–	–	–
MANCHESTER C.B. ..	748,500	290	146	13	–	1	–	1	–	2	2
SALFORD C.B.	240,700	101	38	3	–	–	–	1	–	–	–
OLDHAM C.B.	148,300	59	25	8	–	–	–	1	–	–	–
ROCHDALE C.B... ..	92,510	30	22	4	–	–	–	–	–	–	1
BURNLEY C.B.	105,100	48	21	2	–	–	–	–	–	1	–
BLACKBURN C.B. ..	129,600	43	20	2	–	–	–	–	–	–	2
PRESTON C.B.	120,900	60	26	3	–	–	–	–	–	1	–
BLACKPOOL C.B. ..	74,050	19	18	1	–	–	–	–	–	–	–
BARROW-IN-FURNESS C.B.	75,690	23	18	3	–	–	–	–	–	1	–
HUDDERSFIELD C.B. ..	111,600	34	28	3	–	–	–	–	–	–	2
HALIFAX C.B.	100,500	39	24	3	–	–	–	–	–	–	–
BRADFORD C.B. ..	291,300	87	43	2	–	–	–	1	–	–	2
LEEDS C.B.	466,700	185	89	10	–	–	1	–	–	1	3
DEWSBURY C.B. ..	55,170	21	13	3	–	–	–	–	–	–	–
WAKEFIELD C.B. ..	53,840	27	9	1	–	–	–	–	–	1	–
BARNSLEY C.B. ..	69,540	36	10	2	–	–	–	–	–	–	1
SHEFFIELD C.B. ..	522,600	224	88	13	–	–	–	1	–	–	2
ROTHERHAM C.B. ..	69,840	38	19	2	–	–	–	–	–	–	–
DONCASTER	55,020	18	8	1	–	–	–	–	–	–	–
YORK C.B.	84,980	31	13	–	–	–	–	–	–	–	1
HULL C.B.	294,000	138	51	8	–	–	–	–	–	3	1
MIDDLESBROUGH C.B.	134,800	73	38	6	–	1	–	–	–	–	–
DARLINGTON C.B. ..	66,710	34	13	4	–	–	–	–	–	–	–
STOCKTON-ON-TEES ..	65,950	34	8	–	–	–	–	–	–	–	1
WEST HARTLEPOOL C.B.	70,020	38	11	1	–	–	–	–	–	–	–
SUNDERLAND C.B. ..	162,900	101	46	8	–	1	–	1	–	2	–
SOUTH SHIELDS C.B. ..	122,400	71	26	7	–	6	–	–	–	–	–
GATESHEAD C.B. ..	127,300	73	32	5	–	2	–	–	–	–	–
NEWCASTLE-ON-TYNE C.B.	281,600	127	51	6	–	2	–	1	–	2	–
TYNEMOUTH C.B. ..	64,640	20	15	2	–	–	–	–	–	–	–
CARLISLE C.B.	53,490	30	7	1	–	–	–	–	–	–	–
NEWPORT (MON.) C.B.	94,880	45	24	2	–	–	–	–	–	–	–
CARDIFF C.B.	223,830	99	32	5	–	–	–	1	–	3	–
RHONDDA	167,500	87	21	6	–	2	–	–	–	2	–
MERTHYR TYDFIL C.B.	82,680	36	10	–	–	–	–	–	–	–	–
ABERDARE	56,580	34	12	–	–	2	–	–	–	–	–
SWANSEA C.B.	161,000	81	32	10	–	–	–	–	–	3	–
GREATER LONDON ..	7,563,730*	3,177	1,397	170	2	8	1	11	7	29	6
OUTER RING	3,029,500*	1,203	495	58	–	1	–	7	3	11	3
16 GREAT TOWNS IN OUTER RING	1,831,920	755	318	39	–	1	–	4	2	8	2
REMAINDER OF OUTER RING	1,197,580*	448	177	19	–	–	–	3	1	3	1
EDINBURGH†	426,000	177	102	10	–	3	–	1	–	–	1
GLASGOW†	1,041,400	527	233	32	–	1	1	5	2	7	–
DUBLIN (REGISTRATION AREA)†	431,000	177	99	14	1	–	–	6	–	3	–
BELFAST†	429,000	264	101	14	–	8	–	4	–	3	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years)	Influenza.
London‡	4,524,230	1923. July 21	1974	902	10·4	2	–	7	1	4	4	18	[illegible]
Calcutta	896,067	June 16	?	452§	25·9	?	3	?	?	?	?	?	[illegible]
Bombay	1,220,120	May 19	333‖	781§	33·2	7	11	8	?	–	–	44	[illegible]
Madras	526,911	June 9	472	376	37·1	2	–	–	?	–	1	43	–
Sydney and Suburbs	955,900	June											
Brisbane (Metropolitan Area).	217,714	April											
Perth (Metropolitan Area).	161,773	June 2	71	39	12·5	–	–	–	–	–	–	3	–
Auckland (Urban Area).	164,450	May											
Wellington (Urban Area).	110,680	"											
Christchurch (Urban Area).	110,200	"											
Cape Town	106,727	June 16	60	25	12·2	–	–	–	–	–	–	–	–
Johannesburg	156,858	" 16	73	38	12·6	–	–	–	–	1	11	–	–
Durban	50,488	" 16	36	19	19·6	–	–	–	–	–	–	–	–
Paris	2,906,472	June 10 (10 days)	1356	1106	13·9	7	–	11	6	6	6	26	–
Antwerp	303,252	June 2	110	48	8·3	–	–	4	–	–	–	5	–
Amsterdam	700,312	" 30	262	107	8·0	2	–	1	–	1	–	1	–
Copenhagen	570,000	July 7	205	131	11·9	–	–	1	–	–	–	1	–
Stockholm	424,944	June 30	86	77	9·4	–	–	–	–	–	–	–	–
Gothenburg	228,074	" 23	?	35	8·0	1	–	–	–	–	–	1	–
Christiania	258,962	July 7	107	59	11·8	–	–	–	–	–	–	–	–
Berlin	1,990,000	June 30											
Breslau	563,000	" 30											
Cologne	699,000	" 30											
Dresden	613,000	" 30											
Frankfort-on-Main..	478,000	" 30											
Hamburg	1,073,000	" 30											
Leipzig	683,000	" 30											
Munich	685,000	" 30											
Vienna	1,841,326	April 14											
Prague and Suburbs	697,111	June 15 (15 days)											
Budapest	946,000	May 5	360	380	20·9	–	–	8	3	10	2	?	[illegible]
Warsaw	956,087	June 9											
Cairo	791,000	April 22	807	551	36·2	5	1	22	–	?	3	55	[illegible]
Alexandria	466,700	" 22	399	303§	33·8	1	–	9	–	?	–	46	[illegible]
New York	5,927,617	June 16	2925	1166	10·3	4	–	15	1	5	8	23	[illegible]
Chicago	2,886,121	" 30	?	623	11·3	–	–	9	–	2	–	12	[illegible]
Rio de Janeiro ..	1,287,367	May 19	691	480	19·4	3	–	4	–	12	2	?	2
		" 26	651	419	17·0	1	1	3	–	2	1	?	2
Montevideo	347,316	April 7	212	125	20·8	3	–	–	–	–	–	10	[illegible]

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienn Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year* *age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 23 deaths from Asiatic Cholera in Calcutta and from Plague, 57 in Bombay, and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 21st July, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	902	112	22	10	21	45	40	69	123	156	168	136
Enteric fever	2	–	–	–	–	1	1	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	7	3	2	2	–	–	–	–	–	–	–	–
Scarlet fever	1	1	–	–	–	–	–	–	–	–	–	–
Whooping cough	4	3	1	–	–	–	–	–	–	–	–	–
Diphtheria	4	1	–	1	2	–	–	–	–	–	–	–
Influenza	3	–	–	–	–	1	–	2	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	–	–	–	–	1
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	–	–	–	1	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	85	–	–	1	–	18	18	14	20	9	5	–
Nervous system	7	2	1	1	1	2	–	–	–	–	–	–
Intestines and peritoneum	–	–	–	–	–	–	–	–	–	–	–	–
Other forms	4	1	–	–	2	–	–	–	–	–	–	1
Venereal diseases	7	4	–	–	–	–	–	–	2	1	–	–
Cancer	121	–	–	–	–	–	–	8	25	39	33	16
Rheumatic fever	3	–	–	–	–	3	–	–	–	–	–	–
Diabetes	12	–	–	–	–	–	–	1	2	2	4	3
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	2	–	1	1	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	57	1	–	–	–	1	–	1	6	11	26	11
Epilepsy	3	–	–	–	–	1	–	1	–	1	–	–
"Convulsions" (not puerperal) ..	6	3	3	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	30	–	2	–	2	3	–	4	5	10	4	–
Pericarditis	2	–	–	–	–	–	–	1	1	–	–	–
Acute endocarditis	9	–	–	–	–	2	2	2	1	–	2	–
Other diseases of heart	130	–	–	–	2	3	3	10	16	35	31	30
Other diseases of circulatory system	38	–	–	–	–	–	–	1	4	5	15	13
Bronchitis	25	3	–	1	–	–	–	2	2	3	10	4
Broncho-pneumonia	23	11	4	–	–	–	1	–	–	3	2	2
Lobar-pneumonia	13	1	–	1	–	–	–	2	2	4	3	–
Pneumonia (type not distinguished) ..	14	–	1	–	–	–	–	4	4	2	1	2
Other diseases of respiratory system	6	1	–	–	–	–	–	–	2	–	1	2
Diarrhœa and enteritis	25	15	3	–	1	–	–	2	1	1	–	2
Appendicitis, Typhlitis	9	–	–	–	1	3	1	–	1	2	1	–
Hernia, Intestinal obstruction	8	1	–	–	1	–	–	–	–	2	2	2
Cirrhosis of liver	2	–	–	–	–	–	–	1	–	1	–	–
Other diseases of digestive system ..	19	2	–	–	–	–	3	1	4	2	3	4
Acute nephritis	3	–	–	–	–	–	–	–	2	–	–	1
Chronic Bright's disease	25	–	–	–	–	1	–	5	4	7	6	2
Other diseases of genito-urinary system.	1	–	–	–	–	–	–	–	–	–	–	1
Puerperal sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other causes incident to childbirth ..	4	–	–	–	–	1	2	1	–	–	–	–
Congenital malformations	8	8	–	–	–	–	–	–	–	–	–	–
Premature birth	28	28	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	6	6	–	–	–	–	–	–	–	–	–	–
Old age	32	–	–	–	–	–	–	–	–	–	4	28
Suicide	17	–	–	–	–	2	2	1	7	2	3	–
Burns and scalds	3	2	1	–	–	–	–	–	–	–	–	–
Drowning	6	–	–	–	4	–	–	–	–	1	–	1
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	12	–	–	–	4	–	2	2	1	2	1	–
Other deaths by violence	36	4	1	1	1	1	–	1	7	5	7	8
Other specified causes	35	10	2	1	–	2	5	2	2	5	4	2
Ill-defined causes	2	–	–	–	–	–	–	–	2	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 21st July, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	141	144	2	97	C. 4 E. 3 D. 1 F. 1 L. 2 M. 12
Metropolitan Boroughs :—						
†BATTERSEA ...	–	7	3	–	4	M. 2
†BERMONDSEY ...	–	5	6	–	3	–
†BETHNAL GREEN	–	4	1	–	2	–
†CAMBERWELL ...	–	6	9	–	2	–
†CHELSEA	–	2	2	–	–	–
†DEPTFORD ...	–	5	–	–	1	–
†FINSBURY ...	–	4	5	–	2	M. 1
†FULHAM	–	7	5	–	6	E. 2
†GREENWICH ...	–	2	2		–	M. 1
†HACKNEY ...	–	8	4	–	–	C. 1
†HAMMERSMITH ...	–	5	4	–	1	C. 1 M. 2
†HAMPSTEAD ...	–	1	6	1	–	–
†HOLBORN... ...	–	1	5	–	2	–
†ISLINGTON ...	–	14	22	–	9	D. 1 L. 2 M. 2

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	4	4	–	2	M. 2
†LAMBETH ...	–	13	10	1	5	C. 1 F. 1
†LEWISHAM ...	–	1	6	–	2	–
†PADDINGTON ...	–	6	3	–	4	–
†POPLAR	–	3	3	–	8	–
†ST. MARYLEBONE	–	–	2	–	1	E. 1
†ST. PANCRAS ...	–	7	11	–	4	–
†SHOREDITCH ...	–	7	6	–	6	M. 1
†SOUTHWARK ...	–	7	10	–	6	–
†STEPNEY	–	9	8	–	13	–
†STOKE NEWINGTON	–	1	4	–	–	–
†WANDSWORTH ...	–	5	2	–	7	M. 1
†WESTMINSTER, CITY OF	–	2	1	–	1	–
†WOOLWICH ...	–	5	–	–	6	C. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	4	–	1	1	G. 1 M. 1
Boroughs and Urban Districts:—						
†BEDFORD ...	–	2	–	–	–	M. 1
†LUTON	–	–	–	1	–	G. 1
Rural Districts:—						
BIGGLESWADE ..		2	–	–	1	–
BERKS	–	12	4	–	1	E. 1 M. 1
†READING C.B. ...	–	1	2	–	1	E. 1 M. 1
Boroughs and Urban Districts:—						
ABINGDON ...	–	2	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	5	1	–	–	–
WANTAGE ...	–	4	–	–	–	–
WOKINGHAM ...	–	–	1	–	–	–
BUCKINGHAM ...	–	5	3	1	1	–
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE ...	–	–	–	–	1	–
LINSLADE ...	–	1	–	–	–	–
†WOLVERTON ...	–	–	2	–	–	–
Rural Districts:—						
AMERSHAM ...	–	1	–	1	–	–
WINSLOW... ...	*	*	*	*	*	*
WYCOMBE ...	–	3	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	–	1	1	–	C. 1
Borough:—						
†CAMBRIDGE ...	–	–	1	1	–	C. 1
CHESTER	–	31	17	2	12	M. 3
†BIRKENHEAD C.B.	–	8	3	–	4	M. 1
†CHESTER C.B. ...	–	–	3	–	–	–
†STOCKPORT C.B.	–	1	2	–	–	–
†WALLASEY C.B. ...	–	–	1	–	1	–
Boroughs and Urban Districts:—						
ALSAGER	–	2	–	–	–	–
†ALTRINCHAM ...	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	2	–	–	–	–
BOLLINGTON ...	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	–	–	–	2	–
†CHEADLE AND GATLEY	–	1	1	–	–	–
†CONGLETON ...	–	3	–	–	–	M. 1
†DUKINFIELD ...	–	1	1	–	–	–
HALE	–	–	1	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	–	–	1	–	–
†HYDE	–	–	–	–	–	M. 1
MIDDLEWICH ...	–	–	1	–	2	–
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN... ..	–	1	–	–	–	–
SANDBACH ...	*	*	*	*	*	*
YEARDSLEY CUM WHALEY	*	*	*	*	*	*
Rural Districts:—						
BUCKLOW ...	–	1	–	–	–	–
CHESTER	–	–	–	1	–	–
CONGLETON ...	–	–	–	–	1	–
DISLEY	–	–	–	–	1	–
MACCLESFIELD ...	–	4	1	–	–	–
NANTWICH ...	–	1	–	–	1	–
NORTHWICH ...	–	1	–	–	–	–
RUNCORN... ...	–	1	2	–	–	–
WIRRAL	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	9	2	1	1	G. 1 M. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	1	–	–
†FALMOUTH ...	*	*	*	*	*	*
FOWEY	*	*	*	*	*	*
HELSTON	*	*	*	*	*	*
LOOE	–	–	1	–	–	–
REDRUTH ...	–	3	–	–	–	–
TORPOINT ...	–	2	–	–	–	–
†TRURO	–	–	–	–	–	G. 1
Rural Districts:—						
LAUNCESTON ...	–	–	1	–	–	–
SAINT AUSTELL	–	3	–	–	1	–
WEST PENWITH...	–	1	–	–	–	M. 1
CUMBERLAND ...	–	4	2	–	2	E. 1 M. 1
†CARLISLE C.B. ...	–	–	–	–	2	M. 1
Boroughs and Urban Districts:—						
COCKERMOUTH ...	–	1	–	–	–	–
†MARYPORT ...	–	2	1	–	–	–
WIGTON	–	–	1	–	–	–
Rural Districts:—						
WHITEHAVEN ...	–	1	–	–	–	–
WIGTON	–	–	–	–	–	E. 1
DERBY	5	23	9	–	18	C. 1
†DERBY C.B. ...	–	11	3	–	7	–
Boroughs and Urban Districts:—						
†ALFRETON ...	1	–	–	–	–	–
BASLOW AND BUBNELL	–	–	–	–	1	–
†BELPER	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BOLSOVER ...	–	–	1	–	–	–
†BUXTON	–	1	–	–	–	–
†CHESTERFIELD ...	–	2	1	–	2	–
†GLOSSOP	–	1	–	–	–	–
†HEANOR	–	–	1	–	2	–
†LONG EATON ...	4	1	–	–	–	–
MATLOCK BATH AND SCARTHIN NICK	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	–	–	1	–	–	–
Rural Districts:—						
BAKEWELL ...	–	–	–	–	1	–
BELPER	–	–	–	–	1	–
BLACKWELL ...	–	3	–	–	1	–
CHESTERFIELD ...	–	1	1	–	2	C. 1
CLOWNE	–	–	1	–	–	–
SHARDLOW ...	–	2	–	–	1	–
DEVON	–	10	3	1	2	M. 2
†EXETER C.B. ...	–	–	–	–	1	M. 2
†PLYMOUTH C.B....	–	4	1	–	–	–
Boroughs and Urban Districts:—						
BUCKFASTLEIGH	*	*	*	*	*	*
†NEWTON ABBOT...	–	2	–	–	–	–
OTTERY ST. MARY	–	1	–	–	–	–
†PAIGNTON ...	–	–	–	–	1	–
SALCOMBE ...	–	–	1	–	–	–
†TORQUAY ...	–	2	–	–	–	–
Rural Districts:—						
OKEHAMPTON ...	–	–	–	1	–	–
PLYMPTON ST. MARY	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica: H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†PORTLAND ...	–	–	1	–	–	–
Rural Districts:—						
POOLE	–	2	–	–	–	–
DURHAM	–	49	9	4	35	C. 1 D. 1 G. 1 M. 11
†DARLINGTON C.B.	–	1	–	–	4	D. 1
†GATESHEAD C.B.	–	3	5	–	6	M. 2
†SOUTH SHIELDS C.B.	–	3	–	–	5	G. 1
†SUNDERLAND C.B.	–	2	–	–	4	M. 3
†WEST HARTLEPOOL C.B.	–	1	–	1	3	M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	2	–	–	–
BENFIELDSIDE ...	–	–	1	–	–	C. 1
†BRANDON AND BYSHOTTLES	–	2	–	–	–	–
†CHESTER LE STREET	–	2	–	–	1	–
†DURHAM	–	–	–	–	1	–
†FELLING	–	1	–	–	–	–
†HETTON	–	5	–	–	–	–
†HOUGHTON LE SPRING	–	–	–	–	1	–
†JARROW	–	2	–	–	1	M. 1
†RYTON	–	–	–	–	–	M. 1
†SOUTHWICK ON WEAR	–	2	–	–	–	–
†SPENNYMOOR ...	–	–	–	–	–	M. 1
†STANLEY	–	2	–	–	–	–
†STOCKTON ON TEES	–	–	–	3	–	–
†WASHINGTON ..	–	–	–	–	1	–
†WHICKHAM ...	–	–	–	–	–	M. 1
WILLINGTON ...	–	1	–	–	–	–
DURHAM—*cont.*						
Rural Districts:—						
AUCKLAND ...	–	2	–	–	–	–
CHESTER LE STREET	–	8	–	–	3	–
EASINGTON ...	–	5	1	–	2	–
HOUGHTON LE SPRING	–	3	–	–	1	–
SEDGEFIELD ...	–	2	–	–	1	–
SUNDERLAND ...	–	2	–	–	1	M. 1
ELY, ISLE OF ...	–	–	–	1	–	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
Rural Districts:—						
NORTH WITCHFORD	*	*	*	*	*	*
WISBECH	–	–	–	1	–	–
ESSEX	–	39	20	2	24	C. D. E. M. 2
†EAST HAM C.B. ...	–	5	2	1	4	–
†SOUTHEND-ON-SEA C.B.	–	2	–	–	2	M. 1
†WEST HAM C.B. ...	–	11	7	1	11	C. 2 E. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	1	–	–	–
BRAINTREE ...	–	1	–	–	–	–
CHINGFORD ...	–	1	–	–	–	–
†COLCHESTER ...	–	–	1	–	–	–
†GRAYS THURROCK	–	–	4	–	–	D. 1
†ILFORD	–	5	2	–	–	–
†LEYTON	–	2	1	–	3	M. 1
LOUGHTON ...	*	*	*	*	*	*
†ROMFORD ...	–	1	1	–	–	–
†WALTHAMSTOW...	–	3	1	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts:—						
CHELMSFORD ...	–	5	–	–	–	–
DUNMOW	–	–	–	–	1	–
EPPING	–	–	–	–	1	–
MALDON	–	1	–	–	–	–
ONGAR	*	*	*	*	*	*
ORSETT	*	*	*	*	*	*
ROCHFORD ...	–	2	–	–	–	–
GLOUCESTER ...	65	32	12	–	7	C. 2 M. 2
†BRISTOL C.B. ...	–	21	5	–	4	C. 1 M. 2
†GLOUCESTER C.B.	§57	3	1	–	1	C. 1
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	2	–	–	–
†KINGSWOOD ...	–	2	1	–	–	–
STOW ON THE WOLD	–	–	–	–	1	–
TEWKESBURY ...	–	1	–	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	–	1	–	–	–
CIRENCESTER ...	–	3	–	–	–	–
EAST DEAN AND UNITED PARISHES ...	6	1	–	–	–	–
GLOUCESTER ...	1	–	–	–	–	–
LYDNEY	–	–	1	–	–	–
MARSTON SICCA	–	–	1	–	–	–
STROUD	1	–	–	–	–	–
THORNBURY ...	–	–	–	–	1	–
WEST DEAN ...	*	*	*	*	*	*
HEREFORD ...	–	1	–	–	1	–
Rural Districts:—						
DORE	–	1	–	–	–	–
WEOBLEY ...	–	–	–	–	1	–
HERTFORD ...	–	6	3	1	1	–
Boroughs and Urban Districts:—						
†HEMEL HEMPSTEAD	–	2	–	–	–	–
†HERTFORD ...	–	1	–	–	–	–
†ST. ALBANS ...	–	3	–	–	–	–
WARE	–	–	–	–	1	–
†WATFORD ...	–	–	1	1	–	–
Rural Districts:—						
HERTFORD ...	–	–	1	–	–	–
WATFORD ...	–	–	1	–	–	–
HUNTINGDON ...	–	4	–	–	1	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	1	–	–	–	–
OLD FLETTON ...	*	*	*	*	*	*
Rural Districts:—						
NORMAN CROSS ...	–	–	–	–	1	–
ST. NEOTS, No. 2	*	*	*	*	*	*
THRAPSTON (part)	–	3	–	–	–	–
KENT	–	16	25	1	8	C. 2 G. 1 M. 2
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	–	1	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	1	–
†BROMLEY ...	–	3	1	–	2	G. 1
†ERITH	–	2	–	–	–	C. 1
†FOLKESTONE ...	–	1	–	–	2	–
†GILLINGHAM ...	–	3	2	–	1	–
†MAIDSTONE ...	–	–	2	–	1	–
†MARGATE ...	–	1	4	–	–	–
†NORTHFLEET ...	–	1	–	–	–	–
†PENGE	–	–	3	–	–	–
QUEENBOROUGH	*	*	*	*	*	*
†RAMSGATE ...	–	–	1	–	1	–
†ROYAL TUNBRIDGE WELLS	–	–	1	–	–	–
†SHEERNESS ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ Including 11 cases notified as Chicken-pox, but re-diagnosed as Small-pox. In addition 20 other cases of Chicken-pox were notified.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
SITTINGBOURNE	–	1	–	–	–	–
WHITSTABLE ...	–	–	–	1	–	–
Rural Districts:—						
CRANBROOK ...	–	–	–	–	–	M. 1
DARTFORD ...	–	1	3	–	–	M. 1
FAVERSHAM ...	–	–	–	–	–	C. 1
HOO	*	*	*	*	*	*
MILTON	–	1	5	–	–	–
SHEPPEY	*	*	*	*	*	*
STROOD	–	–	2	–	–	–
TONBRIDGE ...	–	1	–	–	–	–
LANCASTER ...	–	179	79	4	127	C. 3 D. 2 E. 1 G. 2 L. 1 M. 40
†BARROW IN FURNESS C.B.	–	2	–	–	–	–
†BLACKBURN C.B.	–	5	1	–	5	M. 1
†BLACKPOOL C.B.	–	1	2	–	1	–
†BOLTON C.B. ...	–	4	–	–	4	D. 1
†BOOTLE C.B. ...	–	2	2	–	–	C. 1 E. 1 M. 1
†BURNLEY C.B. ...	–	4	1	–	2	–
†BURY C.B. ...	–	4	1	–	4	–
†LIVERPOOL C.B. ...	–	28	23	1	35	G. 1 M. 17
†MANCHESTER C.B.		28	9	1	32	C. 1 G. 1 M. 16
†OLDHAM C.B. ...	–	7	1	–	3	–
†PRESTON C.B. ...	–	6	2	–	–	–
†ROCHDALE C.B. ...	–	4	1	–	1	D. 1
†ST. HELENS C.B. ...	–	3	2	–	2	M. 1
†SALFORD C.B. ...	–	10	6	–	5	M. 1
†SOUTHPORT C.B.	–	–	3	–	1	M. 1
†WARRINGTON C.B.	–	4	3	–	1	M. 1
†WIGAN C.B. ...	–	–	1	1	4	–
LANCASTER—*cont.*						
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	–	–	–	1	–
†ASHTON IN MAKERFIELD	–	2	2	–	–	–
†ASHTON UNDER LYNE	–	5	2	–	2	–
†ATHERTON ...	–	–	–	–	2	–
AUDENSHAW ...	–	–	–	–	1	–
†BACUP	–	2	–	–	2	–
BILLINGE... ...	–	1	–	–	–	–
BRIERFIELD ...	–	2	–	–	–	–
†CLITHEROE ...	*	*	*	*	*	*
†COLNE	–	1	–	–	–	–
†DENTON	–	1	–	–	–	–
†ECCLES	–	–	–	–	3	–
†FAILSWORTH ...	–	2	–	–	1	–
†FARNWORTH ...	–	2	–	1	–	–
†FLEETWOOD ...	–	–	2	–	–	–
GOLBORNE ...	–	–	1	–	–	–
†GREAT CROSBY ...	–	1	–	–	–	–
†HASLINGDEN ...	–	1	–	–	–	–
†HEYWOOD ...	–	2	4	–	–	–
HURST	–	–	–	–	1	–
HUYTON WITH ROBY ...	*	*	*	*	*	*
†INCE IN MAKERFIELD	–	2	–	–	1	L. 1
†LANCASTER ...	–	2	2	–	1	–
†LEIGH	–	1	–	–	1	–
†LITHERLAND ...	–	–	1	–	–	–
†LITTLEBOROUGH	–	1	–	–	–	–
†MIDDLETON ...	–	3	–	–	1	–
†MORECAMBE ...	–	1	–	–	–	–
†MOSSLEY	–	1	–	–	–	–
†NELSON	–	–	–	–	–	M. 1
†NEWTON IN MAKERFIELD	–	1	–	–	–	–
†OSWALDTWISTLE	–	–	–	–	–	C. 1
PRESCOT	–	–	1	–	–	–
†PRESTWICH ...	–	–	1	–	–	–
†RADCLIFFE ...	–	1	–	–	1	–
†RAMSBOTTOM ...	–	3	–	–	–	–
†RAWTENSTALL ...	–	2	1	–	–	–
RISHTON	*	*	*	*	*	*
SKELMERSDALE...	–	–	–	–	1	–
STANDISH WITH LANGTREE	–	1	–	–	–	–
†STRETFORD... ...	–	5	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SWINTON AND PENDLEBURY	–	3	–	–	–	–
TOTTINGTON ...	–	–	1	–	1	–
†TYLDESLEY WITH SHAKERLEY	–	1	–	–	–	–
†ULVERSTON ...	–	1	–	–	–	–
WARDLE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	–	–	–	–
†WESTHOUGHTON	–	1	–	–	–	–
†WIDNES	–	5	2	–	2	–
†WORSLEY... ...	–	1	–	–	–	–
Rural Districts:—						
BURNLEY... ...	–	–	1	–	–	–
FYLDE	–	3	–	–	–	–
LEIGH	–	–	–	–	1	–
LIMEHURST ...	–	1	–	–	–	–
PRESTON	–	2	–	–	1	–
SEFTON	*	*	*	*	*	*
ULVERSTON ...	–	1	–	–	–	–
WHISTON... ...	–	–	–	–	1	–
LEICESTER... ...	–	7	11	1	8	M. 1
†LEICESTER C.B. ...	–	4	2	–	4	–
Boroughs and Urban Districts:—						
†LOUGHBOROUGH	–	–	1	–	–	–
MELTON MOWBRAY	–	1	–	–	1	–
WIGSTON MAGNA	–	–	–	–	–	M. 1
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	4	–	–	–
BLABY	–	1	–	–	–	–
CASTLE DONNINGTON	–	–	–	1	–	–
LEICESTER—*cont.*						
Rural Districts—*cont.*						
HINCKLEY ...	–	–	1	–	3	–
MARKET BOSWORTH	–	1	3	–	–	–
LINCOLN (parts of Holland).	–	2	1	1	–	–
Boroughs and Urban Districts—						
†SPALDING ...	–	2	1	–	–	–
Rural Districts:—						
EAST ELLOE ...	–	–	–	1	–	–
LINCOLN (parts of Kesteven).	–	1	3	–	–	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	–	–	–	–
SLEAFORD ...	–	–	1	–	–	–
Rural Districts:—						
GRANTHAM ...	–	–	2	–	–	–
LINCOLN (parts of Lindsey).	1	4	8	2	–	–
†GRIMSBY C.B. ...	–	–	2	1	–	–
†LINCOLN C.B. ...	–	2	3	–	–	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	1	–	–	–
†GAINSBOROUGH ...	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	1	2	–	–	–
Rural Districts:—						
ISLE OF AXHOLME	1	–	–	–	–	–
LOUTH	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever: I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	21	19	–	18	C. 1 E. 1 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	–	–	–	1	–
†BRENTFORD ...	–	1	–	–	2	–
†CHISWICK ...	–	–	1	–	–	–
†EALING	–	2	–	–	–	–
†EDMONTON ...	–	1	–	–	2	–
†ENFIELD	–	2	–	–	–	E. 1
FELTHAM ...	–	–	1	–	–	–
†FINCHLEY ...	–	1	1	–	1	–
†HANWELL ...	–	4	–	–	–	–
HAYES	–	1	–	–	–	–
†HENDON	–	1	–	–	–	–
†HESTON AND ISLEWORTH	–	–	1	–	1	–
†HORNSEY... ...	–	–	–	–	1	–
†SOUTHALL NORWOOD	–	–	–	–	1	–
†SOUTHGATE ...	–	2	–	–	1	–
†TOTTENHAM ...	–	2	2	–	5	M. 1
†WEMBLEY ...	–	–	1	–	–	–
†WILLESDEN ...	–	3	6	–	1	C. 1
†WOOD GREEN ...	–	1	1	–	–	–
Rural Districts:—						
HENDON	–	–	–	–	2	–
STAINES	–	–	5	–	–	–
NORFOLK	–	19	9	3	4	M. 3
†GREAT YARMOUTH C.B.	–	–	1	–	–	M. 1
†NORWICH C.B. ...	–	16	6	–	–	–
Boroughs and Urban Districts:—						
EAST DEREHAM ...	*	*	*	*	*	*
NORTH WALSHAM	–	–	–	–	–	M. 1
SHERINGHAM ...	–	–	–	–	1	–
SWAFFHAM ...	–	–	1	–	–	–
NORFOLK—*cont.*						
Rural Districts:—						
DEPWADE ...	–	–	–	–	–	M. 1
DOWNHAM ...	–	1	–	–	–	–
FOREHOE ...	–	–	1	–	–	–
HENSTEAD ...	–	1	–	–	–	–
LODDON AND CLAVERING	–	1	–	–	1	–
MARSHLAND ...	–	–	–	3	–	–
MITFORD AND LAUNDITCH	*	*	*	*	*	*
WALSINGHAM ...	–	–	–	–	2	–
NORTHAMPTON ...	–	26	5	–	5	C. 1 M. 2
†NORTHAMPTON C.B.	–	3	4	–	4	C. 1 M. 2
Boroughs and Urban Districts:—						
DAVENTRY ...	–	–	–	–	1	–
IRTHLINGBOROUGH	–	1	–	–	–	–
†KETTERING ...	–	3	–	–	–	–
†WELLINGBOROUGH	–	3	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	4	–	–	–	–
HARDINGSTONE ...	–	1	–	–	–	–
KETTERING ...	–	3	–	–	–	–
POTTERSPURY ...	–	8	–	–	–	–
THRAPSTON (part)	–	–	1	–	–	–
NORTHUMBERLAND	–	22	2	–	14	M. 3
†NEWCASTLE UPON TYNE C.B.	–	8	1	–	10	M. 1
†TYNEMOUTH C.B.	–	–	–	–	2	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	1	–	–	–	–
†BLYTH	–	7	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
HEXHAM	–	–	–	–	–	M. 1
†WALLSEND ...	–	–	–	–	1	–
WEETSLADE ...	*	*	*	*	*	*
Rural Districts:—						
ALNWICK ...	–	1	–	–	–	–
CASTLE WARD ...	–	1	1	–	–	–
MORPETH... ...	–	1	–	–	–	M. 1
NORHAM AND ISLANDSHIRES	–	3	–	–	–	–
NOTTINGHAM ...	17	15	5	–	5	C. 1 M. 1
†NOTTINGHAM C.B	1	5	3	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
†BEESTON	–	1	–	–	–	–
†CARLTON	–	1	–	–	–	–
†HUCKNALL ...	–	1	–	–	1	–
†KIRKBY IN ASHFIELD	4	–	–	–	–	–
†MANSFIELD ..	–	1	–	–	–	–
†MANSFIELD WOODHOUSE	4	–	–	–	–	–
†SUTTON IN ASHFIELD	–	2	–	–	–	–
WARSOP	8	–	–	–	–	–
†WEST BRIDGFORD	–	1	1	–	–	–
Rural Districts:—						
BASFORD	–	1	–	–	–	–
EAST RETFORD ...	–	–	1	–	2	–
NEWARK	–	2	–	–	–	–
OXFORD		9	2	–	–	–
†OXFORD C.B. ..	–	4	–	–	–	–
OXFORD—*cont.*						
Boroughs and Urban Districts:—						
THAME	–	–	1	–	–	–
Rural Districts:—						
CROWMARSH ...	–	1	–	–	–	–
HEADINGTON ...	–	3	1	–	–	–
WOODSTOCK ...	–	1	–	–	–	–
PETERBOROUGH (Soke of)	–	1	–	–	–	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	–	–
SALOP	–	12	1	–	–	M. 1
Boroughs and Urban Districts:—						
NEWPORT ...	–	1	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	2	–	–	–	–
Rural Districts:—						
OSWESTRY ...	–	5	1	–	–	M. 1
WELLINGTON ...	–	2	–	–	–	–
SOMERSET	1	15	7	–	4	G. 1 M. 2
†BATH C.B. ...	–	–	3	–	1	–
Boroughs and Urban Districts:—						
CHARD	–	–	–	–	1	–
CREWKERNE ...	–	1	–	–	–	–
GLASTONBURY ...	–	–	–	–	–	G. 1
HIGHBRIDGE ...	–	–	1	–	–	–
RADSTOCK ...	–	1	–	–	–	–
STREET	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TAUNTON	–	–	–	–	–	M. 1
WELLS	–	–	–	–	–	M. 1
†WESTON SUPER MARE	–	1	–	–	–	–
†YEOVIL	–	1	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	1	–	–	–	–
BATH	–	2	1	–	–	–
BRIDGWATER ...	–	–	1	–	–	–
FROME	–	1	–	–	–	–
LANGPORT ...	1	1	–	–	–	–
LONG ASHTON ...	–	4	1	–	–	–
TAUNTON ...	–	2	–	–	–	–
WINCANTON ...	–	–	–	–	1	–
SOUTHAMPTON ...	–	28	23	2	1	M. 3
†BOURNEMOUTH C.B.	–	–	2	–	–	–
†PORTSMOUTH C.B.	–	11	11	1	–	M. 1
†SOUTHAMPTON C.B.	–	9	6	–	–	M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	–
†BASINGSTOKE ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	–	1	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–	1	–	–	–
†FARNBOROUGH ...	–	–	–	–	1	–
†GOSPORT	–	1	–	–	–	–
HAVANT	–	–	–	1	–	–
ROMSEY	–	–	–	–	–	M. 1
†WINCHESTER ...	–	–	2	–	–	–
Rural Districts:—						
ALTON	–	2	–	–	–	–
FORDINGBRIDGE...	–	1	–	–	–	–
KINGSCLERE ...	–	1	–	–	–	–
PETERSFIELD ...	*	*	*	*	*	*
RINGWOOD ...	–	1	–	–	–	–
STAFFORD	–	56	26	–	35	E. 1 M. 5
†BURTON UPON TRENT C.B.	–	2	1	–	–	–
†SMETHWICK C.B.	–	4	4	–	6	–
†STOKE ON TRENT C.B.	–	16	1	–	14	M. 2
†WALSALL C.B. ...	–	4	4	–	3	–
†WEST BROMWICH C.B.	–	5	7	–	1	–
†WOLVERHAMPTON C.B.	–	4	3	–	2	M. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	1	–	–	–	–
BIDDULPH ...	–	1	–	–	–	–
†BILSTON	–	2	–	–	2	M. 2
†BROWNHILLS ...	–	–	–	–	1	–
†DARLASTON ...	–	2	–	–	–	–
†LEEK	–	1	–	–	–	E. 1
†NEWCASTLE UNDER LYME	–	–	1	–	–	–
QUARRY BANK ...	–	3	–	–	–	–
†ROWLEY REGIS ...	–	1	–	–	–	–
†SEDGLEY	–	–	1	–	–	–
SHORT HEATH ...	–	–	–	–	1	–
†STAFFORD ...	–	1	–	–	2	–
†TIPTON	–	1	–	–	–	–
†WEDNESBURY ...	–	–	–	–	1	–
†WOLSTANTON UNITED	–	1	1	–	–	–
Rural Districts:—						
CANNOCK	–	2	1	–	1	–
GNOSALL	–	2	–	–	1	–
KINGSWINFORD ...	–	1	1	–	–	–
LICHFIELD ...	–	2	1	–	–	–
SUFFOLK, EAST ...	–	7	7	1	2	–
†IPSWICH C.B. ...	–	–	4	–	1	–
Boroughs and Urban Districts:—						
SOUTHWOLD ...	*	*	*	*	*	*
STOWMARKET ...	–	1	–	–	–	–
WOODBRIDGE ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	1	–	–	–
HOXNE	–	–	–	–	1	–
MUTFORD AND LOTHINGLAND	–	5	–	–	–	–
PLOMESGATE ...	–	–	1	–	–	–
WOODBRIDGE ...	–	1	–	1	–	–
SUFFOLK, WEST ...	–	–	–	–	1	C. 1
Boroughs and Urban Districts:—						
NEWMARKET ...	–	–	–	–	1	–
Rural Districts:—						
BRANDON... ...	–	–	–	–	–	C. 1
SURREY	–	20	20	1	3	C. 1 F. 1 M. 2
†CROYDON C.B. ...	–	7	–	–	–	–
Boroughs and Urban Districts:—						
†BARNES	–	2	1	–	–	–
†BEDDINGTON AND WALLINGTON	–	–	1	–	–	C. 1
†CARSHALTON ...	–	–	1	–	–	–
†CHERTSEY ...	–	–	–	1	–	–
†COULSDON AND PURLEY	–	–	3	–	–	–
DORKING	–	1	–	–	–	–
EAST AND WEST MOLESEY	–	–	2	–	–	–
†EGHAM	–	–	–	–	1	–
†ESHER AND THE DITTONS	*	*	*	*	*	*
†GUILDFORD ...	–	1	–	–	–	–
†KINGSTON ON THAMES	–	1	–	–	–	–
†MERTON AND MORDEN	–	2	1	–	–	–
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MITCHAM... ...	–	2	–	–	–	–
†SURBITON ...	–	1	–	–	–	–
†SUTTON	*	*	*	*	*	*
†WALTON UPON THAMES	–	–	1	–	–	–
†WIMBLEDON ...	–	3	4	–	–	F. 1 M. 1
†WOKING	–	–	1	–	1	–
Rural Districts:—						
GODSTONE ...	–	–	–	–	1	–
GUILDFORD ...	–	–	5	–	–	–
HAMBLEDON ...	–	–	–	–	–	M. 1
SUSSEX, EAST ...	–	15	12	–	2	C. 1 E. 1 M. 1
†BRIGHTON C.B. ...	–	6	10	–	1	E. 1
†EASTBOURNE C.B.	–	1	–	–	–	M. 1
†HASTINGS C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
BURGESS HILL ...	–	–	–	–	1	–
†HOVE	–	5	1	–	–	–
NEWHAVEN ...	–	–	–	–	–	C. 1
Rural Districts:—						
CUCKFIELD ...	–	–	1	–	–	–
NEWHAVEN ...	–	1	–	–	–	–
STEYNING EAST...	–	1	–	–	–	–
SUSSEX, WEST ...	–	–	–	–	–	G. 1
Boroughs and Urban Districts:—						
SHOREHAM BY SEA	–	–	–	–	–	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK	–	51	39	10	31	C. 2 M. 7
†BIRMINGHAM C.B.	–	35	31	1	26	C. 2 M. 7
†COVENTRY C.B. ...	–	8	1	–	2	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	1	2	–	–	–
†ROYAL LEAMINGTON SPA	–	3	–	6	–	–
†RUGBY	–	–	1	–	2	–
†SUTTON COLDFIELD	–	1	–	–	–	–
†WARWICK ...	–	–	–	1	1	–
Rural Districts:—						
ATHERSTONE ...	–	–	1	–	–	–
FOLESHILL ...	–	2	–	–	–	–
MERIDEN	–	–	1	–	–	–
NUNEATON ...	–	1	–	–	–	–
RUGBY	–	–	1	–	–	–
SOUTHAM... ...	–	–	1	–	–	–
STRATFORD ON AVON	–	–	–	1	–	–
WARWICK ...	–	–	–	1	–	–
WIGHT, ISLE OF ...	–	1	–	–	–	–
Boroughs and Urban Districts—						
SHANKLIN ...	–	1	–	–	–	–
WILTS	4	3	10	–	1	M. 3
Boroughs and Urban Districts:—						
DEVIZES	–	1	–	–	–	–
MARLBOROUGH ...	–	–	1	–	–	–
†SALISBURY ...	–	–	7	–	–	–
†SWINDON... ...	4	2	–	–	–	M. 2
Rural Districts:—						
SALISBURY ...	–	–	1	–	–	–
WILTON	–	–	1	–	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	17	1	1	4	–
†WORCESTER C.B.	–	–	1	–	2	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	5	–	–	–	–
†KIDDERMINSTER	–	2	–	–	–	–
†OLDBURY... ...	–	2	–	–	1	–
†REDDITCH ...	–	2	–	1	–	–
STOURPORT ...	–	1	–	–	–	–
Rural Districts:—						
HALESOWEN ...	–	1	–	–	1	–
PERSHORE ...	–	1	–	–	–	–
TEWKESBURY (part)	–	3	–	–	–	–
YORKS ... ... **(East Riding.)**	–	7	4	–	3	M. 4
†KINGSTON UPON HULL C.B.	–	5	4	–	1	M. 4
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	2	–
†BRIDLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
RICCALL	–	1	–	–	–	–
YORKS ... ... **(North Riding.)**	2	33	3	1	13	–
†MIDDLESBROUGH C.B.	2	27	1	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ESTON	–	4	–	–	–	–
†SCARBOROUGH ...	–	1	–	–	–	–
†SKELTON AND BROTTON	–	–	–	–	2	–
†THORNABY ON TEES	–	–	1	–	–	–
†WHITBY	–	–	–	–	6	–
Rural Districts:—						
EASINGWOLD ...	–	–	1	–	–	–
FLAXTON	–	–	–	1	–	–
PICKERING ...	*	*	*	*	*	*
RICHMOND ...	–	–	–	–	1	–
SCARBOROUGH ...	–	–	–	–	1	–
STOKESLEY ...	–	–	–	–	1	–
THIRSK	–	1	–	–	–	–
YORKS ... ... (West Riding.)	20	131	40	2	87	C. 7 D. 1 G. 1 M. 12
†BARNSLEY C.B. ...	–	1	1	–	1	M. 1
†BRADFORD C.B. ...	–	7	2	–	6	M. 1
†DEWSBURY C.B....	–	4	1	–	3	–
†HALIFAX C.B. ...	–	2	1	1	–	–
†HUDDERSFIELD C.B.	–	–	–	–	2	C. 2
†LEEDS C.B. ...	–	26	4	–	13	G. 1 M. 1
†ROTHERHAM C.B.	–	9	–	–	1	–
†SHEFFIELD C.B....	–	21	9	–	33	C. 3 M. 4
†WAKEFIELD C.B.	–	1	–	–	1	–
Boroughs and Urban Districts:—						
ALTOFTS	–	–	–	–	1	–
ARDSLEY, EAST AND WEST	–	–	1	–	1	–
†BARNOLDSWICK ...	–	1	–	–	–	–
†BATLEY	–	1	–	–	–	–
†BENTLEY WITH ARKSEY	9	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BINGLEY	–	3	2	–	–	–
BIRSTALL... ...	–	2	–	–	–	–
†BOLTON UPON DEARNE	–	2	–	–	–	–
†BRIGHOUSE ...	–	3	1	–	1	–
†CASTLEFORD ...	–	3	–	–	–	–
†CONISBROUGH ...	–	–	–	1	–	–
†DONCASTER ...	–	–	–	–	1	–
†ELLAND	–	1	–	–	–	M. 1
†FEATHERSTONE ...	–	–	1	–	–	C. 1
†GOOLE	–	1	–	–	–	–
†HARROGATE ...	–	–	–	–	1	–
HIPPERHOLME ...	–	–	–	–	3	–
HORBURY ...	–	1	–	–	–	–
†HOYLAND NETHER	–	–	–	–	1	–
ILKLEY	–	–	1	–	–	–
†KEIGHLEY ...	–	–	1	–	–	–
KIRKHEATON ...	*	*	*	*	*	*
KNARESBOROUGH	–	1	–	–	–	–
†MIRFIELD ...	–	1	–	–	–	–
†MORLEY	–	1	–	–	–	–
†NORMANTON ...	–	–	1	–	2	–
†OSSETT	–	4	–	–	–	–
OTLEY	–	1	–	–	–	–
†PONTEFRACT ...	–	1	–	–	–	–
QUEENSBURY ...	–	2	–	–	–	–
RAWDON	–	1	–	–	1	–
†RAWMARSH ...	–	2	–	–	–	M. 1
†ROTHWELL ...	–	1	–	–	–	–
†SHIPLEY	–	–	–	–	–	M. 1
SLAITHWAITE ...	–	1	–	–	–	–
SOUTH CROSLAND	*	*	*	*	*	*
SOUTHOWRAM ...	–	–	–	–	1	–
†SPENBOROUGH ...	–	1	1	–	1	–
SPRINGHEAD ...	–	1	–	–	–	–
STAINLAND WITH OLD LINDLEY	–	3	–	–	–	–
†STANLEY	–	1	–	–	–	–
†SWINTON... ...	–	–	1	–	3	–
THURLSTONE ...	–	–	1	–	–	–
THURNSCOE ...	–	–	1	–	–	–
†WATH UPON DEARNE	–	1	–	–	–	–
†WORSBOROUGH ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Rural Districts—						
BARNSLEY ...	–	–	–	–	1	–
DONCASTER ...	11	2	–	–	2	–
GOOLE	–	–	2	–	–	–
HEMSWORTH ...	–	–	1	–	3	M. 2
HUNSLET... ...	–	–	1	–	–	–
KIVETON PARK ...	–	1	–	–	–	–
KNARESBOROUGH	–	2	–	–	2	–
PENISTONE ...	–	1	–	–	–	–
PONTEFRACT ...	–	2	–	–	–	–
ROTHERHAM ...	–	1	–	–	–	C. 1 D. 1
TADCASTER ...	–	3	2	–	–	–
TODMORDEN ...	–	–	1	–	–	–
WAKEFIELD ...	–	5	3	–	–	–
WORTLEY ...	–	–	–	–	1	–
County Borough :—						
†YORK§	–	3	2	–	–	C. 1
WALES.						
ANGLESEY	–	2	1	–	5	M. 1
Boroughs and Urban Districts :—						
AMLWCH	–	1	–	–	–	M. 1
Rural Districts :—						
AETHWY	–	–	1	–	–	–
VALLEY	–	1	–	–	5	–
BRECKNOCK ...	–	1	2	–	–	–
Rural Districts :—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
BUILTH	–	1	–	–	–	–
YSTRADGYNLAIS...	–	–	2	–	–	–
CARDIGAN	–	2	–	–	–	–
Rural Districts :—						
ABERAYRON ...	–	2	–	–	–	–
CARMARTHEN ...	–	4	2	–	1	–
Boroughs and Urban Districts :—						
AMMANFORD ...	–	–	1	–	–	–
LLANDOVERY ...	–	2	–	–	–	–
†LLANELLY ...	–	1	1	–	1	–
Rural Districts :—						
LLANELLY ...	–	1	–	–	–	–
CARNARVON ...	–	2	–	–	–	–
Boroughs and Urban Districts :—						
CARNARVON ...	–	1	–	–	–	–
Rural Districts :—						
GWYRFAI ...	–	1	–	–	–	–
DENBIGH	–	7	–	–	2	–
Boroughs and Urban Districts :—						
†COLWYN BAY AND COLWYN ...	–	–	–	–	1	
RUTHIN	–	1	–	–	1	–
Rural Districts :—						
CHIRK	–	1	–	–	–	–
LLANGOLLEN ...	–	3	–	–	–	–
WREXHAM ...	–	2	–	–	–	–
FLINT	–	2	–	–	–	–
Boroughs and Urban Districts :—						
PRESTATYN ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

§ York C.B. is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT—*cont.*						
Rural Districts:—						
HAWARDEN ...	–	1	–	–	–	–
HOLYWELL (MOLD DIV.)	–	1	–	–	–	–
GLAMORGAN ...	–	38	28	–	27	C. 1 M. 5
†CARDIFF C.B. ...	–	7	2	–	6	M. 2
†MERTHYR TYDFIL C.B.	–	1	2	–	–	M. 1
†SWANSEA C.B. ...	–	4	2	–	–	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	6	–	–	6	–
†BARRY	–	3	3	–	1	–
†CAERPHILLY ...	*	*	*	*	*	*
†GELLIGAER ..	–	–	3	–	–	–
†GLYNCORWG ...	–	–	3	–	–	–
†MAESTEG ...	–	–	1	–	–	–
†MOUNTAIN ASH ...	–	1	–	–	2	–
†NEATH	–	1	6	–	1	–
†OGMORE AND GARW	–	2	–	–	–	–
†PONTYPRIDD ...	–	2	–	–	2	–
PORTHCAWL ...	–	–	–	–	1	–
†PORT TALBOT ...	–	3	1	–	1	–
†RHONDDA ..	–	4	3	–	7	C. 1 M. 1
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
GOWER	–	–	1	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	1	1	–	–	–
NEATH	–	–	–	–	–	M. 1
SWANSEA... ...	–	3	–	–	–	–
MERIONETH ...	–	1	1	–	–	–
Urban Districts:—						
FESTINIOG ...	–	1	–	–	–	–
Rural Districts:—						
DOLGELLEY ...	–	–	1	–	–	–
MONMOUTH ...	–	9	7	1	9	M. 1
†NEWPORT C.B. ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
†ABERCARN ...	–	1	–	–	–	–
ABERGAVENNY ...	–	1	–	–	–	–
†ABERTILLERY ...	–	2	3	–	–	–
BEDWAS AND MACHEN	–	–	1	–	–	–
†BLAENAVON ...	*	*	*	*	*	*
†EBBW VALE ...	–	1	–	1	1	–
†NANTYGLO AND BLAINA	–	1	–	–	6	M. 1
†PANTEG	–	–	1	–	–	–
†TREDEGAR ..	–	–	1	–	1	–
Rural Districts:—						
CHEPSTOW ...	–	1	1	–	–	–
MONTGOMERY ...	–	1	–	–	2	–
Rural Districts:—						
LLANFYLLIN ...	–	1	–	–	2	–
PEMBROKE... ...	–	–	2	1	–	C. 1
Boroughs and Urban Districts:—						
GOODWICK ...	–	–	2	–	–	–
MILFORD HAVEN	–	–	–	1	–	–
†PEMBROKE ...	*	*	*	*	*	*
Rural Districts:—						
HAVERFORDWEST.						C. 1
Total of Part II. ...	115	1021	493	47	529	C. 30 D. 5 E. 8 F. 1 G. 9 L. 1 M. 124

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
Liverpool	–	–	–	–	1	–	Southampton ...	–	–	–	–	1	–
Plymouth	1	–	–	–	1	–	Port of London ...	–	–	–	1	–	–
							Total of Part III.— ...	1	–	–	1	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	141	144	2	97	C. D. E. F. L. M. 1
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	115	1021	493	47	529	C. 3 D. E. F. G. L. M. 12
Total of Part III.—Port Sanitary Districts	1	–	–	1	3	–
Total (*i.e.*, of returns received), England and Wales ...	116	1162	637	50	629	C. 3 D. E. 1 F. G. L. M. 13

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poli encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continue Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. Th cases of Small-pox notified appear on pages 818, 820, 822, 824, 825, 827, 828, 829 and 831.

ble 5.—London and Great Towns in the AGGREGATE. { Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	April 28.	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.
NDON :—													
ATHS—all ages	1,043	1,047	885	949	906	840	847	871	855	772	834	1,016	902
„ 0 to 1 year ..	105	118	106	93	98	83	74	90	86	76	85	106	112
EAT TOWNS, aggregate (including London) :—													
RTHS	7,581	7,969	7,665	8,309	6,717	8,724	8,054	8,106	7,901	7,792	7,746	7,331	8,275
ATHS—all ages	4,686	4,887	4,478	4,532	4,225	4,152	4,264	4,060	3,858	3,668	3,703	4,052	3,618
„ 0 to 1 year ..	548	648	566	564	518	506	518	474	464	471	428	516	492
TERIC FEVER—Cases	19	30	15	18	18	16	18	15	24	15	33	24	19
„ Deaths	1	2	1	3	5	—	2	2	2	1	3	1	3
ALL POX—Cases ..	7	1	4	7	1	8	38	56	82	104	95	114	64
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	—	1	1
ARLET FEVER—Cases	934	963	859	830	891	804	833	762	825	817	798	733	647
„ Deaths	16	11	15	25	7	12	7	9	16	11	7	10	2
PHTHERIA—Cases ..	488	499	515	467	405	405	441	448	415	378	424	431	403
„ Deaths ..	40	36	38	34	29	15	33	26	32	24	15	17	16
ASLES—Deaths ..	69	74	73	73	73	60	97	85	61	61	42	51	53
FLUENZA—Deaths ..	143	175	207	200	166	155	140	120	92	81	59	34	36

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 21st July, 1923. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
NDON (GREENWICH).	84	50	77·9	56·3	2	BRADFORD ..	74	51	66·7	55·1	8
IGHTON ..	70	57	66·5	58·5	3	SHEFFIELD ..	Not received.				
RTSMOUTH ..	78	52	71·9	58·4	1	YORK (MUSEUM)	76	52	70·3	57·6	2
RWICH (EATON)	80	52	74·3	56·9	19	HULL (PEARSON PARK).	79	54	72·4	56·6	2
YMOUTH ..	77	49	70·3	57·0	4	TYNEMOUTH ..	75	50	69·7	55·9	6
ISTOL (CLIFTON).	71	54	67·6	57·4	9	CARDIFF	71	51	66·3	56·0	6
RMINGHAM (EDGBASTON)	77	51	69·3	55·3	6						
TTINGHAM ..	77	52	71·0	57·0	4	EDINBURGH ..	68·0	48·0	65·0	53·0	15
RKENHEAD (BIDSTON).	72	54	68·3	56·6	10	GLASGOW ..	66·7	49·8	63·0	53·0	30
NCHESTER (WHITWORTH PARK).	75	52	68·7	57·3	9	DUBLIN (PHŒNIX PARK).	Not received.				
RNLEY.. ..	69	52	65·6	55·0	10	FITZWILLIAM SQUARE.†	74·2	52·0	68·6	56·4	6
DDERSFIELD	77	55	68·9	58·3	6	BELFAST	74·5	53·0	69·8	56·7	13

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 21st July, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JULY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY - 15	..	29·728	83·0	60·8	22·2	70·5	+ 7·1	58·9	11·6	22·0	2·2	67	158·0	51·0	57·3	SW	SW	3·4	0·0	0·2	295	+ 52	0·00
MONDAY - 16	..	29·692	78·4	59·6	18·8	68·0	+ 4·6	52·1	15·9	26·0	1·7	57	153·9	50·2	57·8	SW : WSW.	W	2·2	0·0	0·2	362	+ 118	0·01
TUESDAY - 17	..	29·728	71·3	53·5	17·8	60·7	− 2·7	51·7	9·0	19·0	3·6	72	136·8	39·5	57·8	WSW	WSW	1·5	0·0	0·1	292	+ 47	0·02
WEDNESDAY 18	..	29·828	72·9	54·7	18·2	62·5	− 0·8	47·1	15·4	25·2	3·0	57	146·0	43·5	57·9	WSW : W.	WNW	1·2	0·0	0·1	267	+ 22	0·00
THURSDAY - 19	In Equator	29·930	72·8	49·9	22·9	60·4	− 2·8	51·8	8·6	24·0	1·1	73	146·6	36·1	58·0	Calm : WSW.	WSW	2·6	0·0	0·1	271	+ 25	0·04
FRIDAY - 20	..	30·040	83·9	59·4	24·5	71·5	+ 8·3	58·0	13·5	25·2	1·1	62	155·8	55·0	58·1	WSW.	W : WNW.	2·8	0·0	0·2	350	+ 103	0·00
SATURDAY - 21	First Quarter.	30·126	82·8	58·4	24·4	69·7	+ 6·5	57·1	12·6	25·1	3·4	64	159·0	48·5	58·0	W	W : WNW.	1·8	0·0	0·2	298	+ 49	0·00
MEANS -	..	29·867	77·9	56·6	21·3	66·2	+ 2·9	53·8	12·4	23·8	2·3	65	150·9	46·3	57·8	W		..	..	..	Sum 2,135	Sum + 416	Sum 0·07
No. of COLUMN	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JULY.		ELECTRICITY. (For explanation of symbols. *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	15	wP	9·4	16·2	Nearly cloudless till 10h.; very cloudy till 19h., then overcast. Slight showers 11½h., 20h., and 22h.
MONDAY ..	16	wP till 11h., then mP.	8·6	16·1	Overcast till 10h.; partially cloudy till 20h., then nearly overcast. Misty rain from 3h. till 9h. Brisk wind generally till 19h.
TUESDAY ..	17	wP	1·3	16·1	Nearly overcast. Slight showers 13¾h. and 22½h. Occasional slight rain 15h. till 19½h.
WEDNESDAY	18	wP till 9h.: then mP.	7·5	16·0	Nearly overcast generally. Shower 1h.
THURSDAY	19	wP till 7½h.; mP till 9½h.; then wP.	5·8	16·0	Partially cloudy till 11h., then overcast. Frequent slight rain 12¾h. till 20½h.
FRIDAY ..	20	wP till 11h.; mP till 21½h.; then wP.	12·3	15·9	Variably cloudy till 12h., then nearly cloudless.
SATURDAY	21	wP till 9h.; then mP.	11·1	15·9	Variably cloudy till 20h., then nearly cloudless.
			Sum 56·0	Sum 112·2	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·86 in. at the beginning of the week to 29·66 in. by 5h. on 16th; increased generally and was 30·15 in. by midnight on the 21st.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS
11–17, Hare Street, E.2

FOR OFFICIAL USE.

1923. No. 30.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 28TH JULY, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 28TH JULY, 1923.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirtieth week of the year numbered 7,554 and corresponded to an annual rate of 20·5 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,108 and corresponded to an annual rate of 8·5 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 10·1, 11·0 and 9·8. Infant mortality was 55 per 1,000 births, against 55, 70 and 59 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,772 births, corresponding to a rate of 20·3 per 1,000, and 686 deaths of civilians, corresponding to a rate of 7·9, as against 9·6, 11·7 and 10.4, for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 9·9 per 1,000. The infant mortality was 45 as against 46, 66 and 57 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 510 in the total deaths last week, but the deaths from influenza fell from 36 to 24. In London the number of deaths from all causes fell from 902 to 686; while the deaths from diphtheria, which had been 5, 11 and 4 in the preceding three weeks, fell to 2 last week, and those from influenza, which had been 7, 3 and 3 in the three preceding weeks, rose to 4 last week.

Just Published:

Census of England and Wales, 1921. County of Surrey. Price 10*s*. net.

County of Kent. Price 14*s*. net.

County of Hertford. Price 7*s*. 6*d*. net.

County of Lancaster. Price 20*s*. net.

Yorkshire. Price 25*s*. net.

County of Glamorgan. Price 10*s*. net.

The Registrar General's Statistical Review, 1921.

Tables, Part II. Civil. Price 5*s*. net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 28th July, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	7,554	3,108	413	3	36	7	27	10	61	24
London	4,534,230*	1,772	686	80	1	4	2	8	2	11	1
Towns in Outer Ring.											
Croydon C.B. ..	192,300	61	35	3	–	1	–	–	1	–	–
Wimbledon ..	61,730	11	6	–	–	–	–	–	–	–	–
Ealing	67,890	20	21	3	–	–	–	–	–	–	–
Acton	62,390	14	10	1	–	–	–	–	–	1	–
Willesden ..	168,200	68	40	2	–	–	–	–	1	–	–
Hendon	55,930	20	8	–	–	–	–	–	–	–	–
Hornsey	87,310	27	24	6	–	–	–	–	–	–	–
Wood Green ..	51,290	21	9	–	–	–	–	–	–	–	–
Tottenham ..	150,500	53	14	2	–	–	–	–	–	–	–
Edmonton ..	68,700	39	12	2	–	–	–	–	–	–	–
Enfield	62,010	19	6	3	–	–	–	–	–	–	–
West Ham C.B. ..	310,200	147	34	1	–	–	–	1	–	1	–
East Ham C.B. ..	145,800	46	12	3	–	–	–	1	–	–	–
Leyton	131,600	40	30	3	–	1	–	–	–	–	–
Walthamstow ..	129,700	41	16	3	–	–	–	–	–	–	–
Ilford	86,370	22	8	–	–	–	–	–	–	–	1
Gillingham	48,630*	23	4	–	–	–	–	–	–	–	–
Canterbury C.B ..	23,680	9	4	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	25	10	1	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	12	5	1	–	–	–	–	–	–	–
Brighton C.B. ..	135,000	40	14	2	–	–	–	–	–	–	–
Portsmouth C.B. ..	236,630*	124	38	9	–	–	–	–	1	–	–
Bournemouth C.B. ..	81,500	24	13	–	–	–	–	–	–	–	–
Southampton C.B. ..	163,700	61	19	3	–	–	–	1	–	–	1
Reading C.B.	92,990	36	15	1	–	–	–	–	–	–	–
Oxford C.B.	56,510	22	8	2	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	39	20	1	–	–	–	–	–	–	–
Luton	58,260	24	6	–	–	–	–	–	–	–	1
Cambridge	59,200	18	3	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	91,430	30	17	1	–	–	–	–	–	–	–
Ipswich C.B.	80,950	34	13	1	–	–	–	–	–	1	–
Great Yarmouth C.B.	56,700	30	13	1	–	–	–	–	–	–	–
Norwich C.B ..	122,900	46	26	6	–	–	–	–	–	–	–
Swindon	55,680	12	12	2	–	–	–	–	–	–	–
Exeter C.B.	59,700	20	12	2	–	–	–	–	–	–	–
Plymouth C.B. ..	200,370*	67	35	1	–	–	–	–	–	–	–
Bath C.B.	68,530	23	5	–	–	–	–	–	–	–	–
Bristol C.B.	383,900	149	56	2	–	1	–	–	–	–	–
Gloucester C.B. ..	52,210	24	11	3	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	274,300	114	53	10	–	–	–	–	–	1	–
Burton-upon-Trent C.B.	49,630	21	9	–	–	–	–	–	–	–	–
Wolverhampton C.B.	105,700	43	14	4	–	–	–	–	–	–	–
Walsall C.B.	99,890	44	17	3	–	–	–	–	–	2	1
West Bromwich C.B.	76,260	31	14	3	–	1	–	–	–	–	1
Dudley C.B.	57,860	33	9	–	–	1	–	–	–	–	–
Worcester C.B. ..	49,240	18	5	1	–	–	–	–	–	1	–
Birmingham C.B. ..	945,100	341	136	14	–	4	–	–	1	2	2
Smethwick C.B. ..	78,140	27	15	4	–	–	–	–	2	1	1
Coventry C.B. ..	131,200	49	18	1	–	–	–	1	–	–	–
Leicester C.B. ..	238,800	90	44	5	–	–	–	–	–	1	–
Lincoln C.B.	66,930	26	11	–	–	–	–	–	–	–	–
Grimsby C.B.	84,650	39	12	2	–	–	–	–	–	–	–
Nottingham C.B. ..	267,900	91	43	6	–	–	–	–	–	–	–
Derby C.B.	132,400	60	14	5	–	–	–	–	–	–	–
Chesterfield ..	63,380	38	10	2	–	–	–	–	–	–	–
Stockport C.B. ..	125,800	44	30	4	–	–	–	–	–	–	1
Chester C.B.	41,190	14	8	–	–	–	–	–	1	–	–
Birkenhead C.B. ..	149,200	69	20	1	–	–	–	–	–	–	–
Wallasey C.B. ..	89,790	23	16	2	–	–	–	–	–	–	–
Liverpool C.B. ..	826,400	408	150	30	–	6	–	4	1	7	1
Bootle C.B.	79,750	45	16	4	–	–	–	–	–	1	–
St. Helens C.B. ..	106,400	58	26	3	–	–	–	1	–	–	–

* Population adjusted by the exclusion of non-civilians.
† Including one death from small-pox.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	25	12	5	-	-	-	-	-	2	-
WIGAN C.B.	91,750	32	12	1	-	-	-	-	-	-	-
WARRINGTON C.B. ..	79,150	28	10	-	-	-	-	-	-	-	-
BOLTON C.B.	182,700	56	35	3	-	-	-	1	-	-	1
BURY C.B.	57,400	21	10	-	-	-	-	-	-	-	-
MANCHESTER C.B. ..	748,500	302	138	18	-	4	1	-	-	2	-
SALFORD C.B.	240,700	73	39	6	1	-	-	1	-	2	2
OLDHAM C.B.	148,300	56	29	3	-	-	-	1	-	-	-
ROCHDALE C.B... ..	92,510	37	14	3	-	-	1	-	-	-	-
BURNLEY C.B.	105,100	44	12	2	-	-	-	-	-	1	-
BLACKBURN C.B. ..	129,600	16	16	-	-	-	-	-	-	-	-
PRESTON C.B.	120,900	42	19	3	-	-	-	-	-	1	-
BLACKPOOL C.B. ..	74,050	23	22	5	-	-	-	1	-	1	-
BARROW-IN-FURNESS C.B.	75,690	34	19	3	-	-	1	1	-	-	-
HUDDERSFIELD C.B. ..	111,600	40	31	4	-	-	-	-	-	-	1
HALIFAX C.B.	100,500	40	12	2	-	-	-	-	-	-	-
BRADFORD C.B. ..	291,300	112	55	7	-	-	-	-	-	-	1
LEEDS C.B.	466,700	196	91	16	-	-	-	1	-	7	3
DEWSBURY C.B. ..	55,170	14	12	1	-	-	-	-	-	-	-
WAKEFIELD C.B. ..	53,840	27	5	1	-	-	-	-	-	-	-
BARNSLEY C.B. ..	69,540	30	13	3	-	-	-	-	-	-	1
SHEFFIELD C.B. ..	522,600	164	84	6	-	-	1	-	-	3	-
ROTHERHAM C.B. ..	69,840	29	11	-	-	-	-	-	-	-	-
DONCASTER	55,020	18	14	2	-	-	-	-	-	1	-
YORK C.B.	84,980	33	14	2	-	-	-	-	-	-	-
HULL C.B.	294,000	135	55	15	-	-	-	1	-	3	-
MIDDLESBROUGH C.B.	134,800	84	29	6	-	-	-	-	-	1	-
DARLINGTON C.B. ..	66,710	31	12	2	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	65,950	47	5	2	-	-	1	-	-	-	-
WEST HARTLEPOOL C.B.	70,020	29	10	2	1	-	-	-	-	-	-
SUNDERLAND C.B. ..	162,900	73	29	3	-	1	-	1	-	-	-
SOUTH SHIELDS C.B. ..	122,400	53	34	7	-	5	-	-	-	-	-
GATESHEAD C.B. ..	127,300	80	23	3	-	1	-	1	-	-	-
NEWCASTLE-ON-TYNE C.B.	281,600	130	41	1	-	1	-	1	-	-	1
TYNEMOUTH C.B. ..	64,640	27	11	-	-	-	-	-	-	-	-
CARLISLE C.B.	53,490	26	14	1	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	94,880	51	16	3	-	-	-	-	-	1	-
CARDIFF C.B.	223,830	90	36	4	-	-	-	-	-	1	-
RHONDDA	167,500	52	26	3	-	2	-	-	-	-	-
MERTHYR TYDFIL C.B.	82,680	34	14	5	-	-	-	-	-	1	-
ABERDARE	56,580	22	10	1	-	3	-	-	-	-	-
SWANSEA C.B.	161,000	56	14	4	-	-	-	-	-	1	-
GREATER LONDON ..	7,563,730*	2897	1,114	127	1	6	2	11	4	16	6
OUTER RING	3,029,500*	1125	428	47	-	2	-	3	2	2	2
16 GREAT TOWNS IN OUTER RING	1,831,920	652	265	32	-	2	-	2	2	2	1
REMAINDER OF OUTER RING	1,197,580*	473	163	15	-	-	-	1	-	-	1
EDINBURGH†	426,000	186	83	9	-	4	-	1	-	3	-
GLASGOW†	1,041,400	512	205	37	-	3	2	3	3	7	-
DUBLIN (REGISTRATION AREA)†	431,000	245	106	24	-	-	-	5	-	5	-
BELFAST†	429,000	228	98	16	-	4	-	4	1	7	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period

Cities	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years)
		1923.										
London‡	4,534,230	July 28	1772	686	7·9	1	–	4	2	8	2	14
Calcutta	896,067	June 23	?	366§	20·9	?	1	?	?	?	?	?
Bombay	1,220,120	May 26	307‖	739§	31·5	2	15	3	?	3	–	39
Madras	526,911	June 16	401	363	35·8	2	2	–	?	1	1	35
Sydney and Suburbs	955,900	June										
Brisbane (Metropolitan Area).	217,714	April										
Perth (Metropolitan Area).	161,773	June 9										
Auckland (Urban Area).	164,450	May										
Wellington (Urban Area).	110,680	"										
Christchurch (Urban Area).	110,200	"										
Cape Town	106,727	June 23	36	26	12·7	1	–	–	–	–	–	2
Johannesburg	156,858	" 23	64	34	11·3	–	–	–	–	–	1	–
Durban	50,488	" 23	35	18	18·5	–	–	–	–	–	–	–
Paris	2,906,472	June 20 (10 days)	1256	848	10·7	4	–	14	6	4	4	17
Antwerp	302,711	June 9	105	57	9·9	–	–	2	–	–	–	2
		" 16	106	60	10·3	–	–	1	–	1	–	1
Amsterdam	700,312	July 7	279	141	10·5	1	–	3	–	–	1	1
Copenhagen	570,000	" 14	229	135	12·3	–	–	1	–	1	1	2
Stockholm	424,944	" 7	91	78	9·5	–	–	1	–	1	–	1
Gothenburg	228,074	June 30	?	43	9·8	–	–	–	–	–	–	1
Christiania	258,962	July 14	65	59	11·8	–	–	–	–	–	–	–
Berlin	1,990,000	June 30	342	453	11·8	–	?	1	–	2	1	6
Breslau	563,000	" 30	203	169	15·6	–	?	4	–	1	–	8
Cologne	699,000	" 30	228	147	10·9	–	?	4	–	2	–	5
Dresden	613,000	" 30	187	114	9·7	–	?	–	–	1	1	1
Frankfort-on-Main..	478,000	" 30	75	72	7·8	–	?	1	–	–	1	2
Hamburg	1,073,000	" 30	288	220	10·7	1	?	1	–	–	1	2
Leipzig	683,000	" 30	176	157	11·9	–	?	5	–	1	–	1
Munich	685,000	" 30	196	180	13·7	–	?	1	–	1	–	2
Vienna	1,841,326	April 14										
Prague and Suburbs	697,111	June 15 (15 days)										
Budapest	946,000	May 12	313	442	24·3	2	–	14	1	8	2	23
Warsaw	956,087	June 9										
Cairo	791,000	April 29	688	636	41·8	3	–	21	–	?	4	89
Alexandria	466,700	" 29	423	320§	35·7	–	–	9	–	?	–	38
New York	5,927,617	June 23	2161	1199	10·6	2	–	7	–	1	6	31
Chicago	2,886,121	July 7	?	505	9·1	1	–	7	1	1	4	8
Rio de Janeiro ..	1,287,367	June 2	596	429	17·4	1	–	2	–	8	4	?
Montevideo	347,316	April 14	235	134	20·7	3	–	–	–	–	–	8

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vien Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 27 deaths from Asiatic Cholera in Calcutta and from Plague, 48 in Bombay, and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 28th July, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	686	80	26	10	26	40	37	58	87	104	109	109
Enteric fever	1	–	–	–	–	–	1	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	4	1	3	–	–	–	–	–	–	–	–	–
Scarlet fever	2	–	–	–	1	1	–	–	–	–	–	–
Whooping cough	8	5	2	1	–	–	–	–	–	–	–	–
Diphtheria	2	–	1	1	–	–	–	–	–	–	–	–
Influenza	4	–	–	–	–	1	–	–	1	–	–	2
Erysipelas	3	–	–	–	–	–	–	1	–	–	1	1
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	1	–	–	–	–	1	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	55	–	–	–	1	14	14	10	12	3	1	–
Nervous system	2	–	1	1	–	–	–	–	–	–	–	–
Intestines and peritoneum	2	–	–	–	–	1	–	1	–	–	–	–
Other forms	10	–	–	2	2	3	–	1	1	1	–	–
Venereal diseases	3	–	1	–	–	–	–	1	–	1	–	–
Cancer	109	–	1	–	–	–	2	8	23	35	26	14
Rheumatic fever	2	–	–	–	1	–	–	–	–	1	–	–
Diabetes	4	–	–	–	–	–	–	–	–	1	1	2
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	1	–	–	–	1	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	31	–	–	–	–	1	–	4	4	6	8	8
Epilepsy	2	–	–	–	–	1	–	1	–	–	–	–
"Convulsions" (not puerperal)	5	4	1	–	–	–	–	–	–	–	–	–
Other diseases of nervous system	23	–	2	–	3	2	–	3	5	5	1	2
Pericarditis	1	–	–	–	1	–	–	–	–	–	–	–
Acute endocarditis	5	–	–	–	–	1	2	1	1	–	–	–
Other diseases of heart	90	–	–	–	–	2	4	6	13	15	26	24
Other diseases of circulatory system	32	–	–	–	–	–	–	2	3	8	6	13
Bronchitis	15	1	1	–	–	1	–	–	1	–	5	6
Broncho-pneumonia	21	8	6	–	1	–	1	1	2	–	–	2
Lobar-pneumonia	15	2	–	–	–	2	–	3	2	6	–	–
Pneumonia (type not distinguished)	11	–	–	–	1	–	1	1	1	–	4	3
Other diseases of respiratory system	12	1	2	–	1	–	–	2	–	1	4	1
Diarrhœa and enteritis	22	13	1	–	–	1	2	1	1	–	1	2
Appendicitis, Typhlitis	7	–	–	1	3	1	1	–	–	1	–	–
Hernia, Intestinal obstruction	9	2	1	1	–	–	–	–	1	2	1	1
Cirrhosis of liver	1	–	–	–	–	–	–	–	–	1	–	–
Other diseases of digestive system	21	1	1	–	1	1	2	2	2	4	5	2
Acute nephritis	2	–	–	–	–	1	–	–	–	1	–	–
Chronic Bright's disease	14	–	–	–	–	–	–	1	5	1	5	2
Other diseases of genito-urinary system.	10	–	–	–	1	–	1	1	1	–	4	2
Puerperal sepsis	2	–	–	–	–	–	1	1	–	–	–	–
Other causes incident to childbirth	1	–	–	–	–	–	–	1	–	–	–	–
Congenital malformations	8	7	–	–	1	–	–	–	–	–	–	–
Premature birth	23	23	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	1	1	–	–	–	–	–	–	–	–	–	–
Old age	24	–	–	–	–	–	–	–	–	–	8	16
Suicide	8	–	–	–	–	1	–	2	2	2	–	1
Burns and scalds	2	–	1	1	–	–	–	–	–	–	–	–
Drowning	6	–	–	1	3	–	1	–	–	1	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	11	–	–	1	4	2	2	–	2	–	–	–
Other deaths by violence	10	1	–	–	–	–	1	1	2	3	1	1
Other specified causes	26	9	1	–	–	1	1	2	2	5	1	4
Ill-defined causes	2	1	–	–	–	1	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 28th July, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	143	164	7	70	C. 5 E. 1 G. 1 M. 23
Metropolitan Boroughs :—						
†BATTERSEA ...	–	10	7	–	3	–
†BERMONDSEY ...	–	4	8	–	2	–
†BETHNAL GREEN	–	4	6	1	1	M. 2
†CAMBERWELL ...	–	6	12	–	3	M. 1
†CHELSEA	–	3	–	–	1	–
†DEPTFORD ...	–	–	6	–	1	M. 1
†FINSBURY ...	–	6	6	–	1	–
†FULHAM	–	3	9	–	4	M. 1
†GREENWICH ...	–	5	5	–	2	–
†HACKNEY ...	–	6	4	–	–	C. 1
†HAMMERSMITH ...	–	2	1	–	1	M. 2
†HAMPSTEAD ...	–	5	1	–	–	G. 1
†HOLBORN... ...	–	2	6	–	1	M. 1
†ISLINGTON ...	–	16	16	–	2	M. 3

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	3	4	–	3	–
†LAMBETH ...	–	20	11	–	2	M. 1
†LEWISHAM ...	–	4	8	–	1	–
†PADDINGTON ...	–	4	4	–	11	M. 3
†POPLAR	–	5	4	–	3	M. 2
†ST. MARYLEBONE	–	1	3	–	1	–
†ST. PANCRAS ...	–	3	9	–	3	C. 1 M. 1
†SHOREDITCH ...	–	9	8	1	3	–
†SOUTHWARK ...	–	3	10	–	6	C. 3 M. 2
†STEPNEY	–	11	9	–	7	–
†WANDSWORTH ...	–	4	4	2	4	M. 1
†WESTMINSTER, CITY OF	–	–	1	3	–	M. 2
†WOOLWICH ...	–	4	2	–	4	E. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	2	5	1	1	E. 1 M. 1
Boroughs and Urban Districts:—						
†BEDFORD ...	–	1	–	–	1	–
LEIGHTON BUZZARD	–	–	–	1	–	–
†LUTON	–	–	2	–	–	E. 1
Rural Districts:—						
AMPTHILL ...	–	–	1	–	–	–
BEDFORD... ...	–	–	–	–	–	M. 1
BIGGLESWADE ..	–	1	2	–	–	–
BERKS	–	8	3	–	–	G. 1
†READING C.B. ...	–	1	1	–	–	G. 1
Boroughs and Urban Districts:—						
ABINGDON ...	–	2	1	–	–	–
†NEWBURY ...	–	1	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	1	–	–	–	–
COOKHAM ...	–	2	–	–	–	–
NEWBURY ...	–	–	1	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	4	2	–	–	–
Boroughs and Urban Districts:—						
MARLOW	–	–	2	–	–	–
†SLOUGH	–	1	–	–	–	–
†WOLVERTON ...	–	1	–	–	–	–
Rural Districts:—						
AMERSHAM ...	*	*	*	*	*	*
AYLESBURY ...	*	*	*	*	*	*
WYCOMBE ...		2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	2	–	–	–	–
Borough:—						
†CAMBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
CHESTERTON ...	–	1	–	–	–	–
CHESTER	–	34	12	1	10	C. 1 E. 1 G. 1 L. 1 M. 1
†BIRKENHEAD C.B.	–	9	–	–	1	M. 1
†CHESTER C.B. ...	–	1	3	1	2	–
†STOCKPORT C.B.	–	5	–	–	2	–
†WALLASEY C.B. ...	–	–	–	–	–	G. 1
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	–	–	–	1	–
BOWDON	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	–	1	–	–	–
†CHEADLE AND GATLEY	–	–	1	–	–	–
COMPSTALL ...	–	–	1	–	–	–
†CONGLETON ...	–	1	1	–	–	–
†CREWE	–	2	–	–	–	–
†DUKINFIELD ...	–	–	1	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	1	1	–	1	–
†HYDE	–	–	1	–	1	–
†MACCLESFIELD ...	–	2	–	–	–	L. 1
MIDDLEWICH ...	–	–	1	–	–	–
†RUNCORN... ...	–	–	–	–	2	–
Rural Districts:—						
BUCKLOW ...	–	–	–	–	–	E. 1
CONGLETON ...	–	3	–	–	–	–
DISLEY	–	1	–	–	–	–
MACCLESFIELD ...	–	4	–	–	–	–
MALPAS	–	1	–	–	–	–
RUNCORN... ...	–	2	1	–	–	–
WIRRAL	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CORNWALL ...	–	–	4	–	1	–
Boroughs and Urban Districts:—						
†FALMOUTH ...	–	–	1	–	–	–
FOWEY	*	*	*	*	*	*
HELSTON	*	*	*	*	*	*
NEWQUAY ...	*	*	*	*	*	*
ST. IVES	–	–	1	–	–	–
ST. JUST	*	*	*	*	*	*
SALTASH	–	–	1	–	–	–
TORPOINT ...	–	–	–		1	–
Rural Districts:—						
SAINT GERMANS	–	–	1	–	–	–
CUMBERLAND ...	–	5	2	–	–	M. 1
†CARLISLE C.B. ...	–	2	2	–	–	M. 1
Boroughs and Urban Districts:—						
†MARYPORT ...	–	1	–	–	–	–
Rural Districts:—						
COCKERMOUTH ...	–	1	–	–	–	–
WHITEHAVEN ...	–	1	–	–	–	–
DERBY	6	16	3	1	7	C. 2 M. 2
†DERBY C.B. ...	–	7	–	–	1	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	–	1	1	–
CLAY CROSS ...	–	–	–	–	–	C. 1
DRONFIELD ...	–	3	–	–	–	M. 1
†GLOSSOP	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEANOR	–	–	–	–	1	–
†LONG EATON ...	6	1	–	–	–	–
†SWADLINCOTE DISTRICT	–	–	1	–	–	–
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	–	–
BAKEWELL ...	–	–	–	–	1	–
BELPER	–	1	–	–	1	–
BLACKWELL ...	–	1	1	–		C. 1
CHAPEL EN LE FRITH	–	1	–	–	1	–
CHESTERFIELD ..	–	1	–	–	–	M. 1
CLOWNE	–	–	1	–	–	–
DEVON	–	16	2	1	8	–
†EXETER C.B. ...	–	1	–	–	–	–
†PLYMOUTH C.B....	–	9	2	–	–	–
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	–	1	1	–
BRIXHAM ...	–	–	–	–	3	–
DARTMOUTH ...	–	–	–	–	1	–
†NEWTON ABBOT...	–	1	–	–	–	–
OKEHAMPTON ...	–	1	–	–	–	–
OTTERY ST. MARY	–	–	–	–	–	–
SIDMOUTH ...	–	–	–	–	1	–
Rural Districts:—						
CULMSTOCK ...	*	*	*	*	*	*
NEWTON ABBOT...	–	1	–	–	1	–
PLYMPTON ST. MARY ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	5	–	–	–	D. 1 M. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	–	–
†POOLE	–	–	–	–	–	M. 1
SHERBORNE ...	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	–	–
Rural Districts:—						
DORCHESTER ..	–	1	–	–	–	–
STURMINSTER ...	–	–	–	–	–	D. 1
WEYMOUTH ...	–	1	–	–	–	–
DURHAM	–	62	12	1	35	M. 7
†DARLINGTON C.B	–	–	1	–	5	–
†GATESHEAD C.B.	–	3	1	–	1	–
†SOUTH SHIELDS C.B.	–	10	2	–	9	–
†SUNDERLAND C.B.	–	3	–	–	4	M. 3
†TANFIELD ...	–	–	1	–	–	–
†WEST HARTLEPOOL C.B.	–	2	1	–	4	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	1	–	–	–
BENFIELDSIDE ...	–	–	–	–	2	M. 1
†BLAYDON... ...	–	2	–	–	–	–
†FELLING	–	2	–	–	2	–
†HARTLEPOOL ...	–	1	–	–	–	–
†HEBBURN ...	–	2	–	–	–	–
†HETTON	–	4	–	–	–	–
†JARROW	–	1	–	–	2	–
†RYTON	–	1	–	–	–	M. 1
†SEAHAM HARBOUR	–	–	–	–	–	M. 1
†SOUTHWICK ON WEAR	–	1	–	–	–	–
†STANLEY	–	2	1	–	–	–
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STOCKTON ON TEES	–	3	–	–	1	–
†WASHINGTON ..	–	2	–	–	1	–
Rural Districts:—						
AUCKLAND ..	–	5	1	–	–	–
BARNARD CASTLE	–	1	–	–	–	–
CHESTER LE STREET	–	6	1	–	–	–
DARLINGTON ...	–	–	–	1	–	–
DURHAM	–	1	–	–	–	–
EASINGTON ...	–	5	1	–	1	–
HOUGHTON LE SPRING	–	1	–	–	–	M. 1
LANCHESTER ..	–	1	–	–	–	–
SEDGEFIELD ..	–	2	–	–	–	–
SUNDERLAND ...	–	1	1	–	3	–
ESSEX	–	42	25	4	10	C. 1 D. 1 E. 2 G. 1 M. 2
†EAST HAM C.B. ...	–	3	–	–	–	M. 1
†SOUTHEND-ON-SEA C.B.	–	6	–	1	3	D. 1 E. 1
†WEST HAM C.B. ...	–	16	15	–	3	E. 1 M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN..	–	–	–	–	2	–
†CHELMSFORD ...	–	–	–	1	–	–
CHINGFORD ...	–	1	–	–	–	–
†CLACTON		1	–	–	–	–
†COLCHESTER ...	–	1	–	–	–	–
†GRAYS THURROCK	–	–	1	–	–	–
†ILFORD	–	3	4	–	–	–
†LEYTON	–		3	–	–	–
†ROMFORD ...	–	2	–	–	–	–
SHOEBURYNESS ...	–	–	–	–		–
†WALTHAMSTOW ...	–	1	2	–	1	G. 1
†WANSTEAD ..	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts:—						
DUNMOW	–		1	1	–	–
EPPING	–	1	–	–	–	–
ROCHFORD ...	–	3	–	–	–	–
ROMFORD... ...	–	4	1	–	–	C. 1
GLOUCESTER ...	22	25	15	1	7	C. 2 M. 1
†BRISTOL C.B. ...	–	14	11	–	5	C. 1
†GLOUCESTER C.B.	§22	1	–	–	2	–
Boroughs and Urban Districts:—						
†KINGSWOOD ...	–	4	1	–	–	–
NEWNHAM ...	–	1	–	–	–	–
Rural Districts:—						
EAST DEAN AND UNITED PARISHES ...	–	2	–	–	–	–
GLOUCESTER ...	–	–	1	–	–	–
NEWENT	–	–	1	–	–	C. 1
STOW ON THE WOLD (part)	–	–	–	–	–	M. 1
STROUD	–	–	–	1	–	–
TETBURY (part)	–	–	1	–	–	–
THORNBURY ...	–	3	–	–	–	–
HEREFORD ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
HEREFORD ...	–	–	1	–	–	–
LEOMINSTER ...	–	2	–	–	–	–
Rural Districts:—						
WEOBLEY ...	–	1	–	–	–	–
HERTFORD ...	–	3	5	1	–	L. 1
Boroughs and Urban Districts:—						
†BARNET	*	*	*	*	*	*
†CHESHUNT ...	–	–	1	–	–	–
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
HARPENDEN ...	–	–	1	–	–	–
†ST. ALBANS ...	–	2	–	–	–	–
STEVENAGE ...	–	–	–	1	–	–
†WATFORD ...	–	1	1	–	–	–
Rural Districts:—						
BARNET	–	–	1	–	–	–
WATFORD ...	–	–	–	–	–	L. 1
WELWYN	–	–	1	–	–	–
HUNTINGDON ...	–	–	–	–	–	–
Rural Districts:—						
ST. NEOTS, No. 4 ..	*	*	*	*	*	*
KENT	–	21	14	4	3	C. 1 M. 2
†CANTERBURY C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†BEXLEY	–	1	–	–	–	–
†CHATHAM ...	–	–	1	–	–	–
†CRAYFORD ...	–	1	–	–	–	–
†DARTFORD ...	–	1	–	–	–	–
†DEAL	–	–	–	–	–	C. 1
†ERITH	–	5	1	–	–	–
†FAVERSHAM ...	–	1	1	–	–	–
†FOLKESTONE ...	–	–	–	–	1	–
†GILLINGHAM ...	–	1	1	–	–	–
†GRAVESEND ...	–	2	–	–	–	–
MILTON REGIS ...	–	–	1	–	–	–
†NORTHFLEET ...	–	1	–	1	–	M. 1
QUEENBOROUGH	–	–	1	–	–	–
†RAMSGATE ...	–	–	1	–	1	M. 1
†ROYAL TUNBRIDGE WELLS	–	–	1	–	–	–
SEVENOAKS ...	–	1	–	–	–	–
†SHEERNESS ...	–	–	1	–	–	–
SITTINGBOURNE	–	1	–	–	–	–
TENTERDEN ...	–	–	–	1	–	–
WHITSTABLE ...	–	–	–	–	1	–
WROTHAM ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ Including 1 case notified as Chicken-pox, but re-diagnosed as Small-pox. In addition 6 other cases of Chicken-pox were notified.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts:—						
BROMLEY ...	–	–	1	–	–	–
DARTFORD ...	–	1	2	1	–	–
EASTRY	–	1	–	–	–	–
FAVERSHAM ...	–	–	1	–	–	–
HOO	*	*	*	*	*	*
MALLING	–	1	–	–	–	–
MILTON	–	–	1	–	–	–
SEVENOAKS ...	–	1	–	–	–	–
WEST ASHFORD...	–	–	–	1	–	–
LANCASTER ...	–	182	68	6	71	C. 11
						D. 1
						E. 1
						H. 1
						L. 1
†BARROW IN FURNESS C.B.	–	4	–	–	–	M. 34
†BLACKBURN C.B.	–	4	–	–	2	–
†BLACKPOOL C.B.	–	1	–	–	–	–
†BOLTON C.B. ...	–	6	–	–	–	–
†BOOTLE C.B. ...	–	3	–	–	2	M. 2
†BURNLEY C.B. ...	–	–	1	–	1	§H. 1
†BURY C.B. ...	–	–	3	–	–	–
†LIVERPOOL C.B. ...	–	35	15	1	12	C. 1
						E. 1
						M. 19
†MANCHESTER C.B.	–	31	7	–	15	C. 6
						M. 6
†OLDHAM C.B. ...	–	2	–	–	6	C. 1
†PRESTON C.B. ...	–	4	1	–	1	M. 1
†ROCHDALE C.B. ...	–	13	–	–	1	–
†ST. HELENS C.B. ...	–	4	1	–	4	–
†SALFORD C.B. ...	–	13	9	2	1	D. 1
						M. 1
†SOUTHPORT C.B.	–	1	3	1	–	–
†WARRINGTON C.B.	–	3	1	–	2	–
†WIGAN C.B. ...	–	2	5	–	2	M. 1
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	–	–	1	–
†ASHTON IN MAKERFIELD	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ASHTON UNDER LYNE	–	3	–	–	–	C. 1
†ATHERTON ...	–	1	1	–	–	–
†BACUP	–	2	–	–	1	–
†CHADDERTON ...	–	1	–	–	–	–
CHURCH	–	1	–	–		–
†DARWEN	–	–	–	–	1	–
†DENTON	–	2	1	–	2	–
†DROYLSDEN ...	–	2	–	–	2	–
†ECCLES	–	1	–	–	–	–
†FARNWORTH ...	–	1	–	–	–	–
†FLEETWOOD ...	–	1	1	–	–	–
†GREAT CROSBY ...	–	–	–	–	1	–
†GREAT HARWOOD	–	3	–	–	–	C. 1
†HEYWOOD ...	–	1	–	–	1	–
†HORWICH ...	–	1	–	–	–	–
†INCE IN MAKERFIELD	–	1	–	–	–	–
IRLAM	–	–	–	–	–	M. 1
†LANCASTER ...	–	1	2	–	–	–
LEES	–	1	1	–	–	–
†LEIGH	–	3	–	–	–	–
†LITHERLAND ...	–	1	–	–	–	–
†LYTHAM, ST. ANNE'S	–	1	–	–	–	–
†MIDDLETON ...	–	3	1	–	3	–
†MORECAMBE ...	–	–	1	–	–	–
†NELSON	–	1		–	–	–
†NEWTON IN MAKERFIELD	–	–	–	–	2	–
NORDEN	–	1	–	–	–	–
†OSWALDTWISTLE	–	–	–	–	1	–
†PADIHAM... ...	–	2	1	–	–	–
†RADCLIFFE ...	–	–	1	–	–	–
†RAMSBOTTOM ...	–	3	–	–	3	–
SKELMERSDALE...	–	1	–	–	–	–
†STRETFORD... ...	–	1	–	–	–	–
†SWINTON AND PENDLEBURY	–	3	–	–	–	M. 1
†TYLDESLEY WITH SHAKERLEY	–	–	3	–	–	–
†ULVERSTON ...	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	–	1	–	–	M. 1
†WESTHOUGHTON	–	2	–	–	–	–
†WIDNES	–	4	3	–	3	–
WITHNELL ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

§ This is a doubtful case.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts:—						
BURNLEY	–	–	2	–	–	–
BURY	–	1	–	–	–	–
CHORLEY	–	–	–	–	–	C. 1
FYLDE	–	–	1	–	–	–
GARSTANG ...	–	–	–	1	–	–
LANCASTER ..	–	–	–	–	1	–
LIMEHURST ..	*	*	*	*	*	*
PRESTON	–	–	–	–	–	M. 1
ULVERSTON ...	–	3	–	–	–	–
WARRINGTON ...	–	–	–	1	–	–
WHISTON... ..	–	–	–	–	–	L. 1
LEICESTER... ...	–	4	6	–	2	–
†LEICESTER C.B. ...	*	*	*	*	*	*
Boroughs and Urban Districts:—						
MARKET HARBOROUGH	*	*	*	*	*	*
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	5	–	1	–
BARROW UPON SOAR	–	1	–	–	–	–
BILLESDON ...	–	2	–	–	–	–
HINCKLEY ...	–	1	–	–	–	–
MARKET BOSWORTH	–	–	1	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	1	–	1	1	C. 1
Boroughs and Urban Districts—						
LONG SUTTON ...	–	–	–	–	1	–
†SPALDING ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland)—*cont.*						
Rural Districts:—						
EAST ELLOE ...	–	–	–	1	–	C. 1
LINCOLN (parts of Kesteven).	–	1	1	–	–	–
Rural Districts:—						
CLAYPOLE ...	–	1	1	–	–	–
LINCOLN (parts of Lindsey).	–	5	3	–	3	C. 1. M. 1
†GRIMSBY C.B. ...	–	1	2	–	1	–
†LINCOLN C.B. ..	–	2	–	–	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	1	–	–	–
†GAINSBOROUGH ...	–	–	–	–	–	C. 1
†SCUNTHORPE AND FRODINGHAM	–	2	–	–	1	–
WINTERTON ...	*	*	*	*	*	*
Rural Districts:—						
GAINSBOROUGH ...	*	*	*	*	*	*
GLANFORD BRIGG	–	–	–	–	1	–
ISLE OF AXHOLME	–	–	–	–	–	M. 1
MIDDLESEX ...	–	26	31	3	5	E. 1 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	1	1	–	–	M. 1
†BRENTFORD ...	–	1	1	–	–	–
†CHISWICK ...	–	1	1	–	–	–
†EALING	–	1	–	–	–	–
†EDMONTON ...	–	1	2	1	1	–
†ENFIELD	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
FELTHAM ...	–	–	2	–	–	–
†FINCHLEY ...	–	2	–	–	–	–
†FRIERN BARNET	–	1	–	–	–	–
HAMPTON WICK...	–	–	–	–	1	–
†HANWELL ...	–	2	1	–	–	–
†HENDON	–	3	5	–	–	–
†HESTON AND ISLEWORTH	–	1	3	–	–	–
†HORNSEY... ...	–	1	2	–	1	–
KINGSBURY ...	*	*	*	*	*	*
RUISLIP NORTHWOOD	–	1	–	–	–	–
STAINES	–	–	1	1	–	–
†TOTTENHAM ...	–	4	2	–	1	–
†TWICKENHAM ...	–	–	1	–	–	–
†WILLESDEN ...	–	4	4	–	1	–
†WOOD GREEN ...	–	1	–	–	–	–
YIEWSLEY ...	–	–	–	1	–	–
Rural Districts:—						
HENDON	–	1	2	–	–	E. 1
STAINES	–	–	2	–	–	–
NORFOLK	–	45	16	–	2	C. 1
†GREAT YARMOUTH C.B.	–	3	1	–	1	–
†NORWICH C.B. ...	–	21	10	–	–	–
Boroughs and Urban Districts:—						
DISS	–	–	2	–	–	–
†KING'S LYNN ...	–	–	–	–	1	–
NORTH WALSHAM	–	1	1	–	–	–
Rural Districts:—						
BLOFIELD ...	–	2	–	–	–	–
DOCKING... ...	–	11	–	–	–	–
NORFOLK—*cont.*						
Rural Districts—*cont.*						
DOWNHAM ...	–	1	–	–	–	–
FOREHOE ...	–	1	1	–	–	–
FREEBRIDGE LYNN	–	–	–	–	–	C. 1
HENSTEAD ...	–	3	–	–	–	–
MITFORD AND LAUNDITCH	–	2	–	–	–	–
SMALLBURGH ...	–	–	1	–	–	–
NORTHAMPTON ...	–	26	3	–	3	G. 1
†NORTHAMPTON C.B.	–	1	1	–	2	–
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	1	–	–	–	–
IRTHLINGBOROUGH	–	1	–	–	–	–
†KETTERING ...	–	5	–	–	–	G. 1
†RUSHDEN ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	3	–	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	–	1	–	–	–
DAVENTRY ...	–	2	–	–	–	–
HARDINGSTONE...	–	1	–	–	–	–
KETTERING ...	–	3	–	–	–	–
OXENDEN... ...	*	*	*	*	*	*
POTTERSPURY ...	–	8	–	–	–	–
THRAPSTON (part)	–	–	1	–	–	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND	–	22	5	–	9	M.
†NEWCASTLE UPON TYNE C.B.	–	8	3	–	5	M.
†TYNEMOUTH C.B	–	1	–	–	1	M.

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	4	–	–	–	–
†BEDLINGTONSHIRE	–	2	–	–	1	–
†BLYTH	–	–	–	–	–	M. 1
†LONGBENTON ...	–	2	1	–	–	–
MORPETH... ...	–	1	–	–	–	–
†NEWBURN ...	–	1	–	–	–	–
PRUDHOE... ...	–	–	–	–	–	M. 1
†WALLSEND ...	–	1	–	–	–	M. 1
WEETSLADE ...	–	–	–	–	2	–
†WHITLEY AND MONKSEATON	–	–	1	–	–	–
Rural Districts:—						
NORHAM AND ISLANDSHIRES	–	2	–	–	–	–
NOTTINGHAM ...	16	18	13	–	3	C. 1 M. 5
†NOTTINGHAM C.B.	–	9	8	–	1	M. 3
Boroughs and Urban Districts:—						
†ARNOLD	–	1	–	–	–	–
†CARLTON	–	5	1	–	–	–
†HUCKNALL ...	–	–	–	–	1	–
HUTHWAITE ...	–	1	–	–	–	–
†KIRKBY IN ASHFIELD	9	–	–	–	–	C. 1 M. 1
†MANSFIELD WOODHOUSE	–	–	–	–	1	–
†NEWARK	–	–	1	–	–	–
†SUTTON IN ASHFIELD	–	1	–	–	–	M. 1
WARSOP	6	–	–	–	–	–
Rural Districts:—						
BASFORD	1	–	–	–	–	–
EAST RETFORD ...	–	–	2	–	–	–
NEWARK	–	–	1	–	–	–
SOUTHWELL ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	7	–	–	–	M. 1
†OXFORD C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†BANBURY... ...	–	1	–	–	–	–
Rural Districts:—						
BICESTER... ...	–	2	–	–	–	–
WITNEY	–	1	–	–	–	M. 1
PETERBOROUGH (Soke of)	–	8	–	–	–	–
Borough:—						
†PETERBOROUGH...	–	8	–	–	–	–
RUTLAND	–	–	–	–	1	–
Rural District:—						
UPPINGHAM ...	–	–	–	–	1	–
SALOP	–	4	2	–	–	C. 1 M. 2
Boroughs and Urban Districts:—						
DAWLEY	–	1	–	–	–	–
NEWPORT ...	–	1	–	–	–	–
†SHREWSBURY ...	–	1	–	–	–	–
WELLINGTON ...	–	–	–	–	–	C. 1
Rural Districts:—						
CLUN	–	–	1	–	–	–
OSWESTRY ...	–	1	1	–	–	M. 1
WEM	–	–	–	–	–	M. 1
SOMERSET	–	17	3	–	3	C. 1
†BATH C.B. ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Boroughs and Urban Districts:—						
CHARD	*	*	*	*	*	*
CLEVEDON ...	–	1	–	–	–	–
CREWKERNE ...	*	*	*	*	*	*
MIDSOMER NORTON	–	2	–	–	–	–
WELLINGTON ...	–	4	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	1	–
BATH	–	4	–	–	–	–
BRIDGWATER ...	–	1	–	–	–	–
CHARD	–	–	1	–	–	–
CLUTTON	–	1	–	–	–	–
KEYNSHAM ...	–	–	1	–	–	–
LANGPORT ...	–	–	–	–	–	C. 1
LONG ASHTON ...	–	2	1	–	–	–
WELLS	–	–	–	–	1	–
WINCANTON ...	–	1	–	–	–	–
SOUTHAMPTON ...	–	27	16	1	3	E. 1 G. 1 M. 1
†BOURNEMOUTH C.B.	–	1	1	–	–	E. 1
†PORTSMOUTH C.B.	–	9	5	1	–	G. 1
†SOUTHAMPTON C.B.	–	9	5	–	–	M. 1 –
Boroughs and Urban Districts:—						
ANDOVER... ...	–	–	1	–	–	–
†BASINGSTOKE ...	–	1	–	–	–	–
†GOSPORT	–	–	2	–	–	–
†WINCHESTER ...	–	1	1	–	–	–
Rural Districts:—						
ALTON	–	4	–	–	–	–
FORDINGBRIDGE ..	–	–	–	–	2	–
HAVANT	*	*	*	*	*	*
NEW FOREST ...	–	–	–	–	1	–
STOCKSBRIDGE ...	–	–	1	–	–	–
WINCHESTER ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD	–	57	14	1	26	C. 1 M. 8
†BURTON UPON TRENT C.B.	–	–	–	–	2	–
†SMETHWICK C.B.	–	2	1	–	–	M. 1
†STOKE ON TRENT C.B.	–	20	2	1	7	M. 4
†WALSALL C.B. ...	–	1	2	–	1	M. 1
†WEST BROMWICH C.B.	–	3	1	–	3	–
†WOLVERHAMPTON C.B.	–	3	2	–	4	–
Boroughs and Urban Districts:—						
†AUDLEY	–	1	–	–	–	–
BIDDULPH ..	–	7	1	–	–	–
†CANNOCK	–	–	–	–	2	–
†DARLASTON ...	–	1	–	–	–	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	1	–	–	–	–
KIDSGROVE ...	–	1	–	–	–	–
†LEEK	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	3	1	–	–	–
QUARRY BANK ...	–	2	–	–	–	–
†ROWLEY REGIS ...	–	–	–	–	1	–
RUGELEY	–	2	1	–	–	–
†STAFFORD ...	–	3	–	–	–	–
TAMWORTH ...	–	1	–	–	–	–
†WEDNESBURY ...	–	2	–	–	–	M. 2
WEDNESFIELD ...	*	*	*	*	*	*
†WILLENHALL ...	–	–	–	–	1	–
†WOLSTANTON UNITED	–	1	–	–	1	–
Rural Districts:—						
CANNOCK	–	–	1	–	–	–
CHEADLE	–	1	–	–	1	–
KINGSWINFORD ...	–	–	2	–	–	–
LICHFIELD ...	–	1	–	–	1	C. 1
STAFFORD ...	–	–	–	–	1	–
WALSALL	–	–	–	–	1	–
SUFFOLK, EAST ...	–	5	10	–	1	M. 1
†IPSWICH C.B. ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Boroughs and Urban Districts:—						
BECCLES	*	*	*	*	*	*
EYE	–	–	–	–	–	M. 1
†LOWESTOFT ...	–	1	–	–	–	–
SAXMUNDHAM ...	–	1	–	–	–	–
WOODBRIDGE ...	–	–	8	–	–	–
Rural Districts:—						
SAMFORD	–	1	–	–	–	–
WOODBRIDGE ...	–	–	2	–	1	–
SUFFOLK, WEST ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	1	–
NEWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
BRANDON... ...	–	1	–	–	–	–
SURREY	–	20	13	–	2	G. 1 M. 1
†CROYDON C.B. ...	–	4	3	–	–	–
Boroughs and Urban Districts:—						
†BARNES	–	–	–	–	–	M. 1
†BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
†CARSHALTON ...	–	1	–	–	–	–
†CATERHAM ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	2	–	–	–	–
EAST AND WEST MOLESEY	–	–	3	–	–	–
EPSOM	–	–	1	–	–	–
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ESHER AND THE DITTONS	–	–	1	–	–	–
†GUILDFORD ...	–	–	–	–	–	G. 1
†MERTON AND MORDEN	–	4	–	–	–	–
†MITCHAM... ...	–	1	–	–	2	–
†REIGATE	*	*	*	*	*	*
†WALTON UPON THAMES	–	1	–	–	–	–
†WIMBLEDON ...	–	2	3	–	–	–
†WOKING	–	1	–	–	–	–
Rural Districts:—						
CHERTSEY ...	–	1	–	–	–	–
FARNHAM ...	–	1	1	–	–	–
HAMBLEDON ...	–	–	1	–	–	–
SUSSEX, EAST ...	–	12	1	3	2	C. 1 M. 3
†BRIGHTON C.B. ...	–	6	–	1	2	M. 1
†HASTINGS C.B. ...	–	–	1	1	–	C. 1 M. 1
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	1	–	–	–	–
†HOVE	–	5	–	1	–	–
Rural Districts:—						
STEYNING EAST...	–	–	–	–	–	M. 1
SUSSEX, WEST ...	–	1	3	–	–	–
Boroughs and Urban Districts:—						
†BOGNOR	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST— *cont.*						
Rural Districts:—						
EAST PRESTON ...	–	–	1	–	–	–
HORSHAM ...	–	1	–	–	–	–
WESTHAMPNETT	–	–	1	–	–	–
WARWICK	–	73	30	7	25	C. 3 L. 1 M. 8
†BIRMINGHAM C.B	–	52	19	2	16	C. 3 L. 1 M. 8
†COVENTRY C.B. ...	–	8	1	1	1	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	1	2	–	3	–
†ROYAL LEAMINGTON SPA	–	1	–	4	–	–
STRATFORD ON AVON	–	–	1	–	–	–
Rural Districts:—						
ALCESTER ...	–	–	–	–	1	–
ATHERSTONE ...	–	3	1	–	1	–
FOLESHILL ...	–	6	–	–	1	–
MERIDEN... ...	–	–	1	–	–	–
NUNEATON ...	–	1	–	–	1	–
RUGBY	–	1	–	–	1	–
SOLIHULL ...	–	–	5	–	–	–
WESTMORLAND ...	–	3	1	–	2	D. 1
Boroughs and Urban Districts:—						
†KENDAL	–	1	1	–	–	D. 1
KIRKBY LONSDALE	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	2	–
WIGHT, ISLE OF ...	–	2	–	1	–	M. 1
Boroughs and Urban Districts—						
†NEWPORT... ...	–	–	–	1	–	–
†RYDE	–	–	–	–	–	M. 1
SHANKLIN ...	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	1	–	–	–	–
WILTS	–	7	4	–	–	M. 1
Boroughs and Urban Districts:—						
DEVIZES	–	1	–	–	–	–
†SALISBURY ...	–	1	3	–	–	–
†SWINDON... ...	–	1	–	–	–	M. 1
Rural Districts:—						
CRICKLADE AND WOOTTON BASSETT... ...	–	1	–	–	–	–
PEWSEY	–	1	–	–	–	–
RAMSBURY ...	–	2	–	–	–	–
SALISBURY ...	–	–	1	–	–	–
WORCESTER ...	–	21	1	–	3	M. 1
†WORCESTER C.B.	–	2	–	–	1	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	4	–	–	–	–
†KIDDERMINSTER	–	1	–	–	–	–
†OLDBURY... ...	–	5	1	–	2	–
†REDDITCH ...	–	6	–	–	–	–
†STOURBRIDGE ...	–	–	–	–	–	M. 1
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
FECKENHAM ...	–	1	–	–	–	–
HALESOWEN ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding.)	–	12	5	–	4	C. 1 M. 2
†KINGSTON UPON HULL C.B.	–	4	4	–	3	C. 1 M. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	–	–
COTTINGHAM ...	–	1	–	–	–	–
NORTON	–	1	–	–	–	–
WITHERNSEA ...	–	1	1	–	–	–
Rural Districts:—						
BEVERLEY ...	–	1	–	–	–	–
HOWDEN	–	3	–	–	1	–
YORKS ... ... (North Riding.)	1	32	6	–	6	–
†MIDDLESBROUGH C.B.	1	22	2	–	2	–
Boroughs and Urban Districts:—						
†ESTON	–	4	–	–	–	–
GUISBOROUGH ...	–	–	–	–	1	–
NORTHALLERTON	–	1	–	–	–	–
SALTBURN BY THE SEA	–	1	–	–	–	–
SCALBY	*	*	*	*	*	*
†SCARBOROUGH ...	–	2	1	–	1	–
†THORNABY ON TEES	*	*	*	*	*	*
†WHITBY	–	–	–	–	1	–
Rural Districts:—						
BEDALE	–	–	1	–	–	–
EASINGWOLD ...	–	–	–	–	1	–
RICHMOND ...	–	1	–	–	–	–
STOKESLEY ...	–	–	1	–	–	–
THIRSK	–	1	–	–	–	–
WHITBY	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding.)	4	109	26	1	63	C. 6 L. 2 M. 11
†BARNSLEY C.B. ...	–	1	1	–	1	M. 1
†BRADFORD C.B. ...	–	14	4	–	3	C. 2
†DEWSBURY C.B....	–	2	–	–	1	–
†HUDDERSFIELD C.B.	–	2	–	–	–	M. 1
†LEEDS C.B. ...	–	28	4	–	10	C. 1 M. 2
†ROTHERHAM C.B.	–	3	–	–	4	–
†SHEFFIELD C.B....	–	12	8	–	22	C. 1 M. 3
†WAKEFIELD C.B.	–	1	1	–	1	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	1	–	–	–	–
ALTOFTS	–	–	–	–	1	–
†BATLEY	–	2	–	–	–	–
†BENTLEY WITH ARKSEY	3	–	–	–	–	–
†BINGLEY	–	3	–	–	–	–
BIRSTALL... ...	*	*	*	*	*	*
†BOLTON UPON DEARNE	–	3	–	–	1	–
BURLEY IN WHARFEDALE	–	1	–	–	–	C. 1
†CASTLEFORD ...	–	1	–	–	–	–
DARFIELD ...	–	–	–	–	1	–
†DARTON	–	1	–	–	–	–
†DONCASTER ...	1	1	1	–	3	–
DRIGHLINGTON ...	–	–	–	–	–	M. 1
†FEATHERSTONE ...	–	2	–	–	–	–
†GOOLE	–	1	–	–	1	–
GUISELEY ...	–	–	–	–	–	M. 1
HEBDEN BRIDGE	–	1	–	–	–	–
HECKMONDWIKE	–	1	–	–	–	–
†HEMSWORTH ...	–	1	–	–	–	–
HIPPERHOLME ...	–	–	–	–	1	–
ILKLEY	–	–	1	–	–	–
†KEIGHLEY ...	–	1	–	–	–	M. 1
KNOTTINGLEY ...	–	3	–	–	–	–
LINTHWAITE ...	–	1	–	–	–	–
†MIRFIELD ...	–	–	–	–	2	–
†MORLEY	–	1	1	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†OSSETT	–	2	–	1	–	–
QUEENSBURY ...	–	1	–	–	–	–
†RAWMARSH ...	–	1	–	–	–	–
†ROTHWELL ...	–	–	–	–	2	–
SELBY	–	1	–	–	–	–
†SPENBOROUGH ...	–	1	–	–	–	–
†STANLEY		2	–	–	–	–
STOCKSBRIDGE ...	–	1	–	–	–	–
†SWINTON... ...	–	–	–	–	1	–
†WOMBWELL ...	–	1	1	–	1	M. 1
†WORSBOROUGH ...	–	1	–	–	1	C. 1
YEADON	–	–	–	–	1	–
Rural Districts—						
BARNSLEY ...	–	1	–	–	–	–
DONCASTER ...	–	1	–	–	1	–
GOOLE	–	–	2	–	–	–
GREAT OUSEBURN	*	*	*	*	*	*
HEMSWORTH ...	–	1	1	–	–	–
PONTEFRACT ...	–	1	–	–	–	–
SELBY	–	–	–	–	1	–
TADCASTER ...	–	4	–	–	–	–
WAKEFIELD ...	–	1	1	–	–	–
WETHERBY ...	–	–	–	–	1	–
WHARFEDALE (SOUTH)	–	–	–	–	–	L. 2
WORTLEY ...	–	1	–	–	–	–
County Borough :—						
†YORK§	–	3	–	–	–	M. 2
WALES.						
ANGLESEY	–	1	–	–	–	–
Rural Districts:—						
VALLEY	–	1	–	–	–	–
BRECKNOCK ...	–	–	3	1	1	–
Urban Districts :—						
BRYNMAWR ...	–	–	–	–	1	–
Rural Districts :—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
CRICKHOWELL ...	–	–	–	1	–	–
YSTRADGYNLAIS...	–	–	3	–	–	–
CARDIGAN	–	1	–	–	–	–
Rural Districts :—						
ABERAYRON ...	–	1	–	–	–	–
CARMARTHEN ...	–	4	2	–	4	M. 1
Boroughs and Urban Districts :—						
LLANDOVERY ...	–	1	–	–	–	–
†LLANELLY ...	–	1	2	–	1	M. 1
Rural Districts :—						
LLANDILO FAWR..	–	1	–	–	1	–
LLANELLY ...	–	1	–	–	2	–
CARNARVON ...	–	–	1	–	–	–
Boroughs and Urban Districts :—						
PWLLHELI ...	–	–	1	–	–	–
DENBIGH	–	2	1	3	1	D. 1 M. 1
Boroughs and Urban Districts :—						
†COLWYN BAY AND COLWYN ...	–	1	–	–	–	–
DENBIGH... ...	–	–	1	2	1	–
LLANGOLLEN ...	–	–	–	–	–	D. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

§ York C.B. is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH—*cont.*						
Rural Districts :—						
CHIRK	–	1	–	–	–	–
ST. ASAPH (DENBIGH)	*	*	*	*	*	*
WREXHAM ...	–	–	–	1	–	M. 1
FLINT	–	2	–	–	–	–
Boroughs and Urban Districts :—						
CONNAH'S QUAY...	*	*	*	*	*	*
FLINT	–	1	–	–	–	–
Rural Districts :—						
HAWARDEN ...	–	1	–	–	–	–
ST. ASAPH (FLINT)	*	*	*	*	*	*
GLAMORGAN ...	–	43	23	1	9	C. 3 G. 1 M. 3
†CARDIFF C.B. ...	–	10	–	–	2	C. 1 M. 1
†MERTHYR TYDFIL C.B.	–	–	4	–	–	–
†SWANSEA C.B. ...	–	5	4	–	1	C. 1
Boroughs and Urban Districts :—						
†ABERDARE ...	–	4	–	–	2	–
†BARRY	–	1	2	–	–	–
†CAERPHILLY ...	–	–	2	–	–	–
†GELLIGAER ..	–	–	–	1	–	G. 1
†GLYNCORWG ...	–	–	–	–	1	–
†MAESTEG ...	–	–	1	–	–	–
†MOUNTAIN ASH...	–	2	–	–	1	–
†NEATH	–	–	4	–	–	–
†OGMORE AND GARW	–	7	–	–	–	C. 1
PORTHCAWL ...	–	–	1	–	–	–
†PORT TALBOT ...	–	2	–	–	–	–
†RHONDDA ..	–	2	5	–	2	M. 2
Rural Districts :—						
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	-	5	–	–	–	–
NEATH	–	5	–	–	–	–
MONMOUTH ...	2	5	8	2	3	C. 1
†NEWPORT C.B. ...	1	-	–	–	–	C. 1
Boroughs and Urban Districts :—						
†ABERCARN ...	–	1	–	–	–	–
†ABERSYCHAN ...	–	–	2	–	–	–
†BEDWELLTY ...	–	1	–	–	–	–
†EBBW VALE ...	–	1	–	1	–	–
MONMOUTH ...	–	1	–	–	–	–
†MYNYDDISLWYN	–	–	1	1	–	–
†RHYMNEY ...	1	–	–	–	–	–
†RISCA	–	–	2	–	–	–
†TREDEGAR ..	–	1	1	–	3	–
Rural Districts :—						
CHEPSTOW ...	–	–	1	–	–	–
SAINT MELLONS...	–	–	1	–	–	–
MONTGOMERY ...	–	1	1	–	–	–
Rural Districts :—						
LLANFYLLIN ...	–	1	1	–	–	–
PEMBROKE... ...	–	–	2	–	–	–
Boroughs and Urban Districts :—						
GOODWICK ...	*	*	*	*	*	*
MILFORD HAVEN	–	–	2	–	–	–
†PEMBROKE ...	*	*	*	*	*	*
RADNOR						
Urban District :—						
LLANDRINDOD WELLS	*	*	*	*	*	*
Total of Part II. ...	51	1059	427	46	341	C. 40 D. 5 E. 7 G. 7 H. 1 L. 6 M. 114

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
Colchester	*	*	*	*	*	*	Port of London ...	–	–	–	1	3	I. 1
Plymouth	–	–	–	–	1	–							
							Total of Part III.— ...	–	–	–	1	4	I. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	143	164	7	70	C. 5 E. 1 G. 1 M. 23
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	51	1059	427	46	341	C. 40 D. 5 E. 7 G. 7 H. 1 L. 6 M. 114
Total of Part III.—Port Sanitary Districts	–	–	–	1	4	I. 1
Total (*i.e.*, of returns received), England and Wales ...	51	1202	591	54	415	C. 4 D. E. 8 G. 8 H. I. L. 6 M. 13

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continue Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera or Plague notified during the week. One suspected ca of Typhus Fever notified appears on page 849. The cases of Small-pox notified appear on pag 846, 848, 852, 856, and 858.

e 5.—LONDON and GREAT TOWNS in the GREGATE. } { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	May 5.	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.
IDON :—													
ATHS—all ages	1,047	885	949	906	840	847	871	855	772	834	1,016	902	686
„ 0 to 1 year ..	118	106	93	98	83	74	90	86	76	85	106	112	80
EAT TOWNS, aggregate (including London) :—													
THS	7,969	7,665	8,309	6,717	8,724	8,054	8,106	7,901	7,792	7,746	7,331	8,275	7,554
ATHS—all ages	4,887	4,478	4,532	4,225	4,152	4,264	4,060	3,858	3,668	3,703	4,052	3,618	3,108
„ 0 to 1 year ..	648	566	564	518	506	518	474	464	471	428	516	492	413
ERIC FEVER—Cases	30	15	18	18	16	18	15	24	15	33	24	19	21
„ Deaths	2	1	3	5	—	2	2	2	1	3	1	3	3
ALL POX—Cases ..	1	4	7	1	8	38	56	82	104	95	114	64	25
„ Deaths ..	—	—	—	—	—	—	—	—	—	—	1	1	—
RLET FEVER—Cases	963	859	830	891	804	833	762	825	817	798	733	647	677
„ Deaths	11	15	25	7	12	7	9	16	11	7	10	2	7
PHTHERIA—Cases ..	499	515	467	405	405	441	448	415	378	424	431	403	385
„ Deaths ..	36	38	34	29	15	33	26	32	24	15	17	16	10
ASLES—Deaths ..	74	73	73	73	60	97	85	61	61	42	51	53	36
LUENZA—Deaths ..	175	207	200	166	155	140	120	92	81	59	34	36	24

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 28th July, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
NDON (GREENWICH).	80	48	74·0	56·0	6	BRADFORD ..	67	48	63·0	54·1	33
IGHTON ..	70	51	65·8	57·8	18	SHEFFIELD ..	Not received.				
RTSMOUTH ..	76	52	69·5	58·1	5	YORK (MUSEUM)	70	48	66·6	55·9	23
RWICH (EATON)	75	49	68·0	55·3	22	HULL (PEARSON PARK).	72	48	67·6	55·7	40
YMOUTH ..	75	50	69·0	56·9	6	TYNEMOUTH ..	69	47	64·9	54·0	7
ISTOL (CLIFTON).	70	52	66·0	56·3	17	CARDIFF	68	48	64·7	54·4	22
RMINGHAM (EDGBATON)	73	48	65·7	53·7	44						
TTINGHAM ..	73	51	66·6	55·9	36	EDINBURGH ..	65·0	46·0	62·0	51·1	9
RKENHEAD (BIDSTON).	69	52	63·1	55·9	28	GLASGOW ..	63·3	47·2	60·4	52·3	32
ANCHESTER (WHITWORTH PARK).	69	53	65·0	56·3	51	DUBLIN (PHŒNIX PARK).	Not received.				
RNLEY	65	49	61·6	53·4	66	FITZWILLIAM SQUARE.†	70·0	52·2	66·4	56·1	20
UDDERSFIELD	66	50	65·4	55·7	33	BELFAST	76·0	54·0	67·2	57·8	24

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 28th July, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JULY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	miles	miles	in.
SUNDAY - 22	Perigee.	30·079	80·4	58·8	21·6	68·3	+ 5·2	57·0	11·3	21·7	3·0	67	147·3	49·8	58·0	WSW	W: WSW.	2·0	0·0	0·2	330	+ 78	0·00
MONDAY - 23	..	29·771	78·1	54·9	23·2	63·7	+ 0·7	58·4	5·3	21·1	2·9	83	158·0	47·1	58·2	WSW: SW.	WSW	3·1	0·1	0·3	407	+ 153	0·05
TUESDAY - 24	..	29·773	77·1	57·1	20·0	65·8	+ 2·9	50·2	15·6	25·5	3·1	57	146·3	47·1	58·2	NW	W: WSW.	2·0	0·1	0·2	289	+ 35	0·00
WEDNESDAY 25	Greatest Declination S.	29·658	71·9	57·3	14·6	62·5	− 0·2	57·7	4·8	14·5	2·2	84	116·3	48·3	58·3	WSW	W	2·5	0·0	0·2	352	+ 100	0·10
THURSDAY - 26	..	29·712	70·2	53·0	17·2	60·2	− 2·3	43·1	17·1	25·1	3·4	53	130·2	43·3	58·3	W: WNW.	WNW	5·4	0·1	0·5	459	+ 209	0·00
FRIDAY - 27	Full.	29·836	72·2	48·2	24·0	59·9	− 2·5	46·0	13·9	25·2	4·4	60	139·4	34·7	58·4	WNW	WNW: WSW.	1·8	0·0	0·1	261	+ 15	0·00
SATURDAY - 28	..	29·505	68·8	55·3	13·5	60·3	− 2·0	56·9	3·4	10·0	2·4	89	117·0	50·2	58·1	SW: SSW.	WSW	4·2	0·0	0·3	364	+ 122	0·08
MEANS -	..	29·762	74·1	54·9	19·2	63·0	+ 0·3	52·8	10·2	20·4	3·1	70	136·4	45·8	58·2	WSW		..	..	..	Sum 2,462	Sum + 712	Sum 0·23
No. of COLUMN	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JULY.		ELECTRICITY. (For explanation of symbols. *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	22	wP	7·9	15·9	Nearly cloudless till 4h.; overcast from 5h. clearing to nearly cloudless by 13½h.
MONDAY ..	23	wP	5·9	15·8	Overcast with partially cloudy period between 9h. and 13h. Rain 14½h. till 15¼h. Damping from 20h.
TUESDAY ..	24	wP till 6h.; mP till 20h.; then wP.	13·8	15·8	Variably cloudy.
WEDNESDAY	25	wP	0·2	15·7	Overcast till 19h., then clearing gradually to nearly cloudless by 21h. Rain generally from 12½h. till 17½h.
THURSDAY	26	wP till 8½h.; mP till 22h.; then wP.	12·7	15·7	Variably cloudy till 18h., then nearly cloudless. Brisk wind from 13h. till 20h.
FRIDAY ..	27	wP till 8h.; mP till 18h.; then wP.	7·1	15·7	Nearly cloudless till 6h.; partially cloudy till 12h., then overcast generally. Occasional very slight rain between 15h. and 21h.
SATURDAY	28	wP	2·5	15·6	Overcast generally till 20h., then clearing to variably cloudy. Shower 3½h.; rain 10¾h. till 14h. and at 17½h.
			Sum 59·1	Sum 110·2	
No. of Col. ..		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 30·15 in. at the beginning of the week to 29·70 in. by 1h. on 24th; increased to 29·79 in. by 11h. on 24th; decreased to 29·63 in. by 17h. on 25th; increased generally to 29·87 in. by 9h. on 27th; decreased generally and was 29·51 in. by midnight on the 28th.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS
11-17, Hare Street, E.2

FOR OFFICIAL USE.

1923. No. 31.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 4TH AUGUST, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 4TH AUGUST, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-first week of the year numbered 8,131 and corresponded to an annual rate of 22·1 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,301 and corresponded to an annual rate of 9·0 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 11·0, 9·8 and 8 5. Infant mortality was 50 per 1,000 births, against 70, 59 and 55 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,873 births, corresponding to a rate of 21·5 per 1,000, and 765 deaths of civilians, corresponding to a rate of 8·8, as against 11·7, 10·4 and 7·9 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 9·7 per 1,000. The infant mortality was 39 as against 66, 57 and 45 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 193 in the total deaths last week, but the deaths from influenza fell from 24 to 15. In London the number of deaths from all causes rose from 686 to 765; while the deaths from diphtheria, which had been 11, 4 and 2 in the preceding three weeks, rose to 10 last week, and those from influenza, which had been 3, 3 and 4 in the three preceding weeks, rose to 5 last week.

Just Published:

Census of England and Wales, 1921. County of Surrey. Price 10*s*. net.

County of Kent. Price 14*s*. net.

County of Hertford. Price 7*s*. 6*d*. net.

County of Lancaster. Price 20*s*. net.

Yorkshire. Price 25*s*. net.

County of Glamorgan. Price 10*s*. net.

The Registrar General's Statistical Review, 1921.

Tables, Part II. Civil. Price 5*s*. net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 4th August, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa, and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	8,131	3,301	407	1	28	5	33	22	67	15
London	4,534,230*	1,873	765	73	1	3	3	5	10	8	5
Towns in Outer Ring.											
Croydon C.B. ..	192,300	70	27	1	–	–	–	–	1	–	1
Wimbledon ..	61,730	20	6	1	–	–	–	–	–	1	–
Ealing	67,890	30	13	3	–	–	–	–	1	–	–
Acton	62,390	16	11	1	–	–	–	–	–	–	–
Willesden ..	168,200	59	23	2	–	–	–	–	–	1	–
Hendon	55,930	16	8	1	–	–	–	–	–	–	–
Hornsey	87,310	24	15	2	–	–	–	–	–	–	–
Wood Green ..	51,290	10	9	–	–	–	–	–	–	–	–
Tottenham ..	150,500	43	21	2	–	–	–	–	1	–	–
Edmonton ..	68,700	45	21	3	–	–	–	–	–	1	–
Enfield	62,010	20	7	1	–	–	–	–	–	–	–
West Ham C.B. ..	310,200	147	46	3	–	–	–	–	–	1	–
East Ham C.B. ..	145,800	48	22	4	–	–	–	–	–	1	–
Leyton	131,600	46	9	2	–	–	–	–	–	–	–
Walthamstow ..	129,700	53	20	1	–	–	–	–	–	–	–
Ilford	86,370	47	7	2	–	–	–	–	–	–	–
Gillingham	48,630*	22	4	2	–	–	–	–	–	–	–
Canterbury C.B ..	23,680	12	4	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	12	11	–	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	19	5	1	–	–	–	–	–	–	–
Brighton C.B. ..	135,000	47	36	5	–	–	–	–	2	–	–
Portsmouth C.B. ..	236,630*	88	44	3	–	–	–	–	2	–	–
Bournemouth C.B. ..	81,500	23	18	2	–	–	–	–	–	–	–
Southampton C.B. ..	163,700	65	32	1	–	–	–	–	–	–	–
Reading C.B.	92,990	38	15	–	–	–	–	–	–	–	–
Oxford C.B.	56,510	19	6	1	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	32	17	2	–	1	–	–	–	–	–
Luton	58,260	23	12	1	–	–	–	–	–	–	–
Cambridge	59,200	17	5	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	91,430	26	12	–	–	–	–	–	–	–	–
Ipswich C.B.	80,950	35	15	2	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	23	11	1	–	–	–	–	–	–	–
Norwich C.B ..	122,900	52	16	4	–	–	–	–	1	–	–
Swindon	55,680	14	6	–	–	–	–	–	–	–	–
Exeter C.B.	59,700	18	8	–	–	–	–	–	–	–	–
Plymouth C.B. ..	200,370*	92	37	5	–	–	–	–	–	–	–
Bath C.B.	68,530	25	13	1	–	–	–	–	–	–	–
Bristol C.B.	383,900	165	52	5	–	–	–	–	–	–	–
Gloucester C.B. ..	52,210	16	6	1	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	274,300	144	60	7	–	–	1	–	–	1	–
Burton-upon-Trent C.B.	49,630	18	8	2	–	–	–	–	–	–	1
Wolverhampton C.B.	105,700	49	15	2	–	–	–	–	–	1	–
Walsall C.B.	99,890	52	19	1	–	–	–	1	–	–	–
West Bromwich C.B.	76,260	50	8	1	–	–	–	–	–	–	–
Dudley C.B.	57,860	27	11	2	–	–	–	–	–	3	–
Worcester C.B. ..	49,240	17	10	1	–	–	–	–	–	–	–
Birmingham C.B. ..	945,100	401	150	22	–	3	–	3	2	3	1
Smethwick C.B. ..	78,140	45	10	2	–	–	–	–	–	–	–
Coventry C.B. ..	131,200	62	13	1	–	–	–	–	–	–	–
Leicester C.B. ..	238,800	123	43	6	–	–	–	1	–	2	–
Lincoln C.B.	66,930	38	14	2	–	–	–	–	–	–	–
Grimsby C.B.	84,650	42	14	4	–	–	–	1	–	–	–
Nottingham C.B. ..	267,900	105	52	8	–	–	–	–	–	2	–
Derby C.B.	132,400	59	32	3	–	–	–	1	–	1	–
Chesterfield ..	63,380	27	11	3	–	–	–	–	–	–	–
Stockport C.B. ..	125,800	39	28	2	–	–	–	–	–	–	–
Chester C.B.	41,190	15	8	–	–	–	–	1	–	–	–
Birkenhead C.B. ..	149,200	72	30	2	–	–	–	–	–	–	–
Wallasey C.B. ..	89,790	26	9	–	–	–	–	–	–	–	–
Liverpool C.B. ..	826,400	381	171	26	–	10	–	2	–	6	–
Bootle C.B.	79,750	41	10	2	–	–	–	–	–	–	–
St. Helens C.B. ..	106,400	50	16	3	–	–	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION, Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from						
					Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	27	11	–	–	–	–	–	–	–	–
WIGAN C.B.	91,750	44	19	2	–	–	–	–	–	–	1
WARRINGTON C.B. ..	79,150	40	15	1	–	–	–	–	–	–	–
BOLTON C.B.	182,700	61	36	2	–	–	–	–	–	–	1
BURY C.B.	57,400	4	7	1	–	–	–	–	–	1	–
MANCHESTER C.B. ..	748,500	355	123	19	–	4	–	–	1	3	–
SALFORD C.B.	240,700	102	39	3	–	–	–	–	–	1	–
OLDHAM C.B.	148,300	41	27	3	–	–	–	1	–	–	1
ROCHDALE C.B... ..	92,510	37	20	–	–	–	–	–	–	1	–
BURNLEY C.B.	105,100	25	19	6	–	–	–	2	–	1	–
BLACKBURN C.B. ..	129,600	59	22	2	–	–	–	–	–	1	–
PRESTON C.B.	120,900	44	24	4	–	–	–	–	–	–	–
BLACKPOOL C.B. ..	74,050	20	19	2	–	–	–	–	–	–	–
BARROW-IN-FURNESS C.B.	75,690	23	12	2	–	–	–	1	–	–	–
HUDDERSFIELD C.B. ..	111,600	43	23	2	–	–	–	–	–	–	–
HALIFAX C.B.	100,500	42	16	3	–	–	–	–	–	–	–
BRADFORD C.B. ..	291,300	109	52	7	–	–	–	–	–	1	–
LEEDS C.B.	466,700	210	91	20	–	–	–	2	–	6	1
DEWSBURY C.B. ..	55,170	26	13	1	–	–	–	–	–	–	–
WAKEFIELD C.B. ..	53,840	25	9	2	–	–	–	–	–	1	–
BARNSLEY C.B. ..	69,540	37	14	2	–	–	–	–	–	–	–
SHEFFIELD C.B. ..	522,600	241	94	10	–	–	–	2	–	2	–
ROTHERHAM C.B. ..	69,840	36	18	4	–	–	–	1	–	–	–
DONCASTER	55,020	31	6	–	–	–	–	1	–	–	–
YORK C.B.	84,980	36	6	–	–	–	–	–	–	–	–
HULL C.B.	294,000	147	47	11	–	–	–	2	–	4	–
MIDDLESBROUGH C.B.	134,800	71	23	4	–	1	–	–	–	1	–
DARLINGTON C.B. ..	66,710	41	13	3	–	–	–	–	–	–	–
STOCKTON-ON-TEES ..	65,950	28	11	–	–	–	–	–	–	–	–
WEST HARTLEPOOL C.B.	70,020	26	18	4	–	–	–	2	–	–	–
SUNDERLAND C.B. ..	162,900	80	25	3	–	–	–	1	–	2	–
SOUTH SHIELDS C.B. ..	122,400	63	25	3	–	2	1	–	–	1	–
GATESHEAD C.B. ..	127,300	71	27	11	–	1	–	–	–	2	–
NEWCASTLE-ON-TYNE C.B.	281,600	116	54	9	–	–	–	–	–	2	–
TYNEMOUTH C.B. ..	64,640	30	15	3	–	–	–	–	–	–	–
CARLISLE C.B.	53,490	19	9	1	–	–	–	–	–	1	–
NEWPORT (MON.) C.B.	94,880	39	18	3	–	–	–	–	–	–	–
CARDIFF C.B.	223,830	109	40	7	–	–	–	2	–	2	1
RHONDDA	167,500	102	29	3	–	1	–	1	–	1	–
MERTHYR TYDFIL C.B.	82,680	32	23	1	–	–	–	–	1	–	–
ABERDARE	56,580	27	8	–	–	2	–	–	–	–	–
SWANSEA C.B.	161,000	79	24	2	–	–	–	–	–	1	–
GREATER LONDON ..	7,563,730*	2986	1,226	118	2	4	5	5	14	14	8
OUTER RING	3,029,500*	1113	461	45	1	1	2	–	4	6	3
16 GREAT TOWNS IN OUTER RING	1,831,920	694	265	29	–	–	–	–	3	5	1
REMAINDER OF OUTER RING	1,197,580*	419	196	16	1	1	2	–	1	1	2
EDINBURGH†	426,000	152	84	5	–	5	1	1	1	2	2
GLASGOW†	1,041,400	503	220	36	–	5	1	6	2	4	–
DUBLIN (REGISTRATION AREA)†	431,000	178	88	20	–	–	–	4	–	3	–
BELFAST†	429,000			Not	rece	ived.					

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available period.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years)	Influenza.
LONDON‡	4,534,230	1923. Aug. 4	1873	765	8·8	1	–	3	3	5	10	8	5
CALCUTTA	896,067	June 30	?	438§	25·0	?	?	?	?	?	?	?	3
BOMBAY	1,220,120	„ 9	349‖	697§	29·7	5	10	2	–	–	–	42	13
MADRAS	526,911	„ 23	439	298	29·4	1	1	1	?	–	–	32	–
SYDNEY AND SUBURBS	955,900	June											
BRISBANE (Metropolitan Area).	217,714	April											
PERTH (Metropolitan Area).	161,773	June 16	91	25	8·0	–	–	–	–	–	–	–	1
AUCKLAND (Urban Area).	164,450	May											
WELLINGTON (Urban Area).	110,680	„											
CHRISTCHURCH (Urban Area).	110,200	„											
CAPE TOWN	106,727	June 30	47	22	10·7	–	–	–	–	–	–	–	–
JOHANNESBURG	156,858	„ 30	75	29	9·6	–	–	–	–	–	–	–	–
DURBAN	50,488	„ 30	35	15	15·4	–	–	–	–	–	–	–	3
PARIS	2,906,472	June 30 (10 days)	1313	1169	14·7	5	–	8	4	5	3	27	1
ANTWERP	302,711	June 23	126	53	9·0	–	–	3	–	–	–	3	–
		„ 30	112	60	10·4	1	–	1	1	1	–	2	–
AMSTERDAM	700,578	July 14	305	225	16·7	3	–	–	–	2	2	4	–
COPENHAGEN	570,000	„ 21	221	168	15·3	–	–	–	1	–	–	5	–
STOCKHOLM	424,944	„ 14	114	83	10·2	–	–	1	–	–	–	–	–
GOTHENBURG	228,074	„ 7	?	30	6·8	–	–	–	–	1	–	1	–
CHRISTIANIA	258,962	„ 21	96	55	11·0	–	–	–	–	–	–	2	–
BERLIN	1,989,000	„ 7	379	478	12·5	1	?	–	1	1	–	5	–
BRESLAU	562,000	„ 7	193	142	13·1	–	?	3	–	–	–	4	1
COLOGNE	701,000	„ 7	268	154	11·4	–	?	3	–	–	2	8	1
DRESDEN	612,000	„ 7	161	144	12·2	–	?	–	–	–	–	–	–
FRANKFORT-ON-MAIN ..	475,000	„ 7	73	93	10·2	–	?	2	–	–	–	1	–
HAMBURG	1,077,000	„ 7	240	277	13·4	1	?	1	–	–	–	4	1
LEIPZIG	682,000	„ 7	185	156	11·9	1	?	1	–	–	–	3	–
MUNICH	685,000	„ 7	195	161	12·2	–	?	1	1	1	–	4	–
VIENNA	1,841,326	April 21	570	624	17·6	–	–	2	2	2	5	9	–
		„ 28	592	607	17·1	1	–	2	2	4	2	16	–
PRAGUE AND SUBURBS	697,111	June 15 (15 days)											
BUDAPEST	946,000	May 19	430	454	25·0	2	–	8	3	9	1	23	–
		„ 26	291	358	19·7	1	–	7	3	8	1	11	–
WARSAW	956,087	June 9	346	251	13·7	1	–	1	2	3	1	22	–
CAIRO	791,000	May 6	756	710	46·7	4	1	38	1	?	1	117	–
ALEXANDRIA	466,700	„ 6	393	344	38·3	–	–	7	–	?	1	35	–
NEW YORK	5,927,617	June 30	2936	1213	10·7	2	–	7	1	5	12	34	–
CHICAGO	2,886,121	July 14											
RIO DE JANEIRO ..	1,287,367	June 9	728	432	17·5	1	–	3	–	7	1	?	1
MONTEVIDEO	347,316	April 21	201	126	20·7	2	–	–	–	–	–	6	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 30 deaths from Asiatic Cholera in Calcutta and 3 in Bombay and from Plague, 11 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 4th August, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	765	73	18	25	25	30	47	60	71	134	144	138
Enteric fever	1	–	–	–	1	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	–	2	1	–	–	–	–	–	–	–	–
Scarlet fever	3	–	1	1	–	–	1	–	–	–	–	–
Whooping cough	5	3	2	–	–	–	–	–	–	–	–	–
Diphtheria	10	–	1	5	4	–	–	–	–	–	–	–
Influenza	5	–	–	1	–	–	1	–	–	1	1	1
Erysipelas	1	1	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis	1	–	–	1	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	1	–	–	–	–	1	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	67	–	–	–	4	13	16	14	12	8	–	–
Nervous system	3	1	–	1	–	–	1	–	–	–	–	–
Intestines and peritoneum	3	–	–	–	1	–	1	–	1	–	–	–
Other forms	3	–	1	–	1	–	–	–	1	–	–	–
Venereal diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	127	–	–	2	1	–	2	11	18	48	32	13
Rheumatic fever	1	–	–	–	1	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	1	1	1	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	4	2	1	–	1	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	50	–	1	1	–	–	1	1	2	9	13	22
Epilepsy	4	–	–	1	1	–	–	–	1	1	–	–
"Convulsions" (not puerperal) ..	5	5	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	21	–	–	1	1	–	–	5	5	3	3	3
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	4	–	–	–	–	2	2	–	–	–	–	–
Other diseases of heart	98	–	–	–	2	3	7	8	6	21	30	21
Other diseases of circulatory system	43	–	–	–	–	–	–	–	1	9	14	19
Bronchitis	24	–	–	–	–	–	–	–	1	3	5	15
Broncho-pneumonia	19	7	5	3	1	–	–	–	–	1	2	–
Lobar-pneumonia	11	–	1	–	–	–	2	3	–	1	4	–
Pneumonia (type not distinguished) ..	8	–	–	–	–	2	–	–	–	2	2	2
Other diseases of respiratory system	9	–	1	–	–	–	–	–	1	1	5	1
Diarrhœa and enteritis	16	6	2	1	–	–	–	–	1	2	–	4
Appendicitis, Typhlitis	7	–	–	1	1	–	–	3	2	–	–	–
Hernia, Intestinal obstruction	12	1	–	1	–	–	1	1	1	3	2	2
Cirrhosis of liver	2	–	–	–	–	–	–	–	–	2	–	–
Other diseases of digestive system ..	18	–	–	1	–	–	1	1	5	6	2	2
Acute nephritis	2	–	–	–	–	1	1	–	–	–	–	–
Chronic Bright's disease	16	–	–	–	–	–	–	2	2	2	9	1
Other diseases of genito-urinary system.	16	–	–	–	–	1	1	1	2	2	6	3
Puerperal sepsis	3	–	–	–	–	1	–	2	–	–	–	–
Other causes incident to childbirth ..	5	–	–	–	–	2	1	2	–	–	–	–
Congenital malformations	4	4	–	–	–	–	–	–	–	–	–	–
Premature birth	23	23	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	5	5	–	–	–	–	–	–	–	–	–	–
Old age..	30	–	–	–	–	–	–	–	–	–	6	24
Suicide	10	–	–	–	–	1	2	4	2	–	–	1
Burns and scalds	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	2	–	–	–	1	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	9	–	–	1	3	–	1	1	1	1	–	1
Other deaths by violence	12	–	–	2	–	–	1	1	2	3	2	1
Other specified causes	35	15	–	–	2	1	4	–	3	3	5	2
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 4th August, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	127	130	5	53	C. 10 D. 1 M. 16
†CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	4	3	–	6	–
†BERMONDSEY ...	–	4	10	–	–	–
†BETHNAL GREEN	–	3	5	–	2	–
†CAMBERWELL ...	–	7	16	–	1	C. 1
†CHELSEA	–	–	1	–	–	
†DEPTFORD ...	–	1	3	–	1	M. 1
†FINSBURY ...	–	3	4	–	1	–
†FULHAM	–	5	8	–	1	M. 1
†GREENWICH ...	–	1	–		1	D. 1
†HACKNEY ...	–	9	6	–	–	–
†HAMMERSMITH ...	–	2	–	1	2	C. 1 M. 1
†HAMPSTEAD ...	–	5	–	1	–	M. 1
†HOLBORN... ...	–	2	2	–	1	–
†ISLINGTON ...	–	21	8	1	2	C. 1 M. 1

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	–	4	–	–	M. 1
†LAMBETH ...	–	8	12	–	1	C. 5 M. 1
†LEWISHAM ...	–	7	–	–	–	–
†PADDINGTON ...	–	2	2	–	4	C. 1
†POPLAR	–	–	3	–	8	C. 1
†ST. MARYLEBONE	–	–	3	–	–	–
†ST. PANCRAS ...	–	7	7	–	3	M. 1
†SHOREDITCH ...	–	10	4	–	4	M. 2
†SOUTHWARK ...	–	6	6	–	3	M. 1
†STEPNEY	–	7	11	–	5	–
†STOKE NEWINGTON	–	–	1	–	–	–
†WANDSWORTH ...	–	10	3	1	3	M. 1
†WESTMINSTER, CITY OF	–	1	1	–	–	M. 1
†WOOLWICH ...	–	1	7	1	4	M. 3

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	3	4	5	–	E. 1
Boroughs and Urban Districts:—						
AMPTHILL ...	–	–	2	–	–	–
†BEDFORD ...	–	1	–	–	–	–
LEIGHTON BUZZARD	–	–	–	1	–	E. 1
†LUTON	–	2	1	1	–	–
Rural Districts:—						
AMPTHILL ...	–	–	1	–	–	–
†LUTON	–	–	–	3	–	–
BERKS	–	10	5	1	–	M. 1
†READING C.B. ...	–	4	–	–	–	M. 1
Boroughs and Urban Districts:—						
ABINGDON ...		2	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	1	1	–	–	–
BRADFIELD ...	–	–	1	–	–	–
EASTHAMPSTEAD	–	1	–	–	–	–
HUNGERFORD ...	–	–	1	–	–	–
NEWBURY ...	–	–	–	1	–	–
WOKINGHAM ...	–	2	2	–	–	–
BUCKINGHAM ...	–	9	3	1	–	–
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE ...	–	3	1	–	–	–
CHESHAM... ..	–	1	–	–	–	–
†WOLVERTON ...	–	1	–	–	–	–
Rural Districts:—						
AMERSHAM ...	–	1	–	–	–	–
ETON	–	1	–	1	–	–
WYCOMBE ...	–	2	2	–	–	–
CAMBRIDGE ...	–	–	1	–	–	–
Borough:—						
†CAMBRIDGE ...	–	–	1	–	–	–
CHESTER	–	19	8	–	8	L. 1 M. 4
†BIRKENHEAD C.B.	–	2	–	–	3	M. 1
†CHESTER C.B. ...	–	1	2	–	2	–
†STOCKPORT C.B.	–	2	–	–	2	M. 1
†WALLASEY C.B ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	*	*	*	*	*	*
†ALTRINCHAM ...	–	1	–	–	–	–
BUGLAWTON ...	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	–	–	–	–	M. 1
†CREWE	–	1	–	–	–	–
†DUKINFIELD ...	–	1	–	–	–	–
†ELLESMERE PORT AND WHITBY	–	–	1	–	–	–
HALE	–	–	2	–	–	–
HOLLINGWORTH	–	1	1	–	–	–
†MACCLESFIELD ...	–	–	–	–	–	L. 1
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN... ..	–	–	–	–	1	–
SANDBACH ...	–	1	–	–	–	–
†WINSFORD ...	*	*	*	*	*	*
Rural Districts:—						
BUCKLOW ...	–	1	–	–	–	–
CONGLETON ...	–	2	–	–	–	–
MACCLESFIELD ...		3	–	–	–	–
NANTWICH ...	–	–	1	–	–	–
NORTHWICH ...	*	*	*	*	*	*
RUNCORN... ...	–	1	–	–	–	–
WIRRAL	–	–	–	–	–	M. 1
CORNWALL ...	–	1	2	1	–	C. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	1	–	–
†FALMOUTH ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL—*cont.*						
Boroughs and Urban Districts—*cont.*						
ST. IVES	–	1	–	–	–	–
ST. JUST	–	–	1	–	–	–
Rural District :—						
HELSTON	–	–	–	–	–	C. 1
CUMBERLAND ...	–	6	1	–	1	–
†CARLISLE C.B. ...	–	–	1	–	–	–
Boroughs and Urban Districts :—						
CLEATOR MOOR ...	–	1	–	–	–	–
†MARYPORT ...	–	1	–	–	–	–
†WORKINGTON ...	–	1	–	–	–	–
Rural Districts :—						
ALSTON WITH GARRIGILL	–	–	–	–	1	–
COCKERMOUTH ...	–	3	–	–	–	–
LONGTOWN ...	*	*	*	*	*	*
DERBY	3	21	6	–	9	C. 1 M. 1
†DERBY C.B. ...	–	5	–	–	3	C. 1
Boroughs and Urban Districts :—						
†BOLSOVER ...	–	–	1	–	–	–
†CHESTERFIELD ...	–	1	–	–	–	–
†GLOSSOP ...	–	1	1	–		–
†HEANOR	–	–	1	–	1	–
†LONG EATON ...	3	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
MATLOCK BATH AND SCARTHIN NICK	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	–	1	–	–	2	–
Rural Districts :—						
BAKEWELL ...	–	–	–	–	1	–
BELPER	–	1	–	–	–	–
BLACKWELL ...	–	3	–	–	–	–
CHAPEL EN LE FRITH	–	5	–	–	–	–
CHESTERFIELD	–	1	2	–	2	–
CODNOR PARK AND SHIPLEY (Parishes) ...	–	–	1	–	–	–
HAYFIELD ...	–	–	–	–	–	M. 1
SHARDLOW ...	–	1	–	–	–	–
DEVON	–	16	5	2	2	M. 4
†EXETER C.B. ...	–	3	–	1	–	–
†PLYMOUTH C.B....	–	2	4	1	1	M. 2
Boroughs and Urban Districts :—						
BAMPTON ...	–	1	–	–	–	–
†BARNSTAPLE ...	–	–	–	–	1	–
BUCKFASTLEIGH	*	*	*	*	*	*
CREDITON ...	–	–	–	–	–	M. 1
DARTMOUTH ...	–	1	–	–	–	–
†EXMOUTH ...	–	1	–	–	–	–
HOLSWORTHY ...	–	1	–	–	–	–
†NEWTON ABBOT...	–	1	–	–	–	–
NORTHAM ...	*	*	*	*	*	*
OTTERY ST. MARY	–	1	–	–	–	–
†TORQUAY ...	–	3	1	–	–	–
TOTNES	*	*	*	*	*	*
Rural Districts :—						
BARNSTAPLE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts—*cont.*						
KINGSBRIDGE ...	–	–	–	–	–	M. 1
PLYMPTON ST. MARY ...	–	1	–	–	–	–
DORSET	–	3	–	1	–	–
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	–	–
SHERBORNE ...	–	1	–	–	–	–
Rural Districts:—						
DORCHESTER ...	–	–	–	1	–	–
WIMBORNE AND CRANBORNE	–	1	–	–	–	–
DURHAM	–	46	14	2	31	C. 2 J. 1 M. 5
†DARLINGTON C.B.	–	–	–	–	1	M. 1
†GATESHEAD C.B.	–	3	1	–	1	M. 1
†SOUTH SHIELDS C.B.	–	5	2	–	7	–
†SUNDERLAND C.B.	–	3	2	–	–	M. 2
†TANFIELD ...	–	–	–	1	1	–
†WEST HARTLEPOOL C.B.	–	2	–	–	1	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	3	1	–	–	–
BARNARD CASTLE	–	–	1	–	–	–
†BLAYDON... ...	–	2	–	–	–	–
†CHESTER LE STREET	–	–	–	–	2	–
†CROOK	–	–	–	–	–	C. 1
†DURHAM	–	–	–	–	–	J. 1
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FELLING	–	1	–	–	2	–
†HEBBURN ...	–	2	–	–	–	–
†HETTON	–	1	–	–	–	–
†HOUGHTON LE SPRING	–	–	–	–	1	–
†JARROW	–	4	–	–	2	–
†RYTON	–	1	1	–	1	–
†STANLEY	–	2	1	–	2	–
†STOCKTON ON TEES	–	3	1	1	2	–
†WHICKHAM ...	–	–	–	–	–	M. 1
Rural Districts:—						
AUCKLAND ...	–	4	2	–	–	–
CHESTER LE STREET	–	4	–	–	1	–
DARLINGTON ...	–	1	–	–	–	–
EASINGTON ...	–	2	1	–	3	C. 1
HOUGHTON LE SPRING	–	1	–	–	2	–
LANCHESTER ...	–	–	–	–	2	–
SEDGEFIELD ...	–	2	–	–	–	–
SOUTH SHIELDS...	–	–	1	–	–	–
ELY, ISLE OF ...	–	2	1	1	–	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
MARCH	–	–	1	–	–	–
WHITTLESEY ...	–	2	–	–	–	–
Rural Districts:—						
WISBECH	–	–	–	1	–	–
ESSEX	–	36	19	1	10	C. 1 D. 1 E. 2 M. 5
†EAST HAM C.B. ...	–	2	1	–	–	–
†SOUTHEND-ON-SEA C.B.	–	2	–	–	–	M. 2
†WEST HAM C.B. ...	–	5	7	1	2	C. 1 M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN..	–	–	2	–	3	–
BRENTWOOD ...	–	2	–	–	–	–
†CHELMSFORD ...	–	1	–	–	–	–
†CLACTON	–	2	–	–	–	–
EPPING	–	1	–	–	–	–
†GRAYS THURROCK	–	1	–	–	–	–
HALSTEAD ...	–	1	–	–	1	–
†HARWICH ...	–	1	–	–	–	–
†ILFORD	–	8	–	–	–	E. 1
†LEYTON	–	–	1	–	–	E. 1
†ROMFORD ...	–	–	–	–	1	D. 1
SHOEBURYNESS ...	–	1	–	–	1	–
WALTHAM HOLY CROSS	–	1	–	–	–	–
†WALTHAMSTOW ...	–	3	2	–	1	M. 2
WALTON ON THE NAZE	–	–	1	–	–	–
Rural Districts:—						
BILLERICAY ...	–	–	1	–	–	–
CHELMSFORD ...	–	–	–	–	1	–
MALDON... ...	–	–	1	–	–	–
ORSETT	–	3	2	–	–	–
ROCHFORD ...	–	–	1	–	–	–
ROMFORD... ...	–	2	–	–	–	–
GLOUCESTER ...	15	28	7	1	5	C. 2 M. 1
†BRISTOL C.B. ...	–	14	3	–	4	C. 1 M. 1
†GLOUCESTER C.B.	14	1	2	–	–	–
Boroughs and Urban Districts:—						
†KINGSWOOD ...	–	1	–	–	–	–
Rural Districts:—						
CIRENCESTER ...	–	–	1	–	–	–
DURSLEY	–	1	–	–	1	–
EAST DEAN AND UNITED PARISHES ...	1	3	–	–	–	C. 1
GLOUCESTER—*cont.*						
Rural Districts— *cont.*						
GLOUCESTER ...	–	–	–	1	–	–
STROUD	–	1	–	–	–	–
TETBURY (part)	–	–	1	–	–	–
WARMLEY ...	–	1	–	–	–	–
WEST DEAN ...	–	4	–	–	–	–
WINCHCOMB(part)	–	2	–	–	–	–
HEREFORD ...	–	3	–	1	–	–
Rural Districts:—						
LEOMINSTER ...	–	–	–	1	–	–
ROSS	–	3	–	–	–	–
HERTFORD ...	–	4	2	–	1	G. 1
Boroughs and Urban Districts:—						
†BARNET	*	*	*	*	*	*
BUSHEY	–	–	1	–	–	–
†CHESHUNT ...	–	1	–	–	–	–
HEMEL HEMPSTEAD	–	–	–	–	1	G. 1
HODDESDON ...	–	1	–	–	–	–
†ST. ALBANS ...	–	1	1	–	–	–
Rural Districts:—						
†HITCHIN	–	1	–	–	–	–
HUNTINGDON ...	–	–	–	–	–	–
Rural Districts:—						
ST. NEOTS, NO. 2	*	*	*	*	*	*
KENT	–	21	13	4	8	M. 1
†CANTERBURY C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	–	–	1	–	–
†BEXLEY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BROMLEY ...	–	–	–	–	2	–
†CHATHAM ...	–	–	2	–	–	–
CHISLEHURST ...	–	–	1	–	–	–
†CRAYFORD ...	–	1	–	1	–	–
†DARTFORD ...	–	–	–	–	1	–
†DOVER	–	–	–	–	–	M. 1
†ERITH	–	1	–	–	2	–
†FOLKESTONE ...	–	1	–	–	–	–
†GILLINGHAM ...	–	–	2	–	–	–
†GRAVESEND ...	–	1	–	–	–	–
†MAIDSTONE ...	–	1	–	–	1	–
†MARGATE ...	–	2	–	–	1	–
†PENGE	–	1	–	–	–	–
QUEENBOROUGH	–	–	1	–	–	–
†ROCHESTER ...	–	–	2	–	–	–
SITTINGBOURNE	–	1	–	–	–	–
†TONBRIDGE ...	–	1	–	–	–	–
WALMER	*	*	*	*	*	*
WHITSTABLE ...	–	1	–	–	–	–
WROTHAM ...	–	1	–	–	–	–
Rural Districts:—						
BLEAN	–	1	–	–	–	–
DARTFORD ...	–	3	–	–	–	–
EASTRY	–	1	–	–	–	–
MALLING	–	1	1	1	1	–
MILTON	–	–	3	–	–	–
SEVENOAKS ...	*	*	*	*	*	*
STROOD	–	–	1	–	–	–
TONBRIDGE ...	–	1	–	1	–	–
LANCASTER ...	–	182	64	13	76	C. 7 D. 3 E. 1 G. 2 M. 34
†BARROW IN FURNESS C.B.	–	1	–	–	1	–
†BLACKBURN C.B.	–	4	1	–	5	–
†BLACKPOOL C.B.	–	6	1	–	1	M. 2
†BOLTON C.B. ...	–	15	2	–	1	M. 1
†BOOTLE C.B. ...	–	3	–	–	3	–
†BURNLEY C.B. ...	–	3	2	2	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BURY C.B. ...	–	2	–	–	2	C. 1
†LIVERPOOL C.B. ...	–	31	13	–	19	C. 3 E. 1 M. 15
†MANCHESTER C.B.	–	23	12	–	20	C. 2 D. 2 G. 2 M. 9
†OLDHAM C.B. ...	–	3	1	–	1	M. 1
†PRESTON C.B. ...	–	2	–	–	–	C. 1 M. 1
†ROCHDALE C.B. ...	–	5	2	–	–	–
†ST. HELENS C.B....	–	2	3	–	–	M. 2
†SALFORD C.B. ...	–	14	2	2	3	D. 1 M. 1
†SOUTHPORT C.B.	–	–	2	1	–	–
†WARRINGTON C.B.	–	1	1	–	–	–
†WIGAN C.B. ...	–	4	–	3	1	–
Boroughs and Urban Districts:—						
ABRAM	–	–	1	–	1	–
†ACCRINGTON ...	–	1	–	–	–	–
†ASHTON IN MAKERFIELD	–	1	–	–	–	–
†ASHTON UNDER LYNE	–	1	–	–	–	–
†ATHERTON ...	–	–	–	–	1	–
†CHADDERTON ...	–	1	1	–	–	–
†CHORLEY	–	–	2	–	–	–
†COLNE	–	–	–	–	1	–
†DALTON IN FURNESS	–	1	–	–	–	–
†DENTON	–	–	3	–	–	–
†DROYLSDEN ...	–	1	–	–	–	–
†FAILSWORTH ...	–	3	–	–	–	–
†FARNWORTH ...	–	1		–	–	–
†FLEETWOOD ...	–	–	–	–	2	–
†GREAT CROSBY ...	*	*	*	*	*	*
†HASLINGDEN ...	–	3	–	–	–	
†HAYDOCK ...	–	1	–	–	–	–
†HINDLEY... ...	–	1	1	–	1	–
HURST	–	–	1	–	–	–
HUYTON WITH ROBY ...	–	1	–	–	–	–
†INCE IN MAKERFIELD	–	1	–	–	1	–
KIRKHAM ..	–	2	–	–	–	–
†LANCASTER ...	–	3	–	–	1	–

* Returns not received. † Population over 10,000.

, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
LATHOM AND BURSCOUGH	–	–	1	–	–	–
†LEIGH	–	4	–	–	1	–
LEYLAND	–	1	–	–	–	–
†LITHERLAND ...	–	1	–	–	–	–
†LITTLEBOROUGH	–	3	–	–	–	–
LITTLE LEVER ...	–	1	–	–	–	–
†MIDDLETON ...	–	3	–	2	–	–
MILNROW	–	–	–	–	1	–
†MORECAMBE ...	–	–	1	–	-	–
†MOSSLEY	–	1	–	–	–	–
†NELSON	–	1	1	–	–	–
NORDEN	–	–	–	–	1	–
†PADIHAM	–	–	–	–	2	–
†RAMSBOTTOM ...	–	–	1	–	–	–
†RAWTENSTALL ...	–	1	2	–	–	–
SKELMERSDALE ...	–	1	–	–	–	–
†STRETFORD	–	–	–	–	–	M. 1
†SWINTON AND PENDLEBURY	–	2	–	–	1	–
†TYLDESLEY WITH SHAKERLEY	–	1	1	3	–	–
UPHOLLAND ...	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	2	–	-	–
†WESTHOUGHTON	–	–	–	–	1	–
†WIDNES	–	11	3	–	3	–
WITHNELL ...	*	*	*	*	*	*
Rural Districts:—						
BARTON UPON IRWELL	–	2	–	–	-	–
BURY	*	*	*	*	*	*
CHORLEY	–	1	–	–	–	–
GARSTANG ...	*	*	*	*	*	*
LANCASTER ..	–	1	–	–	–	–
LEIGH	–	1	1	-	1	–
LUNESDALE ...	*	*	*	*	*	*
WARRINGTON ...	–	1	–	–	-	M. 1
WHISTON	–	1	–	–	–	–
WIGAN	–	1	–	–	–	–
LEICESTER	–	7	4	1	2	C. 2 D. 2 M. 2
†LEICESTER C.B. ...	–	4	–	1	1	C. 1 D. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
†HINCKLEY ..	–	–	–	–	–	C. 1
MELTON MOWBRAY	–	1	–	–	–	D. 1
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	3	–	–	–
BELVOIR	–	–	–	–	1	–
HINCKLEY ...	–	1	–	–	–	–
LOUGHBOROUGH	–	1	–	–	–	–
MARKET BOSWORTH	-	–	1	–	–	–
MARKET HARBOROUGH	–	–	–	–	–	M. 1
LINCOLN (parts of Holland).	–	2	3	–	1	–
Boroughs and Urban Districts—						
HOLBEACH ...	–	2	–	–	–	–
†SPALDING ...	–	–	3	–	–	–
Rural Districts:—						
EAST ELLOE ...	–	–	–	–	1	–
LINCOLN (parts of Kesteven).	–	1	1	–	–	–
Rural Districts:—						
CLAYPOLE ...	–	1	1	–	–	–
LINCOLN (parts of Lindsey).	–	9	4	1	–	M. 1
†GRIMSBY C.B. ...	–	2	2	–	–	–
†LINCOLN C.B. ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever · I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	–	1	–	–	–
†GAINSBOROUGH ...	–	1	–	–	–	–
LOUTH	–	–	–	1	–	–
†SCUNTHORPE AND FRODINGHAM	–	3	–	–	–	M. 1
Rural Districts:—						
GAINSBOROUGH ...	–	1	–	–	–	–
LOUTH	–	1	1	–	–	–
MIDDLESEX ...	–	12	33	1	7	M. 4
Boroughs and Urban Districts:—						
†ACTON	–	3	–	–	–	–
†EALING	–	–	–	–	–	M. 1
†EDMONTON ...	–	1	4	–	3	–
FELTHAM ...	–	1	1	–	–	–
†FINCHLEY ...	–	–	2	–	–	–
†FRIERN BARNET	–	–	1	–	–	–
†HANWELL ...	–	–	1	–	–	–
†HARROW ON THE HILL	–	1	–	–	–	–
†HENDON	–	–	–	–	–	–
†HESTON AND ISLEWORTH	–	1	1	–	–	–
†HORNSEY... ..	–	1	1	–	–	–
†SOUTHALL NORWOOD	–	–	1	–	–	–
†TOTTENHAM ...	–	1	4	–	2	M. 1
†WEMBLEY ...	–	–	1	–	1	–
†WILLESDEN ...	–	2	7	1	–	M. 2
†WOOD GREEN ...	–	–	1	–	–	–
Rural Districts:—						
STAINES	–	–	8	–	–	–
UXBRIDGE ...	–	1	–	–	–	–
NORFOLK	–	31	4	2	3	M. 2
†GREAT YARMOUTH C.B.	–	3	–	–	–	M. 2
†NORWICH C.B. ...	–	19	2	1	–	–
Rural Districts:—						
DOCKING	–	1	–	–	–	–
DOWNHAM ...	–	1	–	–	–	–
EAST AND WEST FLEGG	–	–	1	–	–	–
ERPINGHAM ...	–	–	–	–	1	–
FOREHOE ...	–	–	1	–	–	–
HENSTEAD ...	–	2	–	–	–	–
LODDON AND CLAVERING	–	2	–	–	–	–
MITFORD AND LAUNDITCH	–	2	–	1	–	–
ST. FAITH'S ...	–	1	–	–	–	–
WAYLAND ...	–	–	–	–	2	–
NORTHAMPTON ...	–	18	5	2	4	–
†NORTHAMPTON C.B.	–	3	3	–	3	–
Boroughs and Urban Districts:—						
FINEDON	–	1	–	–	–	–
†KETTERING ...	–	1	–	–	1	–
ROTHWELL ...	–	2	–	–	–	–
†WELLINGBOROUGH	–	3	–	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	–	1	1	–	–
HARDINGSTONE ...	–	2	1	–	–	–
KETTERING ...	–	4	–	–	–	–
OXENDEN... ...	–	1	–	–	–	–
POTTERSPURY ...	–	1	–	–	–	–
THRAPSTON (part)	–	–	–	1	–	–
NORTHUMBERLAND	–	21	5	–	12	–
†NEWCASTLE UPON TYNE C.B.	–	6	2	–	6	–
†TYNEMOUTH C.B	–	–	–	–	3	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Boroughs and Urban Districts:—						
AMBLE	–	1	–	–	–	–
†ASHINGTON ...	–	1	–	–	–	–
†BEDLINGTONSHIRE	–	1	–	–	1	–
†BERWICK UPON TWEED	–	1	–	–	–	–
†BLYTH	–	1	–	–	–	–
†GOSFORTH ..	–	1	–	–	1	–
PRUDHOE... ...	–	–	2	–	–	–
†WALLSEND ...	–	4	1	–	–	–
Rural Districts:—						
ALNWICK... ...	–	1	–	–	–	–
BELLINGHAM, ...	–	1	–	–	1	–
CASTLE WARD ...	–	2	–	–	–	–
HEXHAM	–	1	–	–	–	–
NOTTINGHAM ...	1	4	7	4	2	M. 3
†NOTTINGHAM C.B.	–	6	1	–	2	–
Boroughs and Urban Districts:—						
†CARLTON	–	6	–	–	–	–
†EAST RETFORD ...	–	–	–	–	–	M. 1
†MANSFIELD ...	–	1	–	–	–	M. 1
†NEWARK		–	3	3	–	–
WARSOP	1	–	–	–	–	–
†WORKSOP... ...	–	–	–	–	–	M. 1
Rural Districts:—						
BINGHAM ...	–	–	–	1	–	–
EAST RETFORD ...	–	–	1	–	–	–
NEWARK	–	–	2	–	–	–
SKEGBY	–	1	–	–	–	–
OXFORD	–	7	3	3	–	–
†OXFORD C.B. ..	–	3	1	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD—*cont.*						
Rural Districts:—						
BANBURY ...	–	1	–	–	–	–
CHIPPING NORTON	–	–	–	1	–	–
CULHAM	–	–	1	–	–	–
HEADINGTON ...	–	2	1	1	–	–
WITNEY	–	1	–	–	–	–
PETERBOROUGH (Soke of)	–	2	1	–	1	–
Borough:—						
†PETERBOROUGH...	–	2	1	–	1	–
RUTLAND	–	1	–	–	–	–
Rural District:—						
UPPINGHAM ...	–	1	–	–	–	–
SALOP	–	5	2	–	–	C. 1 M. 1
Boroughs and Urban Districts:—						
†OAKENGATES ...	–	1	–	–	–	–
†SHREWSBURY ...	–	1	1	–	–	C. 1
Rural Districts:—						
OSWESTRY ...	–	1	1	–	–	M. 1
WELLINGTON ...	–	2	–	–	–	–
SOMERSET	–	15	2	3	3	E. 1 M. 1
†BATH C.B. ...	–	3	2	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	M. 1
MIDSOMER NORTON	–	–	–	1	–	–
†TAUNTON... ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	1	–
BATH	–	1	–	–	–	–
BRIDGWATER ...	–	1	–	–	–	–
CHARD	–	–	–	–	1	–
CLUTTON	–	2	–	–	–	–
FROME	–	2	–	–	–	–
KEYNSHAM ...	–	4	–	–	1	–
LONG ASHTON ...	–	1	–	–	–	–
WINCANTON ...	–	–	–	1	–	–
YEOVIL	–	–	–	–	–	E. 1
SOUTHAMPTON ...	–	41	28	1	3	D. 1 G. 1 J. 1 M. 1
†BOURNEMOUTH C.B.	–	1	–	–	–	–
†PORTSMOUTH C.B.	–	14	14	1	–	–
†SOUTHAMPTON C.B.	–	13	1	–	3	M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	1	–	–	–
ALTON	–	1	–	–	–	–
†FAREHAM ...	–	2	–	–	–	–
†GOSPORT	–	–	1	–	–	–
Rural Districts:—						
ALTON	–	1	–	–	–	–
ANDOVER... ...	–	–	–	–	–	G. 1
CATHERINGTON ...	*	*	*	*	*	*
DROXFORD ...	–	–	3	–	–	–
HARTLEY WINTNEY	–	–	–	–	–	J. 1
HURSLEY... ...	–	5	5	–	–	–
KINGSCLERE ...	–	2	–	–	–	D. 1
PETERSFIELD ...	–	1	–	–	–	–
SOUTH STONEHAM	–	–	2	–	–	–
WINCHESTER ...	–	–	1	–	–	–
STAFFORD	–	48	15	1	22	M. 5
†BURTON UPON TRENT C.B.	–	1	–	–	1	–
STAFFORD—*cont.*						
†SMETHWICK C.B.	–	1	1	–	1	–
†STOKE ON TRENT C.B.	–	19	1	–	11	M. 2
†WALSALL C.B. ...	–	–	–	–	–	M. 2
†WEST BROMWICH C.B.	–	2	3	–	1	–
†WOLVERHAMPTON C.B.	–	8	1	–	2	M. 1
Boroughs and Urban Districts:—						
BIDDULPH ...	–	2	–	–	–	–
†BILSTON	–	–	–	–	1	–
†BROWNHILLS ...	–	–	–	–	1	–
KIDSGROVE ...	–	1	1	–	–	–
†LEEK	–	–	1	–	–	–
†NEWCASTLE UNDER LYME	–	1	1	–	–	–
SHORT HEATH ...	–	–	–	–	1	–
†STAFFORD ...	–	–	–	–	1	–
TAMWORTH ...	–	1	–	–	–	–
†TIPTON	–	2	–	1	–	–
†WEDNESBURY ...	–	1	–	–	–	–
WEDNESFIELD ...	–	–	–	–	1	–
†WILLENHALL ...	–	–	–	–	1	–
†WOLSTANTON UNITED	–	6	3	–	–	–
Rural Districts:—						
CANNOCK	–	–	1	–	–	–
CHEADLE... ...	–	2	–	–	–	–
LICHFIELD ...	–	1	1	–	–	–
WALSALL... ...	–	–	1	–	–	–
SUFFOLK, EAST ...	–	5	11	2	–	–
†IPSWICH C.B. ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
LEISTON CUM SIZEWELL	–	–	2	–	–	–
†LOWESTOFT ...	–	2	1	–	–	–
STOWMARKET ...	–	–	–	1	–	–
WOODBRIDGE ...	–	–	3	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST— *cont.*						
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	3	–	–	–
HARTISMERE ...	–	1	–	–	–	–
HOXNE	–	–	–	1	–	–
MUTFORD AND LOTHINGLAND	–	–	1	–	–	–
SUFFOLK, WEST ...	–	–	2	–	–	–
Boroughs and Urban Districts:—						
HAVERHILL ...	–	–	1	–	–	–
NEWMARKET ...	–	–	1	–	–	–
SURREY	–	13	8	7	2	C. 1 M. 2
†CROYDON C.B. ...	–	2	5	2	–	–
Boroughs and Urban Districts:—						
†BARNES	–	1	–	1	1	–
†BEDDINGTON AND WALLINGTON	–	–	2	–	–	–
†CHERTSEY ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	–	–	2	–	–
†EGHAM	–	–	–	–	1	–
EPSOM	–	–	–	–	–	M. 1
GODALMING ...	–	1	–	–	–	–
†KINGSTON ON THAMES	–	1	–	–	–	C. 1
†MITCHAM... ...	–	–	–	–	–	M. 1
†RICHMOND ...	–	1	–	–	–	–
†SURBITON ...	–	–	1	–	–	–
†SUTTON	–	1	–	–	–	–
†WIMBLEDON ...	–	2	–	–	–	–
Rural Districts:—						
GODSTONE ...	–	1	–	–	–	–
GUILDFORD ...	–	2	–	2	–	–
SUSSEX, EAST ...	–	10	6	2	1	–
†BRIGHTON C.B. ...	–	8	4	–	–	–
†EASTBOURNE C.B	–	–	–	1	–	–
†HASTINGS C.B. ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†BEXHILL	–	–	–	1	–	–
†HOVE	–	1	–	–	–	–
Rural Districts:—						
EAST GRINSTEAD	–	1	–	–	–	–
HAILSHAM ...	–	–	–	–	1	–
UCKFIELD ...	–	–	1	–	–	–
SUSSEX, WEST ...	–	–	2	–	1	D. 1
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	2	–	1	D. 1
WARWICK	–	62	30	11	32	C. 1 E. 2 G. 1 M. 11
†BIRMINGHAM C.B	–	47	24	–	26	C. 1 E. 1 M. 10
†COVENTRY C.B. ...	–	1	–	1	–	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	–	–	–	2	–
†ROYAL LEAMINGTON SPA	–	–	–	4	–	–
†RUGBY	–	–	–	–	2	E. 1
STRATFORD ON AVON	–	1	1	–	–	–
†SUTTON COLDFIELD	–	2	–	–	1	–
Rural Districts:—						
ATHERSTONE ...	–	–	3	–	–	–
FARNBOROUGH ...		–	–	–	–	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts—*cont.*						
FOLESHILL ..	–	4	–	–	–	–
MERIDEN... ...	–	1	1	1	–	–
NUNEATON ...	–	2	–	–	–	–
RUGBY	–	–	–	–	1	–
SOUTHAM... ...	–	–	1	1	–	M. 1
TAMWORTH (part)	–	4	–	–	–	–
WARWICK ...	–	–	–	4	–	–
WESTMORLAND ...	–	1	–	–	–	–
Rural Districts:—						
WEST WARD ...	–	1	–	–	–	–
WIGHT, ISLE OF ...	–	4	–	–	–	–
Boroughs and Urban Districts—						
†NEWPORT... ...	–	1	–	–	–	–
SANDOWN ...	–	1	–	–	–	–
SHANKLIN ...	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT ..	–	1	–	–	–	–
WILTS	–	5	4	1	–	C. 1
Boroughs and Urban Districts:—						
†SALISBURY ...	–	–	4	–	–	–
†SWINDON... ...	–	4	–	–	–	–
Rural Districts:—						
PEWSEY	–	1	–	–	–	–
SALISBURY ...	–	–	–	1	–	–
WARMINSTER ...	–	–	–	–	–	C. 1
WORCESTER ...	–	12	3	–	2	–
†WORCESTER C.B.	–	–	1	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Boroughs and Urban Districts:—						
BEWDLEY ...	–	1	–	–	–	–
BROMSGROVE ...	–	3	–	–	–	–
DROITWICH ...	–	–	1	–	–	–
†KIDDERMINSTER	–	2	–	–	–	–
†OLDBURY... ...	–	4	–	–	–	–
†REDDITCH ...	*	*	*	*	*	*
Rural Districts:—						
KIDDERMINSTER	–	1	1	–	–	–
PERSHORE ...	–	1	–	–	–	–
YORKS ... ... (East Riding.)	–	6	4	–	2	M. 2
†KINGSTON UPON HULL C.B.	–	3	4	–	1	M. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	1	–
HESSLE	–	1	–	–	–	–
Rural Districts:—						
HOWDEN	–	1	–	–	–	–
NORTON	*	*	*	*	*	*
YORKS ... ... (North Riding.)	–	44	–	1	4	–
†MIDDLESBROUGH C.B.	–	32	–	–	2	–
Boroughs and Urban Districts:—						
†ESTON	–	5	–	–	–	–
GUISBOROUGH ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
LOFTUS	*	*	*	*	*	*
MALTON	*	*	*	*	*	*
†REDCAR	*	*	*	*	*	*
SALTBURN BY THE SEA	*	*	*	*	*	*
†SKELTON AND BROTTON	*	*	*	*	*	*
†THORNABY ON TEES	–	1	–	–	–	–
†WHITBY	–	–	–	–	2	–
Rural Districts:—						
AYSGARTH ...	*	*	*	*	*	*
GUISBOROUGH ...	*	*	*	*	*	*
MALTON	*	*	*	*	*	*
NORTHALLERTON	–	–	–	1	–	–
REETH	–	2	–	–	–	–
RICHMOND ...	–	1	–	–	–	–
SCARBOROUGH ...	–	1	–	–	–	–
STARTFORTH ...	–	1	–	–	–	–
STOKESLEY ...	–	1	–	–	–	–
YORKS ... ... (West Riding.)	2	100	37	9	51	C. 1 L. 4 M. 11
†BARNSLEY C.B. ...	–	2	1	–	1	M. 1
†BRADFORD C.B. ...	–	5	3	1	1	M. 1
†DEWSBURY C.B....	–	–	1	–	–	–
†HUDDERSFIELD C.B.	–	1	–	1	5	–
†LEEDS C.B. ...	–	20	8	2	3	M. 1
†ROTHERHAM C.B.	–	4	–	–	5	–
†SHEFFIELD C.B....	–	21	8	–	23	M. 5
†WAKEFIELD C.B.	–	1	2	1	–	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	1	–	–	–
ALTOFTS	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
BAILDON	*	*	*	*	*	*
†BATLEY	–	2	–	–	–	–
†BENTLEY WITH ARKSEY	1	–	–	–	–	–
†BINGLEY	–	–	1	–	–	–
†BOLTON UPON DEARNE	–	2	–	1	–	–
†CASTLEFORD ...	–	3	–	–	–	M. 1
CLAYTON	*	*	*	*	*	*
CUDWORTH ...	–	–	2	–	–	–
DENBY AND CUMBERWORTH	–	1	–	–	–	–
†DONCASTER ...	–	1	2	–	–	–
†ELLAND	–	1	–	–	–	–
†FEATHERSTONE ...	–	1	–	–	–	–
†GOOLE	–	2	–	–	–	–
GREETLAND ...	–	–	–	–	1	–
†HARROGATE ...		2	–	–	1	–
HECKMONDWIKE	–	–	–	–	–	M. 1
†HEMSWORTH ...	–	–	–	–	1	–
HIPPERHOLME ...	–	–	–	–	1	–
†HOLMFIRTH ...	–	–	–	–	1	–
†HOYLAND NETHER	–	1	–	–	1	–
†KEIGHLEY ...	–	–	–	1	–	M. 1
LEPTON	*	*	*	*	*	*
†MEXBOROUGH ...	–	–	1	1	–	–
†MORLEY	–	–	1	–	–	–
†NORMANTON ...	–	–	1	–	2	–
†OSSETT	–	4	–	–	–	–
†PONTEFRACT ...	–	2	–	–	–	–
†RAWMARSH ...	–	2	–	–	–	–
ROYSTON	–	1	–	–	–	–
†SHIPLEY	–	2	–	–	–	–
†SKIPTON	–	1	–	–	–	–
†SPENBOROUGH ...	–	6	–	–	–	–
STAINLAND WITH OLD LINDLEY	–	–	1	–	1	–
THURSTONLAND	–	–	–	–	–	L. 1
TICKHILL ...	–	1	–	–	–	–
WHITLEY, UPPER	*	*	*	*	*	*
†WOMBWELL ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Rural Districts—						
BARNSLEY ...	*	*	*	*	*	*
BISHOPTHORPE ...	–	–	1	–	–	–
DONCASTER ...	1	1	–	–	1	–
GREAT OUSEBURN	–	–	–	–	–	C. 1
HEMSWORTH ...	–	1	1	–	1	–
HUNSLET... ...	–	–	1	–	–	–
PONTEFRACT ...	–	1	–	–	–	–
RIPON	*	*	*	*	*	*
ROTHERHAM ...	–	1	–	–	–	–
SEDBERGH ...	–	1	–	–	–	–
TADCASTER ...	–	2	1	–	–	–
THORNE	–	1	–	–	–	–
WAKEFIELD ...	–	1	–	–	–	–
WHARFEDALE (SOUTH)	–	–	–	1	–	L. 3
WORTLEY ...	–	1	–	–	1	–
County Borough :—						
†YORK§	–	1	1	–	–	–
WALES.						
ANGLESEY	–	2	–	–	–	–
Rural Districts:—						
VALLEY	–	2	–	–	–	–
BRECKNOCK ...	–	1	3	–	–	–
Urban Districts :—						
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts :—						
YSTRADFELLTE (parish)	–	1	–	–	–	–
YSTRADGYNLAIS...	–	–	3	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN	–	–	1	2	–	–
Boroughs and Urban Districts—						
†ABERYSTWYTH ...	–	–	–	2	–	–
Rural Districts :—						
ABERYSTWYTH (NORTH)	–	–	1	–	–	–
CARMARTHEN ...	–	4	3	1	1	–
Boroughs and Urban Districts :—						
AMMANFORD ...	–	–	–	–	1	–
BURRY PORT ...	–	–	1	–	–	–
†LLANELLY ...	–	1	2	–	–	–
Rural Districts :—						
†CARMARTHEN ...	–	1	–	–	–	–
LLANELLY ...	–	2	–	1	–	–
WHITLAND ...	*	*	*	*	*	*
CARNARVON ...	–	3	1	–	–	–
Boroughs and Urban Districts :—						
CARNARVON ...	–	1	–	–	–	–
CONWAY	–	1	–	–	–	–
†LLANDUDNO ...	–	1	1	–	–	–
DENBIGH	–	–	2	–	–	–
Rural Districts :—						
WREXHAM ...	–	–	2	–	–	–
FLINT	–	1	2	–	–	–
Boroughs and Urban Districts :—						
PRESTATYN ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

§ York is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT—*cont.*						
Rural Districts:—						
HAWARDEN ...	*	*	*	*	*	*
HOLYWELL ...	–	–	2	–	–	–
(HOLYWELL DIV.)						
GLAMORGAN ...	–	57	31	2	16	C. 2 M. 5
†CARDIFF C.B. ...	–	6	1	–	2	C. 1 M. 3
†MERTHYR TYDFIL C.B.	–	3	3	1	–	–
†SWANSEA C.B. ...	–	6	6	–	1	M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	6	2	–	–	–
†BARRY	–	1	2	–	1	–
BRIDGEND ...	–	1	–	–	–	–
†CAERPHILLY ...	–	3	3	–	–	–
†GELLIGAER ..	–	3	1	–	–	–
†MAESTEG ...	–	–	1	–	2	–
†MOUNTAIN ASH ...	–	2	1	–	2	–
†NEATH	–	–	1	–	–	–
†OGMORE AND GARW	–	4	1	–	1	M. 1
†PONTYPRIDD ...	–	1	–	–	1	–
†PORT TALBOT ...	–	1	2	–	–	–
†RHONDDA ..	–	9	4	–	5	–
Rural Districts:—						
LLANTRISANT AND LLANTWITFARDRE	–	5	–	1	–	C. 1
NEATH	–	3	1	–	1	–
PONTARDAWE ...	–	1	1	–	–	–
SWANSEA... ...	–	2	1	–	–	–
MERIONETH ...	–	1	–	–	1	–
Rural Districts:—						
DEUDRAETH ...	–	1	–	–	–	–
EDEIRNION ...	–	–	–	–	1	–
MONMOUTH ...	–	13	7	1	–	C. 1 M. 1
†NEWPORT C.B. ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†ABERCARN ...	–	1	–	–	–	–
ABERGAVENNY ...	–	2	–	–	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	–	3	–	–	–
†BEDWELLTY ...	–	1	–	–	–	–
†EBBW VALE ...	–	4	–	1	–	–
†NANTYGLO AND BLAINA	–	–	–	–	–	M. 1
†RHYMNEY ...	–	1	1	–	–	–
†RISCA	–	–	1	–	–	C. 1
†TREDEGAR ..	–	–	1	–	–	–
Rural Districts:—						
SAINT MELLONS...	–	1	–	–	–	–
MONTGOMERY ...	–	1	–	–	1	–
Rural Districts:—						
FORDEN	–	1	–	–	–	–
LLANFYLLIN ...	–	–	–	–	1	–
NEWTOWN AND LLANIDLOES	*	*	*	*	*	*
PEMBROKE... ...	–	–	4	–	–	–
Boroughs and Urban Districts:—						
GOODWICK ...	–	–	2	–	–	–
HAVERFORDWEST.	–	–	2	–	–	–
†PEMBROKE ...	*	*	*	*	*	*
Total of Part II. ...	21	990	434	92	325	C. 24 D. 8 E. 7 G. 5 J. 2 L. 5 M. 108

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
BARRY	–	–	–	1	–	–	LIVERPOOL	–	–	–	–	–	L. 2
CARDIFF	–	–	–	2	–	–	PORT OF LONDON ...	–	–	1	–	–	–
HARTLEPOOL	*	*	*	*	*	*							
							Total of Part III.— ...	–	–	1	3	–	L. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	127	130	5	53	C. 1 D. M. 1
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	21	990	434	92	325	C. 2 D. E. G. J. L. M. 10
Total of Part III.—Port Sanitary Districts	–	–	1	3	–	L.
Total (*i.e.*, of returns received), England and Wales ...	21	1117	565	100	378	C. 3 D. E. G. J. L. M. 12

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poli encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continu Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the wee The cases of Small-pox notified appear on pages 874, 876, 880, and 884.

) 5.—LONDON and GREAT TOWNS in the GREGATE. } { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	May 12.	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.
DON :—													
THS—all ages	885	949	906	840	847	871	855	772	834	1,016	902	686	765
0 to 1 year ..	106	93	98	83	74	90	86	76	85	106	112	80	73
AT TOWNS, aggregate (including London) :—													
HS	7,665	8,309	6,717	8,724	8,054	8,106	7,901	7,792	7,746	7,331	8,275	7,554	8,131
THS—all ages	4,478	4,532	4,225	4,152	4,264	4,060	3,858	3,668	3,703	4,052	3,618	3,108	3,301
0 to 1 year ..	566	564	518	506	518	474	464	471	428	516	492	413	407
ERIC FEVER—Cases	15	18	18	16	18	15	24	15	33	24	19	21	33
„ Deaths	1	3	5	—	2	2	2	1	3	1	3	3	1
LL POX—Cases ..	4	7	1	8	38	56	82	104	95	114	64	25	14
„ Deaths ..	—	—	—	—	—	—	—	—	—	1	1	—	—
LET FEVER—Cases	859	830	891	804	833	762	825	817	798	733	647	679	626
„ Deaths	15	25	7	12	7	9	16	11	7	10	2	7	5
THERIA—Cases ..	515	467	405	405	441	448	415	378	424	431	403	385	340
„ Deaths ..	38	34	29	15	33	26	32	24	15	17	16	10	22
SLES—Deaths ..	73	73	73	60	97	85	61	61	42	51	53	37	28
UENZA—Deaths ..	207	200	166	155	140	120	92	81	59	34	36	24	15

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 4th August, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
DON (GREENWICH).	78	50	73·7	53·3	10
HTON ..	70	50	67·2	56·1	12
TSMOUTH ..	70	53	68·1	56·9	9
WICH (EATON)	74	48	70·0	53·4	38
MOUTH ..	70	47	67·3	54·6	8
TOL (CLIFTON).	68	52	66·0	54·9	47
MINGHAM (EDGBASTON)	72	49	65·7	51·6	22
TINGHAM ..	72	47	67·9	52·0	17
KENHEAD (BIDSTON).	66	50	64·3	53·6	23
CHESTER (WHITWORTH PARK).	71	45	65·4	51·6	50
NLEY.. ..	67	45	62·7	50·0	36
DERSFIELD	72	45	66·3	50·6	32

TOWNS.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD ..	69	46	63·3	51·3	23
SHEFFIELD ..	Not received.				
YORK (MUSEUM)	71	48	66·0	52·9	12
HULL (PEARSON PARK).	72	49	67·7	52·4	12
TYNEMOUTH ..	70	50	63·9	52·9	28
CARDIFF	72	51	66·0	52·9	26
EDINBURGH ..	66·0	48·0	61·4	50·3	36
GLASGOW ..	65·3	48·1	62·0	51·0	26
DUBLIN (PHŒNIX PARK).	Not received.				
FITZWILLIAM SQUARE.†	70·0	50·3	65·6	52·7	30
BELFAST	Not received.				

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 4th August, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
JULY.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	29	..	29·571	73·0	52·2	20·8	61·9	− 0·4	52·4	9·5	19·0	1·2	71	136·0	44·2	58·2	WSW: SW.	SW	2·2	0·0	0·2	307	+ 67	0·00
MONDAY -	30	..	29·508	73·9	57·9	16·0	62·5	+ 0·2	52·9	9·6	22·5	2·5	71	140·0	52·6	58·1	WSW	SW	4·5	0·0	0·5	410	+ 170	0·08
TUESDAY -	31	..	29·264	67·0	52·3	14·7	57·7	− 4·5	52·4	5·3	14·6	2·6	83	99·4	46·3	58·1	SW	SSW: SW.	4·1	0·1	0·4	385	+ 144	0·29
AUGUST WEDNESDAY	1	In Equator	29·596	73·9	50·3	23·6	60·9	− 1·3	49·3	11·6	23·7	3·1	66	143·6	44·1	58·0	WSW	WSW: SW.	3·5	0·0	0·5	428	+ 185	0·02
THURSDAY -	2	..	29·645	76·1	54·3	21·8	64·0	+ 1·9	50·6	13·4	24·1	2·8	62	152·9	44·8	58·1	SSW	SSW: SW.	6·3	0·0	0·6	375	+ 128	0·00
FRIDAY -	3	..	29·931	73·9	54·1	19·8	62·8	+ 0·7	44·9	17·9	27·5	4·9	52	154·0	41·6	58·0	SW: WSW.	WNW	6·5	0·0	0·7	530	+ 280	0·00
SATURDAY -	4	Apogee Last Quarter.	30·109	78·1	49·8	28·3	63·1	+ 1·0	49·2	13·9	26·9	2·3	61	157·2	35·5	58·0	Calm	Calm	0·8	0·0	0·0	137	− 115	0·00
MEANS -		..	29·661	73·7	53·0	20·7	61·8	− 0·3	50·2	11·6	22·6	2·8	67	140·4	41·2	58·1	WSW		..	..	..	Sum 2,572	Sum + 859	Sum 0·39
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. JULY.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	29	wP	5·7	15·5	Partially cloudy till 9h., then overcast.
MONDAY ..	30	Zero till 7½h. ; wP till 19h. ; then zero.	5·6	15·5	Overcast generally. Rain about 1h., and between 14¾h. and 15h. Showers 15¼, 21¼, and 22¾h. Brisk wind in morning.
TUESDAY ..	31	Zero till 10h. ; wP till 13h. ; then loss of Register.	2·7	15·5	Nearly cloudless by 0½h ; overcast from 1h. till 19½, then partially cloudy. Frequent heavy rain between 14½h. and 19½h.
AUGUST WEDNESDAY	1	Loss of Register till 7½h. ; wP till 9½h. ; mP till 10½h. ; loss of Register.	13·8	15·4	Nearly overcast till 2h., then nearly cloudless till 6h. Partially cloudy till 19½h., then overcast, clearing to nearly cloudless by midnight. Rain at 1h.
THURSDAY	2	Loss of Register till 10½h. ; then wP.	8·9	15·4	Nearly overcast generally till 16½h., clearing to nearly cloudless by 18½h. Slight rain 15½h. ; Brisk wind 15h. till 19h.
FRIDAY ..	3	wP	12·7	15·3	Cloudless till 3h. ; Cloudy till 19h., then cloudless. Brisk wind 9h. till 19h.
SATURDAY	4	wP till 3h. ; zero till 6½h. ; then wP.	12·8	15·2	Cloudless generally with partially cloudy periods between 11½h. and 15h., and between 17½h. and 20h. Slight dew at night.
			Sum 62·2	Sum 107·8	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea ; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive ; N. negative ; w. weak ; m. moderate ; s. strong ; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·51 in. at the beginning of the week to 29·59 in. by 9h. on 29th ; decreased to 29·12 in. by 19h. on 31st ; increased to 29·73 in. by 23h. on August 1st ; decreased to 29·61 in. by 17h. on 2nd ; increased to 30·16 in. by 9h. on 4th ; decreased and was 30·05 in. by midnight on the same day.

Printed and published by His Majesty's Stationery Office Press.
11-17, Hare Street, E.2

FOR OFFICIAL USE.

1923. No. 32.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 11TH AUGUST, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 11TH AUGUST, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-second week of the year numbered 6,627 and corresponded to an annual rate of 18·0 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,332 and corresponded to an annual rate of 9·1 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 9·8, 8 5 and 9·0. Infant mortality was 68 per 1,000 births, against 59, 55 and 50 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,617 births, corresponding to a rate of 18·6 per 1,000, and 720 deaths of civilians, corresponding to a rate of 8·3, as against 10·4, 7·9 and 8·8 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 8·9 per 1,000. The infant mortality was 52 as against 57, 45 and 39 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 32 in the total deaths last week, but the deaths from influenza fell from 15 to 14. In London the number of deaths from all causes fell from 765 to 720; while the deaths from diphtheria, which had been 4, 2 and 10 in the preceding three weeks, fell to 5 last week, and those from influenza, which had been 3, 4 and 5 in the three preceding weeks, fell to 3 last week.

Just Published:

Census of England and Wales, 1921. County of Kent. Price 14*s.* net.

County of Hertford. Price 7*s.* 6*d.* net.

County of Lancaster. Price 20*s.* net.

Yorkshire. Price 25*s.* net.

County of Glamorgan. Price 10*s.* net.

County of Monmouth. Price 8*s.* 6*d.* net.

The Registrar General's Statistical Review, 1921.
Tables, Part II. Civil. Price 5*s.* net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 11th August, 1923.**

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	6,627	3,332	450	7	28	7	42	20	70	14
London	4,534,230*	1,617	720	84	–	1	3	13	5	11	3
Towns in Outer Ring.											
Croydon C.B. ..	192,300	73	32	1	–	–	–	–	1	–	–
Wimbledon ..	61,730	13	7	–	–	–	–	–	–	–	–
Ealing	67,890	17	6	–	–	–	–	–	–	–	–
Acton	62,390	16	11	1	–	–	–	–	–	–	–
Willesden ..	168,200	36	24	4	–	–	–	1	–	–	–
Hendon	55,930	16	9	–	–	–	–	–	–	–	–
Hornsey	87,310	19	17	–	–	–	–	–	–	–	–
Wood Green ..	51,290	16	4	–	–	–	–	–	–	–	–
Tottenham ..	150,500	50	19	2	–	–	–	–	1	–	–
Edmonton ..	68,700	41	5	–	–	–	–	–	–	–	–
Enfield	62,010	21	10	2	–	–	1	–	–	1	–
West Ham C.B. ..	310,200	142	52	5	–	–	–	–	2	3	–
East Ham C.B. ..	145,800	44	19	4	–	–	–	–	–	1	–
Leyton	131,600	35	19	3	–	–	–	–	–	–	1
Walthamstow ..	129,700	35	19	4	–	–	–	–	–	2	–
Ilford	86,370	27	12	3	–	–	–	–	–	–	–
Gillingham	48,630*	15	17	4	–	–	–	–	–	2	–
Canterbury C.B ..	23,680	4	4	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	12	11	–	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	14	3	–	–	–	–	–	–	–	–
Brighton C.B. ..	135,000	45	26	2	–	–	–	–	–	–	–
Portsmouth C.B. ..	236,630*	103	40	7	–	–	–	1	1	–	–
Bournemouth C.B. ..	81,500	18	21	1	–	–	–	–	–	–	–
Southampton C.B. ..	163,700	52	37	2	–	–	–	–	1	–	–
Reading C.B.	92,990	34	20	4	–	–	–	–	–	–	–
Oxford C.B.	56,510	15	8	–	–	–	–	–	1	–	–
Northampton C.B. ..	92,950	24	9	–	–	–	–	–	–	–	–
Luton	58,260	16	7	–	–	–	–	–	–	–	–
Cambridge	59,200	19	7	3	–	–	–	–	–	–	–
Southend-on-Sea C.B.	91,430	18	18	1	–	–	–	–	–	–	–
Ipswich C.B.	80,950	40	11	1	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	13	15	1	–	–	–	–	–	1	–
Norwich C.B ..	122,900	27	18	2	–	–	–	–	–	–	–
Swindon	55,680	23	8	3	–	–	–	–	–	–	–
Exeter C.B.	59,700	17	17	2	–	–	–	–	–	–	–
Plymouth C.B. ..	200,370*	73	40	4	–	–	–	–	–	–	1
Bath C.B.	68,530	20	14	–	–	–	–	–	–	–	–
Bristol C.B.	383,900	105	82	6	–	1	–	1	–	2	–
Gloucester C.B. ..	52,210	12	6	–	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	274,300	76	51	11	–	–	–	–	–	3	–
Burton-upon-Trent C.B.	49,630	18	5	–	–	–	–	–	–	–	–
Wolverhampton C.B.	105,700	41	20	1	–	–	–	–	–	–	–
Walsall C.B.	99,890	30	19	8	–	–	–	1	–	2	–
West Bromwich C.B.	76,260	33	21	3	–	–	–	–	1	–	1
Dudley C.B.	57,860	16	13	2	–	2	–	–	–	–	–
Worcester C.B. ..	49,240	22	9	1	–	1	–	–	–	–	–
Birmingham C.B. ..	945,100	302	121	10	–	1	–	–	2	2	–
Smethwick C.B. ..	78,140	26	4	–	–	–	–	–	–	–	–
Coventry C.B. ..	131,200	37	15	2	–	–	–	–	1	1	–
Leicester C.B. ..	238,800	64	31	3	1	–	1	–	–	2	–
Lincoln C.B.	66,930	27	17	1	–	–	–	–	–	–	–
Grimsby C.B.	84,650	44	13	1	–	–	–	1	–	1	–
Nottingham C.B. ..	267,900	90	55	5	–	–	–	2	–	1	–
Derby C.B.	132,400	60	19	–	–	–	–	–	–	–	–
Chesterfield ..	63,380	26	8	–	–	–	–	–	–	–	–
Stockport C.B. ..	125,800	30	22	4	–	–	–	–	1	–	–
Chester C.B.	41,190	19	8	–	–	–	–	–	–	–	–
Birkenhead C.B. ..	149,200	65	20	2	–	–	–	–	–	–	–
Wallasey C.B. ..	89,790	25	15	1	–	–	–	–	–	–	–
Liverpool C.B. ..	826,400	328	185	41	–	13	–	4	–	6	–
Bootle C.B.	79,750	32	16	2	–	–	–	–	–	1	–
St. Helens C.B. ..	106,400	43	14	6	–	–	–	–	–	1	1

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from						
					Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	19	12	–	–	–	–	–	–	–	–
WIGAN C.B.	91,750	29	19	3	1	–	–	–	–	–	1
WARRINGTON C.B. ..	79,150	29	18	1	1	–	–	–	–	1	–
BOLTON C.B.	182,700	69	39	6	–	–	–	–	–	–	–
BURY C.B.	57,400	22	9	1	–	–	–	–	–	–	–
MANCHESTER C.B. ..	748,500	287	149	24	1	1	–	–	–	6	1
SALFORD C.B.	240,700	85	37	4	–	–	–	–	–	–	–
OLDHAM C.B.	148,300	46	31	6	–	–	–	2	–	–	–
ROCHDALE C.B... ..	92,510	24	11	2	–	–	–	–	–	–	1
BURNLEY C.B.	105,100	20	21	4	–	–	–	2	–	–	–
BLACKBURN C.B. ..	129,600	44	23	3	–	–	–	–	–	1	1
PRESTON C.B.	120,900	51	34	8	–	–	–	–	–	–	–
BLACKPOOL C.B. ..	74,050	20	31	1	–	–	–	–	–	–	–
BARROW-IN-FURNESS C.B.	75,690	25	11	1	–	–	1	–	–	–	–
HUDDERSFIELD C.B. ..	111,600	28	28	4	–	–	–	–	–	–	–
HALIFAX C.B.	100,500	30	16	–	–	–	–	–	–	–	–
BRADFORD C.B. ..	291,300	93	56	8	–	–	–	–	–	–	–
LEEDS C.B.	466,700	130	94	18	–	1	–	–	–	4	–
DEWSBURY C.B. ..	55,170	15	13	–	1	–	–	–	–	–	–
WAKEFIELD C.B. ..	53,840	23	10	–	–	–	–	–	–	–	1
BARNSLEY C.B. ..	69,540	28	12	4	–	–	–	1	–	–	–
SHEFFIELD C.B. ..	522,600	173	89	11	1	–	–	1	–	1	–
ROTHERHAM C.B. ..	69,840	29	11	6	–	–	–	–	–	–	–
DONCASTER	55,020	25	11	–	–	–	–	–	–	–	1
YORK C.B.	84,980	26	16	1	–	–	–	–	–	–	–
HULL C.B.	294,000	129	49	9	–	–	–	2	–	2	–
MIDDLESBROUGH C.B.	134,800	60	36	3	–	1	–	–	–	–	–
DARLINGTON C.B. ..	66,710	26	10	–	–	–	–	–	–	–	–
STOCKTON-ON-TEES ..	65,950	33	5	1	–	–	–	–	–	1	–
WEST HARTLEPOOL C.B.	70,020	20	12	4	1	–	–	1	1	1	–
SUNDERLAND C.B. ..	162,900	71	27	11	–	–	–	–	–	3	–
SOUTH SHIELDS C.B. ..	122,400	51	23	4	–	1	–	–	–	–	–
GATESHEAD C.B. ..	127,300	45	22	2	–	–	–	2	–	–	–
NEWCASTLE-ON-TYNE C.B.	281,600	124	57	12	–	1	–	3	–	3	–
TYNEMOUTH C.B. ..	64,640	37	12	1	–	–	–	1	–	–	–
CARLISLE C.B.	53,490	27	12	2	–	–	–	–	–	2	–
NEWPORT (MON.) C.B.	94,880	38	17	–	–	–	–	–	–	–	–
CARDIFF C.B.	223,830	65	35	8	–	–	–	1	–	–	–
RHONDDA	167,500	48	29	3	–	2	–	–	1	–	1
MERTHYR TYDFIL C.B.	82,680	29	12	3	–	–	–	–	1	1	–
ABERDARE	56,580	18	5	3	–	2	–	–	–	–	–
SWANSEA C.B.	161,000	45	33	8	–	–	1	2	–	1	–
GREATER LONDON ..	7,563,730*	2,558	1,146	129	–	1	4	15	12	20	4
OUTER RING	3,029,500*	941	426	45	–	–	1	2	7	9	1
6 GREAT TOWNS IN OUTER RING	1,831,920	601	265	29	–	–	1	1	4	7	1
REMAINDER OF OUTER RING	1,197,580*	340	161	16	–	–	–	1	3	2	–
EDINBURGH†	426,000	179	94	11	–	1	3	–	2	2	–
GLASGOW†	1,041,400	479	212	29	1	5	1	3	–	8	–
DUBLIN (REGISTRATION AREA)†	431,000	188	104	16	1	–	–	5	–	2	–
BELFAST†	429,000	221	86	13	–	3	–	2	1	–	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available per

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS. Exclusive of Still born.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years)
		1923.										
LONDON‡	4,534,230	Aug. 11	1617	720	8·3	–	–	1	3	13	5	11
CALCUTTA	896,067	July 7	?	438§	25·0	?	4	?	?	?	?	?
BOMBAY	1,220,120	June 16	346‖	622§	26·5	2	9	1	–	1	–	36
MADRAS	526,911	30	403	313	30·9	–	–	–	?	–	–	29
SYDNEY AND SUBURBS	955,900	June (30 days)	1739	808	10·1	2	–	10	1	2	11	19
BRISBANE (Metropolitan Area).	217,714	April										
PERTH (Metropolitan Area).	161,773	June 23	83	49	15·7	–	–	1	–	–	–	3
AUCKLAND (Urban Area).	164,450	May										
WELLINGTON (Urban Area).	110,680	„										
CHRISTCHURCH (Urban Area).	110,200	„										
CAPE TOWN	106,727	July 7	34	29	14·1	–	–	2	–	–	–	–
JOHANNESBURG	156,858	„ 7	66	38	12·6	–	–	1	–	–	–	2
DURBAN	50,488	„ 7	31	15	15·4	–	–	–	–	–	–	2
PARIS	2,906,472	July 10 (10 days)	1167	1109	13·9	3	–	3	2	6	2	36
ANTWERP	302,711	July 7	113	57	9·9	–	–	3	–	1	–	10
AMSTERDAM	700,578	„ 21	243	123	9·1	1	–	–	–	1	–	1
COPENHAGEN	570,000	„ 28	216	94	8·6	–	–	–	–	–	–	3
STOCKHOLM	424,944	„ 21	81	95	11·6	–	–	–	–	–	1	1
GOTHENBURG	228,074	„ 14	?	46	10·5	–	–	–	1	1	1	–
CHRISTIANIA	258,962	„ 28	76	33	6·6	–	–	–	–	–	–	–
BERLIN	1,989,000	„ 14	315	518	13·5	1	?	1	–	2	1	7
BRESLAU	562,000	„ 14	143	168	15·5	–	?	3	1	–	1	12
COLOGNE	701,000	„ 14	241	194	14·4	–	?	2	–	1	–	8
DRESDEN	612,000	„ 14	161	169	14·4	1	?	–	–	–	–	4
FRANKFORT-ON-MAIN..	475,000	„ 14	87	93	10·2	–	?	2	1	–	1	1
HAMBURG	1,077,000	„ 14	300	258	12·5	–	?	1	–	–	–	8
LEIPZIG	682,000	„ 14	191	174	13·3	–	?	1	–	2	–	7
MUNICH	685,000	„ 14	187	171	13·0	–	?	2	–	2	–	4
VIENNA	1,841,326	May 5	585	518	14·6	1	–	7	–	4	3	1
		„ 12	574	508	14·3	1	–	4	–	3	1	[illegible]
PRAGUE AND SUBURBS	697,111	June 15 (15 days)										
BUDAPEST	946,000	June 2	352	372	20·5	3	–	8	–	4	4	1
		„ 9	354	378	20·8	1	–	5	4	5	–	1
WARSAW	956,087	„ 16	394	232	13·6	2	–	1	2	–	–	2
CAIRO	791,000	May 13	682	668	43·9	3	–	40	–	?	2	8
ALEXANDRIA	466,700	„ 13	350	310§	34·5	–	–	11	–	?	1	4
NEW YORK	5,927,617	July 7	2301	1010	8·9	2	–	2	–	4	7	2
CHICAGO	2,886,121	„ 14	?	509	9·2	2	–	1	–	–	4	[illegible]
RIO DE JANEIRO ..	1,287,367	June 16	740	403	16·3	1	–	–	–	15	1	?
MONTEVIDEO	347,316	April 28	188	128	20·5	2	–	1	–	–	3	[illegible]

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, V Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 28 deaths from Asiatic Cholera in Calcutta and 14 in Bombay and from Plague, 9 in Bombay, an Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 11th August, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	720	84	20	16	22	37	40	51	79	120	126	125
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	1	–	–	–	–	–	–	–	–	–
Scarlet fever	3	–	1	1	1	–	–	–	–	–	–	–
Whooping cough	13	7	5	–	1	–	–	–	–	–	–	–
Diphtheria	5	1	–	2	2	–	–	–	–	–	–	–
Influenza	3	–	–	1	–	–	2	–	–	–	–	–
Erysipelas	1	–	–	–	1	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	2	–	–	–	–	–	1	–	–	–	–	1
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	61	1	–	–	4	14	16	7	11	7	1	–
Nervous system	2	–	1	1	–	–	–	–	–	–	–	–
Intestines and peritoneum	3	–	–	1	–	–	2	–	–	–	–	–
Other forms	4	1	–	1	1	1	–	–	–	–	–	–
Venereal diseases	3	1	–	–	1	–	–	–	1	–	–	–
Cancer	108	–	–	–	–	2	2	10	19	30	29	16
Rheumatic fever	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	6	–	–	–	–	–	–	–	1	3	2	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	2	–	1	–	1	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	30	–	–	–	1	–	1	–	1	9	7	11
Epilepsy	2	–	–	–	1	–	–	–	–	–	1	–
"Convulsions" (not puerperal) ..	2	2	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	15	1	–	–	–	2	–	1	1	5	1	4
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	1	–	–	–	–	–	1	–	–	–	–	–
Other diseases of heart	110	–	–	1	3	4	3	13	13	18	31	24
Other diseases of circulatory system	39	–	–	–	1	–	–	1	6	9	11	11
Bronchitis	29	–	–	2	–	1	–	–	1	6	6	13
Broncho-pneumonia	26	10	8	1	–	–	–	1	1	1	3	1
Lobar-pneumonia	11	–	–	–	–	1	1	2	1	1	5	–
Pneumonia (type not distinguished) ..	9	1	2	–	–	–	–	–	–	3	1	2
Other diseases of respiratory system	9	–	–	–	–	–	–	–	2	4	1	2
Diarrhœa and enteritis	16	10	1	–	–	–	2	–	1	–	–	2
Appendicitis, Typhlitis	8	–	–	1	1	2	–	1	1	1	1	–
Hernia, Intestinal obstruction	9	–	–	1	–	1	–	1	2	1	2	1
Cirrhosis of liver	2	–	–	–	–	–	–	–	1	–	1	–
Other diseases of digestive system ..	19	3	–	–	–	2	–	1	5	4	1	3
Acute nephritis	1	–	–	–	–	1	–	–	–	–	–	–
Chronic Bright's disease	21	–	–	–	–	–	1	2	4	5	5	4
Other diseases of genito-urinary system.	13	–	–	–	1	–	–	1	1	3	3	4
Puerperal sepsis	4	–	–	–	–	1	3	–	–	–	–	–
Other causes incident to childbirth ..	2	–	–	–	–	–	2	–	–	–	–	–
Congenital malformations	4	4	–	–	–	–	–	–	–	–	–	–
Premature birth	19	19	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	5	5	–	–	–	–	–	–	–	–	–	–
Old age	26	–	–	–	–	–	–	–	–	–	5	21
Suicide	11	–	–	–	–	1	1	1	2	5	–	1
Burns and scalds	1	–	–	1	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	1	1	1	–	–	–	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	5	–	–	1	1	1	–	–	1	1	–	–
Other deaths by violence	10	–	–	1	–	–	–	3	1	2	2	1
Other specified causes	40	17	–	–	1	2	1	5	2	2	7	3
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 11th August, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	109	157	11	57	C. 7 E. 2 M. 10
Metropolitan Boroughs :—						
†BATTERSEA ...	–	5	7	–	7	E. 1
†BERMONDSEY ...	–	3	6	–	1	–
†BETHNAL GREEN	–	–	11	–	3	–
†CAMBERWELL ...	–	1	17	1	–	M. 1
†CHELSEA	–	–	1	1	–	–
†DEPTFORD ...	–	1	8	1	–	–
†FINSBURY ...	–	1	7	–	–	–
†FULHAM	–	5	3	–	7	C. 1
†GREENWICH ...	–	3	2		–	C. 1 M. 1
†HACKNEY ...	–	4	2	1	–	–
†HAMMERSMITH ...	–	–	–	1	1	C. 3
†HAMPSTEAD ...	–	1	–	–	–	–
†HOLBORN... ...	–	2	4	1	–	–
†ISLINGTON ...	–	17	13	–	1	M. 1

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	3	3	2	2	–
†LAMBETH ...	–	14	9	–	1	M. 1
†LEWISHAM ...	–	4	6	–	1	C. 1 E. 1
†PADDINGTON ...	–	3	2	–	7	–
†POPLAR	–	6	3	–	5	M. 1
†ST. MARYLEBONE	–	–	4	1	2	M. 1
†ST. PANCRAS ...	–	4	6	1	2	C. 1 M. 1
†SHOREDITCH ...	–	1	8	–	6	–
†SOUTHWARK ...		9	14	–	–	M. 1
†STEPNEY	–	7	13	–	6	M. 1
†WANDSWORTH ...	–	6	4	–	1	–
†WESTMINSTER, CITY OF	–	1	1	1	–	M. 1
†WOOLWICH ...	–	8	3	–	4	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	4	1	6	–	E. 1
Boroughs and Urban Districts:—						
AMPTHILL ...	–	–	–	2	–	–
†BEDFORD ...	–	–	1	–	–	E. 1
†LUTON	–	1	–	2	–	–
Rural Districts:—						
AMPTHILL ...	–	3	–	1	–	–
†LUTON	–	–	–	1	–	–
BERKS	–	–	3	–	–	M. 1
†READING C.B. ...	–	–	2	–	–	–
Rural Districts:—						
FARINGDON (PART)	–	–	–	–	–	M. 1
WANTAGE ...	–	–	1	–	–	–
BUCKINGHAM ...	–	7	2	–	–	D. 1
Boroughs and Urban Districts:—						
AYLESBURY ...	–	1	–	–	–	–
†CHEPPING WYCOMBE ...	–	2	–	–	–	–
CHESHAM... ..	–	1	–	–	–	–
MARLOW	–	–	2	–	–	–
†SLOUGH	–	1	–	–	–	–
Rural Districts:—						
HAMBLEDEN ...	–	1	–	–	–	–
WINSLOW... ...	–	1	–	–	–	–
WYCOMBE ...	–	–	–	–	–	D. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	3	–	1	–	–
Borough:—						
†CAMBRIDGE ...	–	1	–	1	–	–
Rural Districts:—						
CHESTERTON ...		2	–	–	–	–
CHESTER	–	39	12	1	5	C. 2 E. 2 G. 1 M. 3
†BIRKENHEAD C.B.	–	6	–	–	3	M. 1
†STOCKPORT C.B.	–	4	3	–	–	C. 1
†WALLASEY C.B. ...	–	3	2	–	–	M. 1
Boroughs and Urban Districts:—						
†BEBINGTON AND BROMBOROUGH	–	3	1	–	–	–
BUGLAWTON ...	–	1	–	–	–	–
COMPSTALL ...	–	–	2	–	–	–
†CONGLETON ...		3	–	–	–	–
†CREWE	–	2	–	–	–	G. 1
†DUKINFIELD ...	–	–	–	–	–	E. 1
†ELLESMERE PORT AND WHITBY		–	1	–	–	M. 1
HOLLINGWORTH	–	1	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	–	–	–	–	E. 1
†HYDE	–	–	–	–	1	–
†MACCLESFIELD ...	–	4	–	–	–	–
MIDDLEWICH ...	–	–	1	–	–	–
NESTON AND PARKGATE	–	–	1	–	–	–
†NORTHWICH ...	–	2	–	–	–	–
†RUNCORN... ...	–	–	–	–	1	–
†SALE	*	*	*	*	*	*
SANDBACH ...	*	*	*	*	*	*
†STALYBRIDGE ...	–	–	–	–	–	C. 1
WILMSLOW ...	*	*	*	*	*	*
†WINSFORD ...	*	*	*	*	*	*
Rural Districts:—						
BUCKLOW ...	–	1	–	–	–	–
CHESTER	–	1	–	–	–	–
CONGLETON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
DISLEY ...	–	1	–	–	–	–
MALPAS ...	–	1	–	–	–	–
NORTHWICH ...	–	–	1	–	–	–
RUNCORN ...	–	3	–	1	–	–
WIRRAL ...	–	2	–	–	–	–
CORNWALL ...	–	2	4	–	–	–
Boroughs and Urban Districts:—						
LISKEARD ...	–	–	2	–	–	–
SAINT AUSTELL	–	1	–	–	–	–
ST. IVES ...	–	–	1	–	–	–
TORPOINT ...	–	1	–	–	–	–
Rural Districts:—						
SAINT AUSTELL	–	–	1	–	–	–
CUMBERLAND ...	–	4	3	–	4	C. 1
†CARLISLE C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	–	–	1	–
HARRINGTON ...	–	–	1	–	–	–
†MARYPORT ...	–	1	–	–	3	–
†WORKINGTON ...	–	–	1	–	–	C. 1
Rural Districts:—						
ALSTON WITH GARRIGILL	–	–	1	–	–	–
COCKERMOUTH ...	–	1	–	–	–	–
LONGTOWN ...	*	*	*	*	*	*
DERBY ...	1	23	11	1	7	C. 2 M. 4
†DERBY C.B. ...	–	6	–	–	3	C. 1 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	–	1	–	–
ALVASTON AND BOULTON	*	*	*	*	*	*
†BOLSOVER ...	–	–	1	–	–	–
†CHESTERFIELD ...	–	2	1	–	2	–
DRONFIELD ...	–	2	–	–	–	–
†GLOSSOP ...	–	–	2	–	–	M. 1
†HEANOR ...	–	–	1	–	–	–
†LONG EATON ...	1	1	–	–	–	–
MATLOCK BATH AND SCARTHIN NICK ...	*	*	*	*	*	*
NEW MILLS ...	–	1	1	–	–	–
†RIPLEY ...	–	–	–	–	1	–
†SWADLINCOTE DISTRICT	*	*	*	*	*	*
Rural Districts:—						
BELPER ...	–	1	–	–	–	C. 1
BLACKWELL ...	–	3	–	–	–	–
CHAPEL EN LE FRITH	–	3	–	–	–	M. 1
CHESTERFIELD ..	–	2	4	–	1	–
HARTSHORN AND SEALS	–	1	–	–	–	–
HAYFIELD ...	–	–	–	–	–	M. 1
NORTON ...	–	1	–	–	–	–
SHARDLOW ...	–	–	1	–	–	–
DEVON ...	–	18	6	2	9	C. 2 E. 1
†EXETER C.B. ...	–	1	2	–	1	C. 1 E. 1
†PLYMOUTH C.B. ...	–	9	4	–		–
Boroughs and Urban Districts:—						
BAMPTON ...	–	1	–	–	–	–
†BARNSTAPLE ...	–	–	–	–	1	–
BIDEFORD ...	*	*	*	*	*	*
BRIXHAM ...	–	–	–	1	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
CREDITON ...	–	2	–	–	–	–
†NEWTON ABBOT...	–	1	–	–	–	–
†PAIGNTON ...	–	–	–	–	2	–
†TORQUAY ...	–	–	–	1	2	–
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
OKEHAMPTON ...	–	1	–	–	–	–
PLYMPTON ST. MARY ...	–	1	–	–	–	C. 1
ST. THOMAS ...	–	1	–	–	–	–
SOUTH MOLTON...	–	–	–	–	1	–
TAVISTOCK ...	–	1	–	–	–	–
DORSET	–	3	2	–	–	D. 1
Boroughs and Urban Districts:—						
LYME REGIS ...	*	*	*	*	*	*
†POOLE	–	–	2	–	–	–
Rural Districts:—						
DORCHESTER ...	–	1	–	–	–	–
WAREHAM AND PURBECK	–	1	–	–	–	–
WEYMOUTH ...	–	–	–	–	–	D. 1
WIMBORNE AND CRANBORNE	–	1	–	–	–	–
DURHAM	–	70	12	5	17	J. 1 M. 7
†DARLINGTON C.B	–	–	–	–	1	–
†GATESHEAD C.B.	–	5	2	–	–	–
†SOUTH SHIELDS C.B.	–	7	–	1	4	M. 1
†SUNDERLAND C.B.	–	5	1	1	2	M. 1
†WEST HARTLEPOOL C.B.	–	1	2	1	2	M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	–	–	–	–
BARNARD CASTLE	–	2	1	–	–	–
†BISHOP AUCKLAND	–	–	1	–	–	M. 1
†BLAYDON... ...	–	2	–	–	–	–
†BRANDON AND BYSHOTTLES	–	1	–	–	–	–
†CHESTER LE STREET	–	3	–	–	–	–
†DURHAM	–	–	–	–	–	J. 1
†HARTLEPOOL ...	–	3	–	–	–	–
†HEBBURN ...	–	2	–	–	–	–
†HETTON	–	1	–	–	2	–
†HOUGHTON LE SPRING	–	–	–	–	1	–
†JARROW	–	1	1	–	2	–
†RYTON	–	2	–	–	–	–
†SHILDON	–	–	–	1	–	–
†STANLEY	–	4	1	–	–	–
†STOCKTON ON TEES	–	–	–	–	2	M. 1
WILLINGTON ...	*	*	*	*	*	*
Rural Districts:—						
AUCKLAND ...	–	4	1	–	–	–
CHESTER LE STREET	–	3	1	–	1	–
DARLINGTON ...	–	1	1	–	–	–
DURHAM	–	2	–	–	–	–
EASINGTON ...	–	6	–	–	–	–
HARTLEPOOL ...	–	2	–	–	–	–
HOUGHTON LE SPRING	–	4	–	–	–	M. 1
LANCHESTER ...	–	2	–	–	–	–
SEDGEFIELD ...	–	4	–	1	–	–
SOUTH SHIELDS...	–	1	–	–	–	–
STOCKTON ...	–	1	–	–	–	–
ELY, ISLE OF ...	–	1	1	1	–	–
Boroughs and Urban Districts:—						
CHATTERIS ...	–	1	–	–	–	–
MARCH	*	*	*	*	*	*
Rural Districts:—						
ELY	–		–	1	–	–
WISBECH	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	19	25	7	7	C. 1 M. 4
†EAST HAM C.B. ...	–	2	2	1	1	C. 1
†WEST HAM C.B. ...	–	4	9	1	1	M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN..	–	–	–	–	1	–
†COLCHESTER ...	–	–	–	1	–	–
†GRAYS THURROCK	–	2	1	–	–	M. 1
†HARWICH ...	–	–	1	–	–	–
†ILFORD	–	1	3	–	–	–
†LEYTON	–	–	2	–	1	M. 1
MALDON	–	–	1	–	–	–
†WALTHAMSTOW ...	–	4	–	2	2	M. 1
WIVENHOE ...	*	*	*	*	*	*
Rural Districts:—						
BELCHAMP ...	–	–	2	–	–	–
BILLERICAY ...	–	1	–	–	–	–
BRAINTREE ...	–	–	–	–	1	–
CHELMSFORD ...	–	3	1	–	–	–
HALSTEAD ...	–	–	1	–	–	–
ROMFORD... ...	–	2	1	1	–	–
TENDRING ...	–	–	1	1	–	–
GLOUCESTER ..	20	33	13	1	3	C. 1 E. 1 M. 1
†BRISTOL C.B. ...	–	15	12	1	3	C. 1 M. 1
†GLOUCESTER C.B.	§13	1	–	–	–	–
Boroughs and Urban Districts:—						
AWRE	–	1	–	–	–	–
†CHELTENHAM ...	2	–	–	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
†KINGSWOOD ...	–	1	1	–	–	–
Rural Districts:—						
CHELTENHAM ...	–	1	–	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
GLOUCESTER—*cont.*						
Rural Districts—*cont.*						
EAST DEAN AND UNITED PARISHES ...	5	6	–	–	–	–
STROUD	–	1	–	–	–	–
WARMLEY ...	–	4	–	–	–	E. 1
WINCHCOMB (part)	–	1	–	–	–	–
HERTFORD ...	–	8	5	2	1	E. 4
Boroughs and Urban Districts:—						
†BARNET	–	–	–	1	–	–
†EAST BARNET VALLEY	–	–	1	–	–	–
†HERTFORD ...	–	1	2	–	1	–
†LETCHWORTH ..	–	1	–	–	–	–
Rural Districts:—						
BUNTINGFORD ...	–	–	–	–	–	E. 4
HADHAM	–	1	–	–	–	–
HITCHIN	–	–	1	–	–	–
WATFORD ..	–	–	–	1	–	–
WELWYN	–	–	1	–	–	–
HUNTINGDON ...	–	–	3	–	–	–
Boroughs and Urban Districts:—						
RAMSEY	–	–	3	–	–	–
KENT	–	11	19	8	6	C. 1 E. 4 M. 2
†CANTERBURY C.B.	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

§ Including 2 cases notified as Chicken-pox, but re-diagnosed as Small-pox. In addition 9 other cases of Chicken-pox were notified.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—						
†BEXLEY	–	2	–	–	–	E. 1
†BROMLEY ...	–	–	2	–	1	–
†CHATHAM ...	–	–	2	1	–	–
CHISLEHURST ...	–	–	1	–	–	–
†CRAYFORD ...	–	–	–	–	–	E. 1
†DOVER	–	–	–	–	1	–
†ERITH	–	2	–	–	–	–
†FOLKESTONE ...	–	1	–	–	–	M. 1
†GILLINGHAM ...	–	1	1	2	–	–
†HERNE BAY ...	–	1	–	–	–	–
†MAIDSTONE ...	–	1	1	–	–	–
MILTON REGIS ...	–	–	–	2	–	–
†PENGE	–	1	–	–	–	–
†RAMSGATE ...	–	–	–	–	2	–
†ROCHESTER ...	–	–	–	1	–	–
†ROYAL TUNBRIDGE WELLS	–	–	–	1	–	–
SEVENOAKS ...	–	–	–	1	–	–
†SHEERNESS ...	–	–	1	–	–	–
†TONBRIDGE ...	–	–	–	–	–	C. 1
Rural Districts:—						
BRIDGE	–	1	–	–	–	–
BROMLEY ...	–	–	1	–	–	–
DARTFORD ...	–	–	4	–	–	E. 2
DOVER	–	–	2	–	–	–
EASTRY	–	–	1	–	–	–
FAVERSHAM ...	–	–	1	–	–	–
HOO	*	*	*	*	*	*
MALLING	–	1	–	–	–	–
MILTON	–	–	–	–	1	–
SEVENOAKS ...	–	–	–	–	–	M. 1
TONBRIDGE ...	–	–	1	–	–	–
WEST ASHFORD...	–	–	1	–	–	–
LANCASTER ...	–	162	43	14	83	C. 3 D. 1 E. 7 G. 1 M. 30
†BARROW IN FURNESS C.B.	–	–	–	–	1	–
†BLACKBURN C.B.	–	5	3	–	7	–
†BLACKPOOL C.B.	–	2	1	–	–	–
†BOLTON C.B. ...	–	8	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BOOTLE C.B. ...	–	–	–	–	1	E. 1 M. 2
†BURNLEY C.B. ...	–	3	2	1	2	–
†BURY C.B. ...	–	1	1	–	3	–
†LIVERPOOL C.B. ...	–	20	6	–	19	C. 1 E. 5 M. 8
†MANCHESTER C.B.	–	18	2	1	20	C. 2 M. 7
†OLDHAM C.B. ...	–	3	1	–	1	–
†PRESTON C.B. ...	–	3	1	–	1	–
†ROCHDALE C.B. ...	–	12	1	–	–	M. 1
†ST. HELENS C.B....	–	2	1	–	–	–
†SALFORD C.B. ...	–	15	6	2	5	D. 1 M. 2
†WARRINGTON C.B.	–	5	–	–	1	–
†WIGAN C.B. ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	–	–	–	M. 2
ADLINGTON ...	–	1	–	–	–	–
†ASHTON IN MAKERFIELD	–	1	–	–	1	–
†ASHTON UNDER LYNE	–	7	2	–	2	M. 1
ASPULL	–	–	1	–	–	–
BRIERFIELD ...	–	1	–	–	–	–
†CHADDERTON ...	–	2	–	–	–	–
†CHORLEY	–	–	3	–	1	–
CHURCH	–	–	–	–	1	–
†CROMPTON ...	–	1	–	–	–	–
†DALTON IN FURNESS	–	1	–	–	–	–
†DARWEN	–	2	–	–	–	–
†DENTON	–	1	–	–	–	–
†DROYLSDEN ...	–	1	–	–	2	–
†ECCLES	–	2	–	–	–	–
†FAILSWORTH ...	–	1	–	–	–	M. 2
GOLBORNE ...	–	1	–	–	–	–
†GREAT HARWOOD	–	2	–	–	–	–
†HASLINGDEN ...	–	2	–	–	–	–
†HEYWOOD ...	–	1	1	1	–	–
†HINDLEY... ...	–	–	–	–	5	M. 1
†HORWICH ...	–	1	–	–	–	M. 1
†INCE IN MAKERFIELD	–	1	–	–	–	–
KEARSLEY ...	–	1	–	–	–	–
KIRKHAM ..	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LANCASTER ...	–	1	1	1	1	–
†LEIGH	–	4	1	–	–	–
†LITHERLAND ...	–	–	1	–	–	–
†LITTLEBOROUGH	–	1	–	–	–	
LITTLE LEVER ...	–	1	–	–	–	–
†MIDDLETON ...	–	1	–	–	1	–
†MOSSLEY	–	–	–	1	–	–
†NELSON	–	1	–	–	–	G. 1
†NEWTON IN MAKERFIELD	–	–	–	–	–	M. 1
ORRELL	–	–	–	1	–	–
†PADIHAM... ...	–	–	–	–	–	E 1
†PRESTWICH ...	–	–	–	1	–	–
†RADCLIFFE ...	–	1	1	–	–	–
†RAWTENSTALL ...	–	1	1	–	1	–
†ROYTON	–	–	–	–	1	–
SKELMERSDALE ...	–	1	–	–	–	–
STANDISH WITH LANGTREE	–	–	1	1	–	–
†STRETFORD... ...	–	3	–	–	1	M. 1
†SWINTON AND PENDLEBURY	–	3	1	–	1	–
†TYLDESLEY WITH SHAKERLEY	–	1	1	1	–	–
†ULVERSTON ...	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	–	–	2	–	–
†WESTHOUGHTON	–	1	–	1	–	–
WHITEFIELD ...	–	–	1	–	–	–
†WIDNES	–	8	–	–	3	M. 1
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	–
LANCASTER ...	–	1	–	–	–	–
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	–	1	–	–	–
WEST LANCASHIRE	–	–	1	–	–	–
LEICESTER... ...	–	11	5	1	1	M. 2
†LEICESTER C.B. ...	–	8	1	–	1	M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–	–	–
BELVOIR	–	–	–	1	–	–
BLABY	–	–	1	–	–	–
HINCKLEY ...	–	3	–	–	–	–
MARKET BOSWORTH	–	–	2	–	–	–
LINCOLN (parts of Holland).	–	1	–	–	–	–
Boroughs and Urban Districts—						
†SPALDING ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	3	–	–	–	–
Rural Districts:—						
CLAYPOLE ...	–	3	–	–	–	–
LINCOLN (parts of Lindsey).	–	7	3	–	–	–
†GRIMSBY C.B. ...	–	2	–	–	–	–
†LINCOLN C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	1	–	–	–	–
MABLETHORPE ...	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	2	2	–	–	–
SKEGNESS ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever · I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	16	25	2	6	C. 1 G. 1 M. 2
Boroughs and Urban Districts:—						
†ACTON	–	1	–	–	1	–
†BRENTFORD ...	–	–	2	–	–	–
†CHISWICK ...	–	1	1	–	–	–
†EALING	–	1	1	–	2	M. 1
†EDMONTON ...	–	1	1	–	1	–
†ENFIELD	–	1	–	–	–	–
FELTHAM ...	–	–	1	–	–	–
†FINCHLEY ...	–	1	2	–	–	–
HAYES	–	–	–	1	–	–
†HENDON	–	–	2	–	–	–
†HESTON AND ISLEWORTH	–	3	–	–	–	–
†HORNSEY	–	–	3	–	1	G. 1 M. 1
KINGSBURY ...	–	–	1	–	–	–
†TOTTENHAM ...	–	2	4	–	–	–
†TWICKENHAM ...	–	1	–	–	–	–
†WEMBLEY ...	–	–	1	–	–	–
†WILLESDEN ...	–	1	3	1	1	C. 1
†WOOD GREEN ...	–	1	2	–	–	–
Rural Districts:—						
STAINES	–	1	1	–	–	–
UXBRIDGE ...	–	1	–	–	–	–
NORFOLK	–	22	2	–	1	D. 1 E. 1 M. 2
†GREAT YARMOUTH C.B.	–	2	–	–	–	–
†NORWICH C.B. ...	–	11	–	–	–	M. 2
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	–	–	–	D. 1 E. 1
NORTH WALSHAM	–	1	–	–	–	–
SHERINGHAM ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
DOCKING	–	1	–	–	–	–
FOREHOE ...	–	–	1	–	–	–
HENSTEAD ...	–	4	–	–	–	–
MITFORD AND LAUNDITCH	–	1	1	–	–	–
SMALLBURGH ...	–	2	–	–	–	–
NORTHAMPTON ...	–	26	4	1	4	C. 1 M. 1
†NORTHAMPTON C.B.	–	6	2	1	3	–
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	1	–	–	–	
†KETTERING ...	–	7	–	–	–	M. 1
ROTHWELL ...	–	1	–	–	–	–
†RUSHDEN ...	–	1	–	–	–	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
HARDINGSTONE ...	–	3	1	–	–	–
KETTERING ...	–	3	–	–	–	C. 1
MIDDLETON CHENEY	*	*	*	*	*	*
POTTERSPURY ...	–	1	–	–	–	–
THRAPSTON (part)	–	–	1	–	–	–
TOWCESTER ...	–	–	–	–	1	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND	–	21	14	–	16	C. 1 I. 1 M. 1
†NEWCASTLE UPON TYNE C.B.	–	2	7	–	6	C. 1 I. 1 M. 1
†TYNEMOUTH C.B.	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Boroughs and Urban Districts:—						
†BEDLINGTONSHIRE	–	2	–	–	3	–
†BLYTH	–	2	–	–	–	–
CRAMLINGTON ...	–	2	–	–	1	–
HEXHAM	–	–	1	–	–	–
†LONGBENTON ..	–	2	–	–	–	–
NEWBIGGIN BY THE SEA	*	*	*	*	*	*
†NEWBURN ...	–	–	–	–	2	–
PRUDHOE... ...	–	4	–	–	–	–
SEGHILL	–	–	–	–	1	–
†WALLSEND ...	–	1	1	–	1	–
†WHITLEY AND MONKSEATON	–	–	1	–	1	–
Rural Districts:—						
ALNWICK... ...	–	–	3	–	–	–
BELLINGHAM ...	–	–	–	–	1	–
HEXHAM	–	3	–	–	–	–
MORPETH... ...	–	1	1	–	–	–
NOTTINGHAM ...	4	12	15	2	3	M. 3
†NOTTINGHAM C.B	–	8	2	1	1	M. 2
Boroughs and Urban Districts:—						
†ARNOLD	*	*	*	*	*	*
†CARLTON	–	–	1	–	–	–
†HUCKNALL ...	1	1	–	–	1	–
†KIRKBY IN ASHFIELD	3	–	1	–	–	–
†MANSFIELD ..	–	1	–	–	–	–
†NEWARK		–	2	1	–	M. 1
†SUTTON IN ASHFIELD	–	1	1	–	–	–
WARSOP	*	*	*	*	*	*
Rural Districts:—						
BASFORD	–	1	–	–	1	–
EAST RETFORD ...	–	–	3	–	–	–
NEWARK	–	–	4	–	–	–
SKEGBY	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	13	4	1	2	E. 1 M. 1
†OXFORD C.B. ...	–	6	3	–	–	M. 1
Boroughs and Urban Districts:—						
HENLEY ON THAMES	–	–	–	1	–	–
Rural Districts:—						
CULHAM	–	–	1	–	–	–
HEADINGTON ...	–	2	–	–	1	–
HENLEY	–	3	–	–	–	–
WITNEY	–	2	–	–	–	–
WOODSTOCK ...	–	–	–	–	1	E. 1
PETERBOROUGH (Soke of)	–	2	2	–	1	–
Borough:—						
†PETERBOROUGH...	–	2	2	–	–	–
Rural Districts:—						
PETERBOROUGH...	–	–	–	–	1	–
RUTLAND	–	1	–	–	–	–
Rural District:—						
KETTON	–	1	–	–	–	–
SALOP	–	6	4	–	2	M. 3
Boroughs and Urban Districts:—						
BRIDGENORTH ...	–	1	–	–	–	–
LUDLOW	–	–	1	–	–	–
NEWPORT ...	–	1	–	–	1	–
†WENLOCK ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SALOP—*cont.*						
Rural Districts:—						
ATCHAM	–	3	–	–	–	–
CHIRBURY ...	–	–	–	–	1	–
OSWESTRY ...	–	1	2	–	–	–
WEM	–	–	–	–	–	M. 3
SOMERSET	–	10	2	2	2	D. 1 M. 1
†BATH C.B. ...	–	–	–	1	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	–	–	–	M. 1
CREWKERNE ...	–	2	–	–	–	–
PORTISHEAD ...	*	*	*	*	*	*
†TAUNTON ...	–	–	1	–	1	–
WELLINGTON ...	–	1	–	–	–	–
†YEOVIL	–	–	–	–	–	D. 1
Rural Districts:—						
BATH	–	–	1	–	–	–
CLUTTON	–	2	–	–	–	–
FROME	–	1	–	–	–	–
KEYNSHAM ...	–	2	–	–	–	–
LONG ASHTON ...	–	2	–	–	–	–
WINCANTON ...	–	–	–	1	–	–
YEOVIL	–	–	–	–	1	–
SOUTHAMPTON ...	–	25	22	6	3	G. 1 M. 2
†BOURNEMOUTH C.B.	–	3	–	–	–	M. 1
†PORTSMOUTH C.B.	–	9	13	3	1	M. 1
†SOUTHAMPTON C.B.	–	8	5	–	–	G. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	–	–	1	–	–
†GOSPORT	–	–	3	–	1	–
PETERSFIELD ...	*	*	*	*	*	*
†WINCHESTER ..	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SOUTHAMPTON—*cont.*						
Rural Districts:—						
ALTON	–	2	–	–	–	–
ANDOVER... ...	–	–	1	–	–	–
CHRISTCHURCH ...	–	1	–	–	–	–
LYMINGTON ...	–	–	–	1	–	–
NEW FOREST ...	–	–	–	–	1	–
RINGWOOD ...	–	1	–	–	–	–
STOCKSBRIDGE ...	–	1	–	–	–	–
WINCHESTER ...	–	–	–	1	–	–
STAFFORD	–	33	10	2	26	C. 1 D. 1 M. 10
†SMETHWICK C.B.	–	3	1	–	–	M. 2
†STOKE ON TRENT C.B.	–	9	4	1	12	C. 1 M. 6
†WALSALL C.B. ...	–	2	1	–	1	–
†WEST BROMWICH C.B.	–	3	–	–	1	D. 1
†WOLVERHAMPTON C.B.	–	–	–	–	2	M. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	1	–	–	–	–
BIDDULPH ..	*	*	*	*	*	*
†BRIERLEY HILL...	–	1	–	–	–	–
†BROWNHILLS ...	–	1	–	–	3	–
†CANNOCK	–	–	–	1	–	–
†COSELEY	–	–	1	–	–	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	–	–	–	1	–
QUARRY BANK ...	–	2	–	–	–	–
†ROWLEY REGIS ...	–	1	–	–	–	–
RUGELEY	–	–	–	–	–	M. 1
†SEDGLEY	–	1	–	–	–	–
SHORT HEATH ...	–	–	–	–	1	–
†STAFFORD ...	–	1	–	–	–	–
STONE	–	–	–	–	1	–
†TIPTON	–	2	–	–	–	–
†WEDNESBURY ...	–	–	–	–	2	–
†WILLENHALL ...	–	1	–	–	1	–
†WOLSTANTON UNITED	–	–	2	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts:—						
CANNOCK	–	–	1	–	–	–
CHEADLE	–	1	–	–	–	–
LICHFIELD ...	–	1	–	–	–	–
SEISDON	–	1	–	–	–	–
STONE	–	1	–	–	–	–
SUFFOLK, EAST ...	–	4	5	–	2	C. 1 L. 1
†IPSWICH C.B. ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
BECCLES	–	–	–	–	–	L. 1
†FELIXSTOWE ...	–	1	–	–	–	–
WOODBRIDGE ...	–	–	4	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	2	–	–	–	–
MUTFORD AND LOTHINGLAND	–	–	–	–	1	–
PLOMESGATE ...	–	–	–	–	–	C. 1
WOODBRIDGE ...	–	–	1	–	–	–
SUFFOLK, WEST ...	–	–	–	–	–	M. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	–	M. 1
SURREY	–	13	11	2	1	C. 1 E. 3 G. 1
†CROYDON C.B. ...	–	2	1	–	–	–
SURREY—*cont.*						
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	–	–
†CARSHALTON ...	–	–	1	–	–	–
†CATERHAM ...	–	1	1	–	–	–
†CHERTSEY ...	–	–	1	–	–	–
†COULSDON AND PURLEY	–	–	1	–	–	–
†EGHAM	–	–	–	–	–	C. 1
†EPSOM	–	–	1	–	–	–
†FARNHAM ...	–	–	–	–	–	E. 1
†FRIMLEY	–	–	–	1	–	–
†GUILDFORD ...	–	2	–	–	–	G. 1
HASLEMERE ...	–	2	–	–	–	–
†MITCHAM	–	1	–	–	1	–
†REIGATE	–	–	2	–	–	E. 1
†SURBITON ...	–	–	1	–	–	–
WEYBRIDGE ...	–	1	–	–	–	–
†WIMBLEDON ...	–	2	1	–	–	–
Rural Districts:—						
FARNHAM ...	–	–	1	–	–	–
GUILDFORD ...	–	–	–	1	–	–
HAMBLEDON ...	–	–	–	–	–	E. 1
†REIGATE	–	1	–	–	–	–
SUSSEX, EAST ...	–	11	6	1	1	E. 1 I. 1 M. 1
†BRIGHTON C.B. ...	–	3	3	–	–	M. 1
†EASTBOURNE C.B	–	1	2	–	–	–
†HASTINGS C.B. ...	–	1	–	–	1	E. 1
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	1	–	–	–	–
†HOVE	–	1	–	–	–	–
NEWHAVEN ...	–	1	–	1	–	–
PORTSLADE BY SEA	–	2	–	–	–	–
Rural Districts:—						
CHAILEY	–	1	1	–	–	–
UCKFIELD ...	–	–	–	–	–	I. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, WEST ...	–	3	3	4	–	–
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	–	3	–	–
†HORSHAM ...	–	1	1	–	–	–
SOUTHWICK ...	–	1	–	–	–	–
†WORTHING ...	–	–	1	–	–	–
Rural Districts:—						
MIDHURST ...	–	1	–	–	–	–
STEYNING WEST...	–	–	1	–	–	–
WESTBOURNE ...	–	–	–	1	–	–
WARWICK	–	48	32	10	23	C. 2 M. 6
†BIRMINGHAM C.B.	–	37	28	1	19	C. 1 M. 6
†COVENTRY C.B. ...	–	1	2	1	–	–
Boroughs and Urban Districts:—						
†ROYAL LEAMINGTON SPA	–	3	–	3	–	–
Rural Districts:—						
ATHERSTONE ...	–	–	1	–	–	–
FOLESHILL ...	–	4	–	–	1	–
MERIDEN... ...	–	–	–	–	1	–
NUNEATON ...	–	–	–	–	1	–
RUGBY	–	1	–	–	1	C. 1
SOUTHAM... ...	–	1	–	1	–	–
TAMWORTH (part)	–	1	1	–	–	–
WARWICK ...	–	–	–	4	–	–
WESTMORLAND ...	–	1	–	–	1	–
Rural Districts:—						
WEST WARD ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WIGHT, ISLE OF ...	–	–	1	–	1	–
Boroughs and Urban Districts—						
ST. HELENS ...	–	–	–	–	1	–
SHANKLIN ...	–	–	1	–	–	–
WILTS	–	5	2	–	1	M. 2
Boroughs and Urban Districts:—						
DEVIZES	–	1	–	–	–	–
MELKSHAM ...	–	–	1	–	–	–
†SALISBURY ...	–	–	1	–	–	M. 1
†SWINDON... ...	–	2	–	–	1	M. 1
Rural Districts:—						
HIGHWORTH ...	–	1	–	–	–	–
PEWSEY	–	1	–	–	–	–
WORCESTER ...	–	11	3	–	4	C. 1
†DUDLEY C.B. ...	–	1	–	–	–	–
†WORCESTER C.B.	–	–	2	–	–	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	3	–	–	–	–
†KIDDERMINSTER	–	4	1	–	–	–
†OLDBURY... ...	–	2	–	–	2	–
†STOURBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
DROITWICH ...	–	–	–	–	–	C. 1
HALESOWEN ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding.)	–	8	6	1	2	C. 2 M. 4
†Kingston upon Hull C.B.	–	4	4	–	2	C. 1 M. 4
Boroughs and Urban Districts:—						
†Bridlington ...	–	1	1	–	–	–
Norton	–	–	–	–	–	C. 1
Withernsea ...	–	–	1	–	–	–
Rural Districts:—						
Beverley ...	–	1	–	–	–	–
Norton	*	*	*	*	*	*
Patrington ...	–	1	–	1	–	–
Sculcoates ...	–	1	–	–	–	–
YORKS ... ... (North Riding.)	–	40	3	1	4	M. 1
†Middlesbrough C.B.	–	22	1	–	2	M. 1
Boroughs and Urban Districts:—						
†Eston	–	1	–	–	–	–
Guisborough ...	–	1	–	–	–	–
Hinderwell ...	*	*	*	*	*	*
Malton	*	*	*	*	*	*
Northallerton	–	4	–	–	–	–
†Redcar	–	7	–	–	–	–
Richmond ...	*	*	*	*	*	*
†Scarborough ...	–	1	–	1	1	–
†Skelton and Brotton	–	–	1	–	–	–
†Thornaby on Tees	–	1	–	–	–	–
†Whitby	–	1	1	–	–	–
Rural Districts:—						
Croft	–	1	–	–	–	–
Guisborough ...	–	–	–	–	1	–
Malton	*	*	*	*	*	*
Richmond ...	*	*	*	*	*	*
Whitby	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding.)	3	97	36	4	67	D. 1 G. 1 L. 1 M. 16
†Bradford C.B. ...	–	6	5	–	7	M. 4
†Dewsbury C.B....	–	3	–	–	–	–
†Halifax, C.B. ...	–	1	1	–	–	–
†Huddersfield C.B.	–	2	1	1	1	–
†Leeds C.B. ...	–	24	8	1	7	G. 1 M. 3
†Rotherham C.B.	–	4	–	–	3	–
†Sheffield C.B....	–	8	5	1	27	M. 4
†Wakefield C.B.	–	2	–	–	1	–
Boroughs and Urban Districts:—						
†Adwick le Street	–	1	2	–	1	M. 1
Altofts	–	–	–	–	1	–
Ardsley, East and West	*	*	*	*	*	*
†Barnoldswick ...	–	1	–	–	–	–
†Batley	–	2	1	–	–	–
†Bentley with Arksey	3	1	–	–	–	–
†Bolton upon Dearne	–	–	2	–	–	–
†Castleford ...	–	1	–	–	–	–
†Doncaster ...	–	2	–	–	1	–
†Golcar	–	–	1	–	–	–
†Harrogate ...	–	–	–	–	1	M. 1
Haworth ...	–	2	–	–	–	–
†Hemsworth ...	–	–	1	–	–	–
Horsforth ...	–	1	–	–	–	–
†Hoyland Nether	–	–	1	–	–	–
Hoyland Swaine	*	*	*	*	*	*
†Keighley ...	–	1	–	–	–	–
Knottingley ...	–	1	–	–	–	–
†Mexborough ...	*	*	*	*	*	*
†Morley	–	–	–	1	–	–
†Normanton ...	–	–	–	–	3	–
†Ossett	–	2	–	–	–	–
Otley	–	–	1	–	–	–
Penistone ...	*	*	*	*	*	*
†Pontefract ...	–	–	–	–	1	–
†Pudsey	–	2	–	–	–	–
†Rawmarsh ...	–	–	1	–	–	M. 2
†Rothwell ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†SADDLEWORTH ...	*	*	*	*	*	*
SELBY	–	1	–	–	–	–
†SKIPTON	–	–	1	–	–	–
†SOWERBY BRIDGE	*	*	*	*	*	*
†SPENBOROUGH ...	–	5	–	–	–	M. 1
SPRINGHEAD ...	–	1	–	–	–	–
STAINLAND ...	–	1	–	–	–	–
STOCKSBRIDGE ...	–	2	–	–	–	–
†SWINTON	–	1	–	–	2	–
THURLSTONE ...	*	*	*	*	*	*
†TODMORDEN ...	–	1	–	–	1	D. 1
†WATH UPON DEARNE	–	–	–	–	1	–
†WOMBWELL ...	–	–	–	–	4	–
YEADON	–	1	–	–	–	–
Rural Districts—						
BARNSLEY ...	–	–	–	–	1	–
DONCASTER ...	–	4	1	–	2	–
GREAT OUSEBURN	–	1	–	–	–	–
HALIFAX	–	7	–	–	–	–
HEMSWORTH ...	–	–	1	–	–	–
PENISTONE ...	–	2	–	–	–	–
TADCASTER ...	–	1	1	–	–	–
WAKEFIELD ...	–	1	2	–	–	–
WHARFEDALE (SOUTH)	–	–	–	–	–	L. 1
WORTLEY ...	–	1	–	–	–	–
County Borough :—						
†YORK§	–	2	–	–	–	–
WALES.						
ANGLESEY	–	1	–	–	–	–
Rural Districts:—						
VALLEY	–	1	–	–	–	–
BRECKNOCK ...	–	1	3	1	1	–
Urban Districts :—						
LLANWRTYD ...	–	–	–	–	1	–
Rural Districts :—						
CRICKHOWELL ...	–	–	–	1	–	–
YSTRADFELLTE (parish)	–	1	–	–	–	–
YSTRADGYNLAIS...	–	–	3	–	–	–
CARMARTHEN ...	–	2	–	–	4	–
Boroughs and Urban Districts :—						
NEWCASTLE EMLYN	*	*	*	*	*	*
Rural Districts :—						
†CARMARTHEN ..	–	1	–	–	–	–
LLANDILO FAWR..	–	–	–	–	1	–
LLANELLY ...	–	1	–	–	3	–
NEWCASTLE IN EMLYN	*	*	*	*	*	*
CARNARVON ...	–	1	1	–	–	J. 1
Boroughs and Urban Districts :—						
CARNARVON ...	–	–	1	–	–	–
†LLANDUDNO ...	–	–	–	–	–	J. 1
Rural Districts :—						
CONWAY	–	1	–	–	–	–
DENBIGH	–	2	–	2	2	M. 1
Boroughs and Urban Districts :—						
†WREXHAM ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

§ York is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH—*cont.*						
Rural Districts :—						
ST. ASAPH (DENBIGH)	–	–	–	–	1	–
WREXHAM ...	–	–	–	2	1	M. 1
GLAMORGAN ...	–	25	22	1	9	C. 2 E. 1 L. 2 M. 7
†CARDIFF C.B. ...	–	5	2	–	1	C. 1 E. 1 M. 3
†MERTHYR TYDFIL C.B.	–	2	3	–	–	–
†SWANSEA C.B. ...	–	2	2	–	–	C. 1
Boroughs and Urban Districts :—						
†ABERDARE ...	–	3	–	–	1	–
†BARRY	–	–	2	–	1	–
†CAERPHILLY ...	–	–	1	–	–	–
†GELLIGAER ..	–	–	1	–	–	–
†GLYNCORWG ...	*	*	*	*	*	*
†MAESTEG ...	–	–	1	–	–	M. 1
†MOUNTAIN ASH ...	–	2	–	–	–	–
†NEATH	–	–	1	–	1	–
†PENARTH ...	–	1	–	–	–	–
†PONTYPRIDD ...	–	–	–	–	1	–
PORTHCAWL ...	–	–	1	–	–	–
†PORT TALBOT ...	–	–	1	–	–	–
†RHONDDA ..	–	6	2	–	3	L. 2 M. 3
Rural Districts :—						
COWBRIDGE ...	–	–	1	–	–	–
GOWER	–	–	3	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	–	–	1	–	–
NEATH	–	–	–	–	1	–
PENYBONT ...	–	3	–	–	–	–
PONTARDAWE ...	–	1	1	–	–	–
MONMOUTH ...	–	4	5	1	4	C. 1 G. 1
†NEWPORT C.B. ...	–	–	–	–	–	C. 1 G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts :—						
ABERGAVENNY ...	–	–	1	–	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
†BEDWELLTY ...	–	–	2	–	–	–
CAERLEON ...	*	*	*	*	*	*
†EBBW VALE ...	–	1	–	1	–	–
†NANTYGLO AND BLAINA	–	–	–	–	4	–
PONTYPOOL ...	–	–	1	–	–	–
†RHYMNEY ...	–	1	1	–	–	–
†TREDEGAR ..	–	1	–	–	–	–
MONTGOMERY ...	–	1	1	–	1	–
Boroughs and Urban Districts :—						
WELSHPOOL ...	–	–	–	–	1	–
Rural Districts :—						
FORDEN	–	1	–	–	–	–
LLANFYLLIN ...	–	–	1	–	–	–
PEMBROKE	–	2	2	–	–	–
Boroughs and Urban Districts :—						
HAVERFORDWEST.	–	–	2	–	–	–
†PEMBROKE ...	–	2	–	–	–	–
RADNOR	–	1	–	–	–	–
Rural Districts :—						
RHAYADER ...	–	1	–	–	–	–
Total of Part II. ...	28	894	419	94	337	C. 27 D. 7 E. 27 G. 7 I. 2 J. 2 L. 4 M. 119

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
DOVER	–	–	1	–	–	–	WEYMOUTH	–	–	–	–	–	L. 1
MILFORD	–	–	–	–	–	C. 1	**Total of Part III.—** ..	–	–	1	–	–	C. 1 L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ *note below*).
Total of Part I.—London	–	109	157	11	57	C. 7 E. 2 M. 10
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	28	894	419	94	337	C. 27 D. 1 E. 27 G. 7 I. 2 J. 2 L. 4 M. 119
Total of Part III.—Port Sanitary Districts	–	–	1	–	–	C. 1 L. 1
Total (*i.e.*, of returns received), England and Wales ...	28	1003	577	105	394	C. 35 D. 7 E. 29 G. 7 I. 2 J. 2 L. 5 M. 129

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 902, 904, 908, and 912.

5.—LONDON and GREAT TOWNS in the REGATE. } BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	May 19.	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.
DON :—													
THS—all ages	949	906	840	847	871	855	772	834	1,016	902	686	765	720
0 to 1 year ..	93	98	83	74	90	86	76	85	106	112	80	73	84
AT TOWNS, aggregate (including London) :—													
HS	8,309	6,717	8,724	8,054	8,106	7,901	7,792	7,746	7,331	8,275	7,554	8,131	6,627
THS—all ages	4,532	4,225	4,152	4,264	4,060	3,858	3,668	3,703	4,052	3,618	3,108	3,309	3,332
0 to 1 year ..	564	518	506	518	474	464	471	428	516	492	413	407	450
ERIC FEVER—Cases	18	18	16	18	15	24	15	33	24	19	21	33	41
„ Deaths	3	5	—	2	2	2	1	3	1	3	3	1	7
LL POX—Cases ..	7	1	8	38	56	82	104	95	114	64	25	14	13
„ Deaths ..	—	—	—	—	—	—	—	—	1	1	—	—	—
RLET FEVER—Cases	830	891	804	833	762	825	817	798	733	647	679	626	540
„ Deaths	25	7	12	7	9	16	11	7	10	2	7	5	7
HTHERIA—Cases ..	467	405	405	441	448	415	378	424	431	403	385	340	358
„ Deaths ..	34	29	15	33	26	32	24	15	17	16	10	22	20
ASLES—Deaths ..	73	73	60	97	85	61	61	42	51	53	37	29	28
LUENZA—Deaths ..	200	166	155	140	120	92	81	59	34	36	24	15	14

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 11th August, 1923. (*Supplied by the Meteorological Office.*)

TOWNS	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
DON (GREENWICH).	91	46	82·4	55·6	0	BRADFORD ..	72	48	68·9	55·4	6
						SHEFFIELD ..	Not received.				
GHTON ..	76	50	72·7	55·1	0	YORK (MUSEUM)	75	48	72·0	55·6	3
RTSMOUTH ..	80	52	74·1	57·1	0	HULL (PEARSON PARK).	80	48	75·1	54·3	1
RWICH (EATON)	85	51	77·1	55·1	1						
MOUTH ..	74	52	70·6	56·9	0	TYNEMOUTH ..	73	49	69·0	55·1	15
STOL (CLIFTON).	80	52	75·0	56·3	0	CARDIFF	78	41	71·6	53·1	0
MINGHAM (EDGBASTON)	78	51	73·6	53·7	1						
TTINGHAM ..	79	45	74·0	53·9	0·1	EDINBURGH ..	74·0	50·0	67·6	52·4	13
KENHEAD (BIDSTON).	76	53	69·0	56·6	11	GLASGOW ..	68·0	51·0	65·5	53·7	22
						DUBLIN (PHŒNIX PARK).	74·0	46·6	70·4	52·9	9
NCHESTER (WHITWORTH PARK).	77	52	70·6	55·0	12						
						FITZWILLIAM SQUARE.†	73·0	53·3	70·1	57·3	8
RNLEY	75	50	68·9	55·4	14						
DDERSFIELD	74	45	71·0	54·1	2	BELFAST	73·5	48·0	69·3	52·7	31

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 11th August, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	5	..	29·913	80·2	45·9	34·3	65·6	+ 3·5	48·9	16·7	28·1	4·3	55	157·2	30·8	58·1	Calm	SSW: Calm.	2·0	0·0	0·1	194	− 60	0·00
MONDAY -	6	..	29·899	80·6	55·1	25·5	67·1	+ 4·9	49·8	17·3	28·9	2·4	54	150·6	44·0	58·2	Calm: W.	W: Calm.	1·2	0·0	0·0	212	− 44	0·00
TUESDAY -	7	..	29·858	81·1	54·8	26·3	67·8	+ 5·6	52·8	15·0	26·2	2·2	59	155·4	42·1	58·3	Calm: WSW.	WSW: Calm.	3·0	0·0	0·1	238	− 18	0·00
WEDNESDAY	8	..	29·930	85·0	58·3	26·7	69·4	+ 7·1	57·7	11·7	25·2	3·6	66	161·8	46·0	58·4	Calm	SW	1·0	0·0	0·0	165	− 91	0·00
THURSDAY -	9	Greatest Declination N.	29·900	90·7	55·2	35·5	73·6	+11·3	54·7	18·9	33·0	2·5	52	164·5	43·3	58·7	Calm: WSW.	W	2·1	0·0	0·1	249	− 7	0·00
FRIDAY -	10	..	30·034	81·1	61·8	19·3	69·2	+ 6·9	54·2	15·0	26·5	3·9	59	152·2	50·4	58·7	WNW: Calm.	Calm: NNE.	0·6	0·0	0·0	163	− 94	0·00
SATURDAY -	11	..	30·101	77·9	56·2	21·7	66·5	+ 4·1	48·5	18·0	27·7	5·4	53	146·6	42·1	58·9	NE	Calm	1·0	0·0	0·0	156	− 101	0·00
MEANS -		..	29·948	82·4	55·3	27·0	68·5	+ 6·2	52·4	16·1	27·9	3·5	57	155·5	42·7	58·5	Calm or Westerly		..	..	..	Sum 1,377	Sum − 415	Sum 0·00
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. AUGUST.		ELECTRICITY. (For explanation of symbols. *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	5	wP	13·2	15·2	Nearly cloudless generally with very cloudy period between 13½h. and 20h.
MONDAY ..	6	wP till 18½h.; then mP.	11·0	15·1	Nearly cloudless till 9h., becoming nearly overcast by 12h. Cloudless from 21h. Solar halo 15h.
TUESDAY ..	7	wP till 16h.; then mP.	11·4	15·1	Partially cloudy till 21h., then cloudless.
WEDNESDAY	8	wP	13·2	15·0	Cloudless till 2h.; overcast 3½h. till 4h., then cloudy generally, clearing to nearly cloudless by 17½h. Slight dew at night.
THURSDAY	9	wP till 7h.; mP till 10½h.; then wP.	11·4	15·0	Cloudless till 12h., then partially cloudy, becoming overcast by 18h.
FRIDAY ..	10	wP till 7h.; mP till 16h.; then wP.	7·1	14·9	Nearly overcast till 15h., then partially cloudy, becoming cloudless after 22h.
SATURDAY	11	Zero till 9h.; mP till 19½h.; then wP.	10·3	14·9	Nearly cloudless, becoming nearly overcast by 4h; then partially cloudy, clearing to nearly cloudless by 21h. Partial solar halo 12½h. to 13¼h. Slight dew at night.
			Sum 77·6	Sum 105·2	
No. of Col. ..		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 31·05 in. at the beginning of the week to 29·83 in. by 17h. on 7th; increased generally and was 30·12 in. by midnight on the 11th.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS,
11-17, Hare Street, E.2

(43787) Wt. 382—P 31 2250 8/23 H. St. G. 43

FOR OFFICIAL USE.

1923. No. 33.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 18TH AUGUST, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 18TH AUGUST, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-third week of the year numbered 7,910 and corresponded to an annual rate of 21·5 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,266 and corresponded to an annual rate of 8·9 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 8·5, 9·0 and 9·1. Infant mortality was 52 per 1,000 births, against 55, 50 and 68 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,892 births, corresponding to a rate of 21·7 per 1,000, and 718 deaths of civilians, corresponding to a rate of 8·3, as against 7·9, 8·8 and 8·3 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 8·3 per 1,000. The infant mortality was 40 as against 45, 39 and 52 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 66 in the total deaths last week, but the deaths from influenza rose from 14 to 24. In London the number of deaths from all causes fell from 720 to 718; while the deaths from diphtheria, which had been 2, 10 and 5 in the preceding three weeks, rose to 10 last week, and those from influenza, which had been 4, 5 and 3 in the three preceding weeks, fell to 1 last week.

Just Published:

Census of England and Wales, 1921. County of Hertford. Price 7*s.* 6*d.* net.

County of Lancaster. Price 20*s.* net.

Yorkshire. Price 25*s.* net.

County of Glamorgan. Price 10*s.* net.

County of Monmouth. Price 8*s.* 6*d.* net.

County of Stafford. Price 12*s.* net.

The Registrar General's Statistical Review, 1921.
Tables, Part II. Civil. Price 5*s.* net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 18th August, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	7,910	3,266	410	6	29	6	37	26	64	24
London	4,534,230*	1,892	718	76	3	4	-	8	10	14	1
Towns in Outer Ring.											
Croydon C.B. ..	192,300	67	35	1	-	-	-	-	-	-	-
Wimbledon ..	61,730	23	5	1	-	-	-	-	-	-	-
Ealing	67,890	18	13	1	-	-	-	-	-	-	-
Acton	62,390	21	12	3	-	-	-	-	-	1	-
Willesden ..	168,200	69	27	5	-	-	-	-	-	-	-
Hendon	55,930	18	8	3	-	-	-	-	-	-	-
Hornsey	87,310	22	10	-	-	-	-	-	-	-	-
Wood Green ..	51,290	14	8	-	-	-	-	-	-	-	-
Tottenham ..	150,500	58	11	2	-	-	-	-	-	-	-
Edmonton ..	68,700	33	10	-	-	-	-	-	-	-	-
Enfield	62,010	18	7	2	-	-	-	-	-	-	-
West Ham C.B. ..	310,200	162	40	9	-	-	-	-	-	1	-
East Ham C.B. ..	145,800	41	27	4	-	-	-	-	-	3	1
Leyton	131,600	41	18	3	-	-	-	-	-	-	-
Walthamstow ..	129,700	45	16	3	-	-	-	-	-	-	-
Ilford	86,370	29	16	1	-	-	-	-	-	1	-
Gillingham	48,630*	23	6	-	-	-	-	-	-	-	-
Canterbury C.B ..	23,680	6	9	-	-	-	-	-	-	-	-
Hastings C.B.	59,500	17	16	3	-	-	-	-	1	-	-
Eastbourne C.B. ..	53,700	13	8	-	-	-	-	-	-	-	-
Brighton C.B. ..	135,000	47	28	2	-	-	-	-	-	-	-
Portsmouth C.B. ..	236,630*	103	32	1	-	-	-	-	-	-	1
Bournemouth C.B. ..	81,500	18	17	1	-	-	-	-	-	-	-
Southampton C.B. ..	163,700	65	26	2	-	-	-	-	-	-	2
Reading C.B.	92,990	29	10	1	-	-	-	-	-	-	-
Oxford C.B.	56,510	19	13	1	-	-	-	-	-	-	-
Northampton C.B. ..	92,950	37	17	1	-	-	-	-	-	-	-
Luton	58,260	27	7	-	-	-	-	-	-	-	-
Cambridge	59,200	16	5	1	-	-	-	-	-	-	-
Southend-on-Sea C.B.	91,430	31	23	1	-	-	-	-	-	-	-
Ipswich C.B.	80,950	28	7	2	-	-	-	-	-	-	-
Great Yarmouth C.B.	56,700	22	12	1	-	-	-	-	-	-	-
Norwich C.B ..	122,900	54	19	2	-	-	1	-	-	-	-
Swindon	55,680	24	9	-	-	-	-	-	-	-	-
Exeter C.B.	59,700	21	7	1	-	-	-	-	-	-	-
Plymouth C.B. ..	200,370*	81	45	3	1	-	-	-	-	-	2
Bath C.B.	68,530	23	18	1	-	-	-	-	-	-	1
Bristol C.B.	383,900	115	62	2	-	1	-	-	1	1	-
Gloucester C.B. ..	52,210	24	7	1	-	-	-	-	-	-	-
Stoke-on-Trent C.B.	274,300	172	46	10	-	-	-	-	-	1	1
Burton-upon-Trent C.B.	49,630	26	10	-	-	1	-	-	-	-	-
Wolverhampton C.B.	105,700	56	13	1	-	-	-	-	-	-	-
Walsall C.B.	99,890	48	14	4	-	-	1	-	-	1	-
West Bromwich C.B.	76,260	35	11	3	-	-	-	-	-	2	1
Dudley C.B.	57,860	23	15	4	-	4	-	-	-	-	-
Worcester C.B. ..	49,240	18	8	-	-	-	-	-	-	-	-
Birmingham C.B. ..	945,100	387	153	17	1	-	1	1	3	3	1
Smethwick C.B. ..	78,140	45	8	1	-	-	-	-	1	-	1
Coventry C.B. ..	131,200	55	20	3	-	1	-	2	-	-	-
Leicester C.B. ..	238,800	82	35	3	-	-	-	-	-	3	-
Lincoln C.B.	66,930	29	5	2	-	-	-	1	-	-	1
Grimsby C.B.	84,650	34	11	4	-	-	-	1	-	-	-
Nottingham C.B. ..	267,900	114	43	3	-	-	1	1	-	1	-
Derby C.B.	132,400	50	14	1	-	-	-	-	-	1	1
Chesterfield ..	63,380	36	14	4	-	-	-	-	-	-	-
Stockport C.B. ..	125,800	27	9	-	-	-	-	-	-	-	-
Chester C.B.	41,190	15	6	1	-	-	-	-	-	-	-
Birkenhead C.B. ..	149,200	66	15	1	-	-	-	-	-	-	1
Wallasey C.B. ..	89,790	29	18	2	-	-	-	-	-	-	-
Liverpool C.B. ..	826,400	407	155	29	1	4	-	5	1	6	-
Bootle C.B.	79,750	46	16	1	-	3	-	-	-	-	-
St. Helens C.B. ..	106,400	59	19	2	-	-	-	1	-	-	-

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	27	12	1	-	-	-	-	-	1	-
WIGAN C.B.	91,750	45	15	2	-	-	-	-	-	-	-
WARRINGTON C.B. ..	79,150	41	14	1	-	-	-	1	-	-	-
BOLTON C.B.	182,700	52	44	4	-	-	1	1	-	-	-
BURY C.B.	57,400	14	13	-	-	1	-	-	-	-	1
MANCHESTER C.B. ..	748,500	287	138	19	-	2	-	1	2	7	3
SALFORD C.B.	240,700	115	51	8	-	-	-	2	2	1	2
OLDHAM C.B.	148,300	39	38	6	-	-	-	3	-	-	1
ROCHDALE C.B... ..	92,510	25	27	3	-	-	-	-	-	-	-
BURNLEY C.B.	105,100	44	25	2	-	-	-	-	-	-	-
BLACKBURN C.B. ..	129,600	46	20	7	-	-	-	-	-	-	-
PRESTON C.B.	120,900	13	20	1	-	-	-	-	1	1	-
BLACKPOOL C.B. ..	74,050	26	17	1	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	75,690	26	10	5	-	-	-	-	-	-	-
HUDDERSFIELD C.B. ..	111,600	36	22	2	-	-	-	-	-	-	-
HALIFAX C.B.	100,500	14	19	1	-	-	-	-	-	-	-
BRADFORD C.B. ..	291,300	79	58	7	-	-	-	-	-	-	-
LEEDS C.B.	466,700	186	86	11	-	-	-	-	-	1	-
DEWSBURY C.B. ..	55,170	25	16	-	-	-	-	-	-	-	1
WAKEFIELD C.B. ..	53,840	27	7	-	-	-	-	-	-	-	-
BARNSLEY C.B. ..	69,540	35	12	2	-	-	-	-	-	-	-
SHEFFIELD C.B. ..	522,600	217	88	19	-	-	-	-	-	1	-
ROTHERHAM C.B. ..	69,840	36	11	2	-	-	-	-	-	1	-
DONCASTER	55,020	36	4	1	-	-	-	1	-	1	-
YORK C.B.	84,980	32	11	1	-	-	-	-	-	-	-
HULL C.B.	294,000	129	38	5	-	-	-	1	-	-	-
MIDDLESBROUGH C.B.	134,800	75	28	3	-	-	1	-	-	-	-
DARLINGTON C.B. ..	66,710	27	14	2	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	65,950	33	6	2	-	-	-	-	-	-	-
WEST HARTLEPOOL C.B.	70,020	36	13	3	-	-	-	-	-	-	-
SUNDERLAND C.B. ..	162,900	81	40	9	-	-	-	2	1	4	-
SOUTH SHIELDS C.B. ..	122,400	52	27	1	-	1	-	-	-	-	1
GATESHEAD C.B. ..	127,300	58	26	5	-	1	-	-	1	1	-
NEWCASTLE-ON-TYNE C.B.	281,600	136	56	12	-	2	-	1	-	2	-
TYNEMOUTH C.B. ..	64,640	37	9	1	-	-	-	-	-	-	-
CARLISLE C.B.	53,490	23	9	-	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	94,880	62	16	4	-	-	-	-	-	1	-
CARDIFF C.B.	223,830	131	51	8	-	-	-	3	-	3	-
RHONDDA	167,500	80	35	3	-	1	-	1	1	-	-
MERTHYR TYDFIL C.B.	82,680	47	19	3	-	-	-	-	-	-	-
ABERDARE	56,580	40	11	1	-	1	-	-	-	-	-
SWANSEA C.B.	161,000	67	38	5	-	2	-	-	1	-	-
GREATER LONDON ..	7,563,730*	2,993	1,183	126	4	4	-	8	10	22	2
OUTER RING	3,029,500*	1,101	465	50	1	-	-	-	-	8	1
16 GREAT TOWNS IN OUTER RING	1,831,920	679	263	38	-	-	-	-	-	6	1
REMAINDER OF OUTER RING	1,197,580*	422	202	12	1	-	-	-	-	2	-
EDINBURGH†	426,000	149	79	6	-	-	3	1	-	2	-
GLASGOW†	1,041,400	500	226	32	-	5	-	3	1	13	-
DUBLIN (REGISTRATION AREA)†	431,000	213	92	30	-	-	-	2	-	14	-
BELFAST†	429,000	211	82	24	-	1	-	1	-	10	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years)	Influenza
London‡	4,534,230	1923. Aug. 18	1892	718	8·3	3	–	4	–	8	10	14	
Calcutta	896,067	July 14	?	442§	25·3	?	2	?	?	?	?	?	
Bombay	1,220,120	June 23	344‖	643§	27·4	3	9	2	–	1	–	50	1
Madras	526,911	July 7	411	318	31·4	–	1	–	?	3	–	30	
Sydney and Suburbs	955,900	"											
Brisbane (Metropolitan Area).	217,714	April											
Perth (Metropolitan Area).	161,773	June 30	85	36	11·6	–	–	–	–	–	1	–	
Auckland (Urban Area).	164,450	May											
Wellington (Urban Area).	110,680	"											
Christchurch (Urban Area).	110,200	"											
Cape Town	106,727	July 14	38	26	12·7	–	–	1	–	–	–	1	
Johannesburg	156,858	" 14	77	40	13·3	–	–	–	–	–	–	–	
Durban	50,488	" 14	36	8	8·2	–	–	–	–	–	–	2	
Paris	2,906,472	" 20 (10 days)	1435	990	12·5	3	–	3	2	7	2	59	
Antwerp	302,711	July 14											
Amsterdam	700,578	" 28	283	86	6·4	2	–	–	–	–	–	2	
Copenhagen	570,000	Aug. 4	226	90	8·3	–	–	1	1	–	–	5	
Stockholm	424,944	July 28	100	97	11·9	–	–	–	–	1	1	4	
Gothenburg	228,074	" 21	?	49	11·2	–	–	–	–	1	–	–	
Christiania	258,962	Aug. 4	91	41	8·2	–	–	–	–	–	1	–	
Berlin	1,989,000	July 21	399	507	13·3	2	?	3	1	6	1	12	
Breslau	562,000	" 21	217	193	17·9	–	?	3	–	–	–	19	
Cologne	701,000	" 21	246	129	9·6	–	?	2	–	–	–	8	
Dresden	612,000	" 21	158	153	13·0	2	?	–	–	1	2	–	
Frankfort-on-Main..	475,000	" 21	84	93	10·2	–	?	1	–	–	–	1	
Hamburg	1,077,000	" 21	277	277	13·4	1	?	1	–	–	–	2	
Leipzig	682,000	" 21	179	131	10·0	–	?	1	–	2	–	7	
Munich	685,000	" 21	173	174	13·2	–	?	4	–	2	–	8	
Vienna	1,841,326	May 19	583	522	14·6	1	–	5	1	3	3	10	
		" 26	595	453	12·6	–	–	1	–	6	3	6	
Prague and Suburbs	697,111	June 15 (15 days)											
Budapest	946,000	June 16	355	366	20·2	3	–	3	1	9	1	14	
		" 23	342	367	20·2	2	–	11	1	9	2	13	
Warsaw	956,087	" 23	501	216	11·8	2	–	2	2	1	–	24	
Cairo	791,000	May 20	671	702	46·1	1	–	36	1	?	2	138	1
Alexandria	466,700	" 20	378	376§	41·9	3	–	11	–	?	–	60	5
New York	5,927,617	July 14											
Chicago	2,886,121	" 21	?	484	8·7	–	–	1	–	2	4	16	
Rio de Janeiro ..	1,287,367	June 23	658	396	16·0	–	–	1	–	6	1	?	2
Montevideo	348,951	May 5	236	137	20·4	1	–	–	–	1	1	6	

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienn Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 28 deaths from Asiatic Cholera in Calcutta and 3 in Bombay and from Plague, 8 in Bombay, and 2 i Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 18th August, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	718	76	22	17	34	42	23	43	91	114	130	126
Enteric fever	3	–	–	–	–	–	1	1	1	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	4	2	1	1	–	–	–	–	–	–	–	–
Scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	8	3	1	4	–	–	–	–	–	–	–	–
Diphtheria	10	–	–	2	8	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	2	–	1	–	–	–	–	–	1	–	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	64	–	–	–	3	19	9	9	13	6	4	1
Nervous system	7	–	2	2	1	1	1	–	–	–	–	–
Intestines and peritoneum	4	–	–	–	1	1	1	–	–	1	–	–
Other forms	4	–	–	–	2	–	1	–	–	1	–	–
Venereal diseases	1	–	–	–	–	–	–	–	1	–	–	–
Cancer	98	–	–	–	–	–	–	9	11	35	23	20
Rheumatic fever	3	–	–	–	1	1	–	–	–	–	1	–
Diabetes	7	–	–	–	–	–	–	–	2	2	3	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	1	–	–	–	–	1	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	28	–	–	–	–	–	–	–	4	6	5	13
Epilepsy	4	–	–	–	–	1	–	1	2	–	–	–
"Convulsions" (not puerperal) ..	–	–	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	33	1	2	1	1	7	2	1	10	2	4	2
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	3	1	–	–	–	–	–	1	–	–	–	1
Other diseases of heart	103	–	–	–	–	1	2	2	13	21	36	28
Other diseases of circulatory system	33	–	–	–	–	–	–	–	4	8	13	8
Bronchitis	20	–	–	1	–	–	–	–	1	2	7	9
Broncho-pneumonia	25	6	9	2	2	–	–	–	1	1	1	3
Lobar-pneumonia	18	1	–	1	2	1	1	4	–	3	5	–
Pneumonia (type not distinguished) ..	8	–	–	1	2	1	–	1	–	–	3	–
Other diseases of respiratory system	6	–	–	1	1	–	–	–	1	1	1	1
Diarrhœa and enteritis	17	11	3	1	–	–	–	1	–	–	–	1
Appendicitis, Typhlitis	6	–	–	–	–	1	–	1	1	2	–	1
Hernia, Intestinal obstruction	7	1	2	–	–	–	1	–	2	1	–	–
Cirrhosis of liver	6	–	–	–	–	–	–	–	1	1	4	–
Other diseases of digestive system ..	14	–	–	–	–	–	1	2	3	3	3	2
Acute nephritis	3	–	–	–	–	–	–	2	–	–	1	–
Chronic Bright's disease	14	–	–	–	–	–	–	1	3	3	5	2
Other diseases of genito-urinary system.	18	–	–	–	–	2	–	1	3	4	3	5
Puerperal sepsis	1	–	–	–	–	–	1	–	–	–	–	–
Other causes incident to childbirth ..	4	–	–	–	–	–	1	2	1	–	–	–
Congenital malformations	1	1	–	–	–	–	–	–	–	–	–	–
Premature birth	22	22	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	6	6	–	–	–	–	–	–	–	–	–	–
Old age	25	–	–	–	–	–	–	–	–	1	2	22
Suicide	14	–	–	–	–	1	1	2	6	3	1	–
Burns and scalds	1	–	1	–	–	–	–	–	–	–	–	–
Drowning	7	–	–	–	4	1	–	–	–	1	–	1
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	9	1	–	–	3	–	–	–	–	1	2	2
Other deaths by violence	8	1	–	–	–	1	–	–	1	1	1	3
Other specified causes	36	18	–	–	3	2	–	2	5	4	2	–
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 18th August, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	114	118	7	76	C. 2 D. 1 E. 3 F. 1 G. 1 M. 15
†CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	4	2	1	4	–
†BERMONDSEY ...	–	5	8	–	1	–
†BETHNAL GREEN	–	3	10	1	4	–
†CAMBERWELL ...	–	4	9	–	–	F. 1
†CHELSEA	–	–	1	–	–	–
†DEPTFORD ...	–	1	5	–	–	M. 1
†FINSBURY ...	–	1	1	–	–	–
†FULHAM	–	2	1	–	2	G. 1
†GREENWICH ...	–	1	–		1	–
†HACKNEY ...	–	6	4	–	2	–
†HAMMERSMITH ...	–	2	1	1	1	–
†HAMPSTEAD ...	–	1	3	–	–	–
†ISLINGTON ...	–	27	10	–	–	M. 3

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	1	3	–	2	E. 1 M. 1
†LAMBETH ...	–	15	8	–	2	M. 1
†LEWISHAM ...	–	2	5	–	–	–
†PADDINGTON ...	–	6	1	–	4	–
†POPLAR	–	3	4	–	22	C. 1
†ST. MARYLEBONE	–	2	2	3	3	E. 1
†ST. PANCRAS ...	–	3	10	–	6	C. 1 M. 1
†SHOREDITCH ...	–	5	6	–	3	M. 1
†SOUTHWARK ...	–	3	6	–	–	M. 3
†STEPNEY	–	4	5	–	8	D. 1
†STOKE NEWINGTON	–	–	–	–	1	–
†WANDSWORTH ...	–	9	6	1	4	M. 1
†WESTMINSTER, CITY OF	–	2	3	–	1	M. 2
†WOOLWICH ...	–	1	4	–	5	E. 1 M. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD	–	7	3	3	1	E. 1
Boroughs and Urban Districts:—						
LEIGHTON BUZZARD	–	–	–	1	–	–
†LUTON	–	5	2	2	1	E. 1
Rural Districts:—						
AMPTHILL ...	–	2	–	–	–	–
BEDFORD... ...	–	–	1	–	–	–
BERKS	–	5	1	–	–	M. 1
†READING C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	–	1	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	1	–	–	–	–
BRADFIELD ...	–	–	–	–	–	M. 1
WALLINGFORD ...	–	1	–	–	–	–
WANTAGE ...	–	1	–	–	–	–
BUCKINGHAM ...	–	9	3	1	–	F. 1 M. 1
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE ...	–	2	1	–	–	F. 1
CHESHAM... ...	–	–	–	1	–	–
MARLOW	–	–	2	–	–	–
†SLOUGH	*	*	*	*	*	*
†WOLVERTON ...	–	1	–	–	–	–
BUCKINGHAM—*cont.*						
Rural Districts:—						
ETON	–	2	–	–	–	–
NEWPORT PAGNELL ...	–	2	–	–	–	–
WYCOMBE ...	–	2	–	–	–	M. 1
CAMBRIDGE ...		1	–	–	–	–
Rural Districts:—						
CHESTERTON ...	–	1	–	–	–	–
CHESTER	–	22	11	2	15	L. 1 M. 1
†BIRKENHEAD C.B.	–	7	1	–	3	–
†CHESTER C.B. ...	–	2	–	–	1	–
†STOCKPORT C.B.	–	3	3	–	–	M. 1
†WALLASEY C.B. ...	–	2	–	–	4	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	–	2	–	–	–
†ALTRINCHAM ...	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	–	1	–	–	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
†CONGLETON ...	–	1	–	–	2	–
†DUKINFIELD ...	–	1	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	–	–	–	1	–
†HYDE	–	2	–	–	–	–
†MACCLESFIELD ...	–	–	–	–	–	L. 1
†RUNCORN... ...	–	–	1	–	–	–
†SALE	*	*	*	*	*	*
SANDBACH ...	–	1	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	–	–	–	1	–
CHESTER	–	–	–	1	–	–
DISLEY	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
MACCLESFIELD ...	–	–	1	–	–	–
MALPAS	–	1	–	–	–	–
NANTWICH ...	–	–	–	–	1	–
RUNCORN... ...	–	–	–	1	–	–
WIRRAL	–	–	1	–	1	–
CORNWALL ...	–	–	1	6	1	C. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	5	–	–
HELSTON	*	*	*	*	*	*
SALTASH	–	–	–	–	1	–
Rural Districts:—						
CAMELFORD ...	–	–	–	1	–	–
TRURO	–	–	–	–	–	C. 1
WEST PENWITH...	–	–	1	–	–	–
CUMBERLAND ...	–	1	7	–	1	–
†CARLISLE C.B. ...	–	–	3	–	–	–
Boroughs and Urban Districts:—						
KESWICK	–	–	1	–	–	–
†MARYPORT ...	–	–	1	–	1	–
†WORKINGTON ...	–	–	1	–	–	–
Rural Districts:—						
BRAMPTON ...	–	–	1	–	–	–
LONGTOWN ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	–	25	1	1	5	C. 1 G. 3 M. 3
†DERBY C.B. ...	–	7	–	–	1	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	–	1	–	–
ALVASTON AND BOULTON	*	*	*	*	*	*
†BELPER	–	1	–	–	–	–
†BOLSOVER ...	–	1	–	–	–	–
†CHESTERFIELD ...	–	2	–	–	1	–
DRONFIELD ...	–	2	–	–	–	–
HEAGE	–	–	–	–	1	–
†HEANOR	–	1	–	–	–	–
†ILKESTON ...	–	–	–	–	1	–
†LONG EATON ...	–	1	–	–	–	G. 1
†RIPLEY	–	1	–	–	–	M. 1
Rural Districts:—						
ASHBOURNE ...	–	1	–	–	–	–
BAKEWELL ...	–	1	–	–	–	M. 1
BELPER	–	–	–	–	–	M. 1
BLACKWELL ...	–	2	–	–	–	–
CHAPEL EN LE FRITH	–	3	–	–	–	–
CHESTERFIELD ...	–	–	1	–	–	C. 1
SHARDLOW ...	–	1	–	–	1	G. 2
DEVON	–	10	2	5	2	C. 1
†EXETER C.B. ...	–	–	1	–	–	–
†PLYMOUTH C.B....	–	3	–	2	–	–
Boroughs and Urban Districts:—						
DAWLISH... ...	–	–	–	3	–	–
IVYBRIDGE ...	–	1	–	–	–	–
OTTERY ST. MARY	–	2	–	–	–	–
†TORQUAY ...	–	2	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BROADWOOD WIDGER	–	–	1	–	–	–
OKEHAMPTON ...	–	1	–	–	–	–
PLYMPTON ST. MARY ...	–	1	–	–	1	–
TOTNES	–	–	–	–	–	C. 1
DORSET	–	4	1	–	1	M. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	1	–	–	–
†POOLE	–	1	–	–	–	M. 1
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	–	–
Rural Districts:—						
POOLE	–	1	–	–	–	–
SHAFTESBURY ...	–	–	–	–	1	–
DURHAM	–	52	10	–	19	E. 2 J. 1 M. 5
†DARLINGTON C.B.	–	–	1	–	4	–
†GATESHEAD C.B.	–	–	4	–	–	–
†SOUTH SHIELDS C.B.	–	10	–	–	3	M. 1
†SUNDERLAND C.B.	–	1	–	–	3	M. 2
†WEST HARTLEPOOL C.B.	–	–	–	–	2	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	–	–	–	M. 1
BARNARD CASTLE	–	–	1	–	–	–
BENFIELDSIDE ...	–	–	–	–	1	–
†BRANDON AND BYSHOTTLES	–	1	–	–	–	–
†CHESTER LE STREET	–	2	–	–	–	–
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HEBBURN ...	–	–	1	–	–	–
†HETTON	–	1	–	–	–	–
†JARROW	–	1	–	–	–	–
†RYTON	–	1	–	–	–	–
†SEAHAM HARBOUR	–	1	–	–	2	–
†SOUTHWICK ON WEAR	–	1	–	–	–	–
†SPENNYMOOR ...	–	1	–	–	–	–
†STANLEY	–	–	1	–	–	–
†STOCKTON ON TEES	–	3	–	–	1	E. 1
†WASHINGTON ...	–	–	1	–	–	–
†WHICKHAM ...	–	1	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	3	–	–	–	–
CHESTER LE STREET	–	7	–	–	–	–
DURHAM	–	4	–	–	–	–
EASINGTON ...	–	7	–	–	–	J. 1
HOUGHTON LE SPRING	–	2	–	–	1	M. 1
LANCHESTER ...	–	–	–	–	1	–
SEDGEFIELD ...	–	1	1	–	–	–
SUNDERLAND ...	–	2	–	–	1	E. 1
ELY, ISLE OF ...	–	–	2	2	–	–
Boroughs and Urban Districts:—						
†WISBECH	–	–	1	–	–	–
Rural Districts:—						
WISBECH	–	–	1	2	–	–
ESSEX	–	22	31	1	5	D. 2 E. 1 M. 3
†EAST HAM C.B. ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
†SOUTHEND-ON-SEA C.B.	–	1	–	–	2	M. 1
†WEST HAM C.B. ...	–	4	12	–	1	M. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	2	–	–	–
BRAINTREE ...	–	–	–	1	–	–
BURNHAM ON CROUCH	–	–	1	–	–	–
CHINGFORD ...	–	–	–	–	–	E. 1
†CLACTON	–	–	–	–	1	–
†COLCHESTER ...	–	–	1	–	–	–
†GRAYS THURROCK	–	1	–	–	–	–
HALSTEAD ...	–	1	1	–	–	–
†LEYTON	–	3	3	–	–	–
SHOEBURYNESS ...	–	–	1	–	1	–
†WALTHAMSTOW ...	–	7	5	–	–	–
†WANSTEAD ..	–	1	–	–	–	–
Rural Districts:—						
BILLERICAY ...	*	*	*	*	*	*
ONGAR	–	–	1	–	–	–
ROCHFORD ...	–	1	–	–	–	–
ROMFORD... ...	–	3	1	–	–	–
STANSTED ...	–	–	1	–	–	–
TENDRING ...	–	–	–	–	–	D. 2
GLOUCESTER ...	12	25	16	–	6	C. 1 M. 1
†BRISTOL C.B. ...	–	16	11	–	3	C. 1 M. 3
†GLOUCESTER C.B.	8	–	–	–	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	–	–	1	–
†KINGSWOOD ...	–	2	1	–	–	–
STOW ON THE WOLD	*	*	*	*	*	*
TEWKESBURY ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—						
CHIPPING SODBURY	–	2	–	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
DURSLEY	–	–	–	–	1	–
EAST DEAN AND UNITED PARISHES ...	4	–	–	–	–	–
NORTHLEACH ...	–	–	3	–	–	–
STROUD	–	1	–	–	–	–
WARMLEY ...	–	–	–	–	–	M. 1
WEST DEAN ...	–	1	1	–	–	–
WINCHCOMB (part)	–	1	–	–	–	–
HEREFORD ...	–	1	–	1	–	–
Boroughs and Urban Districts:—						
LEOMINSTER ...	–	1	–	–	–	–
Rural Districts:—						
WEOBLEY ...	–	–	–	1	–	–
HERTFORD ..	–	4	14	2	1	F. 1 M. 1
Boroughs and Urban Districts:—						
†HERTFORD ...	–	–	2	–	–	–
†LETCHWORTH ...	–	3	–	–	–	–
†ST. ALBANS ...	–	–	1	–	–	M. 1
†WATFORD ...	–	1	–	–	–	–
Rural Districts:—						
ASHWELL ...	–	–	–	–	1	F. 1
HADHAM	–	–	–	1	–	–
WARE	–	–	–	1	–	–
WELWYN	–	–	11	–	–	–
HUNTINGDON ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON—*cont.*						
Rural Districts:—						
ST. IVES	–	–	1	–	–	–
ST. NEOTS, No. 2	*	*	*	*	*	*
KENT	–	14	18	6	7	C. 2 E. 1 M. 2
†CANTERBURY C.B.	–	1	–	1	–	–
Boroughs and Urban Districts:—						
†ASHFORD ...	–	–	1	–	–	–
†BROMLEY ...	–	1	–	–	–	C. 1
†DARTFORD ...	–	–	–	–	1	–
†DOVER	–	4	–	–	–	–
†ERITH	–	–	–	–	1	–
†FAVERSHAM ...	–	–	–	–	1	–
†FOLKESTONE ...	–	–	–	–	1	M. 1
†GILLINGHAM ...	–	–	7	–	–	–
†GRAVESEND ...	–	–	1	–	–	–
†HERNE BAY ...	–	–	1	–	–	–
†MAIDSTONE ...	–	1	–	–	–	–
†MARGATE ...	–	–	1	–	1	E. 1
†NORTHFLEET ...	–	–	1	–	–	–
†PENGE	–	2	–	–	–	–
†RAMSGATE ...	–	–	1	–	–	–
†ROCHESTER ...	–	1	1	–	–	–
†ROYAL TUNBRIDGE WELLS	–	–	–	1	–	–
SANDWICH ...	–	–	–	–	1	–
SIDCUP	*	*	*	*	*	*
SITTINGBOURNE	–	1	1	–	–	M. 1
†TONBRIDGE ...	–	–	1	–	–	–
WHITSTABLE ...	–	–	–	2	–	–
Rural Districts:—						
BROMLEY ...	–	1	–	–	1	–
DOVER	–	–	–	1	–	–
EAST ASHFORD ...	–	–	1	–	–	–
ELHAM	–	1	–	–	–	–
FAVERSHAM ...	–	1	1	–	–	–
MILTON	–	–	–	1	–	–
TONBRIDGE ...	–	–	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	166	43	5	88	C. 12 E. 1 G. 4 L. 1 M. 20
†BARROW IN FURNESS C.B.	–	4	–	–	–	–
†BLACKBURN C.B.	–	1	–	–	3	E. 1 M. 1
†BLACKPOOL C.B.	–	3	–	–	1	–
†BOLTON C.B. ...	–	12	–	–	2	–
†BOOTLE C.B. ...	–	4	1	–	1	M. 1
†BURNLEY C.B. ...	–	–	1	1	–	–
†BURY C.B. ...	–	–	2	–	–	–
†LIVERPOOL C.B. ...	–	28	12	–	34	C. 3 G. 1 M. 7
†MANCHESTER C.B.	–	23	7	–	17	C. 4 G. 1 M. 9
†OLDHAM C.B. ...	–	4	1	–	–	–
†PRESTON C.B. ...	–	4	–	–	–	–
†ROCHDALE C.B. ...	–	9	3	–	–	–
†ST. HELENS C.B. ...	–	4	–	–	–	M. 1
†SALFORD C.B. ...	–	13	2	–	5	C. 2 M. 1
†SOUTHPORT C.B.	–	2	–	–	–	–
†WARRINGTON C.B.	–	1	1	1	3	–
†WIGAN C.B. ...	–	2	2	–	1	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	–	1	–	–	–
†ASHTON IN MAKERFIELD	–	1	–	–	–	–
†ASHTON UNDER LYNE	–	1	–	–	–	C. 1
ASPULL	–	–	–	–	1	–
†ATHERTON ...	–	1	–	–	2	–
AUDENSHAW ...	–	–	–	–	1	–
BILLINGE... ...	–	1	–	–	–	–
†CHADDERTON ...	–	2	–	–	–	–
†CROMPTON ...	–	1	–	–	2	–
†DROYLSDEN ...	–	1	–	–	–	–
†ECCLES	–	3	2	–	–	–
†FAILSWORTH ...	–	2	–	–	–	–
†FARNWORTH ...	–	–	1	–	–	–
†FLEETWOOD ...	–	1	–	–	–	–
†GREAT CROSBY ...	–	1	1	–	–	–
†HASLINGDEN ...	–	–	–	–	–	G. 1
†HAYDOCK ...	–	1	–	–	–	–
†HINDLEY... ...	–	–	–	–	2	–
†HORWICH ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K. Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
HURST	–	–	–	–	2	–
IRLAM	–	–	1	–	1	–
KEARSLEY ...	–	1	–	–	–	–
†LANCASTER ...	–	1	–	–	–	.
†LEIGH	–	4	–	–	1	–
†LITHERLAND ...	–	1	1	–	–	–
†LITTLEBOROUGH	–	1	–	–	–	–
†LYTHAM, ST. ANNE'S	–	1	–	–	–	–
†MIDDLETON ...	–	–	.	–	1	–
†NELSON	–	–	–	–	–	G. 1
†NEWTON IN MAKERFIELD	–	–	–	–	2	–
NORDEN	*	*	*	*	*	*
†PADIHAM... ...	–	1	–	–	–	–
†PRESTWICH ...	–	–	–	1	–	–
†RADCLIFFE ...	–	1	–	–	–	–
†ROYTON	–	–	–	–	1	–
SKELMERSDALE...	–	1	–	–	–	–
†STRETFORD... ...	–	1	–	–	–	–
†SWINTON AND PENDLEBURY	–	5	–	–	1	–
†TURTON	–	1	–	–	–	–
†ULVERSTON ...	–	2	–	–	–	–
†WALTON LE DALE	–	–	–	1	–	–
†WATERLOO WITH SEAFORTH	–	–	1	–	–	–
WHITEFIELD ...	*	*	*	*	*	*
†WIDNES	–	3	–	–	–	–
†WORSLEY... ...	–	1	–	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	1	2	–
BURNLEY... ...	–	–	1	–	–	–
CHORLEY... ...	–	1	–	–	–	–
CLITHEROE ...	–	–	–	–	–	L. 1
FYLDE	–	2	–	–	–	–
GARSTANG ...	–	–	1	–	–	C. 1
LANCASTER ...	–	1	–	–	–	–
LEIGH	–	–	1	–	–	–
LIMEHURST ...	–	2	–	–	–	–
ULVERSTON ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
WARRINGTON ...	–	–	–	–	2	–
WEST LANCASHIRE	–	1	–	–	–	–
WHISTON... ...	–	1	–	–	–	–
LEICESTER... ...	–	10	7	2	3	M. 1
†LEICESTER C.B. ...	–	7	3	–	–	–
Boroughs and Urban Districts:—						
†LOUGHBOROUGH	–	–	–	1	–	M. 1
MELTON MOWBRAY	–	–	–	–	3	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	3	–	–	–
BLABY	–	–	–	1	–	–
LOUGHBOROUGH	–	2	–	–	–	–
MARKET BOSWORTH	–	–	1	–	–	–
MARKET HARBOROUGH	–	1	–	–	–	–
LINCOLN (parts of Holland).	–	3	–	–	–	–
Boroughs and Urban Districts—						
†BOSTON	–	1	–	–	–	–
Rural Districts:—						
BOSTON	–	2	–	–	–	–
LINCOLN (parts of Kesteven).	–	–	3	–	1	–
Rural Districts:—						
BOURNE	–	–	1	–	1	–
CLAYPOLE ...	–	–	1	–	–	–
SLEAFORD ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis · G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	–	2	2	–	3	M. 2
†GRIMSBY C.B. ...	–	–	1	–	2	M. 1
Boroughs and Urban Districts:—						
†GAINSBOROUGH ...	–	1	–	–	–	–
MABLETHORPE ...	–	1	–	–	–	–
MARKET RASEN...	*	*	*	*	*	*
Rural Districts:—						
GLANFORD BRIGG	–	–	–	–	1	–
GRIMSBY	–	–	1	–	–	–
HORNCASTLE ...	–	–	–	–	–	M. 1
MIDDLESEX ...	–	19	19	4	14	D. 1 E. 1 L. 1 M. 1
Boroughs and Urban Districts:—						
†BRENTFORD ...	–	–	1	–	–	–
†EALING	–	–	–	–	1	–
†EDMONTON ...	–	1	1	–	–	–
†ENFIELD	–	2	–	–	–	–
†FINCHLEY ...	–	2	3	–	1	–
†FRIERN BARNET	–	–	–	–	–	L. 1
†HENDON	–	1	2	–	–	–
†HESTON AND ISLEWORTH	–	4	–	3	2	E. 1
†HORNSEY... ...	–	–	2	–	1	–
RUISLIP NORTHWOOD	–	–	1	–	–	–
†TEDDINGTON ...	–	–	–	1	1	–
†TOTTENHAM ...	–	1	2	–	4	M. 1
†TWICKENHAM ...	–	1	–	–	–	–
†WEMBLEY ...	–	–	1	–	–	–
†WILLESDEN ...	–	1	2	–	4	D. 1
†WOOD GREEN ...	–	2	1	–	–	–
Rural Districts:—						
STAINES	–	3	–	–	–	–
UXBRIDGE ...	–	1	3	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK	–	22	5	2	–	E. 1 G. 1 M. 1
†GREAT YARMOUTH C.B.	–	3	–	1	–	E. 1
†NORWICH C.B. ...	–	13	3	–	–	G. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	–	1	–	–
NORTH WALSHAM	–	2	–	–	–	–
Rural Districts:—						
ERPINGHAM ...	–	–	1	–	–	–
FOREHOE ...	–	1	–	–	–	–
MARSHLAND ...	–	–	–	–	–	M. 1
MITFORD AND LAUNDITCH	–	2	–	–	–	–
ST. FAITH'S ...	–	–	1	–	–	–
WAYLAND ...	–	1	–	–	–	–
NORTHAMPTON ...	–	16	8	–	2	M. 1
†NORTHAMPTON C.B.	–	2	6	–	1	–
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	2	–	–	–	–
IRTHLINGBOROUGH	–	–	1	–	–	–
†KETTERING ...	–	4	–	–	–	M. 1
†WELLINGBOROUGH	–	3	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	3	1	–	–	–
HARDINGSTONE...	–	2	–	–	–	–
TOWCESTER ...	–	–	–	–	1	–
NORTHUMBERLAND	–	39	9	1	14	M. 6
†NEWCASTLE UPON TYNE C.B.	–	15	3	1	6	M. 2
†TYNEMOUTH C.B.	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	4	–	–	–	–
†BEDLINGTONSHIRE	–	3	1	–	2	–
†BLYTH	–	3	1	–	1	M. 2
†GOSFORTH ..	–	2	–	–	–	–
†LONGBENTON ...	–	1	–	–	–	–
†NEWBURN ...	*	*	*	*	*	*
SEATON DELAVAL	–	1	1	–	1	–
†WALLSEND ...	–	2	–	–	2	M. 2
WEETSLADE ...	–	1	–	–	–	
Rural Districts:—						
BELFORD	–	1	–	–	–	–
BELLINGHAM ...	–	1	–	–	–	–
GLENDALE ...	–	–	1	–	–	–
HALTWHISTLE ...	–	2	–	–	–	–
MORPETH... ...	–	3	2	–	–	
NOTTINGHAM ...	6	18	5	2	1	C. 1 M. 4
†NOTTINGHAM C.B.	–	12	3	–	1	M. 2
Boroughs and Urban Districts:—						
†EAST RETFORD ...	–	–	1	–	–	–
†HUCKNALL ...	1	1	–	–	–	–
†MANSFIELD ...	–	1	–	–	–	M. 2
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†SUTTON IN ASHFIELD	–	1	–	–	–	–
WARSOP	4	–	–	1	–	–
†WEST BRIDGFORD	–	1	–	–	–	–
†WORKSOP... ...	–	–	1	–	–	–
Rural Districts:—						
BASFORD	1	–	–	–	–	–
BLYTH AND CUCKNEY	–	1	–	–	–	–
SOUTHWELL ...	–	–	–	1	–	–
STAPLEFORD ...	–	–	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
OXFORD	–	13	6	1	–	M. 1
†OXFORD C.B. ...	–	3	–	–	–	M. 1
Boroughs and Urban Districts:—						
CHIPPING NORTON	–	–	–	1	–	–
Rural Districts:—						
BANBURY... ...	–	3	–	–	–	–
CULHAM	–	3	1	–	–	–
HEADINGTON ...	–	2	–	–	–	–
WITNEY	–	2	1	–	–	–
WOODSTOCK ...	–	–	4	–	–	–
RUTLAND	–	–	–	–	1	–
Rural District:—						
OAKHAM ...	–	–	–	–	1	–
SALOP	–	9	2	–	2	M. 1
Boroughs and Urban Districts:—						
DAWLEY	–	–	1	–	–	–
NEWPORT ...	–	–	–	–	–	M. 1
†SHREWSBURY ...	–	1	–	–	–	–
WHITCHURCH ...	–	–	1	–	–	–
Rural Districts:—						
ATCHAM	–	2	–	–	–	–
CLEOBURY MORTIMER	–	1	–	–	–	–
OSWESTRY ...	–	3	–	–	–	–
WELLINGTON ...	–	2	–	–	2	–
SOMERSET	–	9	4	–	2	M. 1
†BATH C.B. ...	–	5	1	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Boroughs and Urban Districts:—						
MIDSOMER NORTON	–	2	–	–	–	–
SHEPTON MALLET	–	1	–	–	–	–
WATCHET ...	*	*	*	*	*	*
Rural Districts:—						
AXBRIDGE ...	–	–	1	–	–	–
BATH	–	–	1	–	–	–
FROME	–	–	–	–	1	–
LONG ASHTON ...	–	1	–	–	–	–
TAUNTON ...	–	–	1	–	1	–
SOUTHAMPTON ...	–	32	11	2	3	M. 2
†BOURNEMOUTH C.B.	–	–	4	1	–	M. 1
†PORTSMOUTH C.B.	–	9	1	–	2	M. 1
†SOUTHAMPTON C.B.	–	9	1	1	1	–
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	3	1	–	–	–
CHRISTCHURCH ...	–	1	–	–	–	–
†GOSPORT	–	2	2	–	–	–
†WINCHESTER ...	–	2	–	–	–	–
Rural Districts:—						
†BASINGSTOKE ...	–	1	–	–	–	–
DROXFORD ...	–	1	–	–	–	–
FAREHAM ...	–	–	1	–	–	–
HAVANT	–	2	–	–	–	–
HURSLEY	–	–	1	–	–	–
NEW FOREST ...	–	1	–	–	–	–
RINGWOOD ...	–	1	–	–	–	–
STAFFORD	–	53	23	1	24	C. 1 E. 1 M. 12
†BURTON UPON TRENT C.B.	–	1	–	–	1	–
STAFFORD—*cont.*						
†SMETHWICK C.B.	–	1	4	–	1	M. 1
†STOKE ON TRENT C.B.	–	14	2	–	10	M. 6
†WALSALL C.B. ...	–	3	5	–	2	–
†WEST BROMWICH C.B.	–	–	4	–	3	–
†WOLVERHAMPTON C.B.	–	2	3	–	1	M. 3
Boroughs and Urban Districts:—						
AMBLECOTE ...	*	*	*	*	*	*
BIDDULPH ..	–	5	–	–	–	–
†BILSTON	–	1	–	–	–	–
†BRIERLEY HILL...	*	*	*	*	*	*
†CANNOCK	–	–	–	–	1	E. 1
†HEATHTOWN OR WEDNESFIELD HEATH	–	1	1	–	1	–
KIDSGROVE ...	–	–	–	–	–	M. 1
†LEEK	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	2	–	–	–	–
PERRY BARR ...	–	1	–	–	–	–
†ROWLEY REGIS ...	–	2	1	–	1	M. 1
RUGELEY	–	1	–	–	–	–
†SEDGLEY	–	1	–	–	–	–
SHORT HEATH ...	–	–	1	–	–	–
TAMWORTH ...	–	1	–	–	–	–
†TIPTON	–	3	–	1	1	–
†WEDNESBURY ...	–	1	–	–	2	–
WEDNESFIELD ...	–	2	–	–	–	–
†WILLENHALL ...	–	1	–	–	–	–
†WOLSTANTON UNITED	–	2	1	–	–	–
Rural Districts:—						
CHEADLE... ...	–	2	–	–	–	C. 1
KINGSWINFORD ...	–	1	–	–	–	–
LEEK	–	1	–	–	–	–
SEISDON	–	1	1	–	–	–
STONE	–	1	–	–	–	–
WALSALL... ...	–	1	–	–	–	–
SUFFOLK, EAST ...	–	–	5	1	1	–
†IPSWICH C.B. ...	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Boroughs and Urban Districts:—						
†FELIXSTOWE ...	–	–	1	–	–	–
†LOWESTOFT ...	–	–	1	–	–	–
WOODBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
MUTFORD AND LOTHINGLAND	–	–	1	–	–	–
WOODBRIDGE ...	–	–	–	1	–	–
SUFFOLK, WEST ...	–	–	2	–	2	–
Boroughs and Urban Districts:—						
HADLEIGH ...	–	–	2	–	1	–
Rural Districts:—						
MELFORD... ...	–	–	–	–	1	–
SURREY	–	17	10	2	1	E. 2 G. 1 M. 3
†CROYDON C.B. ...	–	2	1	–	–	E. 1 M. 1
Boroughs and Urban Districts:—						
†BARNES	–	–	–	–	1	–
†CARSHALTON ...	–	1	–	–	–	–
†CATERHAM ...	–	4	–	–	–	–
†CHERTSEY ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	1	–	–	–	–
†EPSOM	–	–	1	–	–	M. 1
†ESHER AND THE DITTONS	–	1	–	–	–	–
GODALMING ...	–	–	–	1	–	–
†GUILDFORD ...	–	2	–	–	–	–
HASLEMERE ...	–	2	–	–	–	–
†KINGSTON ON THAMES	–	–	1	–	–	–
†RICHMOND ...	–	2	–	–	–	–
†SUTTON	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
†WALTON UPON THAMES	–	–	–	1	–	–
WEYBRIDGE ...	–	–	–	–	–	G. 1
†WIMBLEDON ...	–	–	4	–	–	–
†WOKING	–	1	1	–	–	–
Rural Districts:—						
GUILDFORD ...	–	–	2	–	–	–
HAMBLEDON ...	–	–	–	–	–	E. 1
SUSSEX, EAST ...	–	7	4	2	–	G. 1 L. 1 M. 1
†BRIGHTON C.B. ...	–	4	1	–	–	–
†HASTINGS C.B. ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	2	–	–	–	–
†HOVE	–	1	1	–	–	G. 1 M. 1
SEAFORD	–	–	–	1	–	–
Rural Districts:—						
BATTLE	–	–	–	1	–	–
CHAILEY... ...	–	–	–	–	–	L. 1
UCKFIELD ...	–	–	1	–	–	–
SUSSEX, WEST ...	–	2	–	–	–	–
Rural Districts:—						
WESTHAMPNETT	–	2	–	–	–	–
WARWICK	–	45	36	13	31	C. 5 E. 1 M. 9
†BIRMINGHAM C.B.	–	29	32	3	18	C. 4 M. 9
†COVENTRY C.B. ...	–	3	2	–	4	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
†NUNEATON ...	–	2	–	–	2	–
†ROYAL LEAMINGTON SPA	–	4	1	1	1	–
†RUGBY	–	–	–	1	–	–
Rural Districts:—						
ATHERSTONE ...	–	1	–	–	6	–
BRAILES	–	–	–	1	–	–
FOLESHILL ...	–	2	–	–	–	E. 1
NUNEATON ...	–	1	–	–	–	–
SOLIHULL ...	–	1	1	1	–	–
SOUTHAM... ...	–	1	–	–	–	–
TAMWORTH (part)	–	1	–	–	–	–
WARWICK ...	–	–	–	6	–	–
WESTMORLAND ...	–	2	2	–	–	–
Boroughs and Urban Districts:—						
AMBLESIDE ...	–	–	1	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
SOUTH WESTMORLAND	–	1	1	–	–	–
WIGHT, ISLE OF ...	–	3	–	–	1	–
Boroughs and Urban Districts—						
†NEWPORT... ...	–	–	–	–	1	–
SANDOWN ...	–	1	–	–	–	–
SHANKLIN ...	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	1	6	–	–	L. 1 M. 2
Boroughs and Urban Districts:—						
†SALISBURY ...	–	–	1	–	–	–
†SWINDON... ...	–	–	–	–	–	L. 1 M. 2
Rural Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
PEWSEY	–	–	2	–	–	–
TISBURY	–	–	3	–	–	–
WORCESTER ...	–	6	2	–	6	G. 1 M. 2
†DUDLEY C.B. ...	–	–	–	–	–	M. 1
†WORCESTER C.B.	–	–	1	–	3	–
Boroughs and Urban Districts:—						
BEWDLEY ...	*	*	*	*	*	*
BROMSGROVE ...	–	1	–	–	–	–
†KIDDERMINSTER	–	1	1	–		–
†OLDBURY... ...	–	1	–	–	–	–
†REDDITCH ...	–	1	–	–	2	–
†STOURBRIDGE ...	–	–	–	–	1	M. 1
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
KIDDERMINSTER	–	1	–	–	–	–
MARTLEY... ...	–	–	–	–	–	G. 1
YORKS ... ... (East Riding.)	–	10	11	1	5	M. 2
†KINGSTON UPON HULL C.B.	–	6	8	–	5	M. 2
Boroughs and Urban Districts:—						
BEVERLEY ...	–	–	1	–	–	–
FILEY	–	1	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding)—*cont.*						
Rural Districts:—						
BRIDLINGTON ...	-	-	1	-	-	-
POCKLINGTON ...	-	3	-	-	-	-
SKIRLAUGH ...	-	-	1	-	-	-
YORKS ... ... (North Riding.)	-	35	5	1	7	C. 1 G. 1
†MIDDLESBROUGH C.B.	-	25	5	-	6	-
Boroughs and Urban Districts:—						
†ESTON	-	1	-	-	-	-
HINDERWELL ...	*	*	*	*	*	*
MALTON	-	-	-	-	-	G. 1
MASHAM	*	*	*	*	*	*
†REDCAR	-	2	-	-	1	-
†SCARBOROUGH ...	-	5	-	-	-	C. 1
†THORNABY ON TEES	-	1	-	1	-	-
Rural Districts:—						
STARTFORTH ...	-	1	-	-	-	-
YORKS ... ... (West Riding.)	3	89	28	6	67	C. 1 D. 2 M. 12
†BARNSLEY C.B. ...	-	1	-	-	1	-
†BRADFORD C.B. ...	-	3	5	-	6	M. 2
†HALIFAX, C.B. ...	-	1	-	-	-	-
†HUDDERSFIELD C.B.	-	4	1	1	2	M. 1
†LEEDS C.B. ...	-	28	4	-	10	C. 1
†ROTHERHAM C.B.	-	-	-	-	5	D. 2
†SHEFFIELD C.B....	-	7	7	1	20	M. 4
†WAKEFIELD C.B.	-	-	1	1	1	-
Boroughs and Urban Districts:—						
†ADWICK LE STREET	-	-	-	-	1	-
ALTOFTS	-	-	-	1	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BARNOLDSWICK ...	-	1	-	-	-	-
†BATLEY	-	2	-	-	-	-
†BENTLEY WITH ARKSEY	-	1	1	-	-	-
†BINGLEY	-	-	-	-	-	M. 1
BIRSTAL	-	3	-	-	-	-
†BOLTON UPON DEARNE	-	1	-	1	2	-
†CASTLEFORD ...	-	2	-	-	1	-
†CONISBROUGH ...	-	2	-	-	-	-
CUDWORTH ...	*	*	*	*	*	*
DARFIELD ...	-	-	-	-	1	-
†DONCASTER ...	1	2	-	-	-	M. 1
†ELLAND	-	-	-	-	1	-
FARSLEY	-	1	-	-	-	-
†FEATHERSTONE ...	-	1	-	-	1	-
†GOOLE	-	-	1	-	-	-
GREETLAND ...	-	-	-	-	1	-
†HARROGATE ...	-	1	-	-	-	M. 1
†HEMSWORTH ...	-	1	-	-	-	-
HIPPERHOLME ...	-	1	-	-	-	-
†HOLMFIRTH ...	-	2	-	-	-	-
†HOYLAND NETHER	-	1	-	-	-	-
HOYLAND SWAINE	*	*	*	*	*	*
ILKLEY	-	-	1	-	-	-
†KEIGHLEY ...	-	1	2	-	-	-
KNARESBOROUGH	-	1	-	-	-	-
KNOTTINGLEY ...	-	1	-	-	-	-
†MIRFIELD ...	-	-	-	-	-	M. 1
†MORLEY	-	2	-	-	-	-
MYTHOLMROYD ...	-	-	-	-	1	-
NEW MILL ...	-	1	-	-	-	-
†NORMANTON ...	*	*	*	*	*	*
OAKWORTH ...	-	1	-	-	-	-
†OSSETT	-	1	-	-	-	-
PENISTONE ...	*	*	*	*	*	*
†PUDSEY	-	-	1	-	-	-
QUEENSBURY ...	-	-	-	1	-	-
†RAWMARSH ...	-	3	-	-	-	-
†ROTHWELL ...	-	-	-	-	1	-
†SADDLEWORTH ...	-	1	-	-	-	-
†SPENBOROUGH ...	-	1	-	-	3	-
STAINLAND ...	-	-	1	-	-	-
†STANLEY	-	1	-	-	2	-

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†SWINTON	–	–	–	–	2	–
†TODMORDEN ...	–	–	–	–	1	–
†WATH UPON DEARNE	–	1	–	–	–	–
WHITWOOD ...	–	–	1	–	–	–
Rural Districts—						
BARNSLEY ...	–	–	–	–	1	–
DONCASTER ...	2	2	–	–	–	–
GREAT OUSEBURN	*	*	*	*	*	*
HEMSWORTH ...	–	–	–	–	1	–
KNARESBOROUGH	–	1	–	–	–	–
PENISTONE ...	–	2	–	–	–	–
PONTEFRACT ...	–	1	–	–	1	–
ROTHERHAM ...	*	*	*	*	*	*
SKIPTON	–	–	1	–	–	–
TADCASTER ...	–	–	1	–	–	–
THORNE	–	–	–	–	1	–
WHARFEDALE (SOUTH)	–	–	–	–	–	M. 1
WORTLEY ...	–	2	–	–	–	–
County Borough :—						
†YORK§	–	–	1	–	–	–
WALES.						
ANGLESEY	–	2	–	–	1	–
Boroughs and Urban Districts :—						
†HOLYHEAD ...	–	1	–	–	–	–
Rural Districts :—						
TWRCELYN ...	–	–	–	–	1	–
VALLEY	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	–	3	1	1	–
Rural Districts :—						
BRECKNOCK (DEVYNOCK)	–	–	1	–	–	–
CRICKHOWELL ...	–	–	–	1	–	–
VAYNOR AND PENDERYN	–	–	–	–	1	–
YSTRADGYNLAIS...	–	–	2	–	–	–
CARMARTHEN ...	–	5	1	1	–	M. 1
Boroughs and Urban Districts :—						
†LLANELLY ...	–	–	1	–	–	–
Rural Districts :—						
CARMARTHEN ..	–	–	–	1	–	–
LLANELLY ...	–	5	–	–	–	M. 1
CARNARVON ...	–	–	1	–	–	–
Rural Districts :—						
GWYRFAI ...	–	–	1	–	–	–
DENBIGH	–	2	–	–	3	C. 1
Boroughs and Urban Districts :—						
†COLWYN BAY AND COLWYN ...	–	–	–	–	1	–
DENBIGH... ...	–	2	–	–	–	–
†WREXHAM ...	–	–	–	–	–	C. 1
Rural Districts :—						
WREXHAM ...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

§ York is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	–	2	–	3	–
Boroughs and Urban Districts:—						
†RHYL	–	–	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	1	–	1	–
HOLYWELL ... (HOLYWELL DIV.)	–	–	–	–	2	–
GLAMORGAN ...	–	21	30	–	23	C. 2 G. 1 M. 8
†CARDIFF C.B. ...	–	1	1	–	6	C. 1 M. 2
†MERTHYR TYDFIL C.B.	–	–	2	–	1	–
†SWANSEA C.B. ...	–	2	2	–	2	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	2	–	–	2	–
†BARRY	–	–	4	–	1	–
†CAERPHILLY ...	–	–	2	–	–	–
†GELLIGAER ...	–	–	–	–	–	C. 1
†MAESTEG ...	–	–	1	–	–	M. 2
†MOUNTAIN ASH ...	–	4	1	–	1	–
†NEATH	–	–	7	–	–	G. 1
†OGMORE AND GARW	–	6	–	–	–	M. 1
†PONTYPRIDD ...	–	1	2	–	–	–
PORTHCAWL ...	–	–	–	–	1	–
†RHONDDA ...	–	5	4	–	8	M. 3
Rural Districts:—						
GOWER	–	–	1	–	–	–
NEATH	–	–	–	–	1	–
PENYBONT ...	–	–	2	–	–	–
PONTARDAWE ...	–	–	1	–	–	–
MONMOUTH ...	–	2	8	2	–	F. 1 M. 2
†NEWPORT C.B. ...	–	1	1	–	–	–
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—						
†ABERCARN ...	–	1	–	–	–	–
†ABERSYCHAN ...	–	–	1	–	–	–
†ABERTILLERY ...	–	–	2	–	–	–
†BEDWELLTY ...	–	–	1	–	–	M. 2
†NANTYGLO AND BLAINA	–	–	–	1	–	–
†RISCA	–	–	1	–	–	–
†TREDEGAR ..	–	–	2	1	–	F. 1
MONTGOMERY ...	–	–	–	1	1	–
Rural Districts:—						
LLANFYLLIN ...	–	–	–	–	1	–
NEWTOWN AND LLANIDLOES	–	–	–	1	–	–
PEMBROKE	–	1	–	–	–	–
Boroughs and Urban Districts:—						
GOODWICK ...	*	*	*	*	*	*
Rural Districts:—						
HAVERFORDWEST.	–	1	–	–	–	–
NARBERTH ...	*	*	*	*	*	*
Total of Part II. ...	21	864	426	81	375	C. 30 D. 5 E. 12 F. 3 G. 13 J. 1 L. 5 M. 117

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
Liverpool	–	–	–	1	–	–	Port of London ...	–	–	–	–	–	L. 1
Sandwich	–	–	–	–	1	–							
							Total of Part III.— .	–	–	–	1	1	L. 1

* Returns not received. † Population over 10,000.
C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio J, Continued Fever ; K, Trench Fever ; L, Dysentery; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	114	118	7	76	C. 2 D. 1 E. 3 F. 1 G. 1 M. 15
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	21	864	426	81	375	C. 30 D. 5 E. 12 F. 3 G. 13 J. 1 L. 5 M. 117
Total of Part III.—Port Sanitary Districts	–	–	–	1	1	L. 1
Total (*i.e.*, **of returns received), England and Wales** ...	21	978	544	89	452	C. 32 D. 6 E. 15 F. 4 G. 14 J. 1 L. 6 M. 132

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continue Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week The cases of Small-pox notified appear on pages 932, 936, 940, and 941.

ble 5.—London and Great Towns in the Aggregate. Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	May 26.	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.
ONDON:—													
EATHS—all ages	906	840	847	871	855	772	834	1,016	902	686	765	720	718
„ 0 to 1 year ..	98	83	74	90	86	76	85	106	112	80	73	84	76
REAT TOWNS, aggregate (including London):—													
IRTHS	6,717	8,724	8,054	8,106	7,901	7,792	7,746	7,331	8,275	7,554	8,131	6,627	7,910
EATHS—all ages	4,225	4,152	4,264	4,060	3,858	3,668	3,703	4,052	3,618	3,108	3,300	3,332	3,266
„ 0 to 1 year ..	518	506	518	474	464	471	428	516	492	413	407	450	410
NTERIC FEVER—Cases	18	16	18	15	24	15	33	24	19	21	33	41	24
„ Deaths	5	—	2	2	2	1	3	1	3	3	1	7	6
MALL POX—Cases ..	1	8	38	56	82	104	95	114	64	25	14	13	9
„ Deaths ..	—	—	—	—	—	—	—	1	1	—	—	—	—
CARLET FEVER—Cases	891	804	833	762	825	817	798	733	647	679	626	540	539
„ Deaths	7	12	7	9	16	11	7	10	2	7	5	7	6
IPHTHERIA—Cases ..	405	405	441	448	415	378	424	431	403	385	340	358	344
„ Deaths ..	29	15	33	26	32	24	15	17	16	10	22	20	26
EASLES—Deaths ..	73	60	97	85	61	61	42	51	53	37	29	28	29
NFLUENZA—Deaths ..	166	155	140	120	92	81	59	34	36	24	15	14	24

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 18th August, 1923. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
ONDON (GREENWICH).	88	48	75·7	55·1	11	BRADFORD ..	70	47	65·3	51·7	19
RIGHTON ..	76	50	71·2	58·9	24	SHEFFIELD ..	Not received.				
ORTSMOUTH ..	80	51	71·6	58·3	5	YORK (MUSEUM)	73	48	67·9	52·3	19
ORWICH (EATON)	83	49	69·4	53·3	29	HULL (PEARSON PARK).	76	47	70·3	52·9	24
LYMOUTH ..	77	47	69·6	56·4	2	TYNEMOUTH ..	71	49	64·9	52·4	16
RISTOL (CLIFTON).	80	50	70·7	56·0	13	CARDIFF	78	47	68·7	54·3	6
IRMINGHAM (EDGBASTON)	78	46	69·3	53·4	16						
OTTINGHAM ..	77	48	69·6	53·4	22	EDINBURGH ..	69·0	48·0	63·4	50·6	11
IRKENHEAD (BIDSTON).	73	53	64·9	55·0	13	GLASGOW ..	66·4	49·8	62·3	52·1	26
ANCHESTER (WHITWORTH PARK).	74	50	66·3	53·7	21	DUBLIN (PHŒNIX PARK).	73·9	45·3	67·4	51·7	22
URNLEY.. ..	70	44	63·4	51·0	42	FITZWILLIAM SQUARE.†	72·2	50·0	66·2	55·1	18
UDDERSFIELD	73	44	67·9	52·7	12	BELFAST	75·0	48·0	67·9	52·0	21

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 18th August, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
AUGUST.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
UNDAY - 12	..	30·094	80·0	50·1	29·9	65·5	+ 3·0	48·9	16·6	28·1	3·1	55	152·8	36·8	59·0	Calm	S: Calm.	0·6	0·0	0·1	131	− 126	0·00
ONDAY - 13	..	29·944	88·2	53·1	35·1	71·1	+ 8·6	57·9	13·2	26·4	3·4	63	162·0	40·4	59·2	Calm	WNW	4·0	0·0	0·2	264	+ 7	0·00
UESDAY - 14	..	29·970	85·5	65·9	19·6	72·1	+ 9·6	60·5	11·6	26·1	5·8	67	155·0	55·6	59·2	Calm	Calm	0·2	0·0	0·0	113	− 142	0·00
EDNESDAY 15	Perigee. In Equator	29·931	70·7	55·8	14·9	60·9	− 1·5	49·7	11·2	24·5	1·9	67	121·0	44·6	59·1	N	N	3·7	0·0	0·3	348	+ 96	0·17
HURSDAY - 16	..	29·972	68·8	48·1	20·7	58·7	− 3·6	43·2	15·5	24·2	4·6	56	118·4	36·5	59·2	W: NW	NW: W	1·5	0·0	0·1	263	+ 14	0·00
RIDAY - 17	..	29·576	67·9	54·4	13·5	59·3	− 2·8	54·6	4·7	15·7	1·5	85	122·2	47·1	59·1	SW	WSW: WNW.	4·8	0·0	0·2	104	+ 158	0·12
ATURDAY - 18	..	29·472	68·9	55·2	13·7	60·1	− 1·8	52·8	7·3	16·4	2·9	77	127·6	46·1	59·1	WSW	WNW	5·9	0·0	0·2	383	+ 140	0·15
EANS -	..	29·851	75·7	54·7	21·1	64·0	+ 1·7	52·5	11·4	23·1	3·3	67	137·0	43·9	59·1	Westerly		..	..	..	Sum 1,906	Sum + 147	Sum 0·44
. of COLUMN	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.		ELECTRICITY. (For explanation of symbols. *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
AUGUST					
NDAY ..	12	wP	12·5	14·8	Partially cloudy till 14½h.; then nearly overcast clearing to cloudless by 21h.
NDAY ..	13	wP till 14h.: mP till 18h.: then wP.	9·2	14·7	Nearly cloudless till 13½h.; nearly overcast till 19h., clearing to cloudless by 19½h.
ESDAY ..	14	wP till 15h.: mP till 19h.; then wP.	6·2	14·7	Variably cloudy.
EDNESDAY	15	wP till 5h., variable till 9h.; then mP.	7·2	14·6	Overcast till 11½h.; partially cloudy till 18h., then cloudless. Lightning till 1h. Rain generally from 5½h. till 9h.
URSDAY	16	mP till 3h.: wP. till 8h.; mP. till 21h.; then wP.	5·1	14·6	Cloudless till 3h., then nearly overcast generally. Solar halo 8h.
IDAY ..	17	wP till 11h.; then zero.	2·1	14·5	Overcast generally. Rain 10½h. till 12½h. and between 16½h. and 17½h. Damping about 22h.
URDAY	18	Zero till 9h., variable till 16h.; then mP.	4·9	14·5	Nearly overcast till 15h.; then partially cloudy clearing to cloudless by 21h. Thunder, lightning and rain between 12h. and 14h. Showers 10½h., 11¾h., and 15½h.
			Sum 47·2	Sum 102·4	
of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 30·13 in. at the beginning of the week to 29·92 in. by 15h. on 13th; increased to 30·03 in. by 9h. on 14th; decreased to 29·85 in. by 3h. on 15th; increased to 30·04 in. by 6h. on 16th; decreased to 29·11 in. by 12h. on 18th; increased and was 30·61 in. by midnight on the same day.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS,
11–17, Hare Street, E.2

FOR OFFICIAL USE.

1923. No. 34.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 25TH AUGUST, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 25TH AUGUST, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-fourth week of the year numbered 7,798 and corresponded to an annual rate of 21·2 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,281 and corresponded to an annual rate of 8·9 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 9·0, 9·1 and 8·9. Infant mortality was 64 per 1,000 births, against 50, 68 and 52 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,863 births, corresponding to a rate of 21·4 per 1,000, and 813 deaths of civilians, corresponding to a rate of 9·3, as against 8·8, 8·3 and 8·3 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 8·7 per 1,000. The infant mortality was 60 as against 39, 52 and 40 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 14 in the total deaths last week, but the deaths from influenza fell from 24 to 16. In London the number of deaths from all causes rose from 718 to 813; while the deaths from diphtheria, which had been 10, 5 and 10 in the preceding three weeks, fell to 7 last week, and those from influenza, which had been 5, 3 and 1 in the three preceding weeks, rose to 6 last week.

Just Published:

Census of England and Wales, 1921. County of Hertford. Price 7*s*. 6*d*. net.

County of Lancaster. Price 20*s*. net.

Yorkshire. Price 25*s*. net.

County of Glamorgan. Price 10*s*. net.

County of Monmouth. Price 8*s*. 6*d*. net.

County of Stafford. Price 12*s*. net.

County of Warwick. Price 6*s*. 6*d*. net.

The Registrar General's Statistical Review, 1921.
Tables, Part II. Civil. Price 5*s*. net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 25th August, 1923.**

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	7,798	3,281	499	1	14	6	30	20	150	16
London	4,534,230*	1,863	813	111	–	2	1	4	7	42	6
Towns in Outer Ring.											
Croydon C.B. ..	192,300	69	27	1	–	–	–	–	–	–	–
Wimbledon ..	61,730	11	4	–	–	–	–	–	–	–	–
Ealing	67,890	23	9	1	–	–	–	–	–	–	–
Acton	62,390	18	8	–	–	–	–	–	–	–	–
Willesden ..	168,200	60	28	5	–	–	–	–	–	3	–
Hendon	55,930	14	8	2	–	–	–	–	–	–	–
Hornsey	87,310	19	9	–	–	–	–	–	–	–	–
Wood Green ..	51,290	18	11	2	–	–	–	–	–	1	–
Tottenham ..	150,500	62	17	2	–	–	–	–	–	1	–
Edmonton ..	68,700	20	12	2	–	–	–	–	–	–	–
Enfield	62,010	23	9	–	–	–	–	–	–	–	–
West Ham C.B. ..	310,200	167	62	15	–	–	–	–	2	10	–
East Ham C.B. ..	145,800	39	21	1	–	–	–	–	–	–	–
Leyton	131,600	45	17	2	–	–	–	–	–	1	–
Walthamstow ..	129,700	42	12	1	–	–	–	–	–	–	–
Ilford	86,370	36	11	2	–	–	–	–	–	1	–
Gillingham	48,630*	19	8	1	–	–	–	1	–	2	–
Canterbury C.B ..	23,680	13	2	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	15	9	1	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	19	7	1	–	–	–	–	–	–	–
Brighton C.B. ..	135,000	40	29	3	–	–	–	–	1	–	–
Portsmouth C.B. ..	236,630*	98	34	8	–	–	–	–	1	3	1
Bournemouth C.B. ..	81,500	28	17	2	–	–	–	–	–	–	–
Southampton C.B. ..	163,700	64	31	4	–	–	–	–	–	–	–
Reading C.B.	92,990	28	14	1	–	–	–	–	–	–	–
Oxford C.B.	56,510	21	10	1	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	30	14	2	–	–	–	–	–	–	–
Luton	58,260	16	10	–	–	–	–	–	–	–	–
Cambridge	59,200	14	11	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	91,430	29	12	–	–	–	–	–	–	–	–
Ipswich C.B.	80,950	32	13	3	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	21	6	1	–	–	–	–	–	–	–
Norwich C.B ..	122,900	36	14	2	–	–	–	–	–	–	–
Swindon	55,680	19	8	–	–	–	–	–	–	–	–
Exeter C.B.	59,700	22	4	1	–	–	–	–	–	1	–
Plymouth C.B. ..	200,370*	73	30	1	–	–	–	–	–	–	1
Bath C.B.	68,530	13	6	–	–	–	–	–	–	–	–
Bristol C.B.	383,900	158	45	8	–	–	–	1	–	1	–
Gloucester C.B. ..	52,210	26	7	–	–	–	–	–	–	–	1
Stoke-on-Trent C.B.	274,300	137	51	10	–	–	–	–	–	4	–
Burton-upon-Trent C.B.	49,630	16	7	1	–	–	–	–	–	–	–
Wolverhampton C.B.	105,700	34	19	4	–	–	–	–	–	2	–
Walsall C.B.	99,890	54	22	9	–	–	–	–	–	7	–
West Bromwich C.B.	76,260	37	11	2	–	–	–	–	–	2	–
Dudley C.B.	57,860	28	10	5	–	–	–	–	–	3	–
Worcester C.B. ..	49,240	23	7	1	–	–	–	–	–	–	–
Birmingham C.B. ..	945,100	388	143	21	–	1	1	–	2	7	1
Smethwick C.B. ..	78,140	28	8	1	–	–	–	–	2	–	–
Coventry C.B. ..	131,200	44	15	1	–	–	–	–	–	–	–
Leicester C.B. ..	238,800	69	42	7	–	–	–	–	–	2	–
Lincoln C.B.	66,930	27	10	–	–	–	–	–	–	1	–
Grimsby C.B.	84,650	58	10	3	–	–	–	1	–	–	–
Nottingham C.B. ..	267,900	105	46	10	–	–	–	1	–	4	–
Derby C.B.	132,400	53	27	3	–	–	–	–	–	–	–
Chesterfield ..	63,380	24	9	2	–	–	–	–	–	–	–
Stockport C.B. ..	125,800	62	17	–	–	–	–	–	1	–	–
Chester C.B.	41,190	11	5	4	–	–	–	–	–	1	–
Birkenhead C.B. ..	149,200	54	19	4	–	–	–	–	–	1	–
Wallasey C.B. ..	89,790	27	14	2	–	–	–	–	–	–	–
Liverpool C.B. ..	826,400	429	185	33	–	9	3	2	–	11	–
Bootle C.B.	79,750	38	9	4	–	–	–	–	–	1	–
St. Helens C.B. ..	106,400	55	10	3	–	–	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	17	9	–	–	–	–	–	–	–	–
WIGAN C.B.	91,750	40	13	3	–	–	–	1	–	1	1
WARRINGTON C.B. ..	79,150	30	11	3	–	–	–	2	–	–	–
BOLTON C.B.	182,700	72	39	6	–	–	–	1	–	2	–
BURY C.B.	57,400	21	12	2	–	–	–	–	–	–	–
MANCHESTER C.B. ..	748,500	333	140	19	–	–	–	1	1	3	1
SALFORD C.B.	240,700	91	37	4	–	–	–	2	–	1	–
OLDHAM C.B.	148,300	57	29	5	–	–	–	3	–	1	–
ROCHDALE C.B... ..	92,510	18	23	2	–	–	–	–	1	–	–
BURNLEY C.B.	105,100	36	21	1	–	–	–	1	–	1	–
BLACKBURN C.B. ..	129,600	51	23	5	–	–	–	–	–	–	–
PRESTON C.B.	120,900	68	15	2	–	–	–	–	1	1	1
BLACKPOOL C.B. ..	74,050	30	17	1	–	–	–	–	–	–	–
BARROW-IN-FURNESS C.B.	75,690	27	9	2	–	–	–	–	–	–	–
HUDDERSFIELD C.B. ..	111,600	32	19	2	1	–	–	–	–	–	–
HALIFAX C.B.	100,500	47	16	1	–	–	–	–	–	–	–
BRADFORD C.B. ..	291,300	97	55	3	–	–	–	–	1	–	–
LEEDS C.B.	466,700	185	87	19	–	–	–	–	–	5	–
DEWSBURY C.B. ..	55,170	11	8	–	–	–	–	–	–	–	–
WAKEFIELD C.B. ..	53,840	18	11	4	–	–	–	2	–	–	–
BARNSLEY C.B. ..	69,540	23	14	2	–	–	–	–	–	1	1
SHEFFIELD C.B. ..	522,600	184	102	13	–	–	–	–	–	2	1
ROTHERHAM C.B. ..	69,840	33	13	5	–	–	–	–	–	–	–
DONCASTER	55,020	36	7	1	–	–	–	–	–	–	–
YORK C.B.	84,980	33	16	1	–	–	–	–	–	–	–
HULL C.B.	294,000	146	47	7	–	–	–	4	–	1	–
MIDDLESBROUGH C.B.	134,800	62	28	7	–	–	–	–	–	1	–
DARLINGTON C.B. ..	66,710	28	16	2	–	–	–	–	–	–	–
STOCKTON-ON-TEES ..	65,950	35	7	1	–	–	–	–	–	–	–
WEST HARTLEPOOL C.B.	70,020	31	10	1	–	–	–	–	–	–	–
SUNDERLAND C.B. ..	162,900	84	44	12	–	–	–	2	–	3	–
SOUTH SHIELDS C.B. ..	122,400	61	26	5	–	–	–	–	–	2	–
GATESHEAD C.B. ..	127,300	59	30	5	–	–	–	–	–	3	–
NEWCASTLE-ON-TYNE C.B.	281,600	140	55	12	–	–	–	–	–	5	–
TYNEMOUTH C.B. ..	64,640	33	7	–	–	–	–	–	–	–	–
CARLISLE C.B.	53,490	14	2	–	–	–	–	–	–	–	–
NEWPORT (MON.) C.B.	94,880	28	14	2	–	–	–	–	–	1	–
CARDIFF C.B.	223,830	88	45	7	–	–	–	–	–	4	–
RHONDDA	167,500	94	39	8	–	1	1	1	–	–	1
MERTHYR TYDFIL C.B.	82,680	34	13	3	–	–	–	–	–	–	–
ABERDARE	56,580	35	14	3	–	–	–	–	–	–	–
SWANSEA C.B.	161,000	72	23	1	–	1	–	–	–	–	–
GREATER LONDON ..	7,563,730*	2,952	1,279	173	–	2	1	5	10	65	8
OUTER RING	3,029,500*	1,089	466	62	–	–	–	1	3	23	2
16 GREAT TOWNS IN OUTER RING	1,831,920	666	265	36	–	–	–	–	2	17	–
REMAINDER OF OUTER RING	1,197,580*	423	201	26	–	–	–	1	1	6	2
EDINBURGH†	426,000	164	94	10	–	2	1	1	–	1	–
GLASGOW†	1,041,400	446	247	39	1	4	–	5	2	8	1
DUBLIN (REGISTRATION AREA)†	431,000	189	126	35	–	1	–	6	–	26	–
BELFAST†	429,000	203	107	24	–	2	–	4	–	8	–

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available peri

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years.)
		1923.										
London‡	4,534,230	Aug. 25	1863	813	9·3	–	–	2	1	4	7	42
Calcutta	896,067	July 21	?	471§	26·9	?	–	?	?	?	?	?
Bombay	1,220,120	June 30	352‖	618§	26·3	6	8	4	?	–	–	36
Madras	526,911	July 14	413	347	34·2	1	5	–	?	2	–	35
Sydney and Suburbs	955,900	„										
Brisbane (Metropolitan Area).	217,714	April										
Perth (Metropolitan Area).	161,773	July 7										
Auckland (Urban Area).	164,450	May										
Wellington (Urban Area).	110,680	„										
Christchurch (Urban Area).	110,200	„										
Cape Town	106,727	July 21	50	24	11·7	1	–	1	–	–	–	1
Johannesburg	156,858	„ 21	71	43	14·2	–	–	–	–	–	–	–
Durban	50,488	„ 21	17	11	11·3	–	–	–	–	–	–	–
Paris	2,906,472	„ 31 (11 days)	1320	1035	11·8	3	–	1	1	6	5	56
Antwerp	302,711	July 14										
Amsterdam	700,578	Aug. 4	306	107	8·0	1	–	–	–	2	–	2
Copenhagen	570,000	„ 11	218	101	9·2	–	–	1	–	–	1	–
Stockholm	424,944	„ 4	95	65	8·0	–	–	–	–	–	–	–
Gothenburg	228,074	July 28	?	34	7·8	–	–	–	–	–	1	–
Christiania	258,962	Aug. 11	68	32	6·4	–	–	–	–	–	–	1
Berlin	1,989,000	July 28										
Breslau	562,000	„ 28										
Cologne	701,000	„ 28										
Dresden	612,000	„ 28										
Frankfort-on-Main..	475,000	„ 28										
Hamburg	1,077,000	„ 28										
Leipzig	682,000	„ 28										
Munich	685,000	„ 28										
Vienna	1,841,326	June 2	537	547	15·3	1	–	7	1	3	2	2
		„ 9	559	456	12·7	–	–	2	–	6	–	8
Prague and Suburbs	697,111	„ 15 (15 days)	537	346	12·1	–	–	1	4	1	2	6
Budapest	946,000	June 30	269	358	19·7	–	–	7	1	6	1	8
		July 7	443	335	18·4	3	–	9	3	4	1	15
Warsaw	956,087	June 30	557	245	13·4	3	–	1	3	–	–	21
		July 7	415	235	12·7	1	–	–	3	2	–	25
Cairo	791,000	May 27	747	910	59·8	10	–	52	–	?	2	187
Alexandria	466,700	„ 27	344	403§	44·9	–	–	8	–	?	–	83
New York	5,927,617	July 14										
Chicago	2,886,121	„ 28	?	529	9·6	2	–	3	–	1	2	24
Rio de Janeiro ..	1,287,367	June 30	616	386	15·6	3	–	2	–	12	2	?
Montevideo	348,951	May 12	217	123	20·3	4	–	–	–	1	–	5

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vie Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *yea age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 12 deaths from Asiatic Cholera in Calcutta and 3 in Bombay and from Plague, 1 in Bombay, and Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 25th August, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	813	111	30	15	23	47	45	73	96	120	132	121
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	2	–	–	–	–	–	–	–	–	–	–
Scarlet fever	1	–	–	–	–	–	–	–	1	–	–	–
Whooping cough	4	2	1	1	–	–	–	–	–	–	–	–
Diphtheria	7	–	1	2	4	–	–	–	–	–	–	–
Influenza	6	1	–	–	–	–	–	1	1	–	1	2
Erysipelas	1	1	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis	1	–	–	–	1	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	–	1	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	77	–	1	–	3	22	16	15	11	8	1	–
Nervous system	5	1	1	–	2	–	–	1	–	–	–	–
Intestines and peritoneum	8	1	1	1	1	1	–	1	2	–	–	–
Other forms	6	–	2	1	1	1	–	–	1	–	–	–
Venereal diseases	4	2	–	–	–	–	1	1	–	–	–	–
Cancer	123	–	–	–	–	1	1	10	25	21	41	24
Rheumatic fever	3	–	–	–	–	–	1	1	–	1	–	–
Diabetes	9	–	–	–	–	–	–	1	3	3	2	–
Alcoholism	1	–	–	–	–	–	–	–	1	–	–	–
Simple meningitis	5	1	2	–	–	–	1	1	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	39	–	–	1	–	–	2	4	5	10	9	8
Epilepsy	1	–	–	–	–	–	–	–	1	–	–	–
"Convulsions" (not puerperal) ..	5	3	2	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	26	–	1	–	2	–	3	5	2	6	4	3
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	9	–	–	–	–	2	1	4	1	1	–	–
Other diseases of heart	90	–	–	–	–	3	2	3	12	26	19	25
Other diseases of circulatory system	35	–	–	–	–	1	–	–	2	9	6	17
Bronchitis	17	1	–	1	–	–	–	–	2	5	4	4
Broncho-pneumonia	24	10	4	2	1	1	–	–	–	1	2	3
Lobar-pneumonia	12	3	2	1	–	1	1	3	–	1	–	–
Pneumonia (type not distinguished) ..	8	–	1	–	–	2	–	1	1	1	2	–
Other diseases of respiratory system	15	–	–	–	1	2	–	2	1	3	3	3
Diarrhœa and enteritis	48	34	8	3	–	–	–	–	1	1	–	1
Appendicitis, Typhlitis	9	–	1	–	1	–	–	1	2	4	–	–
Hernia, Intestinal obstruction	7	1	–	–	–	1	–	–	–	–	4	1
Cirrhosis of liver	2	–	–	–	–	–	–	–	1	1	–	–
Other diseases of digestive system ..	23	–	–	–	–	1	3	–	7	5	5	2
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	22	–	–	–	–	3	–	2	3	–	12	2
Other diseases of genito-urinary system.	13	–	–	–	–	–	1	3	1	2	2	4
Puerperal sepsis	5	–	–	–	–	2	3	–	–	–	–	–
Other causes incident to childbirth ..	6	–	–	–	–	–	3	3	–	–	–	–
Congenital malformations	–	–	–	–	–	–	–	–	–	–	–	–
Premature birth	24	24	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	10	10	–	–	–	–	–	–	–	–	–	–
Old age..	24	–	–	–	–	–	–	–	–	–	6	18
Suicide	10	–	–	–	–	1	–	–	4	2	2	1
Burns and scalds	2	–	2	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	1	–	–	1	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	13	–	–	2	4	–	3	2	–	2	–	–
Other deaths by violence	10	1	–	–	–	1	2	1	1	2	1	1
Other specified causes	38	13	–	–	2	1	1	5	4	5	5	2
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 25th August, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	–	123	144	6	36	C. 3 D. 2 E. 3 M. 13
Metropolitan Boroughs:—						
†BATTERSEA ...	–	9	1	1	4	D. 1 E. 1 M. 1
†BERMONDSEY ...	–	4	11	–	1	–
†BETHNAL GREEN	–	3	5	–	2	–
†CAMBERWELL ...	–	8	10	–	–	C. 1
†CHELSEA	–	3	–	–	1	–
†DEPTFORD ...	–	6	3	–	2	–
†FINSBURY ...	–	2	4	–	–	–
†FULHAM	–	3	6	–	–	C. 1
†GREENWICH ...	–	–	2	–	–	M. 1
†HACKNEY ...	–	8	6	–	–	M. 1
†HAMMERSMITH ...	–	1	1	–	–	–
†HAMPSTEAD ...	–	1	1	–	–	–
†HOLBORN... ...	–	1	2	–	–	M. 1
†ISLINGTON ...	–	21	16	–	1	M. 2

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	2	–	1	1	–
†LAMBETH ...	–	15	10	–	1	E. 1 M. 3
†LEWISHAM ...	–	1	4	–	1	M. 1
†PADDINGTON ...	–	4	5	–	5	–
†POPLAR	–	2	5	1	6	C. 1
†ST. MARYLEBONE	–	4	2	–	1	–
†ST. PANCRAS ...	–	2	13	–	2	–
†SHOREDITCH ...	–	3	5	1	1	M. 2
†SOUTHWARK ...	–	11	8	1	2	–
†STEPNEY	–	4	12	–	2	M. 1
†WANDSWORTH ...	–	3	6	–	2	D. 1 E. 1
†WESTMINSTER, CITY OF	–	1	3	1	1	–
†WOOLWICH ...	–	1	3	–	–	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	1	2	1	3	M. 1
Boroughs and Urban Districts:—						
BIGGLESWADE ...	–	–	–	–	3	–
LEIGHTON BUZZARD	–	1	–	–	–	–
†LUTON	–	–	1	1	–	M. 1
Rural Districts:—						
BEDFORD... ...	–	–	1	–	–	–
BERKS	–	9	5	2	1	–
†READING C.B. ...	–	1	1	1	–	–
Boroughs and Urban Districts:—						
ABINGDON ...	–	–	2	1	–	–
Rural Districts:—						
ABINGDON ...	–	1	2	–	–	–
COOKHAM ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	1	–	–	–	–
WALLINGFORD ...	–	2	–	–	–	–
WANTAGE ...	–	1	–	–	–	–
WINDSOR... ...	–	–	–	–	1	–
WOKINGHAM ...	–	2	–	–	–	–
BUCKINGHAM ...	–	12	–	–	2	–
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE ...	–	3	–	–	–	–
†WOLVERTON ...	–	1	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts:—						
AMERSHAM ...	–	2	–	–	–	–
BUCKINGHAM ...	–	3	–	–	–	–
ETON	–	2	–	–	–	–
WING	–	1	–	–	–	–
WYCOMBE ...	*	*	*	*	*	*
CAMBRIDGE ...		1	2	–	–	–
Borough:—						
†CAMBRIDGE ...	–	–	2	–	–	–
Rural Districts:—						
CHESTERTON ...	–	1	–	–	–	–
CHESTER	–	30	7	1	10	M. 3
†BIRKENHEAD C.B.	–	6	–	–	3	–
†CHESTER C.B. ...	–	1	–	–	2	–
†STOCKPORT C.B.	–	4	–	–	2	–
†WALLASEY C.B. ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
ALSAGER	*	*	*	*	*	*
†ALTRINCHAM ...	–	3	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	2	–	–	–	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
COMPSTALL ...	*	*	*	*	*	*
†CONGLETON ...	–	–	2	–	–	–
†CREWE	–	1	–	–	–	–
†DUKINFIELD ...	–	–	–	1	–	–
HOOLE	–	–	1	–	–	–
†HYDE	–	–	–	–	1	–
†MACCLESFIELD ...	–	3	–	–	–	–
MOTTRAM IN LONGDENDALE	–	1	–	–	–	–
†NORTHWICH ...	–	–	–	–	–	M. 1
†SALE	*	*	*	*	*	*
SANDBACH ...	–	2	–	–	–	–
†STALYBRIDGE ...	–	–	–	–	–	M. 1
†WINSFORD ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
CHESTER	–	1	–	–	–	–
CONGLETON ...	–	–	1	–	–	–
NANTWICH ...	–	2	–	–	–	–
RUNCORN... ...	–	1	1	–	–	–
TARVIN	–	1	–	–	–	M. 1
CORNWALL ...	–	2	1	6	1	G. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	6	–	–
FOWEY	*	*	*	*	*	*
LOOE	–	–	–	–	1	–
ST. IVES	–	–	1	–	–	–
Rural Districts:—						
EAST KERRIER ...	–	1	–	–	–	–
LISKEARD ...	–	–	–	–	–	G. 1
STRATTON ...	–	1	–	–	–	–
CUMBERLAND ...	–	4	3	–	2	C. 1
†CARLISLE C.B. ...	–	–	–	–	1	C 1
Boroughs and Urban Districts:—						
HARRINGTON ...	*	*	*	*	*	*
KESWICK	–	1	–	–	–	–
†MARYPORT ...	–	1	1	–	–	–
MILLOM	–	–	–	–	1	–
†WHITEHAVEN ..	–	1	1	–	–	–
†WORKINGTON ...	–	–	1	–	–	–
Rural Districts:—						
LONGTOWN ...	*	*	*	*	*	*
PENRITH	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	1	20	5	4	7	G. 1 M. 1
†DERBY C.B. ...	–	4	–	–	1	G. 1 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	1	–	–	–
ASHBOURNE ...	–	1	–	–	–	–
†BELPER	–	–	1	–	–	–
†CHESTERFIELD ...	–	2	1	–	2	–
CLAY CROSS ...	*	*	*	*	*	*
†HEANOR	–	1	–	–	1	–
†ILKESTON ...	–	–	–	4	1	–
†LONG EATON ...	1	2	–	–	–	–
MATLOCK BATH AND SCARTHIN NICK	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	–	1	–	–	–	–
Rural Districts:—						
BELPER	–	1	–	–	–	–
BLACKWELL ...	–	1	1	–	–	–
CHAPEL EN LE FRITH	–	2	–	–	–	–
CHESTERFIELD ..	–	2	1	–	2	–
HAYFIELD ...	–	1	–	–	–	–
SHARDLOW ...	–	1	–	–	–	–
DEVON	–	11	4	5	2	–
†PLYMOUTH C.B....	–	2	4	1	–	–
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	–	–	1	–
BIDEFORD ...	–	1	–	–	–	–
†EXMOUTH ...	–	1	–	–	–	–
OTTERY ST. MARY	*	*	*	*	*	*
†PAIGNTON ...	–	–	–	2	1	–
†TORQUAY ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
CREDITON ...	–	1	–	–	–	–
HOLSWORTHY (part)	–	1	–	–	–	–
XINGSBRIDGE ...	–	–	–	1	–	–
NEWTON ABBOT...	–	3	–	–	–	–
OKEHAMPTON ...	–	–	–	1	–	–
DORSET	–	3	–	–	–	M. 1
Boroughs and Urban Districts:—						
†POOLE	–	1	–	–	–	M. 1
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	–	–
Rural Districts:—						
WAREHAM AND PURBECK	–	1	–	–	–	–
DURHAM	–	60	15	3	17	M. 8
†GATESHEAD C.B.	–	6	3	–	1	–
†SOUTH SHIELDS C.B.	–	7	1	–	3	M. 2
†SUNDERLAND C.B.	–	4	1	–	3	M. 1
†TANFIELD ...	–	2	–	–	–	–
†WEST HARTLEPOOL C.B.	*	*	*	*	*	*
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	1	–	2	M. 3
BARNARD CASTLE	–	1	–	–	–	–
†BLAYDON... ...	–	–	2	–	–	–
†CHESTER LE STREET	–	2	–	–	–	–
†CONSETT	–	1	–	–	–	–
†CROOK	–	–	2	–	–	–
†HEBBURN ...	–	–	–	–	1	–
†HETTON	–	1	–	–	–	–
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†JARROW	–	4	–	–	1	–
†SEAHAM HARBOUR	–	–	–	–	1	–
†SHILDON	–	1	–	–	–	–
†STANLEY	–	3	1	1	1	–
†STOCKTON ON TEES	–	4	2	–	–	–
TOW LAW ...	–	–	–	–	1	–
†WASHINGTON ..	–	–	1	–	–	–
WILLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	4	–	1	–	–
CHESTER LE STREET	–	5	–	–	2	–
DARLINGTON ...	*	*	*	*	*	*
DURHAM	–	2	–	–	1	–
EASINGTON ...	–	3	–	1	–	–
HARTLEPOOL ...	–	1	–	–	–	–
HOUGHTON LE SPRING	–	1	–	–	–	M. 2
LANCHESTER ...	–	2	–	–	–	–
SEDGEFIELD ...	–	3	1	–	–	–
STOCKTON ...	–	1	–	–	–	–
WEARDALE ...	*	*	*	*	*	*
ELY, ISLE OF ...	–	1	–	–	–	–
Rural Districts:—						
WISBECH	–	1	–	–	–	–
ESSEX	–	26	26	3	11	D. 3 E. 3 F. 2 L. 1 M. 2
†EAST HAM C.B. ...	–	–	2	–	–	–
†SOUTHEND-ON-SEA C.B.	–	3	–	–	3	M. 1
†WEST HAM C.B. ...	–	8	13	–	5	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	1	–	–	–
CHELMSFORD ...	–	1	–	–	–	–
†CLACTON	–	–	–	1	–	F. 2
†COLCHESTER ...	–	–	1	2	–	–
†GRAYS THURROCK	–	–	–	–	1	–
†HARWICH ...	–	1	–	–	–	–
†ILFORD	–	1	1	–	–	–
†LEYTON	–	1	–	–	1	E. 1
†ROMFORD ...	–	–	2	–	1	–
SHOEBURYNESS ...	*	*	*	*	*	*
†WALTHAMSTOW...	–	5	5	–	–	L. 1
WALTON ON THE NAZE	–	–	–	–	–	E. 1
†WANSTEAD ...	–	1	–	–	–	–
Rural Districts:—						
MALDON	–	1	1	–	–	–
ONGAR	*	*	*	*	*	*
ORSETT	–	1	–	–	–	–
ROMFORD... ...	–	3	–	–	–	–
TENDRING ...	–	–	–	–	–	D. 3 E. 1
GLOUCESTER ...	12	11	14	3	6	M. 2
†BRISTOL C.B. ...	–	7	13	1	5	M. 1
†GLOUCESTER C.B.	8	–	1	1	–	–
Boroughs and Urban Districts:—						
AWRE	–	1	–	–	–	–
STOW ON THE WOLD	*	*	*	*	*	*
STROUD	–	–	–	–	–	M. 1
Rural Districts:—						
EAST DEAN AND UNITED PARISHES ...	2	–	–	–	–	–
GLOUCESTER ...	1	–	–	1	–	–
LYDNEY	1	1	–	–	–	–
GLOUCESTER—*cont.*						
Rural Districts—*cont.*						
THORNBURY ...	–	–	–	–	1	–
WEST DEAN ...	–	1	–	–	–	–
WHEATENHURST	–	1	–	–	–	–
HEREFORD ...	–	1	–	–	–	–
Rural Districts:—						
WIGMORE ...	–	1	–	–	–	–
HERTFORD ...	–	5	9	1	1	C. 1
Boroughs and Urban Districts:—						
BALDOCK ...	–	–	1	–	–	–
BISHOP'S STORTFORD	–	1	–	–	–	–
†EAST BARNET VALLEY	–	1	–	–	–	–
HITCHIN	–	2	–	–	–	–
WARE	–	–	–	–	1	–
†WATFORD ...	–	–	1	1	–	–
Rural Districts:—						
BARNET	–	–	2	–	–	–
†HEMEL HEMPSTEAD	–	–	–	–	–	C. 1
†ST. ALBANS ...	–	1	–	–	–	–
WATFORD ...	–	–	1	–	–	–
WELWYN	–	–	4	–	–	–
HUNTINGDON ...	–	–	–	–	1	M. 1
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	–	–	–	–	M. 1
OLD FLETTON ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	29	15	4	5	E. 3 L. 1 M. 1
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	–	–	–	–	E. 1
†BEXLEY	–	2	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	1	1	–	–	–
†BROMLEY ...	–	–	1	–	2	–
†CHATHAM ...	–	1	–	–	–	–
†DARTFORD ...	–	1	–	–	–	–
†ERITH	–	1	–	–	–	–
†FOLKESTONE ...	–	1	–	–	–	E. 2
†GILLINGHAM ...	–	–	1	–	–	–
†GRAVESEND ...	–	–	1	–	–	M. 1
†HERNE BAY ...	–	1	–	–	–	–
HYTHE	–	–	–	1	–	–
†MAIDSTONE ...	–	–	–	–	1	–
†MARGATE ...	–	1	–	–	–	–
†NORTHFLEET ...	–	2	–	–	–	–
†PENGE	–	2	–	–	–	–
QUEENBOROUGH	–	–	1	–	–	–
†RAMSGATE ...	–	1	2	1	–	–
†ROCHESTER ...	–	–	1	1	–	–
SEVENOAKS ...	–	–	–	–	–	L. 1
†SHEERNESS ...	–	1	–	–	–	–
SITTINGBOURNE	–	2	3	–	–	–
†TONBRIDGE ...	–	1	–	–	–	–
WHITSTABLE ...	–	–	–	–	1	–
Rural Districts:—						
BROMLEY ...	–	2	–	–	–	–
DARTFORD ...	–	1	–	–	–	–
DOVER	–	4	–	–	–	–
ELHAM	–	1	–	1	–	–
FAVERSHAM ...	–	–	1	–	–	–
HOLLINGBOURNE	*	*	*	*	*	*
MAIDSTONE ...	–	–	2	–	–	–
MALLING	–	2	–	–	–	–
MILTON	–	1	–	–	–	–
SHEPPEY	–	–	1	–	1	–
LANCASTER ...	–	166	65	9	65	C. 1 E. 2 G. 1 L. 7 M. 29

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BARROW IN FURNESS C.B.	–	4	–	–	–	–
†BLACKBURN C.B.	–	–	–	–	3	–
†BLACKPOOL C.B.	–	1	2	2	2	–
†BOLTON C.B. ...	–	9	4	–	–	–
†BOOTLE C.B. ...	–	2	1	–	–	M. 1
†BURNLEY C.B. ...	–	–	4	1	–	–
†BURY C.B. ...	–	2	2	–	1	–
†LIVERPOOL C.B. ...	–	40	10	–	10	E. 1 L. 7 M. 15
†MANCHESTER C.B.	–	24	6	1	12	M. 4
†OLDHAM C.B. ...	–	3	–	1	–	–
†PRESTON C.B. ...	–	2	1	1	–	M. 1
†ROCHDALE C.B. ...	–	5	4	–	–	–
†ST. HELENS C.B....	–	3	1	–	1	M. 1
†SALFORD C.B. ...	–	7	7	–	4	M. 1
†SOUTHPORT C.B.	–	2	1	–	1	–
†WARRINGTON C.B.	–	3	1	–	6	–
†WIGAN C.B. ...	–	–	–	–	3	–
Boroughs and Urban Districts:—						
ABRAM	–	2	–	–	–	–
†ACCRINGTON ...	–	–	–	–	1	–
†ASHTON UNDER LYNE	–	3	–	–	–	–
†ATHERTON ...	–	–	–	–	2	M. 1
BILLINGE... ...	–	2	–	–	–	–
†CHADDERTON ...	–	1	–	–	2	–
CHURCH	–	1	–	–	–	–
†CLITHEROE ...	–	–	1	–	–	M. 1
†COLNE	–	–	–	–	3	–
†DENTON	–	1	–	–	–	–
†DROYLSDEN ...	–	2	–	–	–	–
†ECCLES	–	–	1	–	–	E. 1
FULWOOD ...	–	1	–	–	–	–
GOLBORNE ...	–	–	1	–	–	–
†GREAT CROSBY ...	–	1	–	–	–	–
†HEYWOOD ...	–	2	1	–	–	–
†HINDLEY... ...	–	1	2	–	–	–
HUYTON WITH ROBY ...	–	–	1	–	–	–
†INCE IN MAKERFIELD	–	2	1	1	–	–
IRLAM	–	–	–	–	–	M. 1
†LANCASTER ...	–	1	–	–	–	–
LATHOM AND BURSCOUGH	–	–	1	–	–	–
†LEIGH	–	2	2	–	1	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LITTLEBOROUGH	–	2	–	–	–	–
LONGRIDGE ...	–	–	–	–	1	–
†LYTHAM, ST. ANNE'S	–	–	2	–	–	–
†MIDDLETON ...	–	1	–	–	–	–
†MORECAMBE ...	–	1	–	–	–	–
†MOSSLEY	–	1	–	–	–	–
†NEWTON IN MAKERFIELD	–	–	–	–	2	–
NORDEN	–	–	–	–	–	C. 1
ORMSKIRK ...	–	2	–	–	–	–
†OSWALDTWISTLE	–	1	1	–	–	M. 1
†PADIHAM... ...	–	1	–	–	–	–
†RAMSBOTTOM ...	–	2	–	–	1	–
†RAWTENSTALL ...	–	2	–	–	–	–
†ROYTON	–	–	–	–	1	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD... ...	–	2	–	–	–	–
†SWINTON AND PENDLEBURY	–	3	1	–	1	–
TOTTINGTON ...	–	–	–	–	1	–
†TURTON	–	2	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	2	–	–	–
†ULVERSTON ...	–	2	–	–	–	–
URMSTON... ..	–	–	–	–	1	–
†WATERLOO WITH SEAFORTH	–	1	2	1	–	–
†WESTHOUGHTON	–	2	–	–	–	–
WHITEFIELD ...	–	–	–	–	1	–
†WIDNES	–	5	–	–	3	M. 1
†WORSLEY... ...	–	1	–	–	–	–
Rural Districts:—						
BLACKBURN ...	–	1	–	–	–	–
BURY	–	1	–	–	–	–
LEIGH	–	2	1	1	–	–
SEFTON	*	*	*	*	*	*
WARRINGTON ...	–	–	1	–	–	–
WEST LANCASHIRE	–	1	–	–	–	–
WHISTON... ...	–	–	–	–	–	G. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER... ...	–	9	3	1	–	M. 2
†LEICESTER C.B. ...	–	7	–	–	–	M. 2
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	*	*	*	*	*	*
†LOUGHBOROUGH	–	1	–	1	–	–
OADBY	–	1	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	2	–	–	–
MARKET BOSWORTH	–	–	1	–	–	–
LINCOLN (parts of Holland).	–	1	1	1	–	–
Boroughs and Urban Districts—						
LONG SUTTON ...	–	–	1	–	–	–
Rural Districts:—						
BOSTON	–	1	–	1	–	–
LINCOLN (parts of Kesteven).	–	2	3	–	–	–
Boroughs and Urban Districts:—						
STAMFORD ...	–	2	1	–	–	–
Rural Districts:—						
CLAYPOLE ...	–	–	1	–	–	–
SLEAFORD ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	8	5	–	1	–
†GRIMSBY C.B. ...	–	1	3	–	–	–
†LINCOLN C.B. ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis · G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts :—						
BARTON UPON HUMBER	–	1	–	–	–	–
†CLEETHORPES ...	–	–	–	–	1	–
†GAINSBOROUGH ...	–	1	–	–	–	–
MARKET RASEN...	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	3	–	–	–	–
Rural Districts :—						
GLANFORD BRIGG	*	*	*	*	*	*
LOUTH	–	–	2	–	–	–
MIDDLESEX ...	–	22	25	1	6	M. 1
Boroughs and Urban Districts :—						
†ACTON	–	1	–	–	–	–
†BRENTFORD ...	–	1	–	1	–	M. 1
†CHISWICK ...	–	–	1	–	–	–
†EDMONTON ...	–	–	1	–	–	–
†ENFIELD	–	1	–	–	–	–
FELTHAM ...	–	1	–	–	–	–
†FINCHLEY ...	–	3	–	–	–	–
†FRIERN BARNET	–	1	–	–	–	–
GREENFORD ...	*	*	*	*	*	*
†HANWELL ...	–	–	1	–	–	–
†HENDON	–	–	1	–	–	–
†HESTON AND ISLEWORTH	–	2	5	–	1	–
†HORNSEY... ...	–	3	4	–	–	–
†SOUTHALL NORWOOD	–	–	–	–	1	–
†SOUTHGATE ...	–	–	–	–	1	–
SUNBURY ON THAMES	–	1	–	–	–	–
†TEDDINGTON ...	–	–	1	–	–	–
†TOTTENHAM ...	–	1	3	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEMBLEY ...	–	–	1	–	–	–
†WILLESDEN ...	–	5	2	–	–	–
†WOOD GREEN ...	–	1	1	–	–	–
Rural Districts :—						
HENDON	–	–	–	–	1	–
STAINES	–	2	3	–	–	–
UXBRIDGE ...	–	–	1	–	–	–
NORFOLK	–	17	2	2	–	C. 1 G. 2
†GREAT YARMOUTH C.B.	–	1	–	–	–	–
†NORWICH C.B. ...	–	13	1	–	–	–
Boroughs and Urban Districts :—						
†KING'S LYNN ...	–	–	–	1	–	–
Rural Districts :—						
BLOFIELD ...	–	–	1	1	–	G. 1
DOWNHAM ...	–	1	–	–	–	–
ERPINGHAM ...	–	–	–	–	–	C. 1
FOREHOE ...	–	1	–	–	–	G. 1
MITFORD AND LAUNDITCH	–	1	–	–	–	–
NORTHAMPTON ...	–	21	3	1	6	–
†NORTHAMPTON C.B.	–	10	1	1	6	–
Boroughs and Urban Districts :—						
IRTHLINGBOROUGH	–	–	1	–	–	–
†KETTERING ...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON— *cont.*						
Boroughs and Urban Districts— *cont.*						
ROTHWELL ...	–	3	–	–	–	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
KETTERING ...	–	2	1	–	–	–
NORTHAMPTON ..	–	1	–	–	–	–
NORTHUMBERLAND	–	24	10	1	18	C. 1 M. 1
†NEWCASTLE UPON TYNE C.B.	–	3	4	–	4	C. 1
†TYNEMOUTH C.B.	–	3	–	–	–	–
Boroughs and Urban Districts:—						
AMBLE	*	*	*	*	*	*
†ASHINGTON ...	–	1	–	–	–	–
†BEDLINGTONSHIRE	–	1	–	–	6	–
†BERWICK UPON TWEED	–	1	–	–	–	–
†BLYTH	–	3	1	–	3	–
CRAMLINGTON ...	–	1	–	–	3	–
†EARSDON	–	1	–	–	–	–
HEXHAM	–	1	–	–	–	–
†LONGBENTON ..	–	2	1	–	–	–
†NEWBURN ...	–	1	–	–	–	–
PRUDHOE... ...	*	*	*	*	*	–
SEATON DELAVAL	–	1	–	–	1	–
†WALLSEND ...	–	3	1	1	–	–
WEETSLADE ...	–	–	–	–	1	–
†WHITLEY AND MONKSEATON	–	–	2	–	–	–
Rural Districts:—						
ALNWICK... ...	–	–	1	–	–	M. 1
MORPETH... ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	5	16	6	–	5	D. 1 M. 2
†NOTTINGHAM C.B.	1	10	–	–	1	M. 2
Boroughs and Urban Districts:—						
†CARLTON	–	1	–	–	2	–
†KIRKBY IN ASHFIELD	4	1	–	–	–	D. 1
†MANSFIELD ...	–	1	–	–	1	–
†NEWARK	–	–	1	–	–	–
†SUTTON IN ASHFIELD	–	2	–	–	–	–
Rural Districts:—						
EAST RETFORD ...	–	–	4	–	–	–
NEWARK	–	–	1	–	–	–
SKEGBY	–	1	–	–	–	–
STAPLEFORD ...	–	–	–	–	1	–
OXFORD	–	7	1	3	1	–
†OXFORD C.B. ...	–	3	–	2	–	–
Boroughs and Urban Districts:—						
HENLEY ON THAMES	–	1	–	–	–	–
Rural Districts:—						
CHIPPING NORTON	–	–	–	1	–	–
CROWMARSH ...	–	1	–	–	–	–
HEADINGTON ...	–	2	–	–	–	–
WITNEY	–	–	–	–	1	–
WOODSTOCK ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	5	7	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
†OAKENGATES ...	–	2	–	–	–	–
†SHREWSBURY ...	–	–	2	–	–	–
WEM	–	2	–	–	–	–
WHITCHURCH ...	–	–	–	–	–	C. 1
Rural Districts:—						
ATCHAM	–	–	2	–	–	M. 1
BRIDGNORTH ...	–	1	1	–	–	–
CLEOBURY MORTIMER	–	–	1	–	–	–
CLUN	–	–	1	–	–	–
WELLINGTON ...	–	–	–	–	1	–
SOMERSET	–	12	2	1	3	C. 2 D. 1 M. 2
†BATH C.B. ...	–	1	1	–	1	M. 2
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
CHARD	–	1	–	–	–	–
MIDSOMER NORTON	–	–	–	–	1	–
†WESTON SUPER MARE	–	2	–	–	–	–
Rural Districts:—						
BRIDGWATER ...	–	–	–	–	–	D. 1
DULVERTON ...	–	1	–	–	–	–
FROME	–	–	–	–	–	C. 2
KEYNSHAM ...	–	1	–	–	–	–
LONG ASHTON ...	–	5	–	–	1	–
SHEPTON MALLET	–	–	–	1	–	–
WINCANTON ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ...	–	19	16	–	–	C. 1 E. 1 M. 3
†BOURNEMOUTH C.B.	–	2	1	–	–	–
†PORTSMOUTH C.B.	–	3	7	–	–	M. 1
†SOUTHAMPTON C.B.	–	10	3	–	–	M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	–	1	–	–	–
†FAREHAM ...	–	1	–	–	–	–
†GOSPORT	–	–	3	–	–	–
WARBLINGTON ...	–	–	–	–	–	C. 1
†WINCHESTER ...	–	–	–	–	–	M. 1
Rural Districts:—						
ALTON	–	1	–	–	–	–
DROXFORD ...	*	*	*	*	*	*
HARTLEY WINTNEY	–	–	1	–	–	–
HURSLEY	–	2	–	–	–	–
SOUTH STONEHAM	–	–	–	–	–	E. 1
STAFFORD	–	43	15	4	19	E. 1 M. 10
†BURTON UPON TRENT C.B.	–	2	–	1	–	–
†SMETHWICK C.B.	–	2	4	–	1	–
†STOKE ON TRENT C.B.	–	12	1	2	8	M. 3
†WALSALL C.B. ...	–	1	2	–	4	M. 5
†WEST BROMWICH C.B.	–	7	3	–	1	–
†WOLVERHAMPTON C.B.	–	1	1	–	–	–
Boroughs and Urban Districts:—						
BIDDULPH ...	–	4	–	–	–	–
†BRIERLEY HILL...	–	1	–	–	–	–
†BROWNHILLS ...	–	–	–	–	1	–
†CANNOCK	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DARLASTON ...	–	2	–	–	–	–
†LEEK	–	1	1	–	–	E. 1
†STAFFORD ...	–	1	1	–	–	M. 1
TAMWORTH ...	–	–	1	–	–	–
†TIPTON	–	2	–	–	1	–
†WEDNESBURY ...	–	1	–	–	–	–
WEDNESFIELD ...	–	–	1	–	–	–
†WOLSTANTON UNITED	–	2	–	–	1	–
Rural Districts:—						
KINGSWINFORD ...	–	–	–	1	–	–
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	1	–	–	–	–
SEISDON	–	1	–	–	–	–
WALSALL	–	–	–	–	1	M. 1
SUFFOLK, EAST ...	–	4	4	–	1	M. 1
†IPSWICH C.B. ...	–	–	2	–	1	M. 1
Boroughs and Urban Districts:—						
BECCLES	*	*	*	*	*	*
†LOWESTOFT ...	–	4	1	–	–	–
SOUTHWOLD ...	*	*	*	*	*	*
WOODBRIDGE ...	–	–	1	–	–	–
SUFFOLK, WEST ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
HADLEIGH ...	–	–	–	–	1	–
Rural Districts:—						
THEDWASTRE ...	–	1	–	–	–	–
THINGOE	–	–	–	–	1	–
SURREY	–	20	20	2	2	E. 2 M. 3
†CROYDON C.B. ...	–	3	2	–	–	–
Boroughs and Urban Districts:—						
†BARNES	–	2	1	–	–	–
†BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
†CARSHALTON ...	–	–	1	–	–	–
†CHERTSEY ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	–	–	1	–	–
EAST AND WEST MOLESEY	–	–	–	–	–	E. 1
†EGHAM	–	–	–	–	1	M. 1
†EPSOM	–	–	–	–	1	–
†GUILDFORD ...	–	1	–	–	–	–
†KINGSTON ON THAMES	–	3	–	–	–	–
†MERTON AND MORDEN	–	1	2	–	–	–
†MITCHAM... ...	–	2	–	–	–	M. 1
†RICHMOND ...	–	–	–	1	–	–
†SUTTON	–	1	–	–	–	–
WEYBRIDGE ...	–	1	–	–	–	–
†WIMBLEDON ...	–	2	2	–	–	–
Rural Districts:—						
DORKING	–	–	–	–	–	E. 1
GODSTONE ...	–	–	8	–	–	–
GUILDFORD ...	–	–	2	–	–	M. 1
HAMBLEDON ...	–	1	–	–	–	–
REIGATE	–	1	2	–	–	–
SUSSEX, EAST ...	–	11	4	–	2	G. 1 L. 1
†BRIGHTON C.B. ...	–	3	2	–	1	–
†EASTBOURNE C.B.	–	–	–	–	–	G. 1
†HASTINGS C.B. ...	–	–	–	–	1	L. 1
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	2	1	–	–	–
†HOVE	–	1	–	–	–	–
NEWHAVEN ...	–	1	–	–	–	–
PORTSLADE BY SEA	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
Battle	–	1	–	–	–	–
Eastbourne ...	–	1	–	–	–	–
East Grinstead	–	1	1	–	–	–
Steyning East...	*	*	*	*	*	*
Uckfield ...	–	1	–	–	–	–
SUSSEX, WEST ...	–	3	2	1	–	–
Boroughs and Urban Districts:—						
Southwick ...	–	1	–	–	–	–
Rural Districts:—						
East Preston ...	–	1	–	–	–	–
Horsham ...	–	–	1	1	–	–
Steyning West...	–	1	–	–	–	–
Westhampnett	–	–	1	–	–	–
WARWICK	–	52	47	13	30	C. 1 E. 3 G. 1 M. 9
†Birmingham C.B.	–	42	36	2	20	E. 3 M. 8
†Coventry C.B. ...	–	2	3	–	3	G. 1
Boroughs and Urban Districts:—						
Kenilworth ...	–	–	4	3	1	–
†Nuneaton ...	–	1	–	–	–	M. 1
†Royal Leamington Spa	–	2	–	4	1	–
†Rugby	–	–	–	1	1	–
†Sutton Coldfield	–	1	–	–	–	–
†Warwick ...	–	–	–	1	–	–
WARWICK—*cont.*						
Rural Districts:—						
Alcester ...	–	–	3	–	–	–
Atherstone ...	–	1	1	–	2	–
Coventry ...	*	*	*	*	*	*
Foleshill ...	–	1	–	–	–	C. 1
Meriden... ...	–	–	–	–	1	–
Rugby	–	–	–	1	1	–
Southam... ...	–	1	–	–	–	–
Warwick ...	–	1	–	1	–	–
WESTMORLAND ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
Ambleside ...	–	1	–	–	–	–
Windermere ...	–	–	–	–	1	–
Rural Districts:—						
East Westmorland	–	1	–	–	–	–
WIGHT, ISLE OF ...	–	2	–	–	–	–
Boroughs and Urban Districts—						
Sandown ...	–	2	–	–	–	–
WILTS	–	3	2	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
†Salisbury ...	–	1	2	–	–	–
†Swindon... ...	–	–	–	–	1	M. 1
Rural Districts:—						
Calne	–	–	–	–	–	C. 1
Chippenham ...	–	1	–	–	–	–
Pewsey	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	12	1	–	6	M. 2
†DUDLEY C.B. ...	–	1	–	–	–	–
†WORCESTER C.B.	–	3	–	–	–	M. 1
Boroughs and Urban Districts:—						
BEWDLEY ...	*	*	*	*	*	*
BROMSGROVE ...	–	1	–	–	–	M. 1
†KIDDERMINSTER	–	1	–	–	1	–
†LYE AND WOLLESCOTE	–	1	–	–	2	–
†OLDBURY... ...	–	2	1	–	–	–
†REDDITCH ...	*	*	*	*	*	*
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
DROITWICH ...	–	1	–	–	–	–
HALESOWEN ...	–	–	–	–	2	–
TENBURY... ...	–	1	–	–	–	–
UPTON ON SEVERN	–	–	–	–	1	–
YORKS ... ... (East Riding.)	–	9	3	1	3	–
†KINGSTON UPON HULL C.B.	–	4	3	1	–	–
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	2	–	–	1	–
WITHERNSEA ...	–	–	–	–	1	–
Rural Districts:—						
HOWDEN	–	–	–	–	1	–
POCKLINGTON ...	–	3	–	–	–	–
YORKS ... ... (North Riding.)	–	20	18	–	5	–
†MIDDLESBROUGH C.B.	–	12	–	–	2	–
Boroughs and Urban Districts:—						
†ESTON	–	2	1	–	–	–
LOFTUS	–	1	–	–	–	–
SALTBURN BY THE SEA	–	–	1	–	–	–
†SCARBOROUGH ...	–	3	–	–	–	–
†SKELTON AND BROTTON	–	–	1	–	–	–
†WHITBY	–	–	14	–	3	–
Rural Districts:—						
KIRKBY MOORSIDE	*	*	*	*	*	*
RICHMOND ...	–	2	1	–	–	–
YORKS ... ... (West Riding.)	2	102	30	3	50	C. 3 M. 18
†BARNSLEY C.B. ...	–	3	–	–	2	–
†BRADFORD C.B. ...	–	5	1	–	4	M. 1
†DEWSBURY C.B....	–	2	–	1	–	–
†HALIFAX, C.B. ...	–	4	–	–	–	C. 1 M. 1
†HUDDERSFIELD C.B.	–	–	4	–	–	–
†LEEDS C.B. ...	–	22	3	–	5	–
†ROTHERHAM C.B.	–	–	1	–	2	M. 1
†SHEFFIELD C.B....	–	13	4	–	22	C. 1 M. 9
†WAKEFIELD C.B.	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
BAILDON	*	*	*	*	*	*
†BATLEY	–	1	1	–	–	–
†BINGLEY	–	–	1	–	–	M. 1
BIRKENSHAW ...	–	1	–	–	–	–
BIRSTAL	–	–	1	–	–	–
†BRIGHOUSE ...	–	1	–	–	–	M. 1
†CASTLEFORD ...	–	2	–	–	–	–
†CONISBROUGH ...	–	1	–	–	–	–
CUDWORTH ...	–	1	–	–	1	–
DARFIELD ...	–	1	–	–	1	–
†DONCASTER ...	1	3	1	–	2	M. 1
†HARROGATE ...	–	3	–	–	–	–
HEBDEN BRIDGE	–	1	–	–	–	–
†HEMSWORTH ...	–	3	–	1	–	–
HIPPERHOLME ...	–	1	–	–	1	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	–	–	–	2	–
HOYLAND SWAINE	*	*	*	*	*	*
KNOTTINGLEY ...	–	1	–	–	–	–
†MIRFIELD ...	–	–	–	–	–	M. 1
†MORLEY	–	2	1	–	1	M. 2
MYTHOLMROYD ...	–	–	–	–	1	–
†NORMANTON ...	*	*	*	*	*	*
†OSSETT	–	1	–	–	–	–
PENISTONE ...	*	*	*	*	*	*
†PUDSEY	–	1	–	–	–	–
†RAWMARSH ...	–	–	1	–	1	–
†SADDLEWORTH ...	–	–	–	1	–	–
SELBY	–	1	–	–	–	–
†SHIPLEY	–	1	–	–	–	–
SKELMANTHORPE	*	*	*	*	*	*
†SKIPTON	–	1	1	–	–	–
SOUTHOWRAM ...	–	1	–	–	–	–
SOWERBY... ...	–	1	–	–	–	–
†SOWERBY BRIDGE	–	2	–	–	–	–
†SPENBOROUGH ...	–	2	–	–	–	–
SPRINGHEAD ...	–	1	–	–	–	–
†STANLEY	–	–	1	–	–	–
†SWINTON... ...	–	–	–	–	1	–
WHITWOOD ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†WOMBWELL ...	–	1	–	–	–	–
†WORSBOROUGH ...	*	*	*	*	*	*
YEADON	–	1	–	–	–	–
Rural Districts—						
DONCASTER ...	1	4	–	–	2	–
HEMSWORTH ...	–	1	2	–	1	–
KIVETON PARK ...	–	3	–	–	–	–
PONTEFRACT ...	–	2	–	–	–	–
ROTHERHAM ...	–	2	–	–	–	–
TADCASTER ...	–	1	2	–	–	C. 1
WAKEFIELD ...	–	1	2	–	–	–
WHARFEDALE (NORTH)	–	–	1	–	–	–
WORTLEY ...	–	1	–	–	–	–
County Borough :—						
§YORK	–	1	1	–	–	M. 1
WALES.						
ANGLESEY	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†HOLYHEAD ...	–	1	1	–	–	–
Rural Districts:—						
AETHWY	–	–	1	–	–	–

* Returns not received. † Population over 10,000.
C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.
§ York is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	1	–	2	2	–
Urban Districts:—						
BRYNMAWR ...	–	–	–	–	2	–
LLANWRTYD ...	–	1	–	–	–	–
Rural Districts:—						
CRICKHOWELL ...	–	–	–	2	–	–
CARDIGAN	–	1	–	–	–	–
Rural Districts:—						
ABERAYRON ...	–	1	–	–	–	–
CARMARTHEN ...	–	7	3	–	3	M. 1
Boroughs and Urban Districts:—						
BURRY PORT ...	–	–	–	–	1	–
†LLANELLY ...	–	–	2	–	2	–
Rural Districts:—						
CARMARTHEN ..	–	6	–	–	–	–
LLANDILO FAWR..	–	–	1	–	–	
LLANELLY ...	–	1	–	–	–	M. 1
CARNARVON ...	–	–	1	1	–	C. 1
Boroughs and Urban Districts:—						
†BANGOR	–	–	–	1	–	–
CONWAY	–	–	1	–	–	–
Rural Districts:—						
GWYRFAI ...	–	–	–	–	–	C. 1
DENBIGH	–	–	–	–	–	–
Boroughs and Urban Districts:—						
DENBIGH... ...	*	*	*	*	*	*
†WREXHAM ...	*	*	*	*	*	*
DENBIGH—*cont.*						
Rural Districts:—						
WREXHAM ...	*	*	*	*	*	*
FLINT	–	3	1	–	5	–
Boroughs and Urban Districts:—						
†RHYL	–	3	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	–	–	2	–
HOLYWELL ... (HOLYWELL DIV.)	–	–	1	–	3	–
GLAMORGAN ...	–	39	21	1	8	E. 1 M. 4
†CARDIFF C.B. ...	–	3	2	–	–	E. 1 M. 3
†MERTHYR TYDFIL C.B.	–	3	–	–	1	–
†SWANSEA C.B. ...	–	4	5	–	1	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	2	–	–	–	–
†BARRY	–	2	3	–	–	–
†CAERPHILLY ...	–	1	1	–	–	–
†GELLIGAER ...	–	–	1	–	–	–
†MAESTEG ...	–	–	–	–	–	M. 1
†MOUNTAIN ASH...	–	4	–	–	1	–
†NEATH	–	–	1	–	–	–
†OGMORE AND GARW	–	2	–	–	–	–
†PENARTH ...	–	1	–	–	–	–
†PONTYPRIDD ...	–	1	1	–	1	–
†PORT TALBOT ...	–	–	2	–	–	–
†RHONDDA ...	–	14	3	–	3	–
Rural Districts:—						
LLANTRISANT AND LLANTWITFARDRE	–	1	–	1	–	–
NEATH	–	1	–	–	1	–
PONTARDAWE ...	–	–	1	–	–	–
SWANSEA... ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MONMOUTH ...	–	12	6	1	3	M. 4
†NEWPORT C.B. ...	–	3	–	–	1	M. 1
Boroughs and Urban Districts:—						
†ABERSYCHAN ...	–	2	1	–	–	–
†ABERTILLERY ...	–	2	–	–	1	M. 2
†BEDWELLTY ...	–	–	–	–	–	M. 1
MONMOUTH ...	–	1	–	–	–	–
†MYNYDDISLWYN	–	2	2	–	–	–
†NANTYGLO AND BLAINA	–	1	–	–	1	–
†PANTEG	–	1	–	–	–	–
†RHYMNEY ...	–	–	1	–	–	–
†RISCA	–	–	1	–	–	–
USK	–	–	–	1	–	–
Rural Districts:—						
MAGOR	–	–	1	–	–	–
MONTGOMERY ...	–	–	1	–	1	–
Boroughs and Urban Districts:—						
NEWTOWN AND LLANLLWCHAIARN ...	–	–	–	–	1	–
MONTGOMERY— *cont.*						
Rural Districts:—						
LLANFYLLIN ...	–	–	1	–	–	–
NEWTOWN AND LLANIDLOES	*	*	*	*	*	*
PEMBROKE	–	–	2	–	–	G. 1
Boroughs and Urban Districts:—						
HAVERFORDWEST.	–	–	1	–	–	–
MILFORD HAVEN	–	–	1	–	–	–
TENBY	–	–	–	–	–	G. 1
Rural Districts:—						
NARBERTH ...	*	*	*	*	*	*
Total of Part II. ...	20	905	441	82	319	C. 15 D. 5 E. 16 F. 2 G. 8 L. 10 M. 115

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Barnstaple	*	*	*	*	*	*	Liverpool	–	–	–	–	–	L.
Cardiff	–	–	–	1	–	–	Southampton ...	–	–	–	–	3	–
Colchester	*	*	*	*	*	*	Port of London ...	–	–	–	1	–	–
Hull and Goole ...	–	–	–	1	–	–							
							Total of Part III.— ...	–	–	–	3	3	L.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	123	144	6	36	C. 3 D. 2 E. 3 M. 13
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	20	905	441	82	319	C. 15 D. 5 E. 16 F. 2 G. 8 L. 10 M. 115
Total of Part III.—Port Sanitary Districts	–	–	–	3	3	L. 1
Total (*i.e.*, **of returns received), England and Wales** ...	20	1028	585	91	358	C. 18 D. 7 E. 19 F. 2 G. 8 L. 11 M. 128

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 958, 960, 964, 968, and 969.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUS and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain I FECTIOUS DISEASES in the last THIRTE WEEKS.

Week ended :—	June 2.	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug 25.
LONDON:—													
DEATHS—all ages	840	847	871	855	772	834	1,016	902	686	765	720	718	81
" 0 to 1 year ..	83	74	90	86	76	85	106	112	80	73	84	76	11
GREAT TOWNS, aggregate (including London):—													
BIRTHS	8,724	8,054	8,106	7,901	7,792	7,746	7,331	8,275	7,554	8,131	6,627	7,910	7,79
DEATHS—all ages	4,152	4,264	4,060	3,858	3,668	3,703	4,052	3,618	3,108	3,300	3,332	3,267	3,28
" 0 to 1 year ..	506	518	474	464	471	428	516	492	413	407	450	410	49
ENTERIC FEVER—Cases	16	18	15	24	15	33	24	19	21	33	41	24	2
" Deaths	—	2	2	2	1	3	1	3	3	1	7	6	
SMALL POX—Cases ..	8	38	56	82	104	95	114	64	25	14	13	9	1
" Deaths ..	—	—	—	—	—	—	1	1	—	—	—	—	—
SCARLET FEVER—Cases	804	833	762	825	817	798	733	647	679	626	540	539	55
" Deaths	12	7	9	16	11	7	10	2	7	5	7	6	
DIPHTHERIA—Cases ..	405	441	448	415	378	424	431	403	385	340	358	344	35
" Deaths ..	15	33	26	32	24	15	17	16	10	22	20	26	2
MEASLES—Deaths ..	60	97	85	61	61	42	51	53	37	29	28	30	1
INFLUENZA—Deaths ..	155	140	120	92	81	59	34	36	24	15	14	24	1

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 25th August, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	71	50	68·9	53·3	24
BRIGHTON ..	67	51	64·6	55·8	31
PORTSMOUTH ..	69	51	66·9	56·1	23
NORWICH (EATON)	71	49	66·4	53·3	19
PLYMOUTH ..	69	48	65·7	55·0	30
BRISTOL (CLIFTON).	67	49	65·1	53·4	30
BIRMINGHAM (EDGBASTON)	68	46	63·0	50·9	25
NOTTINGHAM ..	70	44	64·1	52·0	19
BIRKENHEAD (BIDSTON).	64	49	61·0	52·6	18
MANCHESTER (WHITWORTH PARK).	66	44	62·3	50·0	29
BURNLEY.. ..	64	40	61·7	48·9	39
HUDDERSFIELD	67	43	63·0	50·1	26

TOWNS.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD ..	65	43	61·7	50·0	30
SHEFFIELD ..	Not received.				
YORK (MUSEUM)	68	46	63·3	51·7	21
HULL (PEARSON PARK).	70	45	65·0	51·1	23
TYNEMOUTH ..	65	46	61·3	51·3	18
CARDIFF	67	48	63·0	52·7	42
EDINBURGH ..	63·0	46·0	58·3	49·3	40
GLASGOW ..	62·2	44·7	58·7	50·1	60
DUBLIN (PHŒNIX PARK).	66·2	40·8	63·9	48·6	43
FITZWILLIAM SQUARE.†	65·2	47·4	62·8	51·9	35
BELFAST	66·5	45·5	63·8	51·0	28

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 25th August, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
AUGUST.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - 19	First Quarter.	29·760	69·9	52·0	17·9	60·8	− 0·9	51·4	9·4	19·3	2·8	71	107·9	43·2	59·0	WSW	W	1·0	0·0	0·1	253	+ 11	0·00
MONDAY - 20	..	29·692	68·9	54·7	14·2	60·8	− 0·7	57·8	3·0	8·9	2·4	90	92·7	49·0	59·0	SW	SW	1·2	0·0	0·1	234	− 7	0·01
TUESDAY - 21	..	29·451	70·9	54·1	16·8	61·9	+ 0·6	53·7	8·2	14·3	2·4	74	124·2	42·8	59·0	SW	SW : W	4·2	0·0	0·3	380	+ 140	0·00
WEDNESDAY 22	Greatest Declination S.	29·627	71·3	52·5	18·8	60·7	− 0·4	45·7	15·0	24·8	6·0	58	142·0	41·8	59·0	WSW	WSW	5·5	0·1	0·5	534	+ 292	0·00
THURSDAY - 23	..	29·644	69·3	50·3	19·0	58·4	− 2·5	50·4	8·0	20·8	1·2	75	135·7	39·9	58·9	SW	SW : S	3·0	0·0	0·2	320	+ 75	0·41
FRIDAY - 24	..	29·409	65·9	54·2	11·7	58·0	− 2·8	53·8	4·2	8·8	1·6	86	117·6	46·2	58·7	SSW: Calm.	Calm : NW.	1·8	0·0	0·1	197	− 52	0·50
SATURDAY - 25	..	29·838	67·0	49·7	17·3	57·0	− 3·7	48·9	8·1	18·0	5·2	74	108·8	41·0	58·7	NNW: WSW.	WSW : SW.	1·6	0·0	0·1	274	+ 17	0·00
MEANS -	..	29·632	69·0	52·5	16·5	59·7	− 1·5	51·7	8·0	16·4	3·1	76	118·4	43·4	58·9	SW		..	..	..	Sum 2,192	Sum + 476	Sum 0·92
No. of COLUMN	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. AUGUST.		ELECTRICITY. (For explanation of symbols. *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	19	wP	4·2	14·4	Cloudless till 2h.; partially cloudy till 8h., then overcast.
MONDAY ..	20	wP	0·0	14·3	Overcast generally. Rain 7h. till 7½h.
TUESDAY ..	21	wP till 17h.; then mP.	6·8	14·3	Nearly overcast till 18h., then nearly cloudless. Damping between 3½h. and 9h. Brisk wind 10h. till 18n.
WEDNESDAY	22	wP	13·4	14·2	Partially cloudy clearing to cloudless by 19h. Brisk wind 7h. till 19h.
THURSDAY	23	wP till 17h.; sN till 20h.; then wP.	5·3	14·1	Cloudy becoming overcast by 10½h. Rain generally from 14¾h.
FRIDAY ..	24	wP till 6h.; mP till 7¾h.; variable till 16h.; then wP.	5·0	14·1	Overcast generally clearing to cloudy by 16h., and overcast from 19h. Rain, thunder and lightning 8½h. till 9¼h., and 12½h. till 15¼h.
SATURDAY	25	wP till 6h.; mP till 21h.; then wP.	2·7	14·0	Overcast generally with cloudless interval between 3h. and 8h. Partial solar halo at 8h. Damping 17h. and 23h.
			Sum 37·4	Sum 99·4	
No. of Col. ..		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·66 in. at the beginning of the week to 29·76 in.; by 22h. on 19th; decreased to 29·42 in. by 16h. on 21st; increased to 29·77 in. by 2h. on 23rd; decreased to 29·31 in. by 6h. on 24th; increased to 29·89 in. by 10h. on 25th; decreased and was 29·71 in. by midnight on the same day.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS,
11–17, Hare Street, E.2

FOR OFFICIAL USE.

1923. No. 35.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 1ST SEPTEMBER, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 1st SEPTEMBER, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-fifth week of the year numbered 7,483 and corresponded to an annual rate of 20·3 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,287 and corresponded to an annual rate of 8·9 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 9·1, 8·9 and 8·9. Infant mortality was 65 per 1,000 births, against 68, 52 and 64 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,745 births, corresponding to a rate of 20·0 per 1,000, and 782 deaths of civilians, corresponding to a rate of 9·0, as against 8·3, 8·3 and 9·3 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 8·7 per 1,000. The infant mortality was 70 as against 52, 40 and 60 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 5 in the total deaths last week, but the deaths from influenza fell from 16 to 14. In London the number of deaths from all causes fell from 813 to 782; while the deaths from diphtheria, which had been 5, 10 and 7 in the preceding three weeks, were again 7 last week, and those from influenza, which had been 3, 1 and 6 in the three preceding weeks, fell to 4 last week.

Just Published:

Census of England and Wales, 1921. County of Glamorgan. Price 10*s.* net.

County of Monmouth. Price 8*s.* 6*d.* net.

County of Stafford. Price 12*s.* net.

County of Warwick. Price 6*s.* 6*d.* net.

County of Worcester. Price 8*s.* net.

County of London—Tables, Part III (Supplementary), Workplaces in London and five Home Counties. Price 3*s.* net.

The Registrar General's Statistical Review, 1921.

Tables, Part II. Civil. Price 5*s.* net.

Text. Price 5*s.* net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { Births and Deaths registered in the week ended 1st September, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	7,483	3,287	484	2	15	7	39	27	180	14
London	4,534,230*	1,745	782	122	–	2	2	14	7	61	4
Towns in Outer Ring.											
Croydon C.B. ..	192,300	87	20	3	–	–	–	–	–	–	1
Wimbledon ..	61,730	16	11	–	–	–	–	–	–	–	–
Ealing	67,890	30	12	–	–	–	–	–	–	–	–
Acton	62,390	22	10	–	–	–	–	–	–	–	–
Willesden ..	168,200	70	25	1	–	–	–	–	–	–	1
Hendon	55,930	12	6	1	–	–	–	–	–	–	–
Hornsey	87,310	22	7	1	–	–	–	–	–	–	–
Wood Green ..	51,290	11	9	–	–	–	–	–	–	–	–
Tottenham ..	150,500	56	26	5	–	1	–	–	–	3	1
Edmonton ..	68,700	43	10	1	–	–	–	–	–	1	–
Enfield	62,010	18	12	3	–	–	–	1	–	2	–
West Ham C.B. ..	310,200	153	59	12	–	–	–	1	1	4	–
East Ham C.B. ..	145,800	40	18	1	–	–	–	–	–	–	–
Leyton	131,600	27	19	3	–	–	–	–	–	1	–
Walthamstow ..	129,700	35	20	1	–	–	–	–	–	–	–
Ilford	86,370	32	11	3	–	–	–	–	–	–	–
Gillingham	48,630*	23	9	–	–	–	–	–	–	–	–
Canterbury C.B ..	23,680	6	5	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	13	8	–	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	15	7	–	–	–	–	–	–	–	–
Brighton C.B. ..	135,000	50	18	1	–	–	–	–	1	–	–
Portsmouth C.B. ..	236,630*	100	44	6	1	–	–	–	–	2	1
Bournemouth C.B. ..	81,500	16	17	2	–	–	–	1	–	–	–
Southampton C.B. ..	163,700	60	18	3	–	–	–	1	–	–	–
Reading C.B.	92,990	26	14	1	–	–	–	–	–	–	–
Oxford C.B.	56,510	23	10	1	–	–	1	–	–	–	–
Northampton C.B. ..	92,950	34	14	1	–	–	–	–	–	1	–
Luton	58,260	23	3	1	–	–	–	–	–	–	–
Cambridge	59,200	24	9	1	–	–	–	–	–	1	–
Southend-on-Sea C.B.	91,430	26	13	1	–	–	–	–	–	–	–
Ipswich C.B.	80,950	26	12	2	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	25	10	–	–	–	–	–	–	–	–
Norwich C.B ..	122,900	70	32	5	–	–	–	–	–	–	–
Swindon	55,680	23	6	1	–	–	–	–	–	–	–
Exeter C.B.	59,700	17	7	–	–	–	–	–	–	–	–
Plymouth C.B. ..	200,370*	71	34	4	–	–	–	–	–	–	–
Bath C.B.	68,530	20	11	1	–	–	–	–	–	–	–
Bristol C.B.	383,900	145	52	9	–	–	–	–	–	3	–
Gloucester C.B. ..	52,210	29	11	–	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	274,300	132	40	5	–	–	–	–	–	3	–
Burton-upon-Trent C.B.	49,630	11	10	–	–	–	–	–	–	–	–
Wolverhampton C.B.	105,700	40	18	2	–	–	–	–	–	–	–
Walsall C.B.	99,890	52	21	7	–	–	–	–	–	7	–
West Bromwich C.B.	76,260	31	14	4	–	–	–	–	–	2	–
Dudley C.B.	57,860	21	10	–	–	–	–	–	–	–	–
Worcester C.B. ..	49,240	15	3	–	–	–	–	–	–	1	–
Birmingham C.B. ..	945,100	411	141	22	–	2	–	–	3	7	1
Smethwick C.B. ..	78,140	24	10	2	–	–	–	–	1	1	–
Coventry C.B. ..	131,200	32	18	1	–	–	–	–	–	–	–
Leicester C.B. ..	238,800	86	37	8	–	1	–	1	1	6	–
Lincoln C.B.	66,930	19	9	–	–	–	–	–	–	–	–
Grimsby C.B.	84,650	39	15	1	–	–	–	1	1	1	–
Nottingham C.B. ..	267,900	110	41	6	–	–	–	1	–	1	–
Derby C.B.	132,400	47	19	2	–	–	–	–	–	–	–
Chesterfield ..	63,380	23	12	1	–	–	–	–	–	–	–
Stockport C.B. ..	125,800	40	28	5	–	–	–	–	–	1	–
Chester C.B.	41,190	16	13	–	–	–	–	–	1	–	–
Birkenhead C.B. ..	149,200	45	24	4	–	–	–	–	1	–	–
Wallasey C.B. ..	89,790	28	16	2	–	–	–	–	–	–	–
Liverpool C.B. ..	826,400	393	179	33	–	6	1	2	3	17	–
Bootle C.B.	79,750	32	19	4	–	–	–	–	–	1	–
St. Helens C.B. ..	106,400	44	14	2	–	–	–	–	–	1	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	17	20	2	-	-	-	-	-	-	-
WIGAN C.B.	91,750	48	20	3	-	-	-	1	-	3	-
WARRINGTON C.B. ..	79,150	27	9	1	-	-	-	-	-	-	-
BOLTON C.B.	182,700	62	26	2	-	-	-	-	-	-	-
BURY C.B.	57,400	19	8	-	-	-	-	-	-	-	-
MANCHESTER C.B. ..	748,500	331	127	16	-	-	-	-	2	4	1
SALFORD C.B.	240,700	86	41	5	-	-	2	2	1	2	-
OLDHAM C.B.	148,300	31	36	5	-	-	-	1	1	-	-
ROCHDALE C.B... ..	92,510	35	17	4	-	-	-	-	-	-	-
BURNLEY C.B.	105,100	40	24	4	-	-	-	1	-	-	-
BLACKBURN C.B. ..	129,600	48	26	6	-	-	-	-	-	1	-
PRESTON C.B.	120,900	42	27	4	-	-	-	1	-	-	-
BLACKPOOL C.B. ..	74,050	22	12	-	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	75,690	20	8	-	-	-	-	-	-	-	-
HUDDERSFIELD C.B. ..	111,600	41	20	-	-	-	-	-	1	-	-
HALIFAX C.B.	100,500	24	19	3	-	-	-	-	-	-	-
BRADFORD C.B. ..	291,300	95	53	7	-	1	-	-	-	1	2
LEEDS C.B.	466,700	143	99	15	-	-	1	-	-	6	-
DEWSBURY C.B. ..	55,170	19	7	-	-	-	-	1	-	-	-
WAKEFIELD C.B. ..	53,840	22	5	1	-	-	-	-	-	-	-
BARNSLEY C.B. ..	69,540	25	7	2	-	-	-	-	-	-	-
SHEFFIELD C.B. ..	522,600	186	83	12	-	-	-	-	-	4	1
ROTHERHAM C.B. ..	69,840	43	22	9	-	-	-	-	-	3	-
DONCASTER	55,020	25	7	2	-	-	-	-	-	-	-
YORK C.B.	84,980	32	4	2	-	-	-	-	-	-	-
HULL C.B.	294,000	126	58	13	1	-	-	3	1	10	-
MIDDLESBROUGH C.B.	134,800	75	21	4	-	-	-	-	-	1	-
DARLINGTON C.B. ..	66,710	43	12	1	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	65,950	36	6	1	-	-	-	-	-	-	-
WEST HARTLEPOOL C.B.	70,020	39	15	2	-	-	-	-	-	-	-
SUNDERLAND C.B. ..	162,900	85	33	5	-	-	-	2	-	4	-
SOUTH SHIELDS C.B. ..	122,400	60	26	2	-	-	-	-	-	1	-
GATESHEAD C.B. ..	127,300	69	17	4	-	1	-	-	-	1	-
NEWCASTLE-ON-TYNE C.B.	281,600	122	66	10	-	-	-	2	-	3	-
TYNEMOUTH C.B. ..	64,640	31	12	6	-	-	-	1	-	1	-
CARLISLE C.B.	53,490	24	9	-	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	94,880	48	14	2	-	-	-	-	-	-	-
CARDIFF C.B.	223,830	79	63	10	-	-	-	1	-	6	-
RHONDDA	167,500	68	24	5	-	-	-	-	-	-	-
MERTHYR TYDFIL C.B.	82,680	37	13	-	-	-	-	-	1	-	-
ABERDARE	56,580	18	12	-	-	-	-	-	-	-	1
SWANSEA C.B.	161,000	65	27	6	-	1	-	-	-	1	-
GREATER LONDON ..	7,563,730*	2,840	1,236	181	-	3	3	18	10	75	10
OUTER RING	3,029,500*	1,095	454	59	-	1	1	4	3	14	6
16 GREAT TOWNS IN OUTER RING	1,831,920	674	275	35	-	1	-	2	1	11	3
REMAINDER OF OUTER RING	1,197,580*	421	179	24	-	-	1	2	2	3	3
EDINBURGH†	426,000	175	79	8	-	-	2	1	-	2	-
GLASGOW†	1,041,400	461	228	40	1	3	1	5	-	12	-
DUBLIN (REGISTRATION AREA)†	431,000	187	120	29	-	-	-	5	-	15	-
BELFAST†	429,000	187	95	21	-	1	-	1	-	11	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available perio

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years)
		1923.										
LONDON‡	4,534,230	Sept. 1	1745	782	9·0	–	–	2	2	14	7	61
CALCUTTA	896,067	July 28	?	410§	23·5	?	–	?	?	?	?	?
BOMBAY	1,220,120	„ 7	345‖	539§	23·0	2	8	–	?	–	–	33
MADRAS	526,911	„ 21	412	325	32·1	–	2	1	?	1	–	32
SYDNEY AND SUBURBS	955,900	July										
BRISBANE (Metropolitan Area).	217,714	April (30 days)	467	182	9·5	1	–	–	–	–	–	–
PERTH (Metropolitan Area).	161,773	July 14	87	44	14·1	–	–	–	–	–	–	2
AUCKLAND (Urban Area).	167,760	May (31 days)	312	123	8·8	–	–	2	1	–	–	1
WELLINGTON (Urban Area).	112,070	„	178	68	7·3	–	–	–	–	–	1	1
CHRISTCHURCH (Urban Area).	113,400	„	178	76	8·0	–	–	–	–	–	–	3
CAPE TOWN	106,727	July 28	44	35	17·0	–	–	1	–	–	–	1
JOHANNESBURG	156,858	„ 28	61	41	13·6	1	–	–	–	–	–	–
DURBAN	50,488	„ 28	33	7	7·2	–	–	–	–	–	–	–
PARIS	2,906,472	Aug. 10 (10 days)	1279	920	11·1	2	–	1	–	8	1	70
ANTWERP	302,711	July 14										
AMSTERDAM	700,578	Aug. 11	264	114	8·5	1	–	–	–	1	1	2
COPENHAGEN	570,000	„ 18	204	111	10·1	–	–	–	–	–	–	2
STOCKHOLM	424,944	„ 11	98	96	11·7	–	–	1	–	–	–	1
GOTHENBURG	228,074	„ 4	?	36	8·2	–	–	–	–	–	–	–
CHRISTIANIA	258,962	„ 18	71	42	8·4	–	–	–	–	–	–	–
BERLIN	1,989,000	July 28	314	382	10·0	2	?	1	–	4	–	4
BRESLAU	562,000	„ 28	174	155	14·3	–	?	5	–	–	1	16
COLOGNE	701,000	„ 28	217	135	10·0	–	?	4	–	2	1	17
DRESDEN	612,000	„ 28	151	125	10·6	–	?	–	–	–	–	4
FRANKFORT-ON-MAIN ..	475,000	„ 28	86	80	8·8	1	?	–	–	1	1	3
HAMBURG	1,077,000	„ 28	286	304	14·7	1	?	–	–	–	–	2
LEIPZIG	682,000	„ 28	199	123	9·4	–	?	1	1	1	–	10
MUNICH	685,000	„ 28	169	154	11·7	–	?	–	–	–	–	9
VIENNA	1,841,326	June 16	567	430	12·1	1	–	3	–	5	2	8
		„ 23	529	438	12·2	1	–	1	–	3	1	2
PRAGUE AND SUBURBS	697,111	„ 30 (15 days)	616	336	11·7	1	–	–	1	1	2	8
BUDAPEST	946,000	July 14	309	286	15·7	4	–	3	5	9	2	11
WARSAW	956,087	„ 14	441	215	11·7	3	–	2	3	–	–	21
		„ 21	398	261	14·2	3	–	3	2	1	1	41
CAIRO	791,000	June 3	650	918	60·3	5	1	42	–	?	3	236
ALEXANDRIA	466,700	„ 3	308	348§	38·8	–	–	10	–	?	1	77
NEW YORK	5,927,617	July 21	2720	993	8·7	3	–	4	–	4	4	27
CHICAGO	2,886,121	Aug. 4	?	537	9·7	1	–	–	1	2	10	21
RIO DE JANEIRO ..	1,297,798	July 7	665	436	17·5	1	–	2	–	9	1	?
		„ 14	676	484	19·4	1	–	3	–	12	–	?
MONTEVIDEO	348,951	May 19	225	160	20·4	7	–	–	–	–	3	3

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vie Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *yea age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 9 deaths from Asiatic Cholera in Calcutta and from Plague, 1 in Bombay, and 2 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 1st September, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	782	122	37	14	27	33	35	46	82	131	127	128
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	–	2	–	–	–	–	–	–	–	–	–
Scarlet fever	2	–	–	2	–	–	–	–	–	–	–	–
Whooping cough	14	5	7	1	1	–	–	–	–	–	–	–
Diphtheria	7	1	–	2	3	1	–	–	–	–	–	–
Influenza	4	–	1	–	–	–	–	–	–	1	1	1
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	69	1	–	–	1	15	19	13	11	8	1	–
Nervous system	8	–	4	–	3	1	–	–	–	–	–	–
Intestines and peritoneum	2	1	–	–	–	–	1	–	–	–	–	–
Other forms	5	–	–	1	1	1	–	–	1	–	–	1
Venereal diseases	6	2	–	–	–	–	–	1	2	1	–	–
Cancer	101	1	–	–	2	1	–	6	16	40	21	14
Rheumatic fever	2	–	–	–	–	1	–	1	–	–	–	–
Diabetes	10	–	–	–	–	–	1	–	1	3	3	2
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	4	1	2	–	1	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	34	–	–	–	–	–	–	–	3	7	15	9
Epilepsy	2	–	–	–	2	–	–	–	–	–	–	–
"Convulsions" (not puerperal) ..	1	1	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	29	–	–	–	2	–	2	7	6	5	3	4
Pericarditis	1	1	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	2	–	–	–	1	–	–	1	–	–	–	–
Other diseases of heart	99	–	–	–	1	6	6	5	15	13	32	21
Other diseases of circulatory system	32	–	–	–	–	–	–	–	7	9	8	8
Bronchitis	19	–	1	–	–	1	–	–	–	–	9	8
Broncho-pneumonia	20	6	5	1	–	1	1	–	–	2	–	4
Lobar-pneumonia	10	3	–	1	–	–	2	1	1	1	1	–
Pneumonia (type not distinguished) ..	8	1	1	1	–	–	–	–	–	2	–	3
Other diseases of respiratory system	8	–	–	–	–	–	–	1	–	2	1	4
Diarrhœa and enteritis	67	52	9	–	2	–	–	–	2	–	1	1
Appendicitis, Typhlitis	7	–	–	1	1	–	–	1	1	3	–	–
Hernia, Intestinal obstruction	4	–	–	–	–	–	–	1	1	1	1	–
Cirrhosis of liver	8	–	–	–	–	–	1	–	2	2	2	1
Other diseases of digestive system ..	22	1	–	1	1	1	1	4	4	5	1	3
Acute nephritis	1	–	–	–	–	–	–	–	–	–	1	–
Chronic Bright's disease	17	–	–	–	–	–	1	–	4	5	5	2
Other diseases of genito-urinary system.	20	–	–	–	–	–	–	–	2	3	6	9
Puerperal sepsis	1	–	–	–	–	1	–	–	–	–	–	–
Other causes incident to childbirth ..	1	–	–	–	–	–	–	1	–	–	–	–
Congenital malformations	7	6	–	–	–	–	–	–	1	–	–	–
Premature birth	19	19	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	8	8	–	–	–	–	–	–	–	–	–	–
Old age	25	–	–	–	–	–	–	–	–	–	5	20
Suicide	10	–	–	–	–	–	–	2	–	5	3	–
Burns and scalds	4	–	2	1	–	–	–	–	–	–	1	–
Drowning	5	–	–	–	2	1	–	–	1	1	–	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	7	–	–	1	1	1	–	–	–	1	1	2
Other deaths by violence	12	1	2	1	1	–	–	–	–	2	1	4
Other specified causes	33	10	–	–	1	1	–	1	1	8	4	7
Ill-defined causes	2	–	1	–	–	–	–	–	–	1	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 1st September, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	123	134	6	32	C. 5 D. 5 E. 5 M. 10
†CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	6	8	–	–	–
†BERMONDSEY ...	–	2	13	–	–	E. 1
†BETHNAL GREEN	–	3	8	–	1	C. 1
†CAMBERWELL ...	–	7	10	–	–	M. 1
†CHELSEA	–	–	1	–	–	–
†DEPTFORD ...	–	6	2	–	1	–
†FINSBURY ...	–	–	3	–	–	–
†FULHAM	–	2	2	–	–	C. 1
†GREENWICH ...	–	4	4		–	C. 2
†HACKNEY ...	–	3	–	1	–	E. 1
†HAMMERSMITH ...	–	3	2	1	–	M. 1
†HAMPSTEAD ...	–	2	–	1	–	–
†HOLBORN... ...	–	–	1	–	1	–
†ISLINGTON ...	–	24	11	1	1	D. 1 M. 1

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	–	1	1	–	–
†LAMBETH ...	–	10	4	–	2	D. 3 M. 1
†LEWISHAM ...	–	2	3	–	–	E. 1
†PADDINGTON ...	–	1	4	–	1	–
†POPLAR	–	3	4	–	6	C. 1 M. 1
†ST. MARYLEBONE	–	3	1	–	1	M. 1
†ST. PANCRAS ...	–	3	10	–	3	–
†SHOREDITCH ...	–	11	3	–	1	M. 1
†SOUTHWARK ...	–	6	7	–	1	M. 1
†STEPNEY	–	7	17	–	2	–
†STOKE NEWINGTON	–	1	1	–	–	–
†WANDSWORTH ...	–	10	11	1	6	D. 1 E. 2 M. 1
†WESTMINSTER, CITY OF	–	1	–	–	1	M. 1
†WOOLWICH ...	–	2	3	–	4	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	3	2	–	2	–
Boroughs and Urban Districts:—						
†BEDFORD ...	–	2	–	–	–	–
†LUTON	–	–	1	–	2	–
Rural Districts:—						
AMPTHILL ...	–	1	–	–	–	–
BIGGLESWADE ..	–	–	1	–	–	–
BERKS	–	8	6	–	–	M. 1
Boroughs and Urban Districts:—						
ABINGDON ...	–	1	–	–	–	–
†NEW WINDSOR	–	1	–	–	–	–
WALLINGFORD ...	–	–	–	–	–	M. 1
Rural Districts:—						
ABINGDON ...	–	3	3	–	–	–
NEWBURY ...	–	–	3	–	–	–
WALLINGFORD ...	–	1	–	–	–	–
WANTAGE ...	–	1	–	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	7	–	3	1	M. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	–	–
BLETCHLEY ...	–	–	–	–	–	M. 1
†CHEPPING WYCOMBE ...	–	5	–	–	1	–
†WOLVERTON ...	–	–	–	2	–	–
Rural Districts:—						
AYLESBURY ...	–	–	–	1	–	–
ETON	–	1	–	–	–	–
WYCOMBE ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	2	1	–	–	–
Rural Districts:—						
CHESTERTON ...	–	2	–	–	–	–
LINTON	–	–	1	–	–	–
CHESTER	–	45	21	2	7	E. 1 F. 1 G. 3 M. 5
†BIRKENHEAD C.B.	–	10	2	–	3	G. 1 M. 3
†CHESTER C.B. ...	–	1	4	–	1	–
†STOCKPORT C.B.	–	2	3	–	–	M. 1
†WALLASEY C.B. ...	–	4	–	–	1	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	–	1	–	–	–
†BEBINGTON AND BROMBOROUGH	–	4	1	–	–	–
BUGLAWTON ...	–	1	–	–	–	–
†CREWE	–	1	–	–	–	G. 1
†DUKINFIELD ...	–	–	–	1	–	–
†ELLESMERE PORT AND WHITBY	–	–	1	–	–	–
HALE	–	–	–	1	–	–
HOOLE	–	–	–	–	–	E. 1
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	F. 1
†HYDE	–	–	2	–	1	–
†MACCLESFIELD ...	–	2	–	–	–	–
MARPLE	–	–	1	–	–	–
MIDDLEWICH ...	–	1	–	–	–	–
†NORTHWICH ...	–	3	–	–	–	M. 1
SANDBACH ...	–	3	–	–	–	–
†WINSFORD ...	–	2	–	–	–	–
YEARDSLEY CUM WHALEY	–	2	–	–	1	–
Rural Districts:—						
BUCKLOW ...	–	–	1	–	–	–
CONGLETON ...	–	1	2	–	–	–
DISLEY	–	1	–	–	–	–
MALPAS	–	1	–	–	–	–
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...	–	1	1	–	–	–
RUNCORN... ...	–	2	1	–	–	–
TARVIN	–	1	–	–	–	–
WIRRAL	–	–	1	–	–	G. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	1	2	3	2	–
Boroughs and Urban Districts:—						
BODMIN	–	–	–	1	–	–
†CAMBORNE ...	–	–	–	1	–	–
†PENZANCE ...	–	1	–	1	–	–
SAINT AUSTELL	–	–	1	–	–	–
Rural Districts:—						
REDRUTH ...	–	–	–	–	1	–
SAINT AUSTELL	–	–	–	–	1	–
SAINT GERMANS	–	–	1	–	–	–
CUMBERLAND ...	–	10	3	–	–	C. 1 E. 1 F. 1
†CARLISLE C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	1	–	–	–	–
COCKERMOUTH ...	–	1	–	–	–	–
HARRINGTON ...	–	–	–	–	–	C 1
†MARYPORT ...	–	1	2	–	–	–
†WHITEHAVEN ..	–	–	1	–	–	–
†WORKINGTON ...	–	2	–	–	–	–
Rural Districts:—						
BOOTLE	–	2	–	–	–	–
CARLISLE ...	*	*	*	*	*	*
COCKERMOUTH ...	–	1	–	–	–	F. 1
LONGTOWN ...	–	–	–	–	–	E. 1
DERBY	3	15	7	2	4	G. 1 M. 4
†DERBY C.B. ...	–	4	1	–	2	G. 1 M. 2
DERBY—*cont.*						
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	1	–	–	–
†BELPER	–	–	1	–	–	–
†BOLSOVER ...	1	1	–	–	–	M. 1
†CHESTERFIELD ...	–	1	1	1	–	–
†ILKESTON ...	–	–	–	1	–	–
†LONG EATON ...	2	–	–	–	–	–
MATLOCK BATH AND SCARTHIN NICK	*	*	*	*	*	*
†RIPLEY	–	2	–	–	–	–
†SWADLINCOTE DISTRICT	–	–	–	–	1	–
Rural Districts:—						
BAKEWELL ...	–	–	–	–	1	–
BELPER	–	2	–	–	–	–
BLACKWELL ...	–	–	2	–	–	–
CHAPEL EN LE FRITH	–	1	–	–	–	–
CHESTERFIELD ...	–	1	–	–	–	M. 1
HAYFIELD ...	–	1	–	–	–	–
SHARDLOW ...	–	1	1	–	–	–
DEVON	–	10	4	4	3	–
†EXETER C.B. ...	–	–	1	–	–	–
†PLYMOUTH C.B....	–	3	2	–	1	–
Boroughs and Urban Districts:—						
DAWLISH... ...	–	–	–	1	–	–
†ILFRACOMBE ...	–	–	–	1	–	–
IVYBRIDGE ...	–	1	–	–	–	–
†NEWTON ABBOT...	–	2	–	1	–	–
OTTERY ST. MARY	–	1	–	–	–	–
SEATON	–	1	–	–	–	–
†TEIGNMOUTH ...	–	–	–	1	–	–
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	1	–
HONITON ...	–	1	–	–	–	–
PLYMPTON ST. MARY ...	–	–	–	–	1	–
TORRINGTON ...	–	–	1	–	–	–
TOTNES	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET	–	–	1	–	–	–
Rural Districts:—						
STURMINSTER ...	–	–	1	–	–	–
DURHAM	–	49	26	3	14	C. 1 M. 8
†DARLINGTON C.B.	–	1	1	–	–	–
†GATESHEAD C.B.	–	2	3	–	–	–
†SOUTH SHIELDS C.B.	–	5	3	1	4	M. 2
†SUNDERLAND C.B.	–	1	2	–	4	M. 3
†WEST HARTLEPOOL C.B.	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	–	–	–	–
BARNARD CASTLE	–	–	1	–	–	–
†BLAYDON... ...	–	1	–	–	–	C. 1 M. 1
†CHESTER LE STREET	–	2	–	–	–	–
†CROOK	–	–	3	–	–	–
†HEBBURN ...	–	3	–	–	–	–
†HETTON	–	2	–	1	1	–
†HOUGHTON LE SPRING	–	–	1	–	–	–
†JARROW	–	4	–	–	2	–
†SEAHAM HARBOUR	–	–	–	–	1	–
†SHILDON	–	1	–	–	–	–
†SOUTHWICK ON WEAR	–	1	–	–	–	–
†STANLEY	–	–	2	–	1	–
†STOCKTON ON TEES	–	3	1	–	–	–
†WASHINGTON ...	–	–	1	–	1	–
†WHICKHAM ...	–	–	1	–	–	–
WILLINGTON ...	–	2	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	2	2	1	–	–
CHESTER LE STREET	–	2	–	–	–	M. 1
DURHAM	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts—*cont.*						
EASINGTON ...	–	1	–	–	–	–
HOUGHTON LE SPRING	–	1	–	–	–	–
LANCHESTER ...	–	1	–	–	–	–
SEDGEFIELD ...	–	4	1	–	–	–
SOUTH SHIELDS...	–	2	2	–	–	–
SUNDERLAND ...	–	4	1	–	–	M. 1
ELY, ISLE OF ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
†WISBECH	–	–	1	–	–	–
ESSEX	–	35	17	1	6	E. 2 J. 1 M. 4
†EAST HAM C.B. ...	–	2	1	–	–	–
†SOUTHEND-ON-SEA C.B.	–	3	1	–	1	E. 1 M. 1
†WEST HAM C.B. ...	–	10	7	1	2	J. 1 M. 2
Boroughs and Urban Districts:—						
†CLACTON	–	–	–	–	–	E. 1
HALSTEAD ...	–	–	–	–	1	–
†HARWICH ...	–	1	–	–	–	–
†ILFORD	–	1	–	–	–	M. 1
†LEYTON	–	2	1	–	–	–
†ROMFORD ...	–	–	1	–	–	–
TILBURY	–	–	1	–	–	–
†WALTHAMSTOW ...	–	5	4	–	1	–
†WOODFORD ...	–	1	–	–	–	–
Rural Districts:—						
BILLERICAY ...	*	*	*	*	*	*
CHELMSFORD ...	–	1	–	–	–	–
HALSTEAD ...	–	1	–	–	–	–
ROMFORD... ...	–	7	1	–	1	–
STANSTED ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	11	19	16	2	4	D. 1 L. 2 M. 3
†BRISTOL C.B. ...	–	16	14	–	3	D. 1 L. 2 M. 1
†GLOUCESTER C.B.	10	1	–	2	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	–	–	–	1	–
†KINGSWOOD ...	–	–	–	–	–	M. 1
Rural Districts:—						
LYDNEY	–	2	–	–	–	–
WARMLEY ...	–	–	2	–	–	M. 1
WHEATENHURST	1	–	–	–	–	–
HEREFORD ...	–	1	1	–	–	M. 1
Boroughs and Urban Districts:—						
LEOMINSTER ...	–	1	–	–	–	–
Rural Districts:—						
KINGTON	–	–	1	–	–	–
LEDBURY... ...	–	–	–	–	–	M. 1
HERTFORD ...	–	9	7	–	1	–
Boroughs and Urban Districts:—						
†CHESHUNT ...	–	–	1	–	–	–
†HEMEL HEMPSTEAD	–	2	–	–	–	–
†HERTFORD ...	–	1	–	–	–	–
†LETCHWORTH ...	–	–	1	–	1	–
TRING	–	1	–	–	–	–
†WATFORD ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
BARNET	–	–	1	–	–	–
BERKHAMPSTEAD	–	1	–	–	–	–
HADHAM	–	1	–	–	–	–
HERTFORD ...	–	–	1	–	–	–
ST. ALBANS ...	–	1	1	–	–	–
WATFORD ...	–	1	–	–	–	–
WELWYN	–	–	2	–	–	–
HUNTINGDON ...	–	–	–	–	1	–
Rural Districts:—						
NORMAN CROSS ...	–	–	–	–	1	–
KENT	–	36	11	4	1	E. 1 M. 2
Boroughs and Urban Districts:—						
†BEXLEY	–	1	1	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	1	–	–	–
†BROMLEY ...	–	1	–	–	1	–
†CHATHAM ...	–	5	1	–	–	–
CHERITON ...	–	3	–	–	–	–
†DARTFORD ...	–	1	–	–	–	–
†DOVER	–	1	–	–	–	–
†ERITH	–	1	–	–	–	–
†FAVERSHAM ...	–	1	–	–	–	–
†FOLKESTONE ...	–	3	–	–	–	E. 1
†GILLINGHAM ...	–	1	–	–	–	–
†GRAVESEND ...	–	–	–	–	–	M. 1
†MAIDSTONE ...	–	–	1	1	–	–
MILTON REGIS ...	–	1	–	–	–	–
†NORTHFLEET ...	–	1	–	–	–	–
†PENGE	–	–	2	–	–	–
†RAMSGATE ...	–	1	–	–	–	–
†ROCHESTER ...	–	1	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	3	–	1	–	–
SANDGATE ...	*	*	*	*	*	*
SANDWICH ...	*	*	*	*	*	*
SEVENOAKS ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SHEERNESS ...	–	2	–	1	–	–
SITTINGBOURNE	–	1	–	–	–	–
TENTERDEN ...	–	–	1	–	–	–
Rural Districts:—						
BROMLEY ...	–	4	–	–	–	–
CRANBROOK ...	–	–	2	–	–	–
EAST ASHFORD ...	–	1	–	–	–	–
FAVERSHAM ...	–	–	2	–	–	–
HOLLINGBOURNE	–	–	–	–	–	M. 1
MALLING	–	–	–	1	–	–
TONBRIDGE ...	–	1	–	–	–	–
LANCASTER ...	–	187	63	8	68	C. 8 E. 5 G. 2 M. 19
†BARROW IN FURNESS C.B.	–	5	–	–	1	–
†BLACKBURN C.B.	–	5	1	–	3	–
†BLACKPOOL C.B.	–	5	–	–	2	C. 1
†BOLTON C.B. ...	–	7	–	–	1	–
†BOOTLE C.B. ...	–	1	1	–	–	–
†BURNLEY C.B. ...	–	–	–	–	2	–
†BURY C.B. ...	–	1	2	–	3	–
†LIVERPOOL C.B. ...	–	49	22	1	8	C. 1 E. 2 G. 1 M. 12
†MANCHESTER C.B.	–	37	7	2	12	C. 4 G. 1 M. 2
†OLDHAM C.B. ...	–	1	3	–	–	M. 1
†PRESTON C.B. ...	–	5	–	–	2	C. 1
†ROCHDALE C.B. ...	–	3	1	–	–	M. 1
†ST. HELENS C.B. ...	–	3	1	–	1	–
†SALFORD C.B. ...	–	14	4	–	2	E. 1 M. 1
†WARRINGTON C.B.	–	3	3	1	2	–
†WIGAN C.B. ...	–	2	–	–	4	–
LANCASTER—*cont.*						
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	4	–	–	3	M. 1
†ASHTON IN MAKERFIELD	–	1	–	–	–	–
†ASHTON UNDER LYNE	–	2	–	1	–	–
ASPULL	–	–	1	–	1	–
†ATHERTON ...	–	–	–	–	1	–
†CHORLEY	–	–	1	–	–	–
†COLNE	–	–	–	–	1	–
†DROYLSDEN ...	–	1	–	–	–	–
†ECCLES	–	–	1	–	–	M. 1
†FAILSWORTH ...	–	–	1	1	–	–
†FARNWORTH ...	–	–	–	–	2	–
GOLBORNE ...	–	–	1	–	–	–
†GREAT CROSBY ...	–	1	–	–	–	–
†HASLINGDEN ...	–	1	–	–	1	–
HEYSHAM ...	–	1	–	–	–	–
†HEYWOOD ...	–	1	2	–	1	–
†HINDLEY... ...	–	–	–	–	4	–
†INCE IN MAKERFIELD	–	1	–	1	3	–
IRLAM	–	–	–	–	1	–
KEARSLEY ...	–	1	1	–	–	–
†LANCASTER ...	–	1	–	–	–	–
LATHOM AND BURSCOUGH	–	–	1	–	–	–
†LEIGH	–	1	1	–	1	–
†LITTLEBOROUGH	–	1	–	–	–	–
†LYTHAM, ST. ANNE'S	–	–	1	–	–	–
†MIDDLETON ...	–	2	–	–	1	–
MILNROW... ...	–	–	–	–	–	E. 1
†MOSSLEY	–	1	–	–	–	–
†NELSON	–	1	–	–	–	–
†NEWTON IN MAKERFIELD	–	–	–	–	1	–
ORRELL	–	1	–	–	–	–
†PADIHAM... ...	–	2	1	–	–	–
PRESCOT	–	–	1	–	–	–
†PRESTWICH ...	–	2	–	–	–	–
†RADCLIFFE ...	–	1	–	–	–	–
†RAMSBOTTOM ...	–	1	1	–	–	–
RISHTON	–	1	–	–	–	–
SKELMERSDALE...	–	1	–	–	–	–
STANDISH WITH LANGTREE	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STRETFORD... ...	–	1	–	–	–	–
†SWINTON AND PENDLEBURY	–	1	–	–	–	E. 1
†TURTON	–	2	–	–	–	–
URMSTON... ..	*	*	*	*	*	*
†WALTON LE DALE	–	–	–	1	–	–
†WATERLOO WITH SEAFORTH	–	1	–	–	–	–
†WESTHOUGHTON	–	1	–	–	–	–
†WIDNES	–	7	3	–	1	–
†WORSLEY... ...	–	1	–	–	–	–
Rural Districts:—						
BURNLEY... ...	–	1	–	–	–	–
CHORLEY... ...	–	–	1	–	–	–
LEIGH	–	–	–	–	2	–
LIMEHURST ...	–	1	–	–	–	–
WARRINGTON ...	–	–	–	–	–	C. 1
LEICESTER... ...	–	10	3	–	1	M. 1
†LEICESTER C.B. ...	–	3	1	–	1	–
Boroughs and Urban Districts:—						
†COALVILLE ...	–	1	–	–	–	–
†LOUGHBOROUGH	–	2	–	–	–	–
MARKET HARBOROUGH	*	*	*	*	*	*
Rural Districts:—						
ASHBY DE LA ZOUCH	–	2	–	–	–	–
BLABY	–	1	–	–	–	–
HINCKLEY ...	–	1	–	–	–	–
MARKET BOSWORTH	–	–	2	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	1	–	–	–	–
Boroughs and Urban Districts—						
†BOSTON	*	*	*	*	*	*
Rural Districts:—						
BOSTON	*	*	*	*	*	*
SPALDING ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	1	–	–	–
Boroughs and Urban Districts:—						
SLEAFORD ...	–	1	–	–	–	–
Rural Districts:—						
SLEAFORD ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	11	2	–	2	M. 1
†GRIMSBY C.B. ...	–	2	1	–	1	–
†LINCOLN C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†GAINSBOROUGH ...	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	4	–	–	1	M. 1
Rural Districts:—						
GAINSBOROUGH ...	–	–	1	–	–	–
HORNCASTLE ...	–	3	–	–	–	–
SIBSEY	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis · G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	18	33	1	10	C. 3 E. 2 M. 3
Boroughs and Urban Districts:—						
†ACTON	–	1	–	–	–	–
†CHISWICK ...	–	–	2	–	–	–
†EALING	–	–	–	–	1	–
†EDMONTON ...	–	1	2	–	1	C. 2 E. 1
FELTHAM ...	–	–	4	–	–	–
†FINCHLEY ...	–	1	–	–	–	–
†HAMPTON ...	–	–	–	–	–	E. 1
HAMPTON WICK...	–	–	–	–	1	–
†HANWELL ...	–	2	–	–	–	–
†HARROW ON THE HILL	–	1	–	–	–	–
†HENDON	–	–	–	–	1	–
†HESTON AND ISLEWORTH	–	1	3	–	3	–
†HORNSEY... ...	–	2	7	–	–	–
†SOUTHALL NORWOOD	*	*	*	*	*	*
SUNBURY ON THAMES	*	*	*	*	*	*
†TEDDINGTON ...	–	1	–	1	–	C. 1
†TOTTENHAM ...	–	1	4	–	2	M. 1
†WEALDSTONE ...	–	3	1	–	–	–
†WEMBLEY ...	–	1	–	–	–	–
†WILLESDEN ...	–	2	7	–	1	M. 1
†WOOD GREEN ...	–	–	–	–	–	M. 1
Rural Districts:—						
STAINES	–	1	3	–	–	–
NORFOLK	–	22	9	1	1	–
†GREAT YARMOUTH C.B.	–	9	–	–	–	–
†NORWICH C.B. ...	–	9	5	1	1	–
Boroughs and Urban Districts:—						
SWAFFHAM ...	–	–	1	–	–	–
NORFOLK—*cont.*						
Rural Districts:—						
BLOFIELD ...	–	2	–	–	–	–
DOCKING	–	–	1	–	–	–
EAST AND WEST FLEGG	–	–	1	–	–	–
ERPINGHAM ...	–	2	–	–	–	–
LODDON AND CLAVERING	–	–	1	–	–	–
NORTHAMPTON ...	–	32	–	–	7	–
†NORTHAMPTON C.B.	–	12	–	–	7	–
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	3	–	–	–	–
FINEDON	*	*	*	*	*	*
†KETTERING ...	–	7	–	–	–	–
ROTHWELL ...	–	2	–	–	–	–
†RUSHDEN ...	–	1	–	–	–	–
†WELLINGBOROUGH	–	1	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	1	–	–	–	–
NORTHAMPTON ...	–	1	–	–	–	–
OXENDEN... ...	*	*	*	*	*	*
POTTERSPURY ...	–	4	–	–	–	–
NORTHUMBERLAND	–	27	11	2	9	C. 2 M. 4
†NEWCASTLE UPON TYNE C.B.	–	5	8	2	4	M. 2
†TYNEMOUTH C.B.	–	1	–	–	1	M. 1
Boroughs and Urban Districts:—						
ALNWICK ...	–	1	–	–	–	–
†ASHINGTON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NORTHUMBERLAND —*cont.*						
Boroughs and Urban Districts—*cont.*						
†BEDLINGTONSHIRE	–	8	–	–	1	–
†BERWICK UPON TWEED	–	–	1	–	–	–
†BLYTH	–	1	–	–	–	–
†EARSDON	–	–	2	–	–	–
†LONGBENTON ...	–	1	–	–	–	–
†NEWBURN ...	–	1	–	–	–	–
SEATON DELAVAL	–	1	–	–	1	–
†WALLSEND ...	–	1	–	–	1	C. 1 M. 1
Rural Districts:—						
ALNWICK... ...	–	3	–	–	–	C. 1
CASTLE WARD ..	–	3	–	–	–	–
HEXHAM	–	–	–	–	1	–
NOTTINGHAM ...	3	23	7	–	2	M. 3
†NOTTINGHAM C.B.	–	12	4	–	1	M. 2
Boroughs and Urban Districts:—						
†BEESTON	–	1	–	–	–	–
†EAST RETFORD ...	–	1	–	–	–	–
†KIRKBY IN ASHFIELD	3	–	–	–	–	–
†MANSFIELD ...	–	4	–	–	–	–
†NEWARK	–	1	1	–	–	–
†SUTTON IN ASHFIELD	–	1	–	–	–	M. 1
WARSOP	–	–	1	–	–	–
†WORKSOP... ...	–	1	–	–	–	–
Rural Districts:—						
BASFORD	–	2	–	–	–	–
NEWARK	–	–	1	–	–	–
STAPLEFORD ...	–	–	–	–	1	–
OXFORD	–	5	1	2	–	–
†OXFORD C.B. ...	–	1	–	1	–	–
Rural Districts:—						
CHIPPING NORTON	–	–	1	–	–	–
HEADINGTON ...	–	3	–	–	–	–
THAME	–	–	–	1	–	–
WOODSTOCK ...	–	1	–	–	–	–
PETERBOROUGH (Soke of)	–	5	–	–	1	–
Borough:—						
†PETERBOROUGH...	–	5	–	–	1	–
SALOP	–	–	5	1	1	M. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	1	–	–
Rural Districts:—						
ATCHAM	–	–	2	–	–	–
CLEOBURY MORTIMER	–	–	3	–	–	M. 1
OSWESTRY ...	–	–	–	–	1	–
SOMERSET	1	11	3	–	2	E. 1 M. 1
†BATH C.B. ...	–	2	3	–	–	M. 1
Boroughs and Urban Districts:—						
†WESTON SUPER MARE	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts:—						
BRIDGWATER ...	–	2	–	–	–	–
CHARD	–	2	–	–	–	–
DULVERTON ...	–	–	–	–	1	–
FROME	1	–	–	–	–	–
KEYNSHAM ...	–	–	–	–	–	E. 1
LONG ASHTON ...	–	3	–	–	–	–
WELLS	–	–	–	–	1	–
WINCANTON ...	*	*	*	*	*	*
SOUTHAMPTON ...	–	24	19	4	1	M. 1
†BOURNEMOUTH C.B.	–	3	–	1	–	–
†PORTSMOUTH C.B.	–	9	17	1	–	–
†SOUTHAMPTON C.B.	–	3	1	–	–	M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	–	1	–	–	–
†FAREHAM ...	–	3	–	–	–	–
†FARNBOROUGH ...	–	1	–	–	–	–
HAVANT	–	1	–	–	–	–
PETERSFIELD ...	–	1	–	–	–	–
†WINCHESTER ...	–	1	–	1	–	–
Rural Districts:—						
ALRESFORD ...	–	1	–	–	–	–
HAVANT	–	1	–	1	–	–
KINGSCLERE ...	–	–	–	–	1	–
STAFFORD	–	47	17	–	15	M. 3
†SMETHWICK C.B.	–	–	5	–	1	–
†STOKE ON TRENT C.B.	–	15	3	–	7	M. 1
†WALSALL C.B. ...	–	9	1	–	1	M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
†WEST BROMWICH C.B.	–	4	1	–	–	–
†WOLVERHAMPTON C.B.	–	2	1	–	–	–
Boroughs and Urban Districts:—						
BIDDULPH ...	–	2	–	–	–	–
†BILSTON	–	–	–	–	1	–
†BRIERLEY HILL...	–	–	–	–	1	–
†BROWNHILLS ...	–	1	–	–	1	–
†CANNOCK	–	–	–	–	1	–
†DARLASTON ...	–	–	–	–	1	–
†NEWCASTLE UNDER LYME	–	–	1	–	–	–
PERRY BARR ...	–	2	–	–	–	–
†ROWLEY REGIS ...	–	–	2	–	1	–
RUGELEY	–	1	–	–	–	–
†SEDGLEY	–	1	–	–	–	–
†STAFFORD ...	–	1	1	–	–	–
†TIPTON	–	2	–	–	–	–
Rural Districts:—						
CANNOCK	–	2	–	–	–	–
CHEADLE	–	2	2	–	–	–
LICHFIELD ...	–	2	–	–	–	–
WALSALL	–	1	–	–	–	–
SUFFOLK, EAST ...	–	4	4	–	2	–
†IPSWICH C.B. ...	–	–	1	–	2	–
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	1	–	–	–	–
STOWMARKET ...	–	1	–	–	–	–
WOODBRIDGE ...	–	–	3	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	2	–	–	–	–
HARTISMERE ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, WEST ...	–	–	1	–	1	–
Boroughs and Urban Districts:—						
NEWMARKET ...	*	*	*	*	*	*
Rural Districts:—						
BRANDON... ...	–	–	1	–	–	–
MELFORD... ...	–	–	–	–	1	–
SURREY	–	15	13	1	2	D. 1 E. 1 G. 1 M. 4
†CROYDON C.B. ...	–	1	–	–	–	M. 1
Boroughs and Urban Districts:—						
†BARNES	–	2	1	–	–	–
†CATERHAM ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	–	–	1	–	–
†ESHER AND THE DITTONS	–	1	–	–	–	–
†GUILDFORD ...	–	1	1	–	–	M. 1
†KINGSTON ON THAMES	–	2	1	–	1	G. 1
†MERTON AND MORDEN	–	–	–	–	–	E. 1
†MITCHAM... ...	–	3	1	–	–	M. 1
†RICHMOND ...	–	1	1	–	–	D. 1
†THE MALDENS AND COOMBE	–	–	2	–	–	–
†WIMBLEDON ...	–	1	1	–	–	M. 1
†WOKING	–	1	–	–	–	–
Rural Districts:—						
CHERTSEY ...	–	–	–	–	1	–
FARNHAM ...	–	1	–	–	–	–
GODSTONE ...	–	–	5	–	–	–
SUSSEX, EAST ...	–	8	4	2	5	M. 2
†BRIGHTON C.B. ...	–	2	1	1	1	M. 2
†EASTBOURNE C.B.	–	1	–	–	1	–
†HASTINGS C.B. ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
BATTLE	–	1	–	–	–	–
†BEXHILL	–	–	1	–	–	–
EAST GRINSTEAD	–	1	–	–	–	–
†HOVE	–	–	1	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	–	–	1	–	–
HAILSHAM ...	–	–	–	–	2	–
RYE	*	*	*	*	*	*
STEYNING EAST...	–	2	–	–	–	–
UCKFIELD ...	–	–	1	–	–	–
SUSSEX, WEST ...	–	2	2	–	–	E. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	–	1	–	–	–
†LITTLEHAMPTON	–	1	–	–	–	–
†WORTHING ...	–	–	–	–	–	E. 1
Rural Districts:—						
PETWORTH ...	–	1	–	–	–	–
WESTHAMPNETT	–	–	1	–	–	–
WARWICK	–	52	54	6	10	C. 5 D. 1 M. 9
†BIRMINGHAM C.B.	–	42	45	2	8	C. 5 M. 8
†COVENTRY C.B. ...	–	1	2	–	–	D. 1
Boroughs and Urban Districts:—						
BULKINGTON ...	–	–	1	–	–	–
†NUNEATON ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROYAL LEAMINGTON SPA	–	–	–	1	–	–
†WARWICK ...	–	1	–	1	–	–
Rural Districts:—						
ALCESTER ...	–	–	4	–	–	–
ATHERSTONE ...	–	1	–	–	1	–
BRAILES	–	1	–	–	–	–
FOLESHILL ...	–	2	–	–	–	M. 1
NUNEATON ...	–	2	–	–	–	–
RUGBY	–	1	–	1	–	–
SOUTHAM... ...	–	–	–	1	–	–
TAMWORTH (part)	–	1	1	–	–	–
WARWICK ...	–	–	1	–	–	–
WESTMORLAND ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
†KENDAL	–	2	–	–	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	1	1	–	–	–
WILTS	–	7	5	–	1	M. 1
Boroughs and Urban Districts:—						
†SALISBURY ...	–	3	4	–	–	–
†SWINDON... ...	–	1	1	–	–	M. 1
Rural Districts:—						
CHIPPENHAM ...	–	2	–	–	–	–
MERE	–	–	–	–	1	–
PEWSEY	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER ...	–	10	1	–	4	G. 1
†WORCESTER C.B.	–	1	1	–	–	G. 1
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
†OLDBURY... ...	–	2	–	–	4	–
†REDDITCH ...	–	1	–	–	–	–
Rural Districts:—						
DROITWICH ...	–	1	–	–	–	–
HALESOWEN ...	–	1	–	–	–	–
KIDDERMINSTER	–	1	–	–	–	–
MARTLEY... ...	–	1	–	–	–	–
YORKS ... ... (East Riding.)	–	8	5	–	2	–
†KINGSTON UPON HULL C.B.	–	4	5	–	1	–
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	–	–
Rural Districts:—						
BEVERLEY ...	–	1	–	–	–	–
BRIDLINGTON ...	–	2	–	–	–	–
PATRINGTON ...	–	–	–	–	1	–
YORKS ... ... (North Riding.)	2	46	15	–	4	–
†MIDDLESBROUGH C.B.	2	30	1	–	4	–
Boroughs and Urban Districts:—						
†ESTON	–	8	–	–	–	–
GUISBOROUGH ...	–	1	–	–	–	–
†REDCAR	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†SCARBOROUGH ...	–	2	–	–	–	–
†THORNABY ON TEES	–	1	–	–	–	–
†WHITBY	–	–	14	–	–	–
Rural Districts:—						
RICHMOND ...	–	1	–	–	–	–
SCARBOROUGH ...	*	*	*	*	*	*
YORKS ... ... (West Riding.)	–	91	37	7	55	C. 6 M. 9
†BARNSLEY C.B. ...	–	–	2	–	–	–
†BRADFORD C.B. ...	–	7	3	2	–	–
†DEWSBURY C.B....	–	2	1	–	–	–
†HUDDERSFIELD C.B.	–	2	–	–	2	–
†LEEDS C.B. ...	–	20	5	–	4	C. 1 M. 2
†ROTHERHAM C.B.	–	–	–	–	6	–
†SHEFFIELD C.B....	–	18	8	–	20	C. 5 M. 6
†WAKEFIELD C.B.	–	3	–	–	1	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	–	–	1	–
ARDSLEY, EAST AND WEST	–	–	–	–	2	–
BAILDON	–	1	–	–	–	–
BARKISLAND ...	–	1	–	–	–	–
†BATLEY	–	1	2	–	2	–
†BINGLEY	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
BIRSTAL	*	*	*	*	*	*
†BOLTON UPON DEARNE	–	1	1	–	–	–
BURLEY IN WHARFEDALE	–	–	1	–	–	–
CALVERLEY ...	–	–	1	–	–	–
†CASTLEFORD ...	–	–	–	–	1	–
†CONISBROUGH ...	–	3	1	–	–	–
CUDWORTH ...	–	–	1	–	–	–
DARFIELD ...	–	–	–	–	1	–
†DARTON	–	–	1	–	–	–
†DONCASTER ...	–	1	2	–	–	M. 1
DRIGHLINGTON ...	*	*	*	*	*	*
†FEATHERSTONE ...	–	1	–	–	–	–
†GOOLE	–	–	–	–	1	–
†HARROGATE ...	–	1	–	1	–	–
HAWORTH ...	–	1	–	–	–	–
HEBDEN BRIDGE	–	1	–	–	–	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	1	–	–	–	–
KNOTTINGLEY ...	–	1	–	–	–	–
METHLEY ...	–	–	1	–	–	–
†MEXBOROUGH ...	–	–	–	1	–	–
†MORLEY	–	–	–	1	–	–
NEW MILL ...	–	–	–	–	2	–
†NORMANTON ...	*	*	*	*	*	*
†PONTEFRACT ...	*	*	*	*	*	*
†RAWMARSH ...	–	1	–	–	–	–
†ROTHWELL ...	–	1	–	–	–	–
†SHIPLEY	–	1	–	–	–	–
†SKIPTON	–	–	–	–	1	–
SOUTH CROSLAND	*	*	*	*	*	*
SOUTHOWRAM ...	–	1	–	–	–	–
†SPENBOROUGH ...		1	–	–	2	–
†SWINTON... ...	–	3	–	–	1	–
TICKHILL ...	–	–	–	–	1	–
WHITWOOD ...	–	–	–	1	–	–
†WOMBWELL ...	–	1	–	–	2	–
Rural Districts—						
DONCASTER ...	–	1	1	–	2	–
HEMSWORTH ...	–	–	1	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Rural Districts—*cont.*						
HUNSLET	–	1	–	1	1	–
PENISTONE ...	–	2	1	–	–	–
PONTEFRACT ...	–	1	1	–	–	–
RIPON	*	*	*	*	*	*
TADCASTER ...	–	3	1	–	–	–
WAKEFIELD ...	–	–	2	–	–	–
WETHERBY ...	–	1	–	–	–	–
WORTLEY ...	–	5	–	–	–	–
County Borough :—						
†YORK	–	1	1	–	–	–
WALES.						
ANGLESEY	–	–	3	–	–	E. 1 M. 1
Boroughs and Urban Districts :—						
†HOLYHEAD ...	–	–	–	–	–	E. 1
LLANGEFNI ...	–	–	–	–	–	M. 1
MENAI BRIDGE ...	–	–	2	–	–	–
Rural Districts :—						
VALLEY	–	–	1	–	–	–
BRECKNOCK ...	–	1	–	–	2	–
Urban Districts :—						
BRYNMAWR ...	–	1	–	–	1	–
Rural Districts :—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
VAYNOR AND PENDERYN	–	–	–	–	1	–
CARDIGAN	–	2	–	–	–	–
Rural Districts :—						
LAMPETER ...	–	1	–	–	–	–
TREGARON ...	–	1	–	–	–	–
CARMARTHEN ...	–	2	3	1	–	–
Boroughs and Urban Districts :—						
†CARMARTHEN ...	–	1	–	–	–	–
†LLANELLY ...	–	–	1	–	–	–
Rural Districts :—						
CARMARTHEN ...	–	1	–	1	–	–
LLANDILO FAWR..	–	–	1	–	–	–
LLANELLY ...	–	–	1	–	–	–
CARNARVON ...	–	–	4	–	–	–
Boroughs and Urban Districts :—						
CONWAY	–	–	2	–	–	–
Rural Districts :—						
GEIRIONYDD ...	–	–	2	–	–	–
DENBIGH	–	1	–	–	–	D. 1
Boroughs and Urban Districts :—						
LLANGOLLEN ...	–	–	–	–	–	D. 1
Rural Districts :—						
WREXHAM ...	–	1	–	–	–	–
FLINT	–	2	1	1	3	–
Boroughs and Urban Districts :—						
FLINT	–	–	–	1	–	–
HOLYWELL	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

§ York is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT—*cont.*						
Rural Districts:—						
HOLYWELL ... (HOLYWELL DIV.)	–	1	1	–	2	–
HOLYWELL ... (MOLD DIV.)	–	1	–	–	–	–
GLAMORGAN ...	–	32	20	–	13	C. 1 L. 8 M. 5
†CARDIFF C.B. ...	–	7	–	–	3	M. 2
†MERTHYR TYDFIL C.B.	–	1	3	–	3	–
†SWANSEA C.B. ...	–	4	4	–	–	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	3	–	–	–	–
†BARRY	–	3	–	–	1	–
†CAERPHILLY ...	–	–	2	–	–	–
†GELLIGAER ...	–	1	2	–		–
†MAESTEG ...	–	–	1	–	–	M. 1
†MOUNTAIN ASH ...	–	2	–	–	3	C. 1 M. 1
†NEATH	–	–	4	–	–	–
†OGMORE AND GARW	–	2	–	–	–	–
†PENARTH ...	–	–	1	–	–	–
†PONTYPRIDD ...	–	1	–	–	–	–
†PORT TALBOT ...	–	1	1	–	–	–
†RHONDDA ...	–	3	–	–	3	L. 8 M. 1
Rural Districts:—						
CARDIFF	–	1	1	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	2	–	–	–	–
NEATH	–	–	1	–	–	–
PONTARDAWE ...	*	*	*	*	*	*
SWANSEA... ...	–	1	–	–	–	–
MERIONETH ...	–	1	2	–	–	–
Urban Districts:—						
TOWYN	–	1	–	–	–	–
Rural Districts:—						
EDEIRNION ...	–	–	2	–	–	–
MONMOUTH ...	1	4	3	1	4	C. 1
†NEWPORT C.B. ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
ABERGAVENNY ...	–	–	–	–	–	C. 1
†ABERTILLERY ...	–	1	–	–	1	–
†BLAENAVON ...	*	*	*	*	*	*
†EBBW VALE ...	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	1	–
†RHYMNEY ...	–	–	1	–	–	–
†RISCA	1	–	–	–	–	–
†TREDEGAR ...	–	–	1	1	–	–
USK	*	*	*	*	*	*
Rural Districts:—						
CHEPSTOW ...	–	1	–	–	–	–
PONTYPOOL ...	*	*	*	*	*	*
SAINT MELLONS...	–	1	1	–	–	–
PEMBROKE ...	–	7	2	–	–	–
Boroughs and Urban Districts:—						
GOODWICK ...	*	*	*	*	*	*
HAVERFORDWEST.	–	2	1	–	–	–
NEYLAND... ...	–	1	–	–	–	–
†PEMBROKE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE—*cont.*						
Rural Districts:—						
HAVERFORDWEST.	–	1	–	–	–	–
NARBERTH ...	–	–	1	–	–	–
ST. DOGMELLS ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part II. ...	21	973	481	62	274	C. 28 D. 4 E. 16 F. 2 G. 8 J. 1 L. 10 M. 97

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BOSTON	*	*	*	*	*	*
CARDIFF	–	–	–	–	1	–
FOWEY	*	*	*	*	*	*
LIVERPOOL	–	–	1	–	–	L. 1
NEWPORT (MON.) ...	–	–	–	–	1	–

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
PLYMOUTH	–	–	–	–	1	–
SANDWICH	*	*	*	*	*	*
TEES (RIVER) ...	–	1	–	–	–	–
TYNE	–	–	–	1	–	–
Total of Part III.— ...	–	1	1	1	3	L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
Total of Part I.—London	–	122	134	6	32	C. D. E. M.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	21	973	481	62	274	C. D. E. F. G. J. L. M.
Total of Part III.—Port Sanitary Districts	–	1	1	1	3	L.
Total (*i.e.*, of returns received), England and Wales ...	21	1097	616	69	309	C. D. E. F. G J. L. M. 1

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plag C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Po encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Contin Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the we The cases of Small-pox notified are on pages 986, 988, 992, 993, 995, and 998.

ble 5.—London and Great Towns in the Aggregate. Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	June 9.	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.
ONDON :—													
EATHS—all ages	847	871	855	772	834	1,016	902	686	765	720	718	813	782
„ 0 to 1 year ..	74	90	86	76	85	106	112	80	73	84	76	111	122
REAT TOWNS, aggregate (including London) :—													
RTHS	8,054	8,106	7,901	7,792	7,746	7,331	8,275	7,554	8,131	6,627	7,910	7,798	7,483
EATHS—all ages	4,264	4,060	3,858	3,668	3,703	4,052	3,618	3,108	3,300	3,332	3,269	3,282	3,287
„ 0 to 1 year ..	518	474	464	471	428	516	492	413	407	450	410	499	484
NTERIC FEVER—Cases	18	15	24	15	33	24	19	21	33	41	24	27	26
„ Deaths	2	2	2	1	3	1	3	3	1	7	6	1	2
ALL POX—Cases ..	38	56	82	104	95	114	64	25	14	13	9	10	12
„ Deaths ..	—	—	—	—	—	1	1	—	—	—	—	—	—
ARLET FEVER—Cases	833	762	825	817	798	733	647	679	626	540	539	561	611
„ Deaths	7	9	16	11	7	10	2	7	5	7	6	6	7
PHTHERIA—Cases ..	441	448	415	378	424	431	403	385	340	358	344	362	391
„ Deaths ..	33	26	32	24	15	17	16	10	22	20	26	20	27
EASLES—Deaths ..	97	85	61	61	42	51	53	37	29	28	30	14	15
FLUENZA—Deaths ..	140	120	92	81	59	34	36	24	15	14	24	16	14

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 1st September, 1923. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
ONDON (GREENWICH).	73	43	67·3	49·3	14	BRADFORD ..	66	44	58·3	48·4	36
						SHEFFIELD ..	Not received.				
RIGHTON ..	64	47	62·7	53·3	23	YORK (MUSEUM)	68	43	61·4	47·9	30
ORTSMOUTH ..	67	47	64·1	52·9	20	HULL (PEARSON PARK).	70	42	63·6	48·3	22
ORWICH (EATON)	71	43	63·7	48·3	10						
YMOUTH ..	69	44	63·4	50·1	26	TYNEMOUTH ..	66	45	59·9	47·6	41
RISTOL (CLIFTON).	68	47	61·4	50·4	77	CARDIFF	66	43	61·3	49·9	47
RMINGHAM (EDGBASTON).	68	43	60·1	47·0	20						
OTTINGHAM ..	69	41	61·1	47·9	14	EDINBURGH ..	63·0	43·0	58·3	46·0	46
ERKENHEAD (BIDSTON).	65	41	59·7	48·0	30	GLASGOW ..	61·8	43·2	58·1	47·1	30
						DUBLIN (PHŒNIX PARK).	Not received.				
ANCHESTER (WHITWORTH PARK).	66	43	60·1	47·7	49						
						FITZWILLIAM SQUARE.†	64·0	44·7	58·7	48·1	32
URNLEY	64	44	57·7	47·3	50						
UDDERSFIELD	Not received.					BELFAST	65·0	41·5	60·5	46·5	47

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 1st September, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
AUGUST.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
UNDAY -	26	Full	29·526	72·6	54·9	17·7	61·0	+ 0·3	57·1	3·9	13·9	2·7	87	134·9	48·2	58·6	SW	SW	4·6	0·0	0·1	348	+ 82	0·01
ONDAY -	27	..	29·444	70·9	52·8	18·1	58·8	− 1·8	49·7	9·1	23·4	2·6	72	144·9	43·3	58·7	SW : W	W : WSW.	8·5	0·0	0·1	352	+ 80	0·08
UESDAY -	28	..	29·661	67·4	51·2	16·2	57·7	− 2·7	44·3	13·4	22·0	5·7	61	128·7	39·9	58·5	W	WNW : W.	6·6	0·0	0·4	516	+ 241	0·00
EDNESDAY	29	In Equator	29·416	59·2	47·6	11·6	53·5	− 6·8	51·9	1·6	8·7	2·2	94	79·0	37·2	58·1	Calm	S : SW	13·2	0·0	0·5	377	+ 101	0·44
HURSDAY -	30	..	29·738	65·8	47·2	18·6	55·3	− 4·8	41·1	14·2	23·3	6·1	59	131·5	33·5	58·1	W	W : SW	10·5	0·0	0·9	650	+ 377	0·00
RIDAY -	31	..	29·752	68·0	43·9	24·1	55·4	− 4·5	43·1	12·3	24·0	3·1	63	136·0	30·7	58·0	SW	SW	2·0	0·0	0·1	252	− 16	0·00
SEPTEMBER ATURDAY -	1	Apogee	29·789	67·0	43·3	23·7	53·0	− 6·8	46·4	6·6	20·7	1·1	78	128·9	29·5	57·8	WSW : SW.	WSW : W.	2·3	0·0	0·1	259	− 4	0·03
MEANS -		..	29·618	67·3	48·7	18·6	56·4	− 3·9	47·7	8·7	19·4	3·3	73	126·3	37·5	58·3	SW		..	..	..	Sum 2,754	Sum + 861	Sum 0·56
O. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. AUGUST.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
UNDAY ..	26	wP	4·9	13·9	Overcast till 12h.; then cloudy till 16½h. clearing to cloudless by 17½h. Occasional showers in morning. Dew at night.
IONDAY ..	27	wP till 9h.; mP till 13h; variably sP and sN till 19h.; then wP.	9·4	13·9	Variably cloudy. Frequent showers and thunder between 12h. and 14½h., and showers between 15¾h. and 19¾h.
UESDAY ..	28	wP till 16h.; mP till 22h., then wP.	10·2	13·8	Very cloudy generally. Brisk wind till 19h. Lunar halo.
VEDNESDAY	29	wP till 10½h.; variably sP and sN till 19h.; then wP.	0·0	13·8	Overcast generally. Frequent rain between 7½h. and 18h. Brisk wind from 18h. Moderate gale from 23h.
HURSDAY	30	wP till 7h.; then mP.	12·6	13·7	Partially cloudy till 17h., then cloudless. Brisk wind till 18h.
RIDAY ..	31	wP till 6h.; mP till 10h.; wP till 16h.; then mP.	9·8	13·6	Cloudless till 8h.; then nearly overcast till 20h. Cloudless from 20½h. Solar halo.
EPTEMBER ATURDAY	1	wP till 11h.; sP till 14h.; mP till 23h., then wP.	9·6	13·6	Partially cloudy till 20h., then nearly overcast. Rain 11½h. till 12h.
			Sum 56·5	Sum 96·3	
o. of Col. ..		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·71 in. at the beginning of the week to 29·42 in.; by 5h. on 27th; increased to 29·77 in. by 23h. on 28th; decreased to 29·07 in. by 21h. on 29th; increased to 29·81 in. by 23h. on 30th; decreased to 29·73 in. by 18h on 31st; increased and was 29·90 in. by midnight on September 1st.

Printed and published by His Majesty's Stationery Office Press,
11-17, Hare Street, E.2

FOR OFFICIAL USE.

1923. No. 36.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 8TH SEPTEMBER, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 8TH SEPTEMBER, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-sixth week of the year numbered 7,682 and corresponded to an annual rate of 20·9 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,428 and corresponded to an annual rate of 9·3 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 8·9, 8·9 and 8·9. Infant mortality was 61 per 1,000 births, against 52, 64 and 65 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,767 births, corresponding to a rate of 20·3 per 1,000, and 799 deaths of civilians, corresponding to a rate of 9·2, as against 8·3, 9·3 and 9·0 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 9·0 per 1,000.. The infant mortality was 60 as against 40, 60 and 70 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 141 in the total deaths last week, and the deaths from influenza rose from 14 to 20. In London the number of deaths from all causes rose from 782 to 799; while the deaths from diphtheria, which had been 10, 7 and 7 in the preceding three weeks, fell to 4 last week, and those from influenza, which had been 1, 6 and 4 in the three preceding weeks, fell to 2 last week.

Just Published:

Census of England and Wales, 1921. County of Glamorgan. Price 10*s*. net.

County of Monmouth. Price 8*s*. 6*d*. net.

County of Stafford. Price 12*s*. net.

County of Warwick. Price 6*s*. 6*d*. net.

County of Worcester. Price 8*s*. net.

County of London—Tables, Part III (Supplementary), Workplaces in London and five Home Counties. Price 3*s*. net.

County of Durham. Price 12*s*. 6*d*. net.

The Registrar General's Statistical Review, 1921.

Tables, Part II. Civil. Price 5*s*. net.

Text. Price 5*s*. net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 8th September, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	7,682	3,428	471	4	14	11	35	21	150	20
London	4,534,230*	1,767	799	106	–	5	2	11	4	36	2
Towns in Outer Ring.											
Croydon C.B. ..	192,300	59	39	8	–	–	–	–	–	1	–
Wimbledon ..	61,730	18	8	2	–	–	–	–	–	–	–
Ealing	67,890	22	9	1	–	–	–	–	–	–	–
Acton	62,390	16	5	1	–	–	–	–	–	–	–
Willesden ..	168,200	63	22	1	–	–	–	–	–	1	–
Hendon	55,930	9	5	–	–	–	–	–	–	–	–
Hornsey	87,310	25	13	2	–	–	–	–	–	2	–
Wood Green ..	51,290	19	8	–	–	–	–	–	–	–	–
Tottenham ..	150,500	39	20	4	–	–	–	–	–	–	–
Edmonton ..	68,700	55	11	2	–	–	–	–	–	–	–
Enfield	62,010	23	7	2	–	–	–	–	–	1	–
West Ham C.B. ..	310,200	161	68	11	–	1	–	2	1	5	–
East Ham C.B. ..	145,800	53	24	2	–	–	–	–	1	–	–
Leyton	131,600	38	19	3	–	–	–	1	–	1	–
Walthamstow ..	129,700	41	20	1	–	–	–	–	–	–	–
Ilford	86,370	35	12	3	–	–	–	2	–	1	1
Gillingham	48,630*	22	4	–	–	–	–	–	–	–	–
Canterbury C.B ..	23,680	9	1	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	15	14	–	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	17	11	–	–	–	–	–	–	–	1
Brighton C.B. ..	135,000	31	31	1	–	–	–	–	–	2	–
Portsmouth C.B. ..	236,630*	118	41	8	1	–	–	1	3	1	–
Bournemouth C.B. ..	81,500	22	16	1	–	–	–	–	–	–	–
Southampton C.B. ..	163,700	67	29	4	–	–	–	–	–	–	–
Reading C.B.	92,990	43	12	1	1	–	–	–	–	–	–
Oxford C.B.	56,510	9	7	–	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	30	21	–	–	–	–	–	–	–	–
Luton	58,260	19	6	–	–	–	–	–	–	–	–
Cambridge	59,200	23	9	2	–	–	–	–	–	–	–
Southend-on-Sea C.B.	91,430	32	10	2	–	–	–	–	–	1	–
Ipswich C.B.	80,950	30	13	2	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	19	15	5	–	–	–	–	–	2	–
Norwich C.B ..	122,900	51	20	3	–	–	–	–	–	1	–
Swindon	55,680	24	3	–	–	–	–	–	–	–	–
Exeter C.B.	59,700	18	15	2	–	–	–	–	–	–	–
Plymouth C.B. ..	200,370*	85	41	4	–	–	–	–	–	–	1
Bath C.B.	68,530	24	13	1	–	–	–	–	–	–	–
Bristol C.B.	383,900	149	57	9	–	–	1	–	1	5	–
Gloucester C.B. ..	52,210	16	13	2	–	1	–	1	–	–	–
Stoke-on-Trent C.B.	274,300	136	46	10	1	–	–	–	–	6	1
Burton-upon-Trent C.B.	49,630	23	5	–	–	–	–	–	–	–	–
Wolverhampton C.B.	105,700	58	17	4	–	–	–	–	–	2	–
Walsall C.B.	99,890	39	23	5	–	–	–	1	–	4	–
West Bromwich C.B.	76,260	25	14	3	–	–	–	–	–	1	–
Dudley C.B.	57,860	28	6	–	–	–	–	–	–	1	–
Worcester C.B. ..	49,240	13	9	1	–	–	–	–	–	1	–
Birmingham C.B. ..	945,100	364	168	20	–	–	2	–	2	7	–
Smethwick C.B. ..	78,140	38	9	–	–	–	–	–	–	–	–
Coventry C.B. ..	131,200	49	20	2	–	–	–	–	–	–	1
Leicester C.B. ..	238,800	82	50	8	–	–	–	–	–	4	–
Lincoln C.B.	66,930	28	13	–	–	–	–	–	–	–	–
Grimsby C.B.	84,650	33	20	4	–	–	–	1	1	2	–
Nottingham C.B. ..	267,900	111	55	7	–	–	–	–	1	2	1
Derby C.B.	132,400	46	21	3	–	–	–	–	–	–	–
Chesterfield ..	63,380	28	7	1	–	1	–	–	–	1	–
Stockport C.B. ..	125,800	41	24	5	–	–	–	–	–	1	–
Chester C.B.	41,190	20	5	–	–	–	–	–	–	–	–
Birkenhead C.B. ..	149,200	80	25	2	–	–	–	–	–	1	–
Wallasey C.B. ..	89,790	27	15	2	–	–	–	–	–	–	–
Liverpool C.B. ..	826,400	400	160	32	–	3	1	1	–	15	–
Bootle C.B.	79,750	44	14	2	–	–	–	–	–	–	1
St. Helens C.B. ..	106,400	51	18	4	–	–	–	–	–	1	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	20	15	–	–	–	–	–	–	–	–
WIGAN C.B.	91,750	35	20	3	–	–	–	–	–	–	–
WARRINGTON C.B. ..	79,150	25	15	2	–	–	–	2	–	–	1
BOLTON C.B.	182,700	54	34	5	–	–	–	–	–	1	1
BURY C.B.	57,400	18	11	2	–	–	–	–	–	–	2
MANCHESTER C.B. ..	748,500	281	137	11	–	–	–	1	–	2	–
SALFORD C.B.	240,700	94	44	7	–	–	–	2	–	1	–
OLDHAM C.B.	148,300	67	43	2	–	–	–	–	1	–	1
ROCHDALE C.B... ..	92,510	23	24	1	–	–	–	1	–	–	1
BURNLEY C.B.	105,100	32	22	–	1	–	–	–	1	–	–
BLACKBURN C.B. ..	129,600	44	23	3	–	–	–	–	–	1	–
PRESTON C.B.	120,900	49	20	3	–	–	–	–	–	–	–
BLACKPOOL C.B. ..	74,050	27	19	–	–	–	1	–	–	–	–
BARROW-IN-FURNESS C.B.	75,690	24	10	–	–	–	–	–	1	–	–
HUDDERSFIELD C.B. ..	111,600	29	15	1	–	–	–	–	–	–	–
HALIFAX C.B.	100,500	22	19	2	–	–	–	–	–	–	–
BRADFORD C.B. ..	291,300	111	59	7	–	–	–	–	–	2	–
LEEDS C.B.	466,700	180	86	14	–	–	1	–	–	4	–
DEWSBURY C.B. ..	55,170	13	13	2	–	–	–	–	1	1	–
WAKEFIELD C.B. ..	53,840	22	9	2	–	–	–	1	–	–	1
BARNSLEY C.B. ..	69,540	39	14	2	–	–	–	–	–	–	–
SHEFFIELD C.B. ..	522,600	203	86	9	–	–	–	–	–	1	1
ROTHERHAM C.B. ..	69,840	25	11	1	–	–	–	–	–	–	–
DONCASTER	55,020	21	12	2	–	–	–	1	–	1	–
YORK C.B.	84,980	32	9	3	–	–	–	–	–	–	–
HULL C.B.	294,000	154	65	17	–	–	–	4	–	8	–
MIDDLESBROUGH C.B.	134,800	87	32	4	–	–	1	–	–	3	–
DARLINGTON C.B. ..	66,710	26	11	3	–	–	–	–	–	–	–
STOCKTON-ON-TEES ..	65,950	32	10	1	–	–	–	–	–	1	–
WEST HARTLEPOOL C.B.	70,020	44	13	2	–	–	–	–	1	–	1
SUNDERLAND C.B. ..	162,900	68	25	3	–	–	–	–	–	3	–
SOUTH SHIELDS C.B. ..	122,400	61	33	5	–	2	1	–	1	2	–
GATESHEAD C.B. ..	127,300	50	22	5	–	–	–	–	–	3	–
NEWCASTLE-ON-TYNE C.B.	281,600	128	38	5	–	–	–	1	–	2	–
TYNEMOUTH C.B. ..	64,640	24	10	2	–	–	–	–	–	–	–
CARLISLE C.B.	53,490	24	7	–	–	–	–	–	–	–	–
NEWPORT (MON.) C.B.	94,880	47	15	2	–	–	–	–	1	–	1
CARDIFF C.B.	223,830	138	58	15	–	–	–	1	–	5	–
RHONDDA	167,500	100	32	4	–	–	1	–	–	–	–
MERTHYR TYDFIL C.B.	82,680	38	13	1	–	–	–	–	–	–	–
ABERDARE	56,580	21	8	1	–	–	–	–	–	–	–
SWANSEA C.B.	161,000	70	31	6	–	1	–	–	–	–	1
GREATER LONDON ..	7,563,730*	2,851	1,276	172	–	6	2	16	6	55	5
OUTER RING	3,029,500*	1,084	477	66	–	1	–	5	2	19	3
16 GREAT TOWNS IN OUTER RING	1,831,920	676	290	43	–	1	–	5	2	12	1
REMAINDER OF OUTER RING	1,197,580*	408	187	23	–	–	–	–	–	7	2
EDINBURGH†	426,000	176	101	15	–	–	3	–	1	4	–
GLASGOW†	1,041,400	518	231	31	–	7	–	4	–	7	1
DUBLIN (REGISTRATION AREA)†	431,000	231	109	28	–	–	1	3	–	13	–
BELFAST†	429,000	217	91	24	–	1	–	3	–	9	–

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } **Births and Deaths for last available period**

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years)	Influenza.
London‡	4,534,230	1923. Sept. 8	1767	799	9·2	–	–	5	2	11	4	36	2
Calcutta	896,067	Aug. 4	?	529§	30·3	?	1	?	?	?	?	?	5
Bombay	1,220,120	July 14	340‖	543§	23·1	1	8	2	?	–	–	44	1
Madras	526,911	„ 28	465	333	32·9	–	–	1	?	1	–	47	–
Sydney and Suburbs	955,900	July											
Brisbane (Metropolitan Area).	230,200	May (31 days)	524	206	10·7	–	–	–	–	–	–	1	–
Perth (Metropolitan Area).	161,773	July 21	74	22	7·1	–	–	–	–	1	–	–	–
Auckland (Urban Area).	167,760	June (30 days)	252	137	9·7	–	–	–	–	–	–	–	–
Wellington (Urban Area).	112,070	„	174	82	8·8	–	–	–	–	–	2	–	–
Christchurch (Urban Area).	113,400	„	159	94	10·0	–	–	1	–	–	–	–	–
Cape Town	106,727	Aug. 4	50	27	13·2	–	–	1	–	–	–	1	–
Johannesburg	156,858	„ 4	80	35	11·6	–	–	–	–	–	1	–	–
Durban	50,488	„ 4	15	6	6·2	1	–	–	–	–	–	–	–
Paris	2,906,472	„ 20 (10 days)	1457	927	11·7	3	–	2	–	2	4	100	–
Antwerp	302,711	July 14											
Amsterdam	700,965	Aug. 18	244	111	8·3	1	–	–	–	2	–	1	–
Copenhagen	570,000	„ 25	200	118	10·8	–	–	–	–	–	1	2	–
Stockholm	424,944	„ 18	115	77	9·4	–	–	–	2	–	1	–	–
Gothenburg	228,074	„ 11	?	41	9·3	–	–	–	–	–	–	–	–
Christiania	258,962	„ 25	72	46	9·2	–	–	–	–	–	–	–	–
Berlin	1,989,000	„ 4	334	443	11·6	–	?	1	–	3	–	3	–
Breslau	562,000	„ 4	207	116	10·7	–	?	2	–	–	1	12	–
Cologne	701,000	„ 4	216	166	12·3	–	?	1	–	–	–	21	–
Dresden	612,000	„ 4	179	149	12·7	–	?	1	1	–	2	3	–
Frankfort-on-Main..	475,000	„ 4	67	68	7·4	–	?	–	–	–	1	3	–
Hamburg	1,077,000	„ 4	252	206	9·9	–	?	–	–	–	2	–	–
Leipzig	682,000	„ 4	178	164	12·5	–	?	1	–	–	–	6	–
Munich	685,000	„ 4	154	165	12·5	–	?	2	–	–	–	3	–
Vienna	1,841,326	June 30	572	560	16·5	3	–	2	3	2	1	9	–
Prague and Suburbs	697,111	July 15 (15 days)	547	371	12·9	1	–	1	–	–	–	7	–
Budapest	946,000	July 21	326	379	20·8	1	–	9	1	9	1	32	–
Warsaw	956,087	„ 28	317	266	14·5	1	–	1	2	2	–	39	–
Cairo	791,000	June 10	767	1172	77·0	8	1	49	–	?	3	345	–
Alexandria	466,700	„ 10	317	412§	45·9	–	–	4	–	?	–	106	–
New York	5,927,617	July 28	2396	1063	9·4	2	–	3	2	8	9	53	–
Chicago	2,886,121	Aug. 11	?	492	8·9	1	–	1	2	3	4	18	–
Rio de Janeiro ..	1,297,798	July 21	683	422	16·9	1	–	2	–	4	2	?	–
Montevideo	348,951	May 26	233	144	20·6	2	–	–	–	–	–	3	–

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vien Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *yea age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 19 deaths from Asiatic Cholera in Calcutta and from Plague, 4 in Bombay, and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 8th September, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	799	106	19	23	13	33	31	64	92	131	164	123
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	1	2	2	–	–	–	–	–	–	–	–
Scarlet fever	2	–	–	2	–	–	–	–	–	–	–	–
Whooping cough	11	7	3	1	–	–	–	–	–	–	–	–
Diphtheria	4	–	–	3	1	–	–	–	–	–	–	–
Influenza	2	–	–	1	–	–	–	–	1	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis	2	–	–	–	1	1	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	1	–	–	1	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	65	–	–	1	1	11	11	17	16	6	1	1
Nervous system	7	1	1	1	1	1	1	1	–	–	–	–
Intestines and peritoneum	2	–	–	–	–	–	1	1	–	–	–	–
Other forms	3	–	–	2	–	–	–	–	1	–	–	–
Venereal diseases	4	1	–	–	–	–	–	–	2	–	–	1
Cancer	112	–	–	–	–	1	5	6	23	31	35	11
Rheumatic fever	2	–	–	–	1	–	–	1	–	–	–	–
Diabetes	14	–	–	–	–	–	3	1	2	3	5	–
Alcoholism	1	–	–	–	–	–	–	1	–	–	–	–
Simple meningitis	3	1	1	1	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	45	–	–	–	–	1	–	2	3	12	18	9
Epilepsy	4	–	–	–	–	2	–	–	1	1	–	–
"Convulsions" (not puerperal) ..	1	1	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	25	–	1	–	2	1	–	5	3	4	3	6
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	9	–	–	–	3	1	1	3	1	–	–	–
Other diseases of heart	106	–	–	–	–	2	1	8	9	32	31	23
Other diseases of circulatory system	41	–	–	–	–	–	–	1	2	9	16	13
Bronchitis	28	2	–	1	–	–	–	2	1	4	5	13
Broncho-pneumonia	23	7	1	2	–	1	1	2	1	1	4	3
Lobar-pneumonia	16	2	1	–	–	–	–	2	2	6	1	2
Pneumonia (type not distinguished) ..	3	–	–	–	–	–	–	–	2	–	1	–
Other diseases of respiratory system	3	–	–	–	–	–	–	–	1	1	–	1
Diarrhœa and enteritis	41	29	7	1	–	1	–	–	–	1	1	1
Appendicitis, Typhlitis	3	–	–	–	1	1	–	1	–	–	–	–
Hernia, Intestinal obstruction	8	3	–	–	–	–	–	–	1	1	2	1
Cirrhosis of liver	6	–	–	–	–	–	–	–	3	1	2	–
Other diseases of digestive system ..	15	–	–	–	–	1	2	4	2	3	3	–
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	27	–	–	–	–	1	1	2	5	7	9	2
Other diseases of genito-urinary system.	19	–	–	–	1	1	1	–	3	4	5	4
Puerperal sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other causes incident to childbirth ..	2	–	–	–	–	1	1	–	–	–	–	–
Congenital malformations	5	5	–	–	–	–	–	–	–	–	–	–
Premature birth	27	27	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	13	13	–	–	–	–	–	–	–	–	–	–
Old age..	34	–	–	–	–	–	–	–	–	1	7	26
Suicide	6	–	–	–	–	–	1	2	–	–	2	1
Burns and scalds	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	5	–	–	–	–	4	–	–	1	–	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	5	–	–	1	1	1	–	–	–	–	2	–
Other deaths by violence	11	1	1	1	–	–	–	1	2	1	3	1
Other specified causes	27	5	–	2	–	–	1	1	4	2	8	4
Ill-defined causes	1	–	1	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 8th September, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	2	179	143	8	44	C. 5 E. 11 F. 1 M. 16
†CITY OF LONDON	–	2	–	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	8	4	–	2	E. 3 M. 1
†BERMONDSEY ...	–	5	5	–	1	–
†BETHNAL GREEN	–	10	8	–	2	–
†CAMBERWELL ...	–	7	11	–	–	C. 1 M. 1
†CHELSEA	–	5	2	–	–	–
†DEPTFORD ...	–	1	7	–	1	F. 1
†FINSBURY ...	1	6	4	–	2	C. 1 M. 1
†FULHAM	–	7	6	–	2	M. 1
†GREENWICH ...	–	–	2	1	–	C. 1
†HACKNEY ...	–	6	3	–	1	M. 1
†HAMMERSMITH ...	–	3	4	–	1	M. 2
†HAMPSTEAD ...	–	1	1	–	–	–
†HOLBORN... ...	–	1	2	–	1	–
†ISLINGTON ...	–	36	11	2	–	M. 1
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	6	4	–	–	C. 1 E. 1
†LAMBETH ...	–	13	11	–	5	M. 1
†LEWISHAM ...	–	4	6	–	1	–
†PADDINGTON ...	1	4	4	2	4	–
†POPLAR	–	1	1	–	2	M. 1
†ST. MARYLEBONE	–	2	1	–	–	E. 1
†ST. PANCRAS ...		9	6	1	4	–
†SHOREDITCH ...	–	18	4	–	2	M. 1
†SOUTHWARK ...	–	1	10	–	3	C. 1 M. 1
†STEPNEY	–	5	10	1	4	–
†STOKE NEWINGTON	–	–	2	–	–	M. 1
†WANDSWORTH ...	–	11	13	–	5	E. 5 M. 1
†WESTMINSTER, CITY OF	–	3	1	1	–	M. 1
†WOOLWICH ...	–	4	–	–	1	E. 1 M. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	2	3	1	2	–
Boroughs and Urban Districts:—						
†BEDFORD ...	–	–	1	–	–	–
LEIGHTON BUZZARD	–	1	–	–	–	–
†LUTON	–	1	1	1	–	–
Rural Districts:—						
BIGGLESWADE ...	–	–	1	–	2	–
BERKS	–	8	1	1	1	M. 2
†READING C.B. ...	–	3	–	1	1	–
Boroughs and Urban Districts:—						
ABINGDON ...	–	–	1	–	–	–
Rural Districts:—						
ABINGDON ...	–	4	–	–	–	–
COOKHAM ...	–	–	–	–	–	M. 1
WALLINGFORD ...	–	–	–	–	–	M. 1
WANTAGE ...	–	1	–	–	–	–
BUCKINGHAM ...	–	9	–	–	1	–
Boroughs and Urban Districts:—						
BUCKINGHAM ...	–	1	–	–	–	–
†CHEPPING WYCOMBE ...	–	2	–	–	–	–
CHESHAM... ...	–	1	–	–	–	–
LINSLADE ...	–	2	–	–	–	–
†WOLVERTON ...	–	1	–	–	–	–
Rural Districts:—						
WING	–	1	–	–	–	–
WYCOMBE ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER	–	45	13	–	11	C. 1 F. 1
†BIRKENHEAD C.B.	–	6	4	–	6	–
†CHESTER C.B. ...	–	3	2	–	1	–
†STOCKPORT C.B.	–	5	–	–	–	F. 1
†WALLASEY C.B. ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	2	–	–	1	–
†BEBINGTON AND BROMBOROUGH	–	3	1	–	–	–
BUGLAWTON ...	–	1	1	–	–	–
†CONGLETON ...	–	1	1	–	–	–
†CREWE	–	1	–	–	1	–
†DUKINFIELD ...	–	1	–	–	–	–
HALE	*	*	*	*	*	*
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE	–	1		–	–	C. 1
†MACCLESFIELD ...	–	–	1	–	–	–
MARPLE	–	1	–	–	–	–
NANTWICH ...	–	1	–	–	–	–
†NORTHWICH ...	–	3	–	–	–	–
†SALE	–	1	–	–	–	–
SANDBACH ...	–	2	–	–	–	–
WILMSLOW ...	–	2	–	–	–	–
†WINSFORD ...	*	*	*	*	*	*
Rural Districts:—						
BUCKLOW ...	–	–	–	–	1	–
DISLEY	–	2	–	–	–	–
MACCLESFIELD ...	–	2	1	–	–	–
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...	–	–	1	–	–	–
RUNCORN... ...		3	1	–	–	–
CORNWALL ...	–	1	5	6	–	–
Boroughs and Urban Districts:—						
PAUL	–	–	–	1	–	–
†PENZANCE ..	–	–	–	2	–	–
REDRUTH ...	*	*	*	*	*	*
TORPOINT ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL—*cont.*						
Rural Districts :—						
CALSTOCK ...	–	–	2	–	–	–
CAMELFORD ...	–	–	2	–	–	–
LAUNCESTON ..	–	–	1	–	–	–
SAINT AUSTELL	–	–	–	1	–	–
WEST PENWITH...	–	–	–	2	–	–
CUMBERLAND ...	–	9	4	–	–	C 2 F. 1
†CARLISLE C.B. ...	–	3	–	–	–	C. 1
Boroughs and Urban Districts :—						
CLEATOR MOOR ...	–	1	–	–	–	–
COCKERMOUTH ...	–	1	–	–	–	–
†MARYPORT ...	–	–	3	–	–	–
Rural Districts :—						
BOOTLE	–	1	–	–	–	–
CARLISLE ...	–	–	1	–	–	–
COCKERMOUTH ...	–	3	–	–	–	F. 1
†WHITEHAVEN ...	–	–	–	–	–	C. 1
DERBY	1	30	8	1	4	C. 1
†DERBY C.B. ...	–	9	–	–	3	–
Boroughs and Urban Districts :—						
†CHESTERFIELD ...	–	–	1	–	1	–
DRONFIELD ...	–	1	–	–	–	–
†HEANOR	–	4	–	–	–	–
†ILKESTON ...	–	–	–	1	–	–
†LONG EATON ...	1	2	–	–	–	–
NEW MILLS ...	–	1	–	–	–	C. 1
†RIPLEY	–	1	–	–	–	–
WIRKSWORTH ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts :—						
BELPER	–	1	1	–	–	–
BLACKWELL ...	–	2	2	–	–	–
CHAPEL EN LE FRITH	–	4	–	–	–	–
CHESTERFIELD ..	–	2	2	–	–	–
GLOSSOP DALE ...	–	2	–	–	–	–
SHARDLOW ...	–	1	1	–	–	–
DEVON	–	12	1	4	2	C. 1 M. 2
†EXETER C.B. ...	–	1	–	–	1	–
†PLYMOUTH C.B....	–	1	1	–	–	M. 1
Boroughs and Urban Districts :—						
†BARNSTAPLE ...	–	–	–	–	1	–
BRIXHAM ...	*	*	*	*	*	*
DAWLISH... ...	–	–		1	–	–
†EXMOUTH ...	–	2	–	–	–	–
HONITON	*	*	*	*	*	*
†NEWTON ABBOT...	–	2	–	1	–	–
OKEHAMPTON ...	*	*	*	*	*	*
†PAIGNTON ...	–	3	–	–	–	–
SIDMOUTH ...	–	–	–	–	–	C. 1
†TEIGNMOUTH ...	–	–	–	1	–	–
†TORQUAY ...	–	1	–	–	–	–
Rural Districts :—						
CREDITON ...	–	1	–	–	–	–
HOLSWORTHY ...	–	1	–	–	–	–
HONITON ...	*	*	*	*	*	*
NEWTON ABBOT...	–	–	–	–	–	M. 1
OKEHAMPTON ...	*	*	*	*	*	*
TOTNES	–	–	–	1	–	–
DORSET	–	5	–	4	–	E. 1
Boroughs and Urban Districts :—						
BRIDPORT ...	*	*	*	*	*	*
†POOLE	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DORSET—*cont.*						
Boroughs and Urban Districts—*cont.*						
SHERBORNE ...	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	–	E. 1
Rural Districts:—						
DORCHESTER ...	–	–	–	1	–	–
POOLE	–	4	–	2	–	–
DURHAM	–	93	16	3	17	D. 1 M. 15
†DARLINGTON C.B.	–	1	1	–	1	–
†GATESHEAD C.B.	–	2	–	–	–	M. 2
†SOUTH SHIELDS C.B.	–	10	1	–	5	M. 2
†SUNDERLAND C.B.	–	5	2	–	1	D. 1 M. 3
†WEST HARTLEPOOL C.B.	–	5	–	–	2	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	5	–	–	–
BENFIELDSIDE ...	–	–	–	–	–	M. 1
†BLAYDON... ...	–	1	–	–	–	–
†BRANDON AND BYSHOTTLES	–	1	–	–	–	–
†CHESTER LE STREET	–	5	–	–	–	–
†CROOK	–	–	1	–	–	–
†DURHAM	–	1	–	–	–	–
†FELLING	–	2	–	–	1	–
†HEBBURN ...	–	1	–	–	–	–
†HETTON	–	2	–	–	–	–
†HOUGHTON LE SPRING	–	–	1	–	–	–
†JARROW	–	3	–	–	1	–
†SHILDON						M. 1
†STANLEY	–	1	1	–	1	M. 1
†STOCKTON ON TEES	–	5	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TANFIELD ...	–	1	–	–	–	–
†WASHINGTON ..	–	–	–	–	1	–
†WHICKHAM ...	–	2	1	–	–	–
WILLINGTON ...	*	*	*	*	*	*
Rural Districts:—						
AUCKLAND ...	–	8	3	2	–	–
CHESTER LE STREET	–	5	–	–	–	M. 4
DURHAM	–	2	–	–	–	–
EASINGTON ...	–	6	–	–	2	–
HARTLEPOOL ...	–	4	–	–	–	–
HOUGHTON LE SPRING	–	3	–	–	1	–
LANCHESTER ...	–	1	–	–	–	–
SEDGEFIELD ..	–	4	–	–	–	–
SOUTH SHIELDS...	–	3	–	1	–	–
SUNDERLAND ...	–	3	–	–	–	M. 1
WEARDALE ...	–	4	–	–	–	–
ESSEX	–	30	35	5	11	M. 2
†EAST HAM C.B. ...	–	–	4	–	1	–
†SOUTHEND-ON-SEA C.B.	–	1	6	–	3	M. 1
†WEST HAM C.B. ...	–	10	12	–	1	–
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	1	1	–	3	–
BRENTWOOD ...	–	–	–	–	–	M. 1
†COLCHESTER ...	–	–	–	3	–	–
†GRAYS THURROCK	–	–	4	–	–	–
†ILFORD	–	4	2	1	–	–
†LEYTON	–	1	2	–	1	–
MALDON	–	1	–	–	–	–
†WALTHAMSTOW...	–	5	1	–	–	–
†WOODFORD ...	–	2	1	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts:—						
ONGAR	*	*	*	*	*	*
ROCHFORD ...	–	–	1	–		–
ROMFORD... ...	–	5	1	–	–	–
TENDRING ...	–	–	–	1	–	–
GLOUCESTER ...	5	19	13	4	4	L. 1 M. 3
†BRISTOL C.B. ...	–	9	11	3	1	L. 1 M. 3
†GLOUCESTER C.B.	5	2	–	1	2	–
Boroughs and Urban Districts:—						
STOW ON THE WOLD	*	*	*	*	*	*
Rural Districts:—						
DURSLEY	–	–	–	–	1	–
NORTHLEACH ...	–	–	2	–	–	–
TEWKESBURY (part)	–	2	–	–	–	–
THORNBURY ...	–	1	–	–	–	–
WARMLEY ...	–	3	–	–		–
WEST DEAN ...	–	1	–	–	–	–
WINCHCOMB (part)	–	1	–	–	–	–
HEREFORD ...	–	–	3	–	–	–
Rural Districts:—						
DORE	–	–	1	–	–	–
KINGTON	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...	–	3	3	–	–	–
Boroughs and Urban Districts:—						
†HERTFORD ...	–	–	1	–	–	–
ROYSTON	–	1	–	–	–	–
WARE	–	–	1	–	–	–
Rural Districts:—						
HADHAM	–	1	–	–	–	–
HERTFORD ...	–	1	–	–	–	–
ST. ALBANS ...	–	–	1	–	–	–
HUNTINGDON ...	–	–	–	–	–	–
Rural Districts:—						
ST. NEOTS, NO. 2	*	*	*	*	*	*
KENT	–	26	10	3	3	E. 3 M. 2
Boroughs and Urban Districts:—						
†ASHFORD... ...	–	–	–	–	1	–
†BECKENHAM ...	–	–	1	–	–	–
†BEXLEY	–	–	–	–	–	E. 1
†BROMLEY ...	–	1	–	–	–	–
†CRAYFORD ...	–	–	–	–	–	E 2
†DARTFORD ...	–	–	1	–	–	–
†ERITH	–	3	–	–	–	–
†FOLKESTONE ...	–	5	1	–	–	M. 1
†GILLINGHAM ...	–	7	2	–	–	–
†RAMSGATE ...	–	1	1	–	–	–
†ROCHESTER ...	–	1	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	3	–	–	–	–
SEVENOAKS ...	–	1	–	–	–	–
†SHEERNESS ...	–	1	–	–	–	–
WHITSTABLE ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts:—						
BROMLEY ...	–	1	–	–	–	–
DARTFORD ..	–	1	–	–	–	–
FAVERSHAM ...	–	–	1	–	1	–
ISLE OF THANET	–	–	1	–	–	–
MAIDSTONE ...	–	–	1	1	–	–
MALLING	–	1	–	1	–	–
MILTON	–	–	–	1	–	–
ROMNEY MARSH	–	–	1	–	–	–
SEVENOAKS ...	–	–	–	–	–	M. 1
SHEPPEY	*	*	*	*	*	*
LANCASTER ..	–	192	65	10	84	C. 3 E. 6 M. 26
†BARROW IN FURNESS C.B.	–	2	1	–	–	–
†BLACKBURN C.B.	–	2	–	–	4	C. 1
†BLACKPOOL C.B.	–	4	2	–	1	C. 1 M. 1
†BOLTON C.B. ...	–	13	–	–	2	–
†BOOTLE C.B. ...	–	1	2	1	–	M. 1
†BURNLEY C.B. ...	–	1	3	–	2	–
†BURY C.B. ...	–	2	–	–	2	–
†LIVERPOOL C.B. ...	–	48	15	–	14	E. 5 M. 15
†MANCHESTER C.B.	–	31	9	2	16	M. 1
†OLDHAM C.B. ...	–	–	–	–	3	–
†PRESTON C.B. ...	–	5	2	–	–	M. 1
†ROCHDALE C.B. ...	–	4	–	–	–	–
†ST. HELENS C.B. ...	–	4	1	–	1	M. 2
†SALFORD C.B. ...	–	17	6	–	4	M. 2
†SOUTHPORT C.B.	–	–	1	–	2	–
†WARRINGTON C.B.	–	1	1	–	6	M. 1
†WIGAN C.B. ...	–	2	–	2	2	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	1	–	–	–	–
†ASHTON IN MAKERFIELD	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ASHTON UNDER LYNE	–	1	–	–	–	–
†ATHERTON ...	–	–	1	–	–	–
BARROWFORD ...	*	*	*	*	*	*
BILLINGE... ...	–	–	–	–	1	–
†CHADDERTON ...	–	–	1	–	–	–
†CHORLEY	–	–	1	–	–	–
†COLNE	–	1	–	–	1	–
†CROMPTON ...	–	–	–	–	–	M. 1
†DARWEN	–	1	–	–	–	–
†DROYLSDEN ...	–	–	–	–	1	–
†FAILSWORTH ...	–	–	1	–	–	–
†FARNWORTH ...	–	–	–	–	1	–
†FLEETWOOD ...	–	–	1	–	1	–
†GREAT CROSBY ...	–	2	–	–	–	–
†GREAT HARWOOD	–	1	–	–	–	–
†HASLINGDEN ...	–	–	–	–	1	–
†HAYDOCK ...	–	–	–	1	1	–
†HEYWOOD ...	–	8	–	–	–	–
†HINDLEY... ...	–	1	1	–	4	–
†HORWICH ...	–	–	–	–	1	–
†INCE IN MAKERFIELD	–	1	1	3	–	–
†LANCASTER ...	–	2	–	–	1	–
LATHOM AND BURSCOUGH	–	–	1	–	1	–
†LEIGH	–	1	2	–	–	M. 1
LEYLAND... ...	–	–	–	–	–	E. 1
†LITTLEBOROUGH	–	1	–	–	–	–
†LYTHAM, ST. ANNE'S	–	1	–	–	–	–
†MIDDLETON ...	–	1	–	–	1	–
†MOSSLEY	–	4	–	–	–	–
†NELSON	–	–	–	–	–	C. 1
†NEWTON IN MAKERFIELD	–	1	–	–	2	–
†RADCLIFFE ...	–	–	–	–	3	–
†RAMSBOTTOM ...	–	–	1	–	–	–
RISHTON	–	–	–	–	1	–
SKELMERSDALE...	–	1	–	–	–	–
†STRETFORD... ...	–	3	1	–	–	–
†SWINTON AND PENDLEBURY	–	4	–	–	–	–
THORNTON ...	–	–	2	–	–	–
†TURTON	–	4	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ULVERSTON ...	–	2	–	–	–	–
†WALTON LE DALE	–	1	1	–	–	–
WHITWORTH ...	–	–	–	1	–	–
†WIDNES	–	4	1	–	–	–
†WORSLEY... ...	–	1	–	–	–	–
Rural Districts:—						
CHORLEY	–	–	1	–	1	–
GARSTANG ...	–	–	1	–	–	–
LEIGH	–	3	2	–	–	–
LIMEHURST ...	–	1	–	–	–	–
WARRINGTON ...	–	1	–	–	–	–
WEST LANCASHIRE	–	–	1	–	–	–
LEICESTER... ...	–	16	7	3	2	M. 1
†LEICESTER C.B. ...	–	11	3	–	1	M. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	1	–	–	–	–
MARKET HARBOROUGH	–	1	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	2	–	–	–
BARROW UPON SOAR	–	1	–	2	1	–
BLABY	–	1	–	–	–	–
HINCKLEY ...	–	–	1	–	–	–
MARKET BOSWORTH	–	–	1	–	–	–
MELTON MOWBRAY	–	–	–	1	–	–
LINCOLN (parts of Holland).	–	1	–	–	–	–
Boroughs and Urban Districts—						
†SPALDING ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	*	*	*	*	*	*
Rural Districts:—						
BOURNE	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	6	6	–	3	C. 1 M. 1
†GRIMSBY C.B. ...	–	–	2	–	–	–
†LINCOLN C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	4	1	–	2	–
WOODHALL SPA...	–	–	–	–	1	–
Rural Districts:—						
GAINSBOROUGH...	*	*	*	*	*	*
LOUTH	–	–	3	–	–	C. 1 M. 1
MIDDLESEX ...	–	31	21	1	6	E. 1 M. 3
Boroughs and Urban Districts:—						
†ACTON	–	6	–	–	–	–
†BRENTFORD ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis · G Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EDMONTON ...	–	3	3	–	1	M. 1
†ENFIELD	–	–	–	–	–	M. 1
†FINCHLEY ...	–	1	1	–	–	–
†FRIERN BARNET	*	*	*	*	*	*
†HANWELL ...	–	1	2	–	–	–
†HENDON	–	–	3	1	–	–
†HESTON AND ISLEWORTH	–	–	1	–	5	–
†HORNSEY... ...	–	7	6	–	–	–
STAINES	–	–	1	–	–	–
†TOTTENHAM ...	–	3	3	–	–	–
†UXBRIDGE ...	–	–	–	–	–	M. 1
†WEALDSTONE ...	–	2	–	–	–	–
†WILLESDEN ...	–	3	7	–	–	–
†WOOD GREEN ...	–	–	–	–	–	E. 1
Rural Districts:—						
STAINES	–	3	4	–	–	–
NORFOLK	–	24	3	4	2	C. 1
†GREAT YARMOUTH C.B.	–	5	–	–	–	–
†NORWICH C.B. ...	–	14	2	–	1	–
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	–	1	–	–
NEW HUNSTANTON	–	–	–	1	–	–
Rural Districts:—						
EAST AND WEST FLEGG	–	–	–	1	–	–
MITFORD AND LAUNDITCH	–	2	–	–	–	–
ST. FAITH'S ...	–	3	–	–	–	–
SMALLBURGH ...	–	–	1	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
WALSINGHAM ...	–	–	–	1	–	–
WAYLAND ...	–	–	–	–	1	–
NORTHAMPTON ...	–	29	–	–	3	C. 1
†NORTHAMPTON C.B.	–	11	–	–	3	–
Boroughs and Urban Districts:—						
†KETTERING ...	–	7	–	–	–	–
†WELLINGBOROUGH	–	6	–	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	2	–	–	–	–
DAVENTRY ...	–	1	–	–	–	–
EASTON ON THE HILL	–	–	–	–	–	C. 1
HARDINGSTONE ...	–	1	–	–	–	–
OXENDEN... ...	–	1	–	–	–	–
NORTHUMBERLAND	–	40	10	3	10	M. 4
†NEWCASTLE UPON TYNE C.B.	–	11	3	–	6	M. 1
†TYNEMOUTH C.B.	–	3	3	2	–	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	3	–	–	–	–
†BEDLINGTONSHIRE	–	3	–	–	–	–
†BERWICK UPON TWEED	*	*	*	*	*	*
†BLYTH	–	–	–	–	1	M. 1
CRAMLINGTON ...	–	3	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Boroughs and Urban Districts—*cont.*						
†EARSDON	–	–	2	–	–	–
†GOSFORTH ...	–	1	–	–	–	–
HEXHAM	–	–	–	1	–	M. 1
†LONGBENTON ...	–	1	–	–	–	–
MORPETH... ...	–	2	–	–	–	–
†NEWBURN ...	–	1	1	–	1	–
PRUDHOE... ...	–	–	–	–	1	–
SEGHILL	–	–	1	–	–	–
†WALLSEND ...	–	1	–	–	–	–
WEETSLADE ...	–	1	–	–	–	–
†WHITLEY AND MONKSEATON	–	1	–	–	–	–
Rural Districts:—						
ALNWICK... ...	–	2	–	–	–	–
CASTLE WARD ..	–	5	–	–	–	–
HALTWHISTLE ...	*	*	*	*	*	*
HEXHAM	–	–	–	–	–	M. 1
MORPETH... ...	–	2	–	–	–	–
NOTTINGHAM ...	5	28	14	1	3	C. 1 M. 4
†NOTTINGHAM C.B.	3	10	10	–	1	C. 1 M. 4
Boroughs and Urban Districts:—						
†ARNOLD	–	1	–	–	1	–
†BEESTON	–	2	–	–	–	–
†CARLTON	–	4	1	–	–	–
†HUCKNALL ...	2	1	–	–	1	–
†KIRKBY IN ASHFIELD	–	2	–	–	–	–
†MANSFIELD ...	–	1	–	–	–	–
†NEWARK	–	1	1	–	–	–
†SUTTON IN ASHFIELD	–	3	–	–	–	–
†WORKSOP... ...	–	1	–	–	–	–
Rural Districts:—						
BASFORD	–	–	–	1	–	–
NEWARK	–	–	2	–	–	–
STAPLEFORD ...	–	2	–	–	–	–
OXFORD	–	5	–	1	–	C. 1
†OXFORD C.B. ...	–	2	–	–	–	–
Rural Districts:—						
CHIPPING NORTON	–	–	–	1	–	–
HEADINGTON ...	–	3	–	–	–	–
WOODSTOCK ...	–	–	–	–	–	C. 1
PETERBOROUGH (Soke of)	–	1	1	–	–	–
Borough:—						
†PETERBOROUGH...	–	1	1	–	–	–
SALOP	–	7	1	–	–	M. 1
Boroughs and Urban Districts:—						
OSWESTRY ...	–	3	–	–	–	–
Rural Districts:—						
BRIDGNORTH ...	–	1	–	–	–	–
CLEOBURY MORTIMER	–	–	1	–	–	–
NEWPORT ...	–	1	–	–	–	–
OSWESTRY ...	–	2	–	–	–	M. 1
SOMERSET	–	18	3	–	4	E. 1 M. 3
†BATH C.B. ...	–	2	–	–	–	M. 1
Boroughs and Urban Districts:—						
ILMINSTER ...	–	–	–	–	–	M. 1
MIDSOMER NORTON	–	1	–	–	–	–
RADSTOCK ...	–	–	1	–	–	–
SHEPTON MALLET	–	–	1	–	–	–
†TAUNTON... ...	–	–	–	–	1	–
WIVELISCOMBE ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts:—						
AXBRIDGE ..	–	–	–	–	1	E. 1 M. 1
BATH	–	2	–	–	–	–
BRIDGWATER ...	–	1	1	–	–	–
CHARD	–	3	–	–	–	–
KEYNSHAM ...	–	6	–	–	–	–
LONG ASHTON ...	–	3	–	–	–	–
TAUNTON ...	–	–	–	–	1	–
WELLS	–	–	–	–	1	–
SOUTHAMPTON ...	–	30	17	2	1	C. 1 G. 1 M. 1
†BOURNEMOUTH C.B.	–	1	–	–	–	–
†PORTSMOUTH C.B.	–	8	10	–	–	G. 1
†SOUTHAMPTON C.B.	–	10	5	–	1	M. 1 C. 1
Boroughs and Urban Districts:—						
†FAREHAM ...	–	1	–	–	–	–
†FARNBOROUGH ...	–	1	–	–	–	–
†GOSPORT	–	–	–	1	–	–
LYMINGTON ...	*	*	*	*	*	*
PETERSFIELD ...	–	1	–	–	–	–
WARBLINGTON ...	–	1	–	–	–	–
†WINCHESTER ...	–	2	1	–	–	–
Rural Districts:—						
FAREHAM ...	–	1	1	–	–	–
HARTLEY WINTNEY	–	1	–	–	–	–
HURSLEY... ...	–	1	–	–	–	–
NEW FOREST ...	–	1	–	1	–	–
SOUTH STONEHAM	–	1	–	–	–	–
STAFFORD	–	72	13	1	21	C. 2 D. 1 M. 6
†BURTON UPON TRENT C.B.	–	3	1	–	–	–
†SMETHWICK C.B.	–	–	1	–	1	C. 1 D. 1
STAFFORD—*cont.*						
†STOKE ON TRENT C.B.	–	16	4	1	7	C. 1 M. 2
†WALSALL C.B. ...	–	2	1	–	3	M. 3
†WEST BROMWICH C.B.	–	–	1	–	2	–
†WOLVERHAMPTON C.B.	–	3	1	–	–	–
Boroughs and Urban Districts:—						
†AUDLEY	–	1	–	–	–	–
BIDDULPH ...	–	5	–	–	–	–
†BILSTON	–	1	–	–	–	–
†BROWNHILLS ...	–	–	1	–	–	–
†CANNOCK	–	–	1	–	–	–
†DARLASTON ...	–	2	–	–	–	–
†LEEK		3	–	–	–	–
LICHFIELD ...	–	–	–	–	–	M. 1
†NEWCASTLE UNDER LYME	–	3	–	–	–	–
PERRY BARR ...	–	2	–	–	–	–
†ROWLEY REGIS ...	–	–	–	–	1	–
RUGELEY	–	4	–	–	1	–
†SEDGLEY	–	3	–	–	2	–
SHORT HEATH ...	–	1	–	–	–	–
†STAFFORD ..	–	9	–	–	1	–
TAMWORTH ..	–	1	–	–	–	–
†TIPTON	–	–	–	–	1	–
†WEDNESBURY ...	–	–	–	–	1	–
WEDNESFIELD ...	–	2	–	–	–	–
†WOLSTANTON UNITED	–	–	1	–	–	–
Rural Districts:—						
CANNOCK	–	2	–	–	–	–
CHEADLE... ...	–	1	1	–	1	–
KINGSWINFORD ...	–	2	–	–	–	–
LICHFIELD ...	–	2	–	–	–	–
TUTBURY... ...	–	2	–	–	–	–
WALSALL... ...	–	2	–	–	–	–
SUFFOLK, EAST ..	–	9	2	–	2	M. 2
†IPSWICH C.B. ...	–	1	1	–	2	M 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Boroughs and Urban Districts:—						
†FELIXSTOWE ...	–	3	–	–	–	–
†LOWESTOFT ...	–	4	–	–	–	–
Rural Districts:—						
EAST STOW ...	–	–	–	–	–	M. 1
HARTISMERE ...	–	1	–	–	–	–
MUTFORD AND LOTHINGLAND	–	–	1	–	–	–
SUFFOLK, WEST ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
NEWMARKET ...	–	4	–	–	–	–
Rural Districts:—						
THEDWASTRE ...	–	1	–	–	–	–
SURREY	–	19	11	–	1	E. 2 G. 1 M. 1
†CROYDON C.B. ...	–	3	4	–	–	–
Boroughs and Urban Districts:—						
†BARNES	–	2	–	–	–	G. 1
†BEDDINGTON AND WALLINGTON	–	1	–	–	–	–
†CHERTSEY ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	1	–	–	–	–
EAST AND WEST MOLESEY	–	1	–	–	–	–
HASLEMERE ...	–	–	–	–	–	E. 1
†KINGSTON ON THAMES	–	4	–	–	–	M. 1
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MITCHAM... ...	–	–	–	–	1	E. 1
†RICHMOND ...	–	–	2	–	–	–
†SURBITON ...	–	3	1	–	–	–
†THE MALDENS AND COOMBE	–	1	–	–	–	–
†WOKING	–	1	–	–	–	–
Rural Districts:—						
CHERTSEY ...	–	–	1	–	–	–
†GUILDFORD ...	–	–	2	–	–	–
HAMBLEDON ...	–	1	–	–	–	–
REIGATE	–	–	1	–	–	–
SUSSEX, EAST ...	–	10	6	2	1	E. 1
†BRIGHTON C.B. ...	–	5	3	–	–	–
†EASTBOURNE C.B	–	–	1	–	–	–
†HASTINGS C.B. ...	–	–	–	–	–	E. 1
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	2	–	–	–	–
HOVE	–	1	–	–	–	–
Rural Districts:—						
BATTLE	–	–	–	1	–	–
EAST GRINSTEAD	–	2	1	1	–	–
UCKFIELD ...	–	–	1	–	1	–
SUSSEX, WEST ...	–	2	2	1	1	–
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	1	–	1	–
†WORTHING ...	–	1	–		–	–
Rural Districts:—						
MIDHURST ...	–	–	1	–	–	–
WESTBOURNE ...	–	–	–	1	–	–
WESTHAMPNETT	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK	–	35	35	7	23	C. 5 E. 1 G. 2 M. 6
†BIRMINGHAM C.B.	–	26	32	1	12	C. 5 E. 1 G. 2 M. 5
†COVENTRY C.B. ...	–	5	–	1	–	M. 1
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	–	–	1	–
†NUNEATON ...	–	–	–	–	3	–
†ROYAL LEAMINGTON SPA	–	–	–	3	–	–
†RUGBY	–	–	1	–	–	–
†WARWICK ...	–	–	–	1	–	–
Rural Districts:—						
ATHERSTONE ...	–	2	2	–	2	–
FOLESHILL ...	–	–	–	–	2	–
MERIDEN... ...	–	2	–	–	2	–
SOUTHAM... ...	–	–	–	1	1	–
WESTMORLAND ...	–	6	–	–	3	C. 1
Boroughs and Urban Districts:—						
AMBLESIDE ...	–	–	–	–	1	–
†KENDAL	–	1	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	2	–	–	1	C. 1
SOUTH WESTMORLAND	–	3	–	–	–	–
WIGHT, ISLE OF ...	–	4	–	–	–	–
Boroughs and Urban Districts—						
†COWES	–	1	–	–	–	–
SANDOWN ...	–	3	–	–	–	–
SHANKLIN ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	3	6	–	–	M. 1
Boroughs and Urban Districts:—						
†SALISBURY ...	–	1	3	–	–	–
†SWINDON... ...	–	–	1	–	–	M. 1
†TROWBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
AMESBURY ...	–	–	1	–	–	–
CHIPPENHAM ...	–	2	–	–	–	–
WORCESTER ...	–	21	3	–	2	C. 1 E. 2
†DUDLEY C.B. ...	–	3	–	–	–	–
†WORCESTER C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	4	–	–	–	–
†LYE AND WOLLESCOTE	–	–	–	–	–	E. 1
†OLDBURY... ...	–	–	1	–	2	–
†STOURBRIDGE ...	–	–	1	–	–	E. 1
Rural Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
DROITWICH ...	–	1	–	–	–	
FECKENHAM ...	–	3	–	–	–	–
HALESOWEN ...	–	1	1	–	–	–
MARTLEY... ...	–	5	–	–	–	–
UPTON ON SEVERN	–	1	–	–	–	C. 1
YORKS ... ... (East Riding.)	–	6	6	1	2	C. 1 M. 1
†KINGSTON UPON HULL C.B.	–	4	5	1	1	C. 1 M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	–	–
†BRIDLINGTON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding) *cont.*						
Rural Districts:—						
BRIDLINGTON ...	–	–	1	–	–	–
NORTON	*	*	*	*	*	*
SCULCOATES ...	–	–	–	–	1	–
YORKS ... ... (North Riding.)	–	46	11	1	3	C. 1 M. 2
†MIDDLESBROUGH C.B.	–	29	2	–	–	M. 2
Boroughs and Urban Districts:—						
†ESTON	–	7	–	–	–	–
GUISBOROUGH ...	–	3	–	–	–	–
LOFTUS	–	1	–	–	–	–
MALTON	*	*	*	*	*	*
†REDCAR	–	–	–	–	1	–
RICHMOND ..	*	*	*	*	*	*
SALTBURN BY THE SEA	–	–	1	–	–	–
†SCARBOROUGH ...	–	2	1	1	–	C. 1
†SKELTON AND BROTTON	–	–	–	–	1	–
†WHITBY	–	–	6	–	1	–
Rural Districts:—						
GUISBOROUGH ...	–	2	–	–	–	–
HELMSLEY ...	–	–	1	–	–	–
LEYBURN... ...	–	1	–	–	–	–
MALTON	*	*	*	*	*	*
RICHMOND ...	*	*	*	*	*	*
STARTFORTH ...	–	1	–	–	–	–
YORKS ... ... (West Riding.)	4	140	30	6	44	C. 4 D. 1 E. 1 G. 1 L. 2 M. 12
†BARNSLEY C.B. ...	–	2	–	1	–	C. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) *—cont.*						
†BRADFORD C.B. ...	–	6	–	1	6	M. 1
†DEWSBURY C.B....	–	1	–	–	–	–
†HALIFAX, C.B. ...	–	1	–	–	–	–
†HUDDERSFIELD C.B.	–	1	2	1	2	–
†LEEDS C.B. ...	–	42	4	1	3	C. 1
†ROTHERHAM C.B.	–	2	1	–	1	–
†SHEFFIELD C.B....	–	21	11	1	14	C. 2 D. 1 L. 1 M. 7
†WAKEFIELD C.B.	–	2	–	–	1	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	1	2	–	–	–
BARKISLAND ...	–	1	–	–	–	–
†BARNOLDSWICK ...	–	–	–	–	1	–
†BINGLEY	–	2	–	–	–	–
†BOLTON UPON DEARNE	–	2	–	–	–	–
†CASTLEFORD ...	–	1	–	–	–	–
†CONISBROUGH ...	–	3	–	–	–	–
†DARTON	–	1	–	–	–	–
DENBY AND CUMBERWORTH	–	1	–	–	–	–
†DONCASTER ...	–	2	2	–	2	–
EARBY	–	–	1	–	–	–
†ELLAND	*	*	*	*	*	*
†FEATHERSTONE ...	–	1	–	–	–	–
†GOOLE	–	1	2	–	–	–
†HARROGATE ...	–	–	–	–	1	–
HAWORTH ...	–	1	1	–	–	–
HEBDEN BRIDGE	–	1	–	–	–	–
HEMSWORTH ...	–	2	–	–	–	–
HIPPERHOLME ...	–	–	–	–	2	–
HOLME	–	–	–	–	1	–
HORBURY ...	–	1	–	–	–	–
†KEIGHLEY ...	–	1	–	–	–	–
MARSDEN... ...	–	–	1	–	–	–
METHLEY ...	–	–	–	1	–	–
†MEXBOROUGH ...	–	1	–	–	1	M. 1
†MIRFIELD ...	–	1	–	–	–	–
†MORLEY	–	2	–	–	–	–
NEW MILL ...	–	–	–	–	1	–
†NORMANTON ...	–	–	1	–	1	–
OTLEY	–	1	–	–	–	–
†PONTEFRACT ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RAWMARSH ...	–	3	–	–	–	–
†ROTHWELL ...	–	3	–	–	–	–
ROYSTON	–	1	–	–	–	–
SELBY	–	1	–	–	–	–
†SKIPTON	–	–	–	–	1	G. 1
SOUTH CROSLAND	*	*	*	*	*	*
†SPENBOROUGH ...	–	3	–	–	–	–
†STANLEY	–	1	–	–	1	–
†SWINTON	–	2	–	–	1	–
†TODMORDEN ...	–	2	–	–	–	–
†WATH UPON DEARNE	–	1	1	–	–	–
†WOMBWELL ...	–	1	–	–	–	–
Rural Districts—						
DONCASTER ...	4	1	–	–		–
HALIFAX	–	1	–	–	–	–
HEMSWORTH ...	–	3	–	–	2	M. 1
KNARESBOROUGH	–	–	–	–	–	M. 1
PONTEFRACT ...	–	3	–	–	–	–
ROTHERHAM ...	–	5	–	–	–	–
SELBY	–	1	–	–	–	–
TADCASTER ...	–	1	–	–	1	E. 1
WAKEFIELD ...	–	–	1	–	–	–
WHARFEDALE (SOUTH)	–	–	–	–	–	L. 1
WORTLEY ...		1	–	–	–	–
County Borough :—						
§YORK	–	1	–	–	1	–
WALES.						
ANGLESEY	–	1	2	–	–	–
Boroughs and Urban Districts :—						
†HOLYHEAD ...	–	1	–	–	–	–
MENAI BRIDGE ...	–	–	1	–	–	–
Rural Districts :—						
VALLEY	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	–	1	–	–	–
Urban Districts :—						
BRYNMAWR ...	–	–	1	–	–	–
Rural Districts :—						
CRICKHOWELL ...	*	*	*	*	*	*
CARDIGAN	–	1	–	–	–	–
Rural Districts :—						
ABERAYRON ...	–	1	–	–	–	–
CARMARTHEN ...	–	2	–	2	1	–
Boroughs and Urban Districts :—						
AMMANFORD ...	–	–	–	–	1	–
Rural Districts :—						
CARMARTHEN ...	–	2	–	1	–	–
LLANELLY ...	–	–	–	1	–	–
CARNARVON ...	–	2	2	–	–	–
Boroughs and Urban Districts :—						
†BANGOR	–	1	–	–	–	–
CARNARVON ...	–	–	1	–	–	–
PENMAENMAWR...	–	–	1	–	–	–
PWLLHELI ...	–	1	–	–	–	–
DENBIGH	–	3	1	–	1	C. 1
Boroughs and Urban Districts :—						
ABERGELE AND PENSARN	–	1	–	–	–	–
DENBIGH... ...	–	–	1	–	–	–
RUTHIN	*	*	*	*	*	*
†WREXHAM ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

§ York is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH—*cont.*						
Rural Districts :—						
UWCHALED ...	*	*	*	*	*	*
WREXHAM ...	–	1	–	–	1	C. 1
FLINT	–	2	3	2	–	G. 1
Boroughs and Urban Districts :—						
FLINT	–	–	1	2	–	–
†RHYL	–	2	–	–	–	–
Rural Districts :—						
HAWARDEN ...	–	–	1	–	–	–
ST. ASAPH (FLINT)	–	–	1	–	–	G. 1
GLAMORGAN ...	–	38	9	–	11	C. 2 E. 2 F. 1 M. 7
†CARDIFF C.B. ...	–	7	1	–	–	E. 1 M. 7
†MERTHYR TYDFIL C.B.	–	1	2	–	–	C. 1
†SWANSEA C.B. ...	–	5	1	–	–	F. 1
Boroughs and Urban Districts :—						
†ABERDARE ...	–	6	1	–	3	–
†BARRY	–	–	1	–	–	–
†CAERPHILLY ...	–	2	1	–	–	–
†GELLIGAER ...	–	1	–	–	–	E. 1
†MAESTEG ...	–	1	–	–	–	–
†MOUNTAIN ASH ...	–	4	–	–	–	C. 1
†OGMORE AND GARW	–	1	–	–	–	–
†PONTYPRIDD ...	–	1	–	–	1	–
†PORT TALBOT ...	–	1	1	–	–	–
†RHONDDA ...	–	7	1	–	6	–
Rural Districts :—						
COWBRIDGE ...	–	1	–	–	–	–
PENYBONT ...	–	–	–	–	1	–
MERIONETH ...	–	2	–	–	–	–
Urban Districts :—						
FESTINIOG ...	–	1	–	–	–	–
Rural Districts :—						
DOLGELLEY ...	–	1	–	–	–	–
MONMOUTH ...	–	3	9	1	3	–
†NEWPORT C.B. ...	–	–	1	–	1	–
Boroughs and Urban Districts :—						
†ABERTILLERY ...	–	1	2	–	1	–
†EBBW VALE ...	–	1	–	–	–	–
†MYNYDDISLWYN	–	–	2	–	–	–
†NANTYGLO AND BLAINA	–	–	–	1	–	–
PONTYPOOL ...	–	1	–	–	–	–
†RHYMNEY ...	–	–	1	–	–	–
†RISCA	–	–	3	–	–	–
†TREDEGAR ...	–	–	–	–	1	–
MONTGOMERY ...	–	4	–	–	1	–
Boroughs and Urban Districts :—						
MACHYNLLETH ...	–	1	–	–	–	–
Rural Districts :—						
LLANFYLLIN ...	–	–	–	–	1	–
NEWTOWN AND LLANIDLOES	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE	–	1	2	1	–	–
Boroughs and Urban Districts:—						
Haverfordwest.	–	–	1	–	–	–
Milford Haven	–	–	1	–	–	–
Neyland... ...	*	*	*	*	*	*
Rural Districts:—						
Haverfordwest.	–	1	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
RADNOR	–	–	–	–	1	–
Urban District:—						
Knighton ...	–	–	–	–	1	–
Total of Part II. ...	15	1159	427	82	296	C. 32 D. 3 E. 21 F. 3 G. 6 L. 3 M. 108

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Cardiff	–	–	–	1	–	–
Colchester	*	*	*	*	*	*
Falmouth and Truro	–	–	–	1	–	–

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
Liverpool	–	–	–	–	1	–
Tees (River) ...	*	*	*	*	*	*
Port of London ...	–	–	4	–	1	–
Total of Part III.— ..	–	–	4	2	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio J, Continued Fever ; K, Trench Fever ; L, Dysentery; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
To al of Part I.—London	2	179	143	8	44	C. 5 E. 1 F. 1 M. 1
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	15	1159	427	82	296	C. 3 D. 1 E. 2 F. 5 G. 6 L. 5 M. 10
Total of Part III.—Port Sanitary Districts	–	–	4	2	2	–
Total (*i.e.*, of returns received), England and Wales ...	17	1338	574	92	342	C. 3 D. 3 E. 3 F. 4 G. 6 L. 1 M. 12

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poli encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continue Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the weel The cases of Small-pox notified appear on pages 1012, 1014, 1016, 1020, 1024, and 1025.

ble 5.—LONDON and GREAT TOWNS in the AGGREGATE. } BIRTHS, DEATHS (distinguishing certain CAUSE and DEATHS of INFANTS under 1 YEAR o AGE) and NOTIFIED CASES of certain IN FECTIOUS DISEASES in the last THIRTEE WEEKS.

Week ended :—	June 16.	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.
ONDON :—													
EATHS—all ages	871	855	772	834	1,016	902	686	765	720	718	813	782	799
„ 0 to 1 year ..	90	86	76	85	106	112	80	73	84	76	111	122	106
REAT TOWNS, aggregate (including London) :—													
IRTHS	8,106	7,901	7,792	7,746	7,331	8,275	7,554	8,131	6,627	7,910	7,798	7,483	7,682
EATHS—all ages	4,060	3,858	3,668	3,703	4,052	3,618	3,108	3,300	3,332	3,269	3,282	3,287	3,428
„ 0 to 1 year ..	474	464	471	428	516	492	413	407	450	410	499	484	471
NTERIC FEVER—Cases	15	24	15	33	24	19	21	33	41	24	27	26	31
„ Deaths	2	2	1	3	1	3	3	1	7	6	1	2	4
MALL POX—Cases ..	56	82	104	95	114	64	25	14	13	9	10	12	10
„ Deaths ..	—	—	—	—	1	1	—	—	—	—	—	—	—
CARLET FEVER—Cases	762	825	817	798	733	647	679	626	540	539	561	611	736
„ Deaths	9	16	11	7	10	2	7	5	7	6	6	7	11
IPHTHERIA—Cases ..	448	415	378	424	431	403	385	340	358	344	362	391	374
„ Deaths ..	26	32	24	15	17	16	10	22	20	26	20	27	21
EASLES—Deaths ..	85	61	61	42	51	53	37	29	28	30	14	15	14
FLUENZA—Deaths ..	120	92	81	59	34	36	24	15	14	24	16	14	20

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 8th September, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
ONDON (GREENWICH).	71	40	67·1	44·9	3
IGHTON ..	65	43	63·1	46·2	4
RTSMOUTH ..	71	44	66·4	48·8	2
RWICH (EATON)	68	42	63·7	46·3	5
YMOUTH ..	68	41	65·1	48·7	9
ISTOL (CLIFTON).	68	41	64·3	48·7	3
RMINGHAM (EDGBASTON)	69	41	64·0	47·0	3
OTTINGHAM ..	68	38	64·1	46·6	6
RKENHEAD (BIDSTON).	65	47	61·1	50·3	13
ANCHESTER (WHITWORTH PARK).	67	39	62·0	48·6	12
RNLEY.. ..	61	36	60·0	46·3	15
UDDERSFIELD	66	38	63·3	46·4	6

TOWNS.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD ..	63	37	59·7	47·4	5
SHEFFIELD ..	Not received.				
YORK (MUSEUM)	66	40	62·7	48·0	9
HULL (PEARSON PARK).	70	40	64·1	46·4	23
TYNEMOUTH ..	68	41	61·1	49·4	7
CARDIFF	67	41	63·6	47·9	7
EDINBURGH ..	64·0	41·0	60·4	46·6	3
GLASGOW ..	60·4	38·9	58·6	46·6	22
DUBLIN (PHŒNIX PARK).	29·2	35·5	64·3	46·0	11
FITZWILLIAM SQUARE.†	69·2	44·2	63·5	49·2	7
BELFAST	65·0	42·0	61·8	49·1	13

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 8th September, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
SEPTEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - 2	..	30·103	63·9	46·3	17·6	54·4	− 5·3	42·0	12·4	20·3	3·6	63	120·0	35·3	57·6	W : WNW.	NW	1·5	0·0	0·1	235	− 24	0·00
MONDAY - 3	Last Quarter.	30·179	66·9	40·3	26·6	53·3	− 6·3	43·3	10·0	22·9	2·1	69	111·4	29·4	57·7	Calm	Calm : SSW.	0·7	0·0	0·0	130	− 123	0·00
TUESDAY - 4	..	30·049	66·4	42·3	18·1	51·5	− 8·0	50·5	1·0	9·5	1·3	96	77·4	28·6	57·2	SSW	SW : NNW.	2·3	0·0	0·1	245	− 4	0·10
WEDNESDAY 5	Greatest Declination N.	30·143	69·3	45·3	24·0	56·8	− 2·6	47·8	9·0	18·3	2·8	72	120·0	34·0	57·2	NNW : SW.	W	2·1	0·0	0·2	296	+ 50	0·00
THURSDAY - 6	..	30·153	69·5	47·8	21·7	56·3	− 2·9	51·7	4·6	13·8	0·8	85	123·4	36·5	57·0	WSW	WSW	0·5	0·0	0·0	194	− 51	0·00
FRIDAY - 7	..	30·063	71·4	50·3	21·1	59·8	+ 0·8	54·3	5·5	12·9	1·6	82	111·9	42·2	57·0	WSW	W : N	1·8	0·0	0·1	269	+ 25	0·00
SATURDAY - 8	..	30·157	70·2	43·2	27·0	56·0	− 2·8	46·1	9·9	21·6	2·0	70	120·9	31·3	57·0	Calm	Calm	0·2	0·0	0·0	100	− 147	0·00
MEANS -	..	30·121	67·4	45·1	22·3	55·4	− 3·9	48·0	7·5	17·0	2·0	77	112·1	33·9	57·2	Westerly		..	..	..	Sum 1,469	Sum − 274	Sum 0·10
No. of COLUMN	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. SEPTEMBER		ELECTRICITY. (For explanation of symbols. *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	2	wP till 18h.; mP afterwards.	7·4	13·5	Few clouds till 10½h.; overcast till 20¾h.; then partially cloudy.
MONDAY ..	3	wP till 7h.; mP till 20h.; then wP.	8·6	13·5	Nearly cloudless generally till 9; overcast from 10h. till 15h., then clearing to nearly cloudless. Mist and dew in morning and at night.
TUESDAY ..	4	wP	0·0	13·4	Overcast generally till 19h., clearing to cloudless by 19½h. Frequent rain and damping between 7½h. and 19h.
WEDNESDAY	5	wP till 8h.; mP till 17½h; then wP.	7·6	13·3	Nearly overcast till 10h.; then cloudless. Slight mist in morning. Dew at night.
THURSDAY	6	wP	6·1	13·3	Cloudless, with overcast period between 6½h. and 12½h. Slight mist and dew in morning.
FRIDAY ..	7	wP till 15½h.; mP till 22h., then wP.	1·7	13·2	Variably cloudy. Mist and dew in morning.
SATURDAY	8	wP	10·5	13·1	Cloudless generally. Dew and mist in morning.
			Sum 41·9	Sum 93·3	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·90 in. at the beginning of the week to 30·21 in. by 9h. on 2nd; decreased to 30·02 in. by 15h. on 4th; increased generally to 30·20 in. by 9h. on 6th; decreased to 30·02 in. by 16h. on 7th; increased to 30·20 in. by 9h. on 8th; decreased and was 30·09 in. by midnight on the 8th.

Printed and published by His Majesty's Stationery Office Press,
11-17, Hare Street, E.2

FOR OFFICIAL USE.

1923. No. 37.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 15TH SEPTEMBER, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 15TH SEPTEMBER, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-seventh week of the year numbered 7,281 and corresponded to an annual rate of 19·8 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,394 and corresponded to an annual rate of 9·2 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 8·9, 8·9 and 9·3. Infant mortality was 68 per 1,000 births, against 64, 65 and 61 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,715 births, corresponding to a rate of 19·7 per 1,000, and 807 deaths of civilians, corresponding to a rate of 9·3, as against 9·3, 9·0 and 9·2 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 9·2 per 1,000. The infant mortality was 67 as against 60, 70 and 60 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 34 in the total deaths last week, and the deaths from influenza fell from 20 to 9. In London the number of deaths from all causes rose from 799 to 807; while the deaths from diphtheria, which had been 7, 7 and 4 in the preceding three weeks, rose to 10 last week, and those from influenza, which had been 6, 4 and 2 in the three preceding weeks, were again 2 last week.

Just Published:

Census of England and Wales, 1921. County of Monmouth. Price 8*s*. 6*d*. net.

County of Stafford. Price 12*s*. net.

County of Warwick. Price 6*s*. 6*d*. net.

County of Worcester. Price 8*s*. net.

County of London—Tables, Part III (Supplementary), Workplaces in London and five Home Counties. Price 3*s*. net.

County of Durham. Price 12*s*. 6*d*. net.

County of Northumberland. Price 9*s*. net.

The Registrar General's Statistical Review, 1921.

Tables, Part II. Civil. Price 5*s*. net.

Text. Price 5*s*. net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { Births and Deaths registered in th week ended 15th September, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11
105 Great Towns ..	19,170,420*	7,281	3,394	493	4	15	6	27	26	168	
London	4,534,230*	1,715	807	115	–	5	2	11	10	53	
Towns in Outer Ring.											
Croydon C.B. ..	192,300	59	32	2	–	–	–	–	–	–	
Wimbledon ..	61,730	20	9	–	–	–	–	–	–	–	
Ealing	67,890	27	8	2	–	–	–	–	–	–	
Acton	62,390	21	10	3	–	–	–	–	–	–	
Willesden ..	168,200	75	24	1	–	–	–	–	–	–	
Hendon	55,930	11	4	–	–	–	–	–	1	–	
Hornsey	87,310	19	17	3	–	–	–	–	–	1	
Wood Green ..	51,290	20	6	1	–	–	–	–	–	–	
Tottenham ..	150,500	51	21	3	–	–	–	–	–	2	
Edmonton ..	68,700	29	18	5	–	–	–	–	–	5	
Enfield	62,010	19	8	3	–	–	–	–	–	1	
West Ham C.B. ..	310,200	148	70	10	–	1	1	–	–	4	
East Ham C.B. ..	145,800	38	20	2	–	–	–	–	–	–	
Leyton	131,600	40	17	1	–	–	–	–	–	–	
Walthamstow ..	129,700	46	19	5	–	–	–	–	–	2	
Ilford	86,370	25	10	–	1	–	–	–	–	–	
Gillingham	48,630*	13	6	–	–	–	1	–	–	–	
Canterbury C.B ..	23,680	11	8	–	–	–	–	1	–	–	
Hastings C.B.	59,500	16	19	–	–	–	–	–	–	–	
Eastbourne C.B. ..	53,700	15	16	1	–	–	–	–	–	–	
Brighton C.B. ..	135,000	39	26	1	–	–	–	–	–	1	
Portsmouth C.B. ..	236,630*	101	41	8	–	–	–	–	–	3	
Bournemouth C.B. ..	81,500	22	14	3	–	–	–	1	–	–	
Southampton C.B. ..	163,700	60	21	2	–	–	–	–	1	1	
Reading C.B.	92,990	33	15	1	–	1	–	–	–	–	
Oxford C.B.	56,510	24	10	3	–	–	–	–	–	–	
Northampton C.B. ..	92,950	27	16	3	–	–	–	–	–	1	
Luton	58,260	17	8	1	–	1	–	–	–	–	
Cambridge	59,200	16	6	–	–	–	–	–	–	–	
Southend-on-Sea C.B.	91,430	36	21	2	–	–	–	–	1	–	
Ipswich C.B.	80,950	29	8	1	–	–	–	–	–	–	
Great Yarmouth C.B.	56,700	27	15	1	–	–	–	–	–	–	
Norwich C.B ..	122,900	34	22	2	1	–	–	–	–	1	
Swindon	55,680	19	6	1	–	–	–	–	–	–	
Exeter C.B.	59,700	17	9	1	–	–	–	–	–	–	
Plymouth C.B. ..	200,370*	78	35	4	–	–	–	–	–	–	
Bath C.B.	68,530	24	10	1	–	–	–	–	–	–	
Bristol C.B.	383,900	131	57	5	–	–	–	–	1	1	
Gloucester C.B. ..	52,210	18	7	1	–	–	–	–	–	–	
Stoke-on-Trent C.B.	274,300	131	38	6	–	–	–	–	–	2	
Burton-upon-Trent C.B.	49,630	14	11	1	–	–	–	–	–	–	
Wolverhampton C.B.	105,700	40	19	5	–	–	–	–	–	1	
Walsall C.B.	99,890	41	25	4	–	–	–	–	–	3	
West Bromwich C.B.	76,260	54	11	3	–	–	–	–	–	1	
Dudley C.B.	57,860	21	9	2	–	–	–	–	–	1	
Worcester C.B. ..	49,240	11	6	2	–	–	–	–	–	1	
Birmingham C.B. ..	945,100	347	117	18	–	–	–	–	2	11	
Smethwick C.B. ..	78,140	29	12	2	–	–	–	–	1	–	
Coventry C.B. ..	131,200	40	20	–	–	–	–	–	–	–	
Leicester C.B. ..	238,800	75	46	6	–	–	–	–	–	1	
Lincoln C.B.	66,930	22	14	–	–	–	–	–	–	–	
Grimsby C.B.	84,650	32	20	4	–	–	–	–	–	1	
Nottingham C.B. ..	267,900	90	61	8	–	–	–	2	–	3	
Derby C.B.	132,400	54	22	4	–	–	–	–	–	–	
Chesterfield ..	63,380	30	10	1	–	–	–	–	–	–	
Stockport C.B. ..	125,800	36	15	–	–	–	–	–	–	–	
Chester C.B.	41,190	15	3	–	–	–	–	–	–	–	
Birkenhead C.B. ..	149,200	61	30	1	–	–	1	–	–	1	
Wallasey C.B. ..	89,790	17	13	–	–	–	–	–	–	–	
Liverpool C.B. ..	826,400	399	182	36	–	4	–	–	1	11	
Bootle C.B.	79,750	44	19	6	–	–	–	1	–	–	
St. Helens C.B. ..	106,400	57	25	4	–	–	–	2	–	–	

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	17	13	1	-	-	-	-	-	1	-
WIGAN C.B.	91,750	35	13	-	-	-	-	-	-	-	-
WARRINGTON C.B. ..	79,150	38	12	1	-	-	-	-	-	-	-
BOLTON C.B.	182,700	66	35	6	-	-	1	-	-	-	-
BURY C.B.	57,400	16	9	-	-	-	-	-	-	-	-
MANCHESTER C.B. ..	748,500	315	140	19	-	1	-	1	1	6	-
SALFORD C.B.	240,700	93	36	10	-	-	-	1	1	1	-
OLDHAM C.B.	148,300	53	29	2	-	-	-	2	-	1	-
ROCHDALE C.B... ..	92,510	30	17	1	-	-	-	-	-	-	-
BURNLEY C.B.	105,100	46	13	3	-	-	-	1	-	-	-
BLACKBURN C.B. ..	129,600	42	25	-	-	-	-	-	1	-	-
PRESTON C.B.	120,900	39	23	6	-	-	-	-	-	1	-
BLACKPOOL C.B. ..	74,050	29	16	4	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	75,690	24	12	1	-	-	-	2	-	-	-
HUDDERSFIELD C.B. ..	111,600	36	18	2	1	-	-	-	-	-	-
HALIFAX C.B.	100,500	21	16	-	-	-	-	-	1	-	-
BRADFORD C.B. ..	291,300	100	63	11	1	-	-	-	-	3	-
LEEDS C.B.	466,700	165	87	12	-	-	-	-	-	4	1
DEWSBURY C.B. ..	55,170	15	11	-	-	-	-	-	1	-	-
WAKEFIELD C.B. ..	53,840	12	9	-	-	-	-	-	-	1	-
BARNSLEY C.B. ..	69,540	40	17	3	-	-	-	-	-	-	-
SHEFFIELD C.B. ..	522,600	168	84	18	-	1	-	-	-	5	-
ROTHERHAM C.B. ..	69,840	36	15	3	-	-	-	-	-	-	-
DONCASTER	55,020	12	12	1	-	-	-	-	-	1	-
YORK C.B.	84,980	25	12	2	-	-	-	-	-	-	-
HULL C.B.	294,000	97	72	23	-	-	-	1	2	13	-
MIDDLESBROUGH C.B.	134,800	66	31	8	-	-	-	-	-	3	-
DARLINGTON C.B. ..	66,710	29	11	2	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	65,950	35	12	1	-	-	-	-	-	-	-
WEST HARTLEPOOL C.B.	70,020	26	9	3	-	-	-	-	-	-	-
SUNDERLAND C.B. ..	162,900	92	35	6	-	-	-	-	-	2	1
SOUTH SHIELDS C.B. ..	122,400	64	24	6	-	-	-	-	-	3	-
GATESHEAD C.B. ..	127,300	56	18	4	-	-	-	-	-	2	-
NEWCASTLE-ON-TYNE C.B.	281,600	139	68	8	-	-	-	-	-	3	-
TYNEMOUTH C.B. ..	64,640	29	15	5	-	-	-	-	1	1	-
CARLISLE C.B.	53,490	26	17	2	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	94,880	39	10	1	-	-	-	1	-	-	-
CARDIFF C.B.	223,830	86	40	3	-	-	-	-	-	1	-
RHONDDA	167,500	72	21	2	-	1	-	-	-	2	-
MERTHYR TYDFIL C.B.	82,680	42	14	1	-	-	-	-	-	-	-
ABERDARE	56,580	16	10	1	-	-	-	-	-	1	-
SWANSEA C.B.	161,000	64	26	-	-	-	-	-	-	-	-
GREATER LONDON ..	7,563,730*	2,739	1,268	174	1	6	3	11	12	77	3
OUTER RING	3,029,500*	1,024	461	59	1	1	1	-	2	24	1
16 GREAT TOWNS IN OUTER RING	1,831,920	648	293	41	1	1	1	-	1	15	-
REMAINDER OF OUTER RING	1,197,580*	376	168	18	-	-	-	-	1	9	1
EDINBURGH†	426,000	163	102	14	-	-	5	-	2	2	1
GLASGOW†	1,041,400	497	241	38	-	6	1	4	2	2	-
DUBLIN (REGISTRATION AREA)†	431,000	217	102	28	-	-	-	5	-	8	-
BELFAST†	429,000	218	86	24	-	-	-	1	-	10	-

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available peri

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years)
LONDON‡	4,534,230	1923. Sept. 15	1715	807	9·3	–	–	5	2	11	10	53
CALCUTTA	896,067	Aug. 11	?	499§	28·5	?	–	?	?	?	?	?
BOMBAY	1,220,120	July 21	356‖	638§	27·2	2	6	1	?	–	–	37
MADRAS	526,911	Aug. 4	400	366	36·1	1	1	–	?	1	–	48
SYDNEY AND SUBURBS	955,900	July										
BRISBANE (Metropolitan Area).	230,200	June (30 days)	501	213	11·2	–	–	–	–	1	–	4
PERTH (Metropolitan Area).	161,773	July 28	83	29	9·3	–	–	–	–	–	1	1
AUCKLAND (Urban Area).	167,760	July										
WELLINGTON (Urban Area).	112,070	"										
CHRISTCHURCH (Urban Area).	113,400	"										
CAPE TOWN	106,727	Aug. 11	58	31	15·1	–	–	2	–	–	–	1
JOHANNESBURG	156,858	" 11	94	30	9·9	–	–	–	–	–	–	1
DURBAN	50,488	" 11	24	5	5·1	–	–	–	–	–	–	–
PARIS	2,906,472	" 31 (11 days)	1165	903	10·3	2	–	7	–	7	–	83
ANTWERP	302,608	July 14	117	65	11·2	–	–	–	–	–	–	1
AMSTERDAM	700,965	Aug. 25	284	134	10·0	1	–	1	1	2	–	2
COPENHAGEN	570,000	Sept. 1	232	104	9·6	–	–	–	1	–	1	1
STOCKHOLM	424,944	Aug. 25	93	83	10·2	–	–	–	–	–	–	–
GOTHENBURG	228,074	" 18	?	48	10·9	–	–	–	–	–	–	–
CHRISTIANIA	258,962	Sept. 1	96	42	8·4	–	–	–	–	–	–	–
BERLIN	1,989,000	Aug. 11	267	378	9·9	1	?	–	–	3	–	8
		" 18	386	407	10·6	–	?	–	–	1	1	8
BRESLAU	562,000	" 11	167	141	13·1	–	?	–	1	1	–	18
		" 18	159	147	13·6	–	?	1	–	–	1	13
COLOGNE	701,000	" 11	219	169	12·5	–	?	2	–	2	3	28
		" 18	218	199	14·8	–	?	2	–	4	–	42
DRESDEN	612,000	" 11	149	114	9·7	–	?	–	–	–	–	2
		" 18	190	112	9·5	1	?	–	–	–	1	3
FRANKFORT-ON-MAIN..	475,000	" 11	65	78	8·5	–	?	–	1	–	–	2
		" 18	70	76	8·3	–	?	–	–	–	1	1
HAMBURG	1,077,000	" 11	222	239	11·5	–	?	1	–	–	–	2
		" 18	216	190	9·2	1	?	–	–	–	–	8
LEIPZIG	682,000	" 11	195	161	12·3	–	?	1	–	1	1	9
		" 18	174	136	10·4	1	?	2	–	1	–	9
MUNICH	685,000	" 11	186	169	12·8	–	?	2	–	–	1	6
		" 18	155	155	11·8	–	?	1	–	2	–	12
VIENNA	1,841,326	July 7	573	402	11·2	1	–	–	1	5	1	3
		" 14	585	443	12·5	1	–	–	–	3	–	6
PRAGUE AND SUBURBS	697,111	July 31 (16 days)	501	345	12·1	1	–	–	3	1	1	9
BUDAPEST	946,000	July 28	322	351	19·3	3	–	6	4	5	1	36
WARSAW	956,087	Aug. 4	385	236	12·9	3	–	3	2	1	–	36
CAIRO	791,000	June 17	717	986	64·8	7	1	27	1	?	–	265
ALEXANDRIA	466,700	" 17	361	356§	39·7	1	–	2	–	?	2	72
NEW YORK	5,927,617	Aug. 4	2579	944	8·3	1	–	3	–	–	11	43
CHICAGO	2,886,121	" 18	?	537	9·7	3	–	1	–	1	3	26
RIO DE JANEIRO ..	1,297,798	July 28	636	419	16·8	2	–	4	–	5	1	?
MONTEVIDEO	348,989	June 2	219	133	21·0	3	–	–	–	1	–	1
		" 9	205	117	20·3	2	–	–	–	1	–	1

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vie Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *yea age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 16 deaths from Asiatic Cholera in Calcutta, and 6 in Bombay, and from Plague, 5 in Bombay, and Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 15th September, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	807	115	28	23	19	46	51	46	91	119	128	141
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	5	1	3	1	–	–	–	–	–	–	–	–
Scarlet fever	2	–	–	2	–	–	–	–	–	–	–	–
Whooping cough	11	5	4	2	–	–	–	–	–	–	–	–
Diphtheria	10	–	2	4	4	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	1	1	–	–
Erysipelas	2	–	–	–	–	–	–	1	1	–	–	–
Acute Poliomyelitis, Polioencephalitis	1	–	–	–	–	1	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	–	–	–	1	–	–
Meningococcal meningitis	1	–	–	1	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	86	–	1	–	3	21	21	12	15	10	2	1
Nervous system	3	–	1	1	1	–	–	–	–	–	–	–
Intestines and peritoneum	4	–	1	–	1	2	–	–	–	–	–	–
Other forms	3	–	–	1	–	–	–	2	–	–	–	–
Venereal diseases	3	2	–	–	–	1	–	–	–	–	–	–
Cancer	123	–	–	1	–	2	7	6	18	35	33	21
Rheumatic fever	3	–	–	–	1	–	1	–	–	–	1	–
Diabetes	9	–	–	–	–	1	1	1	–	2	4	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	3	2	–	–	–	–	–	–	1	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	38	–	–	–	–	–	–	1	2	11	9	15
Epilepsy	1	–	–	–	–	–	–	1	–	–	–	–
"Convulsions" (not puerperal) ..	1	–	1	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	29	1	–	1	1	3	2	2	8	7	2	2
Pericarditis	1	–	–	–	–	–	1	–	–	–	–	–
Acute endocarditis	3	–	–	–	–	–	1	1	–	1	–	–
Other diseases of heart	89	–	–	–	2	3	2	3	15	14	25	25
Other diseases of circulatory system	29	–	–	–	–	–	1	–	2	3	9	14
Bronchitis	23	2	–	–	–	–	–	–	1	4	8	8
Broncho-pneumonia	20	14	–	1	–	–	–	–	1	1	1	2
Lobar-pneumonia	10	–	2	1	1	1	1	–	3	–	–	1
Pneumonia (type not distinguished) ..	5	1	–	–	–	–	1	–	–	2	–	1
Other diseases of respiratory system	8	1	–	–	–	–	–	2	–	–	2	3
Diarrhœa and enteritis	56	45	8	1	–	–	–	–	1	–	–	1
Appendicitis, Typhlitis	6	–	–	1	2	2	–	–	–	–	–	1
Hernia, Intestinal obstruction	8	–	1	–	–	–	–	–	1	2	3	1
Cirrhosis of liver	3	–	–	–	–	–	–	–	–	2	1	–
Other diseases of digestive system ..	27	3	1	2	–	–	1	5	4	3	4	4
Acute nephritis	2	–	–	1	–	1	–	–	–	–	–	–
Chronic Bright's disease	26	–	–	–	–	1	1	3	4	7	4	6
Other diseases of genito-urinary system.	21	–	–	–	–	–	–	2	3	5	8	3
Puerperal sepsis	3	–	–	–	–	3	–	–	–	–	–	–
Other causes incident to childbirth ..	1	–	–	–	–	1	–	–	–	–	–	–
Congenital malformations	4	4	–	–	–	–	–	–	–	–	–	–
Premature birth	25	25	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	2	2	–	–	–	–	–	–	–	–	–	–
Old age	28	–	–	–	–	–	–	–	–	–	3	25
Suicide	11	–	–	–	–	–	1	2	1	2	4	1
Burns and scalds	3	1	–	–	–	–	1	–	–	–	1	–
Drowning	4	–	–	–	–	–	2	–	–	1	1	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	10	–	1	2	–	2	1	1	2	1	–	–
Other deaths by violence	11	–	–	–	1	–	3	–	2	1	2	2
Other specified causes	25	5	1	–	2	1	2	1	5	3	1	4
Ill-defined causes	1	–	1	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 15th September, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	5	218	182	12	55	C. 11 D. 2 E. 8 G. 3 M. 16
Metropolitan Boroughs :—						
†BATTERSEA ...	–	12	4	–	4	–
†BERMONDSEY ...	–	2	10	–	1	C. 1
†BETHNAL GREEN	–	20	13	–	3	C. 1 E. 1
†CAMBERWELL ...	1	8	4	–	1	M. 1
†DEPTFORD ...	–	2	2	–	–	–
†FINSBURY ...	–	5	9	1	2	M. 1
†FULHAM	–	7	4	1	4	E. 1 G. 1
†GREENWICH ...	1	–	2	–	–	E. 1 M. 2
†HACKNEY ...	1	9	13	2	1	M. 1
†HAMMERSMITH ...	–	1	5	1	–	C. 1 G. 1
†HAMPSTEAD ...	–	1	2	–	1	–
†HOLBORN... ...	–	3	2	–	–	–
†ISLINGTON ...	–	41	25	1	–	C. 1 M. 2

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	4	1	2	1	M. 1
†LAMBETH ...	–	23	10	–	3	C. 3 D. 2 E. 1 M. 2
†LEWISHAM ...	1	5	3	–	–	C. 3
†PADDINGTON ...	–	5	2	–	4	E. 1
†POPLAR	–	8	1	–	9	M. 1
†ST. MARYLEBONE	–	6	5	–	–	E. 1
†ST. PANCRAS ...		8	11	–	2	M. 1
†SHOREDITCH ...	–	14	9	–	5	M. 2
†SOUTHWARK ...	–	8	15	–	2	M. 2
†STEPNEY	–	10	16	1	1	–
†STOKE NEWINGTON	–	2	1	–	–	C. 1
†WANDSWORTH ...	–	5	11	2	8	E. 2 G. 1
†WESTMINSTER, CITY OF	1	3	1	–	–	–
†WOOLWICH ...	–	6	1	1	3	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	2	5	1	2	C. 1
Boroughs and Urban Districts:—						
†BEDFORD ...	–	1	–	–	–	–
LEIGHTON BUZZARD	–	1	–	–	–	–
†LUTON	–	–	–	1	–	–
Rural Districts:—						
AMPTHILL ...	–	–	–	–	1	–
BIGGLESWADE ...	–	–	4	–	1	–
EATON BRAY ...	–	–	1	–	–	C. 1
BERKS	–	6	6	1	2	–
†READING C.B. ...	–	3	1	–	2	–
Boroughs and Urban Districts:—						
†NEW WINDSOR	–	–	–	1	–	–
WOKINGHAM ..	–	2	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	1	–	–	–	–
BRADFIELD ...	–	–	1	–	–	–
WINDSOR... ...	–	–	4	–	–	–
BUCKINGHAM ...	1	1	1	2	–	D. 1
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE ...	–	3	–	–	–	–
CHESHAM... ..	–	1	–	–	–	–
LINSLADE ...	–	2	–	–	–	–
†SLOUGH	–	–	–	–	–	D. 1
†WOLVERTON ...	–	1	–	1	–	–
Rural Districts:—						
ETON	–	1	–	–	–	–
LONG CRENDON...	1	–	–	–	–	–
WING	–	–	–	1	–	–
WINSLOW... ...	*	*	*	*	*	*
WYCOMBE ...	–	3	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	–	1	–	–	–
Rural Districts:—						
LINTON	–	–	1	–	–	–
CHESTER	–	57	14	3	9	E. 3 G. 1 M. 4
†BIRKENHEAD C.B.	–	16	2	–	2	–
†CHESTER C.B. ...	–	3	–	–	–	–
†STOCKPORT C.B.	–	9	2	–	3	M. 1
†WALLASEY C.B. ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	1	–	–	–
BOLLINGTON ...	–	2	–	–	–	–
BOWDON	–	–	–	–	–	E. 1
BUGLAWTON ...	–	1	1	–	–	–
COMPSTALL ...	–	–	1	–	–	–
†CONGLETON ...	–	2	–	–	–	–
†CREWE	–	–	–	–	1	–
†ELLESMERE PORT AND WHITBY	–	–	1	–	–	–
HOLLINGWORTH	–	–	–	1	–	–
HOOLE	–	–	1	1	–	–
†HYDE	–	4	–	–	–	–
LYMM	–	10	–	–	–	–
MARPLE	–	–	–	1	–	–
†NORTHWICH ...	–	–	1	–	–	–
†RUNCORN... .	–	–	–	–	2	–
SANDBACH ...	–	1	–	–	–	–
†STALYBRIDGE ...	–	–	–	–	–	M. 3
WILMSLOW ...	–	1	–	–	1	–
YEARDSLEY CUM WHALEY	–	1	–	–	–	–
Rural Districts:—						
CONGLETON ...	–	–	2	–	–	–
MACCLESFIELD ...	–	–	–	–	–	E. 2
NANTWICH ...		–	1	–	–	–
NORTHWICH ...	–	3	–	–	–	–
RUNCORN... ...	–	1	–	–	–	–
WIRRAL	–	1	–	–	–	G. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	3	2	3	–	M. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	1	–	–
†PENZANCE ...	–	–	–	1	–	–
STRATTON AND BUDE	–	–	–	1	–	–
Rural Districts:—						
CAMELFORD ...	–	–	1	–	–	–
EAST KERRIER ...	–	1	1	–	–	–
REDRUTH ...	–	–	–	–	–	M. 1
SAINT AUSTELL	*	*	*	*	*	*
SAINT COLUMB MAJOR	–	1	–	–	–	–
SAINT GERMANS	–	1	–	–	–	–
CUMBERLAND ...	–	6	6	–	3	–
†CARLISLE C.B. ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
COCKERMOUTH ...	–	2	1	–	–	–
HOLME CULTRAM	–	–	–	–	1	–
†MARYPORT ...	*	*	*	*	*	*
PENRITH	–	–	–	–	1	–
†WORKINGTON ...	–	1	2	–	–	–
Rural Districts:—						
ALSTON WITH GARRIGILL	–	1	–	–	–	–
PENRITH	–	–	2	–	1	–
WHITEHAVEN ...	–	1	–	–	–	–
DERBY	3	18	5	–	8	C. 1 E. 2 M. 1
†DERBY C.B. ...	–	7	2	–	–	C. 1 E. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	–	–	1	–
†BOLSOVER ...	1	–	1	–	–	M. 1
†CHESTERFIELD ...	–	1	–	–	–	–
CLAY CROSS ...	–	2	–	–	–	–
†GLOSSOP ...	–	1	–	–	1	–
†HEANOR	–	–	–	–	1	–
†ILKESTON ...	–	1	–	–	–	–
†LONG EATON ...	1	–	–	–	–	–
MATLOCK BATH AND SCARTHIN NICK	*	*	*	*	*	*
NEW MILLS ...	–	1	–	–	–	–
†RIPLEY	–	1	–	–	2	–
†SWADLINCOTE DISTRICT	–	1	–	–	–	–
Rural Districts:—						
BELPER	–	–	1	–	1	–
BLACKWELL ...	1	–	1		1	–
CHESTERFIELD ...	–	1	–	–	1	–
SHARDLOW ...	–	2	–	–	–	E. 1
DEVON	–	9	8	4	4	D. 1
†EXETER C.B. ...	–	–	–	–	2	–
†PLYMOUTH C.B....	–	3	4	–	–	–
Boroughs and Urban Districts:—						
BRIXHAM ...	–	–	2	–	–	–
DAWLISH... ...	–	–	–	2	–	–
HONITON	–	–	1	–	–	–
†ILFRACOMBE ...	–	–	–	1	–	–
IVYBRIDGE ...	–	1	–	–	–	–
†NEWTON ABBOT...	–	1	–	–	–	–
†PAIGNTON ...	–	–	–	–	1	–
†TORQUAY ...	–	–	–	–	1	–
Rural Districts:—						
BIDEFORD ...	–	–	1	–	–	–
HOLSWORTHY (part)	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts—*cont.*						
NEWTON ABBOT...	–	–	–	1	–	–
ST. THOMAS ...	–	–	–	–	–	D. 1
TORRINGTON ...	–	3	–	–	–	–
DORSET	–	5	1	–	–	M. 3
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	–	–	–	–	M. 1
†PORTLAND ...	–	–	–	–	–	M. 1
SHERBORNE ...	–	1	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	2	–	–	–	–
Rural Districts:—						
BLANDFORD ...	–	–	–	–	–	M. 1
POOLE	–	1	–	–	–	–
STURMINSTER ...	–	–	1	–	–	–
WAREHAM ...	–	1	–	–	–	–
DURHAM	–	75	14	2	28	C. 3 M. 6
†DARLINGTON C.B.	–	–	1	–	1	–
†GATESHEAD C.B.	–	8	–	–	1	M. 1
†SOUTH SHIELDS C.B.	–	7	–	–	2	M. 1
†SUNDERLAND C.B.	–	3	1	–	1	C. 2
†WEST HARTLEPOOL C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	1	–	–	–
BARNARD CASTLE	–	1	1	–	–	–
BENFIELDSIDE ...	–	–	–	–	1	–
†BLAYDON... ...	–	1	–	–	–	M. 1
†CROOK	–	1	–	–	–	–
†DURHAM	–	–	–	–	–	M. 1
†FELLING	–	1	–	–	–	–
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HARTLEPOOL ...	–	1	–	1	–	–
†HEBBURN ...	–	–	–	–	1	–
†HETTON	–	4	–	–	–	–
†HOUGHTON LE SPRING	–	–	–	–	2	–
†JARROW	–	1	–	–	4	–
†SEAHAM HARBOUR	–	1	–	–	4	–
†STANLEY	–	1	2	–	–	–
†STOCKTON ON TEES	–	1	1	–	3	C. 1
†TANFIELD ...	–	2	1	1	–	–
†WASHINGTON ...	–	6	2	–	–	–
†WHICKHAM ...	–	2	–	–	1	M. 1
Rural Districts:—						
AUCKLAND ...	–	5	1	–	2	–
CHESTER LE STREET	–	9	–	–	1	M. 1
DURHAM	–	2	–	–	–	–
EASINGTON ...	–	5	–	–	1	–
HARTLEPOOL ...	–	1	–	–	–	–
HOUGHTON LE SPRING	–	1	–	–	2	–
LANCHESTER ...	–	3	3	–	–	–
SEDGEFIELD ...	–	2	–	–	–	–
SOUTH SHIELDS...	–	1	–	–	–	–
SUNDERLAND ...	–	3	–	–	1	–
ESSEX	–	56	42	5	6	C. 4 E. 1 G. 1 M. 4
†EAST HAM C.B. ...	–	2	8	–	–	C. 1
†SOUTHEND-ON-SEA C.B.	–	6	–	–	2	C. 1 M. 1
†WEST HAM C.B. ...	–	15	10	–	1	C. 2 G. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	–	–	1	–
BRENTWOOD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHELMSFORD ...	–	–	–	1	–	M. 1
†COLCHESTER ...	–	–	–	2	–	–
†GRAYS THURROCK	–	1	6	–	–	–
HALSTEAD ...	–	–	–	1	–	–
†HARWICH ...	–	1	2	–	–	–
†ILFORD	–	3	3	1	–	–
†LEYTON	–	3	2	–	–	M. 2
†ROMFORD ...	–	–	1	–	1	–
SHOEBURYNESS ...	–	–	1	–	1	–
†WALTHAMSTOW ...	–	12	2	–	–	–
WITHAM	–	2	–	–	–	–
†WOODFORD ...	–	1	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	–	1	–	–	–
BRAINTREE ...	–	–	1	–	–	–
BUMPSTEAD ...	–	–	–	–	–	E. 1
EPPING	–	1	–	–	–	–
ORSETT	–	1	1	–	–	–
ROMFORD... ...	–	7	4	–	–	–
GLOUCESTER ...	4	28	16	4	8	C. 1 E. 1 G. 1 M. 3
†BRISTOL C.B. ...	–	13	13	–	6	E. 1 G. 1 M. 2
†GLOUCESTER C.B.	4	3	1	2	–	–
Boroughs and Urban Districts:—						
CHARLTON KINGS	*	*	*	*	*	*
†CHELTENHAM ...	–	1	–	–	–	–
TETBURY... ...	–	–	–	–	–	C. 1 M. 1
Rural Districts:—						
CHIPPING SODBURY	–	–	1	–	1	–
DURSLEY... ...	–	–	–	1	–	–
GLOUCESTER—*cont.*						
Rural Districts—*cont.*						
EAST DEAN AND UNITED PARISHES ...	–	6	–	–	–	–
TEWKESBURY (part)	–	–	–	1		–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	2	1	–	–	–
WINCHCOMB (part)	–	3	–	–	–	–
HEREFORD ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
BROMYARD ...	–	1	–	–	–	–
ROSS	–	1	–	–	–	–
Rural Districts:—						
DORE	–	1	–	–	–	–
LEOMINSTER ...	–	1	–	–	–	–
HERTFORD ...	–	7	2	–	3	–
Boroughs and Urban Districts:—						
BALDOCK ...	–	–	–	–	2	–
†BARNET	*	*	*	*	*	*
BUSHEY	–	1	–	–	–	–
HARPENDEN ...	–	2	–	–	–	–
†HEMEL HEMPSTEAD	–	–	2	–	–	–
†HERTFORD ...	–	2	–	–	–	–
†LETCHWORTH ...	–	1	–	–	1	–
†ST. ALBANS ...	–	1	–	–	–	–
KENT	–	20	16	4	5	M. 2
†CANTERBURY C.B.	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever :

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1	–	–	1	–
†BEXLEY	–	–	1	–	–	–
†BROMLEY ...	–	–	–	–	1	–
CHISLEHURST ...	–	–	1	–	–	–
†DOVER	–	–	1	–	–	M. 1
†ERITH	–	7	–	–	1	
†FOLKESTONE ...	–	1	–	–	–	–
†GILLINGHAM ...	–	3	2	–	–	–
†GRAVESEND ...	–	–	1	–	–	–
HYTHE	–	–	–	1	–	–
†MAIDSTONE ...	–	–	1	–	1	–
†MARGATE ...	–	–	1	–	–	–
†NORTHFLEET ...	–	–	2	–	–	–
†PENGE	–	–	–	1	–	–
†RAMSGATE ...	–	1	1	–	1	–
†ROCHESTER ...	–	1	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	–	–
SANDGATE ...	–	–	1	–	–	–
†SHEERNESS ...	–	–	–	1	–	–
SIDCUP	–	–	–	1	–	–
WROTHAM ...	–	1	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	3	–	–	–	–
DOVER	–	–	1	–	–	–
FAVERSHAM ...	–	–	1	–	–	–
MAIDSTONE ...	–	–	1	–	–	–
MALLING... ...	–	–	1	–	–	–
STROOD	–	–	–	–	–	M. 1
LANCASTER ...	–	222	71	17	115	C. 3 D. 2 E. 3 G. 3 M. 18
†BARROW IN FURNESS C.B.	–	2	–	–	1	–
†BLACKBURN C.B.	–	5	3	–	8	M. 1
†BLACKPOOL C.B.	–	5	–	–	–	M. 3
†BOLTON C.B. ...	–	9	1	–	1	–
†BOOTLE C.B. ...	–	4	2	–	1	E. 1
†BURNLEY C.B. ...	–	–	–	1	1	–
†BURY C.B. ...	–	5	2	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†LIVERPOOL C.B. ...	–	51	19	1	28	E. 1 M. 6
†MANCHESTER C.B.	–	42	12	6	25	C. 1 G. 1 M. 3
†OLDHAM C.B. ...	–	1	–	–	2	D. 1
†PRESTON C.B. ...	–	6	4	–	2	–
†ROCHDALE C.B. ...	–	11	–	–	–	E. 1
†ST. HELENS C.B....	–	2	1	–	2	–
†SALFORD C.B. ...	–	9	8	–	5	C. 1
†SOUTHPORT C.B.	–	–	1	–	1	–
†WARRINGTON C.B.	–	2	2	–	1	–
†WIGAN C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	4	–	–	2	–
†ASHTON IN MAKERFIELD	–	–	–	–	1	G. 1
†ASHTON UNDER LYNE	–	1	–	–	1	–
ASPULL	–	–	–	–	1	–
†ATHERTON ...	–	1	2	–	1	–
AUDENSHAW ...	–	–	–	–	1	–
†BACUP	–	1	–	–	–	–
BARROWFORD ...	–	–	–	–	1	–
BLACKROD ...	–	1	–	–	–	–
BRIERFIELD ...	–	1	–	–	1	. .
†CHADDERTON ...	–	1	–	–	–	–
†CHORLEY	–	–	–	–	2	–
CHURCH	–	–	–	1	–	C. 1
†CLITHEROE ...	*	*	*	*	*	*
†COLNE	–	–	–	1	2	–
†CROMPTON ...	–	1	–	–	–	–
†DALTON IN FURNESS	–	1	–	–	–	–
†DARWEN	–	–	–	–	–	D. 1 G. 1
†DENTON	–	1	–	–	1	–
†DROYLSDEN ...	–	1	–	–	–	–
†ECCLES	–	–	–	–	1	–
†FAILSWORTH ...	–	–	2	–	–	–
†FARNWORTH ...	–	2	–	–	–	–
†FLEETWOOD ...	–	–	–	–	–	M. 2
GOLBORNE ...	–	–	1	–	–	–
†HASLINGDEN ...	–	1	–	–	1	–
†HEYWOOD ...	–	4	–	–	–	–
†HINDLEY... ...	–	1	–	–	2	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†INCE IN MAKERFIELD	–	–	–	–	4	–
KEARSLEY ...	–	–	–	–	–	M. 1
†LANCASTER ...	–	–	1	–	–	–
†LEIGH	–	6	–	–	–	M. 1
LEYLAND... ...	–	3	–	–	–	–
†LITHERLAND ...	–	3		–	–	–
†LITTLEBOROUGH	–	1	–	–	–	–
†LYTHAM, ST. ANNE'S	–	–	1	–	–	–
†MIDDLETON ...	–	3	1	–	–	–
†MORECAMBE ...	–	1	–	–	–	–
†MOSSLEY	–	1	–	–	–	–
†NELSON	–	1	–	1	–	–
ORMSKIRK ...	–	–	1	–	–	–
ORRELL	–	1	–	2	–	–
†OSWALDTWISTLE	–	–	–	–	1	–
†RADCLIFFE ...	–	–	1	–	2	–
†RAWTENSTALL ...	–	1	–	–	–	–
RISHTON	–	–	–	–	1	–
†ROYTON	–	–	–	–	1	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD... ...	–	5	3	–	1	–
†SWINTON AND PENDLEBURY	–	3	–	–	–	–
THORNTON ...	–	–	–	–	1	–
†TURTON	–	2	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	–	1	3	–	–
WHITWORTH ...	–	–	–	–	1	–
†WIDNES	–	5	1	–	2	–
†WORSLEY... ...	–	3	–	–	–	–
Rural Districts:—						
CLITHEROE ...	–	–	–	–	1	–
LANCASTER ..	–	3	–	1	–	–
WHISTON... ...	–	2	1	–	–	–
WIGAN	–	1	–	–	–	–
LEICESTER... ...	–	17	6	1	2	M. 2
†LEICESTER C.B. ...	–	12	2	–	2	M.2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	–	1	–	–	–
MARKET HARBOROUGH	–	2	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–	–	–
BARROW UPON SOAR	–	–	–	1	–	–
MARKET BOSWORTH	–	–	2	–	–	–
MELTON MOWBRAY	–	3	–	–	–	–
LINCOLN (parts of Holland).	–	1	2	–	–	–
Boroughs and Urban Districts—						
†SPALDING ...	–	–	2	–	–	–
Rural Districts:—						
†BOSTON	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	1	1	1	M. 2
Boroughs and Urban Districts:—						
SLEAFORD ...	–	–	1	–	–	–
STAMFORD ...	–	–	–	1	–	M. 1
Rural Districts:—						
BRANSTON ...	–	–	–	–	–	M. 1
CLAYPOLE ...	–	1	–	–	–	–
SLEAFORD ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	–	14	3	1	2	C. 1
†GRIMSBY C.B. ...	–	2	–	–	1	–
†LINCOLN C.B. ...	–	5	1	–	–	–
Boroughs and Urban Districts :—						
†GAINSBOROUGH ...	–	–	1	–	–	–
MARKET RASEN...	–	–	–	1	–	–
†SCUNTHORPE AND FRODINGHAM	–	5	–	–	–	–
SKEGNESS ...	–	1	–	–	–	–
Rural Districts :—						
HORNCASTLE ...	–	–	–	–	–	C. 1
ISLE OF AXHOLME	–	–	–	–	1	–
LOUTH	–	–	1	–	–	–
WELTON	–	1	–	–	–	–
MIDDLESEX ...	4	33	31	5	15	C. 1 D. 1 E. 1 G. 1 M. 2
Boroughs and Urban Districts :—						
†ACTON	–	2	–	–	–	D. 1
†BRENTFORD ...	–	2	1	–	–	–
†CHISWICK ...	–	1	2	1	–	M. 1
†EALING	–	2	–	1	–	–
†EDMONTON ...	–	–	3	1	–	–
†ENFIELD	–	2	–	–	2	–
FELTHAM ...	–	3	1	–	–	–
†FINCHLEY ...	–	1	–	–	–	–
†HAMPTON ...	–	2	–	–	2	–
HAMPTON WICK...	–	1	–	–	–	–
†HANWELL ...	–	1	2	–	–	–
†HENDON	–	1	2	1	–	–
†HESTON AND ISLEWORTH	–	1	1	–	4	C. 1
†HORNSEY... ...	–	3	3	–	–	G. 1
†SOUTHALL NORWOOD	–	1	–	–	–	–
†SOUTHGATE ...	–	–	–	1	–	–
SUNBURY ON THAMES	*	*	*	*	*	*
†TEDDINGTON ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TOTTENHAM ...	–	1	1	–	2	–
†WEMBLEY ...	–	–	–	–	2	E. 1
†WILLESDEN ...	4	2	8	–	2	M. 1
†WOOD GREEN ...	–	5	–	–	–	–
Rural Districts :—						
STAINES	–	1	7	–	1	–
NORFOLK	–	20	5	–	2	C. 1 M. 2
†GREAT YARMOUTH C.B.	–	4	–	–	–	C. 1
†NORWICH C.B. ...	–	10	3	–	2	–
Rural Districts :—						
BLOFIELD ...	–	1	1	–	–	–
DOCKING	–	–	–	–	–	M. 1
FOREHOE ...	–	2	–	–	–	–
HENSTEAD ...	–	1	–	–	–	–
MARSHLAND ...	–	–	–	–	–	M. 1
MITFORD AND LAUNDITCH	–	1	–	–	–	–
SMALLBURGH ...	–	–	1	–	–	–
THETFORD ...	–	1	–	–	–	–
NORTHAMPTON ...	–	36	3	5	10	–
†NORTHAMPTON C.B.	–	15	1	1	7	–
Boroughs and Urban Districts :—						
DESBOROUGH ...	–	–	–	–	1	–
IRTHLINGBOROUGH	–	1	–	–	–	–
†KETTERING ...	–	8	1	–	1	–
ROTHWELL ...	–	2	–	–	–	–
†WELLINGBOROUGH	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON— *cont.*						
Rural Districts:—						
BRACKLEY ...	–	–	–	3	–	–
DAVENTRY ...	–	–	–	1	–	–
KETTERING ...	–	6	–	–	–	–
NORTHAMPTON ..	–	–	–	–	1	–
OXENDEN... ...	–	1	–	–	–	–
THRAPSTON (part)	–	–	1	–	–	–
NORTHUMBERLAND	–	30	4	2	13	M. 1
†NEWCASTLE UPON TYNE C.B.	–	16	1	1	8	M. 1
†TYNEMOUTH C.B.	–	3	2	–	–	–
Boroughs and Urban Districts:—						
AMBLE	*	*	*	*	*	*
†ASHINGTON ...	–	2	–	–	–	–
†BEDLINGTONSHIRE	–	2	–	–	–	–
†BLYTH	–	1	–	–	1	–
†GOSFORTH ...	–	1	–	–	–	–
NEWBIGGIN BY THE SEA	–	–	1	–	–	–
SEATON DELAVAL	–	–	–	–	1	–
WEETSLADE ...	–	1	–	–	–	–
†WHITLEY AND MONKSEATON	–	–	–	–	1	–
Rural Districts:—						
CASTLE WARD ..	–	2	–	–	–	–
HALTWHISTLE ...	–	–	–	–	2	–
HEXHAM	–	–	–	1	–	–
MORPETH... ...	–	2	–	–	–	–
NOTTINGHAM ...	4	39	10	2	8	G. 1 M. 1
†NOTTINGHAM C.B.	1	23	4	–	1	M. 1
Boroughs and Urban Districts:—						
†CARLTON	–	1	1	–	–	–
†EAST RETFORD ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM— *cont.*						
Boroughs and Urban Districts— *cont.*						
†HUCKNALL ...	–	1	–	–	3	–
†KIRKBY IN ASHFIELD	3	–	–	1	–	–
†MANSFIELD ...	–	–	1	–	1	–
†NEWARK	–	–	1	–	–	G. 1
†SUTTON IN ASHFIELD	–	1	–	–	–	–
WARSOP	*	*	*	*	*	*
†WEST BRIDGFORD	–	–	–	1	–	–
†WORKSOP... ...	–	1	–	–	–	–
Rural Districts:—						
BASFORD	–	4	–	–	–	–
BINGHAM... ...	–	–	–	–	1	–
NEWARK	–	3	1	–	–	–
SKEGBY	–	1	1	–	–	–
SOUTHWELL ...	–	1	–	–	–	–
STAPLEFORD ...	–	3	1	–	1	–
OXFORD	1	9	1	–	–	D. 1
†OXFORD C.B. ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
THAME	–	–	–	–	–	D. 1
Rural Districts:—						
CULHAM	–	1	–	–	–	–
HEADINGTON ...	1	4	–	–	–	–
THAME	–	–	1	–	–	–
PETERBOROUGH (Soke of)	–	2	1	–	–	–
Borough:—						
†PETERBOROUGH...	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever:

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
RUTLAND	–	–	4	–	–	–
Rural District :—						
KETTON	–	–	4	–	–	–
SALOP	–	14	3	–	1	G. 1 M. 2
Boroughs and Urban Districts :—						
BRIDGNORTH ...	–	–	1	–	–	–
†OAKENGATES ...	–	1	–	–	–	–
OSWESTRY ...	–	2	1	–	–	–
†SHREWSBURY ...	–	5	–	–	1	–
Rural Districts :—						
ATCHAM	–	–	–	–	–	M. 1
BRIDGNORTH ...	–	1	–	–	–	–
CHIRBURY ...	–	1	–	–	–	–
LUDLOW	–	–	1	–	–	G. 1
OSWESTRY ...	–	3	–	–	–	M. 1
WELLINGTON ...	–	1	–	–	–	–
SOMERSET	–	11	3	–	1	D. 1 G. 1
†BATH C.B. ...	–	2	1	–	–	G. 1
Boroughs and Urban Districts :—						
†BRIDGWATER ...	–	1	–	–	1	D. 1
STREET	–	1	–	–	–	–
Rural Districts :—						
CLUTTON	*	*	*	*	*	*
KEYNSHAM ...	–	2	1	–	–	–
LONG ASHTON ...	–	4	–	–	–	–
TAUNTON ...	–	1	–	–	–	–
WINCANTON ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ...	–	29	25	4	4	E. 1 G. 1 M. 2
†BOURNEMOUTH C.B.	–	–	2	–	–	–
†PORTSMOUTH C.B.	–	10	15	–	–	M. 1
†SOUTHAMPTON C.B.	–	11	4	–	2	G. 1
Boroughs and Urban Districts :—						
CHRISTCHURCH ...	–	–	–	–	1	–
†GOSPORT	–	1	1	–	–	–
PETERSFIELD ...	–	3	–	–	–	–
†WINCHESTER ...	–	–	2	–	–	–
Rural Districts :—						
ALRESFORD ...	–	–	–	–	–	M. 1
ALTON	–	–	–	1	–	–
BASINGSTOKE ...	–	–	1	–	–	–
CHRISTCHURCH ...	–	–	–	–	1	–
DROXFORD ...	–	2	–	2	–	E. 1
HAVANT ...	–	–	–	1	–	–
RINGWOOD ...	–	1	–	–	–	–
WINCHESTER ...	–	1	–	–	–	–
STAFFORD	–	59	11	5	27	C. 3 M. 9
†BURTON UPON TRENT C.B.	–	2	1	–	–	–
†SMETHWICK C.B.	–	2	1	–	3	C. 1
†STOKE ON TRENT C.B.	–	12	3	1	13	M. 4
†WALSALL C.B. ...	–	4	–	1	2	M. 2
†WEST BROMWICH C.B.	–	4	1	–	2	–
†WOLVERHAMPTON C.B.	–	6	–	–	1	M. 1
Boroughs and Urban Districts :—						
AMBLECOTE ...	–	1	–	–	–	–
BIDDULPH ...	–	3	–	–	–	–
†BILSTON	–	3	1	–	1	–
†CANNOCK	–	1	–	–	–	C. 1
†NEWCASTLE UNDER LYME	–	1	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
Quarry Bank ...	–	–	1	–	–	–
†Sedgley	–	4	–	–	–	–
Short Heath ..	–	1	–	–	–	–
†Stafford ...	–	5	–	–	1	–
†Tipton	–	–	–	2	–	–
Uttoxeter ...	–	–	–	–	1	C. 1
†Wednesbury ...	–	–	–	–	2	–
†Willenhall ...	–	1	–	–	–	–
†Wolstanton United	–	5	–	–	–	–
Rural Districts:—						
Cannock	–	1	2	–	–	–
Cheadle	–	–	1	–	–	–
Kingswinford ...	–	–	–	–	–	M. 1
Seisdon	–	1	–	–	–	–
Tutbury... ...	–	–	–	–	1	–
Walsall... ...	–	2	–	1	–	–
SUFFOLK, EAST ...	–	6	2	–	3	G. 1
†Ipswich C.B. ...	–	–	1	–	2	–
Boroughs and Urban Districts:—						
†Lowestoft ...	–	4	–	–	–	–
Stowmarket ...	–	1	–	–	–	G. 1
Woodbridge ...	–	–	1	–	–	–
Rural Districts:—						
Bosmere and Claydon	–	1	–	–	–	–
Hartismere ...	*	*	*	*	*	*
Plomesgate ...	–	–	–	–	1	–
SUFFOLK, WEST ...	–	1	2	–	–	E. 1
Boroughs and Urban Districts:—						
Newmarket ...	–	1	–	–	–	–
SUFFOLK, WEST—*cont.*						
Rural Districts:—						
Melford... ...	–	–	–	–	–	E. 1
Thingoe	–	–	2	–	–	–
SURREY	–	23	16	6	5	C. 1 E. 1 G. 1 L. 1 M. 1
†Croydon C.B. ...	–	3	7	–	–	–
Boroughs and Urban Districts:—						
†Barnes	–	2	1	–	–	–
†Beddington and Wallington	–	–	3	–	–	–
†Carshalton ...	–	2	1	–	–	–
†Caterham ...	–	1	–	–	1	–
†Chertsey ...	–	1	–	–	–	–
†Egham	–	–	–	4	–	–
†Farnham ...	–	1	1	–	1	–
†Frimley	*	*	*	*	*	*
†Guildford ...	–	1	–	–	1	E. 1
Ham	–	1	–	–	–	–
†Kingston on Thames	–	1	–	–	–	–
†Merton and Morden	–	1	1	–	–	G. 1
†Mitcham... ...	–	2	–	1	1	C. 1
†Surbiton ...	–	1	–	–	–	M. 1
†Woking	–	3	–	–	–	–
Rural Districts:—						
Chertsey ...	–	–	–	–	1	–
Epsom	–	2	–	1	–	–
Farnham ...	–	1	–	–	–	–
Guildford ...	–	–	2	–	–	–
Reigate	–	–	–	–	–	L. 1
SUSSEX, EAST ...	–	15	5	–	–	E. 2 F. 1 L. 1 M. 1
†Brighton C.B. ...	–	7	4	–	–	M. 1
†Hastings C.B. ...	–	1	–	–	–	E 2 F. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts:—						
BATTLE	–	1	–	–	–	–
NEWHAVEN ...	–	2	–	–	–	–
PORTSLADE BY SEA	–	2	–	–	–	–
UCKFIELD ...	–	–	1	–	–	–
Rural Districts:—						
CHAILEY... ...	–	–	–	–	–	L. 1
EAST GRINSTEAD	–	2	–	–	–	–
SUSSEX, WEST ...	–	4	–	–	–	E. 2
Boroughs and Urban Districts:—						
†BOGNOR	–	1	–	–	–	–
SOUTHWICK ...	–	1	–	–	–	–
†WORTHING ...	–	–	–	–	–	E. 2
Rural Districts:—						
HORSHAM ...	–	2	–	–	–	–
WARWICK	–	70	39	10	35	C. 2 D. 1 G. 1 L. 1 M. 12
†BIRMINGHAM C.B.	–	52	35	1	24	C. 1 D. 1 L. 1 M. 11
†COVENTRY C.B. ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
BULKINGTON ...	*	*	*	*	*	*
KENILWORTH ...	–	–	1	–	3	–
†NUNEATON ...	–	–	–	–	1	C. 1 G. 1
†ROYAL LEAMINGTON SPA	–	1	–	5	–	–
WARWICK—*cont.*						
Boroughs and Urban Districts—*cont.*						
†RUGBY	–	1	–	–	2	–
STRATFORD ON AVON	–	1	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	1	1	–	–	–
FOLESHILL ...	–	2	–	–	–	–
MERIDEN... ...	–	2	–	–	2	–
NUNEATON ...	–	3	–	–	–	–
RUGBY	–	–	–	–	–	M. 1
SOLIHULL ...	–	4	–	–	1	–
SOUTHAM... ...	–	–	–	1	–	–
WARWICK ...	–	1	1	3	1	–
WESTMORLAND ...	–	6	–	–	3	M. 1
Boroughs and Urban Districts:—						
APPLEBY... ...	–	–	–	–	–	M. 1
†KENDAL	–	6	–	–	1	–
Rural Districts:—						
SOUTH WESTMORLAND	–	–	–	–	2	–
WIGHT, ISLE OF ...	–	1	–	1	1	–
Boroughs and Urban Districts—						
EAST COWES ...	–	–	–	–	1	–
†NEWPORT... ...	–	1	–	–	–	–
†RYDE	–	–	–	1	–	–
WILTS	–	9	3	1	–	M. 2
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	–	–	–	–	M. 1
DEVIZES	–	4	–	–	–	–
†SALISBURY ...	–	1	1	1	–	–
†SWINDON... ...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont*						
Rural Districts:—						
CRICKLADE AND WOOTTON BASSETT... ...	–	–	1	–	–	–
MALMESBURY ...	–	–	–	–	–	M. 1
PEWSEY	–	1	–	–	–	–
TISBURY	*	*	*	*	*	*
WILTON	–	–	1	–	–	–
WORCESTER ...	–	16	3	1	2	C. 1 M. 1
†DUDLEY C.B. ...	–	3	–	–	–	–
†WORCESTER C.B.	–	1	1	–	1	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	M. 1
†KIDDERMINSTER	–	–	1	–	–	–
†OLDBURY... ...	–	1	–	–	1	C. 1
†REDDITCH ...	–	1	–	–	–	–
Rural Districts:—						
DROITWICH ...	–	1	–	–	–	–
FECKENHAM ...	–	1	–	–	–	–
KIDDERMINSTER	–	1	–	–	–	–
MARTLEY... ...	–	3	1	–	–	–
PERSHORE ...	–	3	–	–	–	–
UPTON ON SEVERN	–	–	–	1	–	–
YORKS ... ... (East Riding.)	–	13	13	2	6	M. 3
†KINGSTON UPON HULL C.B.	–	11	12	2	5	M. 3
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	1	–	–	–
Rural Districts:—						
PATRINGTON ...	*	*	*	*	*	*
SHERBURN ...	–	1	–	–	1	–
YORKS ... ... (North Riding.)	3	43	10	1	4	–
†MIDDLESBROUGH C.B.	3	30	1	1	3	–
Boroughs and Urban Districts:—						
†ESTON	–	10	–	–	–	–
LOFTUS	–	3	–	–	–	–
†WHITBY	–	–	7	–	–	–
Rural Districts:—						
CROFT	–	–	–	–	1	–
MIDDLESBROUGH	–	–	1	–	–	–
STOKESLEY ...	–	–	1	–	–	–
YORKS ... ... (West Riding.)	2	145	57	9	67	C. 7 D. 1 G. 1 J. 1 M. 7
†BARNSLEY C.B. ...	–	2	1	–	1	–
†BRADFORD C.B. ...	–	8	7	–	8	–
†DEWSBURY C.B....	–	1	1	–	–	–
†HALIFAX C.B. ...	–	2	3	–	–	–
†HUDDERSFIELD C.B.	–	2	–	–	3	–
†LEEDS C.B. ...	–	29	6	–	5	C. 3 M. 2
†ROTHERHAM C.B.	–	5	–	–	4	J. 1
†SHEFFIELD C.B....	–	28	8	1	26	C. 3 M. 4
†WAKEFIELD C.B.	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	1	3	1	–	M. 1
BAILDON	*	*	*	*	*	*
†BARNOLDSWICK ...	–	–	1	–	–	–
†BATLEY	–	2	–	–	1	–
†BOLTON UPON DEARNE	–	1	–	–	–	–
BURLEY IN WHARFEDALE	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†CASTLEFORD ...	–	1	–	–	–	–
†CONISBROUGH ...	–	2	1	–	–	–
CUDWORTH ...	–	–	2	–	–	–
DODWORTH ...	–	1	–	–	–	–
†DONCASTER ...	–	6	–	1	–	–
EARBY	–	–	2	–	–	–
†ELLAND	–	–	–	–	1	–
†FEATHERSTONE ...	–	1	–	–	1	–
†GOOLE	–	6	1	–	–	–
†HARROGATE ...	–	–	–	–	1	–
HEMSWORTH ...	–	1	–	–	–	–
HIPPERHOLME ...	–	1	–	–	1	–
†HOYLAND NETHER	–	–	–	–	–	G. 1
†KEIGHLEY ...	–	2	–	–	–	–
KIRKBURTON ...	–	–	1	–	–	–
KNARESBOROUGH	*	*	*	*	*	*
KNOTTINGLEY ...	–	2	–	–	–	–
METHLEY ...	*	*	*	*	*	*
†MEXBOROUGH ...	–	1	–	–	3	D. 1
†MORLEY	–	–	1	3	–	–
†NORMANTON ...	–	–	1	–	1	–
†OSSETT	–	1	–	–	–	–
OTLEY	–	–	–	–	1	–
PENISTONE ...	–	1	–	–	–	–
†PONTEFRACT ...	–	1	–	–	–	–
QUEENSBURY ...	–	–	–	–	3	–
RAWDON	*	*	*	*	*	*
†RAWMARSH ...	–	2	–	–	–	–
ROYSTON	–	1	–	–	–	–
SELBY	–	1	–	–	–	–
†SHIPLEY	–	1	–	–	–	–
†SKIPTON	–	1	1	–	–	–
†SPENBOROUGH ...	–	2	1	1	–	C. 1
†STANLEY	–	2	1	–	–	–
STOCKSBRIDGE ...	–	2	–	–	–	–
†SWINTON	–	1	–	–	1	–
THURNSCOE ...	*	*	*	*	*	*
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	–	3	–	1	–	–
†WORSBOROUGH ...	–	2	–	–	–	–
YEADON	–	1	–	–	–	–
Rural Districts—						
DONCASTER ...	2	–	–	–	2	–
HEMSWORTH ...	–	2	–	1	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Rural Districts—*cont.*						
HUNSLET... ...	–	4	–	–	–	–
KIVETON PARK ...	–	–	1	–	–	–
PONTEFRACT ...	–	3	–	–	–	–
ROTHERHAM ...	–	3	2	–	1	–
SKIPTON	–	–	1	–	–	–
TADCASTER ...	–	2	2	–	–	–
THORNE	–	1	1	–	–	–
WAKEFIELD ...	–	–	6	–	–	–
WETHERBY ...	–	1	–	–	1	–
WORTLEY ...	–	1	–	–	–	–
County Borough :—						
§YORK	–	2	–	–	–	–
WALES.						
ANGLESEY	–	1	2	–	–	–
Boroughs and Urban Districts :—						
MENAI BRIDGE ...	–	–	2	–	–	–
Rural Districts :—						
AETHWY	–	1	–	–	–	–
BRECKNOCK ...	–	1	–	–	1	–
Urban Districts :—						
BUILTH WELLS ...	–	1	–	–	–	–
Rural Districts :—						
CRICKHOWELL ...	*	*	*	*	*	*
HAY	–	–	–	–	1	–
CARDIGAN	–	5	–	–	–	–
Boroughs and Urban Districts :—						
†ABERYSTWYTH ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

§ York is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARDIGAN—*cont.*						
Rural Districts:—						
ABERAYRON ...	–	2	–	–	–	–
LAMPETER ...	–	1	–	–	–	–
CARMARTHEN ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
LLANDILO ...	*	*	*	*	*	*
†LLANELLY ...	–	2	–	–	–	–
Rural Districts:—						
LLANELLY ...	–	1	1	–	–	–
CARNARVON ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
CONWAY	–	1	–	–	–	–
Rural Districts:—						
OGWEN	–	1	–	–	–	–
DENBIGH	–	2	–	1	1	–
Boroughs and Urban Districts:—						
DENBIGH... ...	–	–	–	1	–	–
RUTHIN	*	*	*	*	*	*
Rural Districts:—						
CHIRK	–	2	–	–	–	–
RUTHIN	–	–	–	–	1	–
FLINT	–	1	–	1	1	–
Boroughs and Urban Districts:—						
FLINT	–	–	–	1	–	–
†RHYL	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	–	–	1	–
GLAMORGAN ...	–	44	34	2	13	C. 3 E. 5 F. 2 M. 4
†CARDIFF C.B. ...	–	7	9	–	1	C. 1 E. 5 M. 1
†MERTHYR TYDFIL C.B.	–	–	7	–	–	–
†SWANSEA C.B. ...	–	5	6	–	–	C. 1 F. 2
Boroughs and Urban Districts:—						
†ABERDARE ...	–	3	1	–	–	–
†BARRY	–	–	1	–	1	M. 1
†CAERPHILLY ...	–	3	–	–	–	–
†GELLIGAER ...	–	–	2	1	–	–
†MAESTEG	*	*	*	*	*	*
†MOUNTAIN ASH ...	–	3	1	–	3	–
†NEATH	–	–	4	–	2	–
†OGMORE AND GARW	–	3	–	–	–	–
†PONTYPRIDD ...	–	6	–	–	4	–
†PORT TALBOT ...	–	–	2	–	–	–
†RHONDDA ...	–	6	1	1	2	C. 1 M. 2
Rural Districts:—						
COWBRIDGE ...	–	2	–	–	–	–
NEATH	–	5	–	–		–
PENYBONT ...	–	1	–	–	–	–
MONMOUTH ...	–	13	8	–	4	C. 1 M. 2
†NEWPORT C.B. ...	–	2	1	–	2	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—						
†ABERCARN ...	–	3	–	–	–	–
†ABERTILLERY ...	–	–	–	–	1	–
†BEDWELLTY ...	–	3	1	–	–	–
†EBBW VALE ...	–	2	2	–	–	C. 1
LLANFRECHFA UPPER	–	1	–	–	–	–
†MYNYDDISLWYN	–	1	1	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	1	M. 1
†RHYMNEY ...	–	–	3	–	–	–
†TREDEGAR ..	–	1	–	–	–	–
USK	*	*	*	*	*	*
Rural Districts:—						
PONTYPOOL ...	*	*	*	*	*	*
MONTGOMERY ...	–	5	–	–	–	–
Rural Districts:—						
LLANFYLLIN ...	–	5	–	–	–	–
PEMBROKE	–	1	2	1	–	–
Boroughs and Urban Districts:—						
GOODWICK ...	*	*	*	*	*	*
MILFORD HAVEN	–	–	1	1	–	–
NEYLAND... ...	*	*	*	*	*	*
Rural Districts:—						
HAVERFORDWEST.	–	1	–	–	–	–
ST. DOGMELLS ...	–	–	1	–	–	–
RADNOR	–	1	1	1	–	–
Urban District:—						
LLANDRINDOD WELLS	–	1	–	–	–	–
Rural Districts:—						
NEW RADNOR ...	–	–	1	–	–	–
PAINSCASTLE ...	–	–	–	1	–	–
Total of Part II. ...	22	1277	521	109	425	C. 34 D. 9 E. 23 F. 3 G. 15 J. 1 L. 3 M. 99

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CARDIFF	–	–	–	–	–	L. 1
FALMOUTH AND TRURO	–	–	–	1	–	–
PLYMOUTH	–	–	1	–	–	–
SOUTHAMPTON ...	–	–	–	–	–	L. 1
PORT OF LONDON ...	–	–	1	1	–	–
Total of Part III.— ...	–	–	2	2	–	L. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ *note below*).
Total of Part I.—London	5	218	182	12	55	C. 1 D. E. G. M. 1
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	22	1277	521	109	425	C. 3 D. E. 2 F. G 1 J. L. M. 9
Total of Part III.—Port Sanitary Districts	–	–	2	2	–	L.
Total (*i.e.*, of returns received), England and Wales ...	27	1495	705	123	480	C. 4 D. 1 E. 3 F. G. 1 J. L. M. 11

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plagu C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Pol encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continu Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the wee The cases of Small-pox notified appear on pages 1040, 1041, 1042, 1044, 1047, 1048, 1052 and 105

ble 5.—London and Great Towns in the Aggregate. } Births, Deaths (distinguishing certain Causes and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	June 23.	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1	Sept. 8.	Sept. 15.
ONDON :—													
EATHS—all ages	855	772	834	1,016	902	686	765	720	718	813	782	799	807
„ 0 to 1 year ..	86	76	85	106	112	80	73	84	76	111	122	106	115
REAT TOWNS, aggregate (including London) :—													
IRTHS	7,901	7,792	7,746	7,331	8,275	7,554	8,131	6,627	7,910	7,798	7,483	7,682	7,281
EATHS—all ages	3,858	3,668	3,703	4,052	3,618	3,108	3,300	3,332	3,269	3,282	3,287	3,428	3,394
„ 0 to 1 year ..	464	471	428	516	492	413	407	450	410	499	484	471	493
NTERIC FEVER—Cases	24	15	33	24	19	21	33	41	24	27	26	31	38
„ Deaths	2	1	3	1	3	3	1	7	6	1	2	4	4
MALL POX—Cases ..	82	104	95	114	64	25	14	13	9	10	12	10	17
„ Deaths ..	—	—	—	1	1	—	—	—	—	—	—	—	—
CARLET FEVER—Cases	825	817	798	733	647	679	626	540	539	561	611	736	755
„ Deaths	16	11	7	10	2	7	5	7	6	6	7	11	6
IPHTHERIA—Cases ..	415	378	424	431	403	385	340	358	344	362	391	374	467
„ Deaths ..	32	24	15	17	16	10	22	20	26	20	27	21	26
EASLES—Deaths ..	61	61	42	51	53	37	29	28	30	14	15	15	15
FLUENZA—Deaths ..	92	81	59	34	36	24	15	14	24	16	14	20	9

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 15th September, 1923. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
ONDON (GREENWICH).	77	43	72·4	50·4	8
RIGHTON ..	70	49	65·4	51·4	18
ORTSMOUTH ..	72	49	67·8	53·2	13
ORWICH (SOUTHWELL LODGE).	73	43	68·4	47·8	7
LYMOUTH ..	70	42	65·3	50·3	10
RISTOL (CLIFTON).	68	46	62·9	51·4	11
IRMINGHAM (EDGBASTON)	69	44	62·4	47·9	15
OTTINGHAM ..	69	41	64·3	47·9	25
IRKENHEAD (BIDSTON).	64	48	60·9	49·7	15
ANCHESTER (WHITWORTH PARK).	69	42	62·7	48·7	14
URNLEY	65	41	60·3	47·1	18
UDDERSFIELD	69	40	64·3	46·4	6

Towns.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD ..	67	43	61·6	48·7	8
SHEFFIELD ..	Not received.				
YORK (MUSEUM)	69	45	64·3	50·1	11
HULL (PEARSON PARK).	72	42	67·7	48·4	28
TYNEMOUTH ..	65	49	61·7	51·3	3
CARDIFF	68	46	61·9	49·6	11
EDINBURGH ..	62·0	42·0	58·0	47·0	8
GLASGOW ..	57·7	43·5	56·4	47·6	29
DUBLIN (PHŒNIX PARK).	66·5	39·0	61·1	45·7	13
FITZWILLIAM SQUARE.†	65·3	44·9	60·4	50·4	10
BELFAST	65·0	39·8	61·3	47·0	12

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 15th September, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	9	..	29·931	76·0	42·9	33·1	59·8	+ 1·2	51·5	8·3	20·9	2·1	74	137·0	28·2	57·0	Calm	SW	1·6	0·0	0·0	144	− 106	0·00
MONDAY -	10	New	29·894	72·0	53·5	18·5	61·4	+ 3·0	53·5	7·9	17·7	1·2	75	121·4	42·6	56·9	Calm	NNE : ENE.	1·2	0·0	0·0	139	− 112	0·00
TUESDAY -	11	..	29·875	71·8	54·0	17·8	61·0	+ 2·9	52·8	8·2	20·0	1·6	75	131·4	45·7	56·9	Calm	SW	1·0	0·0	0·0	171	− 80	0·00
WEDNESDAY	12	Perigee. In Equator	29·740	73·7	50·4	23·3	61·1	+ 3·1	50·3	10·8	20·4	2·0	68	135·0	42·6	57·0	WSW	WSW : WNW.	2·3	0·0	0·1	342	+ 90	0·00
THURSDAY -	13	..	29·435	77·4	48·2	29·2	61·9	+ 4·1	53·3	8·6	20·7	1·5	73	139·6	38·0	57·0	Calm	SW	1·6	0·0	0·0	152	− 98	0·00
FRIDAY -	14	..	29·441	70·8	54·7	16·1	61·6	+ 3·9	55·1	6·3	12·7	1·7	79	132·0	47·3	57·0	SW	SW : SSW.	3·1	0·0	0·2	262	+ 13	0·19
SATURDAY -	15	..	29·456	65·0	46·0	19·0	53·5	− 4·1	47·3	6·2	16·9	2·6	80	121·4	37·3	57·0	WSW	WSW : SW.	1·5	0·0	0·1	221	− 26	0·15
MEANS -		..	29·682	72·4	49·9	22·4	60·0	+ 2·0	52·0	8·0	18·5	1·8	75	131·1	40·2	57·0	SW		..	..	..	Sum 1,431	Sum − 319	Sum 0·34
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. SEPTEMBER		ELECTRICITY. (For explanation of symbols. *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	9	wP	9·5	13·1	Cloudless becoming very cloudy by 11h. Nearly cloudless from 17½h. Mist and dew in morning.
MONDAY ..	10	wP till 9h. ; mP till 17½h ; then wP.	5·9	13·0	Nearly overcast generally. Slight mist in morning.
TUESDAY ..	11	wP till 15h.; mP till 18½h. ; then wP.	6·0	12·9	Nearly overcast till 10½h., then nearly cloudless.
WEDNESDAY	12	wP till 16h. : sP till 20h. : then wP.	11·5	12·9	Partially cloudy till 19h., then nearly cloudless.
THURSDAY	13	wP till 16h. ; sP till 18h. ; mP till 20h. ; then wP.	8·2	12·8	Nearly cloudless generally till 12½h. Very cloudy till 17h., then nearly cloudless.
FRIDAY ..	14	wP	5·8	12·8	Nearly overcast till 9h. ; partially cloudy till 17½h., then overcast. Rain 19½h. till 20¾h. Shower 23h.
SATURDAY	15	wP till 6h. ; mP till 13h. ; variably sP and sN till 15h. ; then mP, except sN at 18h.	5·9	12 7	Variably cloudy till 12h. ; nearly overcast till 16½h. Clearing to cloudless by 19n. Rain generally from 13½h. till 18h.
			Sum 50·8	Sum 90·2	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea ; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are :—P. positive ; N. negative ; w. weak ; m. moderate ; s. strong ; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·09 in. at the beginning of the week to 29·86 in. by 4h. on 10th ; increased to 29·95 in. by 0h. on 11th ; decreased generally to 29·35 in. by 0h. on 15th ; increased and was 29·59 in. by midnight on the same day.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS,
11-17, Hare Street, E.2

FOR OFFICIAL USE.

1923. No. 38.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 22ND SEPTEMBER, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 22ND SEPTEMBER, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-eighth week of the year numbered 7,154 and corresponded to an annual rate of 19·4 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,616 and corresponded to an annual rate of 9·8 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 8·9, 9·3 and 9·2. Infant mortality was 72 per 1,000 births, against 65, 61 and 68 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,650 births, corresponding to a rate of 18·9 per 1,000, and 868 deaths of civilians, corresponding to a rate of 10·0, as against 9·0, 9·2 and 9·3 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 9·4 per 1,000. The infant mortality was 70 as against 70, 60 and 67 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 221 in the total deaths last week, and the deaths from influenza rose from 9 to 28. In London the number of deaths from all causes rose from 807 to 868; while the deaths from diphtheria, which had been 7, 4 and 10 in the preceding three weeks, fell to 7 last week, and those from influenza, which had been 4, 2 and 2 in the three preceding weeks, rose to 11 last week.

Just Published:

Census of England and Wales, 1921. County of Stafford. Price 12*s.* net.

County of Warwick. Price 6*s.* 6*d.* net.

County of Worcester. Price 8*s.* net.

County of London—Tables, Part III (Supplementary), Workplaces in London and five Home Counties. Price 3*s.* net.

County of Durham. Price 12*s.* 6*d.* net.

County of Northumberland. Price 9*s.* net.

County of Gloucester. Price 9*s.* net.

The Registrar General's Statistical Review, 1921.

Tables, Part II. Civil. Price 5*s.* net.

Text. Price 5*s.* net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 22nd September, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	7,154	3,616	514	4	17	9	30	27	160	28
London	4,534,230*	1,650	868	116	2	4	2	4	7	49	11
Towns in Outer Ring.											
Croydon C.B. ..	192,300	76	28	2	–	–	–	–	–	–	–
Wimbledon ..	61,730	13	7	–	–	–	–	–	–	–	–
Ealing	67,890	15	8	–	–	–	–	–	–	–	–
Acton	62,390	12	7	–	–	–	–	–	–	–	–
Willesden ..	168,200	54	25	2	–	–	–	–	3	–	–
Hendon	55,930	19	8	–	–	–	–	–	–	–	–
Hornsey	87,310	20	15	1	–	–	–	–	–	–	–
Wood Green ..	51,290	11	5	–	–	–	–	–	–	–	–
Tottenham ..	150,500	59	23	3	–	–	–	–	–	1	–
Edmonton ..	68,700	46	9	4	–	–	–	–	–	1	–
Enfield	62,010	17	15	1	–	–	1	–	–	–	–
West Ham C.B. ..	310,200	152	63	9	–	–	–	–	1	5	1
East Ham C.B. ..	145,800	47	16	2	–	–	–	–	–	–	–
Leyton	131,600	35	7	–	–	–	–	–	–	–	–
Walthamstow ..	129,700	43	20	1	–	–	–	1	1	–	–
Ilford	86,370	40	10	–	–	–	–	–	–	–	–
Gillingham	48,630*	23	8	2	–	–	–	–	–	1	–
Canterbury C.B ..	23,680	13	6	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	19	7	1	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	7	11	–	–	–	–	–	–	–	–
Brighton C.B. ..	135,000	49	29	–	–	–	–	–	–	–	–
Portsmouth C.B. ..	236,630*	82	33	8	–	–	–	–	1	2	1
Bournemouth C.B. ..	81,500	29	14	1	–	–	–	–	–	–	–
Southampton C.B. ..	163,700	68	26	2	–	–	–	–	1	–	–
Reading C.B.	92,990	27	24	2	–	–	–	–	–	–	–
Oxford C.B.	56,510	19	6	1	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	21	21	1	–	–	1	–	–	–	1
Luton	58,260	19	7	–	–	–	–	–	–	–	–
Cambridge	59,200	15	17	1	–	–	–	–	–	1	–
Southend-on-Sea C.B.	91,430	24	16	–	–	–	–	–	–	–	–
Ipswich C.B.	80,950	39	19	3	–	–	1	–	–	–	–
Great Yarmouth C.B.	56,700	20	15	2	–	1	–	–	–	2	–
Norwich C.B ..	122,900	43	15	2	–	–	–	–	–	–	–
Swindon	55,680	16	12	1	–	–	–	–	–	–	–
Exeter C.B.	59,700	18	8	–	–	–	–	–	–	–	–
Plymouth C.B. ..	200,370*	64	39	6	–	–	–	2	–	1	1
Bath C.B.	68,530	16	9	–	–	–	–	–	–	–	–
Bristol C.B.	383,900	134	87	10	1	1	–	1	3	5	–
Gloucester C.B. ..	52,210	14	12	–	–	1	–	–	–	–	–
Stoke-on-Trent C.B.	274,300	108	44	11	–	–	–	–	–	4	–
Burton-upon-Trent C.B.	49,630	20	7	1	–	–	–	–	–	–	–
Wolverhampton C.B.	105,700	41	18	2	–	–	–	–	–	–	–
Walsall C.B.	99,890	48	25	8	–	–	–	2	–	3	–
West Bromwich C.B.	76,260	39	23	2	–	–	–	–	–	1	–
Dudley C.B.	57,860	16	10	–	–	–	–	–	–	–	1
Worcester C.B. ..	49,240	17	8	1	–	–	–	–	–	–	–
Birmingham C.B. ..	945,100	354	158	27	–	–	–	2	5	13	3
Smethwick C.B. ..	78,140	18	11	1	–	–	–	–	1	–	1
Coventry C.B. ..	131,200	34	23	–	–	–	–	–	–	–	–
Leicester C.B. ..	238,800	77	39	5	–	–	–	–	–	–	1
Lincoln C.B.	66,930	19	7	4	–	–	–	–	–	–	–
Grimsby C.B.	84,650	42	21	3	–	–	–	–	–	–	–
Nottingham C.B. ..	267,900	106	48	14	–	–	–	1	–	2	–
Derby C.B.	132,400	55	24	3	–	–	–	–	–	–	–
Chesterfield ..	63,380	32	11	3	–	–	–	1	–	–	–
Stockport C.B. ..	125,800	45	21	1	–	–	–	–	–	–	–
Chester C.B.	41,190	13	8	1	–	–	–	–	–	–	–
Birkenhead C.B. ..	149,200	52	25	2	–	–	–	–	–	1	–
Wallasey C.B. ..	89,790	28	14	1	–	–	–	–	–	–	–
Liverpool C.B. ..	826,400	389	195	55	–	3	1	1	–	26	1
Bootle C.B.	79,750	30	21	6	–	2	–	1	–	1	–
St. Helens C.B. ..	106,400	49	22	5	–	–	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	20	15	–	–	–	–	–	–	–	–
WIGAN C.B.	91,750	40	21	6	–	–	–	–	–	2	–
WARRINGTON C.B. ..	79,150	22	12	2	–	–	–	–	–	–	1
BOLTON C.B.	182,700	52	33	3	–	–	–	–	–	–	–
BURY C.B.	57,400	19	14	2	–	–	–	–	–	1	–
MANCHESTER C.B. ..	748,500	302	134	19	–	–	–	2	1	4	1
SALFORD C.B.	240,700	103	46	6	–	–	–	2	–	–	1
OLDHAM C.B.	148,300	50	35	5	–	–	–	2	–	–	–
ROCHDALE C.B... ..	92,510	26	18	1	–	–	–	1	–	–	–
BURNLEY C.B.	105,100	41	23	3	–	–	–	–	–	–	–
BLACKBURN C.B. ..	129,600	30	33	2	–	–	–	–	–	1	1
PRESTON C.B.	120,900	45	26	2	–	–	–	–	–	1	–
BLACKPOOL C.B. ..	74,050	24	15	–	–	–	–	–	–	–	–
BARROW-IN-FURNESS C.B.	75,690	32	15	2	–	–	–	–	–	–	–
HUDDERSFIELD C.B. ..	111,600	34	13	2	–	–	–	–	–	–	–
HALIFAX C.B.	100,500	32	16	–	–	–	–	–	–	–	–
BRADFORD C.B. ..	291,300	102	67	5	–	2	–	1	1	3	–
LEEDS C.B.	466,700	170	103	11	–	–	1	1	–	2	1
DEWSBURY C.B. ..	55,170	11	13	–	–	–	–	–	–	–	–
WAKEFIELD C.B. ..	53,840	17	6	–	–	–	–	–	–	–	–
BARNSLEY C.B. ..	69,540	36	11	3	–	–	–	–	–	1	–
SHEFFIELD C.B. ..	522,600	172	109	19	–	–	–	–	–	5	–
ROTHERHAM C.B. ..	69,840	24	11	1	–	–	–	–	–	–	–
DONCASTER	55,020	27	21	5	–	–	–	1	–	1	–
YORK C.B.	84,980	27	18	3	–	–	–	1	–	–	–
HULL C.B.	294,000	131	60	15	–	–	–	–	–	8	–
MIDDLESBROUGH C.B.	134,800	72	22	6	–	–	1	–	–	–	–
DARLINGTON C.B. ..	66,710	27	9	–	–	–	–	–	–	–	–
STOCKTON-ON-TEES ..	65,950	22	10	3	–	–	–	–	–	1	–
WEST HARTLEPOOL C.B.	70,020	28	11	–	–	–	–	–	–	–	1
SUNDERLAND C.B. ..	162,900	71	49	9	1	–	–	1	–	2	–
SOUTH SHIELDS C.B. ..	122,400	59	23	4	–	–	–	–	–	–	–
GATESHEAD C.B. ..	127,300	61	22	3	–	–	–	–	–	2	–
NEWCASTLE-ON-TYNE C.B.	281,600	142	48	8	–	1	1	–	–	2	–
TYNEMOUTH C.B. ..	64,640	33	12	1	–	–	–	–	1	1	–
CARLISLE C.B.	53,490	29	12	–	–	–	–	–	1	–	–
NEWPORT (MON.) C.B.	94,880	38	17	2	–	–	–	1	–	–	–
CARDIFF C.B.	223,830	90	58	13	–	–	–	1	–	3	–
RHONDDA	167,500	67	25	4	–	–	–	–	–	–	–
MERTHYR TYDFIL C.B.	82,680	27	8	–	–	–	–	–	–	–	–
ABERDARE	56,580	18	10	–	–	1	–	–	–	–	–
SWANSEA C.B.	161,000	61	34	4	–	1	–	–	–	1	–
GREATER LONDON ..	7,563,730*	2,688	1,289	154	2	4	4	5	12	61	15
OUTER RING	3,029,500*	1,038	421	38	–	–	2	1	5	12	4
16 GREAT TOWNS IN OUTER RING	1,831,920	659	266	25	–	–	1	1	5	7	1
REMAINDER OF OUTER RING	1,197,580*	379	155	13	–	–	1	–	–	5	3
EDINBURGH†	426,000	161	92	11	–	–	2	–	–	6	1
GLASGOW†	1,041,400	510	253	42	–	8	2	4	2	9	1
DUBLIN (REGISTRATION AREA)†	431,000	191	107	27	–	–	–	7	–	10	–
BELFAST†	429,000		Not	received.							

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available period

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS. Exclusive of Still born.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
LONDON‡	4,534,230	1923. Sept. 22	1650	868	10·0	2	–	4	2	4	7	49	1
CALCUTTA	896,067	Aug. 18	?	541§	31·0	?	1	?	?	?	?	?	
BOMBAY	1,220,120	July 28	364‖	733§	31·2	3	7	3	?	–	–	69	
		Aug. 4	383‖	812§	34·6	2	3	1	?	–	–	65	
MADRAS	526,911	„ 11	448	371§	36·6	–	2	–	?	1	–	44	
SYDNEY AND SUBURBS	955,900	July											
BRISBANE (Metropolitan Area).	230,200	„											
PERTH (Metropolitan Area).	161,773	Aug. 4	84	51	16·4	–	–	–	–	–	2	1	
AUCKLAND (Urban Area).	167,760	July											
WELLINGTON (Urban Area).	112,070	„											
CHRISTCHURCH (Urban Area).	113,400	„											
CAPE TOWN	106,727	Aug. 18	43	30	14·6	–	–	2	–	–	–	–	
JOHANNESBURG	156,858	„ 18	70	36	11·9	–	–	1	–	–	–	–	
DURBAN	50,488	„ 18	39	17	17·5	–	–	–	–	–	–	–	
PARIS	2,906,472	Sept. 10 (10 days)											
ANTWERP	302,608	July 21	99	42	7·3	–	–	–	1	–	–	6	
		„ 28	98	58	10·0	–	–	–	1	–	–	1	
AMSTERDAM	700,965	Sept. 1	291	96	7·1	–	–	–	–	1	–	1	
COPENHAGEN	570,000	„ 8	212	83	7·6	–	–	–	–	–	1	–	
STOCKHOLM	424,944	„ 1	99	80	9·8	–	–	–	–	–	1	–	
GOTHENBURG	228,074	Aug. 25	?	33	7·5	–	–	–	–	–	–	–	
CHRISTIANIA	258,962	Sept. 8	68	50	10·0	–	–	–	–	–	–	–	
BERLIN	1,989,000	Aug. 25	331	417	10·9	1	?	–	–	1	–	6	
BRESLAU	562,000	„ 25	187	139	12·9	–	?	–	–	–	–	12	
COLOGNE	701,000	„ 25	219	175	13·0	1	?	2	1	3	1	42	
DRESDEN	612,000	„ 25	144	129	11·0	–	?	1	–	1	1	3	
FRANKFORT-ON-MAIN..	475,000	„ 25	67	80	8·8	1	?	–	–	–	–	6	
HAMBURG	1,077,000	„ 25	270	186	9·0	–	?	–	2	–	–	3	
LEIPZIG	682,000	„ 25	172	156	11·9	1	?	1	–	1	–	24	
MUNICH	685,000	„ 25	162	152	11·5	–	?	–	–	–	–	11	
VIENNA	1,841,326	July 21	628	505	12·4	1	–	1	1	2	–	7	
PRAGUE AND SUBURBS	697,111	Aug. 15 (15 days)											
BUDAPEST	946,000	Aug. 4	326	388	21·3	4	–	10	2	9	1	32	
		„ 11	288	301	16·5	6	–	3	4	1	1	41	
WARSAW	956,087	„ 18	371	220	12·0	7	–	2	1	1	2	42	
CAIRO	791,000	June 24	735	1059	69·6	5	–	20	–	?	2	304	
ALEXANDRIA	466,700	„ 24	399	409	45·6	3	–	4	–	?	–	86	
NEW YORK	5,927,617	Aug. 11	2330	1085	9·5	1	–	2	–	4	3	60	
		„ 18	2765	1058	9·3	6	–	–	–	2	4	68	
CHICAGO	2,886,121	„ 25	?	504	9·1	–	–	–	2	3	8	33	
RIO DE JANEIRO ..	1,297,798	Aug. 4	632	411	16·5	–	1	4	–	4	1	?	2
MONTEVIDEO	348,989	June 23	210	130	20·3	–	–	1	–	–	3	3	

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienn Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 19 deaths from Asiatic Cholera in Calcutta and 43 and 65 in Bombay, and 1 in Madras, and fro Plague, 1 in Calcutta and 3 and 2 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 22nd September, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	868	116	28	13	19	36	33	66	97	145	154	161
Enteric fever	2	–	–	–	–	–	1	1	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	4	1	3	–	–	–	–	–	–	–	–	–
Scarlet fever	2	–	–	1	1	–	–	–	–	–	–	–
Whooping cough	4	2	2	–	–	–	–	–	–	–	–	–
Diphtheria	7	–	4	–	3	–	–	–	–	–	–	–
Influenza	11	–	–	–	–	2	–	1	5	–	–	3
Erysipelas	2	–	–	–	–	–	1	–	1	–	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	63	1	–	–	–	14	12	19	9	7	–	1
Nervous system..	6	2	1	2	–	1	–	–	–	–	–	–
Intestines and peritoneum	3	–	2	–	–	1	–	–	–	–	–	–
Other forms	5	1	–	–	–	2	–	1	1	–	–	–
Venereal diseases	3	–	–	–	–	–	–	–	–	3	–	–
Cancer	135	1	–	–	–	1	1	9	19	43	42	19
Rheumatic fever	5	–	–	–	2	1	–	1	1	–	–	–
Diabetes	4	–	–	–	–	–	–	–	–	2	2	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	3	1	–	1	–	1	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	53	–	–	–	–	–	–	2	4	17	15	15
Epilepsy	4	–	–	–	–	1	–	–	1	2	–	–
"Convulsions" (not puerperal) ..	3	3	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	28	–	–	2	4	2	2	7	4	5	1	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	6	–	–	–	–	1	1	2	1	1	–	–
Other diseases of heart	118	–	–	–	–	1	1	6	16	22	36	36
Other diseases of circulatory system	45	–	–	–	–	–	1	1	2	6	16	19
Bronchitis	32	1	1	–	–	–	–	1	2	2	9	16
Broncho-pneumonia	25	9	3	3	–	–	–	–	1	2	4	3
Lobar-pneumonia	17	–	–	1	–	1	–	3	5	2	–	5
Pneumonia (type not distinguished) ..	10	–	2	–	–	–	1	–	1	1	4	1
Other diseases of respiratory system	10	–	1	2	1	–	–	–	1	2	2	1
Diarrhœa and enteritis	55	42	7	1	1	–	–	–	–	1	2	1
Appendicitis, Typhlitis	3	–	–	–	–	1	–	1	–	–	–	1
Hernia, Intestinal obstruction	13	3	–	–	–	–	–	1	1	2	2	4
Cirrhosis of liver	7	–	–	–	–	–	–	–	1	4	–	2
Other diseases of digestive system ..	14	1	–	–	–	–	2	–	3	3	3	2
Acute nephritis	2	–	–	–	–	–	1	–	–	1	–	–
Chronic Bright's disease	12	–	–	–	–	–	2	3	4	2	1	–
Other diseases of genito-urinary system.	13	–	–	–	–	–	–	–	2	4	5	2
Puerperal sepsis	4	–	–	–	–	–	2	1	1	–	–	–
Other causes incident to childbirth ..	3	–	–	–	–	–	1	2	–	–	–	–
Congenital malformations	9	8	–	–	–	1	–	–	–	–	–	–
Premature birth	29	29	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	5	5	–	–	–	–	–	–	–	–	–	–
Old age..	26	–	–	–	–	–	–	–	–	1	6	19
Suicide	7	–	–	–	–	–	2	1	3	1	–	–
Burns and scalds	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	1	–	–	1	1	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	8	–	–	–	3	1	–	–	2	–	1	1
Other deaths by violence	13	–	–	–	3	2	1	–	–	2	1	4
Other specified causes	30	6	1	–	1	1	1	3	5	5	2	5
Ill-defined causes	2	–	1	–	–	–	–	–	–	1	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 22nd September, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	4	230	186	9	83	C. 6 E. 9 L. 1 M. 13
†CITY OF LONDON	–	–	2	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	1	10	6	1	5	M. 1
†BERMONDSEY ...	–	2	5	–	1	M. 1
†BETHNAL GREEN	–	4	9	–	9	M. 1
†CAMBERWELL ...	–	11	9	–	1	M. 1
†CHELSEA	–	1	–	–	1	E. 1 M. 1
†DEPTFORD ...	–	4	7	1	2	–
†FINSBURY ...	–	12	8	1	2	–
†FULHAM	–	18	8	–	6	E. 1
†GREENWICH ...	3	4	6	–	–	E. 1
†HACKNEY ...	–	5	8	–	–	–
†HAMMERSMITH ...	–	4	3	–	6	E. 1
†HAMPSTEAD ...	–	9	3	1	1	–
†HOLBORN... ...	–	1	4	–	–	M. 1
†ISLINGTON ...	–	42	14	–	–	C. 1 M. 1

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	2	5	1	3	C. 2
†LAMBETH ...	–	14	9	1	3	E. 1 M. 2
†LEWISHAM ...	–	4	2	–	–	–
†PADDINGTON ...	–	4	5	–	5	–
†POPLAR	–	7	7	1	3	–
†ST. MARYLEBONE	–	2	3	–	1	E. 3 L. 1
†ST. PANCRAS ...	–	9	8	1	4	C. 1
†SHOREDITCH ...	–	8	10	–	6	M. 2
†SOUTHWARK ...	–	13	17	–	8	C. 1
†STEPNEY	–	14	18	–	9	C. 1
†STOKE NEWINGTON	–	4	1	–	1	M. 1
†WANDSWORTH ...	–	11	9	1	3	E. 1
†WESTMINSTER, CITY OF	–	3	–	–	–	M. 1
†WOOLWICH ...	–	8	–	–	3	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	4	–	–	1	D. 1 G. 1
Boroughs and Urban Districts:—						
†BEDFORD ...	–	2	–	–	–	–
LEIGHTON BUZZARD	–	2	–	–	–	–
†LUTON	–	–	–	–	–	G. 1
Rural Districts:—						
BIGGLESWADE ...	–	–	–	–	1	–
LUTON	–	–	–	–	–	D. 1
BERKS	–	2	1	–	–	M. 1
†READING C.B. ...	–	–	–	–	–	M. 1
Rural Districts:—						
ABINGDON ...	–	1	1	–	–	–
WANTAGE ...	–	1	–	–	–	–
BUCKINGHAM ...	–	11	1	–	–	C. 1 M. 1
Boroughs and Urban Districts:—						
BLETCHLEY ...	–	–	–	–	–	M. 1
†CHEPPING WYCOMBE ...	–	3	–	–	–	–
†SLOUGH	–	1	–	–	–	–
Rural Districts:—						
AMERSHAM ...	–	–	–	–	–	C. 1
ETON	–	2	–	–	–	–
WYCOMBE ...	–	5	1	–	–	–
CAMBRIDGE ...	–	–	1	–	–	–
Borough:—						
†CAMBRIDGE ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER	–	36	20	5	17	E. 4 M. 4
†BIRKENHEAD C.B.	–	9	5	–	5	M. 1
†CHESTER C.B. ...	–	1	–	–	2	–
†STOCKPORT C.B.	–	4	2	1	–	–
†WALLASEY C.B. ...	–	2	2	–	3	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	–		1	–	–
BOLLINGTON ...	–	1	–	–	–	–
BOWDON	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	–	–	–	2	–
†CONGLETON ...	–	1	–	–	–	–
†CREWE	–	3	–	–	–	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	2	–
HALE	–	–	–	–	1	–
HOLLINGWORTH	–	–	–	1	–	–
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE	–	1	2	–	1	M. 1
†MACCLESFIELD ...	–	–	–	1	–	–
NESTON AND PARKGATE	–	1	–	–	–	–
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN... ..	–	–	1	1	–	–
SANDBACH ...	–	1	–	–	–	–
†STALYBRIDGE ...	–	–	2	–	–	M. 1
†WINSFORD ...	–	1	–	–	–	M. 1
YEARDSLEY CUM WHALEY	–	1	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	–	2	–	–	–
CHESTER	–	–	1	–	–	–
CONGLETON ...		1	1	–	–	–
DISLEY	–	1	–	–	–	–
MACCLESFIELD ...	–	1		–	–	E. 2
NANTWICH ...	–	1	1	–	–	E. 2
NORTHWICH ...	–	2	1	–	–	–
WIRRAL	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	5	2	7	1	C. 1
Boroughs and Urban Districts:—						
BODMIN	–	1	–	–	–	–
†CAMBORNE ...	–	–	–	1	–	–
LOOE	*	*	*	*	*	*
MADRON	–	–	–	2	–	–
PAUL	–	1	–	–	–	–
†PENZANCE ...	–	1	–	2	–	–
ST. IVES	–	–	–	–	1	–
SALTASH	–	1	–	–	–	–
Rural Districts:—						
REDRUTH ...	–	–	–	1	–	–
SAINT AUSTELL	–	1	1	1	–	C. 1
WEST PENWITH...	–	–	1	–	–	–
CUMBERLAND ...	–	9	6	–	–	G. 2
†CARLISLE C.B. ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
EGREMONT ...	–	–	1	–	–	–
†MARYPORT ...	–	4	1	–	–	–
PENRITH	–	1	–	–	–	–
†WHITEHAVEN ...	–	–	–	–	–	G. 1
†WORKINGTON ...	–	1	1	–	–	–
Rural Districts:—						
COCKERMOUTH ...	–	2	1	–	–	G. 1
DERBY	4	24	11	1	11	M. 3
†DERBY C.B. ...	–	3	2	–	3	M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	3	–	–	–	–
BAKEWELL ...	–	–	–	–	1	–
†BELPER	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BOLSOVER ...	3	1	–	–	–	–
†BUXTON	–	1	–	–	–	–
†CHESTERFIELD ...	–	–	1	–	–	–
†GLOSSOP	–	1	–	1	–	–
†HEANOR	–	2	–	–	1	–
†LONG EATON ...	–	1	–	–	1	–
†RIPLEY	–	–	–	–	3	–
†SWADLINCOTE DISTRICT	–	1	–	–	–	–
Rural Districts:—						
BELPER	–	–	3	–	1	–
BLACKWELL ...	1	–	2		–	–
CHAPEL EN LE FRITH	–	5	–	–	–	M. 1
CHESTERFIELD ..	–	3	–	–	–	M. 1
HARTSHORN AND SEALS	–	–	2	–	–	–
NORTON	–	1	–	–	–	–
REPTON	–	–	–	–	1	–
SHARDLOW ...	–	2	–	–	–	–
DEVON	–	24	5	–	6	C. 1 L. 1 M. 2
†EXETER C.B. ...	–	1	1	–	–	–
†PLYMOUTH C.B....	–	9	2	–	1	L. 1
Boroughs and Urban Districts:—						
AXMINSTER ...	–	1	–	–	–	–
†BARNSTAPLE ...	–	1	–	–	–	–
BRIXHAM ...	–	–	1	–	–	–
HOLSWORTHY ...	–	1	–	–	–	–
KINGSBRIDGE ...	–	–	–	–	1	
†NEWTON ABBOT...	–	1	–	–	–	–
OKEHAMPTON ...	–	1	–	–	–	–
OTTERY ST. MARY	–	1	–	–	–	–
†PAIGNTON ...	–	–	–	–	1	–
SIDMOUTH ...	–	1	–	–	–	C. 1
†TEIGNMOUTH ...	–	–	–	–	1	–
TIVERTON ...	–	–	1	–	–	–
†TORQUAY ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BARNSTAPLE ...	–	1	–	–	–	–
HONITON ...	–	2	–	–	–	–
KINGSBRIDGE ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	–	–	–	2	–
ST. THOMAS ...	–	1	–	–	–	M. 1
TAVISTOCK ...	–	–	–	–	–	M. 1
DORSET	–	3	–	1	1	G. 1
Boroughs and Urban Districts:—						
BRIDPORT ...	–	–	–	1	–	–
†PORTLAND ...	–	–	–	–	1	G. 1
SHERBORNE ...	–	3	–	–	–	–
Rural Districts:—						
BEAMINSTER ...	*	*	*	*	*	*
CERNE	*	*	*	*	*	*
DURHAM	–	101	18	5	38	C. 1 E. 1 G. 1 L. 1 M. 3
†DARLINGTON C.B.	–	3	1	–	2	–
†GATESHEAD C.B.	–	9	4	–	2	–
†SOUTH SHIELDS C.B.	–	10	–	–	6	–
†SUNDERLAND C.B.	–	6	1	3	4	E. 1 L. 1 M. 2
†WEST HARTLEPOOL C.B	–	2	–	–	3	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	–	–	1	–
BENFIELDSIDE ...	–	–	–	–	1	–
BILLINGHAM ...	–	2	–	–	–	–
†BLAYDON... ...	–	2	–	–	–	–
†BRANDON AND BYSHOTTLES	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHESTER LE STREET	–	1	–	1	–	–
†CONSETT	–	–	3	–	–	–
†HEBBURN ...	–	1	–	–	–	–
†HETTON	–	4	–	–	–	–
†HOUGHTON LE SPRING	–	1	–	–	3	–
†JARROW	–	7	1	–	1	–
†RYTON	–	1	–	–	–	–
†SEAHAM HARBOUR	–	1	1	–	3	–
†SPENNYMOOR ...	–	2	–	–	–	–
†STANLEY	–	2	2	–	–	C. 1
†STOCKTON ON TEES	–	1	–	–	2	–
†WASHINGTON ...	–	10	2	–	–	–
†WHICKHAM ...	–	–	–	–	1	–
WILLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	3	1	–	–	–
CHESTER LE STREET	–	5	–	–	–	–
DARLINGTON ...	*	*	*	*	*	*
DURHAM	–	3	–	1	–	–
EASINGTON ...	–	9	–	–	3	–
HARTLEPOOL ...	–	2	–	–	–	–
HOUGHTON LE SPRING	–	3	–	–	2	–
LANCHESTER ...	–	–	2	–	–	–
SEDGEFIELD ...	–	1	–	–	–	G. 1
SOUTH SHIELDS...	–	2	–	–	–	–
SUNDERLAND ...	–	3	–	–	4	M. 1
ELY, ISLE OF ...	–	–	–	1	–	–
Rural Districts:—						
WISBECH	–	–	–	1	–	–
ESSEX	–	33	34	2	6	C. 1 E. 1 G. 1 L. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
†EAST HAM C.B. ...	–	3	4	–	1	–
†SOUTHEND-ON-SEA C.B.	–	3	–	1	–	C. 1
†WEST HAM C.B. ...	–	8	8	1	–	–
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	–	–	2	–
BRENTWOOD ...	–	–	1	–	–	–
†CHELMSFORD ...	–	–	–	–	–	E. 1
CHINGFORD ...	–	1	–	–	–	–
†COLCHESTER ...	–	–	1	–	–	–
EPPING	–	–	2	–	–	–
†GRAYS THURROCK	–	–	2	–	–	–
HALSTEAD ...	*	*	*	*	*	*
†HARWICH ...	–	–	1	–	–	–
†ILFORD	–	1	1	–	–	–
†LEYTON	–	4	4	–	–	–
SAFFRON WALDEN	–	–	–	–	–	G. 1
†WALTHAMSTOW ...	–	5	6	–	1	–
WALTON ON THE NAZE	–	1	–	–	–	–
†WANSTEAD ...	–	1	–	–	–	–
†WOODFORD ...	–	–	–	–	1	–
Rural Districts:—						
BILLERICAY ...	–	1	–	–	–	–
CHELMSFORD ...	–	3	1	–	–	–
ONGAR	–	–	1	–	–	L. 1
ROCHFORD ...	–	–	1	–	–	–
ROMFORD... ...	–	2	1	–	1	–
GLOUCESTER ...	5	31	11	3	6	L. 1 M. 4
†BRISTOL C.B. ...	–	15	4	–	5	L. 1 M. 4
†GLOUCESTER C.B.	5	2	2	–	–	–
Boroughs and Urban Districts:—						
CHARLTON KINGS	–	–	1	–	–	–
†CHELTENHAM ...	–	2	1	–	–	–
CIRENCESTER ...	–	–	–	1	–	–
GLOUCESTER—*cont.*						
Rural Districts:—						
CIRENCESTER ...	–	–	1	–	–	–
DURSLEY... ...	–	–	–	–	1	–
EAST DEAN AND UNITED PARISHES ...	–	2	–	–	–	–
GLOUCESTER ...	–	–	1	2	–	–
STROUD	–	2	–	–	–	–
WARMLEY ...	–	4	1	–	–	–
WEST DEAN ...	–	4	–	–	–	–
HEREFORD ...	–	–	1	–	–	M. 1
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	1	–	–	–
Rural Districts:—						
HEREFORD ...	–	–	–	–	–	M. 1
HERTFORD ...	–	3	2	–	–	L. 1
Boroughs and Urban Districts:—						
†BARNET	–	1	–	–	–	–
GREAT BERKHAMPSTEAD	–	1	–	–	–	–
Rural Districts:—						
HERTFORD ...	–	1	–	–	–	–
ST. ALBANS ...	–	–	2	–	–	L. 1
HUNTINGDON ...	–	1	–	–	–	E. 1
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	–	–	–	E. 1
Rural Districts:—						
ST. NEOTS, No. 3	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT	–	30	21	4	5	C. 2 D. 1 E. 1 M. 2
Boroughs and Urban Districts:—						
†ASHFORD ...	–	–	1	–	–	–
†BEXLEY	–	–	1	–	–	E. 1
†BROMLEY ...	–	1	1	–	–	–
†CHATHAM ...	–	–	1	–	–	–
CHERITON ...	–	1	–	–	–	–
CHISLEHURST ...	–	–	2	–	–	–
†CRAYFORD ...	–	1	1	–	–	–
†DOVER	–	1	–	1	–	–
†ERITH	–	13	–	–	1	–
†FAVERSHAM ...	–	1	–	–	–	–
†FOLKESTONE ...	–	1	–	–	–	–
†GRAVESEND ...	–	2	–	–	–	–
†MAIDSTONE ...	–	1	1	–	1	–
†MARGATE ...	–	2	–	–	1	–
MILTON REGIS ...	–	–	–	–	1	–
†NORTHFLEET ...	–	–	–	1	–	–
†RAMSGATE ...	–	1	2	–	–	–
†ROCHESTER ...	–	–	2	–	–	–
SEVENOAKS ...	–	–	1	–	–	–
†SHEERNESS ...	–	–	1	–	–	–
†TONBRIDGE ...	–	–	–	–	–	D. 1 M. 1
Rural Districts:—						
BLEAN	–	–	–	–	1	–
BROMLEY ...	–	3	–	1	–	–
CRANBROOK ...	–	–	–	1	–	–
FAVERSHAM ...	–	1	2	–	–	–
MAIDSTONE ...	–	–	2	–	–	–
MALLING	–	–	1	–	–	–
SEVENOAKS ...	–	1	–	–	–	–
TONBRIDGE ...	–	–	2	–	–	M. 1
WEST ASHFORD...	–	–	–	–	–	C. 2
LANCASTER ...	–	207	79	4	133	C. 13 D. 1 E. 1 G. 1 M. 34
†BARROW IN FURNESS C.B.	–	5	–	–	–	–
†BLACKBURN C.B.	–	5	1	–	5	M. 1
†BLACKPOOL C.B.	–	2	1	–	–	M. 3

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†BOLTON C.B. ...	–	4	2	–	1	–
†BOOTLE C.B. ...	–	3	1	–	3	D. 1
†BURNLEY C.B. ...	–	–	6	–	5	–
†BURY C.B. ...	–	2	–	–	1	–
†LIVERPOOL C.B. ...	–	57	19	–	25	M. 11
†MANCHESTER C.B.	–	39	17	–	37	C. 7 M. 10
†OLDHAM C.B. ...	–	–	–	–	1	C. 1 G. 1
†PRESTON C.B. ...	–	7	–	1	1	–
†ROCHDALE C.B. ...	–	3	1	–	–	–
†ST. HELENS C.B....	–	4	1	–	2	M. 3
†SALFORD C.B. ...	–	17	7	–	7	C. 1 M. 2
†SOUTHPORT C.B.	–	2	–	–	2	–
†WARRINGTON C.B.	–	1	–	–	4	–
†WIGAN C.B. ...	–	2	–	1	2	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ASHTON IN MAKERFIELD	–	–	–	–	–	C. 2
†ASHTON UNDER LYNE	–	1	–	–	1	–
†ATHERTON ...	–	–	3	–	3	–
AUDENSHAW ...	–	–	1	–	–	–
†BACUP	–	–	–	–	–	M. 1
BLACKROD ...	–	1	–	–	–	–
†CHADDERTON ...	–	–	–	–	1	–
†CHORLEY	–	–	1	–	–	–
†CROMPTON ...	–	2	–	–	–	–
†DROYLSDEN ...	–	1	–	–	–	–
†ECCLES	–	–	–	–	2	–
†FAILSWORTH ...	–	1	–	–	2	–
†FARNWORTH ...	–	2	–	–	1	C. 1
†GREAT CROSBY ...	–	1	–	–	–	–
†HASLINGDEN ...	–	1	–	–	–	–
†HAYDOCK ...	–	–	–	–	2	–
†HEYWOOD ...	–	1	1	–	–	–
†HINDLEY... ...	–	1	–	–	1	–
HORWICH ...	–	1	2	–	1	–
HURST	–	–	–	–	1	–
HUYTON WITH ROBY ...	–	1	–	–	–	–
†INCE IN MAKERFIELD	–	1	–	–	–	–
†LANCASTER ...	–	1	–		1	–
LATHOM AND BURSCOUGH	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Leigh	–	3	–	–	–	M. 1
†Litherland ...	–	2	1	–	–	–
Little Hulton	–	–	1	–	–	–
†Middleton ...	–	–	1	–	–	–
†Mossley	–	2	–	–	–	–
†Newton in Makerfield	–	2	–	–	1	M. 1
†Oswaldtwistle	–	–	–	–	1	C. 1
†Padiham... ...	–	–	1	–	–	–
†Prestwich ...	–	1	1	–	–	M. 1
†Radcliffe ...	–	–	–	–	1	–
†Ramsbottom ...	–	3	–	–	–	–
†Royton	–	–	1	–	2	–
Standish with Langtree	–	–	–	–	1	–
†Stretford... ...	–	4	1	–	1	–
†Swinton and Pendlebury	–	1	–	–	1	–
Thornton ...	–	–	–	–	–	E. 1
†Tyldesley with Shakerley	–	–	1	–	3	–
Upholland ...	–	1	–	–	–	–
†Walton le Dale	–	–	–	1	–	–
†Waterloo with Seaforth	–	3	–	–	–	–
†Westhoughton	–	1	–	–	–	–
†Widnes	–	5	1	–	5	–
†Worsley... ...	–	1	–	–	–	–
Rural Districts:—						
Burnley... ...	–	–	–	1	–	–
Chorley	–	–	1	–	1	–
Clitheroe ...	–	–	–	–	1	–
Fylde	–	–	1	–	–	–
Garstang ...	–	–	1	–	–	–
Lancaster ...	–	1	–	–	–	–
Leigh	–	–	1	–	–	–
Lunesdale ...	*	*	*	*	*	*
Preston	–	1	–	–	–	–
Sefton	–	–	1	–	–	–
Warrington ...	–	1	–	–	1	–
West Lancashire	–	1	–	–	1	–
Whiston... ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER... ...	–	13	7	–	6	–
†Leicester C.B. ...	–	11	3	–	4	–
Boroughs and Urban Districts:—						
†Loughborough	–	1	1	–	–	–
Rural Districts:—						
Ashby de la Zouch	–	1	1	–	–	–
Blaby	–	–	–	–	1	–
Market Bosworth	–	–	2	–	–	–
Melton Mowbray	–	–	–	–	1	–
LINCOLN (parts of Kesteven).	–	1	2	–	1	M. 1
Boroughs and Urban Districts:—						
Sleaford ...	–	–	–	–	1	–
Rural Districts:—						
Claypole ...	–	1	2	–	–	–
Sleaford ...	–	–	–	–	–	M. 1
LINCOLN (parts of Lindsey).	–	12	5	1	1	M. 1
†Grimsby C.B. ...	–	1	–	–	–	–
†Lincoln C.B. ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†Cleethorpes ...	–	3	–	–	–	M. 1
†Scunthorpe and Frodingham	–	5	1	1	–	–
Skegness ...	–	1	–	–	–	–
Rural Districts:—						
Gainsborough...	–	–	–	–	1	–
Glanford Brigg	–	1	1	–	–	–
Louth	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
MIDDLESEX ...	1	31	42	3	12	C. 1 E. 2 L. 1 M. 3
Boroughs and Urban Districts:—						
†ACTON	–	1	1	–	–	–
†BRENTFORD ...	–	1	–	–	1	–
†CHISWICK ...	–	–	2	1	–	–
†EALING	–	–	1	–	–	–
†EDMONTON ...	–	–	1	–	3	–
†ENFIELD	–	5	–	–	–	–
FELTHAM ...	–	–	1	–	–	–
†FINCHLEY ...	–	2	–	–	–	–
†FRIERN BARNET	–	–	1	–	–	–
†HANWELL ...	–	4	–	–	–	–
†HARROW ON THE HILL	1	–	1	–	–	E. 1
†HENDON	–	1	4	–	–	–
†HESTON AND ISLEWORTH	–	–	–	–	2	C. 1
†HORNSEY... ...	–	3	–	–	–	–
†SOUTHALL NORWOOD	–	–	–	–	–	L. 1
†SOUTHGATE ...	–	1	–	–	1	–
STAINES	–	–	–	1	–	–
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	1	8	1	1	M. 1
†WEMBLEY ...	–	–	–	–	–	M. 1
†WILLESDEN ...	–	3	14	–	3	E. 1 M. 1
†WOOD GREEN ...	–	4	–	–	1	–
YIEWSLEY ...	–	1	–	–	–	–
Rural Districts:—						
STAINES	–	3	8	–	–	–
NORFOLK	–	33	5	1	1	L. 1
†GREAT YARMOUTH C.B.	–	3	–	–	–	–
†NORWICH C.B. ...	–	18	–	–	–	–
Boroughs and Urban Districts:—						
NORTH WALSHAM	–	1	–	–	–	–
THETFORD ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
NORFOLK—*cont.*						
Rural Districts:—						
BLOFIELD ...	–	5	–	–	–	–
DEPWADE ...	–	–	–	–	1	–
DOCKING	–	–	2	–	–	–
ERPINGHAM ...	–	2	1	–	–	–
FOREHOE ...	–	–	1	–	–	–
FREEBRIDGE LYNN	–	1	–	–	–	–
LODDON AND CLAVERING	*	*	*	*	*	*
MARSHLAND ...	*	*	*	*	*	*
MITFORD AND LAUNDITCH	–	3	–	–	–	–
ST. FAITH'S ...	–	–	–	–	–	L. 1
SMALLBURGH ...	–	–	1	–	–	–
WALSINGHAM ...	–	–	–	1	–	–
NORTHAMPTON ...	–	24	3	1	8	–
†NORTHAMPTON C.B.	–	7	1	1	6	–
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	1	1	–	–	–
IRTHLINGBOROUGH	–	1	–	–	–	–
†KETTERING ...	–	7	–	–	–	–
†WELLINGBOROUGH	–	3	–	–	1	–
Rural Districts:—						
BRIXWORTH ...	–	–	–	–	1	–
KETTERING ...	–	3	–	–	–	–
OUNDLE (part) ...	–	1	–	–	–	–
THRAPSTON (part)	–	1	1	–	–	–
NORTHUMBERLAND	–	49	12	–	21	M. 3
†NEWCASTLE UPON TYNE C.B.	–	18	5	–	7	M. 1
†TYNEMOUTH C.B.	–	4	2	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L. Dysentery ; M. Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	1	–	–	–	–
†BEDLINGTONSHIRE	–	10	–	–	4	–
†BLYTH	–	1	1	–	–	–
CRAMLINGTON ...	–	2	–	–	1	–
†EARSDON	–	–	1	–	1	–
†GOSFORTH ...	–	–	–	–	1	M. 1
†LONGBENTON ...	–	1	–	–	1	–
NEWBIGGIN BY THE SEA	–	–	–	–	2	–
†NEWBURN ...	*	*	*	*	*	*
PRUDHOE... ...	–	–	–	–	1	–
SEGHILL	*	*	*	*	*	*
†WALLSEND ...	–	–	1	–	1	M. 1
WEETSLADE ...	–	1	–	–	–	–
†WHITLEY AND MONKSEATON	–	3	2	–	–	–
Rural Districts:—						
ALNWICK... ...	–	4	–	–	–	–
BELFORD	–	–	–	–	1	–
CASTLE WARD ..	–	3	–	–	–	–
MORPETH... ...	–	1	–	–	–	–
NOTTINGHAM ...	11	19	18	2	2	G. 1 M. 3
†NOTTINGHAM C.B.	1	10	7	–	1	G. 1 M. 3
Boroughs and Urban Districts:—						
†ARNOLD	–	–	–	–	1	–
†CARLTON	–	2	2	–	–	–
†EAST RETFORD ...	–	–	1	–	–	–
†HUCKNALL ...	3	–	–	–	–	–
†KIRKBY IN ASHFIELD	7	–	–	–	–	–
†MANSFIELD ...	–	–	5	–	–	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK	–	1	–	–	–	–
†SUTTON IN ASHFIELD	–	1	–	1	–	–
WARSOP	–	–	1	–	–	
NOTTINGHAM— *cont.*						
Rural Districts:—						
BASFORD	–	2	1	–	–	–
BINGHAM... ...	*	*	*	*	*	*
BLYTH AND CUCKNEY	–	2	–	–	–	–
EAST RETFORD ...	–	–	–	1	–	–
NEWARK	–	–	1	–	–	–
OXFORD	–	7	1	–	1	G. 1 M. 1
†OXFORD C.B. ...	–	5	–	–	1	–
Rural Districts:—						
HEADINGTON ...	–	2	1	–	–	–
HENLEY	–	–	–	–	–	G. 1
WOODSTOCK ...	–	–	–	–	–	M. 1
PETERBOROUGH (Soke of)	–	3	1	–	3	–
Borough:—						
†PETERBOROUGH...	–	3	1	–	3	–
RUTLAND	–	–	1	–	–	–
Rural District:—						
KETTON	–	–	1	–	–	–
SALOP	–	8	1	–	3	M. 1
Boroughs and Urban Districts:—						
NEWPORT ...	–	–	–	–	1	
OSWESTRY ...	–	2	–	–	–	–
†SHREWSBURY ...	–	3	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever:

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP—*cont.*						
Rural Districts:—						
OSWESTRY ...	–	2	1	–	–	–
WELLINGTON ...	–	1	–	–	1	–
WEM	–	–	–	–	–	M. 1
SOMERSET	–	13	2	–	2	D. 1 E. 2 M. 1
†BATH C.B. ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
ILMINSTER ...	–	–	–	–	–	E. 1
WELLINGTON ...	–	–	–	–	–	D. 1
WELLS	–	–	–	–	1	–
†WESTON SUPER MARE	–	1	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	1	–
CHARD	–	–	–	–	–	E. 1
CLUTTON	–	1	–	–	–	–
FROME	–	1	–	–	–	–
LANGPORT ...	–	4	–	–	–	–
LONG ASHTON ...	–	4	–	–	–	–
WELLS	–	–	–	–	–	M. 1
SOUTHAMPTON ...	–	24	42	3	4	C. 1 E. 1 G. 2
†BOURNEMOUTH C.B.	–	1	1	–	1	G. 1
†PORTSMOUTH C.B.	–	9	33	–	–	–
†SOUTHAMPTON C.B.	–	8	5	2	1	C. 1
Boroughs and Urban Districts:—						
†FAREHAM ...	–	1	–	1	1	–
†GOSPORT	–	–	2	–	1	E. 1
SOUTHAMPTON—*cont.*						
Rural Districts:—						
BASINGSTOKE ...	–	–	1	–	–	–
DROXFORD ...	–	2	–	–	–	–
HARTLEY WINTNEY	–	1	–	–	–	G. 1
HAVANT	*	*	*	*	*	*
HURSLEY	–	2	–	–	–	–
NEW FOREST ...	*	*	*	*	*	*
STAFFORD	–	56	18	3	22	C. 1 E. 1 G. 1 M. 12
†BURTON UPON TRENT C.B.	–	–	1	–	–	–
†SMETHWICK C.B.	–	1	–	–	2	–
†STOKE ON TRENT C.B.	–	12	4	1	9	M. 11
†WALSALL C.B. ...	–	3	–	1	1	–
†WEST BROMWICH C.B.	–	6	7	–	–	–
†WOLVERHAMPTON C.B.	–	2	1	–	–	M. 1
Boroughs and Urban Districts:—						
†AUDLEY	–	1	–	–	–	–
BIDDULPH ..	–	1	1	–	–	G. 1
BRIERLEY HILL...	–	–	–	1	–	–
†BROWNHILLS ...	–	1	–	–	1	–
†CANNOCK	–	2	–	–	–	–
†LEEK	–	1	1	–	–	–
†ROWLEY REGIS ...	–	5	–	–	2	–
RUGELEY	–	1	–	–	–	–
†SEDGLEY	–	–	–	–	2	–
SHORT HEATH ...	–	–	2	–	–	–
†STAFFORD ...	–	6	–	–	1	–
†TIPTON	–	1	–	–	–	–
UTTOXETER ...	–	1	–	–	–	–
†WEDNESBURY ...	–	2	–	–	–	–
†WILLENHALL ...	–	–	–	–	1	C. 1
†WOLSTANTON UNITED	–	1	1	–	–	–
Rural Districts:—						
CANNOCK	–	1	–	–	–	–
CHEADLE	–	–	–	–	–	E. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Rural Districts—*cont.*						
KINGSWINFORD ...	–	1	–	–	–	–
LEEK	–	–	–	–	1	–
LICHFIELD ...	–	–	–	–	2	–
SEISDON	–	1	–	–	–	–
STONE	–	1	–	–	–	–
TAMWORTH (part)	–	1	–	–	–	–
TUTBURY... ...	–	1	–	–	–	–
WALSALL... ...	–	3	–	–	–	–
SUFFOLK, EAST ...	–	4	2	–	–	C. 1 M. 2
†IPSWICH C.B. ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	1	–	–	–	M. 1
SAXMUNDHAM ...	*	*	*	*	*	*
Rural Districts:—						
BLYTHING ...	–	–	–	–	–	M. 1
BOSMERE AND CLAYDON	–	1	–	–	–	–
EAST STOW ...	–	–	–	–	–	C. 1
HARTISMERE ...	–	1	–	–	–	–
SUFFOLK, WEST ...	–	3	4	–	–	–
Boroughs and Urban Districts:—						
HADLEIGH ...	–	1	–	–	–	–
NEWMARKET ...	–	2	–	–	–	–
Rural Districts:—						
THINGOE	–	–	4	–	–	–
SURREY	–	24	15	3	1	C. 1 E. 5 M. 3
†CROYDON C.B. ...	–	5	3	1	–	E. 1 M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts:—						
†BARNES	–	2	1	–	–	E. 2
†CHERTSEY ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	1	1	1	–	–
†EGHAM	–	1	1	–	–	–
†EPSOM	–	1	1	–	–	–
†GUILDFORD ...	–	1	–	–	–	–
HAM	*	*	*	*	*	*
†KINGSTON ON THAMES	–	1	–	–	–	–
†MERTON AND MORDEN	–	2	–	–	–	–
†MITCHAM... ...	–	3	1	–	–	E. 1 M. 1
†REIGATE	–	–	–	–	–	C. 1
†RICHMOND ...	–	2	–	–	–	–
†SURBITON ...	–	–	–	1	–	–
†SUTTON	–	–	2	–	–	–
†THE MALDENS AND COOMBE	–	–	–	–	–	E. 1
†WIMBLEDON ...	–	1	2	–	–	–
Rural Districts:—						
CHERTSEY ...	–	–	1	–	–	–
EPSOM	–	–	–	–	1	–
GODSTONE ...	–	–	1	–	–	–
GUILDFORD ...	–	–	1	–	–	–
HAMBLEDON ...	–	3	–	–	–	M. 1
SUSSEX, EAST ...	–	22	10	–	2	C. 1 E. 2 G. 1 L. 1 M. 3
†BRIGHTON C.B. ...	–	6	6	–	–	M. 1
†HASTINGS C.B. ...	–	6	–	–	1	–
Boroughs and Urban Districts:—						
BATTLE	–	1	–	–	–	–
†BEXHILL	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts—*cont.*						
EAST GRINSTEAD	–	–	1	–	–	–
†HOVE	–	1	1	–	–	–
NEWHAVEN ...	–	1	–	–	–	–
RYE	–	1	–	–	–	–
Rural Districts :—						
CHAILEY... ...	–	1	–	–	–	–
EASTBOURNE ...	–	–	–	–	–	M. 1
EAST GRINSTEAD	–	2	–	–	–	–
HAILSHAM ...	–	–	–	–	–	L. 1
NEWHAVEN ...	–	–	1	–	–	–
RYE	–	1	–	–	–	–
STEYNING EAST...	–	–	1	–	–	G. 1
TICEHURST ...	–	–	–	–	–	E. 2 M. 1
UCKFIELD ...	–	2	–	–	1	–
SUSSEX, WEST ...	–	3	3	–	1	E. 1
Boroughs and Urban Districts :—						
†BOGNOR	–	2	–	–	–	–
†CHICHESTER ...	–	–	–	–	–	E. 1
SOUTHWICK ...	–	–	2	–	–	–
†WORTHING ...	–	–	1	–	–	–
Rural Districts :—						
HORSHAM ...	–	1	–	–	–	–
WESTHAMPNETT	–	–	–	–	1	–
WARWICK	–	65	30	8	41	C. 5 E. 5 G. 1 L. 1 M. 3
†BIRMINGHAM C.B.	–	47	27	1	32	C. 4 E. 5 G. 1 L. 1 M. 3
†COVENTRY C.B. ...	–	5	2	–	2	–
WARWICK—*cont.*						
Boroughs and Urban Districts :—						
KENILWORTH ...	–	–	–	–	1	–
†NUNEATON ...	–	1	–	–	1	–
†ROYAL LEAMINGTON SPA	–	1	–	1	–	C. 1
†RUGBY	–	–	–	1	–	–
†SUTTON COLDFIELD	–	2	–	–	–	–
†WARWICK ...	–	–	–	2	–	–
Rural Districts :—						
FOLESHILL ...	–	–	–	–	4	–
MERIDEN... ...	–	2	–	–	–	–
NUNEATON ...	–	3	–	–	–	–
RUGBY	–	1	–	–	1	–
SOLIHULL ...	–	1	–	–	–	–
SOUTHAM... ...	–	–	–	2	–	–
TAMWORTH (part)	–	1	1	–	–	–
WARWICK ...	–	1	–	1	–	–
WESTMORLAND ...	–	4	–	–	–	–
Boroughs and Urban Districts :—						
†KENDAL	–	2	–	–	–	–
Rural Districts :—						
EAST WESTMORLAND	–	1	–	–	–	–
SOUTH WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF ...	–	2	–	–	1	–
Boroughs and Urban Districts—						
†COWES	–	1	–	–	–	–
†RYDE	*	*	*	*	*	*
SANDOWN ...	–	1	–	–	–	–
Rural Districts :—						
ISLE OF WIGHT ..	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	11	2	–	3	–
Boroughs and Urban Districts:—						
DEVIZES	–	1	–	–	–	–
†SALISBURY ...	–	–	2	–	–	–
†SWINDON... ...	–	7	–	–	1	–
Rural Districts:—						
CALNE	–	1	–	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
MALMESBURY ...	–	–	–	–	1	–
PEWSEY	–	1	–	–	1	–
WORCESTER ...	–	16	–	1	1	C. 1 L. 1
†DUDLEY C.B. ...	–	4	–	–	–	–
†WORCESTER C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY... ...	–	1	–	–	–	C. 1
†REDDITCH ...	–	3	–	–	–	–
†STOURBRIDGE ...	–	1	–	–	–	L. 1
Rural Districts:—						
DROITWICH ...	*	*	*	*	*	*
HALESOWEN ...	–	2	–	–	–	–
KIDDERMINSTER	–	1	–	–	–	–
SHIPSTON ON STOUR	–	–	–	1	–	–
TENBURY... ...	–	1	–	–	–	–
UPTON ON SEVERN	–	2	–	–	–	–
YORKS ... ... (East Riding.)	–	9	12	1	8	C. 1 M. 2
†KINGSTON UPON HULL C.B.	–	7	9	–	8	C. 1 M. 2
YORKS (East Riding) *cont.*						
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	1	–	–	–
†BRIDLINGTON ...	–	1	–	–	–	–
NORTON	*	*	*	*	*	*
WITHERNSEA ...	–	–	–	1	–	–
Rural Districts:—						
BRIDLINGTON ...	*	*	*	*	*	*
DRIFFIELD ...	–	–	2	–	–	–
YORKS ... ... (North Riding.)	4	34	6	–	5	–
†MIDDLESBROUGH C.B.	4	20	1	–	2	–
Boroughs and Urban Districts:—						
†ESTON	–	6	–	–	–	–
LOFTUS	–	3	–	–	–	–
†REDCAR	–	1	–	–	3	–
†SCARBOROUGH ...	–	–	1	–	–	–
†SKELTON AND BROTTON	–	–	1	–	–	–
†WHITBY	–	–	3	–	–	–
Rural Districts:—						
GUISBOROUGH ...	–	1	–	–	–	–
MIDDLESBROUGH	–	1	–	–	–	–
STOKESLEY ...	–	2	–	–	–	–
YORKS ... ... (West Riding.)	3	146	50	8	82	C. 4 D. 1 M. 10
†BARNSLEY C.B. ...	–	–	3	1	1	–
†BRADFORD C.B. ...	–	7	7	1	9	–
†DEWSBURY C.B....	–	2	1	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
†Halifax C.B. ...	–	3	2	–	–	–
†Huddersfield C.B.	–	5	–	–	1	M. 1
†Leeds C.B. ...	–	35	8	–	9	C. 2 M. 1
†Rotherham C.B.	–	5	–	–	5	D. 1
†Sheffield C.B....	1	20	8	2	34	C. 2 M. 4
†Wakefield C.B.	–	2	2	1	–	M. 1
Boroughs and Urban Districts:—						
†Adwick le Street	1	–	–	–	–	–
Altofts	–	–	–	–	1	–
Ardsley, East and West	*	*	*	*	*	*
†Batley	–	1	–	–	–	–
†Bingley	–	2	2	–	1	–
†Bolton upon Dearne	–	2	–	–	–	–
†Brighouse ...	–	–	3	–	–	–
†Castleford ...	–	2	–	–	–	–
†Conisbrough ...	–	5	–	–	–	–
Cudworth ...	–	6	1	–	–	–
Darfield ...	–	–	–	–	1	–
†Doncaster ...	1	5	–	–	–	–
†Featherstone ...	–	3	1	–	–	–
Garforth ...	–	–	–	1	–	–
†Golcar	–	–	–	–	1	–
†Goole	–	2	1	1	–	–
Guiseley ...	–	1	–	–	–	–
†Harrogate ...	–	1	–	–	–	–
†Hemsworth ...	–	–	1	–	–	M. 1
†Holmfirth ...	–	–	–	–	1	–
Horbury ...	–	–	1	–	–	–
†Hoyland Nether	*	*	*	*	*	*
Ilkley	–	1	1	–	–	–
†Keighley ...	–	1	–	–	–	–
Knottingley ...	–	2	–	–	–	–
Lepton	–	1	–	–	–	–
Methley ...	*	*	*	*	*	*
†Mexborough ...	–	–	–	–	1	–
†Mirfield ...	–	–	–	–	2	–
†Morley	–	–	–	–	2	–
†Normanton ...	–	–	2	–	3	–
Oakworth ...	–	3	–	–	–	–
†Ossett	–	1	–	–	–	–
†Pontefract ...	–	2	–	–	1	–
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts— *cont.*						
Rawdon	*	*	*	*	*	*
†Rawmarsh ...	–	–	–	1	–	–
†Rothwell ...	–	2	–	–	–	–
Selby	–	1	–	–	–	–
†Skipton	–	1	–	–	–	–
†Spenborough ...	–	2	–	–	–	M. 1
†Stanley	–	–	1	–	1	–
Stocksbridge ...	–	1	–	–	–	–
†Swinton	–	1	–	–	1	–
Whitwood ...	–	1	–	–	–	–
†Wombwell ...	–	–	–	–	2	–
†Worsborough ...	–	–	–	–	1	–
Rural Districts—						
Barnsley ...	*	*	*	*	*	*
Doncaster ...	–	1	–	–	–	–
Goole	–	–	–	–	1	–
Hemsworth ...	–	8	–	–	–	–
Hunslet... ...	–	3	–	–	–	–
Knaresborough	–	–	–	–	1	–
Pontefract ...	–	1	–	–	–	–
Ripon	*	*	*	*	*	*
Rotherham ...	–	3	2	–	–	–
Tadcaster ...	–	–	2	–	–	–
Wakefield ...	–	1	–	–	–	–
Wharfedale (North)	–	–	1	–	–	–
Wortley ...	–	–	–	–	–	M. 1
County Borough:—						
§York	–	1	1	1	1	–
WALES.						
ANGLESEY	–	1	2	–	–	–
Boroughs and Urban Districts:—						
†Holyhead ...	–	–	1	–	–	–
Menai Bridge ...	–	–	1	–	–	–
Rural Districts:—						
Aethwy	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ York is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	1	2	–	–	–
Urban Districts :—						
BRYNMAWR ...	–	–	1	–	–	–
Rural Districts :—						
YSTRADFELLTE (parish)	–	1	–	–	–	–
YSTRADGYNLAIS	–	–	1	–	–	–
CARDIGAN	–	2	5	–	–	–
Boroughs and Urban Districts :—						
†ABERYSTWYTH ...	–	1	–	–	–	–
Rural Districts :—						
ABERAYRON ...	–	1	5	–	–	–
CARMARTHEN ...	–	5	2	–	3	–
Boroughs and Urban Districts :—						
BURRY PORT ...	–	–	–	–	1	–
†LLANELLY ...	–	3	–	–	–	–
Rural Districts :—						
LLANELLY ...	–	1	–	–	2	–
NEWCASTLE IN EMLYN	–	1	2	–	–	–
CARNARVON ...	–	–	–	–	–	M. 1
Boroughs and Urban Districts :—						
CARNARVON ...	–	–	–	–	–	M. 1
DENBIGH	–	2	–	–	2	–
Boroughs and Urban Districts :—						
†WREXHAM ...	–	1	–	–	–	–
DENBIGH—*cont.*						
Rural Districts :—						
RUTHIN	–	–	–	–	1	–
WREXHAM ...	–	1	–	–	1	–
FLINT	–	2	2	1	–	–
Boroughs and Urban Districts :—						
HOLYWELL	–	–	–	1	–	–
Rural Districts :—						
HAWARDEN ...	–	1	–	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	2	–	–	–
HOLYWELL ... (MOLD DIV.)	–	1	–	–	–	–
GLAMORGAN ...	–	49	39	2	17	C. 4 E. 3 L. 1 M. 9
†CARDIFF C.B. ...	–	5	4	–	–	C. 3 E. 2 M. 3
†MERTHYR TYDFIL C.B.	–	1	11	–	2	–
†SWANSEA C.B. ...	–	2	2	–	–	E. 1 M. 1
Boroughs and Urban Districts :—						
†ABERDARE	–	8	–	1	–	–
†BARRY	–	2	1	–	1	M. 2
†CAERPHILLY ...	–	–	5	–	–	M. 1
†GELLIGAER ...	–	–	6	1	1	–
†MAESTEG ...	–	1	1	–	–	–
†MOUNTAIN ASH ...	–	7	–	–	2	–
†NEATH	–	–	1	–	–	–
†OGMORE AND GARW	–	–	–	–	2	–
†PONTYPRIDD ...	–	2	–	–	2	–
†PORT TALBOT ...	–	–	3	–	–	–
†RHONDDA ...	–	14	1	–	4	M. 1
Rural Districts :—						
CARDIFF	–	–	1	–	–	L. 1
COWBRIDGE ...	–	–	–	–	1	–
GOWER	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Rural Districts—*cont.*						
Llantrisant and Llantwit-Fardre	–	1	–	–	–	–
Neath	–	6	3	–	–	C. 1 M. 1
Swansea... ...	–	–	–	–	2	–
MONMOUTH ...	–	19	7	–	7	M. 1
†Newport C.B. ...	–	2	1	–	4	M. 1
Boroughs and Urban Districts:—						
†Abercarn ...	–	2	–	–	–	–
†Abersychan ...	–	–	1	–	–	–
†Abertillery ...	–	1	–	–	2	–
Bedwas and Machen	–	1	–	–	–	–
Caerleon ...	–	2	–	–	–	–
†Ebbw Vale ...	–	5	–	–	–	–
Llanfrechfa Upper	–	1	–	–	–	–
†Mynyddislwyn	–	1	1	–	–	–
†Nantyglo and Blaina	–	–	–	–	1	–
Pontypool ...	–	1	–	–	–	–
†Rhymney ...	–	–	1	–	–	–
†Risca	–	1	3	–	–	–
†Tredegar ..	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Rural Districts:—						
Chepstow ...	–	1	–	–	–	–
MONTGOMERY ...	–	2	–	–	–	–
Rural Districts:—						
Llanfyllin ...	–	2	–	–	–	–
PEMBROKE... ...	–	–	4	–	–	–
Boroughs and Urban Districts:—						
Haverfordwest	–	–	1	–	–	–
Milford Haven	–	–	2	–	–	–
Neyland... ...	*	*	*	*	*	*
†Pembroke ...	–	–	1	–	–	–
Rural Districts:—						
St. Dogmells ...	*	*	*	*	*	*
Total of Part II. ...	28	1240	571	72	487	C. 41 D. 5 E. 31 G. 14 L. 11 M. 115

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Hartlepool	*	*	*	*	*	*
Southampton ...	–	–	–	–	1	L. 1
Swansea	–	–	–	–	–	L. 1

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
Port of London ...	–	–	2	–	–	–
Total of Part III.— ...	–	–	2	–	1	L. 2

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio
J, Continued Fever ; K, Trench Fever ; L, Dysentery; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	4	230	186	9	83	C. 6 E. 9 L. 1 M. 13
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	28	1240	571	72	487	C. 41 D. 5 E. 31 G. 14 L. 11 M. 115
Total of Part III.—Port Sanitary Districts	–	–	2	–	1	L. 2
Total (*i.e.*, of returns received), England and Wales ...	32	1470	759	81	571	C. 47 D. 5 E. 40 G. 14 L. 14 M. 128

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 1068, 1070, 1072, 1075, 1076, 1080 and 1081.

able 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	June 30.	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.
LONDON :—													
DEATHS—all ages	772	834	1,016	902	686	765	720	718	813	782	799	807	868
" 0 to 1 year ..	76	85	106	112	80	73	84	76	111	122	106	115	116
GREAT TOWNS, aggregate (including London) :—													
BIRTHS	7,792	7,746	7,331	8,275	7,554	8,131	6,627	7,910	7,798	7,483	7,682	7,281	7,154
DEATHS—all ages	3,668	3,703	4,052	3,618	3,108	3,300	3,332	3,269	3,282	3,287	3,428	3,395	3,616
" 0 to 1 year ..	471	428	516	492	413	407	450	410	499	484	471	493	514
ENTERIC FEVER—Cases	15	33	24	19	21	33	41	24	27	26	31	38	32
" Deaths	1	3	1	3	3	1	7	6	1	2	4	4	4
SMALL POX—Cases ..	104	95	114	64	25	14	13	9	10	12	10	17	16
" Deaths ..	—	—	1	1	—	—	—	—	—	—	—	—	—
SCARLET FEVER—Cases	817	798	733	647	679	626	540	539	561	611	736	755	850
" Deaths	11	7	10	2	7	5	7	6	6	7	11	6	9
DIPHTHERIA—Cases ..	378	424	431	403	385	340	358	344	362	391	374	467	500
" Deaths ..	24	15	17	16	10	22	20	26	20	27	21	26	27
MEASLES—Deaths ..	61	42	51	53	37	29	28	30	14	15	15	15	17
INFLUENZA—Deaths ..	81	59	34	36	24	15	14	24	16	14	20	9	28

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 22nd September, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	63	39	61·6	44·4	12
BRIGHTON ..	62	41	60·3	47·3	42
PORTSMOUTH ..	62	43	60·9	48·7	31
NORWICH (EATON).	63	39	59·2	43·0	17
PLYMOUTH ..	62	40	59·9	47·3	41
BRISTOL (CLIFTON).	59	42	57·6	46·6	47
BIRMINGHAM (EDGBASTON)	60	39	56·4	42·6	31
NOTTINGHAM ..	61	39	57·7	42·9	19
BIRKENHEAD (BIDSTON).		Not	receive	d.	
MANCHESTER (WHITWORTH PARK).	60	42	55·9	45·6	43
BURNLEY	57	41	54·0	43·9	90
HUDDERSFIELD		Not	receive	d.	

TOWNS.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD ..	58	43	55·3	44·7	52
SHEFFIELD ..		Not	receive	d.	
YORK (MUSEUM)	60	42	55·9	44·6	27
HULL (PEARSON PARK).	63	42	59·0	44·3	15
TYNEMOUTH ..	59	42	55·3	44·3	13
CARDIFF	60	40	57·6	45·4	48
EDINBURGH ..	56·0	40·0	53·4	43·1	14
GLASGOW ..	55·7	42·0	53·6	44·5	57
DUBLIN (PHŒNIX PARK).		Not	receive	d.	
FITZWILLIAM SQUARE.†	56·7	42·1	55·6	45·0	18
BELFAST		Not	receive	d.	

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 22nd September, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Lowest.	Daily Range.	Mean daily value.	Departure from average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Greatest.	Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Greatest.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	16	..	29·783	63·0	41·1	21·9	51·5	− 6·0	41·8	9·7	20·5	1·4	70	121·5	30·7	56·9	WSW	WSW	2·6	0·0	0·1	267	+ 21	0·00
MONDAY -	17	First Quarter.	29·599	63·3	39·0	24·3	52·7	− 4·5	41·6	11·1	20·6	1·5	66	129·0	31·3	57·0	SW : SSW.	SSW : S	4·1	0·0	0·2	293	+ 48	0·00
TUESDAY -	18	Greatest Declination S.	29·365	60·6	46·4	14·2	52·0	− 4·9	44·1	7·9	13·4	1·5	74	107·0	35·2	56·9	SSW : WSW.	WSW : SW.	4·0	0·0	0·2	364	+ 120	0·06
WEDNESDAY	19	..	29·681	60·9	44·0	16·9	52·2	− 4·3	43·9	8·3	16·1	2·6	73	117·9	36·6	56·7	WSW	SW	3·0	0·0	0·2	351	+ 109	0·04
THURSDAY -	20	..	29·597	59·5	47·2	12·3	52·5	− 3·7	42·4	10·1	17·4	3·8	68	110·1	39·9	56·5	WSW : W.	W : WSW.	6·3	0·1	0·4	519	+ 279	0·02
FRIDAY -	21	..	29·448	62·4	46·3	16·1	52·8	− 3·1	46·0	6·8	12·5	0·6	78	105·5	35·5	56·2	WSW	NW : WSW.	4·0	0·0	0·3	396	+ 158	0·21
SATURDAY -	22	..	29·422	61·1	46·5	14·6	53·5	− 2·1	50·1	3·4	9·9	2·3	88	95·1	35·7	56·1	WSW : SW.	WSW : SW.	3·1	0·0	0·2	302	+ 66	0·15
MEANS -		..	29·556	61·5	44·1	17·2	52·5	− 4·1	44·3	8·2	15·8	2·0	74	112·3	35·0	56·6	WSW		..	..	..	Sum 2,492	Sum + 801	Sum 0·48
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. SEPTEMBER		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	16	wP till 6h.; mP till 11h.; wP till 17h.: then mP.	11·1	12·6	Cloudless with partially cloudy period between 11h. and 18½h. Dew at night.
MONDAY ..	17	wP	11·5	12·5	Nearly cloudless generally.
TUESDAY ..	18	wP till 4½h.; wN till 5h.; wP till 10½h.; variably sN and sP till 12½h.; then mP.	5·9	12·5	Nearly overcast till 16h. with nearly cloudless interval from 8h. to 9h. Cloudless from 21h. Rain 3½h. till 5¼h., and from 10½h. till 12h. Thunder 11h.
WEDNESDAY	19	wP till 7h.; mP till 16h.; sN till 16½h.; wP till 17½h.; then mP.	5·9	12·4	Nearly cloudless till 10h., then overcast. Frequent rain from 15h. till 21h., and from 23h.
THURSDAY	20	wP till 2½h.; variably sP and sN till 3½h.; wP till 6h.; then mP.	6·6	12·4	Overcast generally with nearly cloudless period from 4h. till 9h. Showers 1½h. and 3h. Occasional slight rain from 14h. till 15½h. Brisk wind 9h. till 20h.
FRIDAY ..	21	Variably wP and sN till 5h.; mP till 16h.; sP till 21h.; then mP.	3·6	12·3	Nearly overcast generally till 18h., then nearly cloudless. Rain till 5h. Brisk wind 8h. till 18h.
SATURDAY	22	wP till 14h.; wN till 14½h.; mP till 18½h.; variably sP and wN till 21h.; then wP.	0·2	12·2	Overcast generally. Shower 3h. Occasional slight rain between 9½h. and 11h., and from 13¾h. till 21h. Solar halo 12h.
			Sum 44·8	Sum 86·9	
No. of Col. ..		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·59 in. at the beginning of the week to 29·88 in. by 23h. on 16th; decreased to 29·17 in. by 4h. on 17th; increased to 29·71 in. by 12h. on 19th; decreased to 29·53 in. by 3h. on 20th; increased to 29·64 in. by 20h. on 20th; decreased to 29·27 in. by 5h. on 21st; increased to 29·64 in. by 23h. on 21st; decreased and was 29·32 in. by midnight on the 22nd.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS,
11–17, Hare Street, E.2

FOR OFFICIAL USE.

1923. No. 39.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 29TH SEPTEMBER, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 29TH SEPTEMBER, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the thirty-ninth week of the year numbered 7,428 and corresponded to an annual rate of 20·2 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,660 and corresponded to an annual rate of 10·0 per 1,000 of their aggregate civilian population, which is estimated at 19,170,420 in the year 1922. In the preceding three weeks the rates had been 9·3, 9·2 and 9·8. Infant mortality was 69 per 1,000 births, against 61, 68 and 72 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,714 births, corresponding to a rate of 19·7 per 1,000, and 928 deaths of civilians, corresponding to a rate of 10·7, as against 9·2, 9·3 and 10·0 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 9·8 per 1,000. The infant mortality was 87 as against 60, 67 and 70 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 44 in the total deaths last week, and the deaths from influenza rose from 28 to 33. In London the number of deaths from all causes rose from 868 to 928; while the deaths from diphtheria, which had been 4, 10 and 7 in the preceding three weeks, fell to 4 last week, and those of infants under two years of age from diarrhœal diseases, which had been 36, 53 and 49 in the preceding three weeks, rose to 57 last week.

The 2 deaths from small-pox belonged to the Boroughs of Battersea and Willesden respectively.

Just Published:

Census of England and Wales, 1921. County of Stafford. Price 12*s*. net.

County of Warwick. Price 6*s*. 6*d*. net.

County of Worcester. Price 8*s*. net.

County of London—Tables, Part III (Supplementary), Workplaces in London and five Home Counties. Price 3*s*. net.

County of Durham. Price 12*s*. 6*d*. net.

County of Northumberland. Price 9*s*. net.

County of Gloucester. Price 9*s*. net.

The Registrar General's Statistical Review, 1921.

Tables, Part II. Civil. Price 5*s*. net.

Text. Price 5*s*. net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 29th September, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,420*	7,428	3,660	516	3	6	9	26	24	159	33
London	4,534,230*	1,714	928	149	1	1	2	8	4	57	7
Towns in Outer Ring.											
Croydon C.B. ..	192,300	73	26	6	–	–	–	–	1	2	–
Wimbledon ..	61,730	24	7	1	–	–	–	–	–	–	–
Ealing	67,890	18	6	–	–	–	–	–	–	–	–
Acton	62,390	22	12	5	–	–	–	–	–	–	1
Willesden ..	168,200	64	17	–	–	–	–	–	–	1	–
Hendon	55,930	19	6	–	–	–	–	–	–	–	–
Hornsey	87,310	26	15	1	–	–	–	–	–	–	–
Wood Green ..	51,290	15	8	–	–	–	–	–	–	–	–
Tottenham ..	150,500	48	21	3	–	–	–	–	–	1	–
Edmonton ..	68,700	28	7	2	–	1	–	–	–	1	–
Enfield	62,010	16	8	1	–	–	–	–	–	–	–
West Ham C.B. ..	310,200	159	38	5	–	–	–	–	–	1	–
East Ham C.B. ..	145,800	44	24	3	–	–	–	–	–	1	1
Leyton	131,600	46	25	2	–	–	–	–	–	1	–
Walthamstow ..	129,700	54	15	–	–	–	–	–	1	–	–
Ilford	86,370	32	16	2	–	–	1	–	–	1	1
Gillingham	48,630*	20	9	1	–	–	–	–	–	–	–
Canterbury C.B ..	23,680	5	4	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	16	14	–	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	15	3	–	–	–	–	–	–	–	–
Brighton C.B. ..	135,000	48	24	–	–	–	–	–	–	–	–
Portsmouth C.B. ..	236,630*	103	58	11	–	–	–	–	1	–	–
Bournemouth C.B. ..	81,500	20	13	1	–	–	–	–	–	–	–
Southampton C.B. ..	163,700	49	27	2	–	–	–	–	1	–	–
Reading C.B.	92,990	39	11	1	–	–	–	–	–	–	–
Oxford C.B.	56,510	18	16	1	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	25	30	3	–	–	–	–	–	2	–
Luton	58,260	19	10	2	–	–	–	–	–	–	–
Cambridge	59,200	14	11	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	91,430	26	14	1	–	–	–	–	–	1	–
Ipswich C.B.	80,950	22	14	2	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	19	12	1	–	–	–	–	–	–	–
Norwich C.B ..	122,900	57	26	3	–	–	–	–	–	1	–
Swindon	55,680	20	10	1	–	–	–	–	–	–	–
Exeter C.B.	59,700	20	15	2	–	–	–	–	–	–	–
Plymouth C.B. ..	200,370*	89	43	4	–	–	–	–	–	1	1
Bath C.B.	68,530	19	15	1	–	–	–	–	–	–	–
Bristol C.B.	383,900	131	62	6	–	–	–	–	–	3	–
Gloucester C.B. ..	52,210	25	13	–	–	–	–	–	1	–	–
Stoke-on-Trent C.B.	274,300	144	48	6	–	–	2	–	–	3	–
Burton-upon-Trent C.B.	49,630	17	12	1	–	–	–	–	–	–	–
Wolverhampton C.B.	105,700	38	14	–	–	–	–	–	–	–	–
Walsall C.B.	99,890	45	27	3	–	–	–	–	2	2	–
West Bromwich C.B.	76,260	34	7	1	–	–	–	–	–	2	–
Dudley C.B.	57,860	12	13	1	–	–	–	–	–	–	–
Worcester C.B. ..	49,240	21	7	1	–	–	–	–	–	–	–
Birmingham C.B. ..	945,100	321	154	16	–	–	–	1	3	5	–
Smethwick C.B. ..	78,140	35	10	1	–	–	–	–	–	–	–
Coventry C.B. ..	131,200	39	13	–	–	–	–	–	–	–	–
Leicester C.B. ..	238,800	106	33	5	–	–	–	–	–	–	–
Lincoln C.B.	66,930	18	11	1	–	–	–	–	–	–	–
Grimsby C.B.	84,650	36	8	3	–	–	–	–	–	–	–
Nottingham C.B. ..	267,900	100	51	3	–	–	1	1	–	2	–
Derby C.B.	132,400	58	27	2	–	–	–	–	–	–	–
Chesterfield ..	63,380	26	14	2	–	–	–	–	–	–	–
Stockport C.B. ..	125,800	49	21	3	–	–	–	–	–	–	–
Chester C.B.	41,190	15	9	1	–	–	–	–	–	–	–
Birkenhead C.B. ..	149,200	67	32	3	–	–	–	–	1	–	–
Wallasey C.B. ..	89,790	29	15	–	–	–	–	–	–	–	–
Liverpool C.B. ..	826,400	427	171	34	–	4	–	4	2	14	4
Bootle C.B.	79,750	45	23	2	–	–	–	1	–	2	–
St. Helens C.B. ..	106,400	53	16	4	–	–	–	–	–	1	–

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	31	9	–	–	–	–	–	–	–	–
WIGAN C.B.	91,750	43	17	1	–	–	–	–	–	1	–
WARRINGTON C.B. ..	79,150	30	8	1	–	–	–	1	–	1	–
BOLTON C.B.	182,700	67	34	6	–	–	–	1	–	1	1
BURY C.B.	57,400	20	13	1	–	–	–	–	–	1	–
MANCHESTER C.B. ..	748,500	263	158	17	1	–	2	–	1	4	–
SALFORD C.B.	240,700	103	59	7	–	–	–	–	–	4	–
OLDHAM C.B.	148,300	65	33	7	–	–	–	1	–	1	–
ROCHDALE C.B... ..	92,510	28	14	1	–	–	–	–	–	–	–
BURNLEY C.B.	105,100	38	25	9	–	–	–	–	–	–	–
BLACKBURN C.B. ..	129,600	46	20	3	–	–	–	–	–	–	3
PRESTON C.B.	120,900	49	19	–	–	–	–	1	–	–	1
BLACKPOOL C.B. ..	74,050	23	15	–	–	–	–	–	–	–	–
BARROW-IN-FURNESS C.B.	75,690	26	10	1	–	–	–	–	–	–	–
HUDDERSFIELD C.B. ..	111,600	25	23	2	–	–	–	–	–	1	–
HALIFAX C.B.	100,500	30	18	2	–	–	–	–	–	1	1
BRADFORD C.B. ..	291,300	97	73	8	–	–	–	–	2	–	1
LEEDS C.B.	466,700	128	100	11	–	–	–	1	–	5	1
DEWSBURY C.B. ..	55,170	25	20	4	–	–	–	–	–	–	2
WAKEFIELD C.B. ..	53,840	24	13	1	–	–	–	–	–	–	–
BARNSLEY C.B. ..	69,540	30	20	2	–	–	–	–	–	–	1
SHEFFIELD C.B. ..	522,600	196	91	15	–	–	–	–	–	5	1
ROTHERHAM C.B. ..	69,840	46	8	2	–	–	–	–	–	–	–
DONCASTER	55,020	27	18	1	–	–	–	–	–	–	–
YORK C.B.	84,980	29	12	2	–	–	–	–	–	–	–
HULL C.B.	294,000	131	65	14	1	–	–	2	1	8	–
MIDDLESBROUGH C.B.	134,800	64	37	6	–	–	1	–	–	2	–
DARLINGTON C.B. ..	66,710	19	11	2	–	–	–	–	–	1	1
STOCKTON-ON-TEES ..	65,950	28	15	2	–	–	–	–	–	–	1
WEST HARTLEPOOL C.B.	70,020	37	12	2	–	–	–	–	–	–	–
SUNDERLAND C.B. ..	162,900	69	36	5	–	–	–	–	1	3	–
SOUTH SHIELDS C.B. ..	122,400	54	22	9	–	–	–	–	–	–	–
GATESHEAD C.B. ..	127,300	61	26	6	–	–	–	1	–	1	–
NEWCASTLE-ON-TYNE C.B.	281,600	145	69	13	–	–	–	–	–	4	–
TYNEMOUTH C.B. ..	64,640	30	13	4	–	–	–	–	–	–	–
CARLISLE C.B.	53,490	15	12	2	–	–	–	1	–	–	–
NEWPORT (MON.) C.B.	94,880	28	17	5	–	–	–	–	1	2	–
CARDIFF C.B.	223,830	112	40	11	–	–	–	–	–	5	1
RHONDDA	167,500	73	30	7	–	–	–	1	–	3	2
MERTHYR TYDFIL C.B.	82,680	43	11	1	–	–	–	1	–	–	–
ABERDARE	56,580	20	10	1	–	–	–	–	–	–	–
SWANSEA C.B.	161,000	54	34	6	–	–	–	–	1	–	1
GREATER LONDON ..	7,563,730*	2,811	1,354	197	2	2	3	8	7	72	12
OUTER RING	3,029,500*	1,097	426	48	1	1	1	–	3	15	5
16 GREAT TOWNS IN OUTER RING	1,831,920	688	251	31	–	1	1	–	2	9	3
REMAINDER OF OUTER RING	1,197,580*	409	175	17	1	–	–	–	1	6	2
EDINBURGH†	426,000	174	87	10	–	–	2	–	–	1	–
GLASGOW†	1,041,400	466	242	39	–	9	–	7	1	7	1
DUBLIN (REGISTRATION AREA)†	431,000	176	106	26	–	–	–	2	–	10	1
BELFAST†	429,000	233	101	18	–	1	–	1	1	1	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available period.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years)	Influenza.
LONDON‡	4,534,230	1923. Sept. 29	1714	928	10·7	1	1	1	2	8	4	57	7
CALCUTTA	896,067	Aug. 25	?	550§	31·5	–	1	?	?	?	?	?	12
BOMBAY	1,220,120	" 11	375‖	713§	30·4	1	1	3	?	–	–	52	2
		" 18	387‖	697§	29·7	3	3	5	?	–	–	57	2
MADRAS	526,911	" 18	465	303§	29·9	3	–	–	?	–	–	30	–
SYDNEY AND SUBURBS	955,900	July											
BRISBANE (Metropolitan Area).	230,200	"											
PERTH (Metropolitan Area).	161,773	Aug. 11	57	28	9·0	–	–	–	–	–	–	–	–
AUCKLAND (Urban Area).	167,760	July											
WELLINGTON (Urban Area).	112,070	"											
CHRISTCHURCH (Urban Area).	113,400	"											
CAPE TOWN	106,727	Aug. 25	37	22	10·7	–	–	–	–	1	–	–	–
JOHANNESBURG	156,858	" 25	72	38	12·6	–	–	–	–	–	–	–	–
DURBAN	50,488	" 25	29	9	9·3	–	–	–	–	–	–	–	–
PARIS	2,906,472	Sept. 10 (10 days)	1141	965	12·1	10	–	–	–	7	3	70	–
ANTWERP	302,608	Aug. 4	108	38	6·6	–	–	1	–	–	–	4	–
		" 11	108	60	10·4	–	–	2	–	–	–	5	–
AMSTERDAM	700,965	Sept. 8	254	87	6·5	1	–	–	–	1	–	–	–
COPENHAGEN	570,000	" 15	219	103	9·4	1	–	–	–	–	–	2	–
STOCKHOLM	424,944	" 8	114	88	10·8	–	–	–	–	–	1	–	–
GOTHENBURG	228,074	" 1	?	37	8·4	–	–	–	–	1	1	–	–
		" 8	?	30	6·8	–	–	–	–	–	–	–	–
CHRISTIANIA	258,962	" 15	84	44	8·8	1	–	–	–	–	–	–	–
BERLIN	1,989,000	" 1	333	422	11·0	–	?	3	–	4	1	6	2
BRESLAU	562,000	" 1	164	145	13·4	–	?	1	1	2	–	13	1
COLOGNE	701,000	" 1	217	175	13·0	–	?	3	–	3	1	36	–
DRESDEN	612,000	" 1	125	116	9·9	1	?	–	–	–	–	7	2
FRANKFORT-ON-MAIN..	475,000	" 1	61	63	6·9	–	?	–	–	–	–	4	–
HAMBURG	1,077,000	" 1	246	192	9·3	–	?	–	1	–	–	3	–
LEIPZIG	682,000	" 1	149	148	11·3	–	?	–	–	1	1	18	–
MUNICH	685,000	" 1	183	169	12·8	2	?	1	1	–	1	3	–
VIENNA	1,841,326	July 28	536	413	11·5	–	–	–	1	1	1	8	–
PRAGUE AND SUBURBS	697,111	Aug. 15 (15 days)											
BUDAPEST	946,000	Aug. 18	332	309	17·1	7	–	2	1	4	–	47	–
WARSAW	956,087	" 25	363	237	12·9	3	–	3	2	3	1	47	1
		Sept. 1	406	270	14·7	7	–	3	1	1	–	38	–
CAIRO	791,000	July 1	787	940	61·8	12	1	16	–	?	4	261	?
ALEXANDRIA	466,700	" 1	375	336§	37·4	–	–	1	–	?	–	65	?
NEW YORK	5,927,617	Aug. 25	2374	1132	10·0	5	–	3	–	6	8	69	3
		Sept. 1	2664	1089	9·6	7	–	–	–	2	4	54	3
CHICAGO	2,886,121	" 1	?	506	9·1	1	–	1	1	1	3	40	–
RIO DE JANEIRO ..	1,297,798	Aug. 11	721	402	16·2	–	–	–	–	12	3	?	11
		" 18	696	387	15·5	1	1	–	–	6	–	70	22
MONTEVIDEO	348,989	June 30	204	126	20·1	3	–	–	–	–	3	–	2

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 15 deaths from Asiatic Cholera in Calcutta and 22 and 10 in Bombay, and 2 in Madras, and from Plague 5 and 1 in Bombay and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 29th September, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	928	149	18	23	21	31	51	61	104	132	176	162
Enteric fever	1	–	–	–	–	–	–	1	–	–	–	–
Small-pox	1	–	–	–	–	–	–	–	1	–	–	–
Measles	1	1	–	–	–	–	–	–	–	–	–	–
Scarlet fever	2	–	–	2	–	–	–	–	–	–	–	–
Whooping cough	8	5	2	1	–	–	–	–	–	–	–	–
Diphtheria	4	–	1	2	1	–	–	–	–	–	–	–
Influenza	7	–	–	–	–	1	1	2	–	1	2	–
Erysipelas	2	–	–	–	–	–	–	–	1	1	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	1	–	–	1	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	63	–	–	–	2	9	13	12	10	11	5	1
Nervous system	6	2	2	–	1	–	1	–	–	–	–	–
Intestines and peritoneum	6	1	–	–	1	2	1	–	–	1	–	–
Other forms	2	–	–	–	–	–	–	–	1	–	–	1
Venereal diseases	2	–	–	–	–	–	2	–	–	–	–	–
Cancer	131	–	–	–	1	1	3	13	22	32	35	24
Rheumatic fever	4	–	–	1	1	1	–	1	–	–	–	–
Diabetes	6	–	–	–	1	–	–	1	1	1	2	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	3	–	1	1	1	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	35	–	–	–	–	–	–	1	4	7	13	10
Epilepsy	4	–	–	–	–	–	–	–	–	1	1	2
"Convulsions" (not puerperal) ..	1	1	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	38	1	1	–	1	3	5	4	6	5	10	2
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	5	–	–	–	–	1	–	–	2	–	2	–
Other diseases of heart	123	–	–	–	–	4	1	5	14	23	45	31
Other diseases of circulatory system	45	–	–	–	–	–	1	–	3	10	12	19
Bronchitis	34	4	1	–	–	–	–	2	2	4	8	13
Broncho-pneumonia	32	11	3	6	–	–	–	1	5	5	1	–
Lobar-pneumonia	21	–	–	–	2	3	2	4	6	2	1	1
Pneumonia (type not distinguished) ..	12	–	–	1	–	–	1	1	1	5	1	2
Other diseases of respiratory system	9	–	–	1	–	–	–	–	–	–	4	4
Diarrhœa and enteritis	67	53	4	2	2	–	–	1	2	–	1	2
Appendicitis, Typhlitis	8	–	–	–	2	2	2	–	–	2	–	–
Hernia, Intestinal obstruction	13	4	1	–	1	–	–	1	3	1	2	–
Cirrhosis of liver	6	–	–	–	–	–	–	–	2	2	2	–
Other diseases of digestive system ..	18	3	–	1	–	–	1	4	4	2	–	3
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	28	–	–	–	–	2	4	1	4	7	5	5
Other diseases of genito-urinary system.	16	–	–	–	–	–	1	1	2	2	4	6
Puerperal sepsis	1	–	–	–	–	–	1	–	–	–	–	–
Other causes incident to childbirth ..	1	–	–	–	–	–	1	–	–	–	–	–
Congenital malformations	3	3	–	–	–	–	–	–	–	–	–	–
Premature birth	23	23	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	14	14	–	–	–	–	–	–	–	–	–	–
Old age	37	–	–	–	–	–	–	–	–	–	8	29
Suicide	11	–	–	–	–	–	1	2	2	2	4	–
Burns and scalds	4	–	1	3	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	1	–	1	–	1	–	–	–
Suffocation in bed	2	2	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	4	–	–	1	1	–	–	–	–	1	1	–
Other deaths by violence	15	2	–	–	–	1	3	3	1	2	2	1
Other specified causes	45	19	1	–	2	1	5	–	4	2	5	6
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 29th September, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	256	190	8	73	C. 5 D. 2 E. 6 G. 2 M. 13
†CITY OF LONDON	–	5	1	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	6	16	1	5	M. 2
†BERMONDSEY ...	–	10	8	–	5	M. 1
†BETHNAL GREEN	–	4	16	–	2	M. 1
†CAMBERWELL ...	–	14	9	–	1	–
†CHELSEA	–	3	3	–	–	–
†DEPTFORD ...	–	8	2	–	–	E. 1
†FINSBURY ...	–	12	13	–	–	C. 1
†FULHAM	–	7	6	–	2	–
†GREENWICH ...	–	4	2	–	2	D. 1 E. 1
†HACKNEY ...	–	9	5	–	–	–
†HAMMERSMITH ...	–	5	4	1	–	–
†HAMPSTEAD ...	–	8	1	–	2	–
†HOLBORN... ...	–	–	–	–	1	E. 1
†ISLINGTON ...	–	41	13	–	2	E. 1 M. 1

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	1	3	1	1	–
†LAMBETH ...	–	22	13	–	5	M. 1
†LEWISHAM ...	–	10	3	–	1	C. 1
†PADDINGTON ...	–	16	5	–	4	E. 2 M. 1
†POPLAR	–	8	3	–	6	M. 1
†ST. MARYLEBONE	–	–	4	–	1	D. 1
†ST. PANCRAS ...	–	8	9	1	5	M. 1
†SHOREDITCH ...	–	17	12	1	4	C. 2 M. 2
†SOUTHWARK ...	–	4	13	–	1	–
†STEPNEY	–	12	11	1	9	G. 2
†STOKE NEWINGTON	–	3	3	–	–	M. 1
†WANDSWORTH ...	–	9	6	–	4	C. 1
†WESTMINSTER, CITY OF	–	5	4	1	3	M. 1
†WOOLWICH ...	–	5	2	1	7	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†BEDFORD ...	–	1	–	–	–	–
DUNSTABLE ...	*	*	*	*	*	*
LEIGHTON BUZZARD	–	1	–	–	–	–
†LUTON	–	1	–	–	–	–
Rural Districts:—						
AMPTHILL ...	*	*	*	*	*	*
BERKS	–	8	1	2	–	–
†READING C.B. ...	–	5	–	1	–	–
Rural Districts:—						
ABINGDON ...	–	1	–	1	–	–
NEWBURY ...	–	1	1	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	13	4	–	–	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	–	–
†CHEPPING WYCOMBE ...	–	–	1	–	–	–
CHESHAM... ...	–	1	–	–	–	–
Rural Districts:—						
AYLESBURY ...	–	1	–	–	–	–
WING	–	1	–	–	–	–
WYCOMBE ...	–	9	3	–	–	–
CAMBRIDGE ...	–	1	–	–	–	–
Borough:—						
†CAMBRIDGE ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER	–	56	16	1	10	C. 1 D. 1 E. 2 L. 2 M. 2
†BIRKENHEAD C.B.	–	10	2	–	3	C. 1 E. 1 M. 1
†CHESTER C.B. ...	–	–	1	–	1	–
†STOCKPORT C.B.	–	12	1	–	–	D. 1
†WALLASEY C.B. ...	–	1	–	–	3	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	1	–	–	–	–
†ALTRINCHAM ...	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	2	–	–	–	–
BOLLINGTON ...	–	1	–	–	–	–
BUGLAWTON ...	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	–	–	–	–	M. 1
COMPSTALL ...	–	–	1	–	–	–
†CONGLETON ...	–	5	–	–	1	–
†CREWE	–	–	1	–	–	–
†DUKINFIELD ...	–	1	1	–	1	–
HALE	*	*	*	*	*	*
†HOYLAKE AND WEST KIRBY	–	4	–	–	–	–
†HYDE	–	2	–	–	–	–
LYMM	–	5	–	–	–	–
†MACCLESFIELD ...	–	–	–	1	–	L. 2
MIDDLEWICH ...	–	–	1	–	–	–
MOTTRAM IN LONGDENDALE	–	–	1	–	–	–
NESTON AND PARKGATE	–	–	–	–	1	–
†NORTHWICH ...	–	1	–	–	–	–
SANDBACH ...	–	1	1	–	–	–
YEARDSLEY CUM WHALEY	–	–	1	–	–	–
Rural Districts:—						
BUCKLOW ...	–	–	–	–	–	E. 1
CHESTER	–	–	1	–	–	–
CONGLETON ...	–	2	–	–	–	–
DISLEY	–	1	–	–	–	–
NANTWICH ...	–	–	2	–	–	–
NORTHWICH ...	–	3	–	–	–	–
RUNCORN... ...	–	1	1	–	–	–
TARVIN	–	–	1	–	–	–
TINTWISTLE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	1	1	8	1	–
Boroughs and Urban Districts:—						
BODMIN	–	–	–	2	–	–
†CAMBORNE ...	–	–	–	2	–	–
FOWEY	*	*	*	*	*	*
†PENZANCE ...	–	–	–	4	–	–
SALTASH	–	–	1	–	–	–
STRATTON AND BUDE	–	1	–	–	–	–
TORPOINT ...	–	–	–	–	1	–
Rural Districts:—						
HELSTON	*	*	*	*	*	*
SAINT COLUMB MAJOR	*	*	*	*	*	*
CUMBERLAND ...	–	9	7	–	–	M. 1
†CARLISLE C.B. ...	–	–	1	–	–	M. 1
Boroughs and Urban Districts:—						
COCKERMOUTH ...	–	2	–	–	–	–
†MARYPORT ...	–	4	2	–	–	–
MILLOM	–	–	1	–	–	–
PENRITH	–	1	–	–	–	–
†WORKINGTON ...	–	2	–	–	–	–
Rural Districts:—						
COCKERMOUTH ...	–	–	1	–	–	–
LONGTOWN ...	*	*	*	*	*	*
PENRITH	–	–	1	–	–	–
WIGTON	–	–	1	–	–	–
DERBY	1	51	8	2	15	C. 1 E. 1 L. 1 M. 1
†DERBY C.B. ...	–	20	3	–	4	C. 1 E. 1
DERBY—*cont.*						
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	1	–	–	L.
ASHBOURNE ...	–	1	–	–	–	–
†CHESTERFIELD ...	–	3	–	–	1	–
†GLOSSOP	–	–	–	1	–	–
†HEANOR	–	1	–	–	–	–
†LONG EATON ...	–	6	–	1	–	–
NEW MILLS ...	–	–	2	–	–	–
†RIPLEY	–	1	–	–	2	–
†SWADLINCOTE DISTRICT	–	1	–	–	1	–
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	1	–
BAKEWELL ...	–	2	–	–	–	–
BELPER	–	2	–	–	1	–
BLACKWELL ...	1	2	1	–	1	–
CHAPEL EN LE FRITH	–	5	–	–	–	–
CHESTERFIELD ..	–	5	–	–	1	–
CLOWNE	–	–	–	–	–	M. 1
HARTSHORN AND SEALS	–	–	1	–	–	–
HAYFIELD ...	–	1	–	–	–	–
SHARDLOW ...	–	–	–	–	3	–
DEVON	–	15	8	3	1	M.
†EXETER C.B. ...	–	1	–	–	–	M. 2
†PLYMOUTH C.B....	–	10	2	1	–	–
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	–	1	–	–
BRIXHAM ...	–	–	–	–	1	–
DAWLISH... ...	–	–	–	1	–	–
LYNTON	*	*	*	*	*	*
†NEWTON ABBOT...	–	–	2	–	–	–
†PAIGNTON ...	–	–	1	–	–	–
SIDMOUTH ...	–	–	1	–	–	–
†TORQUAY ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BARNSTAPLE ...	–	–	1	–	–	–
HOLSWORTHY (part)	–	1	–	–	–	–
TAVISTOCK ...	–	1	–	–	–	–
TOTNES	–	–	1	–	–	–
DORSET	–	5	1	–	–	C. 1 E. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
†POOLE	–	–	1	–	–	G. 1
†PORTLAND ...	–	–	–	–	–	E. 1
SHERBORNE ...	–	5	–	–	–	M. 1
†WEYMOUTH AND MELCOMBE REGIS	–	–	–	–	–	C. 1
DURHAM	2	120	32	2	26	C. 1 G. 1 M. 6
†DARLINGTON C.B	–	3	–	1	–	–
†GATESHEAD C.B.	2	6	3	–	2	–
†SOUTH SHIELDS C.B.	–	12	4	–	6	–
†SUNDERLAND C.B.	–	7	3	–	2	C. 1 G. 1 M. 4
†WEST HARTLEPOOL C.B	–	6	–	–	–	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	2	–	–	–
BENFIELDSIDE ...	–	2	1	–	1	–
BILLINGHAM ...	–	1	–	–	–	–
†BISHOP AUCKLAND	–	1	–	–	–	–
†BLAYDON... ...	–	1	–	–	–	–
†BRANDON AND BYSHOTTLES	–	2	–	–	–	–
†CHESTER LE STREET	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CONSETT	–	1	–	–	–	–
†HEBBURN ...	–	1	–	–	2	–
†HETTON	–	3	–	–	–	–
†JARROW	–	5	–	–	–	–
LEADGATE ...	–	–	1	–	–	–
†SEAHAM HARBOUR	–	1	1	–	2	–
†SOUTHWICK ON WEAR	–	1	–	–	–	–
†SPENNYMOOR ...	–	1	–	–	–	–
†STANLEY	–	3	2	–	–	–
†STOCKTON ON TEES	–	10	2	–	4	–
†TANFIELD ...	–	–	–	–	2	–
†WASHINGTON ...	–	8	–	–	–	–
†WHICKHAM ...	–	3	1	–	1	–
WILLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	7	4	–	–	–
CHESTER LE STREET	–	6	–	–	3	–
DARLINGTON ...	–	1	–	–	–	–
DURHAM	–	8	–	–	–	–
EASINGTON ...	–	1	4	–	–	M. 1
HOUGHTON LE SPRING	–	3	–	–	–	M. 1
LANCHESTER ...	–	4	2	–	–	–
SEDGEFIELD ...	–	4	1	1	–	–
SUNDERLAND ...	–	–	–	–	1	–
WEARDALE ...	–	4	–	–	–	–
ELY, ISLE OF ...	–	–	–	3	–	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
Rural Districts:—						
WISBECH	–	–	–	3	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	51	39	3	12	C. 3 D. 1 E 2 M. 5
†EAST HAM C.B. ...	–	3	9	–	3	M. 1
†SOUTHEND-ON-SEA C.B.	–	1	3	–	1	M. 1
†WEST HAM C.B. ...	–	21	14	–	3	M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	1	1	–	1	M. 2
†CHELMSFORD ...	–	–	–	–	–	E. 1
CHINGFORD ...	–	–	–	–	1	–
†CLACTON	–	1	–	–	–	E. 1
†COLCHESTER ...	–	1	–	1	–	–
†GRAYS THURROCK	–	–	–	–	1	–
†ILFORD	–	2	2	–	–	D. 1
†LEYTON	–	5	2	–	–	C. 1
MALDON	–	–	1	–	–	–
SAFFRON WALDEN	–	–	–	1	–	–
†WALTHAMSTOW...	–	7	4	–	1	C. 2
Rural Districts:—						
BILLERICAY ...	–	3	–	–	–	–
BRAINTREE ...	–	3	–	–	–	–
CHELMSFORD ...	–	–	–	1	–	–
ROCHFORD ...	–	–	3	–	–	–
ROMFORD... ...	–	2	–	–	1	–
STANSTED ...	–	1	–	–	–	–
GLOUCESTER ...	16	36	15	7	8	C. 4 M. 2
†BRISTOL C.B. ...	–	14	11	–	7	C. 4 M. 2
†GLOUCESTER C.B.	5	4	–	5	–	–
Boroughs and Urban Districts:—						
CHARLTON KINGS	–	2	–	–	–	–
†CHELTENHAM ...	1	–	–	–	–	–
NEWNHAM ...	–	3	–	–	–	–
STROUD	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—						
CAMPDEN... ...	–	–	1	–	–	–
CIRENCESTER ...	–	–	1	–	–	–
EAST DEAN AND UNITED PARISHES ...	8	1	–	–	–	–
GLOUCESTER ...	2	–	–	–		–
LYDNEY	–	4	1	2	–	–
NORTHLEACH ...	–	–	1	–	–	–
WARMLEY ...	–	1	–	–	–	–
WEST DEAN ...	–	6	–	–	–	–
WINCHCOMB(part)	–	1	–	–	–	–
HEREFORD ...	–	1	1	–	3	M. 1
Rural Districts:—						
BROMYARD ...	–	–	–	–	3	–
DORE	–	1	–	–	–	–
HEREFORD ...	–	–	1	–	–	–
WEOBLEY ...	–	–	–	–	–	M. 1
HERTFORD ...	–	11	16	1	–	C. 1 E. 1 M. 1
Boroughs and Urban Districts:—						
BALDOCK ...	–	–	1	–	–	–
BUSHEY	–	–	–	–	–	E. 1
†CHESHUNT ...	–	–	–	1	–	–
†EAST BARNET VALLEY	–	–	1	–	–	–
HARPENDEN ...	–	1	–	–	–	–
†HERTFORD ...	–	2	1	–	–	–
†LETCHWORTH ...	–	–	3	–	–	–
TRING	–	–	–	–	–	M. 1
†WATFORD ...	–	2	–	–	–	–
Rural Districts:—						
HADHAM	–	1	–	–	–	–
HERTFORD ...	–	–	2	–	–	–
HITCHIN	–	2	–	–	–	–
ST. ALBANS ...	–	–	2	–	–	–
WARE	–	3	6	–	–	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	–	–	–	–	E. 1
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	–	–	–	E. 1
Rural Districts:—						
ST. NEOTS, No. 2	*	*	*	*	*	*
KENT	–	26	11	3	6	C. 1
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1	–	–	–	–
†BROMLEY ...	–	2	1	–	–	–
†CHATHAM ...	–	–	1	1	–	–
CHISLEHURST ...	–	–	2	–	–	–
†DOVER	–	1	–	–	1	–
†ERITH	–	4	–	–	1	–
†FOLKESTONE ...	–	3	–	1	1	–
†GILLINGHAM ...	–	3	–	–	–	–
†GRAVESEND ...	–	–	2	–	–	–
†MAIDSTONE ...	*	*	*	*	*	*
†MARGATE ...	–	3	–	–	–	–
†RAMSGATE ...	–	–	1	–	–	–
†ROCHESTER ...	–	1	2	–	–	–
†ROYAL TUNBRIDGE WELLS	–	2	2	–	1	–
WALMER	*	*	*	*	*	*
WHITSTABLE ...	–	–	–	–	1	–
Rural Districts:—						
DARTFORD ...	–	4	–	–	–	–
EAST ASHFORD ...	–	–	–	–	–	C. 1
FAVERSHAM ...	–	1	–	–	–	–
MALLING	–	–	–	1	–	–
MILTON	–	1	–	–	–	–
TONBRIDGE ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	252	64	14	126	C. 6 D. 1 E. 5 G. 4 L. 1 M. 42
†BARROW IN FURNESS C.B.	–	5	–	–	–	–
†BLACKBURN C.B.	–	4	1	–	11	M. 1
†BLACKPOOL C.B.	–	6	–	–	–	–
†BOLTON C.B. ...	–	6	–	–	3	M. 3
†BOOTLE C.B. ...	–	2	–	–	2	M. 1
†BURNLEY C.B. ...	–	–	2	–	2	–
†BURY C.B. ...	–	4	1	–	2	–
†LIVERPOOL C.B. ...	–	62	26	–	26	C. 1 D. 1 E. 3 G. 1 M. 18
†MANCHESTER C.B.	–	38	14	3	29	C. 1 G. 1 L. 1 M. 8
†OLDHAM C.B. ...	–	1	1	–	–	G. 1
†PRESTON C.B. ...	–	9	3	–	–	M. 2
†ROCHDALE C.B. ...	–	7	–	–	–	–
†ST. HELENS C.B. ...	–	7	1	–	1	C. 1 M. 1
†SALFORD C.B. ...	–	19	–	2	6	M. 1
†SOUTHPORT C.B.	–	3	–	–	–	–
†WARRINGTON C.B.	–	2	–	–	5	–
†WIGAN C.B. ...	–	–	1	1	5	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	2	–	–	–	–
†ASHTON IN MAKERFIELD	–	–	1	1	–	–
†ASHTON UNDER LYNE	–	2	–	1	3	–
ASPULL	–	–	–	–	1	–
†BACUP	–	–	–	–	1	–
BLACKROD ...	–	1	–	–	–	M. 1
†CHADDERTON ...	–	3	–	–	–	–
†CHORLEY	–	–	–	–	–	C. 1
†COLNE	–	1	–	–	2	–
†CROMPTON ...	–	1	–	–	–	E. 1
†DALTON IN FURNESS	–	–	1	–	–	–
†DARWEN	–	–	–	–	–	C. 1
†DENTON	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†DROYLSDEN ...	–	2	1	–	–	–
†ECCLES	–	–	–	–	1	–
†FAILSWORTH ...	–	1	1	–	2	–
†FARNWORTH ...	–	1	–	–	–	–
†FLEETWOOD ...	–	–	–	–	1	–
†GREAT HARWOOD	–	1	–	–	–	–
†HEYWOOD ...	–	2	–	–	–	–
†HINDLEY... ...	–	2	–	–	–	M. 2
†HORWICH ...	–	2	–	–	1	M. 1
HUYTON WITH ROBY ...	*	*	*	*	*	*
†INCE IN MAKERFIELD	–	1	–	–	–	–
IRLAM	–	–	1	–	–	–
†LANCASTER ...	–	2	–	–	–	M. 1
†LEIGH	–	1	1		1	E. 1 M. 1
LEYLAND... ...	–	1	–	–	–	–
†LITHERLAND ...	–	3	1	–	–	
†LITTLEBOROUGH	–	1	–	–	–	–
LITTLE HULTON.	–	–	2	–	–	–
†MIDDLETON ...	–	1	1	–	1	–
†MORECAMBE ...	–	1	–	–	–	–
†MOSSLEY	–	2	–	–	–	–
†NEWTON IN MAKERFIELD	–	2	–	–	1	–
ORMSKIRK ...	–	–	–	–	1	–
PRESCOT	–	–	–	–	–	M. 1
†PRESTWICH ...	–	4	–	1	–	–
†RADCLIFFE ...	–	–	–	–	1	–
†RAMSBOTTOM ...	–	1	–	–	–	C. 1
†ROYTON	–	–	–	–	–	G. 1
†STRETFORD... ...	–	7	–	–	2	–
†SWINTON AND PENDLEBURY	–	7	–	–	4	–
TOTTINGTON ...	–	–	–	–	3	–
†TURTON	–	1	–	1	–	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	1	–	–
†ULVERSTON ...	–	1	–	–	–	–
UPHOLLAND ...	–	2	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	–	–	–	–
WHITEFIELD ...	–	–	–	–	1	–
†WIDNES	–	8	2	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts:—						
BURNLEY... ...	–	–	–	1	1	–
BURY	–	–	1	–	–	–
CHORLEY	–	1	–	–	1	–
FYLDE	–	–	–	–	2	–
LANCASTER ...	–	2	–	–	–	–
LIMEHURST ...	–	1	–	–	–	–
PRESTON	–	2	–	–	–	–
ULVERSTON ...	–	–	–	1	–	–
WARRINGTON ...	–	1	–	–	–	–
WEST LANCASHIRE	–	1	1	–	–	–
WHISTON... ...	–	1	–	1	–	–
LEICESTER... ...	–	23	7	4	5	M. 2
†LEICESTER C.B. ...	–	21	2	2	5	M. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	–	1	–	–	–
†COALVILLE ...	–	–	1	–	–	–
†LOUGHBOROUGH	–	–	–	–	–	M. 1
MELTON MOWBRAY	–	1	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	1	–	–	–
BARROW UPON SOAR	–	–	–	2	–	–
MARKET BOSWORTH	–	–	1	–	–	–
MELTON MOWBRAY	–	–	1	–	–	–
LINCOLN (parts of Holland).	–	1	–	–	–	–
Rural Districts:—						
EAST ELLOE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven).	–	–	2	–	–	–
Boroughs and Urban Districts—						
STAMFORD ...	*	*	*	*	*	*
Rural Districts:—						
CLAYPOLE ...	–	–	1	–	–	–
SLEAFORD ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	9	7	–	6	D. 1
†GRIMSBY C.B. ...	–	1	2	–	2	–
†LINCOLN C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
BRIGG	–	–	–	–	1	–
BROUGHTON ...	–	–	–	–	–	D. 1
†SCUNTHORPE AND FRODINGHAM	–	3	2	–	2	–
Rural Districts:—						
GAINSBOROUGH ...	*	*	*	*	*	*
GLANFORD BRIGG	–	–	–	–	1	–
GRIMSBY	–	–	1	–	–	–
HORNCASTLE ...	–	1	–	–	–	–
ISLE OF AXHOLME	–	–	2	–	–	–
WELTON	–	3	–	–	–	–
MIDDLESEX ...	–	58	27	3	15	C. 2 G. 1 L. 1 M. 2
Boroughs and Urban Districts:—						
†ACTON	–	2	–	–	–	–
†BRENTFORD ...	–	–	1	–	–	–
†CHISWICK ...	–	1	–	–	–	–
†EALING	–	5	1	1	2	–
†EDMONTON ...	–	2	–	–	2	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ENFIELD	–	1	1	–	1	–
†FINCHLEY ...	–	1	–	–	–	–
†FRIERN BARNET	–	1	–	–	–	L. 1
†HAMPTON ...	–	3	–	–	1	–
†HANWELL ...	–	1	–	–	–	G. 1
†HENDON	–	1	2	–	–	–
†HESTON AND ISLEWORTH	–	5	1	–	4	–
†HORNSEY... ...	–	5	–	–	–	–
†SOUTHALL NORWOOD	–	3	2	–	–	–
†SOUTHGATE ...	–	–	–	–	1	–
STAINES	–	1	–	–	–	–
†TEDDINGTON ...	–	9	1	1	–	–
†TOTTENHAM ...	–	1	6	–	1	–
†TWICKENHAM ...	–	–	–	1	–	–
†WEALDSTONE ...	–	3	1	–	–	–
†WILLESDEN ...	–	8	9	–	–	M. 1
†WOOD GREEN ...	–	2	–	–	–	–
YIEWSLEY ...	–	–	1	–	–	C. 1
Rural Districts:—						
HENDON	–	–	–	–	1	–
STAINES	–	3	1	–	2	M. 1
UXBRIDGE ...	–	–	–	–	–	C. 1
NORFOLK	–	35	3	–	3	C. 1
†GREAT YARMOUTH C.B.	–	5	–	–	–	–
†NORWICH C.B. ...	–	15	–	–	2	–
Boroughs and Urban Districts:—						
DOWNHAM MARKET	–	–	–	–	1	–
NORTH WALSHAM	–	6	–	–	–	–
Rural Districts:—						
BLOFIELD ...	–	1	–	–	–	–
DEPWADE ...	–	–	1	–	–	–
ERPINGHAM ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
FOREHOE ...	–	1	–	–	–	–
HENSTEAD ...	–	1	–	–	–	–
LODDON AND CLAVERING	–	2	–	–	–	–
MITFORD AND LAUNDITCH	–	2	–	–	–	–
ST. FAITH'S ...	–	–	1	–	–	–
THETFORD ...	–	1	–	–	–	–
WAYLAND ...	–	1	–	–	–	C. 1
NORTHAMPTON ...	–	36	3	2	11	–
†NORTHAMPTON C.B.	–	19	–	–	6	–
Boroughs and Urban Districts:—						
FINEDON	–	1	–	–	–	–
†KETTERING ...	–	6	–	–	1	–
RAUNDS	–	–	–	–	3	–
ROTHWELL ...	–	4	–	–	–	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
BRACKLEY ...	–	–	–	2	–	–
DAVENTRY ...	–	2	–	–	1	–
KETTERING ...	–	1	–	–	–	–
POTTERSPURY ...	–	1	–	–	–	–
THRAPSTON (part)	–	–	3	–	–	–
NORTHUMBERLAND	–	31	3	3	10	C. 1 D. 1 M. 3
†NEWCASTLE UPON TYNE C.B.	–	5	1	2	3	M. 3
†TYNEMOUTH C.B.	–	2	–	–	3	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	2	–	–	–	–
†BEDLINGTONSHIRE	–	3	–	–	–	–
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BLYTH	–	1	–	–	1	–
CRAMLINGTON ...	–	1	1	–	–	–
†EARSDON	–	1	–	–	–	–
†GOSFORTH ...	–	1	–	–	1	–
HEXHAM	–	–	–	–	–	C. 1
NEWBIGGIN BY THE SEA	–	1	–	–	–	–
†NEWBURN ...	–	4	–	–	–	–
PRUDHOE... ...	–	–	–	1	–	–
SEATON DELAVAL	–	2	–	–	–	–
SEGHILL	–	–	–	–	2	–
†WALLSEND ...	–	–	–	–	–	D. 1
Rural Districts:—						
ALNWICK... ...	–	7	–	–	–	–
CASTLE WARD ...	–	1	1	–	–	–
NOTTINGHAM ...	4	39	12	1	9	C. 1 M. 7
†NOTTINGHAM C.B.	1	24	9	–	1	C. 1 M 3
Boroughs and Urban Districts:—						
†BEESTON	–	1	–	–	–	–
†CARLTON	–	1	1	–	1	M. 1
†EAST RETFORD ...	–	–	–	–	2	–
†HUCKNALL ...	–	2	–	–	–	–
†KIRKBY IN ASHFIELD	3	–	–	–	1	–
†MANSFIELD ...	–	3	–	–	–	M. 1
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK	–	1	1	–	–	M. 1
†SUTTON IN ASHFIELD	–	1	–	–	–	M. 1
WARSOP	*	*	*	*	*	*
Rural Districts:—						
BASFORD	–	2	1	–	1	–
BLYTH AND CUCKNEY	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever :

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts—*cont.*						
EAST RETFORD ...	–	–	–	–	1	–
MISTERTON ...	–	–	–	1	1	–
NEWARK	–	2	–	–	–	–
OXFORD	–	11	–	3	2	M. 2
†OXFORD C.B. ...	–	3	–	–	–	M. 1
Boroughs and Urban Districts:—						
†BANBURY ...	–	–	–	–	1	–
HENLEY ON THAMES	–	–	–	–	–	M. 1
WITNEY	–	1	–	–	–	–
Rural Districts:—						
CULHAM	–	1	–	2	–	–
HEADINGTON ...	–	4	–	–	1	–
WITNEY	–	2	–	1	–	–
PETERBOROUGH (Soke of)	–	2	–	–	–	–
Borough:—						
†PETERBOROUGH...	–	2	–	–	–	–
RUTLAND	–	1	–	–	–	–
Rural District:—						
OAKHAM ...	–	1	–	–	–	–
SALOP	–	9	2	–	–	C. 1
Boroughs and Urban Districts:—						
NEWPORT ...	–	–	–	–	–	C. 1
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	4	–	–	–	–
WHITCHURCH ...	–	1	–	–	–	–
SALOP—*cont.*						
Rural Districts:—						
BRIDGNORTH ...	–	–	1	–	–	–
CLEOBURY MORTIMER	–	1	–	–	–	–
LUDLOW	–	–	1	–	–	–
OSWESTRY ...	–	2	–	–	–	–
SOMERSET	–	19	11	1	2	E. 1 M. 3
†BATH C.B. ...	–	4	2	–	–	M. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
ILMINSTER ...	–	–	–	–		E. 1
PORTISHEAD ...	*	*	*	*	*	*
RADSTOCK ...	–	1	–	–	–	–
SHEPTON MALLET	–	1	–	–	–	–
†TAUNTON... ...	–	–	1	–	–	–
†WESTON SUPER MARE	–	3	2	–	–	–
†YEOVIL	–	–	–	–	–	M. 1
Rural Districts:—						
AXBRIDGE ...	–	–	2	–	–	–
BATH	–	1	–	–	–	–
CLUTTON... ...	–	2	1	–	–	–
KEYNSHAM ...	–	1	–	–	–	–
LANGPORT ...	–	1	–	–	–	–
LONG ASHTON ...	–	2	–	–	1	M. 1
SHEPTON MALLET	–	1	–	–	–	–
TAUNTON ...	–	1	–	–	–	–
WELLS	–	–	–	–	1	–
WILLITON ...	–	–	–	1	–	–
WINCANTON ...	–	–	3	–	–	–
SOUTHAMPTON ...	–	31	18	2	2	G. 1 M. 4
†BOURNEMOUTH C.B.	–	1	–	–	–	M. 1
†PORTSMOUTH C.B.	–	12	9	1	–	M. 1
†SOUTHAMPTON C.B.	–	10	4	–	1	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON— *cont.*						
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	3	–	–	–	–
ANDOVER... ...	–	–	–	–	–	G. 1
CHRISTCHURCH ...	–	1	–	–	–	–
†FAREHAM ...	–	1	1	–	–	M. 1
†FARNBOROUGH ...	*	*	*	*	*	*
†GOSPORT	–	1	2	–	1	–
LYMINGTON ...	*	*	*	*	*	*
Rural Districts:—						
ALTON	–	1	–	–	–	–
ANDOVER... ...	–	1	–	–	–	–
BASINGSTOKE ...	–	–	1	–	–	–
LYMINGTON ...	–	–	–	1	–	–
SOUTH STONEHAM	–	–	1	–	–	–
STAFFORD	–	71	18	3	24	E. 1 M. 4
†BURTON UPON TRENT C.B.	–	1	–	–	–	–
†SMETHWICK C.B.	–	4	1	–	3	–
†STOKE ON TRENT C.B.	–	21	4	–	10	M. 1
†WALSALL C.B. ...	–	4	1	–	1	–
†WEST BROMWICH C.B.	–	4	4	–	–	–
†WOLVERHAMPTON C.B.	–	3	–	–	–	–
Boroughs and Urban Districts:—						
BIDDULPH ...	–	3	–	–	–	–
†BILSTON	–	1	–	–	1	–
†BROWNHILLS ...	–	1	–	–	1	–
†CANNOCK	–	1	–	–	–	E. 1 M. 1
†COSELEY	–	1	1	–	–	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	–	–	–	2	M. 1
†LEEK	–	1	–	–	–	–
†ROWLEY REGIS ...	–	1	2	–	1	–
†SEDGLEY	–	–	2	–	–	–
†STAFFORD ...	–	2	–	–	–	–
STONE	–	1	–	–	1	–
STAFFORD— *cont.*						
Boroughs and Urban Districts— *cont.*						
†TIPTON	–	2	–	2	–	–
†WEDNESBURY ...	–	2	–	–	–	M. 1
†WOLSTANTON UNITED	–	2	1	–	1	–
Rural Districts:—						
BLORE HEATH ...	–	1	–	–	–	–
CANNOCK	–	3	1	1	–	–
CHEADLE	–	–	–	–	2	–
KINGSWINFORD ...	–	2	–	–	–	–
LEEK	–	–	1	–	–	–
LICHFIELD ...	–	7	–	–	–	–
STAFFORD ...	–	–	–	–	1	–
TAMWORTH (part)	–	1	–	–	–	–
WALSALL	–	2	–	–	–	–
SUFFOLK, EAST ...	–	7	1	2	1	–
†IPSWICH C.B. ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†LOWESTOFT ...	–	3	–	–	–	–
STOWMARKET ...	–	–	–	1	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	3	–	1	–	–
HARTISMERE ...	–	–	–	–	1	–
SAMFORD	–	1	–	–	–	–
SUFFOLK, WEST ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
GLEMSFORD ...	*	*	*	*	*	*
NEWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
COSFORD	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	2	27	8	–	1	G. 1 L. 1 M. 1
†CROYDON C.B. ...	–	10	5	–	–	L. 1
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	–	–
†BEDDINGTON AND WALLINGTON	–	–	1	–	–	–
†CARSHALTON ...	1	–	–	–	–	–
†CHERTSEY ...	–	2	–	–	–	–
EAST AND WEST MOLESEY	–	–	–	–	1	–
†EGHAM	–	1	–	–	–	–
†GUILDFORD ...	–	1	–	–	–	–
†KINGSTON ON THAMES	–	2	–	–	–	–
†MERTON AND MORDEN	–	–	1	–	–	–
†RICHMOND ...	1	1	–	–	–	–
†SUTTON	–	1	–	–	–	–
†WIMBLEDON ...	–	2	1	–	–	–
†WOKING	–	–	–	–	–	G. 1
Rural Districts:—						
GODSTONE ...	–	1	–	–	–	–
GUILDFORD ...	–	–	–	–	–	M. 1
HAMBLEDON ...	–	5	–	–	–	–
SUSSEX, EAST ...	–	15	3	1	2	E. 1 F. 1 L. 1
†BRIGHTON C.B. ...	–	2	2	1	–	–
†EASTBOURNE C.B.	–	1	–	–	–	–
†HASTINGS C.B. ...	–	4	–	–	2	E. 1 F. 1
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	1	–	–	–	–
†HOVE	–	3	–	–	–	–
Rural Districts:—						
BATTLE	–	1	–	–	–	–
CHAILEY	–	1	–	–	–	–
EAST GRINSTEAD	–	1	–	–	–	–
SUSSEX, EAST—*cont.*						
Rural Districts—*cont.*						
HAILSHAM ...	–	–	–	–	–	L. 1
NEWHAVEN ...	–	–	1	–	–	–
UCKFIELD ...	–	1	–	–	–	–
SUSSEX, WEST ...	–	9	1	–	–	–
Boroughs and Urban Districts:—						
SHOREHAM BY SEA	–	–	1	–	–	–
†WORTHING ...	–	2	–	–	–	–
Rural Districts:—						
HORSHAM ...	–	7	–	–	–	–
WARWICK	–	59	42	7	21	C. 2 E. 2 G. 1 M. 8
†BIRMINGHAM C.B.	–	39	39	2	14	C. 2 E. 1 G. 1 M. 6
†COVENTRY C.B. ...	–	3	1	–	3	–
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	–	–	1	–
†NUNEATON ...	–	4	1	–	–	–
†ROYAL LEAMINGTON SPA	–	2	–	1	–	–
†RUGBY	–	–	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	1	–	–	–	–
FOLESHILL ...	–	2	–	–	–	M. 1
MERIDEN	–	5	–	–	2	–
NUNEATON ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts—*cont.*						
SOUTHAM... ...	–	–	–	1	–	–
STRATFORD ON AVON	–	–	–	2	–	–
TAMWORTH (part)	–	–	1	–	–	M. 1
WARWICK ...	–	–	–	1	–	E. 1
WESTMORLAND ...	–	–	1	–	2	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	2	–
SOUTH WESTMORLAND	–	–	1	–	–	–
WIGHT, ISLE OF ...	–	2	–	–	–	–
Boroughs and Urban Districts—						
†COWES	–	1	–	–	–	–
SANDOWN ...	–	1	–	–	–	–
WILTS	–	4	2	–	2	–
Boroughs and Urban Districts:—						
MALMESBURY ...	–	–	–	–	1	–
†SALISBURY ...	–	–	1	–	–	–
†SWINDON... ...	–	–	–	–	1	–
Rural Districts:—						
AMESBURY ...	–	–	1	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
PEWSEY	–	1	–	–	–	–
SALISBURY ...	–	2	–	–	–	–
WORCESTER ...	–	16	10	–	7	M. 1
†DUDLEY C.B. ...	–	1	–	–	1	–
†WORCESTER C.B.	–	1	2	–	3	–
WORCESTER—*cont.*						
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
†KIDDERMINSTER	–	–	–	–	1	–
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY... ...	–	1	2	–	–	M. 1
†REDDITCH ...	–	2	–	–	1	–
†STOURBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	1	3	–	–	–
FECKENHAM ...	–	1	–	–	–	–
KIDDERMINSTER	–	4	–	–	–	–
MARTLEY... ...	–	–	2	–	–	–
PERSHORE ...	–	–	1	–	–	–
STOW ON THE WOLD (part)	–	–	–	–	1	–
TEWKESBURY (part)	–	1	–	–	–	–
UPTON ON SEVERN	*	*	*	*	*	*
YORKS ... ... (East Riding.)	–	9	9	–	3	C. 1 G. 1 M. 2
†KINGSTON UPON HULL C.B.	–	5	5	–	3	C. 1 M. 1
Boroughs and Urban Districts:—						
†BRIDLINGTON ...	–	–	1	–	–	–
GREAT DRIFFIELD	–	1	–	–	–	–
Rural Districts:—						
BRIDLINGTON ...	–	1	–	–	–	–
DRIFFIELD ...	–	–	3	–	–	M. 1
HOWDEN	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding) *cont.*						
Rural Districts—*cont.*						
PATRINGTON ...	–	–	–	–	–	G. 1
RICCALL	–	1	–	–	–	–
YORKS ... ... (North Riding.)	1	44	2	6	5	–
†MIDDLESBROUGH C.B.	1	25	1	1	5	–
Boroughs and Urban Districts:—						
†ESTON	–	6	–	–	–	–
GUISBOROUGH ...	–	2	–	4	–	–
LOFTUS	–	5	–	–	–	–
PICKERING ...	–	–	–	1	–	–
†REDCAR	–	2	–	–	–	–
RICHMOND ..	*	*	*	*	*	*
SALTBURN BY THE SEA	–	–	1	–	–	–
†SCARBOROUGH ...	–	1	–	–	–	–
†SKELTON AND BROTTON	–	1	–	–	–	–
†THORNABY ON TEES	–	1	–	–	–	–
Rural Districts:—						
RICHMOND ...	*	*	*	*	*	*
WHITBY	–	1	–	–	–	–
YORKS ... ... (West Riding.)	–	167	43	11	73	C. 4 E. 1 M. 17
†BARNSLEY C.B. ...	–	2	2	–	3	E. 1 M. 2
†BRADFORD C.B. ...	–	11	5	–	13	C. 1 M. 3
†DEWSBURY C.B....	–	–	1	–	–	–
†HALIFAX C.B. ...	–	4	1	–	–	–
†HUDDERSFIELD C.B.	–	–	1	–	3	–
†LEEDS C.B. ...	–	45	6	–	5	M. 1
†ROTHERHAM C.B.	–	1	–	–	2	–
†SHEFFIELD C.B....	–	26	12	2	27	C. 1 M. 7
†WAKEFIELD C.B.	–	–	2	–	3	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	2	–	–	M. 1
ALTOFTS	–	–	–	–	2	–
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
BAILDON	–	–	–	–	1	–
BARKISLAND ...	–	1	–	–	–	–
†BARNOLDSWICK ...	–	1	–	–	–	–
†BATLEY	–	1	–	–	–	–
†BINGLEY	–	1	1	–	–	–
BIRKENSHAW ...	–	4	–	–	–	–
BIRSTAL	–	2	–	–	–	–
†BRIGHOUSE ...	–	1	–	–	–	–
†CASTLEFORD ...	–	2	–	–	–	–
†CONISBROUGH ...	–	4	–	–	–	–
DARFIELD ...	–	–	–	–	1	–
DENHOLME ...	–	1	–	–	–	–
†DONCASTER ...	–	2	1	1	–	–
EARBY	–	1	–	–	–	–
†GOOLE	–	3	1	–	–	M. 1
GREASBROUGH ...	–	–	–	1	–	–
GUISELEY ...	–	1	–	–	–	–
†HARROGATE ...	–	1	–	–	–	–
HAWORTH ...	–	1	–	–	–	–
†HEMSWORTH ...	–	5	1	–	–	–
†HOLMFIRTH ...	–	1	–	–	–	–
HORSFORTH ...	–	2	–	–	–	–
†KEIGHLEY ...	–	3	–	–	–	–
KIRKBURTON ...	–	–	–	1	–	–
KNOTTINGLEY ...	–	1	–	–	–	–
LUDDENDEN FOOT	–	–	–	–	1	–
†MEXBOROUGH ...	–	3	–	–	3	–
†MIRFIELD ...	–	1	–	–	–	–
MYTHOLMROYD ...	*	*	*	*	*	*
†NORMANTON ...	–	1	–	–	–	–
†OSSETT	–	1	–	–	–	–
†PONTEFRACT ...	–	1	–	–	1	–
†RAWMARSH ...	–	1	–	–	–	C. 1
†ROTHWELL ...	–	1	–	–	–	–
SELBY	–	3	–	–	–	–
†SKIPTON	–	1	–	–	–	M. 1
†SPENBOROUGH ...	–	4	1	1	–	–
†SWINTON... ...	–	–	–	–	1	–
†WATH UPON DEARNE	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†WOMBWELL ...	–	–	–	2	1	–
†WORSBOROUGH ...	–	1	–	–	–	–
YEADON	–	–	–	1	–	–
Rural Districts—						
DONCASTER ...	–	–	–	–	3	–
GREAT OUSEBURN	–	–	–	–	–	C. 1
HEMSWORTH ...	–	5	1	–	3	–
KIVETON PARK ...	–	1	–	–	–	–
PONTEFRACT ...	–	1	–	–	–	–
RIPON	–	1	–	–	–	–
ROTHERHAM ...	–	4	1	–	–	–
SKIPTON	–	1	–	–	–	–
TADCASTER ...	–	3	1	–	–	–
THORNE	–	2	–	–	–	–
WAKEFIELD ...	–	–	2	1	–	–
WHARFEDALE (SOUTH)	–	1	1	–	–	–
WORTLEY ...	–	1	–	1	–	–
County Borough :—						
§YORK	–	3	1	–	–	E. 1 M. 2
WALES.						
ANGLESEY	–	1	–	–	–	–
Rural Districts:—						
VALLEY	–	1	–	–	–	–
BRECKNOCK ...	–	2	–	–	–	–
Rural Districts :—						
CRICKHOWELL ...	*	*	*	*	*	*
YSTRADFELLTE (parish)	–	2	–	–	–	–
CARDIGAN	–	1	–	–	1	–
Boroughs and Urban Districts :—						
†ABERYSTWYTH ...	–	1	–	–	–	–
Rural Districts :—						
ABERAYRON ...	–	–	–	–	1	–
CARMARTHEN ...	–	8	2	–	3	–
Boroughs and Urban Districts :—						
AMMANFORD ...	–	–	1	–	–	–
BURRY PORT ...	–	–	–	–	1	–
†LLANELLY ...	–	7	1	–	–	–
Rural Districts :—						
LLANELLY ...	–	1	–	–	2	–
CARNARVON ...	–	–	2	–	–	–
Rural Districts :—						
GWYRFAI ...	–	–	1	–	–	–
OGWEN	–	–	1	–	–	–
DENBIGH	–	3	1	–	–	–
Rural Districts :—						
RUTHIN	–	–	1	–	–	–
WREXHAM ...	–	3	–	–	–	–
FLINT	–	1	2	3	1	J. 1
Boroughs and Urban Districts :—						
FLINT	–	–	–	2	–	–
†RHYL	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

§ York is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT—*cont.*						
Rural Districts:—						
HAWARDEN ...	–	–	–	1	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	2	–	1	J. 1
OVERTON ...	*	*	*	*	*	*
GLAMORGAN ...	–	44	27	2	15	C. 2 E. 5 M. 7
†CARDIFF C.B. ...	–	5	3	–	2	E. 4 M. 3
†MERTHYR TYDFIL C.B.	–	–	4	–	–	–
†SWANSEA C.B. ...	–	5	5	1	2	E. 1 M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	3	–	–	–	–
†BARRY	–	1	2	–	2	–
†CAERPHILLY ...	–	1	2	–	–	–
†GELLIGAER ...	–	1	–	–	–	–
†MAESTEG ...	–	1	–	–	–	M. 1
†MOUNTAIN ASH ...	–	2	–	–	–	–
†NEATH	–	–	2	–	–	–
†OGMORE AND GARW	–	3	–	–	1	–
†PENARTH ...	–	1	–	–	–	–
†PONTYPRIDD ...	–	2	1	–	–	–
PORTHCAWL ...	–	–	–	–	1	–
†PORT TALBOT ...	–	–	3	–	–	–
†RHONDDA ...	–	9	4	1	4	C. 1 M. 2
Rural Districts:—						
CARDIFF	–	–	–	–	1	–
COWBRIDGE ...	–	–	–	–	1	C. 1
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWIT-FARDRE	–	3	–	–	–	–
NEATH	–	5	1	–	1	–
PONTARDAWE ...	–	1	–	–	–	–
SWANSEA... ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MERIONETH ...	–	1	–	–	–	–
Urban Districts:—						
FESTINIOG ...	–	1	–	–	–	–
MONMOUTH ...	–	18	7	2	7	–
†NEWPORT C.B. ...	–	2	2	–	–	–
Boroughs and Urban Districts:—						
†ABERCARN ...	–	2	–	–	–	–
†ABERTILLERY ...	–	7	1	–	1	–
†BEDWELLTY ...	–	3	–	–	–	–
CAERLEON ...	–	1	–	–	–	–
†EBBW VALE ...	–	–	–	–	1	–
LLANTARNAM ...	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	1	4	–
†RHYMNEY ...	–	–	1	–	–	–
†RISCA	–	–	3	–	–	–
†TREDEGAR ...	–	2	–	–	1	–
Rural Districts:—						
ABERGAVENNY ...	–	–	–	1	–	–
MONTGOMERY ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
MACHYNLLETH ...	–	1	–	–	–	–
NEWTOWN AND LLANLLWCHAIARN ...	*	*	*	*	*	*
WELSHPOOL ...	–	–	–	–	1	–
Rural Districts:—						
LLANFYLLIN ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE	–	1	10	–	–	–
Boroughs and Urban Districts:—						
Goodwick ...	*	*	*	*	*	*
Haverfordwest	–	1	6	–	–	–
Rural Districts:—						
Haverfordwest	–	–	3	–	–	–
St. Dogmells ...	–	–	1	–	–	–
RADNOR	–	1	–	–	–	–
Urban District:—						
Llandrindod Wells	–	1	–	–	–	–
Total of Part II. ...	26	1480	514	105	442	C. 34 D. 5 E. 25 F. 1 G. 11 J. 1 L. 7 M. 129

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Cardiff	–	–	–	–	1	–
Hull and Goole ...	–	–	–	1	–	–
Southampton ...	–	1	–	–	–	–
Weymouth	–	1	–	–	–	–
Port of London ...	–	–	–	1	1	–
Total of Part III.— ...	–	2	–	2	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	256	190	8	73	C. 5 D. 2 E. 6 G. 2 M. 13
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	26	1480	514	105	442	C. 34 D. 5 E. 25 F. 1 G. 11 J. 1 L. 7 M. 129
Total of Part III.—Port Sanitary Districts	–	2	–	2	2	–
Total (*i.e.*, of returns received), England and Wales ...	26	1738	704	115	517	C. 39 D. 7 E. 31 F. 1 G. 13 J. 1 L. 7 M. 142

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague: C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 1098, 1099, 1100, 1104, 1107, and 1109.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	July 7.	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.
LONDON :—													
DEATHS—all ages	834	1,016	902	686	765	720	718	813	782	799	807	868	928
" 0 to 1 year ..	85	106	112	80	73	84	76	111	122	106	115	116	149
GREAT TOWNS, aggregate (including London) :—													
BIRTHS	7,746	7,331	8,275	7,554	8,133	6,627	7,910	7,798	7,483	7,682	7,281	7,154	7,428
DEATHS—all ages	3,703	4,052	3,618	3,108	3,300	3,332	3,269	3,282	3,287	3,428	3,395	3,616	3,660
" 0 to 1 year ..	428	516	492	413	407	450	410	499	484	471	493	514	516
ENTERIC FEVER—Cases	33	24	19	21	33	41	24	27	26	31	38	32	37
" Deaths	3	1	3	3	1	7	6	1	2	4	4	4	3
SMALL POX—Cases ..	95	114	64	25	14	13	9	10	12	10	17	16	9
" Deaths ..	—	1	1	—	—	—	—	—	—	—	—	—	2
SCARLET FEVER—Cases	798	733	647	679	626	540	539	561	611	736	755	850	997
" Deaths	7	10	2	7	5	7	6	6	7	11	6	9	9
DIPHTHERIA—Cases ..	424	431	403	385	340	358	344	362	391	374	467	500	473
" Deaths ..	15	17	16	10	22	20	26	20	27	21	26	27	24
MEASLES—Deaths ..	42	51	53	37	29	28	30	14	15	15	15	17	6
INFLUENZA—Deaths ..	59	34	36	24	15	14	24	16	14	20	9	28	33

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 29th September, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	74	43	67·4	49·7	6
BRIGHTON ..	66	47	62·1	51·9	10
PORTSMOUTH ..	73	48	64·9	52·3	8
NORWICH (EATON).	69	43	63·1	48·3	12
PLYMOUTH ..	67	46	62·1	52·3	15
BRISTOL (CLIFTON).	71	46	61·7	50·7	15
BIRMINGHAM (EDGBASTON)	71	42	62·3	47·9	18
NOTTINGHAM ..	72	42	63·0	48·0	9
BIRKENHEAD (BIDSTON).	69	44	60·4	49·4	11
MANCHESTER (WHITWORTH PARK).	71	43	62·0	49·0	13
BURNLEY	64	36	58·7	46·9	27
HUDDERSFIELD	70	41	61·7	47·7	13

TOWNS.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD ..	68	43	59·7	49·0	15
SHEFFIELD ..	Not received.				
YORK (MUSEUM)	67	40	62·4	47·9	10
HULL (PEARSON PARK).	69	40	63·7	47·6	15
TYNEMOUTH ..	64	43	59·6	50·4	8
CARDIFF	70	44	61·1	50·4	23
EDINBURGH ..	61·0	43·0	58·7	47·1	12
GLASGOW ..	Not received.				
DUBLIN (PHŒNIX PARK).	72·4	34·1	63·1	47·1	10
FITZWILLIAM SQUARE.†	71·8	41·8	61·6	50·4	10
BELFAST	64·0	41·0	59·9	48·0	32

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 29th September, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Greatest.	Difference between the Air Temperature and Dew Point Temperature. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind as deduced from Anemometers. Osler's. General Direction. P.M.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Greatest.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Least.	Wind as deduced from Anemometers. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind as deduced from Anemometers. Robinson's. Horizontal Movement of the Air on each Day.	Wind as deduced from Anemometers. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
SEPTEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - 23	..	29·309	61·8	42·9	18·9	52·2	− 3·2	46·3	5·9	13·3	2·2	80	109·3	34·0	56·1	SW : SSW.	SSW : WSW.	4·3	0·0	0·3	376	+ 140	0·07
MONDAY - 24	..	29·663	64·0	44·5	19·5	53·9	− 1·4	45·4	8·5	18·5	2·2	73	123·1	37·5	56·0	WSW	SW : SSE.	2·5	0·0	0·2	296	+ 59	0·02
TUESDAY - 25	Full. In Equator	29·540	64·9	51·4	13·5	56·7	+ 1·5	46·7	10·0	16·6	3·0	69	119·9	45·1	55·9	S : SSW : SW.	SW : WSW.	7·6	0·2	0·8	521	+ 282	0·15
WEDNESDAY 26	..	29·985	66·0	53·0	13·0	58·9	+ 3·7	53·2	5·7	13·6	0·8	82	92·3	44·8	55·9	WSW : W.	W : WSW.	4·6	0·0	0·3	344	+ 103	0·00
THURSDAY - 27	..	30·120	68·4	47·8	20·6	57·5	+ 2·4	52·0	5·5	8·0	0·8	82	111·0	38·3	55·8	SW	SW	1·9	0·0	0·1	238	− 7	0·00
FRIDAY - 28	Apogee	30·120	73·9	51·1	22·8	62·0	+ 7·1	55·7	6·3	15·6	2·6	80	130·0	41·3	55·8	WSW	W	2·0	0·0	0·1	275	+ 27	0·00
SATURDAY - 29	..	30·254	73·4	57·7	15·7	64·7	+10·0	61·8	2·9	10·1	1·5	90	98·4	42·2	55·8	WSW	Calm	0·3	0·0	0·0	155	− 96	0·00
MEANS -	..	29·856	67·5	49·8	17·7	58·0	+ 2·9	51·6	6·4	13·7	1·9	79	112·0	40·5	55·9	WSW		..	..	..	Sum 2,205	Sum + 508	Sum 0·24
No. of COLUMN	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. SEPTEMBER		ELECTRICITY. (For explanation of symbols. *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	23	wP till 8h.; variable till 18h.; then mP.	5·3	12·2	Partially cloudy with overcast period between 15h. and 21h. Occasional showers from 7½h. till 9h. and from 15½h. till 17h.
MONDAY ..	24	wP till 7h.; mP till 20½h.; then wP.	8·9	12·1	Partially cloudy till 11h., then nearly overcast generally. Slight rain between 19h. and 22h.
TUESDAY ..	25	wP till 1¾h.; wN to sN till 3h.; wP till 12h.; mP till 21h.; then wP.	6·6	12·0	Overcast with slight rain till 4h. Nearly cloudless till 11½h., then nearly overcast. Rain between 12h. and 14¾h. Brisk wind from 9h.
WEDNESDAY	26	wP till 9h.; mP till 20h.; then wP.	1·5	12·0	Overcast generally, with nearly cloudless interval from 4h. till 7h. Brisk wind till 2h. Slight mist and dew at night.
THURSDAY	27	wP till 7h.; mP till 9h.; then wP.	3·5	11·9	Nearly cloudless till 5h., clouding up to nearly overcast by 7h. Dew in morning and at night.
FRIDAY ..	28	wP	6·2	11·8	Partially cloudy till 13h., then overcast.
SATURDAY	29	wP	0·1	11·8	Cloudless till 3h., then overcast mist from 18½h.
			Sum 32·1	Sum 83·8	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·32 in. at the beginning of the week to 29·23 in. by 15h. on 23rd; increased to 29·71 in. by 13h. on 24th; decreased to 29·41 in. by 3h. on 25th; increased to 30·17 in. by 10h. on 27th; decreased to 30·08 in. by 4h. on 28th; increased and was 30·27 in. by midnight on the 29th.

Printed and published by His Majesty's Stationery Office Press
11-17, Hare Street, E.2

(44422) Wt. 392—P 31 2250 10/23 H. St. G. 43

FOR OFFICIAL USE.

1923. No. 40.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 6TH OCTOBER, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 6TH OCTOBER, 1923.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fortieth week of the year numbered 6,905 and corresponded to an annual rate of 18·7 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,475 and corresponded to an annual rate of 9·5 per 1,000 of their aggregate civilian population, which is estimated at 19,170,699 in the year 1922. In the preceding three weeks the rates had been 9·2, 9·8 and 10·0. Infant mortality was 66 per 1,000 births, against 68, 72 and 69 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,565 births, corresponding to a rate of 18·0 per 1,000, and 831 deaths of civilians, corresponding to a rate of 9·6, as against 9·3, 10·0 and 10·7 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 9·9 per 1,000. The infant mortality was 82 as against 67, 70 and 87 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 185 in the total deaths last week, and the deaths from influenza fell from 33 to 31. In London the number of deaths from all causes fell from 928 to 831; while the deaths from diphtheria, which had been 10, 7 and 4 in the preceding three weeks, rose to 8 last week, and those of infants under two years of age from diarrhœal diseases, which had been 53, 49 and 57 in the preceding three weeks, fell to 41 last week.

Just Published:

Census of England and Wales, 1921. County of Stafford. Price 12*s*. net.

County of Warwick. Price 6*s*. 6*d*. net.

County of Worcester. Price 8*s*. net.

County of London—Tables, Part III (Supplementary), Workplaces in London and five Home Counties. Price 3*s*. net.

County of Durham. Price 12*s*. 6*d*. net.

County of Northumberland. Price 9*s*. net.

County of Gloucester. Price 9*s*. net.

County of Devon. Price 11*s*. 6*d*. net.

The Registrar General's Statistical Review, 1921.

Tables, Part II. Civil. Price 5*s*. net.

Text. Price 5*s*. net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 6th October, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,699*	6,905	3,475	455	8	10	8	14	22	124	31
London	4,534,230*	1,565	831	128	1	6	4	4	8	41	9
Towns in Outer Ring.											
Croydon C.B. ..	192,300	52	29	2	–	–	–	–	1	–	–
Wimbledon ..	61,730	15	7	–	–	–	–	–	–	–	–
Ealing	67,890	27	18	4	–	–	–	–	–	1	–
Acton	62,390	13	7	1	–	–	–	–	–	1	–
Willesden ..	168,200	55	21	4	–	–	–	–	–	1	–
Hendon	55,930	13	2	–	–	–	–	–	–	–	–
Hornsey	87,310	18	14	1	–	–	–	–	1	–	–
Wood Green ..	51,290	18	7	–	–	–	–	–	–	–	–
Tottenham ..	150,500	40	17	–	–	–	–	–	–	–	–
Edmonton ..	68,700	33	10	–	–	–	–	–	–	–	–
Enfield	62,010	21	12	2	–	–	–	–	–	–	–
West Ham C.B. ..	310,200	108	46	9	–	–	–	–	1	1	–
East Ham C.B. ..	145,800	36	20	2	–	–	–	–	–	1	1
Leyton	131,600	33	12	–	–	–	–	–	–	–	–
Walthamstow ..	129,700	38	18	3	–	–	–	–	–	–	1
Ilford	86,370	21	15	3	–	–	–	–	–	–	–
Gillingham	48,630*	19	8	1	–	–	–	–	1	–	–
Canterbury C.B ..	23,680	6	4	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	10	9	–	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	9	5	–	–	–	–	–	–	–	–
Brighton C.B. ..	135,279†	36	28	4	1	–	–	–	–	1	–
Portsmouth C.B. ..	236,630*	86	46	2	–	–	–	–	1	1	1
Bournemouth C.B. ..	81,500	31	16	–	–	–	–	–	–	–	–
Southampton C.B. ..	163,700	63	23	3	–	–	–	–	–	2	1
Reading C.B.	92,990	19	13	1	–	–	–	–	–	–	–
Oxford C.B.	56,510	13	4	–	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	28	16	4	–	–	–	–	–	–	–
Luton	58,260	25	4	–	–	–	–	–	–	–	–
Cambridge	59,200	23	12	1	–	–	–	–	–	–	–
Southend-on-Sea C.B.	91,430	27	16	–	–	–	–	–	–	–	–
Ipswich C.B.	80,950	27	12	2	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	20	19	2	1	–	–	–	–	1	–
Norwich C.B ..	122,900	38	20	2	–	–	1	–	–	–	–
Swindon	55,680	14	7	–	–	–	–	–	–	–	–
Exeter C.B.	59,700	18	15	–	–	–	–	–	–	–	–
Plymouth C.B. ..	200,370*	83	42	3	–	–	–	–	–	1	–
Bath C.B.	68,530	13	14	–	–	–	–	–	–	–	–
Bristol C.B.	383,900	149	81	2	1	–	–	–	1	1	2
Gloucester C.B. ..	52,210	16	7	–	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	274,300	140	72	15	–	–	–	2	–	8	1
Burton-upon-Trent C.B.	49,630	18	9	1	–	–	–	–	–	–	–
Wolverhampton C.B.	105,700	45	18	3	–	–	–	–	–	2	1
Walsall C.B.	99,890	63	12	1	–	–	–	–	–	–	–
West Bromwich C.B.	76,260	39	11	2	–	–	–	–	–	–	1
Dudley C.B.	57,860	22	8	2	–	–	–	–	–	–	–
Worcester C.B. ..	49,240	19	13	1	–	–	–	–	–	1	–
Birmingham C.B. ..	945,100	365	177	27	1	–	–	–	4	4	4
Smethwick C.B. ..	78,140	26	10	1	–	–	–	–	–	–	–
Coventry C.B. ..	131,200	39	22	3	–	–	–	–	–	–	–
Leicester C.B. ..	238,800	74	49	6	–	–	1	–	–	1	1
Lincoln C.B.	66,930	30	11	1	–	–	–	–	–	–	–
Grimsby C.B.	84,650	29	4	–	–	–	–	–	–	–	–
Nottingham C.B. ..	267,900	96	56	5	–	–	–	–	–	3	–
Derby C.B.	132,400	39	27	3	–	–	–	1	–	–	–
Chesterfield ..	63,380	35	13	2	–	–	–	–	–	–	–
Stockport C.B. ..	125,800	33	27	5	–	–	–	–	–	–	–
Chester C.B.	41,190	15	10	2	–	–	–	–	–	1	–
Birkenhead C.B. ..	149,200	61	13	1	–	–	–	–	–	1	–
Wallasey C.B. ..	89,790	30	17	5	–	–	–	–	–	–	1
Liverpool C.B. ..	826,400	338	167	29	–	4	1	1	1	8	–
Bootle C.B.	79,750	25	14	2	–	–	–	–	–	1	–
St. Helens C.B. ..	106,400	39	13	1	–	–	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.
† As extended 1st October, 1923.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	20	11	1	–	–	–	–	–	–	–
WIGAN C.B.	91,750	39	16	3	–	–	–	–	1	–	–
WARRINGTON C.B. ..	79,150	21	18	1	–	–	–	–	–	–	–
BOLTON C.B.	182,700	60	40	5	–	–	–	–	–	1	–
BURY C.B.	57,400	17	21	1	–	–	–	–	–	–	–
MANCHESTER C.B. ..	748,500	304	135	16	–	–	–	–	–	5	–
SALFORD C.B.	240,700	99	47	8	–	–	–	–	–	–	–
OLDHAM C.B.	148,300	40	33	1	–	–	–	1	–	–	–
ROCHDALE C.B... ..	92,510	22	19	3	–	–	–	–	–	–	1
BURNLEY C.B.	105,100	29	24	–	–	–	–	–	–	–	–
BLACKBURN C.B. ..	129,600	33	25	3	–	–	–	–	–	–	–
PRESTON C.B.	120,900	44	25	3	–	–	–	1	–	–	–
BLACKPOOL C.B. ..	74,050	21	21	1	–	–	–	–	–	–	1
BARROW-IN-FURNESS C.B.	75,690	17	7	–	–	–	–	–	–	–	–
HUDDERSFIELD C.B. ..	111,600	25	17	2	–	–	–	–	–	–	–
HALIFAX C.B.	100,500	34	21	2	–	–	–	–	–	1	1
BRADFORD C.B. ..	291,300	120	63	7	1	–	–	–	–	–	–
LEEDS C.B.	466,700	166	89	17	–	–	–	2	–	4	1
DEWSBURY C.B. ..	55,170	22	11	–	1	–	–	–	–	–	–
WAKEFIELD C.B. ..	53,840	20	14	1	–	–	–	–	–	–	–
BARNSLEY C.B. ..	69,540	31	6	–	–	–	–	–	–	–	–
SHEFFIELD C.B. ..	522,600	214	104	13	1	–	–	–	–	8	2
ROTHERHAM C.B. ..	69,840	30	7	1	–	–	–	1	–	–	–
DONCASTER	55,020	22	3	1	–	–	–	–	–	–	–
YORK C.B.	84,980	29	9	–	–	–	–	–	–	–	–
HULL C.B.	294,000	133	64	7	–	–	–	–	2	2	–
MIDDLESBROUGH C.B.	134,800	72	29	5	–	–	–	–	–	2	–
DARLINGTON C.B. ..	66,710	29	9	–	–	–	–	–	–	–	–
STOCKTON-ON-TEES ..	65,950	19	7	–	–	–	–	–	–	–	–
WEST HARTLEPOOL C.B.	70,020	39	15	2	–	–	–	–	–	–	1
SUNDERLAND C.B. ..	162,900	66	24	3	–	–	–	–	–	3	–
SOUTH SHIELDS C.B. ..	122,400	50	26	7	–	–	–	–	–	3	–
GATESHEAD C.B. ..	127,300	49	18	4	–	–	–	–	–	2	–
NEWCASTLE-ON-TYNE C.B.	281,600	139	59	11	–	–	–	–	–	6	–
TYNEMOUTH C.B. ..	64,640	27	14	2	–	–	–	–	–	1	–
CARLISLE C.B.	53,490	23	9	–	–	–	–	–	–	–	–
NEWPORT (MON.) C.B.	94,880	39	14	1	–	–	–	–	–	2	–
CARDIFF C.B.	223,830	61	47	8	–	–	–	–	–	–	–
RHONDDA	167,500	67	25	6	–	–	1	–	–	–	–
MERTHYR TYDFIL C.B.	82,680	32	16	1	–	–	–	–	–	1	–
ABERDARE	56,580	26	9	1	–	–	–	–	–	–	–
SWANSEA C.B.	161,000	56	24	3	–	–	–	1	–	–	–
GREATER LONDON ..	7,563,730*	2,461	1,261	171	1	6	4	4	12	50	11
OUTER RING	3,029,500*	896	430	43	–	–	–	–	4	9	2
16 GREAT TOWNS IN OUTER RING	1,831,920	541	255	31	–	–	–	–	3	5	2
REMAINDER OF OUTER RING	1,197,580*	355	175	12	–	–	–	–	1	4	–
EDINBURGH†	426,000	163	86	9	–	–	4	–	1	4	–
GLASGOW†	1,041,400	533	243	35	–	3	–	3	2	9	1
DUBLIN (REGISTRATION AREA)†	431,000	197	113	31	1	–	–	1	–	7	–
BELFAST†	429,000		Not received.								

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
London‡	4,534,230	1923. Oct. 6	1565	831	9·6	1	–	6	4	4	8	41	9
Calcutta	896,067	Sept. 1	?	561§	32·1	?	–	?	?	?	?	?	8
Bombay	1,220,120	Aug. 25	399‖	713§	30·4	1	1	1	–	–	–	69	2
		Sept. 1	364‖	717§	30·6	9	2	1	–	–	–	67	2
Madras	526,911	Aug. 25	419	350§	34·5	3	4	1	?	1	–	25	–
Sydney and Suburbs	955,900	July											
Brisbane (Metropolitan Area).	230,200	„ (31 days)	496	287	13·0	–	–	–	–	–	2	–	26
Perth (Metropolitan Area).	161,773	Aug. 18											
Auckland (Urban Area).	167,760	July											
Wellington (Urban Area).	112,070	„											
Christchurch (Urban Area).	113,400	„											
Cape Town	106,727	Sept. 1	37	31	15·1	–	–	1	–	–	–	–	–
Johannesburg	156,858	„ 1	80	33	10·9	–	–	–	–	–	1	–	2
Durban	50,488	„ 1	29	9	9·3	–	–	–	–	–	–	–	–
Paris	2,906,472	„ 20 (10 days)	1276	980	12·4	1	–	5	–	3	3	75	–
Antwerp	302,286	Aug. 18	94	45	7·8	–	–	1	–	–	–	2	–
Amsterdam	701,778	Sept. 15	312	111	8·2	1	–	–	–	–	–	–	–
Copenhagen	570,000	„ 22	220	113	10·3	1	–	–	–	–	–	1	–
Stockholm	424,944	„ 15	104	78	9·5	1	–	–	–	–	–	–	–
Gothenburg	228,074	„ 15	?	40	9·1	–	–	–	–	–	–	–	–
Christiania	258,962	„ 22	80	40	8·0	–	–	–	–	–	1	1	–
Berlin	1,989,000	„ 8	304	434	11·3	1	?	–	–	3	1	7	–
Breslau	562,000	„ 8	160	136	12·6	–	?	–	1	1	1	11	–
Cologne	701,000	„ 8	210	150	11·1	1	?	6	–	4	1	23	–
Dresden	612,000	„ 8	140	137	11·6	–	?	–	–	1	–	2	1
Frankfort-on-Main..	475,000	„ 8	80	77	8·4	1	?	1	–	–	1	3	1
Hamburg	1,077,000	„ 8	241	190	9·2	1	?	–	1	–	–	1	–
Leipzig	682,000	„ 8	198	162	12·3	–	?	1	–	–	–	14	2
Munich	685,000	„ 8	168	133	10·1	–	?	1	–	–	–	3	2
Vienna	1,841,326	Aug. 4	538	388	10·8	2	–	–	1	6	–	7	–
		„ 11	551	394	11·0	–	–	–	–	2	1	14	–
Prague and Suburbs	697,111	„ 15 (15 days)											
Budapest	946,000	Aug. 25	320	356	19·6	14	–	1	–	3	–	46	–
Warsaw	956,087	Sept. 8	633	224	12·2	1	–	1	2	3	1	35	–
		„ 15	336	270	14·7	4	–	5	6	4	5	39	1
Cairo	791,000	July 8	794	792	52·1	15	–	7	–	?	9	190	?
Alexandria	466,700	„ 8	435	308	34·3	–	–	1	–	?	1	66	?
New York	5,927,617	Sept. 8	2254	1049	9·2	11	–	1	–	5	5	53	–
Chicago	2,886,121	„ 8	?	510	9·2	1	–	1	–	–	3	33	–
Rio de Janeiro ..	1,297,798	Aug. 25	622	380	15·2	6	1	2	–	6	2	54	16
Montevideo	348,989	July 7											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 19 deaths from Asiatic Cholera in Calcutta and 3 and 1 in Bombay, and 1 in Madras, and from Plague. 3 and 4 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 6th October, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	831	128	22	19	25	33	40	51	86	117	160	150
Enteric fever	1	–	–	–	1	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	6	3	2	1	–	–	–	–	–	–	–	–
Scarlet fever	4	–	–	3	1	–	–	–	–	–	–	–
Whooping cough	4	2	1	1	–	–	–	–	–	–	–	–
Diphtheria	8	–	1	2	5	–	–	–	–	–	–	–
Influenza	9	1	–	–	1	–	–	2	–	2	1	2
Erysipelas	1	–	–	–	–	–	–	–	–	1	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	2	–	–	1	–	–	–	1	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	75	–	1	1	1	15	18	11	16	9	2	1
Nervous system	4	2	1	–	–	1	–	–	–	–	–	–
Intestines and peritoneum	2	–	–	1	–	–	–	–	1	–	–	–
Other forms	4	1	–	–	–	1	1	1	–	–	–	–
Venereal diseases	2	2	–	–	–	–	–	–	–	–	–	–
Cancer	103	–	–	–	–	–	–	7	17	29	33	17
Rheumatic fever	5	–	–	–	2	1	–	–	–	1	1	–
Diabetes	7	–		–	–	1	–	–	1	5	–	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	2	–	–	–	1	–	1	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	39	–	–	–	–	–	–	1	4	10	10	14
Epilepsy	2	–	–	–	–	–	–	1	–	–	1	–
"Convulsions" (not puerperal) ..	1	1	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	31	1	–	1	4	–	2	3	7	5	8	–
Pericarditis	1	–	–	–	–	1	–	–	–	–	–	–
Acute endocarditis	9	–	–	–	–	1	4	2	1	–	1	–
Other diseases of heart	107	–	–	–	1	–	2	7	7	14	44	32
Other diseases of circulatory system	29	1	1	–	–	–	–	–	1	9	7	10
Bronchitis	42	1	1	1	1	–	–	–	3	5	15	15
Broncho-pneumonia	31	9	6	3	1	–	1	1	2	3	–	5
Lobar-pneumonia	19	4	–	–	–	–	–	4	3	2	3	3
Pneumonia (type not distinguished) ..	14	3	–	–	1	–	2	2	1	2	1	2
Other diseases of respiratory system	7	1	–	–	–	1	–	–	2	1	–	2
Diarrhœa and enteritis	44	36	5	–	–	–	1	–	–	–	2	–
Appendicitis, Typhlitis	7	–	–	1	1	1	–	–	–	2	2	–
Hernia, Intestinal obstruction	7	2	–	–	–	1	–	–	2	1	–	1
Cirrhosis of liver	2	–	–	–	–	–	–	–	1	1	–	–
Other diseases of digestive system ..	11	–	–	–	–	–	–	1	3	2	3	2
Acute nephritis	3	–	–	–	–	1	–	1	–	–	1	–
Chronic Bright's disease	17	–	–	–	–	–	2	1	5	2	4	3
Other diseases of genito-urinary system.	12	–	–	–	–	–	–	–	–	2	6	4
Puerperal sepsis	3	–	–	–	–	1	2	–	–	–	–	–
Other causes incident to childbirth ..	3	–	–	–	–	1	1	1	–	–	–	–
Congenital malformations	9	9	–	–	–	–	–	–	–	–	–	–
Premature birth	25	25	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	9	9	–	–	–	–	–	–	–	–	–	–
Old age..	29	–	–	–	–	–	–	–	–	1	2	26
Suicide	9	–	–	–	–	2	–	2	2	–	2	1
Burns and scalds	4	–	1	2	–	–	1	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	6	–	–	–	3	1	–	–	1	–	–	1
Other deaths by violence	16	–	–	1	1	–	1	–	4	–	4	5
Other specified causes	44	15	2	–	–	3	1	2	2	8	7	4
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 6th October, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	235	146	8	78	C. 7 D. 1 E. 6 F. 1 J. 1 L. 1 M. 12
†CITY OF LONDON	–	–	2	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	14	6	–	7	J. 1 M. 1
†BERMONDSEY ...	–	4	10	–	2	–
†BETHNAL GREEN	–	7	6	1	2	C. 1
†CAMBERWELL ...	–	6	5	–	1	–
†CHELSEA	–	3	2	–	2	–
†DEPTFORD ...	–	8	3	–	1	–
†FINSBURY ...	–	7	12	–	1	–
†FULHAM	–	8	5	–	3	–
†GREENWICH ...	–	3	7	2	1	–
†HACKNEY ...	–	2	5	1	1	–
†HAMMERSMITH ...	–	5	2	–	1	–
†HAMPSTEAD ...	–	1	1		–	–
†HOLBORN... ...	–	2	2	–	–	–
†ISLINGTON ...	–	53	15	–	5	C. 1 M. 2

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	5	2	–	2	C. 1
†LAMBETH ...	–	22	9	–	5	C. 1 E. 4 M. 2
†LEWISHAM ...	–	4	4	–	1	–
†PADDINGTON ...	–	4	6	–	6	D. 1
†POPLAR	–	3	5	–	11	C. 1 M. 2
†ST. MARYLEBONE	–	3	–	1	–	M. 2
†ST. PANCRAS ...		12	9	–	1	C. 1 M. 1
†SHOREDITCH ...	–	11	6	–	6	–
†SOUTHWARK ...	–	7	9	–	3	M. 1
†STEPNEY	–	12	8	1	3	M. 1
†STOKE NEWINGTON	–	4	1	–	–	–
†WANDSWORTH ...	–	14	3	1	8	C. 1 E. 2 F. 1 L. 1
†WESTMINSTER, CITY OF	–	2	1	1	1	–
†WOOLWICH ...	–	9	–	–	4	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	4	–	1	–	–
Boroughs and Urban Districts:—						
KEMPSTON ...	–	1	–	–	–	–
LEIGHTON BUZZARD	–	2	–	–	–	–
Rural Districts:—						
AMPTHILL ...	–	1	–	–	–	–
EATON BRAY ...	–	–	–	1	–	–
BERKS	–	10	4	1	–	–
†READING C.B. ...	–	4	2	–	–	–
Boroughs and Urban Districts:—						
ABINGDON ...	–	–	1	–	–	–
†NEW WINDSOR	–	–	–	1	–	–
Rural Districts:—						
ABINGDON ...	–	1	1	–	–	–
NEWBURY ...	–	3	–	–	–	–
WANTAGE ...	–	2	–	–	–	–
BUCKINGHAM ...	–	6	4	1	–	E. 1
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE ...	–	5	1	–	–	E. 1
†WOLVERTON ...	–	–	1	–	–	–
Rural Districts:—						
NEWPORT PAGNELL	–	–	–	1	–	–
WYCOMBE ...	–	1	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	–	–	–	1	D. 1 M. 1
Borough:—						
†CAMBRIDGE ...	–	–	–	–	1	D. 1
Rural Districts:—						
NEWMARKET ...	–	–	–	–	–	M. 1
CHESTER	–	51	12	2	17	C. 1 G. 2 M. 2
†BIRKENHEAD C.B.	–	15	2	–	10	G. 1 M. 1
†CHESTER C.B. ...	–	1	–	–	3	–
†STOCKPORT C.B.	–	9	–	–	–	–
†WALLASEY C.B. ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
ALSAGER	*	*	*	*	*	*
†ALTRINCHAM ...	–	1	–	–	–	–
ASHTON UPON MERSEY	–	–	1	–	–	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	–	–
BOLLINGTON ...	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	1	–	–	–	–
BUGLAWTON ...	–	4	–	–	–	–
†CREWE	–	1	–	–	–	–
†ELLESMERE PORT AND WHITBY	–	1	–	–	–	M. 1
HOOLE	–	–	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	–	–	1	–	–
†HYDE	–	1	–	1	–	–
KNUTSFORD ...	–	2	–	–	–	–
†MACCLESFIELD ...	–	4	–	–	–	C. 1
MARPLE	–	1	–	–	–	–
NANTWICH ...	–	–	1	–	–	–
†NORTHWICH ...	–	2	1	–	–	–
†RUNCORN... ..	–	–	1	–	1	–
SANDBACH ...	–	–	4	–	–	–
†STALYBRIDGE ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
CONGLETON ...	–	1	–	–	–	G. 1
DISLEY	–	1	–	–	–	–
MACCLESFIELD ...	–	2	–	–	–	–
NANTWICH ...	–	–	–	–	1	–
NORTHWICH ...	–	1	–	–	–	–
RUNCORN... ...	–	–	–	–	1	–
TARVIN	–	1	–	–	–	–
CORNWALL ...	–	2	1	1	1	–
Boroughs and Urban Districts:—						
PAUL	–	–	–	1	–	–
REDRUTH ...	–	–	–	–	1	–
SALTASH	–	–	1	–	–	–
Rural Districts:—						
SAINT AUSTELL...	–	1	–	–	–	–
SAINT GERMANS	–	1	–	–	–	–
CUMBERLAND ...	–	13	5	–	–	C. 1 M. 1
†CARLISLE C.B. ...	–	2	4	–	–	M. 1
Boroughs and Urban Districts:—						
CLEATOR MOOR ...	–	1	–	–	–	–
EGREMONT ..	–	1	–	–	–	–
†MARYPORT ...	–	2	–	–	–	–
MILLOM	–	1	–	–	–	–
PENRITH	–	1	–	–	–	–
WIGTON	–	–	1	–	–	–
†WORKINGTON ...	–	1	–	–	–	–
Rural Districts:—						
CARLISLE ...	–	2	–	–	–	–
WIGTON	–	2	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	14	36	12	2	13	C. 2 M. 2
†DERBY C.B. ...	–	6	3	–	5	C. 1 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	–	–	1	–
BAKEWELL ...	–	–	–	1	–	–
†BELPER	–	2	–	–	–	–
†BOLSOVER ...	3	–	–	–	–	–
†BUXTON	–	1	–	–	–	–
†CHESTERFIELD ...	9	10	2	1	1	–
DRONFIELD ...	*	*	*	*	*	*
†ILKESTON ...	–	1	–	–	1	–
†LONG EATON ...	–	6	–	–	–	–
MATLOCK ...	–	1	–	–	–	–
MATLOCK BATH AND SCARTHIN NICK	*	*	*	*	*	*
NEW MILLS ...	–	1	3	–	–	–
NORTH DARLEY...	–	–	–	–	–	C. 1
†RIPLEY	–	1	–	–	1	M. 1
†SWADLINCOTE DISTRICT	–	–	–	–	1	–
Rural Districts:—						
BAKEWELL ...	–	4	–	–	1	–
BLACKWELL ...	1	1	2	–	–	–
CHAPEL EN LE FRITH	–	1	–	–	–	–
CHESTERFIELD ...	–	1	2	–	2	–
SHARDLOW ...	1	–	–	–	–	–
DEVON	–	23	8	2	2	M 3
†EXETER C.B. ...	–	1	–	–	–	M. 1
†PLYMOUTH C.B....	–	9	5	–	–	–
Boroughs and Urban Districts:—						
ASHBURTON ...	–	1	–	–	–	–
†BARNSTAPLE ...	–	–	–	–	1	M. 1
BUCKFASTLEIGH	*	*	*	*	*	*
†NEWTON ABBOT...	–	5	2	–	–	–
OTTERY ST. MARY	–	–	–	1	–	–
†PAIGNTON ...	–	–	–	–	1	–
†TORQUAY ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
HOLSWORTHY (part)	–	1	–	–	–	–
HONITON ...	–	1	–	–	–	–
OKEHAMPTON ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	–	1	–	–	M. 1
ST. THOMAS ...	–	–	–	1	–	–
TAVISTOCK ...	–	1	–	–	–	–
TOTNES	–	1	–	–	–	–
DORSET	–	5	–	–	–	C. 1 E. 2 L. 1
Boroughs and Urban Districts:—						
SHERBORNE ...	–	1	–	–	–	C. 1
†WEYMOUTH AND MELCOMBE REGIS	–	2	–	–	–	L. 1
Rural Districts:—						
BEAMINSTER ...	–	–	–	–	–	E. 1
BLANDFORD ...	–	1	–	–	–	–
POOLE	–	–	–	–	–	E. 1
WAREHAM AND PURBECK	–	1	–	–	–	–
WEYMOUTH ...	*	*	*	*	*	*
DURHAM	–	109	27	6	44	C. 2 M. 11
†DARLINGTON C.B.	–	4	1	–	4	C. 1
†GATESHEAD C.B.	–	11	4	–	3	–
†SOUTH SHIELDS C.B.	–	7	2	2	11	M. 2
†SUNDERLAND C.B.	–	9	–	–	5	C. 1 M. 2
†WEST HARTLEPOOL C.B	–	1	3	–	–	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	–	1	–	–
BENFIELDSIDE ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BISHOP AUCKLAND	–	–	–	1	–	M. 1
†BLAYDON... ...	–	2	–	–	–	–
†BRANDON AND BYSHOTTLES	–	3	–	–	–	–
†CROOK	–	–	1	–	–	–
†DURHAM	*	*	*	*	*	*
†FELLING	–	–	–	–	1	–
†HEBBURN ...	–	2	–	–	1	–
†HETTON	–	2	–	–	–	–
†HOUGHTON LE SPRING	–	1	–	–	–	–
†JARROW	–	9	–	–	1	–
†RYTON	–	2	–	–	–	–
†SEAHAM HARBOUR	–	2	–	–	1	–
†SHILDON	–	2	–	–	–	–
†SOUTHWICK ON WEAR	–	–	–	–	1	–
†SPENNYMOOR ...	–	1	–	–	–	–
†STANLEY	–	3	2	1	2	–
†STOCKTON ON TEES	–	6	2	–	3	M. 1
†TANFIELD ...	–	–	–	–	1	M. 2
†WASHINGTON ...	–	5	2	–	–	–
†WHICKHAM ...	–	–	–	–	2	M. 1
WILLINGTON ...	–	2	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	4	–	–	–	M. 1
CHESTER LE STREET	–	6	2	–	1	–
DARLINGTON ...	–	2	–	1	–	–
DURHAM	–	2	–	–	–	–
EASINGTON ...	–	8	3	–	3	M. 1
HARTLEPOOL ...	–	2	–	–	–	–
HOUGHTON LE SPRING	–	2	–	–	–	–
LANCHESTER ...	–	4	1	–	–	–
SEDGEFIELD ...	–	1	2	–	–	–
SOUTH SHIELDS...	–	1	1	–	–	–
SUNDERLAND ...	–	3	–	–	4	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	62	31	4	15	C. 1 M. 2
†EAST HAM C.B. ...	–	5	1	–	1	–
†SOUTHEND-ON-SEA C.B.	–	6	–	–	1	M. 1
†WEST HAM C.B. ...	–	18	11	2	3	C. 1
Boroughs and Urban Districts:—						
BRENTWOOD ...	–	1	–	–	–	–
BRIGHTLINGSEA	–	–	–	–	1	–
BUCKHURST HILL	–	–	–	1	–	–
CHINGFORD ...	–	1	–	–	–	–
†CLACTON	–	–	–	1	–	–
†COLCHESTER ...	–	–	–	–	2	–
HALSTEAD ...	*	*	*	*	*	*
†HARWICH ...	–	1	–	–	–	–
†ILFORD	–	4	3	–	2	–
†LEYTON	–	7	7	–	2	–
†ROMFORD ...	–	1	–	–	–	–
TILBURY	–	–	1	–	–	–
†WALTHAMSTOW ...	–	16	4	–	–	–
†WOODFORD ...	–	–	1	–	–	–
Rural Districts:—						
BELCHAMP ...	–	–	–	–	1	–
BILLERICAY ...	–	–	1	–	–	–
BRAINTREE ...	–	1	–	–	–	–
EPPING	–	–	2	–	1	–
ROCHFORD ...	–	1	–	–	–	–
ROMFORD... ...	–	–	–	–	1	M. 1
GLOUCESTER ...	9	33	22	4	9	C. 4 E. 1 M. 2
†BRISTOL C.B. ...	–	13	19	–	3	C. 4 M. 2
†GLOUCESTER C.B.	4	5	2	3	3	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	1	4	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—						
EAST DEAN AND UNITED PARISHES ...	4	1	–	–	1	–
GLOUCESTER ...	–	–	–	1	–	–
STROUD	–	–	–	–	1	E. 1
TEWKESBURY (part)	–	2	–	–	–	–
THORNBURY ...	–	1	–	–	1	–
WARMLEY ...	–	2	–	–	–	–
WEST DEAN ...	–	4	–	–	–	–
WINCHCOMB (part)	–	1	–	–	–	–
HEREFORD ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
LEDBURY... ...	*	*	*	*	*	*
Rural Districts:—						
BROMYARD ...	–	–	–	–	1	–
HERTFORD ...	–	14	2	–	2	M. 1
Boroughs and Urban Districts:—						
†BARNET	–	1	–	–	–	–
BUSHEY	–	1	–	–	–	–
†CHESHUNT ...	–	1	–	–	–	–
CHORLEYWOOD ...	–	1	–	–	–	–
HARPENDEN ...	–	1	–	–	–	–
†LETCHWORTH ...	–	–	1	–	–	–
ROYSTON	–	–	–	–	1	–
†WATFORD ...	–	1	1	–	–	M. 1
Rural Districts:—						
ASHWELL ...	–	1	–	–	–	–
BERKHAMPSTEAD	–	1	–	–	–	–
HADHAM	–	1	–	–	1	–
WARE	–	4	–	–	–	–
WATFORD ..	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	2	1	–	–	M. 1
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	–	–	–	–	M. 1
OLD FLETTON ...	–	1	–	–	–	–
Rural Districts:—						
ST. NEOTS, No. 3 ..	–	1	–	–	–	–
ST. NEOTS, No. 4 ..	–	–	1	–	–	–
KENT	–	32	16	4	2	C. 1 E. 1 M. 3
†CANTERBURY C.B	–	–	2	–	–	–
Boroughs and Urban Districts:—						
†ASHFORD... ...	–	–	–	1	–	–
†BECKENHAM ...	–	1	–	2	–	–
†BROMLEY ...	–	1	1	–	–	E. 1
†CHATHAM ...	–	1	3	1	–	
†DOVER	–	1	1	–	–	C. 1 M. 2
†ERITH	–	5	–	–	–	–
†FOLKESTONE ...	–	8	–	–	1	–
†GILLINGHAM ...	–	–	1	–	–	–
†GRAVESEND ...	–	2	1	–	–	
†MAIDSTONE ...	–	1	–	–	–	M. 1
†MARGATE ...	–	2	2	–	–	–
MILTON REGIS ...	–	–	1	–	–	–
†PENGE	–	2	–	–	–	–
†RAMSGATE ...	–	1	–	–	1	–
†ROYAL TUNBRIDGE WELLS	–	3	–	–	–	–
SITTINGBOURNE	–	–	1	–	–	–
Rural Districts:—						
BRIDGE	–	4	–	–	–	–
DARTFORD ...	–	–	1	–	–	–
FAVERSHAM ...	–	–	1	–	–	–
HOLLINGBOURNE	–	–	1	–	–	–
MALLING	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	217	64	9	110	C. 6 D. 3 E. 3 G. 2 I. 1 L. 2 M. 33
†BARROW IN FURNESS C.B.	–	3	–	–	–	–
†BLACKBURN C.B.	–	4	2	–	3	M. 1
†BLACKPOOL C.B.	–	1	–	–	1	–
†BOLTON C.B. ...	–	3	1	–	1	M. 2
†BOOTLE C.B. ...	–	6	2	–	–	M. 1
†BURNLEY C.B. ...	–	1	3	1	2	–
†BURY C.B. ...	–	2	1	–	2	–
†LIVERPOOL C.B. ...	–	43	25	1	17	D. 2 E. 2 G. 1 M. 13
†MANCHESTER C.B.	–	33	9	1	37	C. 4 G. 1 I. 1 M. 8
†OLDHAM C.B. ...	–	2	–	–	3	–
†PRESTON C.B. ...	–	1	2	–	1	–
†ROCHDALE C.B. ...	–	6	1	–	3	M. 1
†ST. HELENS C.B....	–	7	2	–	2	L. 1 M.
†SALFORD C.B. ...	–	25	4	1	3	M. 1
†SOUTHPORT C.B.	–	3	–	–	–	–
†WARRINGTON C.B.	–	4	–	–	1	–
†WIGAN C.B. ...	–	–	–	–	4	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	3	–	–	1	–
ADLINGTON ...	–	1	–	–	–	–
†ASHTON IN MAKERFIELD	–	–	4	–	–	–
†ASHTON UNDER LYNE	–	1	–	2	–	C. 1 M. 1
ASPULL	–	–	–	–	1	–
†ATHERTON ...	–	1	–	–	–	M. 1
BLACKROD ...	–	1	–	–	–	–
†COLNE	–	–	–	–	2	–
†DARWEN	–	2	–	–	–	–
†DENTON	–	–	1	–	–	–
†ECCLES	–	–	1	–	–	–
†FAILSWORTH ...	–	1	–	–	1	–
†FARNWORTH ...	–	1	–	–	1	M. 1
†FLEETWOOD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
FULWOOD ...	–	–	–	–	1	–
GOLBORNE ...	–	–	1	–	–	–
†GREAT CROSBY ...	–	2	–	–	–	D. 1
†GREAT HARWOOD	*	*	*	*	*	*
†HAYDOCK ...	–	1	–	–	1	–
HEYSHAM ...	–	1	–	–	–	–
†HEYWOOD ...	–	1	–	–	1	–
†HINDLEY... ...	–	–	–	–	2	–
†HORWICH ...	–	2	–	–	–	–
HUYTON WITH ROBY ...	–	1	–	–	–	–
†INCE IN MAKERFIELD	–	–	–	1	4	–
KIRKHAM ..	–	1	–	–	–	–
†LANCASTER ...	–	–	–	1	1	–
†LEIGH	–	3	–	–	–	–
†LITTLEBOROUGH	–	2	–	–	–	–
LONGRIDGE ...	–	1	–	–	–	–
†MIDDLETON ...	–	2	1	–	–	–
MILNROW... ...	–	–	–	–	1	–
ORRELL	–	1	–	–	–	.
PREESALL ...	*	*	*	*	*	*
†PRESTWICH ...	–	2	–	–	–	–
†RADCLIFFE ...	–	1	–	–	2	–
RISHTON	–	–	–	–	1	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD... ...	–	9	–	–	1	–
†SWINTON AND PENDLEBURY	–	–	1	–	1	–
†TURTON	–	1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	–	1	–	–	–
UPHOLLAND ...	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	2	–	–	1	–
†WESTHOUGHTON	–	–	–	–	–	C. 1
†WIDNES	–	9	1	–	2	–
†WORSLEY... ...	–	2	1	–	–	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	M. 1
BLACKBURN ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
BURY	–	1	–	–	–	–
CHORLEY	–	–	–	1	–	–
CLITHEROE ...	*	*	*	*	*	*
FYLDE	–	1	–	–	–	–
LANCASTER ...	–	1	–	–	–	–
LIMEHURST ...	–	1	–	–	–	–
PRESTON	–	1	–	–	–	–
WARRINGTON ...	–	2	–	–	2	–
WEST LANCASHIRE	–	1	–	–	2	E. 1
WHISTON... ...	–	4	–	–	–	L. 1
WIGAN	–	1	–	–	–	–
LEICESTER... ...	–	10	9	5	7	G 1
†LEICESTER C.B. ...	–	7	–	2	4	G. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	–	–	–	–	1	–
†COALVILLE ...	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	2	–
THURMASTON ...	–	1	–	1	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	7	–	–	–
BARROW UPON SOAR	–	–	2	1	–	–
MARKET HARBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	1	2	–	1	–
Boroughs and Urban Districts:—						
†BOSTON	–	1	–	–	–	–
†SPALDING ...	–	–	2	–	–	–
Rural Districts:—						
CROWLAND ...	–	–	–	–	1	–
LINCOLN (parts of Kesteven).	–	5	–	–	–	–
Boroughs and Urban Districts:—						
BOURNE	–	4	–	–	–	–
†GRANTHAM ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	7	14	–	7	–
†GRIMSBY C.B. ...	–	–	3	–	1	–
†LINCOLN C.B. ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	1	–	–	–	–
†CLEETHORPES ...	–	–	–	–	1	–
LOUTH	–	–	1	–	–	–
ROXBY CUM RISBY	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	1	4	–	5	–
Rural Districts:—						
GAINSBOROUGH ...	–	3	–	–	–	–
GLANFORD BRIGG	–	–	2	–	–	–
ISLE OF AXHOLME	–	–	3	–	–	–
LOUTH	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	33	39	2	14	C. 1 E. 2 L. 3
Boroughs and Urban Districts:—						
†ACTON	–	1	3	–	1	E. 1
†BRENTFORD ...	–	–	1	–	–	–
†CHISWICK ...	–	4	–	–	1	–
†EALING	–	–	3	–	–	–
†EDMONTON ...	–	4	2	–	1	–
†ENFIELD	–	–	1	–	1	–
FELTHAM ...	–	1	2	–	–	–
†FINCHLEY ...	–	–	1	–	–	–
†FRIERN BARNET	–	–	1	–	–	–
†HAMPTON ...	–	–	–	–	1	–
†HANWELL ...	–	4	–	–	–	–
†HENDON	–	–	1	–	–	E. 1
†HESTON AND ISLEWORTH	–	1	–	–	1	–
†HORNSEY... ...	–	2	–	–	–	C. 1
RUISLIP NORTHWOOD	–	–	–	–	1	–
†SOUTHALL NORWOOD	–	–	–	–	–	L. 3
STAINES	–	–	1	–	–	–
SUNBURY ON THAMES	–	1	–	–	–	–
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	5	3	–	4	–
†TWICKENHAM ...	–	–	–	–	1	–
†WILLESDEN ...	–	3	17	2	2	–
†WOOD GREEN ...	–	3	–	–	–	–
YIEWSLEY ...	–	–	1	–	–	–
Rural Districts:—						
STAINES	–	1	1	–	–	–
UXBRIDGE ...	–	2	1	–	–	–
NORFOLK	–	35	7	5	2	M. 2
†GREAT YARMOUTH C.B.	–	3	–	1	–	–
†NORWICH C.B. ...	–	25	–	1	1	M. 2
Boroughs and Urban Districts:—						
DOWNHAM MARKET	–	–	3	–	–	–
NEW HUNSTANTON	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Boroughs and Urban Districts—*cont.*						
SWAFFHAM ...	–	–	1	–	–	–
THETFORD ...	–	2	–	–	–	–
WELLS	–	–	–	1	–	–
Rural Districts:—						
AYLSHAM ...	–	1	1	–	–	–
BLOFIELD ...	–	1	–	–	–	–
DOCKING	–	–	–	1	–	–
ERPINGHAM ...	–	–	–	1	–	–
HENSTEAD ...	–	–	1	–	–	–
LODDON AND CLAVERING	–	1	–	–	–	–
SMALLBURGH ...	–	–	1	–	–	–
THETFORD ...	*	*	*	*	*	*
WAYLAND ...	–	–	–	–	1	–
NORTHAMPTON ...	–	35	6	1	12	C. 1
†NORTHAMPTON C.B.	–	21	–	1	6	C. 1
Boroughs and Urban Districts:—						
†KETTERING ...	–	7	–	–	–	–
ROTHWELL ...	–	2	–	–	–	–
†RUSHDEN ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	3	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	–	1	–	3	–
KETTERING ...	–	2	–	–	–	–
NORTHAMPTON ...	–	–	–	–	1	–
POTTERSPURY ...	–	–	–	–	1	–
THRAPSTON (part)	–	–	5	–	–	–
NORTHUMBERLAND	1	51	11	2	24	D. 1 M. 4
†NEWCASTLE UPON TYNE C.B.	–	11	7	–	12	M. 1
†TYNEMOUTH C.B.	1	1	1	–	1	D. 1 M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
ALNWICK ...	–	1	–	–	–	–
†ASHINGTON ...	–	2	–	–	–	M. 1
†BEDLINGTONSHIRE	–	4	–	–	5	–
†BLYTH	–	8	–	1	1	–
CRAMLINGTON ...	–	1	–	–	–	–
†EARSDON	–	1	–	–	–	–
†GOSFORTH ...	–	1	–	–	–	–
HEXHAM	–	–	–	–	1	–
NEWBIGGIN BY THE SEA	–	2	–	–	–	–
†NEWBURN ...	–	6	–	–	–	–
SEATON DELAVAL	–	2	1	–	1	–
†WALLSEND ...	–	–	–	1	–	–
WEETSLADE ...	–	1	–	–	1	–
†WHITLEY AND MONKSEATON	–	2	1	–	–	–
Rural Districts:—						
ALNWICK... ...	–	7	–	–	–	–
CASTLE WARD ..	–	–	1	–	1	–
GLENDALE ...	–	–	–	–	1	–
MORPETH... ...	–	1	–	–	–	–
NOTTINGHAM ...	5	30	9	–	9	C. 1 M. 1
†NOTTINGHAM C.B.	–	16	6	–	4	M. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	1	–	–	–	–
†BEESTON	–	2	1	–	–	–
†CARLTON	–	1	–	–	1	–
†EAST RETFORD ...	–	–	–	–	2	–
†HUCKNALL ...	2	1	–	–	1	–
†KIRKBY IN ASHFIELD	2	–	–	–	–	–
†MANSFIELD ...	–	4	–	–	–	C. 1
†SUTTON IN ASHFIELD	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever :

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD	–	3	1	–	–	–
BINGHAM... ...	–	–	1	–	–	–
NEWARK	–	1	–	–	–	–
STAPLEFORD ...	1	–	–	–	1	–
OXFORD	–	5	4	3	1	C. 1
†OXFORD C.B. ...	–	–	–	1	–	–
Boroughs and Urban Districts:—						
HENLEY ON THAMES	–	–	1	–	–	–
WHEATLEY ...	–	1	–	–	–	–
Rural Districts:—						
BICESTER... ...	–	1	–	–	–	–
CULHAM	–	1	–	1	–	–
HEADINGTON ...	–	2	–	–	–	C. 1
THAME	–	–	2	–	–	–
WITNEY	–	–	–	1	1	–
WOODSTOCK ...	–	–	1	–	–	–
PETERBOROUGH (Soke of)	–	1	–	–	1	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	1	–
SALOP	–	8	2	–	1	–
Boroughs and Urban Districts:—						
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	4	–	–	–	–
†WENLOCK ...	–	–	1	–	–	–
SALOP—*cont.*						
Rural Districts:—						
CHIRBURY ...	–	–	–	–	1	–
OSWESTRY ...	–	2	1	–	–	–
WEM	–	1	–	–	–	–
SOMERSET	–	27	4	–	4	C. 2 M. 1
†BATH C.B. ...	–	6	1	–	1	M. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
RADSTOCK ...	–	1	–	–	–	–
†TAUNTON... ...	–	–	1	–	–	–
†YEOVIL	–	2	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	2	1	–	2	–
BRIDGWATER ...	–	1	–	–	–	–
CLUTTON... ...	–	–	–	–	1	C. 2
KEYNSHAM ...	–	3	–	–	–	–
LANGPORT ...	–	2	–	–	–	–
LONG ASHTON ...	–	7	–	–	–	–
WELLS	–	–	1	–	–	–
WINCANTON ...	–	1	–	–	–	–
YEOVIL	–	1	–	–	–	–
SOUTHAMPTON ...	–	38	24	3	4	C. 1 E. 1 M. 2
†BOURNEMOUTH C.B.	–	5	2	–	1	–
†PORTSMOUTH C.B.	–	18	11	3	–	C. 1
†SOUTHAMPTON C.B.	–	9	3	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON— *cont.*						
Boroughs and Urban Districts:—						
†BASINGSTOKE ...	–	–	1	–	–	–
†FARNBOROUGH ...	–	1	–	–	–	–
†GOSPORT	–	1	2	–	–	–
LYMINGTON ...	*	*	*	*	*	*
PETERSFIELD ...	–	1	–	–	–	–
Rural Districts:—						
BASINGSTOKE ...	–	–	1	–	–	M. 1
CATHERINGTON ...	–	–	1	–	–	–
FAREHAM ...	–	–	2	–	1	–
FORDINGBRIDGE ..	–	1	1	–	1	–
ROMSEY	–	–	–	–	–	M. 1
SOUTH STONEHAM	–	1	–	–	–	–
WHITCHURCH ...	–	1	–	–	–	E. 1
STAFFORD	–	73	18	1	28	C. 3 M. 5
†BURTON UPON TRENT C.B.	–	3	–	–	1	–
†SMETHWICK C.B.	–	9	5	–	1	C. 2
†STOKE ON TRENT C.B.	–	22	3	–	13	C. 1 M. 4
†WALSALL C.B. ...	–	8	1	–	1	–
†WEST BROMWICH C.B.	–	3	2	–	1	–
†WOLVERHAMPTON C.B.	–	7	–	–	1	–
Boroughs and Urban Districts:—						
BIDDULPH ...	–	–	2	–	–	–
BRIERLEY HILL...	–	–	1	–	–	–
†BROWNHILLS ...	–	–	–	–	2	–
†COSELEY	–	1	–	–	–	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	–	1	–	–	–
KIDSGROVE ...	–	–	–	–	1	–
†ROWLEY REGIS ...	–	1	–	–	2	–
†SEDGLEY	–	–	1	–	1	–
STAFFORD— *cont.*						
Boroughs and Urban Districts— *cont.*						
SHORT HEATH ...	–	1	–	–	–	–
STONE	–	–	–	–	1	–
TAMWORTH ...	–	1	–	–	–	–
†TIPTON	–	–	–	1	–	–
†WEDNESBURY ...	–	2	1	–	1	M. 1
†WOLSTANTON UNITED	–	7	1	–	–	–
Rural Districts:—						
CHEADLE... ...	–	2	–	–	–	–
KINGSWINFORD ...	–	1	–	–	–	–
LEEK	–	2	–	–	–	–
LICHFIELD ...	–	1	–	–	1	–
STONE	–	1	–	–	–	–
WALSALL... ...	–	1	–	–	1	–
SUFFOLK, EAST ...	–	2	3	4	3	–
†IPSWICH C.B. ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
BECCLES	*	*	*	*	*	*
†LOWESTOFT ...	–	–	2	4	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	2	–	–	–	–
HARTISMERE ...	–	–	–	–	1	–
PLOMESGATE ...	–	–	1	–	1	–
SUFFOLK, WEST ...	–	4	–	–	–	–
Rural Districts:—						
COSFORD	–	3	–	–	–	–
MELFORD... ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	–	30	13	–	2	E. 2 G. 1
†CROYDON C.B. ...	–	10	6	–	1	E. 1
Boroughs and Urban Districts:—						
†BARNES	–	–	1	–	–	–
†CATERHAM ...	–	2	–	–	–	–
†CHERTSEY ...	–	2	–	–	–	–
†COULSDON AND PURLEY	–	1	1	–	–	–
DORKING	–	–	1	–	–	–
EAST AND WEST MOLESEY	–	–	1	–	–	–
†EGHAM	–	1	–	–	–	–
†EPSOM	–	1	–	–	–	–
†GUILDFORD ...	–	–	2	–	–	–
HASLEMERE ...	*	*	*	*	*	*
†MERTON AND MORDEN	–	–	1	–	–	–
†REIGATE	–	1	–	–	–	–
†RICHMOND ...	–	2	–	–	–	–
†SURBITON ...	–	2	–	–	1	E. 1
†THE MALDENS AND COOMBE	–	–	–	–	–	G. 1
†WOKING	–	1	–	–	–	–
Rural Districts:—						
EPSOM	–	1	–	–	–	–
FARNHAM ...	–	1	–	–	–	–
GODSTONE ...	–	1	–	–	–	–
HAMBLEDON ...	–	4	–	–	–	–
SUSSEX, EAST ...	–	12	13	–	–	M. 1
†BRIGHTON C.B. ...	–	3	9	–	–	M. 1
†HASTINGS C.B. ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	–	1	–	–	–
†HOVE	–	4	–	–	–	–
PORTSLADE BY SEA	–	1	–	–	–	–
SUSSEX, EAST—*cont.*						
Rural Districts:—						
CUCKFIELD ...	–	1	–	–	–	–
EAST GRINSTEAD	–	–	1	–	–	–
TICEHURST ...	–	–	1	–	–	–
SUSSEX, WEST ...	–	5	1	–	1	E. 1
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	1	1	–	1	–
†WORTHING ...	–	1	–	–	–	–
Rural Districts:—						
HORSHAM ...	–	2	–	–	–	–
THAKEHAM ...	–	1	–	–	–	–
WESTHAMPNETT	–	–	–	–	–	E. 1
WARWICK	–	59	40	6	33	C. 2 E. 1 L. 1 M. 19
†BIRMINGHAM C.B.	–	40	32	1	26	C. 2 E. 1 L. 1 M. 19
†COVENTRY C.B. ...	–	5	2	–	3	–
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	–	–	1	–
†NUNEATON ...	–	3	–	–	2	–
†ROYAL LEAMINGTON SPA	–	1	–	5	–	–
†RUGBY	–	1	–	–	1	–
†SUTTON COLDFIELD	–	1	–	–	–	–
Rural Districts:—						
ATHERSTONE ...	–	2	5	–	–	–
BRAILES	–	1	–	–	–	–
MERIDEN... ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts—*cont.*						
NUNEATON ...	–	2	–	–	–	–
RUGBY	–	1	–	–	–	–
SOLIHULL ...	–	1	–	–	–	–
STRATFORD ON AVON	–	1	–	–		–
WESTMORLAND ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
AMBLESIDE ...	–	1	–	–	–	–
†KENDAL	–	–	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	1	–
WIGHT, ISLE OF ...	–	7	–	–	–	–
Boroughs and Urban Districts—						
SANDOWN ...	–	5	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT ..	–	2	–	–	–	–
WILTS	–	6	3	–	5	–
Boroughs and Urban Districts:—						
DEVIZES	–	1	–	–	–	–
†SALISBURY ...	–	–	1	–	–	–
†SWINDON... ...	–	–	–	–	3	–
WESTBURY ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont*						
Rural Districts:—						
AMESBURY ...	–	1	–	–	–	–
CHIPPENHAM ...	–	3	–	–	–	–
PEWSEY	–	1	–	–	1	–
TISBURY	–	–	2	–	–	–
WORCESTER ...	–	9	–	1	7	M. 2
†DUDLEY C.B. ...	–	1	–	–	–	M. 1
†WORCESTER C.B.	–	1	–	1	3	M. 1
Boroughs and Urban Districts:—						
†KIDDERMINSTER	–	1	–	–	1	–
†MALVERN ...	*	*	*	*	*	*
†OLDBURY... ...	–	2	–	–	1	–
†REDDITCH ...	–	1	–	–	–	–
†STOURBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
BROMSGROVE ...	*	*	*	*	*	*
HALESOWEN ...	–	1	–	–	–	–
TEWKESBURY (part)	–	1	–	–	–	–
UPTON ON SEVERN	–	1	–	–	1	–
YORKS ... ... **(East Riding.)**	–	10	6	–	7	C. 1
†KINGSTON UPON HULL C.B.	–	5	5	–	5	C. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	–	–	–	1	–
†BRIDLINGTON ...	–	2	–	–	–	–
FILEY	–	1	–	–	–	–
HESSLE	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding) *cont.*						
Rural Districts:—						
BEVERLEY ...	*	*	*	*	*	*
BRIDLINGTON ...	–	–	1	–	–	–
NORTON	*	*	*	*	*	*
PATRINGTON ...	–	–	–	–	1	–
RICCALL	–	2	–	–	–	–
SCULCOATES ...	*	*	*	*	*	*
YORKS ... ... (North Riding.)	1	46	7	–	7	–
†MIDDLESBROUGH C.B.	1	24	1	–	3	–
Boroughs and Urban Districts:—						
†ESTON	–	5	–	–	–	–
LOFTUS	–	9	–	–	–	–
MALTON	*	*	*	*	*	*
†REDCAR	–	1	2	–	–	–
†SCARBOROUGH ...	–	2	2	–	1	–
†THORNABY ON TEES	–	2	–	–	–	–
†WHITBY	–	–	1	–	–	–
Rural Districts:—						
EASINGWOLD ...	–	1	–	–	–	–
KIRKBY MOORSIDE	–	–	–	–	1	–
LEYBURN... ...	–	1	–	–	–	–
MALTON	*	*	*	*	*	*
STOKESLEY ...	–	1	–	–	1	–
WHITBY	–	–	1	–	1	–
YORKS ... ... (West Riding.)	2	180	45	11	78	C. 6 D. 1 G. 1 L. 1 M. 13
†BARNSLEY C.B. ...	–	3	3	–	1	–
†BRADFORD C.B. ...	–	11	4	–	8	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) *—cont.*						
†DEWSBURY C.B....	–	–	2	–	–	–
†HALIFAX C.B. ...	–	2	–	–	1	D. 1
†HUDDERSFIELD C.B.	1	3	–	2	–	–
†LEEDS C.B. ...	–	36	4	–	13	C. 1 M. 4
†ROTHERHAM C.B.	–	7	–	–	6	–
†SHEFFIELD C.B....	–	33	7	–	31	C. 4 M. 3
†WAKEFIELD C.B.	–	2	–	–	1	M. 3
Boroughs and Urban Districts:—						
†ADWICK LE STREET	1	–	–	–	–	–
ALTOFTS	–	1	–	–	1	–
ARDSLEY, EAST AND WEST	–	–	3	–	–	–
BARKISLAND ...	–	1	–	–	–	–
†BARNOLDSWICK ...	*	*	*	*	*	*
†BATLEY	–	1	–	–	–	–
†BINGLEY	–	1	1	–	1	–
BIRSTAL	–	3	–	–	–	–
†BOLTON UPON DEARNE	–	1	–	1	–	–
†CASTLEFORD ...	–	1	1	–	–	–
†CONISBROUGH ...	–	4	1	–	–	–
CUDWORTH ...	–	1	–	1	–	–
DARFIELD ...	–	–	3	–	1	–
†DARTON	–	1	–	–	–	–
DENBY AND CUMBERWORTH	*	*	*	*	*	*
DENHOLME ...	–	5	–	–	–	–
†DONCASTER ...	–	4	2	–	–	–
DRIGHLINGTON ...	–	–	–	–	1	–
FARSLEY	–	1	–	–	–	–
†FEATHERSTONE ...	–	6	1	–	1	–
†GOOLE	–	1	3	–	–	–
GUNTHWAITE AND INGBIRCHWORTH	–	–	–	–	1	–
†HARROGATE ...	–	–	1	–	–	–
†HEMSWORTH ...	–	6	–	–	–	–
†HOLMFIRTH ...	–	–	–	1	–	–
HOYLAND SWAINE	–	–	1	–	–	–
KNOTTINGLEY ...	–	3	–	–	–	–
†MEXBOROUGH ...	–	–	–	–	2	–
†MIRFIELD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†MORLEY	–	1	–	–	–	–
MYTHOLMROYD ...	–	1	–	–	–	–
†NORMANTON ...	–	–	1	1	1	–
†OSSETT	–	2	–	1	–	–
OTLEY	*	*	*	*	*	*
†PONTEFRACT ...	–	1	–	–	–	–
†PUDSEY	–	1	–	–	–	–
RAWDON	*	*	*	*	*	*
SELBY	–	3	–	–	–	–
SILSDEN	–	1	–	–	–	–
†SKIPTON	–	2	–	–	–	–
SLAITHWAITE ...	–	1	–	–	–	–
†SOWERBY BRIDGE	–	–	–	1	–	–
†SPENBOROUGH ...	–	1	–	–	–	–
†STANLEY	–	2	–	–	–	G. 1
†SWINTON	–	–	1	–	–	–
†TODMORDEN ...	–	1	–	–	–	–
†WOMBWELL ...	–	–	–	–	2	–
YEADON	–	–	–	–	1	–
Rural Districts—						
DONCASTER ...	–	2	1	–	2	–
GREAT OUSEBURN	–	–	–	–	–	C. 1
HEMSWORTH ...	–	5	1	2	–	M. 2
HUNSLET... ...	–	5	–	–	–	–
PONTEFRACT ...	–	3	–	–	–	–
RIPON	–	1	–	–	–	–
ROTHERHAM ...	–	3	1	1	–	M. 1
TADCASTER ...	–	2	–	–	1	–
WAKEFIELD ...	–	–	3	–	–	–
WHARFEDALE (NORTH)	–	–	–	–	1	–
WHARFEDALE (SOUTH)	–	–	–	–	1	L. 1
WORTLEY ...	–	3	–	–	–	–
County Borough :—						
§YORK	–	1	1	–	1	D. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	–	1	2	–	–	–
Boroughs and Urban Districts :—						
MENAI BRIDGE ...	–	–	1	–	–	–
Rural Districts :—						
VALLEY	–	1	1	–	–	–
BRECKNOCK ...	–	3	–	–	–	–
Urban Districts :—						
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts :—						
HAY	–	1	–	–	–	–
LLANWRTHWL (parish)	*	*	*	*	*	*
VAYNOR AND PENDERYN	–	2	–	–	–	–
CARMARTHEN ...	–	5	8	4	2	–
Boroughs and Urban Districts :—						
CWMAMMAN ...	–	–	–	–	1	–
†LLANELLY ...	–	3	5	–	1	–
Rural Districts :—						
LLANDILO FAWR..	–	–	2	–	–	–
LLANELLY ...	–	2	1	4	–	–
CARNARVON ...	–	5	2	–	–	–
Rural Districts :—						
CONWAY	–	1	2	–	–	–
OGWEN	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

§ York C.B. is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH	–	5	2	–	4	M. 2
Boroughs and Urban Districts:—						
DENBIGH... ...	–	–	1	–	–	–
†WREXHAM ...	–	1	1	–	2	–
Rural Districts:—						
CHIRK	–	1	–	–	–	–
LLANGOLLEN ...	–	1	–	–	–	–
ST. ASAPH (DENBIGH)	–	–	–	–	1	–
WREXHAM ...	–	2	–	–	1	M. 2
FLINT	–	1	2	1	1	–
Boroughs and Urban Districts:—						
FLINT	–	–	1	–	–	–
PRESTATYN ...	*	*	*	*	*	*
†RHYL	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	–	1	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	1	–	1	–
GLAMORGAN ...	–	36	43	–	23	C. 1 E. 2 M. 5
†CARDIFF C.B. ...	–	6	3	–	6	E. 1
†MERTHYR TYDFIL C.B.	–	1	2	–	–	E. 1
†SWANSEA C.B. ...	–	2	5	–	3	–
Boroughs and Urban Districts:—						
†ABERDARE ..	–	4	2	–	2	–
†BARRY	–	1	1	–	1	M. 1
†CAERPHILLY ...	–	–	2	–	–	–
†GELLIGAER ...	–	1	7	–	–	–
†MAESTEG ..	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MOUNTAIN ASH ...	–	1	–	–	1	–
†NEATH	–	–	5	–	–	–
†OGMORE AND GARW	–	4	1	–	–	M. 2
†PONTYPRIDD ...	–	1	–	–	1	–
PORTHCAWL ...	–	2	–	–	–	–
†PORT TALBOT ...	–	1	–	–	–	C. 1
†RHONDDA ..	–	7	3	–	7	M. 2
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
COWBRIDGE ...	–	–	1	–	–	–
NEATH	–	4	3	–	2	–
PENYBONT ...	–	–	4	–	–	–
PONTARDAWE ...	–	–	2	–	–	–
SWANSEA... ...	–	–	1	–	–	–
MERIONETH ...	–	–	2	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	–	1	–	–	–
DOLGELLEY ...	–	–	1	–	–	–
MONMOUTH ...	–	14	4	2	9	C. 1
†NEWPORT C.B. ...	–	1	1	–	2	–
Boroughs and Urban Districts:—						
†ABERCARN ...	–	1	–	–	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	2	1	–	3	–
BEDWAS AND MACHEN	–	1	–	–	–	
†BEDWELLTY ...	–	2	–	–	–	–
†EBBW VALE ...	–	1	–	–	1	C. 1
LLANTARNAM ...	–	–	–	–	1	–
MYNYDDISLWYN	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	1	–	1	2	–
†RHYMNEY ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MONMOUTH—*cont.*						
Rural Districts:—						
ABERGAVENNY ...	–	–	–	1	–	–
SAINT MELLONS...	–	3	–	–	–	–
MONTGOMERY ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	1	1	–	–	–
MACHYNLLETH ...	–	1	–	–	–	–
Rural Districts:—						
LLANFYLLIN ...	–	1	–	–	–	–
NEWTOWN AND LLANIDLOES	*	*	*	*	*	*
PEMBROKE	–	–	2	–	1	E. 1
Boroughs and Urban Districts:—						
MILFORD HAVEN	–	–	–	–	1	E. 1
†PEMBROKE ...	–	–	1	–	–	–
Rural Districts:—						
HAVERFORDWEST	–	–	1	–	–	–
RADNOR	–	–	–	–	–	–
Rural Districts:—						
RHAYADER ...	*	*	*	*	*	*
Total of Part II. ...	32	1423	558	88	518	C. 40 D. 7 E. 18 G. 7 I. 1 L. 8 M. 119

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BARNSTAPLE	*	*	*	*	*	*
BARRY	–	–	–	–	–	L. 1
COLCHESTER	*	*	*	*	*	*
HARTLEPOOL	*	*	*	*	*	*
PORT OF LONDON ...	–	–	–	1	–	L. 1
Total of Part III.— ..	–	–	–	1	–	L. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	235	146	8	78	C. 7 D. 1 E. 6 F. 1 J. 1 L. 1 M. 12
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	32	1423	558	88	518	C. 40 D. 7 E. 18 G. 7 I. 1 L. 8 M. 119
Total of Part III.—Port Sanitary Districts	–	–	–	1	–	L. 2
Total (*i.e.*, of returns received), England and Wales ...	32	1658	704	97	596	C. 47 D. 8 E. 24 F. 1 G. 7 I. 1 J. 1 L. 11 M. 131

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-cephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week.

e cases of Small-pox notified appear on pages 1126, 1128, 1132, 1133, and 1137.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUS and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain I FECTIOUS DISEASES in the last THIRTE WEEKS.

Week ended :—	July 14.	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	O 6
LONDON :—													
DEATHS—all ages	1,016	902	686	765	719	718	813	782	799	807	868	928	8
„ 0 to 1 year ..	106	112	80	73	83	76	111	122	106	115	116	149	1
GREAT TOWNS, aggregate (including London) :—													
BIRTHS	7,331	8,275	7,554	8,133	6,627	7,910	7,798	7,482	7,682	7,281	7,154	7,428	6,9
DEATHS—all ages	4,052	3,618	3,108	3,300	3,331	3,269	3,282	3,287	3,428	3,395	3,616	3,660	3,4
„ 0 to 1 year ..	516	492	413	407	449	410	499	484	471	493	514	516	4
ENTERIC FEVER—Cases	24	19	21	33	41	24	27	26	31	38	32	37	
„ Deaths	1	3	3	1	7	6	1	2	4	4	4	3	
SMALL POX—Cases ..	114	64	25	14	13	9	10	12	10	17	16	9	
„ Deaths ..	1	1	—	—	—	—	—	—	—	—	—	2	-
SCARLET FEVER—Cases	733	647	679	626	540	539	561	611	736	755	850	997	9
„ Deaths	10	2	7	5	7	6	6	7	11	6	9	9	
DIPHTHERIA—Cases ..	431	403	385	340	358	344	362	391	374	467	500	473	4
„ Deaths ..	17	16	10	22	20	26	20	27	21	26	27	24	
MEASLES—Deaths ..	51	53	37	29	28	30	14	15	15	15	17	6	
INFLUENZA—Deaths ..	34	36	24	15	14	24	16	14	20	9	28	33	

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 6th October, 1923. (*Supplied by the Meteorological Office.*)

TOWNS	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfa in Millimetres
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	75	33	58·9	46·3	26	BRADFORD ..	70	33	54·6	44·1	9
BRIGHTON ..	65	37	59·9	47·9	25	SHEFFIELD ..	Not received.				
PORTSMOUTH ..	70	38	59·7	48·7	16	YORK (MUSEUM)	74	34	57·0	44·6	12
NORWICH (EATON).	72	38	58·0	45·9	11	HULL (PEARSON PARK).	75	34	58·0	43·1	6
PLYMOUTH ..	72	40	61·0	49·1	16	TYNEMOUTH ..	74	35	56·9	47·7	10
BRISTOL (CLIFTON).	73	36	58·0	46·9	14	CARDIFF	73	36	58·3	46·0	14
BIRMINGHAM (EDGBASTON)	71	37	54·9	45·6	13	EDINBURGH ..	71·0	39·0	55·3	44·6	2
NOTTINGHAM ..	71	33	56·6	44·4	2	GLASGOW ..	67·0	38·2	54·3	44·7	19
BIRKENHEAD (BIDSTON).	73	39	56·0	46·7	27	DUBLIN (PHŒNIX PARK).	72·6	35·4	58·6	43·4	15
MANCHESTER (WHITWORTH PARK).	72	37	56·6	45·0	13	FITZWILLIAM SQUARE.†	70·0	39·9	57·9	47·1	13
BURNLEY.. ..	70	32	54·4	43·1	19	BELFAST	Not received.				
HUDDERSFIELD	Not received.										

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 6th October, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
SEPTEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	30	..	30·165	75·1	54·4	20·7	64·7	+10·3	59·1	5·6	13·1	0·6	82	112·0	41·9	55·7	Calm	SW: Calm.	0·3	0·0	0·0	130	− 125	0·00
OCTOBER MONDAY -	1	..	29·933	58·8	52·4	6·4	56·0	+ 1·9	55·0	1·0	2·7	0·6	96	68·6	38·7	55·9	SW: W	WSW	1·0	0·0	0·1	226	− 33	0·06
TUESDAY -	2	Greatest Declination N. Last Quarter.	29·884	60·9	49·1	11·8	53·9	+ 0·2	48·4	5·5	11·8	2·7	82	107·6	44·9	56·0	Calm: WSW.	WSW: NNE.	2·5	0·0	0·1	269	+ 7	0·12
WEDNESDAY	3		29·419	49·6	41·4	8·2	44·3	− 9·0	41·5	2·8	7·7	2·2	90	66·6	35·0	55·9	N: Calm: SW.	NNE: NE.	5·3	0·0	0·2	320	+ 55	0·81
THURSDAY -	4	..	29·775	54·6	42·0	12·6	47·8	− 5·2	38·8	9·0	15·0	5·4	71	92·2	35·0	55·9	N	N	11·3	0·0	1·3	581	+ 316	0·00
FRIDAY -	5	..	29·811	50·9	33·5	17·4	43·6	− 9·2	37·0	5·9	12·9	2·0	79	79·6	27·0	55·7	N: WSW.	SW	1·5	0·0	0·0	206	− 58	0·00
SATURDAY -	6	..	29·735	59·0	47·8	11·2	52·1	− 0·4	46·0	6·1	13·4	1·4	80	98·0	41·3	55·3	SW: WSW.	W: WSW.	2·2	0·0	0·1	277	+ 15	0·05
MEANS -		..	29·817	58·4	45·8	12·6	51·8	− 1·6	46·5	5·1	10·9	2·1	83	89·2	37·7	55·8	Westerly		..	..	..	Sum 2,009	Sum + 177	Sum 1·04
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.		ELECTRICITY. (For explanation of symbols. *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SEPTEMBER					
SUNDAY ..	30	wP	2·9	11·7	Overcast clearing to partially cloudy by 15h.; cloudless from 18½h.
OCTOBER MONDAY ..	1	wP	0·0	11·7	Cloudless till 4h.; then overcast. Occasional misty rain from 11h. Mist and dew in morning.
TUESDAY ..	2	wP to 9h.; mP to 12h.; wP to 18h.; then mP.	4·1	11·6	Overcast generally with partially cloudy period between 7½h. and 11h. Misty rain till 2h., and from 16½h. till 20¾h.
WEDNESDAY	3	mP to 7h.; sP to 10h.; variably sN to sP till 20h.; then wP.	0·1	11·5	Overcast generally. Frequent rain from 10h. till 20¾h. Brisk wind from 14h.
THURSDAY	4	wP to 6h.; mP to 10h.; sP to 19h.; then mP.	6·1	11·4	Overcast till 12h.; partially cloudy till 18h.; then nearly cloudless. Occasional showers between 7½h. and 9h. Brisk wind till 19h.
FRIDAY ..	5	mP to 11h; sP to 13h.; then mP.	0·2	11·4	Little cloud till 9h.; clouding up to overcast generally by 12h. Solar halo 9h. Shower 23½h.
SATURDAY	6	wP to 9h.; variably mP to sP till 17h.; then mP.	1·7	11·3	Overcast or nearly so, till 16½h., clearing to cloudless generally by 18h. Rain or damping 2h. till 6h.
			Sum 15·1	Sum 80·6	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·25 in. at the beginning of the week to 29·30 in. by 15h. on 3rd; increased to 29·88 in. by 22h. on 4th; decreased to 29·71 in. by 5h. on 6th; increased and was 29·80 in. at midnight of 6th.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS,
11–17, Hare Street, E.2

(44498) Wt. 392—P 31 2250 10/23 H. St. G. 43

FOR OFFICIAL USE.

1923. No. 41.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 13TH OCTOBER, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 13TH OCTOBER, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-first week of the year numbered 7,078 and corresponded to an annual rate of 19·2 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,651 and corresponded to an annual rate of 9·9 per 1,000 of their aggregate civilian population, which is estimated at 19,170,699 in the year 1922. In the preceding three weeks the rates had been 9·8, 10·0 and 9·5. Infant mortality was 66 per 1,000 births, against 72, 69 and 66 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,639 births, corresponding to a rate of 18·8 per 1,000, and 869 deaths of civilians, corresponding to a rate of 10·0, as against 10·0, 10·7 and 9·6 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 10·1 per 1,000. The infant mortality was 79 as against 70, 87 and 82 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 177 in the total deaths last week, and the deaths from influenza rose from 31 to 40. In London the number of deaths from all causes rose from 831 to 869; while the deaths from diphtheria, which had been 7, 4 and 8 in the preceding three weeks, rose to 10 last week, and those of infants under two years of age from diarrhœal diseases, which had been 49, 57 and 41 in the preceding three weeks, fell to 39 last week.

Just Published:

Census of England and Wales, 1921. County of Stafford. Price 12*s.* net.

County of Warwick. Price 6*s.* 6*d.* net.

County of Worcester. Price 8*s.* net.

County of London—Tables, Part III (Supplementary), Workplaces in London and five Home Counties. Price 3*s.* net.

County of Durham. Price 12*s.* 6*d.* net.

County of Northumberland. Price 9*s.* net.

County of Gloucester. Price 9*s.* net.

County of Devon. Price 11*s.* 6*d.* net.

County of Cornwall. Price 8*s.* net.

The Registrar General's Statistical Review, 1921.

Tables, Part II. Civil. Price 5*s.* net.

Text. Price 5*s.* net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 13th October, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,699*	7,078	3,651	468	4	8	11	16	22	124	40
London	4,534,230*	1,639	869	129	2	3	2	2	10	39	7
Towns in Outer Ring.											
Croydon C.B. ..	192,300	58	29	–	–	–	–	–	–	–	1
Wimbledon ..	61,730	12	4	–	–	–	–	–	–	–	–
Ealing	67,890	28	10	–	–	–	–	–	–	–	–
Acton	62,390	26	9	1	–	–	–	1	–	–	–
Willesden ..	168,200	65	26	3	–	–	–	–	–	–	–
Hendon	55,930	11	8	–	–	–	1	–	–	–	–
Hornsey	87,310	24	16	–	–	–	–	–	–	–	–
Wood Green ..	51,290	17	5	1	–	–	–	–	–	–	–
Tottenham ..	150,500	39	22	3	–	–	–	–	–	1	–
Edmonton ..	68,700	33	12	2	–	1	–	–	–	–	–
Enfield	62,010	18	7	–	–	–	–	–	–	–	–
West Ham C.B. ..	310,200	158	68	8	–	–	2	1	1	2	1
East Ham C.B. ..	145,800	45	18	1	–	–	–	–	–	–	–
Leyton	131,600	20	24	1	–	–	–	–	–	–	–
Walthamstow ..	129,700	44	23	3	–	–	–	–	–	–	–
Ilford	86,370	26	10	–	–	–	–	–	–	–	–
Gillingham	48,630*	21	10	1	–	–	–	–	–	–	–
Canterbury C.B ..	23,680	17	6	1	–	–	–	–	–	–	–
Hastings C.B.	59,500	8	13	–	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	11	7	1	–	–	–	–	–	–	–
Brighton C.B. ..	135,279†	39	23	–	–	–	–	–	–	–	–
Portsmouth C.B. ..	236,630*	104	52	5	–	–	–	1	2	2	–
Bournemouth C.B. ..	81,500	21	9	–	–	–	–	–	–	–	–
Southampton C.B. ..	163,700	67	25	4	–	–	–	–	–	–	–
Reading C.B.	92,990	32	16	1	–	–	–	–	–	–	–
Oxford C.B.	56,510	19	10	–	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	23	11	–	–	–	–	–	–	–	–
Luton	58,260	10	10	1	–	–	–	–	–	–	1
Cambridge	59,200	22	12	1	–	–	–	–	–	–	–
Southend-on-Sea C.B.	91,430	21	13	–	–	–	–	–	–	–	–
Ipswich C.B.	80,950	23	16	1	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	24	16	1	–	–	–	–	–	1	–
Norwich C.B ..	122,900	51	20	1	–	–	–	–	–	–	–
Swindon	55,680	16	3	–	–	–	–	–	–	–	–
Exeter C.B.	59,700	16	13	2	–	–	–	–	–	1	–
Plymouth C.B. ..	200,370*	74	48	7	–	–	–	–	–	1	1
Bath C.B.	68,530	20	8	–	–	–	–	–	–	–	–
Bristol C.B.	383,900	130	70	6	–	–	–	–	4	1	–
Gloucester C.B. ..	52,210	26	12	2	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	274,300	116	63	11	–	–	–	–	–	7	4
Burton-upon-Trent C.B.	49,630	20	6	–	–	–	–	–	–	–	–
Wolverhampton C.B.	105,700	28	20	3	–	–	–	–	–	2	1
Walsall C.B.	99,890	35	11	2	–	–	–	–	–	1	–
West Bromwich C.B.	76,260	24	11	2	–	–	–	–	–	–	1
Dudley C.B.	57,860	19	9	–	–	–	–	–	–	–	–
Worcester C.B. ..	49,240	21	8	–	–	–	–	–	–	–	–
Birmingham C.B. ..	945,100	376	176	31	–	–	1	2	1	8	3
Smethwick C.B. ..	78,140	13	8	–	–	–	–	–	–	–	–
Coventry C.B. ..	131,200	36	17	3	–	–	–	–	–	–	–
Leicester C.B. ..	238,800	68	60	10	–	–	–	–	–	4	2
Lincoln C.B.	66,930	24	20	1	–	–	1	–	–	–	–
Grimsby C.B.	84,650	36	12	2	–	–	–	1	–	–	–
Nottingham C.B. ..	267,900	111	59	8	–	–	–	–	1	2	1
Derby C.B.	132,400	53	19	2	–	–	–	–	–	–	–
Chesterfield ..	63,380	40	10	2	–	1	–	–	–	–	–
Stockport C.B. ..	125,800	38	18	3	–	–	–	–	–	–	–
Chester C.B.	41,190	13	5	–	–	–	–	–	–	–	–
Birkenhead C.B. ..	149,200	56	32	5	–	–	–	1	–	–	–
Wallasey C.B. ..	89,790	27	9	1	–	–	–	–	–	–	–
Liverpool C.B. ..	826,400	357	163	35	–	1	1	1	–	15	–
Bootle C.B.	79,750	42	12	1	–	2	–	–	–	–	–
St. Helens C.B. ..	106,400	59	18	3	–	–	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.
† As extended 1st October, 1923.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	25	17	–	–	–	–	–	–	–	–
WIGAN C.B.	91,750	34	19	5	–	–	–	–	–	–	–
WARRINGTON C.B. ..	79,150	47	8	2	–	–	–	–	–	–	–
BOLTON C.B.	182,700	60	34	5	–	–	–	1	–	2	1
BURY C.B.	57,400	15	15	3	–	–	–	–	–	–	–
MANCHESTER C.B. ..	748,500	270	165	18	1	–	1	1	–	7	3
SALFORD C.B.	240,700	96	51	2	–	–	–	–	1	1	–
OLDHAM C.B.	148,300	43	32	3	–	–	–	–	–	1	–
ROCHDALE C.B... ..	92,510	25	24	1	–	–	1	–	–	–	2
BURNLEY C.B.	105,100	39	19	2	–	–	–	–	–	1	–
BLACKBURN C.B. ..	129,600	47	33	3	–	–	–	–	–	–	–
PRESTON C.B.	120,900	44	25	2	–	–	–	–	–	1	–
BLACKPOOL C.B. ..	74,050	16	21	–	–	–	–	–	–	–	1
BARROW-IN-FURNESS C.B.	75,690	27	10	1	–	–	–	–	–	–	–
HUDDERSFIELD C.B. ..	111,600	31	31	4	–	–	–	–	1	–	1
HALIFAX C.B.	100,500	28	18	–	–	–	–	–	–	–	–
BRADFORD C.B. ..	291,300	101	68	5	–	–	–	–	–	1	2
LEEDS C.B.	466,700	169	103	13	–	–	–	1	–	–	4
DEWSBURY C.B. ..	55,170	15	20	–	–	–	–	–	–	–	–
WAKEFIELD C.B. ..	53,840	23	11	3	–	–	–	–	–	–	–
BARNSLEY C.B. ..	69,540	31	13	5	–	–	–	–	–	4	1
SHEFFIELD C.B. ..	522,600	171	100	6	1	–	–	–	–	4	1
ROTHERHAM C.B. ..	69,840	29	8	3	–	–	–	–	–	1	–
DONCASTER	55,020	24	10	1	–	–	–	–	–	–	–
YORK C.B.	84,980	18	11	–	–	–	–	–	–	–	–
HULL C.B.	294,000	137	60	13	–	–	–	1	–	5	1
MIDDLESBROUGH C.B.	134,800	73	24	6	–	–	1	–	–	1	–
DARLINGTON C.B. ..	66,710	20	12	1	–	–	–	–	–	–	–
STOCKTON-ON-TEES ..	65,950	33	10	1	–	–	–	–	–	–	–
WEST HARTLEPOOL C.B.	70,020	29	9	3	–	–	–	–	–	1	–
SUNDERLAND C.B. ..	162,900	85	30	6	–	–	–	–	–	1	–
SOUTH SHIELDS C.B. ..	122,400	50	29	5	–	–	–	–	–	–	–
GATESHEAD C.B. ..	127,300	70	30	2	–	–	–	–	–	1	–
NEWCASTLE-ON-TYNE C.B.	281,600	116	50	3	–	–	–	1	–	–	–
TYNEMOUTH C.B. ..	64,640	29	14	1	–	–	–	–	–	–	–
CARLISLE C.B.	53,490	26	16	3	–	–	–	–	–	–	–
NEWPORT (MON.) C.B.	94,880	31	12	2	–	–	–	1	–	–	–
CARDIFF C.B.	223,830	92	40	6	–	–	–	–	–	2	–
RHONDDA	167,500	58	33	4	–	–	–	–	–	1	–
MERTHYR TYDFIL C.B.	82,680	33	18	4	–	–	–	–	–	1	–
ABERDARE	56,580	24	12	1	–	–	–	–	–	–	–
SWANSEA C.B.	161,000	74	37	8	–	–	–	–	1	1	–
GREATER LONDON ..	7,563,730*	2,651	1,352	165	2	4	5	4	13	47	12
OUTER RING	3,029,500*	1,012	483	36	–	1	3	2	3	8	5
16 GREAT TOWNS IN OUTER RING	1,831,920	624	291	23	–	1	3	2	1	3	2
REMAINDER OF OUTER RING	1,197,580*	388	192	13	–	–	–	–	2	5	3
EDINBURGH†	426,000	162	77	7	–	–	1	–	–	–	1
GLASGOW†	1,041,400	485	249	39	–	9	2	6	3	5	–
DUBLIN (REGISTRATION AREA)†	431,000	228	97	24	1	1	–	2	–	8	–
BELFAST†	429,000	208	83	14	–	–	–	–	–	2	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available period.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years)	Influenza.
LONDON‡	4,534,230	1923. Oct. 13	1639	869	10·0	2	–	3	2	2	10	39	7
CALCUTTA	896,067	Sept. 8	?	596§	34·1	?	–	?	?	?	?	?	6
BOMBAY	1,220,120	" 8	444‖	680§	29·0	4	1	–	–	–	–	64	2
		" 15	363‖	746§	31·8	2	1	–	–	–	–	53	4
MADRAS	526,911	" 1	484	308§	30·4	–	1	–	?	1	–	30	–
SYDNEY AND SUBURBS	955,900	July (31 days)	1915	1035	13·0			17	–	4	12	15	52
BRISBANE (Metropolitan Area).	230,200	Aug.											
PERTH (Metropolitan Area).	161,773	" 18	86	36	11·6	–	–	–	–	–	–	–	–
AUCKLAND (Urban Area).	167,760	July (31 days)	244	173	12·4	1	–	–	–	–	1	–	13
WELLINGTON (Urban Area).	112,070	"	194	122	13·1	–	–	–	–	–	4	–	4
CHRISTCHURCH (Urban Area).	113,400	"	180	178	18·8	–	–	–	–	–	1	–	23
CAPE TOWN	106,727	Sept. 8	52	23	11·2	–	–	–	–	–	–	–	–
JOHANNESBURG	156,858	" 8	82	28	9·3	–	–	–	–	–	–	–	–
DURBAN	50,488	" 8	26	9	9·3	–	–	–	–	–	–	1	–
PARIS	2,906,472	" 30 (10 days)	1171	869	10·9	3	–	–	–	1	6	52	–
ANTWERP	302,286	Aug. 25											
AMSTERDAM	701,778	Sept. 22	267	94	7·0	–	–	–	–	1	–	–	–
COPENHAGEN	570,000	" 29	196	103	9·4	–	–	–	–	–	–	–	–
STOCKHOLM	424,944	" 22	130	62	7·6	–	–	–	–	–	–	–	–
GOTHENBURG	228,074	" 22	?	32	7·3	–	–	–	–	–	–	–	–
CHRISTIANIA	258,962	" 29	79	52	10·4	–	–	–	–	–	–	–	–
BERLIN	1,989,000	" 15	306	446	11·7	1	?	1	–	1	2	6	3
BRESLAU	562,000	" 15	179	155	14·3	–	?	–	–	1	1	17	1
COLOGNE	701,000	" 15	194	168	12·5	2	?	3	–	4	–	31	2
DRESDEN	612,000	" 15	123	136	11·6	1	?	–	–	–	2	5	–
FRANKFORT-ON-MAIN..	475,000	" 15	64	74	8·1	–	?	1	–	1	–	5	1
HAMBURG	1,077,000	" 15	224	179	8·6	–	?	–	–	–	1	2	1
LEIPZIG	682,000	" 15	159	176	13·4	–	?	–	–	1	1	14	–
MUNICH	685,000	" 15	151	157	11·9	–	?	2	–	–	–	6	2
VIENNA	1,841,326	Aug. 18	482	435	12·1	–	–	–	–	5	–	8	–
		" 25	484	422	11·8	2	–	–	–	6	1	13	2
PRAGUE AND SUBURBS	697,111	" 15 (15 days)											
BUDAPEST	946,000	Sept. 1											
WARSAW	956,087	" 22	348	267	14·6	5	–	1	5	–	1	58	1
CAIRO	791,000	July 15	767	719	47·3	10	–	11	–	?	3	156	?
ALEXANDRIA	466,700	" 15	367	324§	36·1	2	–	4	–	?	1	72	?
NEW YORK	5,927,617	Sept. 15											
CHICAGO	2,886,121	" 15	?	496	9·0	1	–	–	–	1	2	45	1
RIO DE JANEIRO ..	1,297,798	" 1	638	410	16·4	1	–	6	–	10	–	72	9
MONTEVIDEO	348,989	July 7											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 10 deaths from Asiatic Cholera in Calcutta and 1 and 0 in Bombay, and 2 in Madras, and from Plague 1 and 10 in Bombay and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 13th October, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	869	129	16	16	24	43	47	65	124	115	144	146
Enteric fever	2	–	–	–	–	1	1	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	3	3	–	–	–	–	–	–	–	–	–	–
Scarlet fever	2	–	–	2	–	–	–	–	–	–	–	–
Whooping cough	2	1	–	1	–	–	–	–	–	–	–	–
Diphtheria	10	–	1	3	6	–	–	–	–	–	–	–
Influenza	7	1	–	–	–	1	1	1	–	2	–	1
Erysipelas	2	–	–	–	–	–	–	1	1	–	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	–	–	–	1	–	–
Meningococcal meningitis	4	2	–	2	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	70	1	1	–	2	16	14	14	15	4	3	–
Nervous system	4	2	1	–	–	1	–	–	–	–	–	–
Intestines and peritoneum	3	1	–	–	–	–	–	–	–	1	1	–
Other forms	5	–	–	1	2	–	1	–	1	–	–	–
Venereal diseases	2	2	–	–	–	–	–	–	–	–	–	–
Cancer	115	–	–	–	–	2	6	8	22	38	29	10
Rheumatic fever	5	–	–	–	1	1	1	1	–	–	–	1
Diabetes	5	–	–	–	–	–	–	–	1	3	–	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	4	–	–	1	1	1	–	–	1	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	46	–	–	–	–	1	–	–	7	9	17	12
Epilepsy	3	–	–	–	1	–	–	–	–	2	–	–
"Convulsions" (not puerperal) ..	1	1	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	26	2	–	–	3	1	4	6	5	2	1	2
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	7	–	–	–	1	1	2	2	1	–	–	–
Other diseases of heart	120	–	–	1	–	2	3	6	21	20	35	32
Other diseases of circulatory system	40	–	–	–	–	–	–	2	6	3	13	16
Bronchitis	36	5	–	1	–	–	–	1	1	4	13	11
Broncho-pneumonia	24	7	3	1	1	–	–	–	4	2	3	3
Lobar-pneumonia	22	2	2	1	1	1	2	2	7	3	1	–
Pneumonia (type not distinguished) ..	17	1	1	–	–	–	2	2	5	3	2	1
Other diseases of respiratory system	8	–	–	1	–	–	–	1	2	1	–	3
Diarrhœa and enteritis	45	36	3	–	1	–	1	–	1	1	1	1
Appendicitis, Typhlitis	5	–	–	1	–	2	–	2	–	–	–	–
Hernia, Intestinal obstruction	7	1	1	–	1	–	1	–	1	–	2	–
Cirrhosis of liver	8	–	–	–	–	–	–	3	2	–	3	–
Other diseases of digestive system ..	19	1	1	–	–	2	–	5	2	5	2	1
Acute nephritis	2	–	–	–	–	1	–	–	–	–	1	–
Chronic Bright's disease	19	–	–	–	–	2	1	1	–	4	6	5
Other diseases of genito-urinary system.	11	–	–	–	–	–	–	–	3	2	3	3
Puerperal sepsis	3	–	–	–	–	1	1	1	–	–	–	–
Other causes incident to childbirth ..	2	–	–	–	–	–	1	1	–	–	–	–
Congenital malformations	9	8	–	–	–	–	–	–	1	–	–	–
Premature birth	33	33	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	6	6	–	–	–	–	–	–	–	–	–	–
Old age	36	–	–	–	–	–	–	–	–	–	2	34
Suicide	11	–	–	–	–	1	1	1	5	3	–	–
Burns and scalds	2	–	1	–	–	–	–	–	–	–	1	–
Drowning	1	–	–	–	–	–	1	–	–	–	–	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	11	–	1	–	1	3	2	–	1	1	–	2
Other deaths by violence	8	–	–	–	–	–	–	1	1	1	2	3
Other specified causes	34	12	–	–	2	2	1	3	7	–	3	4
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 13th October, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	230	184	14	70	C. 5 D. 1 E. 2 G. 2 M. 17
†CITY OF LONDON	–	3	–	–	1	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	8	8	2	8	E 1 M. 2
†BERMONDSEY ...	–	5	13	–	5	–
†BETHNAL GREEN	–	10	13	–	2	–
†CAMBERWELL ...	–	7	14	–	1	C. 1 E. 1
†CHELSEA	–	–	–	–	1	–
†DEPTFORD ...	–	9	3	–	3	M. 2
†FINSBURY ...	–	5	11	–	1	–
†FULHAM	–	6	4	–	2	C. 2
†GREENWICH ...	–	3	3	–		–
†HACKNEY ...	–	17	8	1	–	–
†HAMMERSMITH ...	–	8	4	1	–	C. 1 M. 1
†HAMPSTEAD ...	–	3	3	1	–	–
†HOLBORN... ...	–	1	3	–	–	–
†ISLINGTON ...	–	41	27	–	1	C. 1 M. 1

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	3	5	–	3	M. 1
†LAMBETH ...	–	18	9	–	2	–
†LEWISHAM ...	–	4	1	1	–	–
†PADDINGTON ...	–	10	3	1	2	M. 2
†POPLAR	–	5	5	–	5	G. 1 M. 1
†ST. MARYLEBONE	–	1	2	1	3	–
†ST. PANCRAS ...	–	7	10	2	6	D. 1 M. 2
†SHOREDITCH ...	–	18	7	–	6	M. 1
†SOUTHWARK ...	–	10	8	–	5	G. 1
†STEPNEY	–	9	12	2	6	–
†STOKE NEWINGTON	–	3	–	–	–	M. 1
†WANDSWORTH ...	–	8	8	1	6	M. 1
†WESTMINSTER, CITY OF	–	1	–	1	–	M. 2
†WOOLWICH ...	–	7	–	–	1	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	3	2	–	–	–
Boroughs and Urban Districts:—						
†BEDFORD ...	–	1	1	–	–	–
Rural Districts:—						
AMPTHILL ...	–	1	1	–	–	–
BEDFORD... ...	–	1	–	–	–	–
BERKS	3	11	5	–	–	M. 1
†READING C.B. ...	–	3	2	–	–	–
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	1	–	–	–	–
†NEWBURY ...	–	–	–	–	–	M. 1
WALLINGFORD ...	–	1	–	–	–	–
WOKINGHAM ...	3	1	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	3	2	–	–	–
EASTHAMPSTEAD	–	1	–	–	–	–
WALLINGFORD ...	–	1	–	–	–	–
WINDSOR... ...	–	–	1	–	–	–
BUCKINGHAM ...	–	9	1	1	–	–
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE ...	–	4	–	–	–	–
LINSLADE ...	–	1	–	–	–	–
†WOLVERTON ...	–	–	–	1	–	–
Rural Districts:—						
LONG CRENDON...	–	1	–	–	–	–
NEWPORT PAGNELL	–	1	–	–	–	–
WYCOMBE ...	–	2	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–		2	–	1	–
Borough:—						
†CAMBRIDGE ...	–	–	2	–	1	–
CHESTER	–	37	19	1	22	G. 1 L. 1 M. 4
†BIRKENHEAD C.B.	–	13	4	–	4	G. 1 M. 1
†CHESTER C.B. ...	–	2	–	–	2	–
†STOCKPORT C.B.	–	5	1	–	3	M. 2
†WALLASEY C.B. ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
†BEBINGTON AND BROMBOROUGH	–	1	1	–	–	–
BREDBURY AND ROMILEY	–	–	1	–	–	–
COMPSTALL ...	–	–	4	–	–	–
†CONGLETON ...	–	2	–	–	–	–
†CREWE	–	1	–	–	1	–
†DUKINFIELD ...	–	–	–	1	3	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	1	–
†HAZEL GROVE AND BRAMHALL	–	–	1	–	–	–
†HOYLAKE AND WEST KIRBY	–	–	1	–	–	–
†HYDE	–	4	1	–	2	–
KNUTSFORD ...	–	1	–	–	1	–
LYMM	–	1	–	–	–	–
†MACCLESFIELD ...	–	–	–	–	–	L. 1
MARPLE	–	2	–	–	–	–
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN... ..	–	–	1	–	–	–
SANDBACH ...	–	–	1	–	–	–
Rural Districts:—						
BUCKLOW ...	–	–	2	–	1	–
CONGLETON ...	–	1	1	–	1	–
NANTWICH ...	–	–	–	–	1	–
NORTHWICH ...	–	1	–	–	–	–
RUNCORN... ...	–	1	–	–	–	–
WIRRAL	–	1	–	–	1	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	3	1	–	1	–
Boroughs and Urban Districts:—						
FOWEY	*	*	*	*	*	*
HELSTON	*	*	*	*	*	*
TORPOINT ...	–	–	1	–	–	–
Rural Districts:—						
REDRUTH ...	–	–	–	–	1	–
SAINT AUSTELL...	–	3	–	–	–	–
CUMBERLAND ...	–	17	3	–	1	M. 1
†CARLISLE C.B. ...	–	3	1	–	1	–
Boroughs and Urban Districts:—						
EGREMONT ...	–	2	–	–	–	–
†WORKINGTON ...	–	4	–	–	–	–
Rural Districts:—						
ALSTON WITH GARRIGILL	–	–	–	–	–	M. 1
COCKERMOUTH ...	–	6	1	–	–	–
PENRITH	–	–	1	–	–	–
WHITEHAVEN ...	–	1	–	–	–	–
WIGTON	–	1	–	–	–	–
DERBY	1	49	19	1	10	M. 1
†DERBY C.B. ...	–	6	3	–	3	M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	3	–	–	–
ASHBOURNE ...	–	–	1	–	–	–
†BELPER	–	5	–	–	–	–
†BOLSOVER ...	–	1	–	–	–	–
†CHESTERFIELD ...	1	3	2	–	2	–
CLAY CROSS ...	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GLOSSOP	–	3	–	–	–	–
HEAGE	–	1	–	–	–	–
†HEANOR	–	2	–	–	–	–
†ILKESTON ...	–	5	–	–	–	–
†LONG EATON ...	–	7	–	–	–	–
NEW MILLS ...	–	3	1	–	–	–
†RIPLEY	–	1	–	–	–	–
†SWADLINCOTE DISTRICT	–	–	–	1	1	–
Rural Districts:—						
BAKEWELL ...	–	1	–	–	–	–
BELPER	–	3	–	–	–	–
BLACKWELL ...	–	3	–	–	–	–
CHESTERFIELD ...	–	2	2	–	1	–
GLOSSOP DALE ...	–	2	2	–	–	–
HARTSHORN AND SEALS	–	–	2	–	–	–
SHARDLOW ...	–	1	1	–	3	–
DEVON	–	28	9	1	–	C. 1 G. 1 M. 2
†EXETER C.B. ...	–	–	2	–	–	M. 1
†PLYMOUTH C.B....	–	8	2	–	–	–
Boroughs and Urban Districts:—						
AXMINSTER ...	–	–	1	–	–	–
†BARNSTAPLE ...	–	1	–	–	–	–
BRIXHAM ...	–	–	–	–	–	M. 1
DAWLISH... ...	–	–	–	1	–	–
GREAT TORRINGTON	–	2	–	–	–	–
HOLSWORTHY ...	–	1	–	–	–	–
†NEWTON ABBOT...	–	2	2		–	–
†PAIGNTON ...	–	2	–	–	–	–
SEATON	–	–	1	–	–	–
SIDMOUTH ...	–	–	1	–	–	–
†TORQUAY ...	–	4	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BARNSTAPLE ...	–	3	–	–	–	–
NEWTON ABBOT...	–	–	–	–	–	G. 1
OKEHAMPTON ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	1	–	–	–	–
TAVISTOCK ...	–	3	–	–	–	C. 1
DORSET	–	7	–	–	–	M. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	2	–	–	–	M. 1
SHERBORNE ...	–	2	–	–	–	–
†WEYMOUTH AND MELCOMBE REGIS	–	2	–	–	–	–
Rural Districts:—						
SHERBORNE ...	–	1	–	–	–	–
DURHAM	–	106	16	2	24	C. 1 M. 7
†DARLINGTON C.B.	–	3	–	–	–	–
†GATESHEAD C.B.	–	14	5	–	1	–
†SOUTH SHIELDS C.B.	–	9	–	–	3	–
†SUNDERLAND C.B.	–	10	–	–	4	M. 2
†WEST HARTLEPOOL C.B	–	5	–	–	–	M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	5	1	–	1	M. 1
†BLAYDON... ...	–	1	–	–	–	–
†CHESTER LE STREET	–	1	–	–	–	–
†CROOK	–	–	1	–	–	–
†DURHAM	–	–	–	–	1	–
†FELLING	–	–	–	–	1	–
†HARTLEPOOL ...	–	1	–	–	–	–
†HEBBURN ...	–	2	–	–	1	–
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HETTON	–	3	–	–	–	–
†HOUGHTON LE SPRING	–	5	–	–	–	–
†JARROW	–	3	–	–	1	–
†SEAHAM HARBOUR	–	2	–	–	1	–
†SPENNYMOOR ...	–	3	–	–	–	–
†STANLEY	–	1	–	1	1	–
†STOCKTON ON TEES	–	2	1	–	–	–
†TANFIELD ...	–	–	1	–	–	–
†WASHINGTON ...	–	2	–	–	–	–
†WHICKHAM ..	–	1	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	3	2	–	–	–
BARNARD CASTLE	–	–	–	–	–	C. 1
CHESTER LE STREET	–	12	1	–	1	M. 2
DARLINGTON ...	–	–	1	–	–	–
DURHAM	–	2	–	–	–	–
EASINGTON ...	–	3	–	–	1	M. 1
HARTLEPOOL ...	–	1	–	–	–	–
HOUGHTON LE SPRING	–	2	–	–	2	–
LANCHESTER ...	–	3	1	–	–	–
SEDGEFIELD ...	–	1	–	1	2	–
SOUTH SHIELDS...	–	2	2	–	–	–
SUNDERLAND ...	–	3	–	–	3	–
WEARDALE ...	–	1	–	–	–	–
ELY, ISLE OF ...	–	–	–	–	–	–
ESSEX	–	64	51	5	14	C. 2 L. 1 M. 3
†EAST HAM C.B. ...	–	2	7	–	–	–
†SOUTHEND-ON-SEA C.B.	–	4	2	–	3	M. 1
†WEST HAM C.B. ...	–	12	16	3	3	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	–	–	1	–
BRAINTREE ...	–	–	–	–	1	–
BRENTWOOD ...	–	1	–	–	–	–
†CHELMSFORD ...	–	–	1	–	–	–
†CLACTON	–	–	2	–	–	–
†COLCHESTER ...	–	1	–	–	–	–
†GRAYS THURROCK	–	–	1	–	–	–
†HARWICH ...	–	–	2	–	–	–
†ILFORD	–	3	1	1	1	L. 1
†LEYTON	–	10	6	–	2	M. 1
†ROMFORD ...	–	1	–	–	–	–
SHOEBURYNESS ...	–	–	–	–	1	–
TILBURY	–	–	1	–	–	–
†WALTHAMSTOW ...	–	12	6	–	1	C. 1 M. 1
WITHAM	–	–	2	–	–	–
†WOODFORD ...	–	1	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	3	–	–	–	–
BRAINTREE ...	–	9	–	–	1	–
CHELMSFORD ...	–	2	–	–	–	–
DUNMOW	–	–	1	–	–	–
EPPING	–	–	1	–	–	–
LEXDEN AND WINSTREE	–	2	–	–	–	–
ROCHFORD ...	–	1	–	–	–	–
ROMFORD... ...	–	–	2	1	–	–
GLOUCESTER ...	20	38	20	9	8	M. 5
†BRISTOL C.B. ...	–	17	19	2	6	M. 4
†GLOUCESTER C.B.	§16	2	–	3	1	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1		1	–	–
CIRENCESTER ...	–	1	–	–	–	–
NEWNHAM ...	–	1	–	–	–	–
STROUD	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—						
CAMPDEN... ...	–	1	–	–	–	–
DURSLEY... ...	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES ...	3	–	–	–	–	–
GLOUCESTER ...	1	–	–	1	–	–
LYDNEY	–	1	–	2	–	–
STROUD	–	–	–	–	1	–
TETBURY (part)	–	3	–	–	–	–
THORNBURY ...	–	1	–	–	–	–
WARMLEY ...	–	2	–	–	–	M. 1
WEST DEAN ...	–	6	–	–	–	–
WINCHCOMB(part)	–	1	–	–	–	–
HEREFORD ...	–	3	2	1	–	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	–	1	–	–
LEOMINSTER ...	–	1	–	–	–	–
ROSS	–	1	–	–	–	–
Rural Districts:—						
HEREFORD ...	–	–	1	–	–	–
KINGTON	–	–	1	–	–	–
LEOMINSTER ...	–	1	–	–	–	–
HERTFORD ..	–	9	3	–	3	L. 1
Boroughs and Urban Districts:—						
BUSHEY	–	1	1	–	–	–
†HERTFORD ...	–	2	–	–	–	–
†LETCHWORTH ...	–	1	1	–	–	–
†ST. ALBANS ...	–	1	1	–	–	–
SAWBRIDGEWORTH	–	–	–	–	1	–
WARE	–	–	–	–	1	–
†WATFORD ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever;

§ Including 1 case notified as Chicken-pox, but re-diagnosed as Small-pox. In addition 4 other cases of Chicken-pox were notified.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
ASHWELL ...	–	1	–	–	–	–
HITCHIN	–	1	–	–	–	–
WATFORD ...	–	1	–	–	–	L. 1
WELWYN	–	1	–	–	–	–
HUNTINGDON ...	–	–	1	–	–	–
Rural Districts:—						
HUNTINGDON ...	*	*	*	*	*	*
ST. NEOTS, No. 3 ..	–	–	1	–	–	–
KENT	–	25	15	–	6	C. 1 E. 1 G. 2 M. 2
†CANTERBURY C.B	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	–	–	–	–	G. 1
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	–	–
†BROMLEY ...	–	–	1	–	1	–
†CHATHAM ...	–	1	2	–	–	–
†DOVER	–	1	–	–	1	–
†ERITH	–	4	1	–	–	–
†FOLKESTONE ...	–	3	–	–	–	–
†GILLINGHAM ...	–	–	–	–	–	E. 1 M. 1
†GRAVESEND ...	–	–	4	–	–	C. 1
†HERNE BAY ...	–	1	–	–	–	–
†MAIDSTONE ...	–	–	–	–	2	–
†MARGATE ...	–	3	–	–	–	–
†PENGE	–	–	–	–	–	G. 1
†RAMSGATE ...	–	2	–	–	–	–
†ROCHESTER ...	–	1	2	–	–	–
†ROYAL TUNBRIDGE WELLS	–	3	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts:—						
BRIDGE	–	–	–	–	2	–
BROMLEY ...	–	1	–	–	–	–
DARTFORD ...	–	3	2	–	–	–
EASTRY	–	–	1	–	–	–
MAIDSTONE ...	–	–	1	–	–	–
MALLING... ...	*	*	*	*	*	*
TONBRIDGE ...	–	1	–	–	–	–
LANCASTER ...	–	279	76	16	116	C. 5 E. 1 G. 2 L. 3 M. 22
†BARROW IN FURNESS C.B.	–	5	–	1	–	–
†BLACKBURN C.B.	–	3	2	1	2	–
†BLACKPOOL C.B.	–	–	–	1	1	–
†BOLTON C.B. ...	–	9	–	1	2	–
†BOOTLE C.B. ...	–	3	1	–	1	–
†BURNLEY C.B. ...	–	3	5	–	2	–
†BURY C.B. ...	–	1	–	3	2	–
†LIVERPOOL C.B. ...	–	60	17	1	25	E. 1 M. 9
†MANCHESTER C.B.	–	49	11	–	26	C. 3 M. 12
†OLDHAM C.B. ...	–	2	–	–	1	G. 1
†PRESTON C.B. ...	–	12	7	1	1	C. 1
†ROCHDALE C.B. ...	–	7	–	–	1	–
†ST. HELENS C.B....	–	8	–	–	4	–
†SALFORD C.B. ...	–	20	8	–	9	–
†SOUTHPORT C.B.	–	2	–	1	–	–
†WARRINGTON C.B.	–	6	–	–	7	–
†WIGAN C.B. ...	–	2	–	1	1	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	2	–	–	–	–
†ASHTON IN MAKERFIELD	–	2	2	–	1	–
†ASHTON UNDER LYNE	–	2	–	–	–	–
†ATHERTON ...	–	3	–	–	–	–
AUDENSHAW ...	–	–	–	–	1	–
BLACKROD ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
BRIERFIELD ...	–	–	1	–	–	–
†CHADDERTON ..	–	2	–	–	–	–
†COLNE	–	1	–	–	–	–
†DALTON IN FURNESS	–	1	–	–	–	–
†DROYLSDEN ...	–	1	–	–	1	–
†ECCLES	–	3	–	1	–	–
†FAILSWORTH ...	–	–	–	–	2	–
†FARNWORTH ...	–	2	–	–	–	–
FULWOOD ...	–	–	1	–	–	–
GOLBORNE ..	–	–	2	–	–	–
†GREAT CROSBY ...	–	1	–	–	–	–
†GREAT HARWOOD	–	2	–	–	–	–
†HASLINGDEN ...	–	3	–	–	–	–
†HEYWOOD ...	–	5	–	–	3	–
†HINDLEY... ...	–	–	2	1	6	–
†HORWICH ...	–	–	1	–	1	–
HUYTON WITH ROBY ...	–	–	1	–	–	–
†INCE IN MAKERFIELD	–	–	–	–	3	–
KIRKHAM ..	–	2	1	–	–	–
†LANCASTER ...	–	2	2	–	–	–
LATHOM AND BURSCOUGH	–	–	–	–	1	–
†LEIGH	–	1	1	1	1	G. 1 M. 1
†LITHERLAND ...	–	4	–	–	–	–
†LITTLEBOROUGH	–	1	–	–	–	–
LITTLE HULTON.	–	–	1	–	–	–
†LYTHAM, ST. ANNE'S	–	2	1	–	–	–
†MIDDLETON ...	–	1	–	–	3	–
MILNROW... ...	–	1	–	–	–	–
†NELSON	–	–	–	1	–	–
†NEWTON IN MAKERFIELD	–	1	1	–	–	–
†PADIHAM... ...	–	1	–	–	–	–
PRESCOT	–	–	1	–	–	–
†PRESTWICH ...	–	2	–	–	–	–
†RADCLIFFE ...	–	–	–	–	1	–
†RAMSBOTTOM ...	–	3	1	–	2	–
†STRETFORD... ...	–	11	2	–	–	–
†SWINTON AND PENDLEBURY	–	4	1	–	–	–
TOTTINGTON ...	–	3	–	–	–	–
†TURTON	–	3	–	–	–	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	2	–
†ULVERSTON ...	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	2	1	–	–	–
†WESTHOUGHTON	*	*	*	*	*	*
†WIDNES	–	3	1	–	–	C. 1
†WORSLEY... ...	–	–	1	–	–	–
Rural Districts:—						
CHORLEY	–	1	–	–	–	–
CLITHEROE ...	–	–	–	–	–	L. 2
FYLDE	–	–	–	1	–	–
GARSTANG ...	–	1	–	–	–	–
LIMEHURST ...	–	1	–	–	–	–
PRESTON	–	3	–	–	1	–
SEFTON	–	2	–	–	–	–
WHISTON... ...	–	1	–	–	1	L. 1
LEICESTER... ...	–	9	9	2	6	E. 1
†LEICESTER C.B. ..	–	7	6	2	3	–
Boroughs and Urban Districts:—						
MARKET HARBOROUGH	–	–	–	–	–	E. 1
MELTON MOWBRAY	–	–	1	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	2	–	–	–
BARROW UPON SOAR	–	–	–	–	1	–
BLABY	–	1	–	–	1	–
HINCKLEY ...	–	–	–	–	1	–
MARKET BOSWORTH	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†BOSTON	–	2	–	–	–	–
†SPALDING ...	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	2	–	–	–	–
Boroughs and Urban Districts:—						
BOURNE	–	1	–	–	–	–
Rural Districts:—						
GRANTHAM ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	13	9	–	2	–
†GRIMSBY C.B. ...	–	–	3	–	–	–
†LINCOLN C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	1	–	–	–	–
†GAINSBOROUGH ...	–	1	–	–	–	–
LOUTH	–	–	1	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	4	1	–	2	–
Rural Districts:—						
GLANFORD BRIGG	–	1	–	–	–	–
GRIMSBY	–	1	1	–	–	–
HORNCASTLE ...	–	1	–	–	–	–
ISLE OF AXHOLME	–	–	3	–	–	–
SIBSEY	–	1	–	–	–	–
SPILSBY	–	1	–	–	–	–
WELTON	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	56	41	1	8	C. 1
Boroughs and Urban Districts:—						
†ACTON	–	4	3	–	–	–
†CHISWICK ...	–	2	4	–	–	–
†EALING	–	2	2	–	–	–
†EDMONTON ...	–	4	1	–	1	C. 1
†ENFIELD	–	3	–	–	–	–
FELTHAM ...	–	–	1	–	–	–
†FINCHLEY ...	–	7	–	–	–	–
†FRIERN BARNET	–	–	1	–	–	–
†HANWELL ...	–	3	1	–	–	–
†HARROW ON THE HILL	–	1	–	–	–	–
†HENDON	–	1	3	–	–	–
†HESTON AND ISLEWORTH	–	2	1	–	3	–
†HORNSEY... ...	–	1	–	–	1	–
†SOUTHALL NORWOOD	–	1	–	–	–	–
†SOUTHGATE ...	–	1	–	–	1	–
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	9	8	1	2	–
†TWICKENHAM ...	–	3	–	–	–	–
†WEMBLEY ...	–	–	1	–	–	–
†WILLESDEN ...	–	4	11	–	–	–
†WOOD GREEN ...	–	3	–	–	–	–
YIEWSLEY ...	–	1	–	–	–	–
Rural Districts:—						
STAINES	–	2	2	–	–	
UXBRIDGE ...	–	1	2	–	–	–
NORFOLK	–	36	10	1	–	L. 1
†GREAT YARMOUTH C.B.	–	5	–	–	–	–
†NORWICH C.B. ...	–	23	2	–	–	L. 1
Boroughs and Urban Districts:—						
CROMER	–	1	–	–	–	
DOWNHAM MARKET	–	–	1	–	–	

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts:—						
DOCKING	–	–	6	1	–	–
HENSTEAD ...	–	1	–	–	–	–
LODDON AND CLAVERING	–	1	–	–	–	–
MITFORD AND LAUNDITCH	–	1	1	–	–	–
SMALLBURGH ...	–	3	–	–	–	–
WAYLAND ...	–	1	–	–	–	–
NORTHAMPTON ...	–	30	1	1	8	M. 1
†NORTHAMPTON C.B.	–	16	–	–	6	–
Boroughs and Urban Districts:—						
DESBOROUGH ...	*	*	*	*	*	*
†KETTERING ...	–	3	–	–	–	–
ROTHWELL ...	–	5	–	–	–	–
†WELLINGBOROUGH	–	3	–	1	–	–
Rural Districts:—						
BRIXWORTH ...	–	–	–	–	1	–
CRICK	–	1	–	–	–	–
HARDINGSTONE ...	–	2	1	–	–	M. 1
THRAPSTON (part)	*	*	*	*	*	*
TOWCESTER ...	–	–	–	–	1	–
NORTHUMBERLAND	1	53	11	1	24	M. 2
†NEWCASTLE UPON TYNE C.B.	–	15	5	1	11	M. 1
†TYNEMOUTH C.B.	1	1	4	–	1	–
Boroughs and Urban Districts:—						
AMBLE	–	–	1	–	–	–
†ASHINGTON ...	–	2	–	–	–	–
†BEDLINGTONSHIRE	–	6	–	–	7	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BLYTH	–	3	–	–	3	M. 1
CRAMLINGTON ...	–	7	–	–	–	–
†EARSDON	–	1	–	–	–	–
†LONGBENTON ...	–	1	–	–	–	–
MORPETH... ...	–	2		–	–	–
NEWBIGGIN BY THE SEA	*	*	*	*	*	*
†NEWBURN ...	–	6	–	–	1	–
SEATON DELAVAL	–	2	–	–	–	–
†WALLSEND ...	–	3	–	–	1	–
†WHITLEY AND MONKSEATON	–	1	–	–	–	–
Rural Districts:—						
BELLINGHAM ...	–	2	–	–	–	–
HEXHAM	–	1	1	–	–	–
NOTTINGHAM ...	5	30	12	1	7	C. 1 D. 1 G. 1 M. 4
†NOTTINGHAM C.B.	–	18	7	–	3	D. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	1	–	–	–	–
†CARLTON	–	1	–	–	–	–
†HUCKNALL ...	–	2	–	–	2	C. 1
†KIRKBY IN ASHFIELD	4	–	–	–	1	–
†MANSFIELD ...	1	2	–	–	–	M. 3
†MANSFIELD WOODHOUSE	–	1	–	–	–	G. 1
†NEWARK	–	–	3	–	–	–
†SUTTON IN ASHFIELD	–	2	–	–	–	–
†WEST BRIDGFORD	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever :

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM— *cont.*						
Rural Districts:—						
BASFORD	–	3	1	–	1	–
BINGHAM... ...	–	–	–	–	–	M. 1
NEWARK	–	–	–	1	–	–
OXFORD	–	10	–	2	–	M. 1
†OXFORD C.B. ...	–	5	–	2	–	M. 1
Rural Districts:—						
HEADINGTON ...	–	4	–	–	–	–
WITNEY	–	1	–	–	–	–
PETERBOROUGH (Soke of)	–	1	–	–	1	M. 1
Borough:—						
†PETERBOROUGH...	–	1	–	–	1	M. 1
SALOP	–	17	3	1	1	–
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	1	–	–
OSWESTRY ...	–	2	–	–	–	–
†SHREWSBURY ...	–	2	–	–	1	–
WHITCHURCH ...	–	–	2	–	–	–
Rural Districts:—						
BRIDGNORTH ...	–	–	1	–	–	–
DRAYTON... ...	–	1	–	–	–	–
LUDLOW	–	1	–	–	–	–
NEWPORT ...	–	1	–	–	–	–
OSWESTRY ...	–	5	–	–	–	–
TEME	–	5	–	–	–	–
SOMERSET	–	26	6	–	5	M. 1
†BATH C.B. ...	–	4	2	–	1	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	2	1	–	–	–
PORTISHEAD ...	–	1	–	–	–	–
†TAUNTON... ...	–	1	–	–	1	–
WELLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	1	1	–	1	–
BRIDGWATER ...	–	–	1	–	–	–
CHARD	–	–	–	–	1	–
LANGPORT ...	–	5	–	–	–	–
LONG ASHTON ...	–	7	–	–	–	M. 1
TAUNTON ...	–	1	–	–	–	–
WELLS	–	–	–	–	1	–
WILLITON ...	–	1	–	–	–	–
WINCANTON ...	–	1	–	–	–	–
YEOVIL	–	1	1	–	–	–
SOUTHAMPTON ...	–	40	15	3	1	C. 1 M. 3
†BOURNEMOUTH C.B.	–	6	1	2	–	M. 1
†PORTSMOUTH C.B.	–	15	8	1	–	M. 1
†SOUTHAMPTON C.B.	–	13	4	–	–	C. 1 M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	2	–	–	–	–
†FARNBOROUGH ...	–	1	–	–	–	–
LYMINGTON ...	*	*	*	*	*	*
WARBLINGTON ...	–	1	–	–	–	–
Rural Districts:—						
FAREHAM ...	–	1	–	–	–	–
ROMSEY	–	–	–	–	1	–
WHITCHURCH ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD	–	84	31	2	27	C. 5 G. 1 M. 9
†BURTON UPON TRENT C.B.	–	–	4	–	–	–
†SMETHWICK C.B.	–	3	2	–	1	C. 1
†STOKE ON TRENT C.B.	–	30	5	1	9	C. 1 G. 1 M. 3
†WALSALL C.B. ...	–	10	1	–	2	C. 1
†WEST BROMWICH C.B.	–	4	6	–	2	–
†WOLVERHAMPTON C.B.	–	2	2	1	2	M. 2
Boroughs and Urban Districts:—						
†AUDLEY	–	2	–	–	–	–
BIDDULPH ..	–	2	1	–	–	–
†BILSTON	–	–	–	–	1	–
†BRIERLEY HILL...	–	1	2	–	–	–
†BROWNHILLS ...	–	1	1	–	1	–
†CANNOCK	–	1	–	–	–	–
†COSELEY	–	1	–	–	–	–
†DARLASTON ...	–	3	–	–	–	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	–	2	–	–	–
KIDSGROVE ...	–	2	–	–	–	–
†LEEK	–	1	–	–	–	–
LICHFIELD ...	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	1	–	–	–	–
QUARRY BANK ...	–	–	1	–	1	–
†ROWLEY REGIS ...	–	2	–	–	–	C. 1
†SEDGLEY	–	1	–	–	–	–
STONE	–	–	–	–	1	–
TAMWORTH ...	–	–	–	–	–	M. 1
†TIPTON	–	1	1	–	1	–
†WEDNESBURY ...	–	1	–	–	1	C. 1 M. 1
WEDNESFIELD ...	–	–	–	–	1	M. 1
†WILLENHALL ...	–	–	–	–	1	–
†WOLSTANTON UNITED	–	6	1	–	2	–
Rural Districts:—						
CANNOCK	–	1	–	–	–	–
CHEADLE... ...	–	1	–	–	–	–
KINGSWINFORD ...	–	1	1	–	–	–
STAFFORD—*cont.*						
Rural Districts—*cont.*						
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	1	–	–	–	M. 1
SEISDON	–	–	–	–	1	–
WALSALL... ...	–	3	1	–	–	–
SUFFOLK, EAST ...	–	16	5	3	2	C. 1
†IPSWICH C.B. ...	–	1	3	1	2	C. 1
Boroughs and Urban Districts:—						
BECCLES	–	–	–	1	–	–
†LOWESTOFT ...	–	1	2	1	–	–
Rural Districts:—						
BLYTHING ...	–	2	–	–	–	–
BOSMERE AND CLAYDON	–	9	–	–	–	–
SAMFORD... ...	–	3	–	–	–	–
SUFFOLK, WEST ...	–	–	–	–	–	–
Rural Districts:—						
MILDENHALL ...	*	*	*	*	*	*
SURREY	–	22	11	2	3	C. 3 G. 2 M. 1
†CROYDON C.B. ...	–	5	5	–	1	–
Boroughs and Urban Districts:—						
†BARNES	–	5	1	–	–	C. 1
†CAERSHALTON ...	–	1	1	–	–	–
†COULSDON AND PURLEY	–	1	–	–	–	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
EAST AND WEST MOLESEY	–	–	1	–	–	–
†EPSOM	–	–	–	1	–	–
†FRIMLEY	*	*	*	*	*	*
†GUILDFORD ...	–	–	–	–	1	G. 1
†KINGSTON ON THAMES	–	2	–	–	–	–
†MERTON AND MORDEN	–	1	–	–	–	–
†MITCHAM... ...	–	2	1	–	1	–
†REIGATE	–	–	–	–	–	C. 1
†RICHMOND ...	–	1	–	–	–	C. 1
†SURBITON ...	–	1	–	–	–	–
†SUTTON	–	–	–	–	–	M. 1
†WALTON UPON THAMES	–	–	–	1	–	–
†WIMBLEDON ...	–	1	–	–	–	–
†WOKING	–	–	1	–	–	–
Rural Districts:—						
EPSOM	–	1	–	–	–	–
GODSTONE ...	–	–	1	–	–	–
HAMBLEDON ...	–	1	–	–	–	–
SUSSEX, EAST ...	–	23	14	–	–	L. 1 M. 1
†BRIGHTON C.B. ...	–	6	6	–	–	–
†EASTBOURNE C.B.	–	2	1	–	–	–
†HASTINGS C.B. ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†BEXHILL	–	2	–	–	–	–
EAST GRINSTEAD	–	–	4	–	–	–
HAYWARD'S HEATH	–	1	–	–	–	–
†HOVE	–	4	–	–	–	–
†LEWES	–	1	–	–	–	–
RYE	–	1	–	–	–	–
UCKFIELD ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
CHAILEY... ...	–	–	–	–	–	L. 1
CUCKFIELD ...	–	3	–	–	–	–
HAILSHAM ...	–	–	3	–	–	–
RYE	–	1	–	–	–	–
UCKFIELD ...	–	–	–	–		M. 1
SUSSEX, WEST ...	–	6	–	–	–	M. 1
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	–	–	–	M. 1
†HORSHAM ...	–	3	–	–	–	–
SOUTHWICK ...	–	1	–	–	–	–
†WORTHING ...	–	1	–	–	–	–
Rural Districts:—						
WESTBOURNE ...	–	1	–	–	–	–
WARWICK	–	51	34	1	30	C. 6 E. 4 G. 1 M. 7
†BIRMINGHAM C.B.	–	32	31	–	23	C. 5 E. 4 G. 1 M. 4
†COVENTRY C.B. ...	–	4	–	1	–	M. 2
Boroughs and Urban Districts:—						
†NUNEATON ...	–	1	2	–	2	–
†ROYAL LEAMINGTON SPA	–	1	–	–	–	–
†RUGBY	–	–	–	–	1	–
†WARWICK ...	–	–	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts—*cont.*						
FOLESHILL ...	–	2	–	–	2	M. 1
MERIDEN	–	2	–	–	–	–
NUNEATON ...	–	4	–	–	1	–
RUGBY	–	2	1	–	–	–
SOLIHULL ...	–	–	–	–	–	C. 1
TAMWORTH (part)	–	1	–	–	–	–
WESTMORLAND ...	–	8	–	–	4	–
Boroughs and Urban Districts:—						
†KENDAL	–	1	–	–	–	–
SHAP	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	3	–
SOUTH WESTMORLAND	–	6	–	–	1	–
WIGHT, ISLE OF ...	–	3	–	–	1	–
Boroughs and Urban Districts—						
†COWES	–	1	–	–	1	–
Rural Districts:—						
ISLE OF WIGHT ..	–	2	–	–	–	–
WILTS	–	6	1	–	2	–
Boroughs and Urban Districts:—						
†SALISBURY ...	–	–	1	–	–	–
†SWINDON	–	2	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
CHIPPENHAM ...	–	2	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	1	–	–	–	–
SALISBURY ...	–	1	–	–	–	–
WORCESTER ...	–	12	3	–	6	C. 1
†DUDLEY C.B. ...	–	2	–	–	–	–
†WORCESTER C.B.	–	6	1	–	–	–
Boroughs and Urban Districts:—						
†OLDBURY	–	–	–	–	3	–
†REDDITCH ...	*	*	*	*	*	*
†STOURBRIDGE ...	–	–	–	–	3	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
HALESOWEN ...	–	2	–	–	–	–
KIDDERMINSTER	–	1	–	–	–	–
PERSHORE ...	–	–	2	–	–	–
UPTON ON SEVERN	–	–	–	–	–	C. 1
YORKS ... ... (East Riding.)	–	13	7	–	4	C. 1 M. 3
†KINGSTON UPON HULL C.B.	–	8	6	–	2	C. 1 M. 2
Boroughs and Urban Districts:—						
GREAT DRIFFIELD	–	–	1	–	–	M. 1
Rural Districts:—						
BRIDLINGTON ...	–	1	–	–	–	–
HOWDEN	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding) *cont.*						
Rural Districts— *cont.*						
PATRINGTON ...	–	–	–	–	2	–
RICCALL	–	1	–	–	–	–
SCULCOATES ...	–	1	–	–	–	–
SHERBURN ...	–	1	–	–	–	–
YORKS ... ... (North Riding.)	2	66	9	–	9	C. 1 F. 1 G. 1 M. 1
†MIDDLESBROUGH C.B.	1	45	3	–	6	M. 1
Boroughs and Urban Districts:—						
†ESTON	–	6	–	–	–	–
GUISBOROUGH ...	–	2	–	–	–	–
HINDERWELL ...	–	–	–	–	–	F. 1
KIRKLINGTON CUM UPSLAND	*	*	*	*	*	*
LOFTUS	–	5	–	–	–	–
PICKERING ...	–	–	–	–	–	C. 1
†REDCAR	–	2	–	–	–	–
†SCARBOROUGH ...	–	1	–	–	–	–
†THORNABY ON TEES	–	2	–	–	–	–
†WHITBY	–	–	5	–	–	–
Rural Districts:—						
AYSGARTH ...	–	–	1	–	–	–
CROFT	–	–	–	–	1	–
EASINGWOLD ...	–	–	–	–	1	–
FLAXTON... ...	1	–	–	–	–	–
LEYBURN... ...	–	1	–	–	–	–
PICKERING ...	–	–	–	–	1	–
SCARBOROUGH ...	–	2	–	–	–	–
THIRSK	–	–	–	–	–	G. 1
YORKS ... ... (West Riding.)	1	213	69	14	80	C. 5 E. 1 L. 1 M. 13
†BARNSLEY C.B. ...	–	–	3	–	2	–
YORKS (West Riding) *—cont.*						
†BRADFORD C.B. ...	–	8	6	2	8	M. 1
†DEWSBURY C.B....	–	1	–	–	–	–
†HALIFAX C.B. ...	–	–	2	–	1	M. 2
†HUDDERSFIELD C.B.	–	6	7	2	2	M. 1
†LEEDS C.B. ...	–	50	10	–	15	E. 1 M. 2
†ROTHERHAM C.B.	–	6	–	–	2	–
†SHEFFIELD C.B....	–	53	18	3	27	C. 4 M. 4
†WAKEFIELD C.B.	–	5	1	–	2	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	1	–	–	–	1	–
ALTOFTS	–	–	1	–	1	–
†BATLEY	–	3	–	–	2	–
†BENTLEY WITH ARKSEY	–	1	–	–	–	–
†BINGLEY	–	1	–	–	–	–
BIRSTAL	–	–	–	1	–	–
†BOLTON UPON DEARNE	–	2	1	–	1	M. 1
†BRIGHOUSE ...	–	3	–	–	–	–
†CASTLEFORD ...	–	3	2	–	–	–
†CONISBROUGH ...	–	1	1	–	–	–
†DARTON	–	–	–	–	1	–
DENHOLME ...	–	1	–	–	–	–
DODWORTH ...	–	1	–	–	1	–
†DONCASTER ...	–	2	3	1	–	C. 1
FARSLEY	–	1	–	–	–	–
†FEATHERSTONE ...	–	2	–	–	1	–
GARFORTH ...	–	–	1	–	–	–
†GOOLE	–	1	–	–	–	–
GUISELEY ...	–	–	–	1	–	–
†HEMSWORTH ...	–	5	1	–	–	–
HOLME	–	1	–	–	–	–
†HOLMFIRTH ...	–	–	–	1	–	–
HOYLAND NETHER	–	–	–	1	–	–
†KEIGHLEY ...	–	1	–	–	–	–
KIRKHEATON ...	–	–	1	–	–	–
KNOTTINGLEY ...	–	6	–	–	–	–
LEPTON	–	1	–	–	1	–
MARSDEN... ...	–	1	–	–	–	–
†MEXBOROUGH ...	–	–	1	–	–	–
†MIRFIELD ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†MORLEY	–	–	–	–	1	–
†NORMANTON ...	–	–	2	–	1	–
†OSSETT	–	1	–	–	–	–
OTLEY	–	1	–	–	–	–
†PONTEFRACT ...	–	2	–	–	–	–
†PUDSEY	–	1	–	–	–	–
†RAWMARSH ...	–	1	1	–	–	–
†ROTHWELL ...	–	2	–	–	–	–
ROYSTON	–	1	–	–	–	–
SELBY	–	4	–	–	–	–
†SHIPLEY	–	1	–	–	–	–
SKELMANTHORPE	–	–	–	1	–	–
†SKIPTON	–	1	–	–	–	–
SOYLAND	–	–	1	–	–	–
†SPENBOROUGH ...	–	–	–	1	1	–
SPRINGHEAD ...	–	1	–	–	–	–
STAINLAND ...	–	–	–	–	1	–
†STANLEY	–	1	1	–	–	–
†TODMORDEN ...	–	–	–	–	1	–
†WATH UPON DEARNE	–	1	–	–	–	–
WHITLEY UPPER	–	–	–	–	1	–
†WOMBWELL ...	–	1	–	–	–	–
†WORSBOROUGH ...	–	2	–	–	–	–
YEADON	–	1	–	–	–	–
Rural Districts—						
DONCASTER ...	–	1	–	–	–	–
HEMSWORTH ...	–	8	1	–	1	M. 2
KNARESBOROUGH	–	2	–	–	–	–
PENISTONE ...	–	–	1	–	–	–
PONTEFRACT ...	–	4	–	–	2	–
ROTHERHAM ...	–	6	–	–	1	–
TADCASTER ...	–	3	3	–	–	–
WAKEFIELD ...	–	1	–	–	–	–
WHARFEDALE (SOUTH)	–	–	–	–	–	L. 1
WORTLEY ...	–	–	–	–	1	–
County Borough :—						
§YORK	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	–	3	2	–	1	–
Boroughs and Urban Districts :—						
†HOLYHEAD ...	–	1	1	–	–	–
MENAI BRIDGE ...	–	–	1	–	1	–
Rural Districts :—						
VALLEY	–	2	–	–	–	–
BRECKNOCK ...	–	2	3	1	1	–
Urban Districts :—						
BRYNMAWR ...	–	–	–	–	1	–
HAY	–	–	1	–	–	–
Rural Districts :—						
CRICKHOWELL ...	–	–	–	1	–	–
YSTRADFELLTE (parish)	–	1	–	–	–	–
YSTRADGYNLAIS	–	1	2	–	–	–
CARDIGAN	–	–	–	–	–	–
Boroughs and Urban Districts :—						
NEW QUAY ...	*	*	*	*	*	*
CARMARTHEN ...	–	11	8	–	2	–
Boroughs and Urban Districts :—						
BURRY PORT ...	–	1	–	–	1	–
†LLANELLY ...	–	3	4	–	1	–
Rural Districts :—						
LLANELLY ...	–	7	2	–	–	–
NEWCASTLE IN EMLYN	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

§ York C.B. is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON ...	–	3	2	–	–	–
Boroughs and Urban Districts:—						
†BANGOR	–	3	–	–	–	–
Rural Districts:—						
LLEYN	–	–	2	–	–	–
DENBIGH	–	4	–	–	1	–
Rural Districts:—						
LLANRWST ...	–	1	–	–	–	–
WREXHAM ...	–	3	–	–	1	–
FLINT	–	4	3	2	–	–
Boroughs and Urban Districts:—						
FLINT	–	2	–	1	–	–
HOLYWELL ...	–	–	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	2	1	1	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	1	–	–	–
GLAMORGAN ...	–	62	32	1	21	D. 1 E. 10 M. 10
†CARDIFF C.B. ...	–	8	1	–	2	E. 9 M. 2
†MERTHYR TYDFIL C.B.	–	2	4	–	3	M. 1
†SWANSEA C.B. ...	–	10	7	–	–	M. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	7	–	–	2	–
†BARRY	–	2	–	–	2	M. 1
†CAERPHILLY ...	–	1	2	–	–	D. 1
COWBRIDGE ...	–	–	–	–	1	–
†GELLIGAER ...	–	1	1	–	–	–
†GLYNCORWG ...	*	*	*	*	*	*
†MOUNTAIN ASH ...	–	1	–	–	1	–
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NEATH	–	–	5	–	–	–
†OGMORE AND GARW	–	4	1	1	–	–
†PENARTH ...	–	–	1	–	–	E. 1
†PONTYPRIDD ...	–	1	–	–	3	–
PORTHCAWL ...	–	–	–	–	2	–
†PORT TALBOT ...	–	3	–	–	–	–
†RHONDDA ..	–	12	2	–	4	M. 5
Rural Districts:—						
CARDIFF	–	1	6	–	–	–
COWBRIDGE ...	–	–	1	–	–	–
GOWER	–	3	–	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	2	–	–	–	–
NEATH	–	2	1	–	1	–
PONTARDAWE ...	*	*	*	*	*	*
SWANSEA... ...	–	2	–	–	–	–
MERIONETH ...	–	1	1	–	1	M. 1
Urban Districts:—						
FESTINIOG ...	–	1	–	–	1	–
Rural Districts:—						
DEUDRAETH ...	–	–	–	–	–	M. 1
EDEIRNION ...	–	–	1	–	–	–
MONMOUTH ...	–	16	5	3	4	E. 1 M. 2
Boroughs and Urban Districts:—						
ABERGAVENNY ...	–	2	–	–	–	–
†ABERTILLERY ...	–	1	–	–	1	–
BEDWAS AND MACHEN	–	3	–	–	–	–
†BEDWELLTY ...	–	2	–	–	–	–
†EBBW VALE ...	–	2	–	–	–	–
MYNYDDISLWYN	–	1	1	–	–	M. 1
†NANTYGLO AND BLAINA	–	–	–	1	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio J, Continued Fever ; K, Trench Fever ; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Rhymney ...	–	1	1	–	–	–
†Risca	–	1	2	–	–	–
†Tredegar ...	–	1	–	–	–	E. 1 M. 1
Rural Districts:—						
Abergavenny ...	–	1	1	2	–	–
Chepstow ...	–	1	–	–	–	–
Pontypool ...	–	–	–	–	1	–
MONTGOMERY ...	–	3	2	–	1	–
Boroughs and Urban Districts:—						
Machynlleth ...	–	2	–	–	–	–
Rural Districts:—						
Forden	–	–	1	–	–	–
Llanfyllin ...	–	1	–	–	1	–
Machynlleth ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PEMBROKE	–	1	7	–	–	–
Boroughs and Urban Districts:—						
Haverfordwest	–	–	2	–	–	–
†Pembroke ...	–	–	5	–	–	–
Rural Districts:—						
Haverfordwest	–	1	–	–	–	–
RADNOR	–	1	1	–	–	–
Rural Districts:—						
Knighton ...	–	–	1	–	–	–
New Radnor ...	–	1	–	–	–	–
Total of Part II. ...	33	1649	613	79	469	C. 36 D. 2 E. 19 F. 1 G. 12 L. 9 M. 111

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Plymouth	–	–	–	1	–	–

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see
Port of London ...	–	–	1	–	–	–
Total of Part III.— ...	–	–	1	1	–	

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	230	184	14	70	C. 5 D. 1 E. 2 G. 2 M. 17
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	33	1649	613	79	469	C. 36 D. 2 E. 19 F. 1 G. 12 L. 9 M. 111
Total of Part III.—Port Sanitary Districts	–	–	1	1	–	–
Total (*i.e.*, of returns received), England and Wales ...	33	1879	798	94	539	C. 41 D. 3 E. 21 F. 1 G. 14 L. 9 M. 128

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 1153, 1154, 1156, 1160, and 1165.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. } BIRTHS, DEATHS (distinguishing certain CAUSE and DEATHS of INFANTS under 1 YEAR o AGE) and NOTIFIED CASES of certain IN FECTIOUS DISEASES in the last THIRTEE WEEKS.

Week ended:—	July 21.	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.
LONDON:—													
DEATHS—all ages	902	686	765	719	718	813	782	799	807	868	928	831	869
" 0 to 1 year ..	112	80	73	83	76	111	122	106	115	116	149	128	129
GREAT TOWNS, aggregate (including London):—													
BIRTHS	8,275	7,554	8,133	6,627	7,910	7,798	7,482	7,682	7,281	7,154	7,428	6,905	7,078
DEATHS—all ages	3,618	3,108	3,300	3,331	3,269	3,282	3,287	3,428	3,395	3.616	3,660	3,474	3,651
" 0 to 1 year ..	492	413	407	449	410	499	484	471	493	514	516	454	468
ENTERIC FEVER—Cases	19	21	33	41	24	27	26	31	38	32	37	35	53
" Deaths	3	3	1	7	6	1	2	4	4	4	3	8	4
SMALL POX—Cases ..	64	25	14	13	9	10	12	10	17	16	[illegible]	16	26
" Deaths ..	1	—	—	—	—	—	—	—	—	—	2	—	—
SCARLET FEVER—Cases	647	679	626	540	539	561	611	736	755	850	997	956	995
" Deaths	2	7	5	7	6	6	7	11	6	9	9	8	11
DIPHTHERIA—Cases ..	403	385	340	358	344	362	391	374	467	500	473	450	525
" Deaths ..	16	10	22	20	26	20	27	21	26	27	24	22	22
MEASLES—Deaths ..	53	37	29	28	30	14	15	15	15	17	6	10	8
INFLUENZA—Deaths ..	36	24	15	14	24	16	14	20	9	28	33	31	40

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 13th October, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	68	42	60·4	48·9	44	BRADFORD ..	60	38	52·0	45·1	12
BRIGHTON ..	65	45	59·9	51·4	57	SHEFFIELD ..	Not received.				
PORTSMOUTH ..	64	47	59·2	52·1	48	YORK (MUSEUM)	61	38	54·9	45·0	9
NORWICH (EATON).	64	38	56·3	45·7	50	HULL (PEARSON PARK).	60	39	55·1	44·4	10
PLYMOUTH ..	63	45	59·1	51·4	53	TYNEMOUTH ..	57	35	54·1	43·7	7
BRISTOL (CLIFTON).	67	42	56·4	48·4	38	CARDIFF	60	42	56·6	47·9	53
BIRMINGHAM (EDGBASTON)	60	39	54·0	45·6	36	EDINBURGH ..	57·0	37·0	52·6	42·7	14
NOTTINGHAM ..	62	34	54·9	44·9	12	GLASGOW ..	58·7	36·4	53·5	41·8	34
BIRKENHEAD (BIDSTON).	62	42	55·0	47·6	33	DUBLIN (PHŒNIX PARK).	60·0	36·0	56·1	42·1	8
MANCHESTER (WHITWORTH PARK).	59	39	54·4	45·3	32	FITZWILLIAM SQUARE.†	61·0	41·9	56·2	46·9	8
BURNLEY.. ..	59	38	53·1	44·4	38	BELFAST	61·0	40·0	57·6	42·5	20
HUDDERSFIELD	Not received.				12						

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 13th October, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	7	..	29·778	61·7	45·4	16·3	52·8	+ 0·5	48·4	4·4	14·3	1·2	85	97·2	39·8	55·0	WSW	WSW	2·6	0·0	0·2	325	+ 67	0·28
MONDAY -	8	..	29·704	60·2	51·5	8·7	55·1	+ 3·1	48·2	6·9	14·1	0·2	78	90·7	46·7	55·0	WNW	WNW: WSW.	3·5	0·0	0·2	314	+ 61	0·23
TUESDAY -	9	In Equator	29·688	67·8	52·0	15·8	58·4	+ 6·8	49·7	8·7	18·5	0·2	73	105·9	42·5	55·0	WSW: W.	W	7·9	0·0	0·8	560	+ 309	0·06
WEDNESDAY	10	New	29·712	62·0	51·6	10·4	56·6	+ 5·3	53·7	2·9	4·9	2·0	90	70·0	43·9	54·9	WSW	SW: WSW.	6·0	0·0	0·6	435	+ 184	0·05
THURSDAY -	11	Perigee	29·709	55·0	49·6	5·4	51·7	+ 0·8	48·9	2·8	5·9	0·6	90	67·8	47·8	54·7	WSW: W.	WSW: SW.	2·0	0·0	0·2	282	+ 29	0·26
FRIDAY -	12	..	29·148	57·4	44·2	13·2	50·8	+ 0·2	50·6	0·2	3·5	0·0	100	64·4	38·5	54·8	Calm: SSW.	SSW: NNW: WSW.	7·0	0·0	0·6	343	+ 86	0·85
SATURDAY -	13	..	29·244	55·9	41·9	14·0	48·0	− 2·3	40·4	7·6	14·9	1·6	75	99·0	35·2	54·7	WSW	SW: WSW.	4·8	0·0	0·7	432	+ 170	0·00
MEANS -		..	29·569	60·0	48·0	12·0	53·3	+ 2·1	48·6	4·8	10·9	0·8	84	85·0	42·1	54·9	Westerly		..	..	..	Sum 2,691	Sum + 906	Sum 1·73
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. OCTOBER.		ELECTRICITY. (For explanation of symbols. *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	7	wP to 20h., then variably mN and sN.	3·2	11·3	Variably cloudy till 8½h., then overcast generally. Slight damping 15h., and rain from 20¼h. Solar halo 10h.
MONDAY ..	8	wP to 5h.; mP to 8h.; sP to 18h.; mP to 21h.: then variably wN to wP.	4·8	11·2	Overcast till 6h., cloudy generally till 14h., becoming overcast by 14½h. Partial solar halo 15h. Rain till 1h., and from 19h.
TUESDAY ..	9	wP to 8h.: mP to 13h.; sP to 16h.; then mP.	2·8	11·1	Overcast generally till 11h.; little cloud till 13½h., cloudy till 22h., then overcast. Rain till 1¾h. Brisk wind 1h. till 17h.
WEDNESDAY	10	wP	0·0	11·0	Overcast throughout. Frequent drizzle 7½h. till 21h. Rain from 23h. Brisk wind 15h. till 23h.
THURSDAY	11	wP to 8h.; mP to 16h.; sP to 21h.; then mP.	0·0	11·0	Overcast throughout. Rain till 7h., and 14h. till 16¼h.
FRIDAY ..	12	wP to 7h.; variably mN to wP till 16h.; sP till 19h.; variable till 20h. then wP.	0·0	10·9	Overcast till 16½h., nearly overcast till 20½h. then nearly cloudless. Rain 4¼h. till 16½h. Brisk wind 9h. till 15h.
SATURDAY	13	wP till 8h.; mP till 12h.; sP till 21h.; then mP.	7·4	10·9	Cloudless till 5½h., few clouds till 9h.; very cloudy till 15h.; then little cloud. Overcast period 19h. till 21h. Brisk wind 7h. till 14h.
			Sum 18·2	Sum 77·4	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 29·80 in. at the beginning of the week to 29·58 in. by 3h. on 8th; increased to 29·73 in. by 15h. on 8th; decreased to 29·53 in. by 4h. on 9th; increased to 29·89 in. by 3h. on 10th; decreased to 29·60 in. by 21h. on 10th; increased to 29·74 in. by 11h. on 11th; decreased to 29·03 in. by 15h. on 12th; increased generally and was 29·41 in. at midnight of the 13th.

Printed and published by His Majesty's Stationery Office Press,
11-17, Hare Street, E.2

FOR OFFICIAL USE.

1923. No. 42

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 20TH OCTOBER, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 20TH OCTOBER, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-second week of the year numbered 7,464 and corresponded to an annual rate of 20·3 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,579 and corresponded to an annual rate of 9·7 per 1,000 of their aggregate civilian population, which is estimated at 19,170,699 in the year 1922. In the preceding three weeks the rates had been 10·0, 9·5 and 9·9. Infant mortality was 62 per 1,000 births, against 69, 66 and 66 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,673 births, corresponding to a rate of 19·2 per 1,000, and 853 deaths of civilians, corresponding to a rate of 9·8, as against 10·7, 9·6 and 10·0 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 10·0 per 1,000. The infant mortality was 62 as against 87, 82 and 79 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 71 in the total deaths last week, and the deaths from influenza fell from 40 to 33. In London the number of deaths from all causes fell from 869 to 853; while the deaths from diphtheria, which had been 4, 8 and 10 in the preceding three weeks, fell to 8 last week, and those of infants under two years of age from diarrhœal diseases, which had been 57, 41 and 39 in the preceding three weeks, fell to 28 last week.

Just Published:

Census of England and Wales, 1921.

County of Warwick. Price 6*s*. 6*d*. net.

County of Worcester. Price 8*s*. net.

County of London—Tables, Part III (Supplementary), Workplaces in London and five Home Counties. Price 3*s*. net.

County of Durham. Price 12*s*. 6*d*. net.

County of Northumberland. Price 9*s*. net.

County of Gloucester. Price 9*s*. net.

County of Devon. Price 11*s*. 6*d*. net.

County of Cornwall. Price 8*s*. net.

County of Chester. Price 12*s*. 6*d*. net.

The Registrar General's Statistical Review, 1921.

Tables, Part II. Civil. Price 5*s*. net.

Text. Price 5*s*. net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 20th October, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,699*	7,464	3,579	464	7	15	15	17	25	103	33
London	4,534,230*	1,673	853	104	1	4	2	2	8	28	7
Towns in Outer Ring. Croydon C.B. ..	192,300	77	42	4	–	–	–	–	1	1	–
Wimbledon ..	61,730	12	9	1	–	–	–	–	–	1	–
Ealing	67,890	23	5	1	–	–	–	–	–	–	–
Acton	62,390	19	11	1	–	–	–	–	–	1	–
Willesden ..	168,200	53	22	2	–	–	–	–	–	1	–
Hendon	55,930	17	9	–	–	–	–	–	–	–	–
Hornsey	87,310	22	10	2	–	–	–	–	–	–	–
Wood Green ..	51,290	20	10	1	–	1	–	–	–	–	–
Tottenham ..	150,500	61	19	2	–	–	–	–	1	–	–
Edmonton ..	68,700	40	6	1	–	–	–	–	–	–	–
Enfield	62,010	25	8	–	–	–	–	–	–	–	–
West Ham C.B. ..	310,200	186	50	10	–	1	2	–	–	1	–
East Ham C.B. ..	145,800	56	19	4	–	–	–	–	–	1	1
Leyton	131,600	35	27	1	–	–	–	–	–	–	–
Walthamstow ..	129,700	41	18	1	–	–	–	–	–	–	1
Ilford	86,370	24	9	–	–	–	–	–	–	–	–
Gillingham	48,630*	18	4	–	–	–	–	–	–	–	–
Canterbury C.B ..	23,680	10	4	1	–	–	–	–	–	–	–
Hastings C.B.	59,500	19	17	–	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	15	13	1	–	–	–	1	–	–	–
Brighton C.B. ..	135,279†	42	37	1	–	–	–	–	2	–	–
Portsmouth C.B. ..	236,630*	92	31	1	–	–	–	–	–	1	2
Bournemouth C.B. ..	81,500	24	18	–	–	–	–	–	–	–	–
Southampton C.B. ..	163,700	67	38	2	–	–	–	–	–	1	1
Reading C.B.	92,990	33	20	3	–	–	–	–	–	1	–
Oxford C.B.	56,510	18	11	–	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	42	18	2	–	–	–	–	–	–	–
Luton	58,260	26	13	3	–	–	–	–	–	–	–
Cambridge	59,200	26	10	2	–	–	–	–	–	–	–
Southend-on-Sea C.B.	91,430	32	18	–	–	–	–	–	–	–	–
Ipswich C.B.	80,950	26	8	1	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	22	7	–	–	–	–	–	–	–	–
Norwich C.B ..	122,900	44	23	3	–	–	–	–	–	–	–
Swindon	55,680	15	9	–	–	–	–	–	–	–	–
Exeter C.B.	59,700	23	6	–	–	–	–	–	–	–	1
Plymouth C.B. ..	200,370*	66	35	2	1	–	–	–	1	1	1
Bath C.B.	68,530	23	9	–	–	–	–	–	–	–	–
Bristol C.B.	383,900	140	76	11	–	–	–	1	2	2	–
Gloucester C.B. ..	52,210	29	6	2	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	274,300	136	51	12	–	–	–	–	–	4	–
Burton-upon-Trent C.B.	49,630	20	8	1	–	–	–	–	–	1	–
Wolverhampton C.B.	105,700	38	19	2	–	–	–	–	–	1	–
Walsall C.B.	99,890	29	21	4	–	–	–	–	–	2	–
West Bromwich C.B.	76,260	37	4	1	–	–	–	–	–	–	–
Dudley C.B.	57,860	25	8	1	–	–	–	–	–	1	–
Worcester C.B. ..	49,240	21	6	–	–	–	–	–	–	–	–
Birmingham C.B. ..	945,100	360	165	21	–	–	1	1	2	12	–
Smethwick C.B. ..	78,140	26	17	–	–	–	–	–	–	–	–
Coventry C.B. ..	131,200	51	22	2	–	–	–	1	–	–	–
Leicester C.B. ..	238,800	104	45	7	–	–	–	–	2	1	1
Lincoln C.B.	66,930	28	11	–	–	–	–	–	–	–	1
Grimsby C.B.	84,650	38	23	3	–	–	–	–	–	1	–
Nottingham C.B. ..	267,900	102	44	7	–	–	–	2	–	1	–
Derby C.B.	132,400	52	27	1	–	1	1	–	–	1	–
Chesterfield ..	63,380	20	11	1	–	1	–	–	–	–	1
Stockport C.B. ..	125,800	35	26	6	–	–	–	–	1	–	–
Chester C.B.	41,190	16	7	1	–	–	–	–	–	–	–
Birkenhead C.B. ..	149,200	69	25	5	–	–	–	–	1	1	–
Wallasey C.B. ..	89,790	30	19	3	–	–	–	–	–	–	–
Liverpool C.B. ..	826,400	390	189	34	1	5	1	–	–	9	1
Bootle C.B.	79,750	48	13	–	–	–	–	–	–	–	–
St. Helens C.B. ..	106,400	63	14	5	–	–	–	–	–	1	–

* Population adjusted by the exclusion of non-civilians.
† As extended 1st October, 1923.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	24	15	–	–	–	–	–	–	–	2
WIGAN C.B.	91,750	51	19	3	–	–	–	–	–	1	1
WARRINGTON C.B. ..	79,150	39	6	2	–	–	–	–	–	1	–
BOLTON C.B.	182,700	59	49	8	–	–	1	–	–	3	1
BURY C.B.	57,400	10	12	–	–	–	–	–	–	–	–
MANCHESTER C.B. ..	748,500	306	118	16	–	–	1	1	–	3	–
SALFORD C.B.	240,700	110	58	9	–	–	–	–	–	2	–
OLDHAM C.B.	148,300	61	27	2	–	–	–	–	–	–	–
ROCHDALE C.B... ..	92,510	21	17	–	–	–	2	–	–	–	1
BURNLEY C.B.	105,100	31	17	3	–	–	–	1	–	1	–
BLACKBURN C.B. ..	129,600	37	21	1	–	–	–	–	–	–	–
PRESTON C.B.	120,900	42	27	4	–	–	1	–	–	–	–
BLACKPOOL C.B. ..	74,050	11	17	–	1	–	–	–	–	–	–
BARROW-IN-FURNESS C.B.	75,690	17	14	3	1	–	–	–	–	–	–
HUDDERSFIELD C.B. ..	111,600	38	29	1	–	–	–	1	–	–	–
HALIFAX C.B.	100,500	33	20	2	–	–	–	–	–	–	–
BRADFORD C.B. ..	291,300	107	70	6	–	–	–	1	1	2	1
LEEDS C.B.	466,700	178	110	10	–	–	1	–	1	–	1
DEWSBURY C.B. ..	55,170	19	15	2	–	–	–	–	–	–	1
WAKEFIELD C.B. ..	53,840	26	7	1	–	–	–	–	–	–	–
BARNSLEY C.B. ..	69,540	33	15	3	–	–	–	–	–	2	–
SHEFFIELD C.B. ..	522,600	198	93	17	1	1	–	–	1	4	–
ROTHERHAM C.B. ..	69,840	27	14	2	–	–	–	–	–	–	–
DONCASTER	55,020	25	10	1	–	–	–	–	–	1	–
YORK C.B.	84,980	22	18	–	–	–	–	–	–	–	1
HULL C.B.	294,000	145	53	8	1	–	–	–	–	5	2
MIDDLESBROUGH C.B.	134,800	58	30	6	–	–	1	–	–	–	–
DARLINGTON C.B. ..	66,710	25	9	2	–	–	–	–	–	–	–
STOCKTON-ON-TEES ..	65,950	22	21	2	–	–	–	–	–	–	1
WEST HARTLEPOOL C.B.	70,020	28	11	4	–	–	–	1	–	–	–
SUNDERLAND C.B. ..	162,900	93	36	5	–	1	–	1	–	1	1
SOUTH SHIELDS C.B. ..	122,400	71	33	6	–	–	1	–	–	–	1
GATESHEAD C.B. ..	127,300	68	24	4	–	–	–	1	–	1	–
NEWCASTLE-ON-TYNE C.B.	281,600	103	68	13	–	–	–	1	1	–	–
TYNEMOUTH C.B. ..	64,640	30	11	1	–	–	–	–	–	–	–
CARLISLE C.B.	53,490	29	8	3	–	–	–	–	–	–	–
NEWPORT (MON.) C.B.	94,880	34	10	1	–	–	–	–	–	–	–
CARDIFF C.B.	223,830	85	43	11	–	–	–	1	–	–	1
RHONDDA	167,500	56	28	7	–	–	–	–	–	–	–
MERTHYR TYDFIL C.B.	82,680	27	8	3	–	–	–	–	–	–	–
ABERDARE	56,580	17	8	–	–	–	–	–	–	–	–
SWANSEA C.B.	161,000	74	27	5	–	–	–	–	–	–	–
GREATER LONDON ..	7,563,730*	2,760	1,310	156	1	6	5	4	10	40	12
OUTER RING	3,029,500*	1,087	457	52	–	2	3	2	2	12	5
16 GREAT TOWNS IN OUTER RING	1,831,920	711	274	31	–	2	2	–	2	6	2
REMAINDER OF OUTER RING	1,197,580*	376	183	21	–	–	1	2	–	6	3
EDINBURGH†	426,000	176	95	10	–	–	1	–	2	1	–
GLASGOW†	1,041,400	515	256	36	–	13	1	3	1	5	1
DUBLIN (REGISTRATION AREA)†	431,000	159	128	28	–	–	–	1	–	5	–
BELFAST†	429,000	219	99	21	–	–	3	1	–	2	3

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years)	Influenza.
London‡	4,534,230	1923. Oct. 20	1673	853	9·8	1	–	4	2	2	8	28	7
Calcutta	896,067	Sept. 15	?	566§	32·4	?	–	?	?	?	?	?	13
Bombay	1,220,120	„ 22	381‖	727§	31·0	3	2	–	–	–	–	50	1
Madras	526,911	„ 8	453	342	33·7	2	1	–	?	3	–	28	1
Sydney and Suburbs	955,900	Aug. (31 days)	1848	1011	12·7	1	–	11	1	2	13	5	41
Brisbane (Metropolitan Area).	230,200	Aug.											
Perth (Metropolitan Area).	161,773	„ 25	72	32	10·3	–	–	–	–	–	–	–	–
Auckland (Urban Area).	167,760	Aug.											
Wellington (Urban Area).	112,070	„											
Christchurch (Urban Area).	113,400	„											
Cape Town	106,727	Sept. 15	45	19	9·3	–	–	–	–	–	–	–	–
Johannesburg	156,858	„ 15	81	36	11·9	–	–	–	–	–	1	–	–
Durban	50,488	„ 15	27	15	15·4	–	–	–	–	–	–	1	–
Paris	2,906,472	Oct. 10 (10 days)	1254	989	12·5	8	–	–	1	5	2	29	1
Antwerp	302,286	Aug. 25											
Amsterdam	701,778	Sept. 29	273	96	7·1	–	–	–	–	–	–	–	–
Copenhagen	570,000	Oct. 6	217	108	9·8	–	–	–	–	1	–	2	1
Stockholm	424,944	Sept. 29	118	80	9·8	–	–	–	–	–	–	–	–
Gothenburg	228,074	„ 29	?	39	8·9	–	–	–	–	–	–	–	–
Christiania	258,962	Oct. 6	84	55	11·0	–	–	1	–	–	–	1	–
Berlin	1,989,000	Sept. 22	366	435	11·4	–	?	–	2	–	–	8	–
Breslau	562,000	„ 22	172	146	13·5	1	?	–	–	–	1	22	–
Cologne	701,000	„ 22	199	126	9·3	–	?	2	–	1	1	12	–
Dresden	612,000	„ 22	140	134	11·4	1	?	–	1	–	1	2	–
Frankfort-on-Main..	475,000	„ 22	66	62	6·8	–	?	–	–	1	1	5	–
Hamburg	1,077,000	„ 22	294	249	12·0	–	?	–	–	–	1	1	–
Leipzig	682,000	„ 22	172	150	11·4	–	?	–	–	–	–	12	–
Munich	685,000	„ 22	169	163	12·4	–	?	–	–	–	–	10	–
Vienna	1,841,326	„ 1	535	416	11·6	1	–	–	–	2	–	15	–
Prague and Suburbs	697,111	Aug. 15 (15 days)											
Budapest	946,000	Sept. 1											
Warsaw	956,087	„ 29	411	258	14·1	4	–	3	7	–	1	41	–
Cairo	791,000	July 22	734	677	44·5	2	–	3	–	?	3	136	–
Alexandria	466,700	„ 22	355	309§	34·4	1	–	–	–	?	–	54	–
New York	5,927,617	Sept. 15											
Chicago	2,886,121	„ 22	?	630	11·4	4	–	1	–	5	7	55	–
Rio de Janeiro ..	1,304,285	„ 8	649	423	16·9	2	2	5	–	12	1	72	1
Montevideo	348,989	July 7											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienn Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 5 deaths from Asiatic Cholera in Calcutta, and from Plague, 1 in Calcutta, 4 in Bombay and 1 Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 20th October, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	853	104	13	20	15	32	33	59	102	136	167	172
Enteric fever	1	–	–	–	–	–	–	1	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	4	2	1	1	–	–	–	–	–	–	–	–
Scarlet fever	2	–	–	1	1	–	–	–	–	–	–	–
Whooping cough	2	–	1	1	–	–	–	–	–	–	–	–
Diphtheria	8	1	2	3	1	–	–	1	–	–	–	–
Influenza	7	–	–	–	–	–	–	1	1	2	2	1
Erysipelas	1	–	–	–	–	–	–	–	1	–	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	2	–	–	–	–	–	–	2	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	66	–	–	–	1	18	11	13	17	5	1	–
Nervous system..	4	–	1	2	1	–	–	–	–	–	–	–
Intestines and peritoneum	1	1	–	–	–	–	–	–	–	–	–	–
Other forms	3	–	–	–	1	1	1	–	–	–	–	–
Venereal diseases	1	1	–	–	–	–	–	–	–	–	–	–
Cancer	135	–	–	1	–	3	2	4	24	34	46	21
Rheumatic fever	2	–	–	–	1	–	–	–	–	–	1	–
Diabetes	10	–	–	–	–	–	1	–	1	6	2	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	2	–	1	–	–	–	–	1	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	46	–	–	–	–	–	–	–	7	9	18	12
Epilepsy	1	–	–	–	–	–	–	–	–	1	–	–
"Convulsions" (not puerperal) ..	2	1	1	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	20	–	–	–	3	2	–	3	7	3	–	2
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	2	–	–	1	–	1	–	–	–	–	–	–
Other diseases of heart	117	–	–	–	–	2	7	4	15	23	30	36
Other diseases of circulatory system	41	–	–	–	–	–	–	2	2	6	12	19
Bronchitis	51	1	–	–	–	–	1	–	4	9	13	23
Broncho-pneumonia	31	10	3	4	–	–	–	4	2	6	–	2
Lobar-pneumonia	12	2	–	1	–	–	–	3	1	1	1	3
Pneumonia (type not distinguished) ..	14	2	–	–	1	–	–	3	3	2	3	–
Other diseases of respiratory system	9	–	–	–	–	–	1	1	–	2	2	3
Diarrhœa and enteritis	32	28	–	1	–	–	–	1	1	–	1	–
Appendicitis, Typhlitis	6	–	–	1	1	1	1	1	–	–	1	–
Hernia, Intestinal obstruction	11	–	–	–	1	–	1	2	–	–	5	2
Cirrhosis of liver	7	–	–	–	–	–	–	–	–	4	2	1
Other diseases of digestive system ..	19	–	1	–	1	–	–	2	3	2	6	4
Acute nephritis	1	–	–	–	1	–	–	–	–	–	–	–
Chronic Bright's disease	20	–	–	–	1	–	1	2	3	8	4	1
Other diseases of genito-urinary system.	14	–	–	–	–	–	1	3	–	3	2	5
Puerperal sepsis	–	–	–	–	–	–	–	–	–	–	–	–
Other causes incident to childbirth ..	1	–	–	–	–	–	1	–	–	–	–	–
Congenital malformations	7	7	–	–	–	–	–	–	–	–	–	–
Premature birth	24	24	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	11	11	–	–	–	–	–	–	–	–	–	–
Old age..	35	–	–	–	–	–	–	–	–	–	4	31
Suicide	10	–	–	–	–	–	–	–	3	6	1	–
Burns and scalds	1	–	–	–	–	–	1	–	–	–	–	–
Drowning	3	–	–	–	–	–	1	–	1	1	–	–
Suffocation in bed	3	3	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	10	–	–	1	–	2	–	2	1	1	1	2
Other deaths by violence	10	–	–	1	–	1	–	1	2	1	2	2
Other specified causes	31	10	2	1	–	1	2	2	3	1	7	2
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 20th October, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	216	182	10	60	C. 4 D. 3 E. 1 G. 2 M. 15
†CITY OF LONDON	–	2	–	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	6	3	–	4	E 1
†BERMONDSEY ...	–	4	13	–	–	–
†BETHNAL GREEN	–	10	19	1	4	C. 1 M. 2
†CAMBERWELL ...	–	8	9	–	–	–
†CHELSEA	–	2	2	–	1	–
†DEPTFORD ...	–	5	5	1	2	–
†FINSBURY ...	–	7	4	–	1	–
†FULHAM	–	10	4	–	2	D. 1
†GREENWICH ...	–	3	–	1	–	–
†HACKNEY ...	–	10	9	1	–	C. 1 M. 1
†HAMMERSMITH ...	–	–	5	–	1	–
†HAMPSTEAD ...	–	3	2	–	–	–
†HOLBORN... ...	–	1	1	–	3	–
†ISLINGTON ...	–	32	27	–	–	M. 5

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	7	3	–	5	–
†LAMBETH ...	–	17	4	–	2	C. 1 D. 1
†LEWISHAM ...	–	6	3	–	1	–
†PADDINGTON ...	–	5	5	1	6	–
†POPLAR	–	7	7	–	6	C. 1 G. 1
†ST. MARYLEBONE	–	1	1	–	–	–
†ST. PANCRAS ...	–	12	7	1	5	M. 1
†SHOREDITCH ...	–	13	10	–	5	M. 2
†SOUTHWARK ...	–	4	11	–	2	M. 1
†STEPNEY	–	12	16	1	3	G. 1
†STOKE NEWINGTON	–	1	–	–	–	–
†WANDSWORTH ...	–	19	8	1	6	M. 1
†WESTMINSTER, CITY OF	–	5	2	–	–	M. 2
†WOOLWICH ...	–	4	2	2	1	D. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	1	4	1	–	M. 1
Boroughs and Urban Districts:—						
†BEDFORD ...	–	–	1	–	–	M. 1
†LUTON	–	1	–	1	–	–
Rural Districts:—						
AMPTHILL ...	–	–	3	–	–	–
BERKS	–	12	3	–	1	C. 2 G. 1 M. 1
†READING C.B. ...	–	1	–	–	1	C. 2 G. 1 M. 1
Boroughs and Urban Districts:—						
ABINGDON ...	–	1	–	–	–	–
†NEW WINDSOR	–	1	–	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	4	–	–	–	–
WALLINGFORD ...	–	3	–	–	–	–
WANTAGE ...	–	–	3	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	14	2	2	4	M. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	2	–	–	–	–
†CHEPPING WYCOMBE ...	–	4	2	–	–	–
CHESHAM... ...	–	2	–	–	–	–
ETON	–	3	–	–	–	–
MARLOW	*	*	*	*	*	*
†WOLVERTON ...	–	1	–	1	1	–
Rural Districts:—						
ETON	–	–	–	–	3	–
NEWPORT PAGNELL	–	2	–	1	–	–
WING	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	5	2	1	–	–
Borough:—						
†CAMBRIDGE ...	–	4	2	1	–	–
Rural Districts:—						
NEWMARKET ...	–	1	–	–	–	–
CHESTER	–	45	23	1	19	C. 1 E. 1 M. 6
†BIRKENHEAD C.B.	–	8	9	–	5	M. 1
†CHESTER C.B. ...	–	4	2	–	2	M. 1
†STOCKPORT C.B.	–	10	3	–	2	M. 1
†WALLASEY C.B. ...	–	2	–	–	2	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	–	–	–	1	–
†ALTRINCHAM ...	–	–	–	–	1	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	1	–
BOLLINGTON ...	–	2	–	–	–	–
BREDBURY AND ROMILEY	–	–	–	–	1	–
COMPSTALL ...	–	–	2	–	–	–
†CONGLETON ...	–	–	1	–	–	–
†CREWE	–	1	–	–	–	–
†DUKINFIELD ...	–	1	–	–	–	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	1	–
HOOLE	–	–	–	–	–	M. 1
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE	–	–	1	–	–	–
†MACCLESFIELD ...	–	3	–	–	–	C. 1 E. 1
NANTWICH ...	–	–	–	–	1	–
†NORTHWICH ...	–	2	–	–	–	–
†RUNCORN... ...	–	–	–	–	–	M. 2
†SALE	–	1	–	–	–	–
†STALYBRIDGE ...	–	–	–	–	2	–
†WINSFORD ...	–	1	1	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	–	1	–	–	–
CHESTER	–	–	1	–	–	–
CONGLETON ...	–	1	–	–	–	–
MACCLESFIELD ...	–	5	–	–	–	–
NANTWICH ...	–	–	1	–	–	–
NORTHWICH ...	–	1	1	–	–	–
RUNCORN... ...	–	1	–	–	–	–
CORNWALL ...	–	14	1	1	3	M. 1
Boroughs and Urban Districts:—						
CALLINGTON ...	–	1	–	–	–	–
†CAMBORNE ...	–	–	–	1	–	–
†FALMOUTH ...	–	6	–	–	–	–
LAUNCESTON ...	–	–	–	–	1	–
SAINT AUSTELL	–	1	1	–	–	–
Rural Districts:—						
EAST KERRIER ...	–	3	–	–	–	–
REDRUTH ...	–	–	–	–	1	M. 1
SAINT AUSTELL...	–	1	–	–	–	–
SAINT GERMANS	–	2	–	–	–	–
WEST PENWITH...	–	–	–	–	1	–
CUMBERLAND ...	–	14	7	–	–	–
†CARLISLE C.B. ...	–	1	–	–		–
Boroughs and Urban Districts:—						
COCKERMOUTH ...	–	1	–	–	–	–
HARRINGTON ...	–	1	1	–	–	–
†MARYPORT ...	–	1	2	–	–	–
PENRITH	–	1	–	–	–	–
WIGTON	–	–	1	–	–	–
†WORKINGTON ...	–	4	–	–	–	–
Rural Districts:—						
CARLISLE ...	*	*	*	*	*	*
COCKERMOUTH ...	–	5	2	–	–	–
WHITEHAVEN ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	1	39	17	3	9	C. 1 E. 2 M. 4
†DERBY C.B. ...	–	11	2	1	4	M. 2
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	4	–	–	–
†BELPER	–	4	–	–	–	–
†BOLSOVER ...	–	2	–	–	–	–
†CHESTERFIELD ...	1	1	–	–	–	–
DRONFIELD ...	–	–	–	–	–	M. 1
†HEANOR	–	–	1	–	1	M. 1
†ILKESTON ...	–	–	–	–	1	–
†LONG EATON ...	–	2	–	–	2	E. 1
NEW MILLS ...	–	1	–	–	–	–
†SWADLINCOTE DISTRICT	–	–	1	–	1	–
Rural Districts:—						
ASHBOURNE ...	–	3	–	–	–	–
BAKEWELL ...	–	1	–	–	–	E. 1
BELPER	–	–	1	–	–	–
BLACKWELL ...	–	5	–	1	–	–
CHAPEL EN LE FRITH	–	1	–	–	–	–
CHESTERFIELD ...	–	3	2	1	–	C. 1
CLOWNE	–	–	1	–	–	–
CODNOR PARK AND SHIPLEY (Parishes) ...	–	–	1	–	–	–
GLOSSOP DALE ...	–	1	2	–	–	–
HAYFIELD ...	–	2	–	–	–	–
NORTON	–	–	1	–	–	–
REPTON	–	–	1	–	–	–
SHARDLOW ...	–	2	–	–	–	–
DEVON	–	23	4	–	2	C. 1 G. 1 M. 3
†EXETER C.B. ...	–	1	–	–	2	M. 1
†PLYMOUTH C.B....	–	8	3	–	–	M. 2
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	–	–	–	–	G. 1
HONITON	–	1	–	–	–	–
†NEWTON ABBOT...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†PAIGNTON ...	–	1	–	–	–	–
SIDMOUTH ...	–	1	–	–	–	–
†TEIGNMOUTH ...	–	1	–	–	–	–
†TORQUAY ...	–	1	1	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	1	–	–	–	–
HOLSWORTHY (part)	–	4	–	–	–	–
OKEHAMPTON ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	1	–	–	–	–
ST. THOMAS ...	–	–	–	–	–	C. 1
TORRINGTON ...	–	1	–	–	–	–
DORSET	–	2	–	–	–	E. 1
Rural Districts:—						
BLANDFORD ...	–	1	–	–	–	–
POOLE	–	1	–	–	–	–
SHAFTESBURY ...	–	–	–	–	–	E. 1
DURHAM	9	87	22	2	40	C. 3 E. 1 G. 1 M. 5
†DARLINGTON C.B.	–	4	1	–	4	–
†GATESHEAD C.B.	1	9	3	–	2	E. 1 G. 1
†SOUTH SHIELDS C.B.	–	7	–	–	8	–
†SUNDERLAND C.B.	–	9	5	1	5	C. 1 M. 1
†WEST HARTLEPOOL C.B	–	3	1	–	1	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	1	–	1	–
†BLAYDON... ...	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHESTER LE STREET	–	–	1	–	–	C. 1
†CONSETT	–	1	–	–	–	–
†CROOK	–	1	–	–	–	–
†DURHAM	–	1	–	1	–	–
†FELLING	–	–	–	–	3	–
†HARTLEPOOL ...	–	1	–	–	1	–
†HEBBURN ...	–	1	–	–	2	–
†HETTON	–	–	–	–	1	–
†HOUGHTON LE SPRING	–	1	–	–	–	–
†JARROW	–	3	1	–	4	–
LEADGATE ...	–	–	1	–	–	–
†SEAHAM HARBOUR	–	1	1	–	–	–
†SHILDON	–	1	–	–	–	–
†SOUTHWICK ON WEAR	4	1	–	–	–	–
†SPENNYMOOR ...	–	2	–	–	–	–
†STANLEY	–	1	–	–	2	–
†STOCKTON ON TEES	–	8	2	–	3	–
†TANFIELD ...	–	1	–	–	–	–
†WASHINGTON ...	–	1	–	–	–	–
†WHICKHAM ...	*	*	*	*	*	*
WILLINGTON ...	*	*	*	*	*	*
Rural Districts:—						
AUCKLAND ...	–	3	1	–	–	M. 1
CHESTER LE STREET	–	5	–	–	–	–
DURHAM	–	1	–	–	–	–
EASINGTON ...	–	10	–	–	–	M. 1
HARTLEPOOL ...	–	1	–	–	–	–
HOUGHTON LE SPRING	–	2	–	–	–	M. 2
SEDGEFIELD ...	–	2	–	–	–	–
SOUTH SHIELDS...	–	1	2	–	–	C. 1
STOCKTON ...	–	–	1	–	–	–
SUNDERLAND ...	4	1	1	–	3	–
ELY, ISLE OF ...	–	2	–	1	–	–
Boroughs and Urban Districts:—						
ELY	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF—*cont.*						
Rural Districts:—						
NORTH WITCHFORD	–	–	–	1	–	–
ESSEX	–	58	41	1	13	M. 2
†EAST HAM C.B. ...	–	3	2	–	1	–
†SOUTHEND-ON-SEA C.B.	–	3	2	–	3	M. 1
†WEST HAM C.B. ...	–	17	16	1	4	–
Boroughs and Urban Districts:—						
BRENTWOOD ...	–	–	–	–	–	M. 1
BURNHAM ON CROUCH	–	2	–	–	–	–
†CLACTON	–	–	10	–	–	–
†COLCHESTER ...	–	5	–	–	–	–
†HARWICH ...	–	1	1	–	–	–
†ILFORD	–	2	3	–	–	–
†LEYTON	–	7	3	–	1	–
†ROMFORD ...	–	1	–	–	–	–
TILBURY	–	–	1	–	–	–
†WALTHAMSTOW ...	–	12	2	–	2	–
†WANSTEAD ..	–	1	–	–	–	–
†WOODFORD ...	–	1	–	–	–	–
Rural Districts:—						
EPPING	–	–	1	–	–	–
MALDON... ...	–	1	–	–	–	–
ONGAR	–	–	–	–	1	–
ORSETT	*	*	*	*	*	*
ROMFORD... ...	–	1	–	–	–	–
SAFFRON WALDEN	–	1	–	–	–	–
TENDRING ...	–	–	–	–	1	–
GLOUCESTER ...	8	36	23	12	5	E. 1 M. 1
†BRISTOL C.B. ...	–	16	14	–	1	E. 1
†GLOUCESTER C.B.	2	3	2	6	1	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	3	–	–	–
COLEFORD ...	–	1	1	–	–	–
GLOUCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KINGSWOOD ...	–	1	1	–	–	M. 1
STOW ON THE WOLD	*	*	*	*	*	*
TEWKESBURY ...	–	–	–	–	1	–
Rural Districts:—						
CHELTENHAM ...	–	2	–	–	–	–
EAST DEAN AND UNITED PARISHES ...	6	1	–	–	1	–
GLOUCESTER ...	–	–	1	3	–	–
LYDNEY	–	1	1	1	–	–
TEWKESBURY (part)	–	1	–	1	–	–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	2	–	–	–	–
WEST DEAN ...	–	7	–	1	–	–
HEREFORD ...	–	2	1	–	1	F. 1
Boroughs and Urban Districts:—						
KINGTON	–	–	1	–	–	–
ROSS	–	2	–	–	–	–
Rural Districts:—						
ROSS	–	–	–	–	1	F. 1
HERTFORD ..	–	9	3	–	1	–
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	2	–	–	–	–
†HITCHIN	–	1	1	–	–	–
ROYSTON	–	1	–	–	–	–
WARE	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
BARNET	–	1	1	–	–	–
BERKHAMPSTEAD	–	–	1	–	–	–
HATFIELD ...	–	1	–	–	–	–
ST. ALBANS ...	–	–	–	–	1	–
WATFORD ...	–	1	–	–	–	–
HUNTINGDON ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
ST. NEOTS ...	–	–	–	–	1	–
KENT	–	22	21	–	7	D. 1 L. 1 M. 4
†CANTERBURY C.B	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1	2	–	–	–
†BEXLEY	–	1	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	2	–
†BROMLEY ...	–	1	2	–	–	–
†CHATHAM ...	–	1	–	–	–	–
†CRAYFORD ...	–	–	–	–	1	–
†DOVER	–	–	1	–	–	–
†ERITH	–	4	2	–	–	–
†FOLKESTONE ...	–	–	–	–	–	M. 1
†GILLINGHAM ...	–	–	4	–	–	–
†GRAVESEND ...	–	3	3	–	–	
†MARGATE ...	–	–	1	–	–	–
†NORTHFLEET ...	–	–	1	–	–	M. 1
†PENGE	–	1	–	–	–	–
†RAMSGATE ...	–	1	–	–	–	M. 1
†ROYAL TUNBRIDGE WELLS	–	1	–	–	–	–
SEVENOAKS ...	–	–	1	–	–	–
†TONBRIDGE ...	–	–	–	–	–	D. 1
WALMER	–	–	1	–	–	–
KENT—*cont.*						
Rural Districts:—						
BROMLEY ...	–	1	1	–	–	–
DARTFORD ...	–	1	–	–	–	–
DOVER	–	1	–	–	–	–
EAST ASHFORD ...	–	–	1	–	–	–
FAVERSHAM ...	–	–	1	–	–	–
ISLE OF THANET	–	–	–	–	1	–
MALLING	–	–	–	–	3	L. 1
TONBRIDGE ...	–	4	–	–	–	M. 1
LANCASTER ...	–	240	91	11	117	C. 6 E. 2 F. 2 G. 2 L. 4 M. 24
†BARROW IN FURNESS C.B.	–	4	–	–	–	–
†BLACKBURN C.B.	–	1	–	–	6	–
†BLACKPOOL C.B.	–	3	–	–	1	M. 1
†BOLTON C.B. ...	–	7	2	–	3	M. 2
†BOOTLE C.B. ...	–	7	–	–	2	–
†BURNLEY C.B. ...	–	3	1	1	2	M. 1
†BURY C.B. ...	–	2	3	–	2	G. 1
†LIVERPOOL C.B. ...	–	50	26	–	23	G. 1 M. 15
†MANCHESTER C.B.	–	35	13	1	26	C. 2 F. 1 M. 3
†OLDHAM C.B. ...	–	2	–	–	1	–
†PRESTON C.B. ...	–	7	6	–	2	–
†ROCHDALE C.B. ...	–	18	1	–	–	C. 1 F. 1
†ST. HELENS C.B. ...	–	4	1	–	4	L. 2
†SALFORD C.B. ...	–	13	1	3	4	C. 1
†SOUTHPORT C.B.	–	1	1	–	3	–
†WARRINGTON C.B.	–	4	5	–	1	–
†WIGAN C.B. ...	–	2	4	3	3	–
Boroughs and Urban Districts:—						
ABRAM	–	1	–	–	1	–
†ACCRINGTON ...	–	4	1	–	1	–
†ASHTON IN MAKERFIELD	–	2	–	–	2	–
†ASHTON UNDER LYNE	–	2	1	–	3	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ATHERTON ...	–	–	2	–	1	–
BILLINGE... ...	–	1	–	–	–	–
†CHADDERTON ..	–	1	–	–	–	–
CHURCH	–	1	–	–	–	–
†COLNE	–	3	–	–	1	–
†CROMPTON ...	–	1	–	–	–	E. 1
†DALTON IN FURNESS	–	3	–	–	–	–
†DARWEN	–	1	–	–	1	–
†DENTON	–	1	–	–	1	–
†ECCLES	–	1	–	–	1	–
†FAILSWORTH ...	–	2	1	–	–	–
†FARNWORTH ...	–	–	1	–	–	M. 1
†FLEETWOOD ...	–	1	–	–	–	–
GOLBORNE ..	–	–	1	–	–	–
†HASLINGDEN ...	–	–	–	–	–	M. 1
†HEYWOOD ...	–	2	–	–	–	–
†HINDLEY... ...	–	–	–	–	3	–
†HORWICH ...	–	2	1	–	1	–
†INCE IN MAKERFIELD	–	–	–	1	1	–
KEARSLEY ..	–	2	–	–	–	–
KIRKHAM ..	–	2	–	–	–	–
†LANCASTER ...	–	–	2	1	1	–
LATHOM AND BURSCOUGH	–	–	1	–	–	–
†LEIGH	–	6	2	–	2	C. 1
LEYLAND... ...	–	1	–	–	1	–
†LITHERLAND ...	–	1	–	–	–	–
†MIDDLETON ...	–	1	1	–	1	–
MILNROW... ...	–	1	–	–	1	–
†MOSSLEY	–	2	–	–	–	–
†NEWTON IN MAKERFIELD	–	2	–	–	–	–
ORMSKIRK ...	–	–	1	–	1	–
PRESCOT	–	–	1	–	–	–
†RADCLIFFE ...	–	–	–	–	3	–
†RAMSBOTTOM ...	–	1	–	–	1	–
†RAWTENSTALL ...	–	2	3	–	–	–
RISHTON	–	–	2	–	–	–
SKELMERSDALE...	–	1	–	–	–	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD... ...	–	7	–	–	–	–
†SWINTON AND PENDLEBURY	–	2	1	1	1	–
†TURTON	–	1	–	–	–	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TYLDESLEY WITH SHAKERLEY	–	2	–	–	–	–
†ULVERSTON ...	–	2	–	–	–	–
URMSTON... ..	–	–	–	–	1	–
†WATERLOO WITH SEAFORTH	–	3	1	–	–	–
WHITEFIELD ...	–	–	–	–	1	–
WHITWORTH ...	–	1	–	–	–	–
†WIDNES	–	4	1	–	1	–
†WORSLEY... ...	–	–	–	–	–	E. 1
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	–
BURNLEY... ...	*	*	*	*	*	*
CLITHEROE ...	–	–	–	–	–	L. 2
GARSTANG ...	–	1	1	–	–	–
LEIGH	–	1	–	–	–	–
LIMEHURST ...	–	–	–	–	1	–
SEFTON	–	1	1	–	–	–
WHISTON... ...	–	–	1	–	–	–
LEICESTER... ...	–	14	11	1	9	M. 3
†LEICESTER C.B. ...	–	9	6	–	9	M. 2
Boroughs and Urban Districts:—						
†COALVILLE ...	–	2	2	–	–	–
†LOUGHBOROUGH	–	2	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	2	–	–	M. 1
CASTLE DONNINGTON	–	–	–	1	–	–
MARKET BOSWORTH	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†BOSTON	–	2	–	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	2	2	–	1	–
Boroughs and Urban Districts:—						
BOURNE	–	2	–	–	–	–
†GRANTHAM ...	–	–	1	–	–	–
Rural Districts:—						
BRANSTON ...	–	–	–	–	1	–
CLAYPOLE ...	–	–	1	–	–	–
LINCOLN (parts of Lindsey).	–	22	10	1	3	–
†GRIMSBY C.B. ...	–	3	2	1	–	–
†LINCOLN C.B. ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	5	–	–	–
†CLEETHORPES ...	–	–	–	–	1	–
†GAINSBOROUGH ...	–	2	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	2	3	–	1	–
Rural Districts:—						
GAINSBOROUGH ...	–	–	–	–	1	–
GLANFORD BRIGG	–	1	–	–	–	–
HORNCASTLE ...	–	1	–	–	–	–
LOUTH	–	7	–	–	–	–
SPILSBY	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	56	30	–	6	C. 2 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	4	1	–	–	–
†CHISWICK ...	–	1	1	–	–	–
†EALING	–	2	–	–	–	–
†EDMONTON ...	–	4	2	–	1	–
†ENFIELD	–	2	1	–	–	–
†FINCHLEY ...	–	–	1	–	–	–
†FRIERN BARNET	–	–	1	–	–	–
†HAMPTON ...	–	1	–	–	–	–
†HANWELL ...	–	8	3	–	–	–
†HARROW ON THE HILL	–	1	–	–	–	–
†HESTON AND ISLEWORTH	–	3	–	–	1	C. 1
†HORNSEY	–	4	2	–	–	–
†SOUTHGATE ...	–	–	–	–	1	–
†TEDDINGTON ...	–	1	–	–	–	C. 1
†TOTTENHAM ...	–	10	6	–	2	–
†WEALDSTONE ...	–	–	–	–	1	–
†WEMBLEY ...	–	–	1	–	–	–
†WILLESDEN ...	–	8	10	–	–	–
†WOOD GREEN ...	–	2	–	–	–	–
Rural Districts:—						
STAINES	–	1	1	–	–	M. 1
UXBRIDGE ...	–	4	–	–	–	–
NORFOLK	–	33	2	4	–	
†GREAT YARMOUTH C.B.	–	3	–	1	–	–
†NORWICH C.B. ...	–	23	–	2	–	–
Boroughs and Urban Districts:—						
EAST DEREHAM ...	–	1	–	–	–	–
NORTH WALSHAM	–	1	–	–	–	–
Rural Districts:—						
DOCKING	–	–	1	1	–	–
DOWNHAM ...	–	1	–	–	–	–
HENSTEAD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
MITFORD AND LAUNDITCH	–	1	1	–	–	–
SMALLBURGH ...	–	1	–	–	–	–
THETFORD ...	–	1	–	–	–	–
NORTHAMPTON ...	–	44	10	2	13	C. 1 M. 1
†NORTHAMPTON C.B.	–	20	3	1	13	C. 1 M. 1
Boroughs and Urban Districts:—						
DAVENTRY ...	–	1	–	–	–	–
FINEDON	–	–	1	–	–	–
IRTHLINGBOROUGH	–	–	–	1	–	–
†KETTERING ...	–	6	–	–	–	–
ROTHWELL ...	–	9	–	–	–	–
†RUSHDEN ...	–	1	–	–	–	–
†WELLINGBOROUGH	–	–	1	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	–	1	–	–	–
HARDINGSTONE ...	–	1	–	–	–	–
THRAPSTON (part)	–	–	4	–	–	–
WELLINGBOROUGH	–	6	–	–	–	–
NORTHUMBERLAND	1	53	8	2	15	C. 1 E. 1 M. 5
†NEWCASTLE UPON TYNE C.B.	–	15	4	–	10	C. 1 M. 3
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	1	–	–	–	–
†BEDLINGTONSHIRE	–	4		–	–	–
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BERWICK UPON TWEED	–	–	–	–	1	–
†BLYTH	–	5	–	–	4	M. 2
CRAMLINGTON ...	–	1	–	–	–	–
†EARSDON	–	1	–	–	–	–
†LONGBENTON ...	–	7	–	1	–	–
MORPETH... ...	–	2	–	–	–	–
†NEWBURN ...	–	7	–	–	–	–
SEGHILL	–	–	1	–	–	–
†WALLSEND ...	1	–	1	–	–	E. 1
WEETSLADE ...	–	2	–	–	–	–
†WHITLEY AND MONKSEATON	–	1	–	–	–	–
Rural Districts:—						
ALNWICK... ...	–	2	–	–	–	–
CASTLE WARD ..	–	–	–	1	–	–
HEXHAM	–	–	2	–	–	–
MORPETH... ...	–	5	–	–	–	–
NOTTINGHAM ...	5	46	11	–	7	C. 2 M. 1
†NOTTINGHAM C.B.	–	25	5	–	2	M. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	1	–	–	–	–
†BEESTON	–	3	–	–	–	–
†CARLTON	–	4	–	–	–	–
†EAST RETFORD ...	–	–	–	–	3	–
†HUCKNALL ...	3	3	–	–	–	C. 1
HUTHWAITE ...	–	1	–	–	–	–
†KIRKBY IN ASHFIELD	2	–	–	–	1	–
†MANSFIELD ...	–	2	3	–	1	–
†NEWARK	–	1	1	–	–	–
†WORKSOP... ...	–	–	–	–	–	C. 1
Rural Districts:—						
BASFORD	–	5	–	–	–	–
BINGHAM... ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever :

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts—*cont.*						
EAST RETFORD ...	–	–	1	–	–	–
SKEGBY	–	1	–	–	–	–
OXFORD	–	12	1	2	–	–
†OXFORD C.B. ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	–	–	1	–	–
THAME	–	–	–	1	–	–
Rural Districts:—						
BANBURY... ...	–	–	1	–	–	–
CULHAM	–	2	–	–	–	–
HEADINGTON ...	–	4	–	–	–	–
WITNEY	–	1	–	–	–	–
PETERBOROUGH (Soke of)	–	2	1	–	2	–
Borough:—						
†PETERBOROUGH...	–	2	1	–	2	–
RUTLAND	–	–	1	–	–	–
Rural District:—						
KETTON	–	–	1	–	–	–
SALOP	–	15	3	1	4	C. 1 M. 1
Boroughs and Urban Districts:—						
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	2	1	–	2	–
WELLINGTON ...	–	1	–	–	2	–
WEM	–	2	–	–	–	–
†WENLOCK ...	–	–	–	–	–	M. 1
WHITCHURCH ...	–	–	1	–	–	–
SALOP—*cont.*						
Rural Districts:—						
ATCHAM	–	1	–	–	–	C. 1
DRAYTON... ...	–	4	–	–	–	–
OSWESTRY ...	–	2	1	–	–	–
TEME	–	1	–	–	–	–
WELLINGTON ...	–	1	–	–	–	–
WEM	–	–	–	1	–	–
SOMERSET	–	32	6	–	3	–
†BATH C.B. ...	–	4	1	–	–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	1	–	–	–
CLEVEDON ...	–	1	–	–	–	–
PORTISHEAD ...	–	1	–	–	–	–
STREET	*	*	*	*	*	*
†TAUNTON... ...	–	–	2	–	–	–
†WESTON SUPER MARE	–	2	–	–	1	–
†YEOVIL	–	1	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	2	–	–	1	–
BATH	–	2	–	–	–	–
BRIDGWATER ...	–	1	–	–	–	–
CLUTTON... ...	–	6	–	–	–	–
FROME	–	–	1	–	–	–
KEYNSHAM ...	–	2	1		–	–
LANGPORT ...	–	1	–	–	–	–
LONG ASHTON ...	–	3	–	–	–	–
TAUNTON ...	–	1	–	–	–	–
WINCANTON ...	–	1	–	–	–	–
YEOVIL	–	3	–	–	–	–
SOUTHAMPTON ...	–	41	17	4	2	M. 1
†BOURNEMOUTH C.B.	–	2	–	–	–	–
†PORTSMOUTH C.B.	–	20	11	2	–	M. 1
†SOUTHAMPTON C.B.	–	12	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Boroughs and Urban Districts:—						
Christchurch ...	–	1	–	1	–	–
†Gosport	–	1	2	–	1	–
Lymington ...	*	*	*	*	*	*
Warblington ...	–	1	–	–	–	–
†Winchester ...	–	1	–	–	–	–
Rural Districts:—						
Droxford ...	–	–	–	1	–	–
Fareham ...	–	1	1	–	–	–
Whitchurch ...	–	–	2	–	–	–
Winchester ...	–	2	–	–	–	–
STAFFORD	–	70	17	4	29	C. 1 M. 11
†Burton upon Trent C.B.	–	1	–	–	2	M. 1
†Smethwick C.B.	–	3	–	–	–	–
†Stoke on Trent C.B.	–	23	3	–	11	M. 5
†Walsall C.B. ...	–	4	–	–	3	–
†West Bromwich C.B.	–	3	5	–	2	–
†Wolverhampton C.B.	–	4	1	1	1	M. 1
Boroughs and Urban Districts:—						
Biddulph ...	–	4	1	–	–	–
†Bilston	–	1	–	–	1	–
†Brierley Hill...	–	1	–	–	–	–
†Brownhills ...	–	1	1	–	3	–
†Cannock	–	1	1	–	–	–
†Coseley	–	2	–	1	–	–
†Darlaston ...	–	1	–	–	–	–
†Heathtown or Wednesfield Heath	*	*	*	*	*	*
Kidsgrove ...	–	1	–	–	–	–
†Leek	–	–	–	–	–	M. 1
†Newcastle under Lyme	–	–	–	–	1	M. 1
Perry Barr ...	*	*	*	*	*	*
Quarry Bank ...	–	–	1	–	–	–
†Rowley Regis ...	–	7	–	–	1	–
Rugeley	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Sedgley	–	2	–	–	–	–
†Stafford ...	–	2	–	–	1	–
†Tipton	–	1	1	–	–	M. 2
†Wednesbury ...	–	–	1	–	3	–
†Willenhall ...	–	–	1	–	–	–
Rural Districts:—						
Cannock	–	–	1	–	–	–
Cheadle... ...	–	1	–	–	–	–
Leek	–	2	–	1	–	–
Lichfield ...	–	2	–	–	–	C. 1
Stafford ...	–	–	–	1	–	–
Stone	–	1	–	–	–	–
SUFFOLK, EAST ...	–	7	4	3	3	–
†Ipswich C.B. ...	–	3	–	–	1	–
Boroughs and Urban Districts:—						
Beccles	–	1	–	–	–	–
†Lowestoft ...	–	–	3	3	2	–
Rural Districts:—						
Blything ...	–	–	1	–	–	–
Bosmere and Claydon	–	2	–	–	–	–
Samford... ...	–	1	–	–	–	–
SUFFOLK, WEST ...	–	5	1	–	1	E. 3
Boroughs and Urban Districts:—						
Glemsford ...	–	–	–	–	–	E. 2
Newmarket ...	–	5	–	–	–	–
Rural Districts:—						
Cosford	–	–	1	–	–	–
Melford... ...	–	–	–	–	–	E. 1
Thingoe	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY	–	26	12	1	6	E. 2 G. 1 M. 1
†CROYDON C.B. ...	–	4	3	–	1	M. 1
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	1	E. 1
†CATERHAM ...	–	1	–	–	1	–
†CHERTSEY ...	–	3	–	–	–	–
EAST AND WEST MOLESEY	–	–	1	–	–	–
†EGHAM	–	–	–	–	2	–
†EPSOM	–	–	1	–	–	–
†FARNHAM ...	–	–	1	–	1	–
†GUILDFORD ...	–	–	1	–	–	–
HASLEMERE ...	–	–	–	–	–	E. 1
†KINGSTON ON THAMES	–	3	–	–	–	G. 1
†MERTON AND MORDEN	–	2	1	–	–	–
†MITCHAM... ...	–	–	1	–	–	–
†RICHMOND ...	–	5	–	–	–	–
†SURBITON ...	–	2	1	–	–	–
†WIMBLEDON ...	–	–	1	–	–	–
†WOKING	–	1	–	–	–	–
Rural Districts:—						
DORKING	–	–	1	–	–	–
FARNHAM ...	–	–	–	1	–	–
GUILDFORD ...	–	3	–	–	–	–
HAMBLEDON ...	–	1	–	–	–	–
SUSSEX, EAST ...	–	12	9	1	4	M. 1
†BRIGHTON C.B. ...	–	2	3	–	–	M. 1
†EASTBOURNE C.B.	–	–	4	–	–	–
†HASTINGS C.B. ...	–	3	1	1	3	–
Boroughs and Urban Districts:—						
BURGESS HILL ...	–	–	–	–	1	–
†HOVE	–	4	1	–	–	–
PORTSLADE BY SEA	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Rural Districts:—						
CUCKFIELD ...	–	1	–	–	–	–
SUSSEX, WEST ...	–	6	2	1	1	–
Boroughs and Urban Districts:—						
†BOGNOR	–	1	1	–	–	–
†CHICHESTER ...	–	–	1	–	1	–
†HORSHAM ...	–	2	–	–	–	–
†WORTHING ...	–	–	–	1	–	–
Rural Districts:—						
MIDHURST ...	–	1	–	–	–	–
PETWORTH ...	–	2	–	–	–	–
WARWICK	–	80	42	1	36	C. 8 E. 6 G. 1 M. 9
†BIRMINGHAM C.B.	–	51	32	1	25	C. 7 E. 4 G. 1 M. 8
†COVENTRY C.B. ...	–	13	–	–	–	C. 1
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	–	–	3	–
†NUNEATON ...	–	1	2	–	5	–
†ROYAL LEAMINGTON SPA	–	1	–	–	–	–
†RUGBY	–	–	2	–	–	–
†SUTTON COLDFIELD	–	1	–	–	–	–
Rural Districts:—						
ATHERSTONE ...	–	1	1	–	–	–
FOLESHILL ...	–	5	–	–	1	–
MERIDEN... ...	–	3	5	–	1	E. 1
RUGBY	–	2	–	–	1	–
TAMWORTH (part)	–	2	–	–	–	–
WARWICK ...	–	–	–	–		E. 1 M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WESTMORLAND ...	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF ...	–	4	–	–	–	–
Boroughs and Urban Districts—						
†COWES	–	1	–	–	–	–
SANDOWN ...	–	3	–	–	–	–
WILTS	–	13	6	–	3	–
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
DEVIZES	–	–	1	–	–	–
MELKSHAM ...	*	*	*	*	*	*
†SALISBURY ...	–	–	5	–	–	–
†SWINDON... ...	–	4	–	–	1	–
Rural Districts:—						
CHIPPENHAM ...	–	6	–	–	–	–
DEVIZES	–	1	–	–	–	–
MELKSHAM ...	*	*	*	*	*	*
PEWSEY	–	–	–	–	1	–
SALISBURY ...	–	1	–	–	–	–
TISBURY	–	–	–	–	1	–
WORCESTER ...	–	22	5	–	3	–
†DUDLEY C.B. ...	–	2	–	–	1	–
†WORCESTER C.B.	–	2	2	–	1	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
†KIDDERMINSTER	–	1	–	–	–	–
WORCESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
NORTH BROMSGROVE	–	–	1	–	–	–
†OLDBURY... ...	–	–	–	–	1	–
†REDDITCH ...	–	2	1	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
DROITWICH ...	–	1	–	–	–	–
FECKENHAM ...	–	1	–	–	–	–
HALESOWEN ...	–	5	–	–	–	–
MARTLEY... ...	–	1	1	–	–	–
PERSHORE ...	–	2	–	–	–	–
TEWKESBURY (part)	–	2	–	–	–	–
UPTON ON SEVERN	–	1	–	–	–	–
YORKS ... ... (East Riding.)	–	14	14	2	3	M. 1
†KINGSTON UPON HULL C.B.	–	10	13	1	3	M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	–	–
COTTINGHAM ...	–	–	1	–	–	–
GREAT DRIFFIELD	–	1	–	–	–	–
Rural Districts:—						
DRIFFIELD ...	–	–	–	1	–	–
HOWDEN	–	1	–	–	–	–
SHERBURN ...	–	1	–	–	–	–
YORKS ... ... (North Riding.)	–	41	3	–	3	M. 1
†MIDDLESBROUGH C.B.	–	27	2	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Boroughs and Urban Districts:—						
†ESTON	–	1	–	–	–	–
GUISBOROUGH ...	–	3	1	–	–	–
†REDCAR	–	1	–	–	–	M. 1
†THORNABY ON TEES	–	2	–	–	–	–
Rural Districts:—						
EASINGWOLD ...	–	–	–	–	1	–
LEYBURN... ...	–	1	–	–	–	–
SCARBOROUGH ...	–	1	–	–	–	–
STOKESLEY ...	–	1	–	–	–	–
THIRSK	–	4	–	–	–	–
YORKS ... ... (West Riding.)	–	198	47	9	62	C. 5 G. 1 L. 1 M. 7
†BARNSLEY C.B. ...	–	–	4	1	3	–
†BRADFORD C.B. ...	–	12	5	–	3	G. 1
†HALIFAX C.B. ...	–	3	1	–	1	–
†HUDDERSFIELD C.B.	–	8	–	–	1	–
†LEEDS C.B. ...	–	39	7	–	7	C. 1
†ROTHERHAM C.B.	–	14	–	–	2	M. 2
†SHEFFIELD C.B....	–	33	8	3	26	C. 3 M. 2
†WAKEFIELD C.B.	–	1	1	–	3	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	1	–	–	–
ARDSLEY, EAST AND WEST	–	–	1	–	–	–
BARKISLAND ...	–	1	–	–	–	–
†BARNOLDSWICK ...	–	2	–	–	–	–
†BATLEY	–	2	2	–	–	M. 1
†BENTLEY WITH ARKSEY	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BINGLEY	–	3	2	1	1	–
BIRKENSHAW ...	–	2	–	–	–	–
BIRSTAL	–	–	1	–	–	–
†BOLTON UPON DEARNE	–	1	1	3	–	–
†BRIGHOUSE ...	–	2	–	–	–	–
BURLEY IN WHARFEDALE	–	–	1	–	–	–
†CASTLEFORD ...	–	3	–	–	–	–
CLAYTON	–	–	–	1	–	–
†CONISBROUGH ...	–	3	–	–	–	–
†DARTON	–	–	–	–	1	–
DODWORTH ...	–	2	–	–	–	–
†DONCASTER ...	–	2	–	–	–	–
FARSLEY	–	1	–	–	–	–
†FEATHERSTONE ...	–	1	1	–	–	–
GILDERSOME ...	–	–	1	–	1	–
†GOLCAR	–	–	–	–	1	–
†GOOLE	–	4	–	–	–	–
GUISELEY ...	–	–	–	–	1	–
†HARROGATE ...	–	–	1	–	–	M. 1
HEBDEN BRIDGE	–	–	–	–	1	–
HECKMONDWIKE	–	1	–	–	–	–
†HEMSWORTH ...	–	9	–	–	–	–
†HOLMFIRTH ...	–	–	1	–	–	–
†HOYLAND NETHER	–	–	1	–	1	–
KNOTTINGLEY ...	–	2	–	–	–	–
†MORLEY	–	2	–	–	–	–
†NORMANTON ...	–	1	–	–	1	–
PENISTONE ...	–	1	–	–	–	–
†PONTEFRACT ...	–	–	–	–	1	–
RAWDON	*	*	*	*	*	*
ROYSTON	–	2	–	–	–	–
SELBY	–	2	–	–	–	C. 1
†SHIPLEY	–	2	–	–	–	–
†SKIPTON	–	2	–	–	–	–
SPRINGHEAD ...	*	*	*	*	*	*
†STANLEY	–	–	–	–	1	–
STOCKSBRIDGE ...	–	2	–	–	–	–
†TODMORDEN ...	–	1	–	–	–	–
†WATH UPON DEARNE	–	1	–	–	–	–
†WOMBWELL ...	–	1	–	–	–	–
†WORSBOROUGH ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Rural Districts—						
DONCASTER ...	–	4	2	–	2	M. 1
HEMSWORTH ...	–	4	–	–	2	–
KIVETON PARK ...	–	1	–	–	–	–
KNARESBOROUGH	–	2	–	–	1	–
PONTEFRACT ...	–	8	–	–	–	–
ROTHERHAM ...	–	3	–	–	–	–
TADCASTER ...	–	–	2	–	–	–
THORNE	–	–	–	–	1	–
WAKEFIELD ...	–	–	1	–	–	–
WETHERBY ...	–	–	2	–	–	–
WHARFEDALE (SOUTH)	–	–	–	–	–	L. 1
WORTLEY ...	–	5	–	–	–	–
WALES.						
ANGLESEY	–	1	1	–	2	–
Boroughs and Urban Districts:—						
AMLWCH	*	*	*	*	*	*
†HOLYHEAD ...	–	1	–	–	–	–
Rural Districts:—						
TWRCELYN ...	*	*	*	*	*	*
VALLEY	–	–	1	–	2	–
BRECKNOCK ...	–	–	1	–	2	–
Urban Districts:—						
BRYNMAWR ...	–	–	1	–	1	–
Rural Districts:—						
YSTRADGYNLAIS	–	–	–	–	1	–
CARDIGAN	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	1	–	–	–	–
CARMARTHEN ...	–	6	4	–	1	D. 1
Boroughs and Urban Districts:—						
BURRY PORT ...	–	–	1	–	–	–
†CARMARTHEN ...	–	1	–	–	–	–
†LLANELLY ...	–	–	–	–	1	–
Rural Districts:—						
CARMARTHEN ...	–	2	–	–	–	–
LLANDILO FAWR..	–	–	1	–	–	–
LLANELLY ...	–	3	1	–	–	D. 1
WHITLAND ...	–	–	1	–	–	–
CARNARVON ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
CARNARVON ...	–	–	1	–	–	–
CONWAY	–	1	–	–	–	–
Rural Districts:—						
CONWAY	–	2	–	–	–	–
DENBIGH	–	4	2	–	3	M. 1
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN ...	–	–	1	–	1	–
Rural Districts:—						
CHIRK	–	1	–	–	–	–
LLANRWST ...	–	–	1	–	–	–
LLANSILIN ...	–	–	–	–	1	–
RUTHIN	–	–	–	–	1	–
WREXHAM ...	–	3	–	–	–	M. 1
FLINT	–	–	–	2	1	–
Boroughs and Urban Districts:—						
FLINT	–	–	–	1	–	–
HOLYWELL ...	–	–	–	–	1	–
Rural Districts:—						
HAWARDEN ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	58	29	–	24	C. 1 E. 3 J. 1 M. 5
†CARDIFF C.B. ...	–	5	2	–	1	C. 1 M. 1
†MERTHYR TYDFIL C.B.	–	5	2	–	2	E. 2
†SWANSEA C.B. ...	–	9	5	–	3	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	2	1	–	6	–
†BARRY	–	1	2	–	–	–
†CAERPHILLY ...	–	3	–	–	–	–
†GELLIGAER ...	–	1	2	–	–	E. 1
†MAESTEG ...	–	1	1	–	2	–
†MOUNTAIN ASH ...	–	2	1	–	1	J. 1
†OGMORE AND GARW	–	9	1	–	–	–
†PONTYPRIDD ...	–	3	–	–	3	–
†PORT TALBOT ...	–	–	3	–	–	–
†RHONDDA ..	–	4	7	–	5	M. 4
Rural Districts:—						
CARDIFF	–	3	1	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	2	–	–	–	–
NEATH	–	4	–	–	1	–
PONTARDAWE ...	–	1	1	–	–	–
SWANSEA... ...	–	3	–	–	–	–
MERIONETH ...	–	1	–	–	–	–
Urban Districts:—						
TOWYN	–	1	–	–	–	–
MONMOUTH ...	–	11	10	–	7	C. 1 E. 2
†NEWPORT C.B. ...	–	–	3	–	3	C. 1 E. 2
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—						
ABERGAVENNY ...	–	2	–	–	–	–
†ABERTILLERY ...	–	2	1	–	2	–
BEDWAS AND MACHEN	–	–	1	–	–	–
†BEDWELLTY ...	–	3	2	–	–	–
†EBBW VALE ...	–	3	2	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	2	–
Rural Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
PONTYPOOL ...	–	–	1	–	–	–
MONTGOMERY ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
MACHYNLLETH ...	–	2	–	–	–	–
PEMBROKE... ...	–	–	2	–	–	–
Boroughs and Urban Districts:—						
GOODWICK ...	*	*	*	*	*	*
†PEMBROKE ...	–	–	2	–	–	–
RADNOR	–	1	–	–	–	–
Rural Districts:—						
RHAYADER ...	–	1	–	–	–	–
Total of Part II. ...	24	1587	590	77	482	C. 37 D. 2 E. 25 F. 3 G. 8 J. 1 L. 6 M. 103

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
Hartlepool	*	*	*	*	*	*	Southampton ...	–	–	–	1	–	–
Plymouth	–	–	–	–	1	–							
							Total of Part III.— ..	–	–	–	1	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	216	182	10	60	C. 4 D. 3 E. 1 G. 2 M. 15
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	24	1587	590	77	482	C. 37 D. 2 E. 25 F. 3 G. 8 J. 1 L. 6 M. 103
Total of Part III.—Port Sanitary Districts	–	–	–	1	1	–
Total (*i.e.*, of returns received), England and Wales ...	24	1803	772	88	543	C. 41 D. 5 E. 26 F. 3 G. 10 J. 1 L. 6 M. 118

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-cephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. ie cases of Small-pox notified appear on pages 1182, 1183, 1184, and 1188.

Table 5.—London and Great Towns in the Aggregate. } Births, Deaths (distinguishing certain Cau and Deaths of Infants under 1 Year Age) and Notified Cases of certain I fectious Diseases in the last Thirte Weeks.

Week ended :—	July 28.	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oc 20
LONDON :—													
Deaths—all ages	686	765	719	718	813	782	799	807	868	928	831	869	8
„ 0 to 1 year ..	80	73	83	76	111	122	106	115	116	149	128	129	1
GREAT TOWNS, aggregate (including London) :—													
Births	7,554	8,133	6,627	7,910	7,798	7,482	7,682	7,281	7,154	7,428	6,905	7,078	7,4
Deaths—all ages	3,108	3,300	3,331	3,269	3,282	3,287	3,428	3,395	3,616	3,660	3,474	3,650	3,5
„ 0 to 1 year ..	413	407	449	410	499	484	471	493	514	516	454	468	4
Enteric Fever—Cases	21	33	41	24	27	26	31	38	32	37	35	53	
„ Deaths	3	1	7	6	1	2	4	4	4	3	8	4	
Small Pox—Cases ..	25	14	13	9	10	12	10	17	16	9	16	26	
„ Deaths ..	—	—	—	—	—	—	—	—	—	2	—	—	
Scarlet Fever—Cases	679	626	540	539	561	611	736	755	850	997	956	995	1,0
„ Deaths	7	5	7	6	6	7	11	6	9	9	8	11	
Diphtheria—Cases ..	385	340	358	344	362	391	374	467	500	473	450	525	4
„ Deaths ..	10	22	20	26	20	27	21	26	27	24	22	22	
Measles—Deaths ..	37	29	28	30	14	15	15	15	17	6	10	8	
Influenza—Deaths ..	24	15	14	24	16	14	20	9	28	33	31	40	

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 20th October, 1923. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfa in Millimetres
	°	°	°	°			°	°	°	°	
London (Greenwich).	67	34	58·6	42·4	23	Bradford ..	60	33	53·9	41·9	7
Brighton ..	61	37	57·4	44·1	16	Sheffield ..	Not received.				
Portsmouth ..	63	38	58·3	44·9	24	York (Museum)	59	34	55·0	39·4	5
Norwich (Eaton).	66	32	56·1	40·0	10	Hull (Pearson Park).	64	34	56·3	39·1	4
Plymouth ..	59	34	56·7	40·4	21	Tynemouth ..	60	38	54·9	43·4	3
Bristol (Clifton).	61	37	54·6	43·6	15	Cardiff	60	34	55·9	42·1	15
Birmingham (Edgbaston)	59	37	53·9	42·6	5	Edinburgh ..	60·0	35·0	52·4	42·3	5
Nottingham ..	62	34	55·0	40·7	3	Glasgow ..	57·8	37·0	53·0	44·2	14
Birkenhead (Bidston).	59	41	54·7	44·3	13	Dublin (Phœnix Park).	62·1	33·1	56·1	41·6	7
Manchester (Whitworth Park).	59	36	54·3	42·1	8	Fitzwilliam Square.†	60·9	37·6	56·0	45·0	5
Burnley	59	31	53·0	40·6	21	Belfast	58·5	34·0	56·1	41·7	12
Huddersfield	58	36	54·7	41·4	8						

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 20th October, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	14	..	29·514	53·3	36·8	16·5	44·2	− 5·9	39·6	4·6	11·3	2·2	84	96·7	32·9	54·5	WSW	W : NW	3·5	0·0	0·1	199	− 67	0·07
MONDAY -	15	Greatest Declination S. First Quarter.	29·829	55·8	34·3	21·5	44·2	− 5·7	37·9	6·3	15·7	2·2	79	87·2	29·9	54·2	WSW	WSW	1·1	0·0	0·0	201	− 67	0·00
TUESDAY -	16		29·847	55·5	40·7	14·8	48·9	− 0·9	42·2	6·7	11·4	2·9	78	95·9	33·5	54·1	SW : WSW.	W : WSW.	2·0	0·0	0·1	318	+ 51	0·00
WEDNESDAY	17	..	30·064	56·9	48·0	8·9	52·1	+ 2·5	46·4	5·7	10·4	2·1	81	87·3	40·0	53·9	WSW : W.	WSW	2·1	0·0	0·1	233	− 29	0·00
THURSDAY -	18	..	29·886	58·3	41·8	16·5	51·0	+ 1·7	46·9	4·1	8·5	1·3	86	79·2	35·4	53·7	S	S	2·6	0·0	0·1	227	− 29	0·05
FRIDAY -	19	..	29·578	66·6	48·5	18·1	56·1	+ 7·0	54·2	1·9	9·0	1·0	93	96·8	48·9	53·5	S : SSW.	SW : Calm.	5·6	0·0	0·4	315	+ 64	0·60
SATURDAY -	20	..	29·544	58·3	47·2	11·1	52·3	+ 3·5	45·5	6·8	12·9	2·4	78	98·8	44·0	53·2	Calm : WSW.	WSW : SSW.	1·2	0·0	0·1	184	− 65	0·13
MEANS -		..	29·752	57·8	42·5	15·3	49·8	+ 0·3	44·7	5·2	11·3	2·0	83	91·7	37·8	53·9	WSW		..	..	..	Sum 1,677	Sum − 142	Sum 0·85
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. OCTOBER.		ELECTRICITY. (For explanation of symbols. *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	14	wP till 8h.; mP till 12½h.; variably sP and sN till 17h.; then mP.	5·8	10·8	Cloudless till 6h., few clouds till 9h., variably cloudy till 18h., then cloudless. Occasional showers 11½h. till 14½h. Mist in evening.
MONDAY ..	15	wP till 6h.; mP till 10½h.; sP till 20h.; then mP.	9·2	10·7	Cloudless or nearly cloudless. Partially cloudy period 15h. till 17h., and from 23h. Hoar frost in morning.
TUESDAY ..	16	wP till 10½h.; mP till 20h.; then wP.	3·8	10·7	Cloudy till 2h., 9h. till 12h., and 21h. till 23h., otherwise overcast or nearly so.
WEDNESDAY	17	wP till 10h.: mP till 22¾h.; then wP.	2·6	10·6	Overcast generally. Cloudy periods between 7h. and 11h.
THURSDAY	18	wP	0·5	10·5	Overcast generally. Cloudless period 1h. till 5h. Rain or damping 8h. till 11½h.
FRIDAY ..	19	wP till 14½h.; variably sP and sN till 22h.; then wP.	1·6	10·5	Overcast generally. Variably cloudy 6h. till 9h. Shower 3¼h. Rain generally 11h. till 15¾h., and from 17¼h. Brisk wind 5h. till 11h.
SATURDAY	20	wP till 2h.: variably mP and mN till 4h.; wP till 7h.; mP till 15½h.; then wP.	4·6	10·4	Overcast generally with partially cloudy period between 11h. and 15h. Slight rain till 5h.
			Sum 28·1	Sum 74·2	
No of Col. ..		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·41 in. at the beginning of the week to 30·09 in. by 21h. on 17th; decreased generally and was 29·34 in. by midnight on the 20th.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS
11-17, Hare Street, E.2

FOR OFFICIAL USE.

1923. No. 43

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 27TH OCTOBER, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 27TH OCTOBER, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-third week of the year numbered 7,182 and corresponded to an annual rate of 19·5 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,676 and corresponded to an annual rate of 10·0 per 1,000 of their aggregate civilian population, which is estimated at 19,170,699 in the year 1922. In the preceding three weeks the rates had been 9·5, 9·9 and 9·7. Infant mortality was 66 per 1,000 births, against 66, 66 and 62 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,724 births, corresponding to a rate of 19·8 per 1,000, and 885 deaths of civilians, corresponding to a rate of 10·2, as against 9·6, 10·0 and 9·8 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 9·9 per 1,000. The infant mortality was 69 as against 82, 79 and 62 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 97 in the total deaths last week, and the deaths from influenza fell from 33 to 29. In London the number of deaths from all causes rose from 853 to 885; while the deaths from diphtheria, which had been 8, 10 and 8 in the preceding three weeks, were again 8 last week, and those of infants under two years of age from diarrhœal diseases, which had been 41, 39 and 28 in the preceding three weeks, rose to 33 last week.

Just Published:

Census of England and Wales, 1921.

County of Warwick. Price 6*s*. 6*d*. net.

County of Worcester. Price 8*s*. net.

County of London—Tables, Part III (Supplementary), Workplaces in London and five Home Counties. Price 3*s*. net.

County of Durham. Price 12*s*. 6*d*. net.

County of Northumberland. Price 9*s*. net.

County of Gloucester. Price 9*s*. net.

County of Devon. Price 11*s*. 6*d*. net.

County of Cornwall. Price 8*s*. net.

County of Chester. Price 12*s*. 6*d*. net.

The Registrar General's Statistical Review, 1921.

Tables, Part II. Civil. Price 5*s*. net.

Text. Price 5*s*. net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 27th October, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,699*	7,182	3,676	473	1	15	8	16	25	100	29
London	4,534,230*	1,724	885	119	–	6	3	6	8	33	10
Towns in Outer Ring.											
Croydon C.B. ..	192,300	59	42	7	–	–	–	–	–	2	–
Wimbledon ..	61,730	11	4	–	–	–	–	–	–	–	–
Ealing	67,890	26	12	4	–	–	–	–	–	1	–
Acton	62,390	23	7	2	–	–	–	–	–	1	–
Willesden ..	168,200	41	23	4	–	–	–	–	–	–	–
Hendon	55,930	14	9	–	–	–	–	–	–	–	–
Hornsey	87,310	19	20	3	–	–	–	–	–	1	–
Wood Green ..	51,290	14	8	2	–	1	–	–	–	–	–
Tottenham ..	150,500	47	24	2	–	–	–	–	1	–	–
Edmonton ..	68,700	41	12	–	–	–	–	–	–	–	–
Enfield	62,010	17	6	1	–	–	–	–	–	–	–
West Ham C.B. ..	310,200	149	47	6	–	1	–	–	–	–	–
East Ham C.B. ..	145,800	41	29	1	–	–	–	–	–	–	–
Leyton	131,600	33	20	–	–	–	–	–	–	–	–
Walthamstow ..	129,700	53	17	1	–	–	–	–	–	–	–
Ilford	86,370	42	12	1	–	–	–	–	–	–	–
Gillingham	48,630*	23	5	–	–	–	–	–	–	–	–
Canterbury C.B ..	23,680	13	7	2	–	–	–	–	–	2	–
Hastings C.B.	59,500	13	14	–	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	12	6	1	–	–	–	–	–	–	–
Brighton C.B. ..	135,279†	33	27	–	–	–	–	–	–	–	–
Portsmouth C.B. ..	236,630*	84	37	4	–	–	1	–	–	–	1
Bournemouth C.B. ..	81,500	21	10	1	–	–	–	–	–	–	–
Southampton C.B. ..	163,700	60	39	3	–	–	–	–	–	–	–
Reading C.B.	92,990	36	14	–	–	–	–	–	–	–	–
Oxford C.B.	56,510	19	9	–	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	22	22	1	–	–	–	–	–	–	–
Luton	58,260	25	6	–	–	–	–	–	–	–	–
Cambridge	59,200	22	10	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	91,430	25	16	1	–	–	–	–	–	–	–
Ipswich C.B.	80,950	27	15	–	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	14	11	–	–	–	–	1	–	–	–
Norwich C.B ..	122,900	49	17	–	–	–	–	–	–	–	–
Swindon	55,680	13	5	–	–	–	–	–	–	–	–
Exeter C.B.	59,700	21	11	–	–	–	–	–	1	–	–
Plymouth C.B. ..	200,370*	80	42	3	–	1	–	–	–		–
Bath C.B.	68,530	17	15	–	–	–	–	–	–	–	–
Bristol C.B.	383,900	123	89	11	–	1	–	–	2	1	–
Gloucester C.B. ..	52,210	21	11	1	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	274,300	135	57	16	–	–	–	–	–	9	–
Burton-upon-Trent C.B.	49,630	21	11	4	–	–	–	–	–	–	–
Wolverhampton C.B.	105,700	36	22	3	–	–	–	–	–	–	–
Walsall C.B.	99,890	47	16	5	–	–	–	–	–	–	–
West Bromwich C.B.	76,260	34	21	3	–	–	–	–	–	–	1
Dudley C.B.	57,860	23	13	3	–	–	–	–	–	–	–
Worcester C.B. ..	49,240	24	16	1	–	–	–	–	–	–	–
Birmingham C.B. ..	945,100	357	171	16	–	–	–	1	4	5	3
Smethwick C.B. ..	78,140	27	6	1	–	–	–	–	–	1	–
Coventry C.B. ..	131,200	42	25	5	–	–	–	1	–	–	–
Leicester C.B. ..	238,800	86	57	8	–	–	–	–	–	1	–
Lincoln C.B.	66,930	14	13	–	–	–	–	–	–	–	–
Grimsby C.B.	84,650	29	10	2	–	–	–	–	–	1	–
Nottingham C.B. ..	267,900	96	44	5	–	–	–	1	–	–	1
Derby C.B.	132,400	40	26	1	–	–	–	–	–	–	–
Chesterfield ..	63,380	25	14	5	–	–	–	–	–	–	–
Stockport C.B. ..	125,800	43	27	1	–	–	–	–	–	1	1
Chester C.B.	41,190	16	4	–	–	–	–	–	–	–	–
Birkenhead C.B. ..	149,200	54	21	3	–	–	–	–	1	–	–
Wallasey C.B. ..	89,790	34	15	–	–	–	–	–	–	–	–
Liverpool C.B. ..	826,400	394	169	24	–	3	2	–	–	7	2
Bootle C.B.	79,750	36	16	3	–	1	–	–	–	–	–
St. Helens C.B. ..	106,400	55	19	5	–	–	–	–	–	1	–

* Population adjusted by the exclusion of non-civilians.
† As extended 1st October, 1923.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	14	21	1	–	–	–	–	–	–	–
WIGAN C.B.	91,750	30	19	1	–	–	–	–	–	–	–
WARRINGTON C.B. ..	79,150	37	11	1	–	–	–	–	1	–	–
BOLTON C.B.	182,700	58	24	6	–	–	–	–	1	3	–
BURY C.B.	57,400	24	13	3	–	–	–	–	–	–	–
MANCHESTER C.B. ..	748,500	312	149	20	–	1	–	–	2	3	2
SALFORD C.B.	240,700	87	49	8	–	–	–	–	–	–	–
OLDHAM C.B.	148,300	44	22	3	–	–	–	–	–	–	–
ROCHDALE C.B... ..	92,510	30	20	2	–	–	–	–	–	–	1
BURNLEY C.B.	105,100	31	11	2	–	–	–	–	–	–	–
BLACKBURN C.B. ..	129,600	30	38	5	–	–	–	–	–	1	–
PRESTON C.B.	120,900	43	25	5	–	–	–	1	–	–	–
BLACKPOOL C.B. ..	74,050	13	16	–	–	–	–	–	–	–	–
BARROW-IN-FURNESS C.B.	75,690	20	8	–	–	–	–	–	–	–	–
HUDDERSFIELD C.B. ..	111,600	31	27	2	–	–	–	–	–	–	1
HALIFAX C.B.	100,500	23	29	5	–	–	–	–	–	–	1
BRADFORD C.B. ..	291,300	90	73	12	1	–	–	–	–	–	–
LEEDS C.B.	466,700	144	106	7	–	–	–	–	–	1	–
DEWSBURY C.B. ..	55,170	17	11	1	–	–	–	–	–	–	1
WAKEFIELD C.B. ..	53,840	25	14	3	–	–	–	–	–	–	–
BARNSLEY C.B. ..	69,540	26	16	4	–	–	–	1	–	2	2
SHEFFIELD C.B. ..	522,600	184	94	11	–	–	–	–	–	4	–
ROTHERHAM C.B. ..	69,840	39	12	2	–	–	–	–	–	–	–
DONCASTER	55,020	23	11	1	–	–	–	–	–	–	–
YORK C.B.	84,980	29	12	2	–	–	–	–	–	1	–
HULL C.B.	294,000	134	70	16	–	–	–	1	–	5	–
MIDDLESBROUGH C.B.	134,800	59	21	5	–	–	1	–	–	2	–
DARLINGTON C.B. ..	66,710	33	10	1	–	–	–	–	–	–	1
STOCKTON-ON-TEES ..	65,950	28	10	2	–	–	–	–	–	–	–
WEST HARTLEPOOL C.B.	70,020	25	7	2	–	–	–	1	–	–	–
SUNDERLAND C.B. ..	162,900	82	30	4	–	–	1	–	–	1	–
SOUTH SHIELDS C.B. ..	122,400	66	22	1	–	–	–	–	–	–	–
GATESHEAD C.B. ..	127,300	63	24	3	–	–	–	–	–	–	–
NEWCASTLE-ON-TYNE C.B.	281,600	154	64	9	–	–	–	1	–	4	1
TYNEMOUTH C.B. ..	64,640	30	8	1	–	–	–	–	1	1	–
CARLISLE C.B.	53,490	16	20	6	–	–	–	–	1	1	–
NEWPORT (MON.) C.B.	94,880	42	14	1	–	–	–	–	–	–	–
CARDIFF C.B.	223,830	85	45	5	–	–	–	–	–	–	–
RHONDDA	167,500	56	31	6	–	–	–	–	2	–	–
MERTHYR TYDFIL C.B.	82,680	38	18	2	–	–	–	–	–	1	–
ABERDARE	56,580	21	12	3	–	–	–	–	–	1	–
SWANSEA C.B.	161,000	51	31	4	–	–	–	1	–	2	–
GREATER LONDON ..	7,563,730*	2,767	1,367	180	–	8	3	6	10	43	10
OUTER RING	3,029,500*	1,043	482	61	–	2	–	–	2	10	–
16 GREAT TOWNS IN OUTER RING	1,831,920	630	292	34	–	2	–	–	1	5	–
REMAINDER OF OUTER RING	1,197,580*	413	190	27	–	–	–	–	1	5	–
EDINBURGH†	426,000	155	99	11	–	–	–	–	–	2	1
GLASGOW†	1,041,400	487	246	34	–	14	2	2	4	5	3
DUBLIN (REGISTRATION AREA)†	431,000	197	110	20	–	–	–	–	2	6	–
BELFAST†	429,000	209	81	13	–	2	1	–	–	2	4

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years)	Influenza.
		1923.											
London‡	4,534,230	Oct. 27	1724	885	10·2	-	-	6	3	6	8	33	10
Calcutta	896,067	Sept. 22	?	510§	29·2	?	-	?	?	?	?	?	6
Bombay	1,220,120	„ 29	474‖	731§	31·1	2	-	-	-	-	1	57	1
Madras	526,911	„ 15	411	299	29·5	-	1	1	?	5	-	25	-
Sydney and Suburbs	955,900	Sept.											
Brisbane (Metropolitan Area).	230,200	Aug.											
Perth (Metropolitan Area).	161,773	Sept. 1 „ 8	71 89	26 35	8·4 11·2	- -	- -	- -	- -	- -	- -	- 2	- -
Auckland (Urban Area).	167,760	Aug. (31 days)	314	181	13·0	-	-	1	-	-	-	1	21
Wellington (Urban Area).	112,070	„	176	136	14·5	-	-	-	-	-	2	-	14
Christchurch (Urban Area).	113,400	„	195	109	11·5	-	-	-	-	1	-	-	8
Cape Town	106,727	Sept. 22	47	27	13·1	-	-	-	-	3	-	-	-
Johannesburg	156,858	„ 22	83	30	9·9	-	-	1	-	-	-	-	-
Durban	50,488	„ 22	22	13	13·4	-	-	-	-	-	-	-	-
Paris	2,906,472	Oct. 20 (10 days)											
Antwerp	302,286	Aug. 25											
Amsterdam	702,658	Oct 6	283	76	5·6	-	-	-	1	-	-	-	-
Copenhagen	570,000	„ 13	227	92	8·4	-	-	-	-	-	-	-	2
Stockholm	424,944	„ 6	86	88	10·8	1	-	-	-	-	2	1	-
Gothenburg	228,074	„ 6	?	39	8·9	-	-	-	-	-	-	-	-
Christiania	258,962	„ 13	85	47	9·4	-	-	-	-	-	-	-	-
Berlin	1,989,000	Sept. 29	363	415	10·8	-	?	-	-	2	1	5	2
Breslau	562,000	„ 29	165	157	14·5	1	?	-	-	-	-	14	2
Cologne	701,000	„ 29	213	156	11·6	-	?	-	-	1	-	16	2
Dresden	612,000	„ 29	141	113	9·6	-	?	-	1	-	1	2	1
Frankfort-on-Main..	475,000	„ 29	111	57	6·2	1	?	-	-	-	-	1	-
Hamburg	1,077,000	„ 29	306	230	11·1	-	?	-	-	-	1	3	2
Leipzig	682,000	„ 29	162	134	10·2	-	?	1	-	-	-	6	-
Munich	685,000	„ 29	152	151	11·5	-	?	1	-	1	-	8	3
Vienna	1,841,326	„ 8 „ 15	535 485	393 383	11·0 10·7	3 1	- -	- -	- 1	4 4	1 2	7 8	- -
Prague and Suburbs	697,111	Aug. 31 (16 days)	514	373	12·2	3	-	1	2	-	1	16	1
Budapest	946,000	Sept. 1											
Warsaw	956,087	Oct. 6	417	264	14·4	1	-	3	4	-	1	12	-
Cairo	791,000	July 29											
Alexandria	466,700	„ 29											
New York	5,927,617	Sept. 15											
Chicago	2,886,121	„ 29	?	535	9·7	1	-	-	1	1	-	29	2
Rio de Janeiro ..	1,309,358	„ 15	679	454	18·1	5	-	4	-	7	1	93	13
Montevideo	348,989	July 7											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 6 deaths from Asiatic Cholera in Calcutta, and 1 in Bombay, and from Plague 4 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 27th October, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	885	119	26	18	21	32	37	60	108	145	153	166
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	6	2	3	1	–	–	–	–	–	–	–	–
Scarlet fever	3	–	1	1	1	–	–	–	–	–	–	–
Whooping cough	6	2	4	–	–	–	–	–	–	–	–	–
Diphtheria	8	–	–	4	4	–	–	–	–	–	–	–
Influenza	10	–	–	–	1	1	–	1	–	2	3	2
Erysipelas	2	–	–	–	–	–	–	–	–	1	1	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	64	–	–	1	1	12	16	12	15	5	1	1
Nervous system	3	–	1	1	–	1	–	–	–	–	–	–
Intestines and peritoneum	2	1	–	1	–	–	–	–	–	–	–	–
Other forms	5	–	–	1	–	–	2	1	–	–	1	–
Venereal diseases	4	1	1	–	–	1	–	1	–	–	–	–
Cancer	116	–	–	–	–	1	2	9	21	35	24	24
Rheumatic fever	6	–	–	–	2	2	–	2	–	–	–	–
Diabetes	4	–		–	–	–	1	–	–	2	1	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	2	1	1	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	50	–	–	–	–	–	–	4	5	8	18	15
Epilepsy	2	–	–	–	–	1	–	–	1	–	–	–
"Convulsions" (not puerperal) ..	3	3	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	26	–	–	1	–	–	1	6	4	8	4	2
Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–
Acute endocarditis	8	–	–	–	–	3	1	2	–	1	1	–
Other diseases of heart	112	–	–	–	1	2	1	9	9	25	31	34
Other diseases of circulatory system	44	–	–	–	–	–	–	2	4	8	13	17
Bronchitis	57	2	–	1	–	–	–	1	7	10	16	20
Broncho-pneumonia	39	12	5	2	2	–	1	2	2	4	4	5
Lobar-pneumonia	19	1	–	1	–	2	1	1	5	3	5	–
Pneumonia (type not distinguished) ..	12	–	1	–	1	–	–	1	3	2	1	3
Other diseases of respiratory system	13	–	–	–	–	–	–	–	4	3	3	3
Diarrhœa and enteritis	34	28	5	–	–	–	–	–	–	–	–	1
Appendicitis, Typhlitis	5	–	–	–	2	–	1	–	2	–	–	–
Hernia, Intestinal obstruction	14	1	–	–	1	–	2	1	–	6	2	1
Cirrhosis of liver	4	–	–	–	–	–	–	1	3	–	–	–
Other diseases of digestive system ..	21	2	–	1	–	–	1	1	7	5	2	2
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	11	–	–	–	1	–	1	–	2	5	–	2
Other diseases of genito-urinary system.	7	–	–	–	–	–	1	–	–	1	3	2
Puerperal sepsis	2	–	–	–	–	1	1	–	–	–	–	–
Other causes incident to childbirth ..	2	–	–	–	–	–	–	1	1	–	–	–
Congenital malformations	8	8	–	–	–	–	–	–	–	–	–	–
Premature birth	32	32	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	10	10	–	–	–	–	–	–	–	–	–	–
Old age	30	–	–	–	–	–	–	–	–	1	5	24
Suicide	7	–	–	–	–	–	1	–	–	3	1	2
Burns and scalds	3	1	1	–	–	–	–	–	1	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation in bed	2	2	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	11	–	–	1	3	1	1	–	2	1	2	–
Other deaths by violence	12	1	–	1	–	2	–	–	1	2	3	2
Other specified causes	42	9	2	–	1	2	2	2	8	4	8	4
Ill-defined causes	1	–	1	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 27th October, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	302	199	5	81	C. 8 E. 2 F. 1 M. 14
†CITY OF LONDON	–	2	–	–	–	–
Metropolitan Boroughs:—						
†BATTERSEA ...	–	7	4	1	9	M 1
†BERMONDSEY ...	–	14	9	–	1	F. 1
†BETHNAL GREEN	–	5	13	–	6	–
†CAMBERWELL ...	–	19	14	–	2	–
†CHELSEA	–	1	6	–	–	–
†DEPTFORD ...	–	3	3	2	3	C. 1
†FINSBURY ...	–	8	9	–	2	C. 1
†FULHAM	–	6	5	–	4	C. 3
†GREENWICH ...	–	6	7		4	–
†HACKNEY ...	–	12	8	–	–	C. 1 M. 1
†HAMMERSMITH ...	–	6	3	–	4	–
†HAMPSTEAD ...	–	6	4	–	–	–
†HOLBORN... ...	–	5	3	–	2	–
†ISLINGTON ...	–	44	12	–	2	M. 1

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	6	5	–	2	C. 1
†LAMBETH ...	–	32	19	–	2	C. 1 M. 2
†LEWISHAM ...	–	9	3	–	2	E. 1
†PADDINGTON ...	–	2	2	1	3	E. 1
†POPLAR	–	13	4	–	3	–
†ST. MARYLEBONE	–	3	4	1	3	M. 1
†ST. PANCRAS ...	–	10	14	–	4	M. 1
†SHOREDITCH ...	–	24	7	–	7	M. 5
†SOUTHWARK ...	–	11	9	–	1	M. 1
†STEPNEY	–	12	14	–	4	M. 1
†STOKE NEWINGTON	–	6	2	–	–	–
†WANDSWORTH ...	–	16	7	–	6	
†WESTMINSTER, CITY OF	–	2	–	–	1	–
†WOOLWICH ...	–	12	9	–	4	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	1	–	–	2	–
Boroughs and Urban Districts:—						
†LUTON	–	1	–	–	–	–
Rural Districts:—						
AMPTHILL ...	–	–	–	–	1	–
BEDFORD... ...	–	–	–	–	1	–
BERKS	–	14	3	–	–	–
†READING C.B. ...	–	7	1	–	–	–
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	1	–	–	–	–
†NEW WINDSOR	–	2	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	3	1	–	–	–
WANTAGE ...	–	–	1	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	17	–	4	3	–
Boroughs and Urban Districts:—						
BLETCHLEY ...	–	1	–	–	–	–
†CHEPPING WYCOMBE ...	–	4	–	–	1	–
CHESHAM... ...	–	1	–	–	–	–
Rural Districts:—						
AMERSHAM ...	–	3	–	–	–	–
AYLESBURY ...	–	1	–	–	–	–
ETON	–	1	–	–	1	–
LONG CRENDON...	–	–	–	3	–	–
NEWPORT PAGNELL	–	6	–	1	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	3	6	1	–	–
Borough:—						
†CAMBRIDGE ...	–	2	2	–	–	–
Rural Districts:—						
CHESTERTON ...	–	–	–	1	–	–
NEWMARKET ...	–	1	4	–	–	–
CHESTER	–	42	15	2	21	G. 1
†BIRKENHEAD C.B.	–	13	4	–	10	G. 1
†CHESTER C.B. ...	–	2	–	–	–	–
†STOCKPORT C.B.	–	3	1	–	1	–
†WALLASEY C.B. ...	–	–	–	–	2	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	1	1	–	–	–
COMPSTALL ...	–	–	1	–	–	–
†CREWE	–	3	2	–	1	–
†DUKINFIELD ...	–	1	–	2	1	–
†HAZEL GROVE AND BRAMHALL	–	2	–	–	–	–
HOOLE	–	–	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE	–	1	–	–	1	–
KNUTSFORD ...	–	–	1	–	–	–
†MACCLESFIELD ...	–	–	1	–	–	–
NANTWICH ...	–	–	–	–	1	–
†RUNCORN... ..	–	2	1	–	1	–
SANDBACH ...	–	2	–	–	–	–
†STALYBRIDGE ...	–	–	–	–	1	–
WILMSLOW ...	–	1	–	–	–	–
†WINSFORD ...	–	4	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	1	–	–	–	–
CHESTER	–	–	1	–	–	–
DISLEY	–	1	–	–	–	–
MACCLESFIELD ...	–	2	1	–	–	–
NANTWICH ...	–	–	1	–	1	–
WIRRAL	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	9	3	4	1	G. 1
Boroughs and Urban Districts:—						
CALLINGTON ...	–	6	–	–	–	–
†CAMBORNE ...	–	–	–	3	–	–
†FALMOUTH ...	–	3	–	–	–	–
LOOE	*	*	*	*	*	*
†PENZANCE ..	–	–	–	1	–	–
SAINT AUSTELL	–	–	1	–	–	–
TORPOINT ...	–	–	1	–	–	–
Rural Districts:—						
REDRUTH ...	–	–	–	–	1	–
SAINT AUSTELL...	–	–	1	–	–	–
SAINT COLUMB MAJOR	–	–	–	–	–	G. 1
CUMBERLAND ...	–	18	6	–	–	–
†CARLISLE C.B. ...	–	4	1	–	–	–
Boroughs and Urban Districts:—						
COCKERMOUTH ...	–	1	–	–	–	–
†MARYPORT ...	–	4	3	–	–	–
†WORKINGTON ...	–	3	–	–	–	–
Rural Districts:—						
COCKERMOUTH ...	–	4	1	–	–	–
LONGTOWN ...	–	–	1	–	–	–
WIGTON	–	2	–	–	–	–
DERBY	–	30	11	1	18	C. 2 M. 2
†DERBY C.B. ...	–	9	–	–	11	C. 2 M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	–	–	1	–
ASHBOURNE ...	–	1	–	–	–	–
†BELPER	–	3	–	–	–	–
†BUXTON	–	1	1	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHESTERFIELD ...	–	–	2	–	1	–
CLAY CROSS ...	–	–	1	–	–	–
†GLOSSOP	–	1	–	–	–	–
†HEANOR	–	2	–	–	2	–
†ILKESTON ...	–	1	–	–	–	–
NEW MILLS ...	–	1	2	–	–	–
†RIPLEY	–	1	–	–	1	–
†SWADLINCOTE DISTRICT	–	–	1	–	–	–
Rural Districts:—						
BAKEWELL ...	–	2	–	–	–	–
BELPER	–	1	–	–	1	–
BLACKWELL ...	–	3	–	–	–	–
CHESTERFIELD ...	–	1	3	–	1	M. 1
CLOWNE	–	–	1	–	–	–
GLOSSOP DALE ...	–	2	–	–	–	–
SHARDLOW ...	–	1	–	–	–	–
DEVON	–	31	13	1	5	C. 2 L. 1
†EXETER C.B. ...	–	–	–	–	–	C. 2
†PLYMOUTH C.B....	–	9	3	–	1	–
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	2	6	–	–	–
DAWLISH... ...	–	–	–	1	–	–
†EXMOUTH ...	–	–	–	–	1	–
GREAT TORRINGTON	–	1	–	–	–	–
HONITON	–	–	1	–	–	–
OKEHAMPTON ...	–	2	–	–	–	–
OTTERY ST. MARY	–	1	–	–	–	–
SIDMOUTH ...	–	2	1	–	–	–
†TORQUAY ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
AXMINSTER ...	–	–	–	–	2	–
BARNSTAPLE ...	–	3	–	–	–	–
HOLSWORTHY (part)	–	2	–	–	–	–
NEWTON ABBOT...	–	2	–	–	–	–
OKEHAMPTON ...	–	5	–	–	–	–
PLYMPTON ST. MARY	–	1	1	–	–	–
ST. THOMAS ...	–	–	–	–	–	L. 1
SOUTH MOLTON ...	–	–	–	–	1	–
DORSET	–	9	1	1	1	E. 1 M. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	–	–	–	–	M. 1
†POOLE	–	–	1	–	–	–
SHERBORNE ...	–	–	–	1	1	–
†WEYMOUTH AND MELCOMBE REGIS	–	2	–	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	1	–	–	–	E. 1
BLANDFORD ...	–	1	–	–	–	–
WEYMOUTH ...	–	4	–	–	–	–
WIMBORNE AND CRANEORNE	–	1	–	–	–	–
DURHAM	2	109	36	1	33	C. 2 M. 10
†DARLINGTON C.B.	–	5	1	–	2	–
†GATESHEAD C.B.	–	6	7	–	2	–
†SOUTH SHIELDS C.B.	–	6	3	–	3	M. 1
†SUNDERLAND C.B.	–	4	3	1	1	M. 4

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
†WEST HARTLEPOOL C.B	–	10	–	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	3	2	–	–	–
BENFIELDSIDE ...	–	–	1	–	1	–
†BLAYDON... ...	–	5	–	–	–	–
†CHESTER LE STREET	–	1	–	–	1	–
†CONSETT	–	–	2	–	–	–
†CROOK	–	1	1	–	–	–
†FELLING	–	1	–	–	1	–
†HARTLEPOOL ...	*	*	*	*	*	*
†HEBBURN ...	–	–	1	–	2	M. 1
†HETTON	–	2	–	–	–	–
†HOUGHTON LE SPRING	–	1	1	–		–
†JARROW	–	4	1	–	9	–
LEADGATE ...	–	–	1	–	–	–
†SEAHAM HARBOUR	–	1	–	–	2	–
†SOUTHWICK ON WEAR	2	–	–	–	–	–
†SPENNYMOOR ...	–	2	–	–	–	–
†STANLEY	–	1	2	–	1	M. 1
†STOCKTON ON TEES	–	5	1	–	–	–
†TANFIELD ...	–	3	–	–	–	–
†WASHINGTON ...	–	4	3	–	1	–
†WHICKHAM ..	–	–	–	–	1	–
WILLINGTON ...	–	3	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	7	–	–	–	C. 1
BARNARD CASTLE	–	–	2	–	–	–
CHESTER LE STREET	–	10	1	–	2	–
DARLINGTON ...	–	3	–	–	–	–
DURHAM	–	2	–	–	–	–
EASINGTON ...	–	3	–	–	–	–
HOUGHTON LE SPRING	–	3	1	–	1	M. 1
LANCHESTER ...	–	5	1	–	–	–
SEDGEFIELD ..	–	5	–	–	–	–
SOUTH SHIELDS...	–	1	1	–	1	–
SUNDERLAND ...	–	2	–	–	1	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	57	52	3	12	C. 2 J. 1
†EAST HAM C.B. ...	–	3	8	–	–	–
†SOUTHEND-ON-SEA C.B.	–	5	1	–	–	–
†WEST HAM C.B. ...	–	12	26	–	4	C. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	1	–	–	–
BRIGHTLINGSEA	–	–	–	2	–	–
CHINGFORD ...	–	–	–	–	1	–
†CLACTON	–	1	1	–	–	–
†COLCHESTER ...	–	2	–	–	3	–
†GRAYS THURROCK	–	1	1	–	–	–
†HARWICH ...	–	–	3	1	–	–
†ILFORD	–	2	–	–	–	–
†LEYTON	–	9	1	–	2	–
†ROMFORD ...	–	–	1	–	–	–
†WALTHAMSTOW ...	–	15	9	–	1	–
Rural Districts:—						
BILLERICAY ...	–	1	–	–	–	–
ORSETT	–	–	–	–	–	C. 1 J. 1
ROMFORD... ...	–	4	–	–	1	–
SAFFRON WALDEN	–	2	–	–	–	–
GLOUCESTER ...	7	60	35	10	6	E. 1 G. 3
†BRISTOL C.B. ...	–	28	30	–	3	E. 1 G. 3
§†GLOUCESTER C.B.	5	4	2	2	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	1	5	–	–
COLEFORD ...	–	–	–	1		–
†KINGSWOOD ...	–	–	1	–	–	–
TEWKESBURY ...	–	–	1	–	–	–
Rural Districts:—						
CHIPPING SODBURY	–	2	–	1	–	–
CIRENCESTER ...	–	1	–	–	–	–
DURSLEY... ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts—*cont.*						
EAST DEAN AND UNITED PARISHES ...	1	1	–	–	–	–
GLOUCESTER ...	1	1	–	–	–	–
LYDNEY	–	1	–	–	–	–
THORNBURY ...	–	2	–	–	–	–
WARMLEY ...	–	2	–	–	2	–
WEST DEAN ...	–	16	–	1	–	–
WINCHCOMB(part)	–	1	–	–	–	–
HEREFORD ...	–	4	1	–	–	E. 2
Boroughs and Urban Districts:—						
†HEREFORD ...	–		1	–	–	–
Rural Districts:—						
KINGTON	–	1	–	–	–	–
LEOMINSTER ...	–	2	–	–	–	–
WEOBLEY ...	–	–	–	–	–	E. 2
WHITCHURCH ...	–	1	–	–	–	–
HERTFORD ..	–	12	2	–	4	C. 1 F. 1 L. 1
Boroughs and Urban Districts:—						
BUSHEY	–	1	–	–	–	–
†EAST BARNET VALLEY	–	–	–	–	–	C. 1
HARPENDEN ...	–	2	–	–	–	–
†HERTFORD ...	–	2	1	–	–	–
†LETCHWORTH ...	–	–	1	–	–	–
ROYSTON	–	2	–	–	–	–
†WATFORD ...	–	2	–	–	4	–
Rural Districts:—						
HADHAM	–	2	–	–	–	–
HERTFORD ...	–	1	–	–	–	F. 1
WATFORD ..	–	–	–	–	–	L. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

§ Including 2 cases notified as Chicken-pox, but re diagnosed as Small-pox. In

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	–	–	–	–	M. 1
Boroughs and Urban Districts:—						
GODMANCHESTER	*	*	*	*	*	*
HUNTINGDON ...	*	*	*	*	*	*
ST. NEOTS ...	–	–	–	–	–	M. 1
KENT	–	30	15	1	6	C. 2 E. 1 M. 2
†CANTERBURY C.B	–	–	–	–	–	M. 1
Boroughs and Urban Districts:—						
†ASHFORD ...	–	–	–	–	1	–
†BECKENHAM ...	–	1	1	–	–	–
†BEXLEY	–	1	1	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	–	–	1	–
†BROMLEY ...	–	1	–	–	1	–
†CHATHAM ...	–	1	2	–	–	E. 1
CHISLEHURST ...	–	–	1	–	–	–
†CRAYFORD ...	–	1	–	–	–	–
†DOVER	–	–	1	–	1	M. 1
†ERITH	–	2	–	–	–	–
†FAVERSHAM ...	–	1	–	–	–	–
†FOLKESTONE ...	–	4	–	–	–	C. 1
†GILLINGHAM ...	–	–	3	–	1	–
†GRAVESEND ...	–	–	2	–	–	
†MAIDSTONE ...	–	2	–	–	–	–
†MARGATE ...	–	4	–	–	–	–
†NORTHFLEET ...	–	1	2	–	–	–
†RAMSGATE ...	–	5	–	1	–	–
SITTINGBOURNE	–	1	–	–	–	–
Rural Districts:—						
BRIDGE	–	–	–	–	1	–
BROMLEY ...	–	1	–	–	–	–
CRANBROOK ...	–	1	–	–	–	–
DARTFORD ...	–	–	1	–	–	–
EASTRY	–	–	–	–	–	C 1
FAVERSHAM ...	–	–	1	–	–	–
MALLING	–	1	–	–	–	–
SHEPPEY	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	249	78	11	123	C. 8 D. 1 E. 2 G. 3 L. 2 M. 28
†BARROW IN FURNESS C.B.	–	–	–	–	1	–
†BLACKBURN C.B.	–	3	1	–	4	C. 1
†BLACKPOOL C.B.	–	3	–	–	2	–
†BOLTON C.B. ...	–	18	–	1	1	C. 1
†BOOTLE C.B. ...	–	6	2	–	1	–
†BURNLEY C.B. ...	–	–	1	–	1	–
†BURY C.B. ...	–	6	–	–	–	M. 1
†LIVERPOOL C.B. ...	–	42	16	1	22	D. 1 E. 2 M. 13
†MANCHESTER C.B.	–	43	21	5	36	C. 3 M. 9
†OLDHAM C.B. ...	–	–	1	–	–	–
†PRESTON C.B. ...	–	7	5	1	–	M. 1
†ROCHDALE C.B. ...	–	9	–	–	–	–
†ST. HELENS C.B. ...	–	6	2	–	2	–
†SALFORD C.B. ...	–	25	6	–	5	C. 1 G. 1 L. 1
†SOUTHPORT C.B.	–	5	–	–	2	–
†WARRINGTON C.B.	–	5	–	–	3	M. 1
†WIGAN C.B. ...	–	–	–	–	6	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	1	–
†ACCRINGTON ...	–	2	–	–	–	–
†ASHTON IN MAKERFIELD	–	3	1	–	–	–
†ASHTON UNDER LYNE	–	5	–	–	1	M. 1
ASPULL	–	–	3	–	1	M. 1
†ATHERTON ...	–	2	–	–	2	–
AUDENSHAW ...	–	1	–	–	–	–
BARROWFORD ...	–	–	–	1	–	–
BILLINGE... ...	–	1	–	–	–	–
†CHADDERTON ..	–	4	–	–	–	–
†CLITHEROE ...	–	–	–	–	–	M. 1
†COLNE	–	1	–	–	–	–
†CROMPTON ...	–	–	–	2	1	–
†DENTON	–	–	–	–	1	–
†DROYLSDEN ..	–	1	–	–	1	G. 1
†ECCLES	–	–	–	–	–	C. 1
†FAILSWORTH ...	–	2	3	–	–	–
†FARNWORTH ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J. Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum addition, 1 other case of Chicken-pox was notified.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
GOLBORNE ...	–	–	3	–	–	–
†GREAT CROSBY ...	–	1	–	–	–	–
†HASLINGDEN ...	–	–	–	–	2	–
†HAYDOCK ...	–	–	1	–	–	–
†HEYWOOD ...	–	3	2	–	–	–
†HINDLEY... ...	–	1	–	–	2	–
†HORWICH ...	–	–	1	–	–	–
†INCE IN MAKERFIELD	–	1	–	–	–	–
IRLAM	–	–	–	–	1	–
†LANCASTER ...	–	1	–	–	–	–
LATHOM AND BURSCOUGH	–	–	1	–	–	–
†LEIGH	–	5	–	–	1	–
LEYLAND... ...	–	1	–	–	–	–
†LITHERLAND ...	–	1	1	–	–	–
†LYTHAM, ST. ANNE'S	–	–	–	–	1	–
†MIDDLETON ...	–	1	–	–	3	–
†MORECAMBE ...	–	1	–	–	–	–
†MOSSLEY	–	1	–	–	–	–
†NEWTON IN MAKERFIELD	–	1	–	–	1	–
NORDEN	–	2	–	–	–	–
†OSWALDTWISTLE	–	–	1	–	2	–
†PRESTWICH ...	–	2	1	–	–	C. 1
†RADCLIFFE ...	–	3	1	–	2	–
RAINFORD ...	–	–	–	–	1	–
†RAWTENSTALL ...	–	–	1	–	–	–
†ROYTON	–	–	–	–	1	–
†STRETFORD... ...	–	8	–	–	–	–
†SWINTON AND PENDLEBURY	–	1	2	–	2	–
THORNTON ...	–	–	–	–	1	G. 1
TRAWDEN ...	–	1	–	–	–	–
†TURTON	–	1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	2	–
UPHOLLAND ...	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	1	–	–	–
†WIDNES	–	5	–	–	3	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	–
LANCASTER—*cont.*						
Rural Districts—*cont.*						
GARSTANG ...	–	2	–	–	–	–
LEIGH	–	–	–	–	1	–
LIMEHURST ...	–	3	–	–	–	–
WHISTON... ...	–	–	–	–	–	L. 1
WIGAN	–	–	–	–	2	–
LEICESTER... ...	–	15	12	1	6	M. 1
†LEICESTER C.B. ...	–	13	3	–	5	M. 1
Boroughs and Urban Districts:—						
†COALVILLE ...	–	–	1	–	–	–
†LOUGHBOROUGH	–	–	1	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	4	–	–	–
BARROW UPON SOAR	–	1	–	–	1	–
HINCKLEY ...	–	1	–	–	–	–
LUTTERWORTH ...	*	*	*	*	*	*
MARKET BOSWORTH	–	–	3	–	–	–
MELTON MOWBRAY	–	–	–	1	–	–
LINCOLN (parts of Kesteven).	–	3	2	–	1	M. 1
Boroughs and Urban Districts:—						
BOURNE	–	2	–	–	–	–
†GRANTHAM ...	–	–	–	–	–	M. 1
STAMFORD ...	–	–	–	–	1	–
Rural Districts:—						
CLAYPOLE ...	–	1	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	–	8	9	1	2	M. 1
†GRIMSBY C.B. ...	–	2	2	–	–	–
†LINCOLN C.B. ...	–	–	2	–	1	–
Boroughs and Urban Districts :—						
†CLEETHORPES ...	–	–	–	1	1	–
CROWLE	–	–	2	–	–	–
†GAINSBOROUGH ...	–	2	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	–	1	–	–	M. 1
Rural Districts :—						
GLANFORD BRIGG	–	–	2	–	–	–
LOUTH	–	2	–	–	–	–
SPILSBY	–	1	–	–	–	–
WELTON	–	1	–	–	–	–
MIDDLESEX ...	–	46	30	1	22	E. 1 L. 1 M. 1
Boroughs and Urban Districts :—						
†ACTON	–	6	3	–	1	E. 1
†BRENTFORD ...	–	–	2	–	1	–
†CHISWICK ...	–	2	3	–	–	–
†EALING	–	4	1	–	–	–
†EDMONTON ...	–	–	–	–	5	–
†ENFIELD	–	3	–	–	–	–
†HAMPTON ...	–	–	–	1	–	–
†HANWELL ...	*	*	*	*	*	*
HENDON	–	1	–	–	–	–
†HESTON AND ISLEWORTH	–	4	–	–	5	–
†HORNSEY... ...	–	1	7	–	–	M. 1
†SOUTHALL NORWOOD	–	2	–	–	–	L. 1
†SOUTHGATE ...	–	–	–	–	2	–
†TOTTENHAM ...	–	12	5	–	4	–
†TWICKENHAM ...	–	3	1	–	–	–
†WEMBLEY ...	–	1	–	–	–	–
†WILLESDEN ...	–	5	6	–	3	–
†WOOD GREEN ...	–	2	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Rural Districts :—						
STAINES	–	–	2	–	–	–
NORFOLK	–	37	2	–	1	F. 1
†GREAT YARMOUTH C.B.	–	1	–	–	–	–
†NORWICH C.B. ...	–	25	1	–	–	–
Boroughs and Urban Districts :—						
DOWNHAM MARKET	–	–	1	–	–	–
NEW HUNSTANTON	–	1	–	–	–	–
Rural Districts :—						
BLOFIELD ...	–	1	–	–	–	–
DEPWADE ...	–	1	–	–	–	–
DOWNHAM ...	–	1	–	–	–	–
FREEBRIDGE LYNN	–	6	–	–	–	–
HENSTEAD ...	–	1	–	–	–	–
WALSINGHAM ...	–	–	–	–	–	F. 1
WAYLAND ...	–	–	–	–	1	–
NORTHAMPTON ...	–	46	3	1	21	–
†NORTHAMPTON C.B.	–	10	1	–	17	–
Boroughs and Urban Districts :—						
†KETTERING ...	–	6	1	–	–	–
RAUNDS	–	1	–	–	–	–
ROTHWELL ...	–	9	–	–	–	–
†RUSHDEN ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	5	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON— *cont.*						
Rural Districts:—						
BRIXWORTH ...	–	–	–	1	–	–
DAVENTRY ...	–	–	1	–	–	–
HARDINGSTONE ...	–	11	–	–	–	–
NORTHAMPTON ...	–	–	–	–	1	–
TOWCESTER ...	–	–	–	–	2	–
WELLINGBOROUGH	–	4	–	–	–	–
NORTHUMBERLAND	1	39	8	1	30	D. 1 G. 1 M. 1
†NEWCASTLE UPON TYNE C.B.	–	15	4	–	13	G. 1
†TYNEMOUTH C.B.	1	–	1	–	2	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	1	–	–	1	–
†BEDLINGTONSHIRE	–	2	–	–	3	–
†BLYTH	–	1	–	–	4	M. 1
CRAMLINGTON ...	–	1	–	–	–	–
†EARSDON	–	1	–	–	1	–
†LONGBENTON ...	–	1	–	–	–	–
MORPETH... ...	–	–	1	–	–	D. 1
†NEWBURN ...	–	4	–	–	2	–
PRUDHOE... ...	–	1	–	–	–	–
SEATON DELAVAL	–	1	–	–	–	–
SEGHILL	–	–	1	–	–	–
†WALLSEND ...	–	–	1	–	2	–
WEETSLADE ...	–	3	–	–	–	–
†WHITLEY AND MONKSEATON	–	1	–	–	–	–
Rural Districts:—						
ALNWICK... ...	–	3	–	–	–	–
BELLINGHAM ...	–	–	–	–	2	–
CASTLE WARD ..	–	–	–	1	–	–
GLENDALE ...	–	1	–	–	–	–
HALTWHISTLE ...	–	2	–	–	–	–
HEXHAM	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	10	25	11	–	6	–
†NOTTINGHAM C.B.	–	9	4	–	1	–
Boroughs and Urban Districts:—						
†ARNOLD	–	1	–	–	–	–
†CARLTON	–	2	–	–	1	–
†HUCKNALL ...	9	1	–	–	1	–
†KIRKBY IN ASHFIELD	1	2	–	–	–	–
†MANSFIELD ...	–	2	–	–	–	–
†NEWARK	–	4	3	–	–	–
†SUTTON IN ASHFIELD	–	–	1	–	–	–
†WEST BRIDGFORD	–	–	–	–	2	–
†WORKSOP... ...	*	*	*	*	*	*
Rural Districts:—						
BASFORD	–	3	1	–	–	–
BINGHAM... ...	–	–	1	–	–	–
BLYTH AND CUCKNEY	–	1	–	–	1	–
EAST RETFORD ...	–	–	1	–	–	–
OXFORD	–	9	–	–	–	M. 2
†OXFORD C.B. ...	–	5	–	–	–	M. 1
Boroughs and Urban Districts:—						
WHEATLEY ...	–	–	–	–	–	M. 1
Rural Districts:—						
HEADINGTON ...	–	3	–	–	–	–
WITNEY	–	1	–	–	–	–
PETERBOROUGH (Soke of)	–	–	–	–	3	E. 1
Borough:—						
†PETERBOROUGH...	–	–	–	–	1	E. 1
Rural District:—						
PETERBOROUGH...	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever:

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
RUTLAND	–	8	–	–	–	–
Rural Districts:—						
OAKHAM ...	–	8	–	–	–	–
SALOP	–	11	1	–	1	M. 2
Boroughs and Urban Districts:—						
LUDLOW	–	1	–	–	–	–
†OAKENGATES ...	–	1	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
†SHREWSBURY ...	–	2	–	–	–	–
WEM	–	1	–	–	–	–
†WENLOCK ...	–	–	–	–	–	M. 1
Rural Districts:—						
DRAYTON... ...	–	–	–	–	1	–
OSWESTRY ...	–	1	1	–	–	M. 1
TEME	–	1	–	–	–	–
WEM	–	3	–	–	–	–
SOMERSET	–	25	10	2	3	D. 1
†BATH C.B. ...	–	2	3		–	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	3	–	–	–	D. 1
SHEPTON MALLET	–	–	–	1	–	–
†TAUNTON... ...	–	1	–	–	–	–
†WESTON SUPER MARE	–	2	–	–	–	–
WIVELISCOMBE ...	*	*	*	*	*	*
†YEOVIL	–	3	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	2	–
BATH	–	1	–	–	–	–
CLUTTON... ...	–	3	1	–	–	–
DULVERTON ...	–	–	5	–	–	–
LONG ASHTON ...	–	3	–	–	1	–
TAUNTON ...	–	1	–	–	–	–
WELLS	–	–	1	1	–	–
WILLITON ...	–	1	–	–	–	–
WINCANTON ...	–	5	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ...	–	47	22	2	2	E. 2 L. 1 M. 1
†BOURNEMOUTH C.B.	–	6	1	–	–	L. 1
†PORTSMOUTH C.B.	–	16	13	1	–	–
†SOUTHAMPTON C.B.	–	18	5	–	–	M. 1
Boroughs and Urban Districts:—						
CHRISTCHURCH ...	–	2	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	1	–
†FAREHAM ...	–	–	–	–	1	–
†GOSPORT	–	2	1	–	–	–
HAVANT	–	–	–	1	–	–
LYMINGTON ...	*	*	*	*	*	*
†WINCHESTER ...	–	1	1	–	–	E. 2
Rural Districts:—						
CATHERINGTON ...	–	1	–	–	–	–
WHITCHURCH ...	–	–	1	–	–	–
STAFFORD	–	66	42	1	36	M. 13
†BURTON UPON TRENT C.B.	–	1	–	–	1	–
†SMETHWICK C.B.	–	1	2	–	2	M. 1
†STOKE ON TRENT C.B.	–	18	7	–	13	M. 10
†WALSALL C.B. ...	–	6	6	–	–	–
†WEST BROMWICH C.B.	–	3	2	–	2	–
†WOLVERHAMPTON C.B.	–	1	2	–	2	M. 1
Boroughs and Urban Districts:—						
†AUDLEY	–		1	–	–	–
BIDDULPH ...	–	4	–	–	–	–
†BILSTON	–	1	–	–	4	–
†BRIERLEY HILL...	–	–	–	–	2	–
†BROWNHILLS ...	–	1	1	–	–	–
†CANNOCK	–	1	–	–	–	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	1	11	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LEEK	–	–	1	–	–	–
†NEWCASTLE UNDER LYME	–	2	1	–	–	–
†ROWLEY REGIS ...	–	8	–	–	3	–
RUGELEY	–	1	–	–	–	–
†STAFFORD ...	–	–	1	–	2	–
†TIPTON	–	2	–	1	–	–
†WEDNESBURY ...	–	3	2	–	–	–
WEDNESFIELD ...	–	–	1	–	1	–
†WILLENHALL ...	–	1	–	–	1	–
†WOLSTANTON UNITED	–	4	–	–	2	–
Rural Districts:—						
BLYMHILL AND WESTON UNDER LIZARD (parishes)	–	–	1	–	–	–
CANNOCK	–	–	1	–	–	–
CHEADLE	–	–	–	–	1	–
GNOSALL	*	*	*	*	*	*
KINGSWINFORD ...	–	2	–	–	–	–
LICHFIELD ...	–	3	2	–	–	–
STONE	–	1	–	–	–	–
WALSALL	–	1	–	–	–	–
SUFFOLK, EAST ...	–	3	3	1	2	E. 1 M. 2
†IPSWICH C.B. ...	–	–	–	–	2	M. 1
Boroughs and Urban Districts:—						
BECCLES	–	2	–	–	–	–
†LOWESTOFT ...	–	1	1	1	–	M. 1
SAXMUNDHAM ...	*	*	*	*	*	*
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	–	–	–	E. 1
EAST STOW ...	–	–	1	–	–	–
WOODBRIDGE ...	–	–	1	–	–	–
SUFFOLK, WEST ...	–	5	1	1	–	–
Boroughs and Urban Districts:—						
NEWMARKET ...	–	5	–	–	–	–
Rural Districts:—						
COSFORD	–	–	1	–	–	–
MELFORD	–	–	–	1	–	–
SURREY	–	35	10	1	4	E. 3 G. 2 M. 3
†CROYDON C.B. ...	–	6	3	–	–	M. 1
Boroughs and Urban Districts:—						
†BARNES	–	2	–	–	–	–
†BEDDINGTON AND WALLINGTON	–	–	–	–	–	G. 2
†CARSHALTON ...	–	2	–	–	–	–
†CHERTSEY ...	–	4	–	–	–	–
EAST AND WEST MOLESEY	–	–	2	–	1	E. 1
†EPSOM	–	–	1	–	–	–
†ESHER AND THE DITTONS	–	2	–	–	–	–
†FARNHAM ...	–	–	–	–	1	–
†FRIMLEY	–	1	–	–	–	M. 1
†GUILDFORD ...	–	1	2	–	–	–
HASLEMERE ...	*	*	*	*	*	*
†KINGSTON ON THAMES	–	2	–	–	1	–
†MERTON AND MORDEN	–	1	–	–	–	–
†MITCHAM	–	–	–	–	1	E. 1
†RICHMOND ...	–	1	–	–	–	–
†SURBITON ...	–	1	–	1	–	E. 1
†THE MALDENS AND COOMBE	–	1	–	–	–	–
†WIMBLEDON ...	–	2	–	–	–	M. 1
†WOKING	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis : G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
EPSOM	–	1	1	–	–	–
GODSTONE ...	–	1	1	–	–	–
GUILDFORD ...	–	4	–	–	–	–
HAMBLEDON ...	–	2	–	–	–	–
SUSSEX, EAST ...	–	18	7	–	2	L. 1
†BRIGHTON C.B. ...	–	11	4	–	1	–
†HASTINGS C.B. ...	–	–	2	–	–	–
Boroughs and Urban Districts:—						
BURGESS HILL ...	–	–	–	–	1	–
†HOVE	–	1	1	–	–	–
†LEWES	–	1	–	–	–	–
PORTSLADE BY SEA	–	3	–	–	–	–
Rural Districts:—						
CUCKFIELD ...	–	1	–	–	–	–
EAST GRINSTEAD	–	1	–	–	–	–
HAILSHAM ...	–	–	–	–	–	L. 1
SUSSEX, WEST ...	–	5	5	1	–	–
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	1	–	–	–	–
†BOGNOR	–	–	–	1	–	–
†HORSHAM ...	–	2	4	–	–	–
SHOREHAM BY SEA	–	–	1	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	1	–	–	–	–
WESTBOURNE ...	–	1	–	–	–	–
WARWICK	–	74	37	1	39	C. 4 D. 1 E. 4 G. 1 L. 1 M. 15
†BIRMINGHAM C.B.	–	61	29	–	28	C. 3 D. 1 E. 4 L. 1 M. 13
†COVENTRY C.B. ...	–	4	–	–	3	C. 1 M. 2
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	–	–	1	–
†NUNEATON ...	–	1	–	–	1	–
†ROYAL LEAMINGTON SPA	–	–	–	1	–	–
†RUGBY	–	–	–	–	1	–
STRATFORD ON AVON	–	–	1	–	–	–
†SUTTON COLDFIELD	–	–	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	1	2	–	–	–
ATHERSTONE ...	–	1	1	–	2	–
FOLESHILL ...	–	1	–	–	1	–
MERIDEN... ...	–	–	1	–	–	–
NUNEATON ...	–	1	–	–	1	–
RUGBY	–	4	1	–	–	–
STRATFORD ON AVON	–	–	–	–	–	G. 1
TAMWORTH (part)	–	–	2	–	–	–
WESTMORLAND ...	–	3	1	–	1	G. 1
Boroughs and Urban Districts:—						
AMBLESIDE ...	–	–	–	–	–	G. 1
†KENDAL	–	–	1	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	–	–	–
SOUTH WESTMORLAND	–	2	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WIGHT, ISLE OF ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
†RYDE	*	*	*	*	*	*
SANDOWN ...	–	4	–	–	–	–
WILTS	–	11	2	–	2	L. 2
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
†SALISBURY ...	–	–	1	–	–	–
†SWINDON... ...	–	1	1	–	2	L. 2
Rural Districts:—						
AMESBURY ...	–	7	–	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
SALISBURY ...	–	1	–	–	–	–
WORCESTER ...	-	16	3	1	5	–
†DUDLEY C.B. ...	–	1	–	–	1	–
†WORCESTER C.B.	–	2	1	–	1	–
Boroughs and Urban Districts:—						
†LYE AND WOLLESCOTE	–	–	–	–	1	–
†OLDBURY... ...	–	1	–	–	1	–
†REDDITCH ...	–	1	–	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	4	–	–	–	–
DROITWICH ...	–	1	–	–	–	–
FECKENHAM ...	–	2	–	–	–	–
HALESOWEN ...	–	2	–	–	–	–
MARTLEY... ...	–	–	1	–	–	–
PERSHORE ...	–	1	–	–	–	–
UPTON ON SEVERN	–	1	1	1	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... **(East Riding.)**	–	20	12	2	6	M. 2
†KINGSTON UPON HULL C.B.	–	14	11	1	6	M. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	2	–	–	–	–
NORTON	–	1	–	–	–	–
Rural Districts:—						
BRIDLINGTON ...	–	1	–	–	–	–
HOWDEN	–	1	–	–	–	–
PATRINGTON ...	–	–	–	1	–	–
SHERBURN ...	–	1	–	–	–	–
SKIRLAUGH ...	–	–	1	–	–	–
YORKS ... ... **(North Riding.)**	1	65	1	–	6	M. 2
†MIDDLESBROUGH C.B.	1	45	·	–	2	M. 1
Boroughs and Urban Districts:—						
†ESTON	–	2	–	–	–	–
LOFTUS	–	1	–	–	–	M. 1
NORTHALLERTON	–	2	–	–	–	–
†REDCAR	–	1	–	–	-	–
RICHMOND ..	–	4	–	–	–	–
SALTBURN BY THE SEA	–	1	–	–	–	–
†SCARBOROUGH ...	–	–	–	–	3	–
†THORNABY ON TEES	–	2	–	–	–	–
†WHITBY	–	3	–	–	–	–
Rural Districts:—						
EASINGWOLD ...	–	–	–	–	1	–
GUISBOROUGH ...	–	1	–	–	–	–
MIDDLESBROUGH	–	1	–	–	–	–
SCARBOROUGH ...	–	2	–	–	–	–
WHITBY	–	–	1	–	·	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding.)	1	220	47	19	77	C. 5 E. 1 M. 10
†BARNSLEY C.B. ...	–	–	1	2	1	–
†BRADFORD C.B. ...	–	11	7	1	7	C. 1
†DEWSBURY C.B....	–	2	–	–	–	–
†HALIFAX C.B. ...	–	1	1	–	–	M. 2
†HUDDERSFIELD C.B.	–	3	2	4	1	–
†LEEDS C.B. ...	–	44	4	–	10	M. 1
†ROTHERHAM C.B.	–	13	1	–	3	M. 1
†SHEFFIELD C.B....	–	62	5	3	24	M. 4
†WAKEFIELD C.B.	–	3	4	–	–	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	1	3	–	–	–	–
ALTOFTS	–	–	–	–	1	–
BARKISLAND ...	–	1	–	–	–	–
†BARNOLDSWICK ...	–	–	2	–	–	–
†BATLEY	–	2	–	–	–	–
†BINGLEY	–	–	–	1	–	–
†BOLTON UPON DEARNE	–	–	1	4	–	–
†CASTLEFORD ...	–	–	1	–	–	–
†CONISBROUGH ...	–	4	1	–	–	–
DODWORTH ...	–	1	–	–	–	–
†DONCASTER ...	–	4	1	–	–	–
†ELLAND	–	–	1	–	–	–
FARSLEY	–	1	1	–	–	–
†FEATHERSTONE ...	–	1	–	–	1	–
†GOLCAR	–	–	–	–	–	M. 1
†GOOLE	–	1	1	–	2	–
GREETLAND ...	–	–	–	–	1	–
†HARROGATE ...	–	1	–	–	–	E. 1 M. 1
HEBDEN BRIDGE	–	–	–	–	1	–
†HEMSWORTH ...	–	11	1	–	3	C. 1
HIPPERHOLME ...	–	1	–	–	–	–
†HOLMFIRTH ...	–	1	–	1	–	–
HOYLAND SWAINE	*	*	*	*	*	*
ILKLEY	–	–	1	–	2	–
†KEIGHLEY ...	–	1	–	–	1	–
KIRKBURTON ...	–	–	1	–	–	–
KIRKHEATON ...	–	–	1	–	–	–
KNOTTINGLEY ...	–	2	–	–	1	–
LUDDENDEN FOOT	–	–	–	–	1	–
†MEXBOROUGH ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MIRFIELD ...	–	1	–	–	1	–
†MORLEY	–	3	–	–	–	–
†NORMANTON ...	–	–	–	–	1	–
†OSSETT	–	2	–	–	–	–
OTLEY	–	–	–	–	2	–
PENISTONE ...	*	*	*	*	*	*
†PONTEFRACT ...	–	1	–	–	–	–
RAWDON	*	*	*	*	*	*
†ROTHWELL ...	–	1	–	–	–	–
ROYSTON	–	–	1	–	–	–
†SADDLEWORTH ...	–	–	–	–	–	C. 1
†SHIPLEY	–	–	2	–	–	–
SKELMANTHORPE	–	–	1	–	–	–
†SKIPTON	–	5	–	–	–	–
SLAITHWAITE ...	–	–	–	1	–	–
†SOWERBY BRIDGE	*	*	*	*	*	*
SPRINGHEAD ...	–	–	–	–	2	–
†STANLEY	–	1	–	–	1	–
†SWINTON	–	2	–	–	–	–
TICKHILL ...	–	–	–	–	1	–
†TODMORDEN ...	–	1	–	–	–	–
†WATH UPON DEARNE	–	1	–	–	–	–
†WOMBWELL ...	–	–	–	1	–	–
†WORSBOROUGH ...	–	2	–	–	1	–
Rural Districts—						
DONCASTER ...	–	2	1	–	4	–
HEMSWORTH ...	–	3	–	–	3	C. 1
KIVETON PARK ...	–	1	–	–	–	–
PENISTONE ...	–	–	1	–	–	–
PONTEFRACT ...	–	4	–	–	–	–
RIPON	*	*	*	*	*	*
ROTHERHAM ...	–	4	1	–	–	C. 1
TADCASTER ...	–	6	–	1	–	–
WAKEFIELD ...	–	–	1	–	–	–
WETHERBY ...	–	3	–	–	–	–
WORTLEY ...	–	3	1	–	–	–
County Borough :—						
§YORK	–	3	–	–	–	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

§ York C.B. is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	–	1	5	–	–	–
Boroughs and Urban Districts:—						
LLANGEFNI ...	–	–	1	–	–	–
Rural Districts:—						
VALLEY	–	1	4	–	–	–
BRECKNOCK ...	–	2	5	–	–	D. 1
Urban Districts:—						
BRECKNOCK ...	–	–	1	–	–	–
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
YSTRADFELLTE (parish)	–	2	–	–	–	–
YSTRADGYNLAIS	–	–	4	–	–	D. 1
CARDIGAN	–	1	–	–	2	–
Boroughs and Urban Districts:—						
†ABERYSTWYTH ...	–	–	–	–	1	–
Rural Districts:—						
ABERYSTWYTH (NORTH)	–	–	–	–	1	–
TREGARON ...	–	1	–	–	–	–
CARMARTHEN ...	–	8	6	–	2	–
Boroughs and Urban Districts:—						
BURRY PORT ...	–	1	–	–	–	–
†CARMARTHEN ...	–	–	–	–	1	–
†LLANELLY ...	–	3	2	–	1	–
CARMARTHEN— *cont*						
Rural Districts:—						
LLANDILO FAWR..	–	1	3	–	–	–
LLANELLY ...	–	3	–	–	–	–
LLANYBYTHER ...	–	–	1	–	–	–
CARNARVON ...	–	4	1	–	–	E. 3
Boroughs and Urban Districts:—						
CONWAY	–	2	–	–	–	E. 1
PENMAENMAWR...	–	–	–	–	–	E. 2
Rural Districts:—						
CONWAY	–	1	–	–	–	–
LLEYN	–	–	1	–	–	–
OGWEN	–	1	–	–	–	–
DENBIGH	–	1	–	–	2	–
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN ...	–	–	–	–	1	–
Rural Districts:—						
LLANSILIN ...	–	–	–	–	1	–
WREXHAM ...	–	1	–	–	–	–
FLINT	–	1	1	4	4	–
Boroughs and Urban Districts:—						
FLINT	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	–	1	2	–
HOLYWELL (HOLYWELL DIV.)	–	–	1	3	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN ...	–	66	34	3	24	C. 2 E. 4 F. 1 M. 6
†CARDIFF C.B. ...	–	6	5	–	11	C. 1 E. 2 M. 2
†MERTHYR TYDFIL C.B.	–	1	–	–	1	M. 1
†SWANSEA C.B. ...	–	15	3	–	1	E. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	2	–	–	1	–
†BARRY	–	3	3	–	2	E. 1
†CAERPHILLY ...	–	9	3	–	–	F. 1
†GELLIGAER ...	–	3	2	–	1	–
†MAESTEG ..	–	–	2	–	–	–
†MOUNTAIN ASH ...	–	1	–	1	2	–
†NEATH	–	–	2	–	–	–
†OGMORE AND GARW	–	1	–	1	–	–
†PONTYPRIDD ...	–	5	–	1	–	–
PORTHCAWL ...	–	1	–	–	–	–
†PORT TALBOT ...	–	1	3	–	–	–
†RHONDDA ..	–	7	6	–	3	M. 3
Rural Districts:—						
CARDIFF	–	1	4	–	–	–
COWBRIDGE ...	–	–	–	–	–	C. 1
GOWER	–	1	–	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	–	–	–	1	–
NEATH	–	5	–	–	1	–
PENYBONT ...	–	1	–	–	–	–
PONTARDAWE ...	–	1	1	–	–	–
SWANSEA... ...	–	2	–	–	–	–
MERIONETH ...	–	17	–	–	–	M. 1
Rural Districts:—						
DOLGELLEY ...	–	17	–	–	–	M. 1
MONMOUTH ...	–	29	12	1	9	C. 1 M. 2
†NEWPORT C.B. ...	–	4	1	1	4	–
MONMOUTH—*cont.*						
Boroughs and Urban Districts:—						
†ABERCARN ...	–		3	–	–	–	–
ABERGAVENNY ...	–	–	–	–	–	C. 1
†ABERSYCHAN ...	–		1	–	–	–	–
†ABERTILLERY ...	–		4	4	–	–	–
BEDWAS AND MACHEN	–		1	–	–	1	–
†BEDWELLTY ...	–		1	3	–	–	–
†BLAENAVON ...	–		1	–	–	–	–
†EBBW VALE ...	–		9	1	–	–	M. 1
MYNYDDISLWYN	–		1	–	–	–	–
†NANTYGLO AND BLAINA	–	–		–	–	3	M. 1
PONTYPOOL ...	–		1	–	–	–	–
†RHYMNEY ...	–	–		3	–	–	–
†TREDEGAR ...	–		1	–	–	1	–
USK	*	*		*	*	*	*
Rural Districts:—						
ABERGAVENNY ...	–		1	–	–	–	–
PONTYPOOL ...	*	*		*	*	*	*
SAINT MELLONS...	–		1	–	–	–	–
MONTGOMERY ...	–	–		–	–	3	–
Rural Districts:—						
LLANFYLLIN ...	–	–		–	–	3	–
PEMBROKE	–		1	4	–	–	–
Boroughs and Urban Districts:—						
HAVERFORDWEST	–	–		2	–	–	–
MILFORD HAVEN	–		1	–	–	–	–
†PEMBROKE ...	–	–		2	–	–	–
Total of Part II. ...	22	1693		626	85	559	C. 32 D. 5 E. 27 F. 3 G. 13 J. 1 L. 10 M. 110

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
BARNSTAPLE	*	*	*	*	*	*	SOUTHAMPTON ...	-	2	1	–	–	–
BOSTON	*	*	*	*	*	*	PORT OF LONDON ...	–	-	1	–	–	–
LIVERPOOL	–	-	1	–	–	–							
MANCHESTER	*	*	*	*	*	*	**Total of Part III....**	-	2	3	–	–	–
PENZANCE	*	*	*	*	*	*							

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	302	199	5	81	C. 8 E. 2 F. 1 M. 14
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	22	1693	626	85	559	C. 32 D. 5 E. 27 F. 3 G. 13 J. 1 L. 10 M. 110
Total of Part III.—Port Sanitary Districts	–	2	3	–	–	–
Total (*i.e.*, of returns received), England and Wales ...	22	1997	828	90	640	C. 40 D. 5 E. 29 F. 4 G. 13 J. 1 L. 10 M. 124

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 1211, 1212, 1216, 1220, and 1221.

Table 5.—London and Great Towns in the Aggregate. { Births, Deaths (distinguishing certain Causes) and Deaths of Infants under 1 Year of Age) and Notified Cases of certain Infectious Diseases in the last Thirteen Weeks.

Week ended :—	Aug. 4.	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.
LONDON :—													
Deaths—all ages	765	719	718	813	782	799	807	868	928	831	869	853	88[illegible]
„ 0 to 1 year ..	73	83	76	111	122	106	115	116	149	128	129	104	11[illegible]
GREAT TOWNS, aggregate (including London) :—													
Births	8,133	6,627	7,910	7,798	7,482	7,682	7,281	7,154	7,428	6,905	7,078	7,464	7,18[illegible]
Deaths—all ages	3,300	3,331	3,269	3,282	3,287	3,428	3,395	3,616	3,660	3,474	3,650	3,579	3,67[illegible]
„ 0 to 1 year ..	407	449	410	499	484	471	493	514	516	454	468	464	47[illegible]
Enteric Fever—Cases	33	41	24	27	26	31	38	32	37	35	53	44	2[illegible]
„ Deaths	1	7	6	1	2	4	4	4	3	8	4	7	[illegible]
Small Pox—Cases ..	14	13	9	10	12	10	17	16	9	16	26	4	[illegible]
„ Deaths ..	—	—	—	—	—	—	—	—	2	—	—	—	—
Scarlet Fever—Cases	626	540	539	561	611	736	755	850	997	956	995	1,013	1,15[illegible]
„ Deaths	5	7	6	6	7	11	6	9	9	8	11	15	[illegible]
Diphtheria—Cases ..	340	358	344	362	391	374	467	500	473	450	525	498	53[illegible]
„ Deaths ..	22	20	26	20	27	21	26	27	24	22	22	25	2[illegible]
Measles—Deaths ..	29	28	30	14	15	15	15	17	6	10	8	15	1[illegible]
Influenza—Deaths ..	15	14	24	16	14	20	9	28	33	31	40	33	2[illegible]

Table 6.—Meteorology in certain Towns during the Week ended Saturday, 27th October, 1923. (*Supplied by the Meteorological Office.*)

Towns.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	Towns.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
London (Greenwich).	60	44	58·6	46·6	31	Bradford ..	54	41	51·7	44·3	47
Brighton ..	58	47	57·1	51·3	68	Sheffield ..	Not received.				
Portsmouth ..	58	47	57·4	49·6	53	York (Museum)	56	40	53·3	43·9	19
Norwich (Eaton).	60	43	56·4	44·4	18	Hull (Pearson Park).	59	42	55·7	43·9	12
Plymouth ..	58	47	57·0	48·3	36	Tynemouth ..	56	39	53·0	43·9	14
Bristol (Clifton).	57	45	55·9	46·3	62	Cardiff	57	41	55·7	45·0	83
Birmingham (Edgbaston)	56	41	54·1	44·4	31	Edinburgh ..	52·0	40·0	50·3	42·4	24
Nottingham ..	57	41	55·3	44·9	15	Glasgow ..	51·0	40·7	49·8	43·3	41
Birkenhead (Bidston).	54	42	52·9	44·3	31	Dublin (Phœnix Park).	58·0	37·2	54·7	41 1	19
Manchester (Whitworth Park).	55	42	53·6	44·4	44	Fitzwilliam Square.†	55·0	41·2	53·6	44·0	22
Burnley	53	40	52·0	43·1	64	Belfast	57·5	30·2	55·1	37·5	37
Huddersfield	59	40	53·6	42·9	35						

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 27th October, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - 21	..	29·121	59·2	46·0	13·2	51·9	+ 3·3	48·3	3·6	9·5	2·4	88	88·0	39·6	53·3	SSW	SW	6·2	0·1	0·7	480	+ 231	0·16
MONDAY - 22	In Equator	29·155	58·0	45·7	12·3	49·8	+ 1·5	43·0	6·8	15·0	2·3	77	103·3	39·1	53·2	SW	SW : SSW.	10·0	0·2	0·6	485	+ 231	0·14
TUESDAY - 23	..	28·844	58·1	46·1	12·0	51·8	+ 3·7	50·4	1·4	6·5	0·8	95	64·0	38·4	53·3	S	S : SSW.	5·0	0·1	0·5	404	+ 144	0·40
WEDNESDAY 24	Full	28·934	58·2	45·2	13·0	50·8	+ 2·9	42·6	8·2	14·8	3·5	74	98·0	37·2	53·1	SSW : SW.	SW	5·4	0·1	0·5	418	+ 149	0·01
THURSDAY - 25	..	29·307	59·3	45·7	13·6	51·9	+ 4·2	43·2	8·7	14·9	3·9	72	103·2	38·3	53·0	SW	SW	8·0	0·1	0·9	487	+ 209	0·06
FRIDAY - 26	Apogee	29·277	58·4	43·6	14·8	50·8	+ 3·2	44·1	6·7	12·9	1·7	78	92·8	36·0	52·8	S : SW	SW : S	7·5	0·0	0·9	472	+ 186	0·30
SATURDAY - 27	..	29·100	59·8	50·3	9·5	53·6	+ 6·1	47·0	6·6	10·9	3·0	78	97·5	43·9	52·8	S : SSW	SW : SSW.	5·7	0·2	1·1	512	+ 220	0·22
MEANS -	..	29·105	58·7	46·1	12·6	51·5	+ 3·6	45·5	6·0	12·1	2·5	80	92·4	38·9	53·1	SW		..	..	..	Sum 3,258	Sum +1370	Sum 1·29
No. of COLUMN	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. OCTOBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	21	wP till 12¾h.; variable till 18h.; then wP.	0·4	10·4	Overcast, clearing to nearly cloudless by 19½h. Rain 7h. till 8½h. Brisk wind from 3h. till 17h.
MONDAY ..	22	wP till 13½h.; variably sP and sN till 15½h.; mP till 22h.; then wP.	6·9	10·3	Variably cloudy, clearing to nearly cloudless by 15h. Rain and thunder 14h. till 14¾h. Brisk wind 8h. till 16h.
TUESDAY ..	23	wP till 16h.; then mP.	0·0	10·2	Overcast generally till 15½h., clearing to cloudless by 18h. Lunar halo 2½h. till 4h. Occasional damping 6h. till 12h. Rain 12h. till 15½h. Brisk wind 13h. till 20h.
WEDNESDAY	24	mP till 11h.; then loss of register.	7·1	10·2	Variably cloudy till 15h., then nearly cloudless. Showers 1h. and 14¾h. Brisk wind 10h. till 16h. Dew at night.
THURSDAY	25	Loss of register till 11h.; wP till 14h.; sN till 14½h.; mP till 18½h.; variably sP and sN till 19½h.; then mP.	6·7	10·1	Cloudless generally with partially cloudy period between 10h. and 15h., and overcast interval with rain 18½h. till 19½h. Brisk wind 8h. till 16h.
FRIDAY ..	26	wP till 6½h.; variably sP and sN till 9h.; then mP.	6·0	10·0	Cloudless till 2h.; nearly overcast generally till 14h., then partially cloudy. Slight rain 9h. and 12h. Brisk wind 6h. till 16h.
SATURDAY	27	Variably wN and wP till 12h.; sN till 12½h.; then wP.	1·0	10·0	Overcast generally till 18h., then partially cloudy. Showers 0h. and 3½h. Slight rain 11¾h. till 12. Brisk wind 12h. till 16h.
			Sum 28·1	Sum 71·2	
No. of Col. ..		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

OFFICIAL NOTE

* The reading of the barometer decreased from 29·35 in. at the beginning of the week to 29·06 in. by 15h. on 21st; increased to 29·23 in. by 22h. on 22nd; decreased generally to 28·76 in. by 15h. on 23rd; increased to 29·44 in. by 22½h. on 25th; decreased to 29·15 in. by 8h. on 26th; increased to 29·39 in. by 18h. on 26th; decreased to 29·03 in. by 10h. on 27th; increased and was 29·21 in. by midnight on the same day."

* ERRATA. TABLE 7.—The paragraph as to barometer readings for the week ended Saturday, 20th October, 1923 should have read;—"The reading of the barometer increased generally from 29·41 at the beginning of the week to *30·09 in.* by 21h. on 17th; decreased &c., &c."

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS
11-17, Hare Street, E.2

(14780) Wt. 392—P. 31 225[1] 11/23 H. S. G. 43

FOR OFFICIAL USE.

1923. No. 44.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 3RD NOVEMBER, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 3RD NOVEMBER, 1923.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-fourth week of the year numbered 7,721 and corresponded to an annual rate of 21·0 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,619 and corresponded to an annual rate of 9·8 per 1,000 of their aggregate civilian population, which is estimated at 19,170,699 in the year 1922. In the preceding three weeks the rates had been 9·9, 9·7 and 10·0. Infant mortality was 59 per 1,000 births, against 66, 62 and 66 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,876 births, corresponding to a rate of 21·5 per 1,000, and 905 deaths of civilians, corresponding to a rate of 10·4, as against 10·0, 9·8 and 10·2 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 10·1 per 1,000. The infant mortality was 55 as against 79, 62 and 69 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 57 in the total deaths last week, and the deaths from influenza rose from 29 to 37. In London the number of deaths from all causes rose from 885 to 905; while the deaths from diphtheria, which had been 10, 8 and 8 in the preceding three weeks, rose to 12 last week, and those of infants under two years of age from diarrhœal diseases, which had been 39, 28 and 33 in the preceding three weeks, fell to 17 last week.

Just Published:

Census of England and Wales, 1921.

County of Gloucester. Price 9*s*. net.

County of Devon. Price 11*s*. 6*d*. net.

County of Derby. Price 10*s*. net.

County of Nottingham. Price 7*s*. 6*d*. net.

County of Cornwall. Price 8*s*. net.

County of Chester. Price 12*s*. 6*d*. net.

The Registrar General's Statistical Review, 1922.

Tables, Part I. Medical. Price 15*s*. net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 3rd November, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,699*	7,721	3,619	457	3	19	9	16	33	68	37
London	4,534,230*	1,876	905	104	1	6	1	4	12	17	5
Towns in Outer Ring.											
Croydon C.B. ..	192,300	69	37	2	-	-	-	-	-	-	1
Wimbledon ..	61,730	15	7	1	-	-	-	-	-	-	-
Ealing	67,890	23	5	-	-	-	-	-	-	-	-
Acton	62,390	22	11	2	-	-	-	-	-	-	-
Willesden ..	168,200	45	21	1	-	-	-	-	1	-	-
Hendon	55,930	16	9	2	-	-	-	-	-	-	-
Hornsey	87,310	18	8	-	-	-	-	-	-	-	-
Wood Green ..	51,290	14	7	1	-	-	-	-	-	1	-
Tottenham ..	150,500	53	25	5	-	-	-	-	-	-	-
Edmonton ..	68,700	43	13	1	-	1	-	-	1	-	-
Enfield	62,010	14	8	-	-	-	-	-	-	-	-
West Ham C.B. ..	310,200	175	51	5	-	-	-	-	1	-	1
East Ham C.B. ..	145,800	57	14	-	-	-	-	-	-	-	2
Leyton	131,600	42	15	-	-	-	-	-	-	-	1
Walthamstow ..	129,700	44	18	1	-	-	-	-	-	-	-
Ilford	86,370	34	11	-	-	-	-	-	-	1	-
Gillingham	48,630*	28	9	-	-	-	-	-	1	-	-
Canterbury C.B ..	23,680	14	6	1	-	-	-	-	-	-	-
Hastings C.B.	59,500	24	8	-	-	-	-	-	-	-	1
Eastbourne C.B. ..	53,700	19	8	2	-	-	-	-	-	-	-
Brighton C.B. ..	135,279†	47	25	3	-	-	-	-	-	-	-
Portsmouth C.B. ..	236,630*	89	50	4	1	-	-	-	1	-	-
Bournemouth C.B. ..	81,500	21	20	-	-	-	-	-	-	-	-
Southampton C.B. ..	163,700	65	31	3	-	-	-	-	-	-	-
Reading C.B.	92,990	30	17	1	-	-	-	-	-	-	-
Oxford C.B.	56,510	18	9	1	-	1	-	-	-	-	-
Northampton C.B. ..	92,950	33	16	1	-	-	1	-	-	-	-
Luton	58,260	19	9	1	-	-	-	-	-	-	-
Cambridge	59,200	23	8	-	-	-	-	-	-	-	-
Southend-on-Sea C.B.	91,430	33	10	-	-	-	-	-	-	-	-
Ipswich C.B.	80,950	35	13	3	-	-	-	-	-	-	-
Great Yarmouth C.B.	56,700	14	11	1	-	-	-	-	-	1	-
Norwich C.B ..	122,900	52	20	1	-	-	-	-	-	-	-
Swindon	55,680	17	7	-	-	-	-	-	-	-	-
Exeter C.B.	59,700	34	16	2	-	-	-	-	-	-	-
Plymouth C.B. ..	200,370*	78	44	2	-	-	-	-	-	-	-
Bath C.B.	68,530	24	14	-	-	-	-	-	-	-	-
Bristol C.B.	383,900	136	62	7	-	-	-	-	1	1	-
Gloucester C.B. ..	52,210	26	11	3	-	1	1	-	-	-	-
Stoke-on-Trent C.B.	274,300	121	51	13	-	-	-	1	1	3	1
Burton-upon-Trent C.B.	49,630	20	16	3	-	-	-	-	-	-	4
Wolverhampton C.B.	105,700	41	12	3	-	-	-	-	-	-	-
Walsall C.B.	99,890	44	19	2	-	-	-	-	-	-	-
West Bromwich C.B.	76,260	31	11	2	-	-	-	-	1	-	-
Dudley C.B.	57,860	18	4	-	-	-	-	-	-	-	-
Worcester C.B. ..	49,240	18	10	-	-	-	-	-	-	-	-
Birmingham C.B. ..	945,100	390	155	23	-	-	1	1	2	7	1
Smethwick C.B. ..	78,140	31	10	2	-	-	-	-	-	-	-
Coventry C.B. ..	131,200	43	19	4	-	-	-	-	-	-	-
Leicester C.B. ..	238,800	77	38	4	-	-	-	-	-	2	-
Lincoln C.B.	66,930	25	10	-	-	-	-	-	-	-	-
Grimsby C.B.	84,650	41	16	3	-	-	-	-	-	-	-
Nottingham C.B. ..	267,900	113	50	4	-	-	-	-	-	1	-
Derby C.B.	132,400	49	18	1	-	-	-	-	-	1	-
Chesterfield ..	63,380	37	15	3	-	-	-	-	-	1	-
Stockport C.B. ..	125,800	45	25	2	-	-	-	-	-	1	-
Chester C.B.	41,190	13	17	2	-	-	-	-	-	-	-
Birkenhead C.B. ..	149,200	49	25	1	-	-	-	-	1	-	-
Wallasey C.B. ..	89,790	21	14	1	-	-	-	-	-	-	-
Liverpool C.B. ..	826,400	394	188	44	-	6	-	1	-	6	3
Bootle C.B.	79,750	36	15	2	-	2	-	-	-	-	-
St. Helens C.B ..	106,400	46	12	1	-	-	-	-	1	-	1

* Population adjusted by the exclusion of non-civilians
† As extended 1st October. 1923.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	17	13	1	-	-	-	-	-	-	-
WIGAN C.B.	91,750	39	16	2	-	-	-	-	-	-	-
WARRINGTON C.B. ..	79,150	46	16	2	-	-	-	-	-	-	-
BOLTON C.B.	182,700	51	38	2	-	-	-	-	-	1	1
BURY C.B.	57,400	11	9	1	-	-	-	-	-	1	-
MANCHESTER C.B. ..	748,500	326	154	25	-	-	1	1	1	7	1
SALFORD C.B.	240,700	78	52	7	-	1	1	-	2	2	1
OLDHAM C.B.	148,300	45	32	2	-	-	-	1	-	-	2
ROCHDALE C.B... ..	92,510	28	18	1	-	-	-	-	-	-	-
BURNLEY C.B.	105,100	39	24	1	-	-	-	1	-	-	-
BLACKBURN C.B. ..	129,600	41	27	4	-	-	-	1	-	-	-
PRESTON C.B.	120,900	53	37	7	-	-	-	-	-	-	1
BLACKPOOL C.B. ..	74,050	12	19	2	-	-	-	1	-	-	-
BARROW-IN-FURNESS C.B.	75,690	27	11	1	-	-	-	1	-	-	-
HUDDERSFIELD C.B. ..	111,600	32	21	-	-	-	-	-	-	-	-
HALIFAX C.B.	100,500	27	17	2	-	-	-	-	-	-	-
BRADFORD C.B. ..	291,300	117	72	11	-	-	-	-	-	1	3
LEEDS C.B.	466,700	186	109	13	-	-	-	-	-	2	2
DEWSBURY C.B. ..	55,170	23	19	2	-	-	-	-	-	-	-
WAKEFIELD C.B. ..	53,840	18	16	2	-	-	-	-	-	1	-
BARNSLEY C.B. ..	69,540	29	10	2	-	-	-	-	1	1	-
SHEFFIELD C.B. ..	522,600	184	70	8	-	1	-	-	-	2	1
ROTHERHAM C.B. ..	69,840	34	18	6	-	-	1	-	-	-	-
DONCASTER	55,020	21	9	2	-	-	-	-	-	-	-
YORK C.B.	84,980	27	16	1	-	-	-	-	-	-	-
HULL C.B.	294,000	138	64	7	1	-	-	1	1	1	-
MIDDLESBROUGH C.B.	134,800	65	24	6	-	-	1	-	-	-	1
DARLINGTON C.B. ..	66,710	30	7	1	-	-	-	-	-	1	-
STOCKTON-ON-TEES ..	65,950	34	19	3	-	-	-	-	-	-	-
WEST HARTLEPOOL C.B.	70,020	38	10	1	-	-	-	-	-	-	-
SUNDERLAND C.B. ..	162,900	91	37	5	-	-	-	-	1	1	-
SOUTH SHIELDS C.B. ..	122,400	63	34	4	-	-	-	-	1	1	-
GATESHEAD C.B. ..	127,300	50	24	5	-	-	-	-	-	-	1
NEWCASTLE-ON-TYNE C.B.	281,600	127	46	11	-	-	1	1	-	1	1
TYNEMOUTH C.B. ..	64,640	28	12	3	-	-	-	-	-	-	-
CARLISLE C.B.	53,490	22	13	-	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	94,880	44	13	-	-	-	-	-	-	1	-
CARDIFF C.B.	223,830	109	59	6	-	-	-	1	1	-	1
RHONDDA	167,500	88	20	5	-	-	-	-	-	1	-
MERTHYR TYDFIL C.B.	82,680	47	14	3	-	-	-	-	-	-	-
ABERDARE	56,580	30	7	2	-	-	-	-	1	-	-
SWANSEA C.B.	161,000	64	34	7	-	-	-	-	-	-	-
GREATER LONDON ..	7,563,730*	2,989	1,330	139	1	7	1	4	15	20	11
OUTER RING	3,029,500*	1,113	425	35	-	1	-	-	3	3	6
16 GREAT TOWNS IN OUTER RING	1,831,920	684	260	21	-	1	-	-	3	2	5
REMAINDER OF OUTER RING	1,197,580*	429	165	14	-	-	-	-	-	1	1
EDINBURGH†	426,000	175	116	10	-	-	5	2	1	-	-
GLASGOW†	1,041,400	445	246	32	-	11	2	4	4	3	-
DUBLIN (REGISTRATION AREA)†	431,000	160	104	18	-	-	1	1	-	3	-
BELFAST†	429,000	214	119	21	-	2	-	-	2	3	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—London and certain Cities in the British Empire and Foreign Countries. } Births and Deaths for last available period.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Still born.	Deaths.	Annual Death-Rate per 1,000 living.	Deaths from Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years)	Influenza.
		1923.											
London‡	4,534,230	Nov. 3	1876	905	10·4	1	–	6	1	4	12	17	5
Calcutta	896,067	Sept. 29	?	517§	29·6	?	–	?	?	?	?	?	10
Bombay	1,220,120	Oct. 6	492‖	670§	28·5	2	3	–		–	–	43	2
Madras	526,911	Sept. 22	496	315	31·1	–	–	–	?	–	1	26	–
Sydney and Suburbs	955,900	Sept.											
Brisbane (Metropolitan Area).	230,200	Aug. (31 days)	459	234	12·2	1	–	–	–	–	1	6	9
Perth (Metropolitan Area).	161,773	Sept. 15	85	39	12·5	–	–	–	–	–	–	–	–
Auckland (Urban Area).	167,760	Sept.											
Wellington (Urban Area).	112,070	,,											
Christchurch (Urban Area).	113,400	,,											
Cape Town	106,727	Sept. 29	75	27	13·1	–	–	–	–	1	–	–	–
Johannesburg	156,858	,, 29	72	31	10·3	–	–	1	–	–	–	–	–
Durban	50,488	,, 29	20	11	11·3	–	–	–	–	–	–	1	–
Paris	2,906,472	Oct. 20 (10 days)	1173	1049	13·2	2	–	–	–	8	1	47	–
Antwerp	302,286	Aug. 25											
Amsterdam	702,658	Oct 13	263	109	8·1	1	–	–	–	–	3	2	–
Copenhagen	570,000	,, 20	205	123	11·3	–	–	–	–	1	–	2	–
Stockholm	424,944	,, 13	112	69	8·4	–	–	–	–	–	1	–	–
Gothenburg	228,074	,, 13	?	30	6·8	–	–	–	–	–	–	2	–
Christiania	258,962	,, 20	70	45	9·0	1	–	–	–	–	–	–	–
Berlin	1,983,000	,, 6	320	450	11·8	2	?	–	–	–	1	7	3
Breslau	561,000	,, 6	166	151	14·0	–	?	1	–	1	1	13	1
Cologne	704,000	,, 6	214	136	10·0	1	?	–	–	2	1	7	–
Dresden	611,000	,, 6	153	125	10·6	–	?	–	–	–	–	1	–
Frankfort-on-Main..	474,000	,, 6	93	64	7·0	–	?	–	–	–	–	3	1
Hamburg	1,079,000	,, 6	261	202	9·7	1	?	–	–	–	1	5	–
Leipzig	679,000	,, 6	153	141	10·8	–	?	–	–	–	–	8	–
Munich	685,000	,, 6	181	159	12·1	1	?	1	–	1	1	9	2
Vienna	1,841,326	Sept. 22	512	407	11·4	2	–	–	2	–	1	14	–
Prague and Suburbs	697,111	,, 15 (15 days)	418	361	12·6	1	–	–	2	1	1	18	–
Budapest	946,000	Sept. 1											
Warsaw	956,087	Oct. 13	392	258	14·1	3	–	1	7	1	1	30	1
Cairo	791,000	July 29	823	654	43·0	13	–	4	–	?	8	126	?
Alexandria	466,700	,, 29	450	327	36·4	3	–	1	–		–	54	?
New York	5,927,617	Sept. 15											
Chicago	2,886,121	Oct. 6	?	541	9·8	–	–	1	1	1	5	38	1
Rio de Janeiro ..	1,309,358	Sept. 22	616	408	16·2	5	1	3	–	12	–	95	12
		,, 29	613	426	17·0	2	–	2	–	12	2	87	16
Montevideo	348,989	July 7											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 7 deaths from Asiatic Cholera in Calcutta, and from Plague 5 in Bombay.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 3rd November, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	905	104	16	27	33	38	48	71	120	133	155	160
Enteric fever	1	–	–	–	1	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	6	2	2	2	–	–	–	–	–	–	–	–
Scarlet fever	1	–	1	–	–	–	–	–	–	–	–	–
Whooping cough	4	2	–	2	–	–	–	–	–	–	–	–
Diphtheria	12	1	2	8	1	–	–	–	–	–	–	–
Influenza	5	–	–	1	–	–	1	1	1	–	–	1
Erysipelas	1	–	–	–	–	1	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	1	–	–	1	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	88	–	1	1	3	18	17	18	19	8	3	–
Nervous system	7	1	–	1	5	–	–	–	–	–	–	–
Intestines and peritoneum	6	2	–	1	–	1	1	1	–	–	–	–
Other forms	10	1	–	1	2	1	1	3	–	1	–	–
Venereal diseases	1	–	–	–	–	–	–	1	–	–	–	–
Cancer	127	–	–	–	–	–	2	7	31	36	34	17
Rheumatic fever	4	–	–	–	2	–	1	–	1	–	–	–
Diabetes	8	–	–	–	–	–	1	–	3	1	1	2
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	4	–	–	–	2	–	–	1	1	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	44	–	–	–	–	–	1	1	3	10	13	16
Epilepsy	2	–	–	–	–	–	–	1	–	1	–	–
"Convulsions" (not puerperal) ..	3	3	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	27	2	–	1	3	1	3	6	3	5	2	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	6	1	–	–	–	1	1	1	1	–	1	–
Other diseases of heart	100	–	–	–	–	1	2	3	11	21	33	29
Other diseases of circulatory system	36	–	–	–	–	–	1	1	3	3	11	17
Bronchitis	44	3	–	–	–	–	1	2	4	4	11	19
Broncho-pneumonia	34	15	4	–	2	–	1	1	3	–	2	6
Lobar-pneumonia	27	1	1	2	–	2	2	7	2	5	3	2
Pneumonia (type not distinguished) ..	14	–	1	–	–	–	–	1	4	5	2	1
Other diseases of respiratory system	12	–	1	–	–	–	2	1	1	2	3	2
Diarrhœa and enteritis	18	17	–	–	–	–	–	–	–	–	–	1
Appendicitis, Typhlitis	4	–	–	–	–	2	–	–	1	–	1	–
Hernia, Intestinal obstruction	8	–	–	1	–	–	–	1	1	2	2	1
Cirrhosis of liver	5	–	–	–	–	–	–	1	1	1	1	1
Other diseases of digestive system ..	28	2	–	3	1	1	2	2	4	5	7	1
Acute nephritis	2	–	–	–	–	–	–	–	1	–	1	–
Chronic Bright's disease	30	–	–	–	2	3	–	2	6	6	7	4
Other diseases of genito-urinary system.	13	–	–	–	–	–	1	2	–	3	2	5
Puerperal sepsis	3	–	–	–	–	–	1	1	1	–	–	–
Other causes incident to childbirth ..	2	–	–	–	–	1	1	–	–	–	–	–
Congenital malformations	9	8	1	–	–	–	–	–	–	–	–	–
Premature birth	23	23	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	10	10	–	–	–	–	–	–	–	–	–	–
Old age	32	–	–	–	–	–	–	–	–	–	4	28
Suicide	9	–	–	–	–	–	–	1	2	5	1	–
Burns and scalds	5	1	1	1	1	–	–	–	1	–	–	–
Drowning	2	–	–	–	–	2	–	–	–	–	–	–
Suffocation in bed	2	2	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	15	–	–	–	4	–	1	–	4	3	2	1
Other deaths by violence	15	–	1	–	2	1	3	1	3	1	1	2
Other specified causes	35	7	–	1	2	2	1	3	4	5	7	3
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 3rd November, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	–	241	226	12	92	C. 10 D. 1 E. 2 G. 1 M. 8
†CITY OF LONDON	–	–	1	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	4	13	–	14	M. 1
†BERMONDSEY ...	–	13	11	–	2	C. 1 M. 1
†BETHNAL GREEN	–	11	10	–	3	–
†CAMBERWELL ...	–	14	15	1	1	C. 1
†CHELSEA	–	1	–	–	1	–
†DEPTFORD ...	–	7	6	–	2	–
†FINSBURY ...	–	4	11	–	1	–
†FULHAM	–	11	2	–	4	C. 1 M. 1
†GREENWICH ...	–	4	2	–	1	–
†HACKNEY ...	–	10	9	–	1	M. 1
†HAMMERSMITH ...	–	6	3	1	1	M. 1
†HAMPSTEAD ...	–	4	1	–	1	–
†HOLBORN... ...	–	1	2	–	2	C. 1
†ISLINGTON ...	–	21	30	–	3	C. 1 G. 1

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	3	9	–	2	–
†LAMBETH ...	–	26	17	–	3	C. 2 M. 1
†LEWISHAM ...	–	8	4	–	–	D. 1
†PADDINGTON ...	–	10	2	1	1	–
†POPLAR	–	6	5	1	6	–
†ST. MARYLEBONE	–	2	1	1	–	–
†ST. PANCRAS ...	–	9	18	1	9	E. 1 M. 1
†SHOREDITCH ...	–	18	11	–	6	C. 1
†SOUTHWARK ...	–	7	19	1	4	C. 1 E. 1
†STEPNEY	–	23	12	1	9	M. 1
†STOKE NEWINGTON	–	1	–	–	–	C. 1
†WANDSWORTH ...	–	12	8	2	8	–
†WESTMINSTER, CITY OF	–	1	3	1	3	–
†WOOLWICH ...	–	4	1	1	4	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	2	9	–	3	–
Boroughs and Urban Districts:—						
†BEDFORD ...	–	1	–	–	2	–
BIGGLESWADE ...	–	–	2	–	1	–
†LUTON	–	–	1	–	–	–
Rural Districts:—						
AMPTHILL ...	–	–	6	–	–	–
EATON BRAY ...	–	1	–	–	–	–
BERKS	–	6	3	1	2	–
†READING C.B. ...	–	–	2	–	1	–
Boroughs and Urban Districts:—						
ABINGDON ...	–	–	1	–	–	–
†MAIDENHEAD ...	–	–	–	1	–	–
†NEW WINDSOR	–	1	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	1	–	–	–	–
BRADFIELD ...	–	1	–	–	–	–
NEWBURY ...	–	2	–	–	–	–
WANTAGE ...	–	–	–	–	1	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	23	1	–	–	M. 1
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE ...	–	4	1	–	–	–
ETON	–	6	–	–	–	–
Rural Districts:—						
AMERSHAM ...	–	1	–	–	–	–
AYLESBURY ...	–	–	–	–	–	M. 1
ETON	–	3	–	–	–	–
BUCKINGHAM—*cont.*						
Rural Districts—*cont.*						
NEWPORT PAGNELL	–	3	–	–	–	–
WING	–	3	–	–	–	–
WYCOMBE ...	–	3	–	–	–	–
CAMBRIDGE ...	–	10	9	–	–	G. 1
Borough:—						
†CAMBRIDGE ...	–	6	5	–	–	–
Rural Districts:—						
CHESTERTON ...	–	–	–	–	–	G. 1
NEWMARKET ...	–	4	4	–	–	–
CHESTER	–	60	7	–	27	C. G. 4 M. 3
†BIRKENHEAD C.B.	–	9	2	–	11	G. 1 M. 3
†CHESTER C.B. ...	–	2	–	–	–	–
†STOCKPORT C.B.	–	7	1	–	2	G. 1
†WALLASEY C.B. ...	–	4	–	–	1	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	1	–	–	–	–
†ALTRINCHAM ...	–	1	–	–	–	–
ASHTON UPON MERSEY	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	4	–	–	1	–
BOLLINGTON ...	–	2	–	–	–	–
BUGLAWTON ...	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
†CONGLETON ...	–	6	–	–	1	–
†CREWE	–	1	1	–	1	–
HALE	–	–	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	4	–	–	–	–
†HYDE	–	3	–	–	–	–
†MACCLESFIELD ...	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
MIDDLEWICH ...	–	*	1	–	–	–
NESTON AND PARKGATE	–	1	–	–	1	–
†NORTHWICH ...	–	–	1	–	–	–
†RUNCORN ...	–	1	–	–	4	G. 2
SANDBACH ...	–	2	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	–	–	–	1	–
CONGLETON ...	–	1	–	–	–	–
MACCLESFIELD ...	–	2	1	–	–	–
NANTWICH ...	–	–	–	–	2	–
NORTHWICH ...	–	1	–	–	–	–
RUNCORN ...	–	2	–	–	–	–
TARVIN	–	1	–	–	–	–
WIRRAL	–	3	–	–	–	–
CORNWALL ...	–	7	1	1	2	M. 1
Boroughs and Urban Districts:—						
CALLINGTON ...	–	2	–	–	–	–
†FALMOUTH ...	–	4	–	–	–	–
†PENZANCE ...	–	–	–	1	–	–
SALTASH	–	–	1	–	–	–
Rural Districts:—						
REDRUTH ...	–	–	–	–	2	–
SAINT AUSTELL...	–	–	–	–	–	M. 1
TRURO	–	1	–	–	–	–
CUMBERLAND ...	–	13	5	–	2	–
†CARLISLE C.B. ...	–	6	1	–	1	–
Boroughs and Urban Districts:—						
COCKERMOUTH ...	–	2	–	–	–	–
†MARYPORT ...	–	–	–	–	1	–
CUMBERLAND—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WHITEHAVEN ...	–	–	1	–	–	–
WIGTON	–	–	1	–	–	–
†WORKINGTON ...	–	2	1	–	–	–
Rural Districts:—						
COCKERMOUTH ...	–	2	1	–	–	–
WIGTON	–	1	–	–	–	–
DERBY	3	49	16	1	11	M. 3
†DERBY C.B. ...	–	10	5	–	3	M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	–	–	–	–
ALVASTON AND BOULTON	–	1	–	–	–	–
†BELPER	–	2	–	–	–	–
†BOLSOVER ...	–	1	–	–	–	–
†CHESTERFIELD ...	2	4	3	–	2	–
†LONG EATON ...	–	7	–	–	–	–
MATLOCK ...	–	1	–	–	–	–
MATLOCK BATH AND SCARTHIN NICK	–	2	–	–	–	–
NEW MILLS ...	–	5	–	–	–	–
†RIPLEY	–	–	–	–	1	–
Rural Districts:—						
ASHBOURNE ...	–	–	–	–	–	M. 1
BAKEWELL ...	–	4	–	–	–	–
BELPER	–	3	–	–	1	M. 1
BLACKWELL ...	–	2	–	–	–	–
CHAPEL EN LE FRITH	–	3	–	–	–	–
CHESTERFIELD ...	–	–	4	–	3	–
CODNOR PARK AND SHIPLEY (Parishes) ...	–	–	–	–	1	–
GLOSSOP DALE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Rural Districts—*cont.*						
HAYFIELD ...	–	1	–	–	–	–
NORTON	–	–	2	–	–	–
REPTON	–	1	2	1	–	–
SHARDLOW ...	1	–	–	–	–	–
DEVON	–	33	11	3	5	L. 2 M. 3
†EXETER C.B. ...	–	–	–	1	1	M. 2
†PLYMOUTH C.B....	–	10	4	–	–	–
Boroughs and Urban Districts:—						
AXMINSTER ...	–	–	–	–	1	–
†BARNSTAPLE ...	–	1	–	–	–	–
BIDEFORD ...	–	1	–	–	–	–
HONITON	–	–	4	–	–	–
†ILFRACOMBE ...	–	–	1	–	–	–
†NEWTON ABBOT...	–	6	1	–	–	–
OTTERY ST. MARY	–	5	–	2	–	–
SIDMOUTH ...	–	3	–	–	–	–
†TORQUAY ...	–	–	1	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	–	–	–	2	M. 1
HOLSWORTHY (part)	–	1	–	–	–	–
NEWTON ABBOT...	–	–	–	–	1	–
OKEHAMPTON ...	–	2	–	–	–	–
ST. THOMAS ...	–	–	–	–	–	L. 2
TAVISTOCK ...	–	4	–	–	–	–
DORSET	–	5	2	–	1	E. 1 M. 1
Boroughs and Urban Districts:—						
†POOLE	–	–	1	–	–	E. 1
†PORTLAND ...	–	–	–	–	1	–
†WEYMOUTH AND MELCOMBE REGIS	–	1	–	–	–	M. 1
DORSET—*cont.*						
Rural Districts:—						
BEAMINSTER ...	–	–	1	–	–	–
BLANDFORD ...	–	2	–	–	–	–
WEYMOUTH ...	–	2	–	–	–	–
DURHAM	2	129	26	1	30	C. 1 M. 5
†DARLINGTON C.B.	–	2	–	–	2	–
†GATESHEAD C.B.	1	4	3	–	3	M. 1
†SOUTH SHIELDS C.B.	–	18	2	–	5	–
†SUNDERLAND C.B.	–	9	1	–	4	M. 2
†WEST HARTLEPOOL C.B	–	8	1	–	–	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	3	1	–	2	M. 1
BENFIELDSIDE ...	–	–	1	–	–	–
†BLAYDON... ...	–	1	–	–	–	–
†BRANDON AND BYSHOTTLES	–	–	–	–	1	–
†CHESTER LE STREET	–	1	1	–	–	–
†CONSETT	–	–	1	–	–	–
†CROOK	–	–	1	–	1	–
†DURHAM	–	–	–	–	–	M. 1
†FELLING	–	8	–	–	–	–
†HARTLEPOOL ...	–	2	–	–	–	–
†HEBBURN ...	–	1	–	–	1	–
†HETTON	–	7	–	–	–	–
†HOUGHTON LE SPRING	–	1	1	–	1	–
†JARROW	–	2	–	–	–	–
LEADGATE ...	–	–	–	–	1	–
†RYTON	–	2	–	–	–	–
†SOUTHWICK ON WEAR	1	1	–	–	1	–
†SPENNYMOOR ...	–	2	–	–	–	–
†STANLEY	–	1	3	–	–	–
†STOCKTON ON TEES	–	8	1	–	2	C. 1
†TANFIELD ...	–	–	1	–	–	–
†WASHINGTON ...	–	2	1	–	–	–
WILLINGTON ...	–	5	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Rural Districts:—						
AUCKLAND ...	–	6	2	–	–	–
BARNARD CASTLE	–	–	1	–	–	–
CHESTER LE STREET	–	11	–	–	1	–
DURHAM	–	3	–	–	–	–
EASINGTON ...	–	9	1	–	–	–
HOUGHTON LE SPRING	–	1	1	1	2	–
LANCHESTER ...	–	4	–	–	–	–
SEDGEFIELD ...	–	4	1	–	1	–
SOUTH SHIELDS...	–	–	1	–	–	–
STOCKTON ...	–	–	–	–	1	–
SUNDERLAND ...	–	3	–	–	1	–
ELY, ISLE OF ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
ELY	–	–	1	–	–	–
ESSEX	–	71	60	8	13	C. 1 M. 5
†EAST HAM C.B. ...	–	3	2	–	–	–
†SOUTHEND-ON-SEA C.B.	–	1	1	–	4	C. 1 M. 2
†WEST HAM C.B. ...	–	21	27	2	5	–
Boroughs and Urban Districts:—						
†BARKING TOWN..	–	–	1	–	1	–
BURNHAM ON CROUCH	–	1	–	–	–	–
†COLCHESTER ...	–	–	–	–	–	M. 1
EPPING	–	2	–	–	–	–
†GRAYS THURROCK	–	1	1	–	–	–
HALSTEAD ...	–	1	–	–	–	–
†HARWICH ...	–	2	3	–	–	–
†ILFORD	–	3	5	1	–	M. 2
†LEYTON	–	8	4	–	–	–
†ROMFORD ...	–	2	1	–	–	–
SAFFRON WALDEN	–	–	–	4	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
SHOEBURYNESS ...	–	–	1	–	–	–
†WALTHAMSTOW ...	–	15	11	–	3	–
†WANSTEAD ..	–	2	–	–	–	–
†WOODFORD ...	–	1	–	1	–	–
Rural Districts:—						
BILLERICAY ...	–	1	1	–	–	–
DUNMOW	–	2	–	–	–	–
EPPING	–	2	1	–	–	–
ROCHFORD ...	–	1	1	–	–	–
ROMFORD... ...	–	2	–	–	–	–
GLOUCESTER ...	7	53	31	7	8	F. 1 M. 1
†BRISTOL C.B. ...	–	20	28	1	4	M. 1
†GLOUCESTER C.B.	§6	8	1	4	1	–
Boroughs and Urban Districts:—						
AWRE	–	2	–	–	–	–
†CHELTENHAM ...	–	1	1	–	–	–
CIRENCESTER ...	–	6	–	–	–	–
NAILSWORTH ...	–		–	–	–	F. 1
NEWNHAM ...	–	1	–	–	–	–
STOW ON THE WOLD	*	*	*	*	*	*
Rural Districts:—						
CIRENCESTER ...	–	2	–	–	–	–
DURSLEY... ...	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES ...	1	1	1	1	–	–
GLOUCESTER ...	–	2	–	–	–	–
LYDNEY	–	3	–	–	–	–
NEWENT	–	1	–	–	–	–
STROUD	–	–	–	–	1	–
THORNBURY ...	–	2	–	–	1	–
WARMLEY ...	–	–	–	–	1	–
WEST DEAN ...	–	3	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever;

§ Including 2 cases of Chicken-pox re-diagnosed as Small-pox. In

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HEREFORD ...	–	3	–	–	2	G. 1 M. 1
Rural Districts:—						
BROMYARD ...	–	–	–	–	–	G. 1
HEREFORD ...	–	–	–	–	1	–
LEOMINSTER ...	–	–	–	–	1	–
ROSS	–	–	–	–	–	M. 1
WIGMORE ...	–	3	–	–	–	–
HERTFORD ..	–	8	–	1	2	L. 1
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	1	–	–	–	–
GREAT BERKHAMPSTEAD	–	–	–	1	–	–
HARPENDEN ...	–	1	–	–	–	–
ROYSTON	–	2	–	–	–	–
†WATFORD ...	–	–	–	–	1	–
Rural Districts:—						
HERTFORD ...	–	1	–	–	–	–
ST. ALBANS ...	–	2	–	–	–	L. 1
WARE	–	1	–	–	1	–
HUNTINGDON ...	–	–	1	–	3	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	–	–	3	–
ST. NEOTS ...	–	–	1	–	–	–
KENT	–	35	17	–	2	C. 1 M. 1
†CANTERBURY C.B	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	6	–	–	–	–
†BROMLEY ...	–	–	1	–	–	–
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHATHAM ...	–	1	–	–	–	–
CHERITON ...	–	1	–	–	–	–
CHISLEHURST ...	–	1	–	–	–	–
†DOVER	–	1	–	–	–	–
†ERITH	–	7	–	–	–	C. 1
†FOLKESTONE ...	–	2	1	–	–	M. 1
†GILLINGHAM ...	–	1	2	–	–	–
†GRAVESEND ...	–	1	5	–	–	–
†MARGATE ...	–	–	1	–	–	–
†NORTHFLEET ...	–	–	1	–	–	–
†PENGE	–	1	–	–	–	–
†RAMSGATE ...	–	2	–	–	1	–
†ROCHESTER ...	–	1	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	1	–	–	–
†SHEERNESS ...	–	1	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	1	3	–	–	–
DARTFORD ...	–	2	–	–	–	–
EAST ASHFORD ...	–	1	1	–	–	–
EASTRY	–	–	–	–	1	–
HOO	–	–	1	–	–	–
MALLING	–	2	–	–	–	–
STROOD	–	1	–	–	–	–
LANCASTER ...	–	239	75	7	130	C. 4 D. 1 E. 4 G. 2 M. 28
†BARROW IN FURNESS C.B.	–	2	–	–	–	–
†BLACKBURN C.B.	–	3	–	–	3	–
†BLACKPOOL C.B.	–	4	–	–	2	–
†BOLTON C.B. ...	–	16	–	–	3	–
†BOOTLE C.B. ...	–	2	1	–	2	–
†BURNLEY C.B. ...	–	1	3	–	3	–
†BURY C.B. ...	–	6	1	–	3	–
†LIVERPOOL C.B. ...	–	51	11	–	33	E. 3 M. 17

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum addition, 2 other cases of Chicken-pox were notified.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LANCASTER—*cont.*						
†MANCHESTER C.B.	–	38	19	–	35	C. 3 E. 1 G. 1 M. 6
†OLDHAM C.B. ..	–	2	–	–	3	G. 1 M. 1
†PRESTON C.B. ...	–	5	3	–	1	M. 1
†ROCHDALE C.B. ...	–	3	2	4	–	–
†ST. HELENS C.B...	–	7	4	–	1	–
†SALFORD C.B. ...	–	22	11	1	6	–
†SOUTHPORT C.B.	–	7	2	–	–	.
†WARRINGTON C.B.	–	5	–	–	2	–
†WIGAN C.B. ...	–	1	1	1	4	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	1	–	–	M. 1
†ASHTON IN MAKERFIELD	–	–	2	–	–	–
†ASHTON UNDER LYNE	–	–	–	–	2	–
ASPULL	–	–	1	–	–	–
†ATHERTON ...	–	–	–	–	1	–
BARROWFORD ...	–	–	–	–	1	–
†CHADDERTON ..	–	–	–	–	1	–
†COLNE	–	1	–	–	–	–
†CROMPTON ...	–	1	–	–	1	–
†DALTON IN FURNESS	–	1	–	–	–	–
†DARWEN	–	–	1	–	–	–
†DENTON	–	1	–	–	1	–
†DROYLSDEN ...	–	1	–	–	–	C. 1
†ECCLES	–	2	–	–	1	–
†FAILSWORTH ...	–	3	3	–	1	–
†FARNWORTH ...	–	1	*	–	–	M. 1
GOLBORNE ..	–	–	1	–	–	–
†HASLINGDEN ...	–	1	–	–	1	–
†HEYWOOD ...	–	1	–	–	–	–
†HORWICH ...	–	1	–	–	–	–
HURST	–	1	–	–	–	–
†INCE IN MAKERFIELD	–	–	1	–	–	–
IRLAM	–	–	–	–	1	–
KIRKHAM ...	–	1	–	–	–	–
†LANCASTER ...	–	–	1	–	2	–
†LEIGH	–	7	–	–	–	–
LEYLAND... ...	–	2	–	–	–	–
†LITHERLAND ...	–	1	–	–	–	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LITTLEBOROUGH	–	1	–	–	–	–
LONGRIDGE ...	*	*	*	*	*	*
†MIDDLETON ...	–	1	–	–	1	–
†MORECAMBE ...	–	–	1	–	–	–
†NELSON	–	–	–	–	2	–
†NEWTON IN MAKERFIELD	–	–	1	–	–	–
NORDEN	–	1	–	–	–	–
ORMSKIRK ...	–	–	1	–	–	–
†OSWALDTWISTLE	–	–	–	–	.	M. 1
†PADIHAM... ...	–	–	–	–	1	–
†RAMSBOTTOM ...	–	2	–	–	–	–
†RAWTENSTALL ...	–	2	–	–	–	–
RISHTON	*	*	*	*	*	*
STANDISH WITH LANGTREE	–	–	–	–	1	–
†STRETFORD... ...	–	7	1	–	1	–
†SWINTON AND PENDLEBURY	–	3	–	1	1	–
†TYLDESLEY WITH SHAKERLEY	–	1	1	–	–	–
URMSTON... ..	–	–	–	–	2	–
†WATERLOO WITH SEAFORTH	–	1	–	–	–	–
WHITEFIELD ...	*	*	*	*	*	*
†WIDNES	–	8	–	–	5	–
Rural Districts:—						
BARTON UPON IRWELL	–	–	–	–	1	–
BURNLEY... ...	–	1	–	–	–	–
BURY	–	2	–	–	–	–
CLITHEROE ...	–	–	–	–	1	–
FYLDE	–	2	–	–	–	–
GARSTANG ...	–	2	–	–	–	D. 1
LIMEHURST ...	–	2	–	–	–	–
WEST LANCASHIRE	–	1	–	–	–	–
WIGAN	–	–	1	–	–	–
LEICESTER... ...	–	13	9	2	5	M. 1
†LEICESTER C.B. ...	–	10	5	–	2	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Boroughs and Urban Districts:—						
†COALVILLE ...	–	–	1	–	–	–
†LOUGHBOROUGH	–	–	–	2	–	–
MELTON MOWBRAY	–	–	–	–	2	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–	1	–
BARROW UPON SOAR	–	1	–	–	–	–
BILLESDON ...	–	2	–	–	–	–
LUTTERWORTH ...	–	–	1	–	–	–
MARKET BOSWORTH	–	–	1	–	–	–
LINCOLN (parts of Holland).	–	–	1	–	–	–
Rural Districts:—						
BOSTON	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	2	–	–	–	–
Boroughs and Urban Districts:—						
BOURNE	–	2	–	–	–	–
LINCOLN (parts of Lindsey).	–	7	7	1	5	M. 1
†GRIMSBY C.B. ...	–	–	1	1	2	–
†LINCOLN C.B. ...	–	–	1	–	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	3	–	–	–
†CLEETHORPES ...	–	1	–	–	1	–
CROWLE	*	*	*	*	*	*
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts—*cont.*						
LOUTH	–	–	1	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	1	1	–	2	–
Rural Districts:—						
GLANFORD BRIGG	–	1	–	–	–	–
GRIMSBY	–	2	–	–	–	–
LOUTH	–	2	–	–	–	–
SPILSBY	–	–	–	–	–	M. 1
MIDDLESEX ...	–	66	29	–	21	C. 2 D. 1 G. 1 M. 2
Boroughs and Urban Districts:—						
†ACTON	–	6	1	–	–	–
†BRENTFORD ...	–	4	2	–	–	–
†CHISWICK ...	–	7	2	–	–	C. 1
†EALING	–	6	1	–	–	–
†EDMONTON ...	–	1	4	–	–	–
†ENFIELD	–	2	–	–	4	–
†FINCHLEY ...	–	2	–	–	–	–
†HANWELL ...	–	4	2	–	–	–
HAYES	–	2	–	–	–	–
†HENDON	–	–	2	–	–	–
†HESTON AND ISLEWORTH	–	1	4	–	2	–
†HORNSEY... ...	–	2	2	–	2	–
†SOUTHALL NORWOOD	–	2	–	–	1	–
†TEDDINGTON ...	–	–	–	–	–	M. 1
†TOTTENHAM ...	–	16	4	–	7	D. 1
†TWICKENHAM ...	–	1	1	–	–	–
†WEALDSTONE ...	–	1	–	–	–	–
†WILLESDEN ...	–	4	2	–	4	C. 1 M. 1
†WOOD GREEN ...	–	1	2	–	1	G. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Rural Districts:—						
HENDON	–	1	–	–	–	–
STAINES	–	2	–	–	–	–
UXBRIDGE ...	–	1	–	–	–	–
NORFOLK	–	49	2	3	4	M. 2
†GREAT YARMOUTH C.B.	–	2	1	–	–	M. 2
†NORWICH C.B. ...	–	29	1	2	2	–
Boroughs and Urban Districts:—						
WELLS	–	–	–	–	1	–
Rural Districts:—						
BLOFIELD ...	–	1	–	–	–	–
DEPWADE ...	–	6	–	–	–	–
FOREHOE ...	–	2	–	–	–	–
LODDON AND CLAVERING	*	*	*	*	*	*
SWAFFHAM ...	–	9	–	–	–	–
WALSINGHAM ...	–	–	–	1	–	–
WAYLAND ...	–	–	–	–	1	–
NORTHAMPTON ...	–	49	5	1	11	C. 1 E. 1 M. 1
†NORTHAMPTON C.B.	–	20	–	–	9	–
Boroughs and Urban Districts:—						
IRTHLINGBOROUGH	–	1	–	–	–	–
†KETTERING ...	–	10	–	–	–	C. 1
RAUNDS	–	–	–	–	1	–
ROTHWELL ...	–	8	–	–	–	–
†WELLINGBOROUGH	–	–	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON—*cont.*						
Rural Districts:—						
DAVENTRY ...	–	1	–	–	1	–
HARDINGSTONE ...	–	5	–	–	–	–
KETTERING ...	–	1	1	–	–	–
NORTHAMPTON ...	–	2	1	1	–	–
OXENDEN... ...	–	–	–	–	–	E. 1
POTTERSPURY ...	–	1	–	–	–	–
THRAPSTON (part)	–	–	3	–	–	–
NORTHUMBERLAND	–	50	12	1	25	C. 3 J. 1 M. 2
†NEWCASTLE UPON TYNE C.B.	–	23	6	–	9	C. 1 M. 2
†TYNEMOUTH C.B.	–	3	–	–	2	J. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	2	–	–	–	–
†BEDLINGTONSHIRE	–	–	–	–	2	–
†BLYTH	–	3	–	–	6	–
CRAMLINGTON ...	–	3	–	–	–	C. 2
†EARSDON	–	1	–	1	–	–
†GOSFORTH ...	–	1	1	–	–	–
†LONGBENTON ...	–	2	1	–	1	–
NEWBIGGIN BY THE SEA	–	–	–	–	1	–
†NEWBURN ...	–	4	–	–	1	–
PRUDHOE... ...	–	1	–	–	–	–
SEATON DELAVAL	–	–	1	–	–	–
†WALLSEND ...	–	2	1	–	2	–
Rural Districts:—						
ALNWICK... ...	–	–	1	–	–	–
BELLINGHAM ...	–	–	–	–	1	–
CASTLE WARD ..	–	–	1	–	–	–
HALTWHISTLE ...	–	4	–	–	–	–
MORPETH... ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever :

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	16	22	18	1	6	C. 2 M. 4
†NOTTINGHAM C.B.	–	9	9	–	1	M. 2
Boroughs and Urban Districts:—						
†BEESTON	–	1	1	–	–	–
†CARLTON	–	4	1	–	–	–
†EAST RETFORD ...	–	–	1	–	4	M. 2
†HUCKNALL ...	15	–	–	–	–	–
†KIRKBY IN ASHFIELD	–	–	1	–	–	–
†MANSFIELD ...	–	–	1	–	–	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK	–	1	1	–	–	–
†SUTTON IN ASHFIELD	–	1	–	–	1	–
WARSOP	–	–	–	1	–	C. 2
†WORKSOP... ...	–	–	2	–	–	–
Rural Districts:—						
BASFORD	1	3	–	–	–	–
BLYTH AND CUCKNEY	–	1	–	–	–	–
EAST RETFORD ...	–	–	1	–	–	–
NEWARK	–	1	–	–	–	–
OXFORD	–	19	1	1	2	–
†OXFORD C.B. ...	–	8	–	–	–	–
Boroughs and Urban Districts:—						
THAME	–	–	–	1	–	–
WHEATLEY ...	–	1	–	–	–	–
Rural Districts:—						
GORING	–	–	–	–	1	–
HEADINGTON ...	–	6	–	–	–	–
HENLEY	–	–	–	–	1	–
WITNEY	–	2	–	–	–	–
WOODSTOCK ...	–	2	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PETERBOROUGH (Soke of)	–	1	–	–	–	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	–	–
SALOP	–	11	2	–	3	C. 2 L. 1 M. 1
Boroughs and Urban Districts:—						
DAWLEY	–	1	–	–	–	–
ELLESMERE ...	–	–	–	–	–	C. 1
OSWESTRY ...	–	4	–	–	–	C. 1
†SHREWSBURY ...	*	*	*	*	*	*
WELLINGTON ...	–	–	–	–	1	–
WEM	–	1	–	–	–	–
†WENLOCK ...	–	–	–	–	–	L. 1
Rural Districts:—						
ATCHAM	–	1	–	–	1	–
DRAYTON... ...	–	1	–	–	–	–
ELLESMERE ...	–	–	1	–	–	–
LUDLOW	–	–	–	–	–	M. 1
OSWESTRY ...	–	2	1		–	–
WELLINGTON ...	–	1	–	–	1	–
SOMERSET	–	32	5	1	4	C. 1 D. 1 E. 1
†BATH C.B. ...	–	4	4	–	1	–
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	1	–	–	–	–
ILMINSTER ...	–	–	–	–	–	E. 1
RADSTOCK ...	–	1	1	–	–	–
WELLINGTON ...	–	1	–	–	–	–
WELLS	–	–	–	–	1	–
†WESTON SUPER MARE	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts:—						
BATH	–	8	–	–	–	–
BRIDGWATER ...	–	2	–	–	–	–
CHARD	–	4	–	–	–	–
CLUTTON	–	1	–	–	–	–
KEYNSHAM ...	–	1	–	–	–	–
LONG ASHTON ...	–	3	–	1	–	–
SHEPTON MALLET	–	1	–	–	1	–
TAUNTON ...	–	–	–	–	–	C. 1 D. 1
WELLS	–	–	–	–	1	–
WINCANTON ...	–	2	–	–	–	–
SOUTHAMPTON ...	–	60	18	1	4	F. 1 M. 1
†BOURNEMOUTH C.B.	–	3	1	–	1	–
†PORTSMOUTH C.B.	–	28	14	–	1	–
†SOUTHAMPTON C.B.	–	9	–	1	2	M. 1
Boroughs and Urban Districts:—						
†ALDERSHOT ...	–	1	–	–	–	–
CHRISTCHURCH ...	–	8	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	–	F. 1
†GOSPORT	–	3	1	–	–	–
HAVANT	–	2	–	–	–	–
PETERSFIELD ...	–	1	–	–	–	–
Rural Districts:—						
ALTON	–	1	–	–	–	–
DROXFORD ...	–	1	–	–	–	–
HAVANT	–	1	–	–	–	–
HURSLEY	–	1	–	–	–	–
NEW FOREST ...	–	–	1	–	–	–
SOUTH STONEHAM	–	1	1	–	–	–
STAFFORD	–	83	28	3	37	C. 2 M. 5
†BURTON UPON TRENT C.B.	–	1	–	–	1	–
†SMETHWICK C.B.	–	1	2	–	3	–
STAFFORD—*cont.*						
†STOKE ON TRENT C.B.	–	27	5	–	20	C. 1 M. 2
†WALSALL C.B. ...	–	1	1	1	2	–
†WEST BROMWICH C.B.	–	2	1	–	–	–
†WOLVERHAMPTON C.B.	–	4	1	–	2	C. 1 M. 2
Boroughs and Urban Districts:—						
†AUDLEY	–	1	–	–	–	–
BIDDULPH ..	–	6	–	–	1	–
†BRIERLEY HILL...	–	–	1	–	–	–
†BROWNHILLS ...	–	2	2	–	–	–
†CANNOCK	–	1	–	–	–	–
†COSELEY	–	1	–	–	–	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	–	6	–	–	–
KIDSGROVE ...	–	3	–	–	–	–
†LEEK	*	*	*	*	*	*
†NEWCASTLE UNDER LYME	–	–	1	–	1	–
†ROWLEY REGIS ...	–	9	1	–	1	–
RUGELEY	–	–	–	–	1	–
†SEDGLEY	–	1	–	–	–	–
STAFFORD ...	–	1	–	–	–	–
TETTENHALL ...	–	–	–	1	–	–
†TIPTON	–	–	–	1	–	–
†WEDNESBURY ...	–	5	–	–	2	–
†WILLENHALL ...	–	1	–	–	–	–
†WOLSTANTON UNITED	–	2	1	–	2	–
Rural Districts:—						
CANNOCK	–	–	–	–	–	M. 1
CHEADLE	–	2	1	–	–	–
KINGSWINFORD ...	–	2	–	–	–	–
LEEK	–	–	1	–	–	–
LICHFIELD ...	–	3	2	–	1	–
MAYFIELD ...	*	*	*	*	*	*
STONE	–	1	–	–	–	–
WALSALL	–	6	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUFFOLK, EAST ...	–	6	2	5	3	–
†IPSWICH C.B. ...	–	2	1	1	–	–
Boroughs and Urban Districts:—						
BECCLES	–	1	–	–	–	–
BUNGAY	–	–	–	–	1	–
†FELIXSTOWE ...	–	–	1	–	–	–
†LOWESTOFT ...	–	–	–	4	1	–
SOUTHWOLD ...	*	*	*	*	*	*
Rural Districts:—						
HOXNE	–	–	–	–	1	–
MUTFORD AND LOTHINGLAND	–	1	–	–	–	–
PLOMESGATE ...	–	2	–	–	–	–
SUFFOLK, WEST ...	–	1	2	1	–	–
Rural Districts:—						
BRANDON... ...	–	–	1	–	–	–
COSFORD	–	1	1	–	–	–
MILDENHALL ...	–	–	–	1	–	–
SURREY	–	21	14	3	6	C. 3 M. 3
†CROYDON C.B. ...	–	2	5	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
†BARNES	–	–	1	–	–	–
†CATERHAM ...	–	3	2	1	–	–
†CHERTSEY ...	–	2	–	–	1	–
†EGHAM	–	–	1	–	–	–
†EPSOM	–	–	–	1	–	–
†ESHER AND THE DITTONS	–	–	–	–	1	–
†FARNHAM ...	–	1	1	–	–	–
†FRIMLEY	–	1	–	–	–	–
HASLEMERE ...	–	–	–	1	–	–
†KINGSTON ON THAMES	–	3	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SURREY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MERTON AND MORDEN	–	–	1	–	–	–
†MITCHAM... ...	–	–	1	–	–	–
†RICHMOND ...	–	–	–	–	–	C. 1
†SURBITON ...	–	–	–	–	1	–
†SUTTON	–	–	–	–	–	M. 1
†THE MALDENS AND COOMBE	–	–	1	–	–	–
WINDLESHAM ...	–	–	–	–	–	M. 1
Rural Districts:—						
CHERTSEY ...	–	–	–	–	1	–
DORKING	–	1	–	–	–	–
EPSOM	–	1	–	–	–	–
GODSTONE ...	–	1	–	–	–	–
GUILDFORD ...	–	6	–	–	–	–
HAMBLEDON ...	–	–	1	–	–	C. 1
SUSSEX, EAST ...	–	14	7	2	3	C. 1 L. 2
†BRIGHTON C.B. ...	–	2	3	–	1	–
†EASTBOURNE C.B.	–	2	1	–	1	–
†HASTINGS C.B. ...	–	4	–	–	1	–
Boroughs and Urban Districts:—						
†HOVE	–	3	–	–	–	–
†LEWES	–	–	–	1	–	C. 1
RYE	–	–	–	1	–	–
Rural Districts:—						
CHAILEY... ...	–	1	–	–	–	L. 2
CUCKFIELD ...	–	1	–	–	–	–
EAST GRINSTEAD	–	1	–	–	–	–
HAILSHAM ...	–	–	2	–	–	–
UCKFIELD ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUSSEX, WEST ...	–	8	2	1	2	E. 2
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	–	–	2	–
†HORSHAM ...	–	–	1	–	–	–
SOUTHWICK ...	–	1	–	–	–	–
†WORTHING ...	–	1	1	–	–	E. 1
Rural Districts:—						
EAST PRESTON ...	–	–	–	–	–	E. 1
MIDHURST ...	–	6	–	–	–	–
WESTBOURNE ...	–	–	–	1	–	–
WARWICK	–	63	42	–	39	C. 6 E. 4 G. 3 M. 8
†BIRMINGHAM C.B.	–	47	33	–	27	C. 6 E. 4 G. 2 M. 8
†COVENTRY C.B. ...	–	5	3	–	5	G. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	2	–	–	3	–
†RUGBY	–	–	–	–	1	–
†SUTTON COLDFIELD	–	–	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	3	1	–	–	–
ATHERSTONE ...	–	–	1	–	1	–
FOLESHILL ...	–	2	1	–	–	–
MERIDEN... ...	–	–	1	–	–	–
RUGBY	–	3	–	–	–	–
SOUTHAM... ...	–	–	–	–	1	–
TAMWORTH (part)	–	1	2	–	–	–
WESTMORLAND ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†KENDAL	–	1	–	–	–	–
SHAP	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WIGHT, ISLE OF ...	–	4	–	1	–	–
Boroughs and Urban Districts:—						
SANDOWN ...	–	3	–	–	–	–
VENTNOR... ...	*	*	*	*	*	*
Rural Districts:—						
ISLE OF WIGHT ...	–	1	–	1	–	–
WILTS	–	11	4	–	–	M. 1
Boroughs and Urban Districts:—						
DEVIZES	–	1	–	–	–	–
MELKSHAM ...	–	1	–	–	–	–
†SALISBURY ...	–	–	1	–	–	–
†SWINDON... ...	–	1	2	–	–	M. 1
Rural Districts:—						
AMESBURY ...	–	4	1	–	–	–
DEVIZES	–	1	–	–	–	–
PEWSEY	–	1	–	–	–	–
SALISBURY ...	–	2	–	–	–	–
WORCESTER ...	–	16	3	1	8	–
†DUDLEY C.B. ...	–	3	1	–	–	–
†WORCESTER C.B.	–	2	–	–	2	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
EVESHAM... ...	–	–	1	–	–	–
†LYE AND WOLLESCOTE	–	–	–	–	1	–
†OLDBURY... ...	–	3	1	–	2	–
†STOURBRIDGE ...	–	–	–	–	1	–
STOURPORT ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WORCESTER—*cont.*						
Rural Districts:—						
FECKENHAM ...	–	1	–	–	–	–
HALESOWEN ...	–	2	–	–	–	–
MARTLEY... ...	–	–	–	–	1	–
PERSHORE ...	–	3	–	–	–	–
UPTON ON SEVERN	–	–	–	1	–	–
YORKS ... ... (East Riding.)	–	17	10	1	8	M. 1
†KINGSTON UPON HULL C.B.	–	14	9	1	5	M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	3	–	–	–	–
HEDON	–	–	1	–	–	–
Rural Districts:—						
HOWDEN	–	–	–	–	2	–
SCULCOATES ...	–	–	–	–	1	–
YORKS ... ... (North Riding.)	–	56	3	–	6	–
†MIDDLESBROUGH C.B.	–	36	–	–	1	–
Boroughs and Urban Districts:—						
†ESTON	–	7	–	–	–	–
GUISBOROUGH ...	–	1	–	–	1	–
LOFTUS	–	1	–	–	–	–
MASHAM	–	1	–	–	–	–
†REDCAR	–	1	1	–	–	–
†SCARBOROUGH ...	–	3	1	–	–	–
†SKELTON AND BROTTON	–	–	1	–	1	–
†THORNABY-ON TEES	–	1	–	–	–	–
†WHITBY	–	2	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (North Riding)—*cont.*						
Rural Districts:—						
CROFT	*	*	*	*	*	*
GUISBOROUGH ...	–	2	–	–	–	–
SCARBOROUGH ...	*	*	*	*	*	*
STOKESLEY ...	–	1	–	–	1	–
THIRSK	*	*	*	*	*	*
YORKS ... ... (West Riding.)	7	216	55	13	81	C. 6 D. 2 M. 7
†BARNSLEY C.B. ...	–	2	1	–	–	M. 1
†BRADFORD C.B. ...	–	17	6	3	8	C. 1 M. 2
†DEWSBURY C.B....	–	2	–	–	1	–
†HALIFAX C.B. ...	–	3	–	–	1	–
†HUDDERSFIELD C.B.	–	1	3	1	4	–
†LEEDS C.B. ...	–	50	7	–	9	C. 1
†ROTHERHAM C.B.	–	15	–	–	2	–
†SHEFFIELD C.B....	–	46	12	1	31	M. 1
†WAKEFIELD C.B.	–	3	4	–	–	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	7	–	1	–	2	D. 1
ALTOFTS	–	–	–	1	–	–
BAILDON	–	2	–	–	–	–
†BINGLEY	–	4	3	1	1	–
BIRKENSHAW ...	–	1	–	–	–	–
†BOLTON UPON DEARNE	–	1	–	3	2	–
†CASTLEFORD ...	–	1	–	–	–	–
CLAYTON	–	1	–	–	–	–
†CONISBROUGH ...	–	1	–	–	–	–
CUDWORTH ...	–	3	–	–	1	–
DENBY AND CUMBERWORTH	–	–	–	1	–	–
DODWORTH ...	–	2	–	–	–	C. 1
†DONCASTER ...	–	5	2	–	1	C. 1
DRIGHLINGTON ...	–	–	–	–	1	–
EARBY	–	1	–	–	–	–
†FEATHERSTONE ...	–	4	–	–	–	–
†GOLCAR	–	–	–	–	1	–
†GOOLE	–	4	2	–	–	D. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
GREASBROUGH ...	–	1	–	–	–	–
†HARROGATE ...	–	–	–	–	2	–
HAWORTH ...	–	1	–	–	–	–
HEBDEN BRIDGE	–	1	–	–	–	–
†HEMSWORTH ...	–	6	1	–	–	–
†HOLMFIRTH ...	–	3	–	–	–	–
KNOTTINGLEY ...	–	3	–	–	–	–
MELTHAM ...	–	–	–	–	–	C. 1
†MEXBOROUGH ...	–	–	–	–	1	–
†MORLEY	–	–	–	–	1	M. 1
†NORMANTON ...	–	–	1	–	2	–
†OSSETT	–	1	–	–	–	–
RAWDON	–	1	–	–	–	–
†RAWMARSH ...	–	–	–	–	1	M. 1
RIPON	–	–	2	–	–	–
†ROTHWELL ...	–	1	–	–	–	–
†SADDLEWORTH ...	–	1	–	–	–	–
SELBY	–	2	1	–	–	–
SHELF	–	1	–	–	–	–
†SKIPTON	–	4	1	–	–	–
†SPENBOROUGH ...	–	1	–	–	–	–
TICKHILL ...	–	–	–	–	1	–
†TODMORDEN ...	–	–	–	1	–	–
†WOMBWELL ...	–	–	1	–	1	M. 1
YEADON	–	1	–	–	–	–
Rural Districts—						
DONCASTER ...	–	–	–	–	1	–
GOOLE	–	–	–	–	1	–
HEMSWORTH ...	–	3	3	1	2	–
KIVETON PARK ...	–	2	–	–	–	–
KNARESBOROUGH	–	1	–	–	1	–
PONTEFRACT ...	–	2	–	–	–	–
ROTHERHAM ...	–	2	–	–	–	–
SETTLE	–	1	–	–	–	–
TADCASTER ...	–	2	1	–	1	–
THORNE	–	1	–	–	–	–
WAKEFIELD ...	–	–	2	–	–	–
WETHERBY ...	–	1	–	–	–	–
WHARFEDALE (NORTH)	–	–	1	–	–	–
YORKS (West Riding) —*cont.*						
Rural Districts—*cont.*						
WHARFEDALE (SOUTH)	–	–	–	–	1	–
WORTLEY ...	–	4	–	–	–	C. 1
County Borough :—						
§YORK	–	–	1	–	1	–
WALES.						
ANGLESEY	–	2	1	–	3	–
Boroughs and Urban Districts :—						
AMLWCH	–	–	–	–	3	–
LLANGEFNI ...	–	2	–	–	–	–
MENAI BRIDGE ...	–	–	1	–	–	–
BRECKNOCK ...	–	–	–	1	1	–
Urban Districts :—						
BRYNMAWR ...	–	–	–	–	1	–
Rural Districts :—						
CRICKHOWELL ...	–	–	–	1	–	–
CARDIGAN	–	2	–	–	–	–
Boroughs and Urban Districts :—						
†ABERYSTWYTH ...	–	1	–	–	–	–
Rural Districts :—						
ABERAYRON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

§ York C.B. is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARMARTHEN ...	–	10	3	–	1	C. 2
Boroughs and Urban Districts:—						
AMMANFORD ...	*	*	*	*	*	*
BURRY PORT ...	–	1	–	–	–	–
†LLANELLY ...	–	2	1	–	–	C. 1
Rural Districts:—						
CARMARTHEN ...	–	1	–	–	–	–
LLANDILO FAWR..	–	5	–	–	–	–
LLANELLY ...	–	1	2	–	1	C. 1
CARNARVON ...	–	3	2	2	–	–
Boroughs and Urban Districts:—						
†BANGOR	–	1	–	–	–	–
LLANFAIRFECHAN	–	1	–	–	–	–
PENMAENMAWR...	–	–	1	–	–	–
PORTMADOC ...	–	–	–	2	–	–
Rural Districts:—						
CONWAY	–	1	–	–	–	–
GEIRIONYDD ...	–	–	1	–	–	–
DENBIGH	–	4	1	–	1	–
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN ...	–	1	–	–	–	–
Rural Districts:—						
LLANGOLLEN ...	–	2	–	–	–	–
LLANSILIN ...	–	–	–	–	1	–
RUTHIN	–	–	1	–	–	–
WREXHAM ...	–	1	–	–	–	–
FLINT	–	3	–	1	3	–
Rural Districts:—						
HAWARDEN ...	–	1	–	–	1	–
HOLYWELL (HOLYWELL DIV.)	–	–	–	1	2	–
ST. ASAPH (FLINT)	–	2	–	–	–	–
GLAMORGAN ...	–	50	41	1	24	C. 3 E. 1 L. 1 M. 2
†CARDIFF C.B. ...	–	4	7	–	3	C. 1 E. 1
†MERTHYR TYDFIL C.B.	–	–	3	–	2	–
†SWANSEA C.B. ...	–	13	2	–	1	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	1	1	–	2	–
†BARRY	–	1	3	–	4	–
†CAERPHILLY ...	–	3	2	–	–	–
†GELLIGAER ...	–	2	2	–	1	–
†GLYNCORWG ...	–	2	–	–	–	–
†MOUNTAIN ASH ...	–	2	1	–	–	–
†NEATH	–	–	2	–	–	–
†OGMORE AND GARW	–	–	–	1	1	C. 1 L. 1
PORTHCAWL ...	–	3	–	–	2	–
†PORT TALBOT ...	–	1	7	–	–	–
†RHONDDA ...	–	11	9	–	7	M. 1
Rural Districts:—						
CARDIFF	–	1	–	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	–	1	–	1	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Rural Districts—*cont.*						
Neath	–	4	–	–	–	M. 1
Penybont ...	–	–	1	–	–	–
Swansea... ...	–	2	–	–	–	–
MERIONETH ...	–	1	–	–	1	–
Urban Districts :—						
Festiniog ...	–	1	–	–	–	–
Rural Districts :—						
Penllyn	–	–	–	–	1	–
MONMOUTH ...	–	16	6	6	4	M. 1
†Newport C.B. ...	–	1	1	1	–	–
Boroughs and Urban Districts :—						
†Abercarn ...	–	2	–	–	–	–
†Abertillery ...	–	1	1	–	–	–
Bedwas and Machen	–	2	–	–	1	–
†Bedwellty ...	–	3	2	–	–	–
Chepstow ...	–	–	–	1	–	–
†Ebbw Vale ...	–	3	–	–	–	–
†Mynyddislwyn	–	2	–	–	–	–
†Nantyglo and Blaina	–	–	–	–	3	–
Pontypool ...	–	2	–	–	–	–
†Rhymney ...	–	–	–	4	–	–
†Risca	–	–	–	–	–	M. 1
†Tredegar ...	–	–	1	–	–	–
Rural Districts :—						
Chepstow ...	–	–	1	–	–	–
MONTGOMERY ...	–	2	–	–	1	–
Boroughs and Urban Districts :—						
Machynlleth ...	–	1	–	–	–	–
Welshpool ...	–	1	–	–	1	–
Rural Districts :—						
Newtown and Llanidloes	*	*	*	*	*	*
PEMBROKE	–	–	4	–	–	–
Boroughs and Urban Districts :—						
Haverfordwest	–	–	2	–	–	–
†Pembroke ...	–	–	2	–	–	–
RADNOR	–	2	–	–	–	–
Rural Districts :—						
New Radnor ...	–	2	–	–	–	–
Total of Part II. ...	35	1740	615	84	566	C. 42 D. 5 E. 14 F. 2 G. 12 J. 1 L. 7 M. 96

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H. Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).	Name of Port Sanitary Districts	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below)
BRISTOL	–	–	–	1	–	–	SUNDERLAND... ...	–	–	1	–	–	–
COLCHESTER	*	*	*	*	*	*	PORT OF LONDON ...	–	–	–	1	–	–
DOVER	–	1	–	–	–	–							
HARWICH	–	2	3	–	–	–	**Total of Part III....** ...	–	3	4	2	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	241	226	12	92	C. 1 D. E. G. M.
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	35	1740	615	84	566	C. 4 D. E. 1 F. G. 1 J. L. M. 9
Total of Part III.—Port Sanitary Districts	–	3	4	2	–	–
Total (*i.e.*, of returns received), England and Wales ...	35	1984	845	98	658	C. 5 D. E. 1 F. G. 1 J. L. M. 10

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Poli encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continue Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the weel The cases of Small-pox notified appear on pages 1238, 1239, 1240, 1245, and 1249.

5.—LONDON and GREAT TOWNS in the REGATE. } { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Veek ended :—	Aug. 11.	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.
ON :—													
HS—all ages	719	718	813	782	799	807	868	928	831	869	853	885	905
0 to 1 year ..	83	76	111	122	106	115	116	149	128	129	104	119	104
T TOWNS, aggre-e (including Lon-n) :—													
IS	6,627	7,910	7,798	7,482	7,682	7,281	7,154	7,428	6,905	7,078	7,464	7,182	7,721
HS—all ages	3,331	3,269	3,282	3,287	3,428	3,395	3,616	3,660	3,474	3,650	3,579	3,676	3,619
0 to 1 year ..	449	410	499	484	471	493	514	516	454	468	464	473	457
RIC FEVER—Cases	41	24	27	26	31	38	32	37	35	53	44	29	40
„ Deaths	7	6	1	2	4	4	4	3	8	4	7	1	3
L POX—Cases ..	13	9	10	12	10	17	16	9	16	26	4	7	9
„ Deaths ..	—	—	—	—	—	—	—	2	—	—	—	—	—
ET FEVER—Cases	540	539	561	611	736	755	850	997	956	995	1,013	1,158	1,120
„ Deaths	7	6	6	7	11	6	9	9	8	11	15	8	9
HERIA—Cases ..	358	344	362	391	374	467	500	473	450	525	498	536	585
„ Deaths ..	20	26	20	27	21	26	27	24	22	22	25	25	33
LES—Deaths ..	28	30	14	15	15	15	17	6	10	8	15	16	19
ENZA—Deaths ..	14	24	16	14	20	9	28	33	31	40	33	29	37

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 3rd November, 1923. (*Supplied by the Meteorological Office.*)

OWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
ON	60	37	56·1	44·9	8
EENWICH).					
TON ..	58	39	56·0	47·7	13
MOUTH ..	58	40	56·2	47·2	8
ICH	58	38	54·9	43·9	9
(EATON).					
UTH ..	59	41	56·6	45·9	8
OL	56	40	54·3	44·7	8
(CLIFTON).					
NGHAM	57	40	53·6	44·4	4
DGBASTON)					
NGHAM ..	61	38	54·9	44·7	2
NHEAD	61	44	55·4	45·0	15
(BIDSTON).					
HESTER	59	41	54·3	44·7	20
HITWORTH PARK).					
LEY.. ..	57	40	53·4	43·6	32
ERSFIELD	61	38	55·9	43·0	19

TOWNS.	Temperature of Air.* Highest.	Lowest	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD ..	59	40	54·9	44·4	12
SHEFFIELD ..	Not received.				
YORK (MUSEUM)	60	35	54·6	43·7	3
HULL (PEARSON PARK).	59	38	55·7	43·3	4
TYNEMOUTH ..	60	39	54·9	44·9	8
CARDIFF	57	42	55·4	45·7	14
EDINBURGH ..	59·0	39·0	53·6	43·0	12
GLASGOW ..	57·0	39·9	52·7	44·1	33
DUBLIN (PHŒNIX PARK).	58·6	39·7	54·9	41·4	9
FITZWILLIAM SQUARE.†	60·2	39·1	55·4	44·2	7
BELFAST	59·8	35·0	55·7	39·7	29

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 3rd November, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
OCTOBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	28	..	29·356	59·9	46·7	13·2	52·5	+ 5·1	45·5	7·0	12·8	4·0	77	100·1	38·7	52·6	SSW	SW	3·9	0·0	0·4	327	+ 31	0·00
MONDAY -	29	..	29·812	58·4	42·5	15·9	51·4	+ 4·1	43·5	7·9	12·9	2·4	75	91·9	35·3	52·6	SW	SW	5·2	0·1	0·5	362	+ 66	0·00
TUESDAY -	30	Greatest Declination N.	29·781	56·3	52·5	3·8	54·4	+ 7·2	50·9	3·5	5·8	0·6	88	59·1	46·9	52·3	SW	SW	3·5	0·1	0·7	407	+ 113	0·01
WEDNESDAY	31	..	29·983	55·4	38·9	16·5	47·4	+ 0·3	43·4	4·0	11·1	0·7	87	68·7	33·4	52·3	WSW : Calm.	Calm	0·2	0·0	0·0	124	- 167	0·12
NOVEMBER. THURSDAY -	1	Last Quarter.	29·960	49·7	36·9	12·8	44·8	- 2·2	44·6	0·2	3·1	0·2	99	57·2	33·4	52·2	Calm	Calm	0·0	0·0	0·0	96	- 191	0·18
FRIDAY -	2	..	29·906	51·9	40·5	11·4	45·5	- 1·3	40·3	5·2	9·5	0·9	82	73·6	31·7	52·2	Calm	WSW	1·2	0·0	0·1	203	- 81	0·00
SATURDAY -	3	..	29·592	57·7	44·9	12·8	52·4	+ 5·8	48·2	4·2	7·7	2·3	86	65·9	36·5	51·9	SW	SW : WSW.	5·4	0·0	0·8	579	+ 298	0·01
MEANS -		..	29·770	55·6	43·3	12·3	49·8	+ 2·7	45·2	4·6	9·0	1·6	85	73·8	36·6	52·3	SW		..	..	..	Sum 2,098	Sum + 69	Sum 0·32
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
OCTOBER.					
SUNDAY ..	28	wP till 16h.; then mP.	3·6	9·9	Very cloudy till 20½h., then nearly cloudless. Slight rain between 12h. and 15h.
MONDAY ..	29	wP till 7h.; mP till 11h., then wP.	4·6	9·8	Cloudless becoming nearly overcast by 7h. Slight rain 23½h.
TUESDAY ..	30	wP	0·0	9·8	Overcast throughout. Damping from 20½h.
WEDNESDAY	31	wP till 6h.; mP till 13½h.; sP till 19h., then wP.	1·4	9·7	Overcast till 8h.; partially cloudy till 16½h., clearing to cloudless by 21h. Rain till 4h. Mist from 6h., and slight fog from 18h.
NOVEMBER. THURSDAY	1	wP till 9½h.; variably sP to sN till 10½h.; then wP.	0·0	9·7	Overcast throughout, with slight fog. Rain from 8½h. till 13h.
FRIDAY ..	2	wP till 8h.: then mP.	3·7	9·6	Overcast till 18h. with partially cloudy interval from 9h. till 10h. Nearly cloudless from 18½h., becoming overcast by midnight. Slight mist till 15h. Dew in evening.
SATURDAY	3	wP till 18h.; then mP.	0·0	9·6	Overcast, clearing to cloudless by 19½h. Occasional slight rain between 15h. and 21h. Brisk wind from 9h.
			Sum 13·3	Sum 68·1	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·21 in. at the beginning of the week to 30·06 in. by 23h. on October 31st; decreased to 29·87 in. by 6h. on Nov. 2nd; increased to 29·95 in. by 20h. on 2nd; decreased to 29·52 in. by 17h. on 3rd; increased and was 29·63 in. by midnight on the same day.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS
11–17, Hare Street, E.2

FOR OFFICIAL USE.

1923. No. 45

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 10TH NOVEMBER, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 10TH NOVEMBER, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-fifth week of the year numbered 6,870 and corresponded to an annual rate of 18·7 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 3,734 and corresponded to an annual rate of 10·2 per 1,000 of their aggregate civilian population, which is estimated at 19,170,699 in the year 1922. In the preceding three weeks the rates had been 9·7, 10·0 and 9·8. Infant mortality was 65 per 1,000 births, against 62, 66 and 59 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,632 births, corresponding to a rate of 18·7 per 1,000, and 822 deaths of civilians, corresponding to a rate of 9·5, as against 9·8, 10·2 and 10·4 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 10·0 per 1,000. The infant mortality was 46 as against 62, 69 and 55 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 115 in the total deaths last week, but the deaths from influenza fell from 37 to 35. In London the number of deaths from all causes fell from 905 to 822; while the deaths from diphtheria, which had been 8, 8 and 12 in the preceding three weeks, fell to 10 last week, and those of infants under two years of age from diarrhœal diseases, which had been 28, 33 and 17 in the preceding three weeks, fell to 11 last week.

Just Published:

Census of England and Wales, 1921.

County of Cornwall. Price 8*s*. net.

County of Chester. Price 12*s*. 6*d*. net.

County of Derby. Price 10*s*. net.

County of Nottingham. Price 7*s*. 6*d*. net.

County of Norfolk. Price 9*s*. net.

The Registrar General's Statistical Review, 1922.

Tables, Part I. Medical. Price 15*s*. net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 10th November, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,699*	6,870	3,734	448	6	21	11	13	36	53	35
London	4,534,230*	1,632	822	75	–	8	4	3	10	11	4
Towns in Outer Ring.											
Croydon C.B. ..	192,300	58	35	1	–	–	–	–	–	–	1
Wimbledon ..	61,730	21	12	–	–	–	–	–	–	–	–
Ealing	67,890	20	10	–	–	–	–	–	–	–	–
Acton	62,390	20	17	2	–	–	–	–	–	–	–
Willesden ..	168,200	56	31	4	–	–	–	–	1	–	–
Hendon	55,930	9	12	2	–	–	–	–	–	–	–
Hornsey	87,310	22	10	1	–	–	–	–	–	–	–
Wood Green ..	51,290	10	7	–	–	–	–	–	–	–	–
Tottenham ..	150,500	56	32	3	–	–	1	–	–	–	1
Edmonton ..	68,700	36	11	1	–	2	–	–	–	–	–
Enfield	62,010	15	11	1	–	–	–	–	–	1	1
West Ham C.B. ..	310,200	151	65	10	–	–	–	–	1	–	–
East Ham C.B. ..	145,800	50	21	4	–	–	–	–	–	–	–
Leyton	131,600	31	16	2	–	–	–	–	–	–	–
Walthamstow ..	129,700	41	21	2	–	–	–	–	–	–	2
Ilford	86,370	37	11	1	–	–	–	–	–	–	–
Gillingham	48,630*	14	4	–	–	–	–	–	–	–	–
Canterbury C.B ..	23,680	6	5	1	–	–	–	–	–	–	–
Hastings C.B.	59,500	6	14	–	–	–	–	–	–	–	1
Eastbourne C.B. ..	53,700	15	15	–	–	–	–	–	–	–	–
Brighton C.B. ..	135,279†	31	30	–	–	–	–	–	–	–	–
Portsmouth C.B. ..	236,630*	92	48	9	–	–	–	–	1	–	–
Bournemouth C.B. ..	81,500	18	18	2	–	–	–	–	–	–	–
Southampton C.B. ..	163,700	69	36	4	–	–	–	–	–	–	–
Reading C.B.	92,990	28	13	2	–	–	–	–	–	–	–
Oxford C.B.	56,510	12	11	1	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	35	9	–	–	–	–	–	–	–	–
Luton	58,260	23	8	1	–	–	–	–	–	–	–
Cambridge	59,200	21	3	–	–	–		–	–	–	–
Southend-on-Sea C.B.	91,430	24	17	1	–	–	–	–	–	–	1
Ipswich C.B.	80,950	18	9	–	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	20	8	–	–	–	–	–	–	–	–
Norwich C.B ..	122,900	42	28	3	–	–	–	–	–	1	–
Swindon	55,680	15	6	–	–	–	–	–	–	–	–
Exeter C.B.	59,700	20	14	–	–	–	–	–	–	–	–
Plymouth C.B. ..	200,370*	66	48	6	–	–	–	–	–	1	–
Bath C.B.	68,530	18	8	–	–	–	–	–	–	–	1
Bristol C.B.	383,900	144	60	7	–	–	–	–	2	1	1
Gloucester C.B. ..	52,210	18	9	1	–	1	–	–	–	–	1
Stoke-on-Trent C.B.	274,300	114	64	5	–	–	–	–	–	3	1
Burton-upon-Trent C.B.	49,630	21	7	2	–	–	–	–	–	–	–
Wolverhampton C.B.	105,700	34	22	3	–	–	–	–	–	1	–
Walsall C.B.	99,890	42	22	5	–	–	–	–	–	–	–
West Bromwich C.B.	76,260	31	15	–	–	–	–	–	–	–	–
Dudley C.B.	57,860	19	9	1	–	–	–	–	–	–	–
Worcester C.B. ..	49,240	14	6	–	–	–	–	–	–	–	1
Birmingham C.B. ..	945,100	356	172	21	–	–	–	–	4	4	1
Smethwick C.B. ..	78,140	17	9	–	–	–	–	–	–	–	–
Coventry C.B. ..	131,200	30	27	3	–	–	–	–	–	–	–
Leicester C.B. ..	238,800	70	42	4	–	–	–	1	1	–	–
Lincoln C.B.	66,930	21	11	1	–	–	–	–	–	–	–
Grimsby C.B.	84,650	22	22	3	–	–	–	1	–	–	–
Nottingham C.B. ..	267,900	107	61	8	–	–	1	–	1	–	–
Derby C.B.	132,400	32	30	4	–	–	–	1	–	–	–
Chesterfield ..	63,380	26	14	3	–	1	–	–	–	–	–
Stockport C.B. ..	125,800	35	24	6	–	–	–	–	–	1	–
Chester C.B.	41,190	4	8	–	–	–	–	–	–	–	–
Birkenhead C.B. ..	149,200	61	28	5	–	–	–	–	–	–	–
Wallasey C.B. ..	89,790	21	17	2	–	–	–	–	–	–	–
Liverpool C.B. ..	826,400	369	179	39	–	4	–	–	4	1	2
Bootle C.B.	79,750	38	16	2	–	1	–	–	–	–	–
St. Helens C.B. ..	106,400	50	26	6	–	–	–	–	–	3	3

* Population adjusted by the exclusion of non-civilians.
† As extended 1st October, 1923.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	11	25	2	-	-	-	-	-	-	-
WIGAN C.B.	91,750	31	22	3	-	-	-	-	-	-	1
WARRINGTON C.B. ..	79,150	29	10	1	-	-	-	-	-	1	-
BOLTON C.B.	182,700	58	44	6	-	-	-	-	1	2	3
BURY C.B.	57,400	24	12	1	-	-	-	-	-	-	-
MANCHESTER C.B. ..	748,500	280	159	21	-	2	2	-	1	5	-
SALFORD C.B.	240,700	75	58	6	-	-	1	-	2	-	-
OLDHAM C.B.	148,300	41	46	7	-	-	-	-	-	-	2
ROCHDALE C.B... ..	92,510	29	26	-	1	-	-	-	-	-	1
BURNLEY C.B.	105,100	28	22	4	-	-	-	1	-	-	-
BLACKBURN C.B. ..	129,600	37	37	7	-	-	-	-	-	-	2
PRESTON C.B.	120,900	41	30	8	1	-	-	-	1	-	-
BLACKPOOL C.B. ..	74,050	20	22	4	-	-	-	-	-	1	-
BARROW-IN-FURNESS C.B.	75,690	25	9	1	-	-	-	-	-	-	1
HUDDERSFIELD C.B. ..	111,600	32	23	1	2	-	-	1	-	-	-
HALIFAX C.B.	100,500	32	24	2	-	-	-	-	-	-	-
BRADFORD C.B. ..	291,300	97	71	4	-	-	-	-	1	1	-
LEEDS C.B.	466,700	179	90	12	-	-	-	1	-	-	1
DEWSBURY C.B. ..	55,170	23	18	2	-	-	-	-	-	-	-
WAKEFIELD C.B. ..	53,840	20	5	-	-	-	-	-	-	-	-
BARNSLEY C.B. ..	69,540	28	12	2	-	-	-	-	-	2	-
SHEFFIELD C.B. ..	522,600	155	97	14	2	-	-	-	-	5	1
ROTHERHAM C.B. ..	69,840	41	10	2	-	-	-	-	-	-	-
DONCASTER	55,020	26	8	2	-	-	-	-	-	-	-
YORK C.B.	84,980	32	12	-	-	-	-	-	-	-	-
HULL C.B.	294,000	102	58	8	-	-	-	1	1	1	-
MIDDLESBROUGH C.B.	134,800	71	23	5	-	-	1	-	1	1	-
DARLINGTON C.B. ..	66,710	27	11	1	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	65,950	35	13	1	-	-	-	-	-	-	-
WEST HARTLEPOOL C.B.	70,020	35	14	4	-	-	-	-	-	1	-
SUNDERLAND C.B. ..	162,900	76	36	9	-	-	-	-	-	1	-
SOUTH SHIELDS C.B. ..	122,400	57	26	4	-	-	-	1	2	-	-
GATESHEAD C.B. ..	127,300	46	26	5	-	1	-	-	-	-	-
NEWCASTLE-ON-TYNE C.B.	281,600	125	62	9	-	1	-	-	-	3	-
TYNEMOUTH C.B. ..	64,640	23	5	2	-	-	-	1	-	-	-
CARLISLE C.B.	53,490	19	10	1	-	-	-	-	-	-	-
NEWPORT (MON.) C.B.	94,880	36	18	-	-	-	-	-	-	-	-
CARDIFF C.B.	223,830	89	52	2	-	-	1	1	-	1	-
RHONDDA	167,500	77	37	9	-	-	-	-	-	-	-
MERTHYR TYDFIL C.B.	82,680	39	13	1	-	-	-	-	1	-	-
ABERDARE	56,580	20	10	1	-	-	-	-	-	-	1
SWANSEA C.B.	161,000	45	32	4	-	-	-	-	-	-	-
GREATER LONDON ..	7,563,730*	2,626	1,358	136	1	10	7	3	13	17	10
OUTER RING	3,029,500*	994	536	61	1	2	3	-	3	6	6
16 GREAT TOWNS IN OUTER RING	1,831,920	633	322	34	-	2	1	-	2	1	5
REMAINDER OF OUTER RING	1,197,580*	361	214	27	1	-	2	-	1	5	1
EDINBURGH†	426,000	155	99	18	-	-	3	-	1	-	-
GLASGOW†	1,041,400	480	235	46	-	17	-	3	1	4	1
DUBLIN (REGISTRATION AREA)†	431,000	197	115	17	-	1	3	-	-	2	-
BELFAST†	429,000	194	104	20	1	1	1	-	-	1	2

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available period.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases (under 2 years)	Influenza.
LONDON‡	4,534,230	1923. Nov. 10	1632	822	9·5	–	–	8	4	3	10	11	4
CALCUTTA	896,067	Oct. 6	?	468§	26·8	?	–	?	?	?	?	?	8
BOMBAY	1,220,120	„ 13											
MADRAS	526,911	Sept. 29	516	322§	31·8	1	–	–	?	2	–	27	–
SYDNEY AND SUBURBS	955,900	Sept.											
BRISBANE (Metropolitan Area).	230,200	„											
PERTH (Metropolitan Area).	161,773	Sept. 22											
AUCKLAND (Urban Area).	167,760	Sept.											
WELLINGTON (Urban Area).	112,070	„											
CHRISTCHURCH (Urban Area).	113,400	„											
CAPE TOWN	106,727	Oct 6	34	28	13·6	1	–	–	–	–	1	–	–
JOHANNESBURG	156,858	„ 6	69	32	10·6	–	–	–	1	–	–	–	1
DURBAN	50,488	„ 6	21	10	10·3	–	–	–	–	–	–	–	–
PARIS	2,906,472	Oct. 31 (11 days)	1229	982	12·3	3	–	–	–	4	4	40	–
ANTWERP	302,286	Aug. 25											
AMSTERDAM	702,658	Oct. 20	248	103	7·6	–	–	–	–	2	–	1	–
COPENHAGEN	570,000	„ 27	219	116	10·7	–	–	1	–	–	2	–	1
STOCKHOLM	424,944	„ 20	81	77	9·4	–	–	–	–	–	1	–	–
GOTHENBURG	228,074	„ 20	?	35	8·0	–	–	–	–	–	–	1	–
CHRISTIANIA	258,962	„ 27	68	46	9·2	–	–	–	–	–	–	–	–
BERLIN	1,983,000	„ 13	408	392	10·3	–	?	–	–	–	1	13	3
BRESLAU	561,000	„ 13	169	143	13·3	1	?	–	–	2	3	12	1
COLOGNE	704,000	„ 13	223	120	8·9	–	?	–	–	1	–	6	1
DRESDEN	611,000	„ 13	133	118	10·0	–	?	–	–	1	–	3	1
FRANKFORT-ON-MAIN..	474,000	„ 13	101	53	5·8	–	?	1	–	–	1	–	–
HAMBURG	1,079,000	„ 13	320	229	11·0	–	?	–	–	–	–	1	2
LEIPZIG	679,000	„ 13	160	144	11·0	1	?	–	–	–	–	6	1
MUNICH	685,000	„ 13	154	132	10·0	–	?	–	–	–	–	2	1
VIENNA	1,841,326	Sept. 29											
PRAGUE AND SUBURBS	697,111	„ 30 (15 days)	509	335	11·7	6	–	–	2	2	–	10	–
BUDAPEST	946,000	Sept. 1											
WARSAW	956,087	Oct. 20	370	286	15·6	4	–	1	11	2	–	29	2
CAIRO	791,000	Aug. 5	813	644	42·3	12	–	6	–	?	11	119	?
ALEXANDRIA	466,700	„ 5	452	301	33·5	2	–	2	–	?	1	57	?
NEW YORK	5,927,617	Sept. 15											
CHICAGO	2,886,121	Oct. 13	?	575	10·4	2	–	–	–	–	6	45	2
RIO DE JANEIRO ..	1,312,468	„ 6	636	430	17·1	2	–	2	–	10	–	86	12
MONTEVIDEO	348,989	July 7											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 10 deaths from Asiatic Cholera in Calcutta, and 2 in Madras.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 10th November, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	822	75	26	17	23	35	48	64	90	116	171	157
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	8	–	7	1	–	–	–	–	–	–	–	–
Scarlet fever	4	–	1	2	1	–	–	–	–	–	–	–
Whooping cough	3	1	2	–	–	–	–	–	–	–	–	–
Diphtheria	10	1	–	5	3	1	–	–	–	–	–	–
Influenza	4	–	–	–	–	–	–	–	–	1	–	3
Erysipelas	1	–	–	–	–	–	–	–	–	1	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	80	–	1	1	–	21	11	16	15	11	3	1
Nervous system	7	–	2	3	2	–	–	–	–	–	–	–
Intestines and peritoneum	1	–	–	–	–	1	–	–	–	–	–	–
Other forms	4	–	–	–	–	1	2	1	–	–	–	–
Venereal diseases	2	–	–	–	–	–	–	2	–	–	–	–
Cancer	110	–	–	–	–	–	2	12	21	23	37	15
Rheumatic fever	3	–	–	–	–	–	1	1	1	–	–	–
Diabetes	6	–	–	–	1	–	–	–	–	1	4	–
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	35	–	–	–	–	–	–	1	3	6	9	16
Epilepsy	5	–	–	–	–	–	2	–	–	2	1	–
"Convulsions" (not puerperal) ..	3	1	1	–	–	1	–	–	–	–	–	–
Other diseases of nervous system ..	26	1	1	–	3	–	4	6	5	2	4	–
Pericarditis	2	–	–	–	1	–	–	–	–	–	1	–
Acute endocarditis	4	–	–	–	1	–	1	–	–	1	1	–
Other diseases of heart	109	–	–	–	1	1	3	4	10	13	38	39
Other diseases of circulatory system	33	–	–	–	–	–	–	–	6	2	9	16
Bronchitis	57	3	1	1	1	–	–	–	5	7	23	16
Broncho-pneumonia	22	4	5	–	2	–	1	–	1	4	2	3
Lobar-pneumonia	28	–	2	3	–	–	5	2	4	7	3	2
Pneumonia (type not distinguished) ..	12	1	–	–	–	1	1	2	1	2	1	3
Other diseases of respiratory system	15	1	–	–	–	1	1	1	2	3	4	2
Diarrhœa and enteritis	17	10	1	–	–	–	2	1	1	1	–	1
Appendicitis, Typhlitis	3	–	–	–	1	–	1	1	–	–	–	–
Hernia, Intestinal obstruction	6	–	–	–	–	–	–	–	2	1	2	1
Cirrhosis of liver	3	–	–	–	–	–	–	2	–	1	–	–
Other diseases of digestive system ..	21	1	1	–	1	–	1	–	5	8	2	2
Acute nephritis	1	–	–	–	–	–	–	–	1	–	–	–
Chronic Bright's disease	22	–	–	–	–	–	2	3	2	1	7	7
Other diseases of genito-urinary system.	12	1	–	–	–	–	1	1	–	3	1	5
Puerperal sepsis	1	–	–	–	–	–	1	–	–	–	–	–
Other causes incident to childbirth ..	3	–	–	–	–	2	–	1	–	–	–	–
Congenital malformations	9	8	–	–	–	1	–	–	–	–	–	–
Premature birth	22	22	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	5	5	–	–	–	–	–	–	–	–	–	–
Old age..	29	–	–	–	–	–	–	–	–	2	9	18
Suicide	7	–	–	–	–	–	1	1	–	4	1	–
Burns and scalds	2	–	–	1	1	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	1	–	–	1	–	–	–
Suffocation in bed	3	3	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	7	–	–	–	3	1	–	–	1	1	1	–
Other deaths by violence	16	–	–	–	–	–	4	3	–	2	5	2
Other specified causes	36	12	–	–	1	2	1	3	3	6	3	5
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 10th November, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
COUNTY OF LONDON	–	220	181	5	90	C. 5 D. 1 G. 1 M. 20
†CITY OF LONDON	–	2	1	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	5	7	–	8	C. 1 M. 3
†BERMONDSEY ...	–	7	12	–	2	M. 1 C. 1
†BETHNAL GREEN	–	11	15	–	2	M. 1
†CAMBERWELL ...	–	11	12	–	3	M. 2
†CHELSEA	–	2	–	–	–	–
†DEPTFORD ...	–	5	3	–	2	C. 1
†FINSBURY ...	–	3	1	–	1	–
†FULHAM	–	4	2	–	4	C. 1
†GREENWICH ...	–	3	2		1	–
†HACKNEY ...	–	13	14	–	1	–
†HAMMERSMITH ...	–	7	4	–	2	M. 1
†HAMPSTEAD ...	–	1	1	–	–	–
†HOLBORN... ...	–	1	–	–	–	–
†ISLINGTON ...	–	31	12	1	5	–

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	3	6	–	–	M. 1
†LAMBETH ...	–	20	13	–	4	M. 1
†LEWISHAM ...	–	4	6	–	3	–
†PADDINGTON ...	–	6	5	1	7	M. 1
†POPLAR	–	5	5	–	8	D. 1
†ST. MARYLEBONE	–	2	–	–	1	M. 1
†ST. PANCRAS ...		5	7	1	5	G. 1
†SHOREDITCH ...	–	15	7	–	5	M. 1
†SOUTHWARK ...	–	4	20	–	3	M. 2
†STEPNEY	–	18	14	1	9	M. 1
†STOKE NEWINGTON	–	7	–	–	–	–
†WANDSWORTH ...	–	17	10	–	8	C. 1 M. 2
†WESTMINSTER, CITY OF	–	2	–	1	3	M. 2
†WOOLWICH ...	–	6	2	–	3	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	–	2	–	1	M. 1
Boroughs and Urban Districts:—						
†BEDFORD ...	–	–	1	–	–	–
DUNSTABLE ...	–	–	1	–	–	–
Rural Districts:—						
AMPTHILL ...	–	–	–	–	–	M. 1
BEDFORD... ...	–	–	–	–	1	–
BERKS	–	10	2	–	1	–
†READING C.B. ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
†NEW WINDSOR	–	4	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	2	1	–	–	–
COOKHAM ...	–	1	–	–	–	–
WALLINGFORD ...	–	1	–	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	13	3	–	1	–
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE ...	–	6	–	–	1	–
Rural Districts:—						
AMERSHAM ...	–	3	–	–	–	–
WING	–	2	–	–	–	–
WINSLOW... ...	–	1	–	–	–	–
WYCOMBE ...	–	1	3	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	5	2	–	–	–
Borough:—						
†CAMBRIDGE ...	–	1	2	–	–	–
Rural Districts:—						
CHESTERTON ...	–	1	–	–	–	–
MELBOURN ...	–	2	–	–	–	–
NEWMARKET ...	–	1	–	–	–	–
CHESTER	–	53	17	–	21	C. 1 L. 1 M. 5
†BIRKENHEAD C.B.	–	10	4	–	6	–
†CHESTER C.B. ...	–	–	2	–	1	–
†STOCKPORT C.B.	–	9	3	–	6	M. 2
†WALLASEY C.B. ...	–	3	1	–	2	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	–	1	–	–	–
†BEBINGTON AND BROMBOROUGH	–	3	–	–	–	–
BOLLINGTON ...	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	1	–	–	–	–
BUGLAWTON ...	–	2	–	–	–	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
COMPSTALL ...	–	–	1	–	–	–
†CONGLETON ...	–	–	1	–	1	–
†CREWE	–	1	1	–	1	–
HALE	–	–	–	–	1	–
†HOYLAKE AND WEST KIRBY	–	2	–	–	–	C. 1
†HYDE	–	2	1	–	–	M. 1
†MACCLESFIELD ...	–	3	–	–	–	L. 1
NANTWICH ...	–	–	–	–	1	–
†NORTHWICH ...	–	1	1	–	–	–
†RUNCORN ...	–	2	–	–	–	–
†SALE	–	1	–	–	–	–
SANDBACH ...	–	4	–	–	–	–
†STALYBRIDGE ...	–	–	–	–	–	M. 1
WILMSLOW ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
CONGLETON ...	–	2	–	–	–	–
MACCLESFIELD ...	–	1	–	–	–	–
NANTWICH ...	–	–	–	–	1	–
NORTHWICH ...	–	1	–	–	–	M. 1
RUNCORN ...	–	2	1	–	–	–
CORNWALL ...	–	6	1	–	2	–
Boroughs and Urban Districts:—						
BODMIN	–	2	–	–	–	–
CALLINGTON ...	–	1	–	–	–	–
†FALMOUTH ...	*	*	*	*	*	*
SAINT AUSTELL	–	1	–	–	–	–
TORPOINT ...	–	–	1	–	–	–
WADEBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
SAINT AUSTELL...	–	1	–	–	–	–
SAINT GERMANS...	–	1	–	–	1	–
CUMBERLAND ...	–	11	8	–	3	C. 1
†CARLISLE C.B. ...	–	3	4	–	3	–
Boroughs and Urban Districts:—						
COCKERMOUTH ...	–	3	–	–	–	–
HOLME CULTRAM	–	2	–	–	–	–
†MARYPORT ...	–	2	1	–	–	–
Rural Districts:—						
CARLISLE ...	–	–	2	–	–	–
COCKERMOUTH ...	–	–	1	–	–	–
WHITEHAVEN ..	–	1	–	–	–	–
WIGTON	–	–	–	–	–	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	3	40	12	1	11	M. 2
†DERBY C.B. ...	–	7	3	1	5	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	–	–	1	–
†BELPER	–	3	–	–	–	–
†BOLSOVER ...	–	1	–	–	–	–
†BUXTON	–	2	–	–	–	–
†CHESTERFIELD ...	–	1	1	–	1	–
DRONFIELD ...	–	1	–	–	–	–
†GLOSSOP	–	–	–	–	–	M. 1
†LONG EATON ...	–	2	–	–	–	–
MATLOCK BATH AND SCARTHIN NICK	–	2	–	–	–	–
NEW MILLS ...	–	1	–	–	–	–
†RIPLEY	1	1	1	–	3	–
†SWADLINCOTE DISTRICT	*	*	*	*	*	*
Rural Districts:—						
BAKEWELL ...	–	1	–	–	–	–
BELPER	–	4	1	–	–	–
BLACKWELL ...	2	5	–	–	–	–
CHAPEL EN LE FRITH	–	4	–	–	–	–
CHESTERFIELD ..	–	2	4	–	–	–
CLOWNE	–	–	1	–	–	–
HARTSHORN AND SEALS	–	–	–	–	1	–
NORTON	–	1	–	–	–	–
REPTON	–	–	1	–	–	–
SHARDLOW ...	–	1	–	–	–	M. 1
DEVON	–	23	7	–	2	M. 1
†EXETER C.B. ...	–	3	–	–	1	M. 1
†PLYMOUTH C.B....	–	11	1	–	–	–
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	2	2	–	–	–
BUCKFASTLEIGH	*	*	*	*	*	*
OTTERY ST. MARY	–	1	–	–	–	–
†PAIGNTON ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
BARNSTAPLE ...	–	–	1	–	1	–
BIDEFORD ...	–	–	1	–	–	–
NEWTON ABBOT...	–	2	–	–	–	–
OKEHAMPTON ...	–	2	–	–	–	–
PLYMPTON ST. MARY	–	1	1	–	–	–
ST. THOMAS ...	–	–	1	–	–	–
DORSET	–	3	–	–	1	–
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	–	–	–	1	–
Rural Districts:—						
SHERBORNE ...	–	1	–	–	–	–
WEYMOUTH ...	–	1	–	–	–	–
WIMBORNE AND CRANBORNE	–	1	–	–	–	–
DURHAM	1	117	21	–	20	C. 1 E. 1 G. 1 M. 5
†DARLINGTON C.B.	–	4	1	–	–	–
†GATESHEAD C.B.	–	3	1	–	–	–
†SOUTH SHIELDS C.B.	–	5	2	–	3	C. 1
†SUNDERLAND C.B.	–	4	–	–	2	G. 1 M. 2
†WEST HARTLEPOOL C.B	–	12	2	–	–	E. 1
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	4	3	–	–	–
BENFIELDSIDE ...	–	–	2	–	1	–
†BISHOP AUCKLAND	–	2	–	–	–	–
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHESTER LE STREET	–	1	–	–	–	–
†CROOK	–	2	–	–	–	–
†DURHAM	–	2	–	–	–	–
†FELLING	–	1	–	–	1	–
†HEBBURN ...	–	2	1	–	1	–
†HETTON	–	6	–	–	–	–
†HOUGHTON LE SPRING	–	1	–	–	1	–
†JARROW	–	6	2	–	1	–
†SEAHAM HARBOUR	–	3	–	–	1	–
†SOUTHWICK ON WEAR	–	1	–	–	–	M. 2
†SPENNYMOOR ...	–	2	–	–	–	–
†STANLEY	–	2	1	–	–	–
†STOCKTON ON TEES	–	7	–	–	–	–
†TANFIELD ...	–	1	–	–	–	–
†WASHINGTON ...	1	5	–	–	–	–
†WHICKHAM ...	–	1	1	–	–	–
WILLINGTON ...	–	5	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	5	2	–	2	–
CHESTER LE STREET	–	7	–	–	2	–
DURHAM	–	2	–	–	–	–
EASINGTON ...	–	7	–	–	1	–
HARTLEPOOL ...	–	1	–	–	–	–
HOUGHTON LE SPRING	–	2	2	–	3	–
LANCHESTER ...	–	1	1	–	–	–
SEDGEFIELD ...	–	4	–	–	–	M. 1
STOCKTON ...	–	1	–	–	–	–
SUNDERLAND ...	–	5	–	–	1	–
WEARDALE ...	*	*	*	*	*	*
ELY, ISLE OF ...	–	–	–	–	–	C. 1
Boroughs and Urban Districts:—						
†WISBECH	–	–	–	–	–	C 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
ESSEX	–	46	30	1	11	C. 1 F. 1 L. 1 M. 2
†EAST HAM C.B. ...	–	1	1	–	1	–
†SOUTHEND-ON-SEA C.B.	–	1	–	–	3	M. 1
†WEST HAM C.B. ...	–	11	17	–	1	C. 1 F. 1 M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	2	–	–	–	–
†CLACTON	–	1	–	–	–	–
†COLCHESTER ...	–	4	1	–	–	–
†GRAYS THURROCK	–	1	–	–	–	–
†HARWICH ...	–	1	1	–	–	–
†ILFORD	–	5	3	–	–	L. 1
†LEYTON	–	4	2	–	–	–
†ROMFORD ...	–	2	–	–	–	–
†WALTHAMSTOW ...	–	8	4	–	3	–
†WANSTEAD ...	–	1	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	2	–	–	–	–
EPPING	–	–	1	–	–	–
HALSTEAD ...	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	–	–	–	1	–
ONGAR	–	–	–	–	1	–
ORSETT	–	1	–	–	–	–
ROCHFORD ...	–	–	–	–	1	–
SAFFRON WALDEN	–	–	–	1	–	–
GLOUCESTER ...	10	42	24	17	7	D. 1 E. 1 M. 1
†BRISTOL C.B. ...	–	29	23	3	4	D. 1 E. 1 M. 1
†GLOUCESTER C.B.	3	1	1	8	–	–
Boroughs and Urban Districts:—						
COLEFORD ...	–	1	–	–	–	–
GLOUCESTER—*cont.*						
Rural Districts:—						
CHIPPING SODBURY	–	1	–	–	–	–
CIRENCESTER ...	–	2	–	–	–	–
EAST DEAN AND UNITED PARISHES ...	7	1	–	–	1	–
GLOUCESTER ...	–	–	–	2	1	–
LYDNEY	–	–	–	2	–	–
NEWENT	–	–	–	1	–	–
TEWKESBURY (part)	–	–	–	1	–	–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	1	–	–	–	–
WEST DEAN ...	–	6	–	–	–	–
HEREFORD ...	–	1	3	–	2	C. 1 M. 1
Boroughs and Urban Districts:—						
BROMYARD ...	–	–	–	–	1	–
†HEREFORD ...	–	–	–	–	–	C. 1
LEOMINSTER ...	–	1	–	–	–	–
ROSS	–	–	–	–	1	–
Rural Districts:—						
WEOBLEY ...	–	–	–	–	–	M. 1
WIGMORE ...	–	–	3	–	–	–
HERTFORD ..	–	8	4	–	3	C. 1
Boroughs and Urban Districts:—						
†EAST BARNET VALLEY	–	1	–	–	–	–
GREAT BERKHAMPSTEAD	–	2	–	–	–	–
†HERTFORD ...	–	1	2	–	–	–
†HITCHIN	–	3	–	–	–	–
RICKMANSWORTH	–	–	–	–	1	–
†WATFORD ...	–	–	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
ASHWELL ...	–	–	–	–	–	C. 1
BARNET	–	–	1	–	–	–
WATFORD ...	–	1	–	–	1	–
HUNTINGDON ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
RAMSEY	–	1	–	–	–	–
KENT	–	23	31	–	4	C. 1 M. 1
Boroughs and Urban Districts:—						
†ASHFORD... ...	–	1	–	–	–	–
†BECKENHAM ...	–	2	–	–	–	–
†BEXLEY	–	1	–	–	–	–
†BROMLEY ...	–	1	–	–	1	–
CHISLEHURST ...	–	–	1	–	–	–
†DOVER	–	–	1	–	–	–
†ERITH	–	3	4	–	–	–
†FOLKESTONE ...	–	1	–	–	–	–
†GILLINGHAM ...	–	3	2	–	–	–
†MAIDSTONE ...	–	1	2	–	–	–
†MARGATE ...	–	–	2	–	–	–
MILTON REGIS ...	–	–	1	–	–	–
†NORTHFLEET ...	–	–	1	–	–	–
†PENGE	–	–	–	–	1	–
QUEENBOROUGH	–	–	1	–	–	–
†RAMSGATE ...	–	3	2	–	2	–
†ROCHESTER ...	–	1	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	1	–	–	–	–
SEVENOAKS ...	–	–	1	–	–	–
SITTINGBOURNE	–	1	–	–	–	–
Rural Districts:—						
BROMLEY ...	–	–	2	–	–	–
DARTFORD ...	–	1	10	–	–	–
HOLLINGBOURNE	–	–	–	–	–	C. 1
MALLING... ...	–	1	1	–	–	–
MILTON	–	–	–	–	–	M. 1
TONBRIDGE ...	–	1	–	–	–	–
WEST ASHFORD...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	220	74	6	176	C. 4 D. 2 E. 2 G. 5 L. 1 M. 27
†BARROW IN FURNESS C.B.	–	4	–	–	–	–
†BLACKBURN C.B.	–	2	1	–	5	C. 1
†BLACKPOOL C.B.	–	3	–	–	4	C. 1 M. 2
†BOLTON C.B. ...	–	12	–	1	1	M. 2
†BOOTLE C.B. ...	–	–	1	–	–	–
†BURNLEY C.B. ...	–	2	1	–	–	M. 1
†BURY C.B. ...	–	3	1	–	2	–
†LIVERPOOL C.B. ...	–	68	20	–	50	D. 1 E. 1 G. 3 M. 13
†MANCHESTER C.B.	–	31	5	2	52	E. 1 G. 1 M. 4
†OLDHAM C.B. ...	–	–	–	–	4	C. 1 M. 1
†PRESTON C.B. ...	–	5	4	–	1	–
†ROCHDALE C.B. ...	–	8	4	–	2	–
†ST. HELENS C.B....	–	10	–	–	2	–
†SALFORD C.B. ...	–	7	7	1	6	M. 1
†SOUTHPORT C.B.	–	1	–	–	2	–
†WARRINGTON C.B.	–	–	–	–	3	–
†WIGAN C.B. ...	–	1	1	–	–	D. 1
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	–	–	–	1	–
†ASHTON IN MAKERFIELD	–	3	5	–	2	–
†ASHTON UNDER LYNE	–	3	–	1	4	–
ASPULL	–	1	1	–	2	–
†ATHERTON ...	–	–	–	–	2	–
AUDENSHAW ...	–	1	–	–	–	–
†CHADDERTON ...	–	3	–	–	–	–
†CHORLEY... ...	–	–	–	–	1	–
CLAYTON LE MOORS	–	–	1	–	–	–
†CROMPTON ...	–	1	–	–	1	M. 1
†DALTON IN FURNESS	–	1	–	–	1	–
†DARWEN	–	1	–	–	–	–
†DROYLSDEN ...	–	–	1	–	–	–
†ECCLES	–	–	–	–	1	–
†FAILSWORTH ...	–	5	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Farnworth ...	–	2	–	–	–	–
†Great Crosby ...	–	1	1	–	–	–
†Great Harwood	–	1	–	–	–	–
†Hindley... ...	–	–	1	–	1	–
†Horwich ...	–	–	2	–	–	M. 1
Hurst	–	4	–	–	–	–
Huyton with Roby ...	–	–	1	–	–	–
†Ince in Makerfield	–	–	–	–	2	–
Irlam	–	–	1	–	–	–
†Lancaster ...	–	2	4	–	–	–
Lees	–	1	–	–	3	–
†Leigh	–	4	–	1	1	–
†Litherland ...	–	2	–	–	–	–
Little Hulton.	–	1	–	–	–	–
†Lytham, St. Anne's	*	*	*	*	*	*
†Middleton ...	–	2	–	–	2	–
†Newton in Makerfield	–	–	–	–	1	
Ormskirk ...	–	1	–	–	–	–
†Prestwich ...	–	–	1	–	–	–
†Radcliffe ...	–	–	–	–	–	C. 1
†Ramsbottom ...	–	–	1	–	1	–
†Rawtenstall ...	–	2	–	–	–	–
†Royton	–	–	1	–	–	–
Standish with Langtree	–	–	–	–	2	–
†Stretford... ...	–	2	–	–	–	–
†Swinton and Pendlebury	–	2	2	–	1	–
Trawden ...	–	–	–	–	–	M. 1
†Tyldesley with Shakerley	–	1	–	–	1	–
†Ulverston ...	–	1	–	–	–	–
Urmston... ..	–	–	–	–	1	–
†Walton le Dale	–	1	–	–	1	–
†Waterloo with Seaforth	–	1		–	–	G. 1
Whitefield ...	–	–	–	–	2	–
†Widnes	–	4	–	–	4	–
			2			
Rural Districts:—						
Burnley... ...	–	1	–	–	–	–
Bury	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
Chorley	–	–	1	–	–	–
Clitheroe ...	–	2	–	–	–	L. 1
Leigh	–	2	1	–	–	–
Limehurst ...	–	1	–	–	–	–
Ulverston ...	–	1	–	–	–	–
West Lancashire	–	1	–	–	2	–
Whiston... ...	–	1	1	–	–	–
Wigan	–	–	1	–	–	–
LEICESTER... ...	–	9	12	–	6	M. 1
†Leicester C.B. ...	–	7	–	–	2	M. 1
Boroughs and Urban Districts:—						
†Coalville ...	–	–	4	–	–	–
†Loughborough	–	1	–	–	–	–
Market Harborough	–	–	–	–	2	–
Thurmaston ...	–	1	–	–	–	–
Rural Districts:—						
Ashby de la Zouch	–	–	4	–	–	–
Barrow upon Soar	–	–	1	–	2	–
Market Bosworth	–	–	3	–	–	–
LINCOLN (parts of Holland).	–	1	–	1	–	–
Boroughs and Urban Districts:—						
†Boston	–	–	–	1	–	–
Rural Districts:—						
Boston	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LINCOLN (parts of Kesteven).	–	2	–	–	1	D. 1
Boroughs and Urban Districts:—						
BOURNE	–	2	–	–	–	–
†GRANTHAM ...	–	–	–	–	1	–
Rural Districts:—						
SLEAFORD ...	–	–	–	–	–	D. 1
LINCOLN (parts of Lindsey).	–	4	8	1	2	–
†GRIMSBY C.B. ...	–	–	1	1	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	3	–	–	–
†GAINSBOROUGH ...	–	–	1	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	2	1	–	2	–
Rural Districts:—						
GLANFORD BRIGG	–	–	1	–	–	–
GRIMSBY	–	1	–	–	–	–
LOUTH	–	1	1	–	–	–
MIDDLESEX ...	–	63	27	–	10	C. 1 D. 1 E. 1 G. 1 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	5	–	–	–	–
†BRENTFORD ...	–	2	1	–	–	–
†CHISWICK ...	–	3	–	–	–	–
†EALING	–	5	2	–	1	–
†EDMONTON ...	–	4	2	–	2	–
†ENFIELD	–	3	–	–	–	–
FELTHAM ...	–	–	–	–	1	–
†FINCHLEY ...	–	3	–	–	–	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FRIERN BARNET	–	1	1	–	–	–
†HANWELL ...	–	1	5	–	–	–
†HENDON	–	1	1	–	–	–
†HESTON AND ISLEWORTH	–	1	–	–	–	C. 1
†HORNSEY	–	5	3	–	1	D. 1 M. 1
†SOUTHGATE ...	–	–	–	–	–	G. 1
STAINES	–	–	2	–	–	–
SUNBURY ON THAMES	–	–	1	–	1	E. 1
†TEDDINGTON ...	–	1	1	–	–	–
†TOTTENHAM ...	–	20	4	–	2	–
†WILLESDEN ...	–	6	4	–	1	–
†WOOD GREEN ...	–	1	–	–	–	–
Rural Districts:—						
HENDON	–	–	–	–	1	–
STAINES	–	1	–	–	–	–
NORFOLK	–	51	5	3	1	M. 1
†GREAT YARMOUTH C.B.	–	1	–	1	–	–
†NORWICH C.B. ...	–	37	4	2	1	–
Boroughs and Urban Districts:—						
NORTH WALSHAM	–	–	–	–	–	M. 1
Rural Districts:—						
BLOFIELD ...	–	3	–	–	–	–
DEPWADE ...	–	4	–	–	–	–
DOWNHAM ...	–	1	–	–	–	–
ERPINGHAM ...	–	1	–	–	–	–
HENSTEAD ...	–	1	–	–	–	–
ST. FAITH'S ...	–	1	–	–	–	–
SWAFFHAM ...	–	2	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON ...	–	28	3	3	9	C. 1
†NORTHAMPTON C.B.	–	8	1	2	6	C. 1
Boroughs and Urban Districts:—						
HIGHAM FERRERS	–	1	–	–	–	–
IRTHLINGBOROUGH	–	–	1	–	–	–
†KETTERING ...	–	8	–	–	–	–
OUNDLE	–	–	1	–	–	–
RAUNDS	–	–	–	–	1	–
ROTHWELL ...	–	4	–	–	1	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	2	–	–	–	–
HARDINGSTONE ...	–	1	–	–	–	–
NORTHAMPTON ...	–	2	–	1	–	–
POTTERSPURY ...	–	–	–	–	1	–
NORTHUMBERLAND	–	38	8	–	14	M. 3
†NEWCASTLE UPON TYNE C.B.	–	15	1	–	4	M. 1
†TYNEMOUTH C.B.	–	1	–	–	1	M. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	2	–	–	–	–
†BLYTH	–	2	–	–	5	M. 1
CRAMLINGTON ...	–	3	–	–	–	–
HEXHAM	–	2	–	–	–	–
NEWBIGGIN BY THE SEA	*	*	*	*	*	*
†NEWBURN ...	–	4	–	–	–	–
PRUDHOE... ...	–	1	–	–	1	–
ROTHBURY ...	–	–	1	–	–	–
SEATON DELAVAL	–	–	1	–	–	–
†WALLSEND ...	–	1	2	–	–	–
WEETSLADE ...	–	3	–	–	–	–
†WHITLEY AND MONKSEATON	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Rural Districts:—						
ALNWICK... ...	–	–	1	–	–	–
BELLINGHAM ...	–	1	–	–	–	–
CASTLE WARD ..	–	–	1	–	–	–
GLENDALE ...	–	–	1	–	–	–
HALTWHISTLE ...	–	3	–	–	2	–
NOTTINGHAM ...	8	31	12	–	10	–
†NOTTINGHAM C.B.	–	13	4	–	2	–
Boroughs and Urban Districts:—						
†BEESTON	–	1	–	–	–	–
†CARLTON	–	4	2	–	2	–
†EAST RETFORD ...	–	–	1	–	2	–
EASTWOOD ...	–	–	–	–	1	–
†HUCKNALL ...	8	1	–	–	–	–
†MANSFIELD ...	–	3	–	–	–	–
†MANSFIELD WOODHOUSE	–	1	–	–	–	–
†NEWARK	–	1	3	–	–	–
†SUTTON IN ASHFIELD	–	3	–	–	–	–
†WORKSOP... ...	–	–	–	–	1	–
Rural Districts:—						
BASFORD	–	1	–	–	–	–
BLYTH AND CUCKNEY	–	1	–	–	–	–
EAST RETFORD ...	–	–	1	–	2	–
NEWARK	–	2	1	–	–	–
OXFORD	–	7	–	1	–	C. 1
†OXFORD C.B. ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
CHIPPING NORTON	–	–	–	–	–	C. 1
WOODSTOCK ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever :

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
OXFORD—*cont.*						
Rural Districts:—						
HEADINGTON ...	–	1	–	–	–	–
WOODSTOCK ...	–	1	–	–	–	–
PETERBOROUGH (Soke of)	–	–	–	–	1	–
Borough:—						
†PETERBOROUGH...	–	–	–	–	1	–
RUTLAND	–	1	–	–	–	–
Rural Districts:—						
OAKHAM ...	–	1	–	–	–	–
SALOP	–	18	3	1	2	L. 1 M. 2
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	1	–	–	–	–
NEWPORT ...	–	1	–	–	–	–
OSWESTRY ...	–	3	–	–	–	–
†SHREWSBURY ...	–	3	–	–	1	–
†WENLOCK ...	–	–	–	–	–	L. 1 M. 1
Rural Districts:—						
ATCHAM	–	1	3	–	–	–
BRIDGNORTH ...	–	–	–	–	1	–
CLEOBURY MORTIMER	–	–	–	–	–	M. 1
ELLESMERE ...	–	3	–	–	–	–
NEWPORT ...	–	1	–	–	–	
OSWESTRY ...	–	2	–	–	–	–
WELLINGTON ...	–	3	–	–	–	–
WEM	–	–	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SOMERSET	–	8	2	–	4	C. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	1	–	–	–
†TAUNTON... ...	–	1	–	–	–	–
WELLS	–	–	–	–	1	–
†WESTON SUPER MARE	–	1	–	–	–	–
†YEOVIL	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	1	–	–	–
CHARD	–	–	–	–	1	–
CLUTTON... ...	–	–	–	–	–	C. 1
KEYNSHAM ...	–	1	–	–	–	–
LONG ASHTON ...	–	2	–	–	–	–
SHEPTON MALLET	–	–	–	–	1	–
TAUNTON ...	–	1	–	–	–	–
WINCANTON ...	–	1	–	–	–	–
YEOVIL	–	1	–	–	–	–
SOUTHAMPTON ...	–	42	22	1	3	E. 1 G. 1 M. 4
†BOURNEMOUTH C.B.	–	3	2	–	–	–
†PORTSMOUTH C.B.	–	9	14	1	–	M. 2
†SOUTHAMPTON C.B.	–	10	1	–	3	M. 1
Boroughs and Urban Districts:—						
ANDOVER... ...	–	–	2	–	–	–
CHRISTCHURCH ...	–	3	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	3	–	–	–	E. 1
†GOSPORT	–	–	1	–	–	G. 1
HAVANT	*	*	*	*	*	*
Rural Districts:—						
ALRESFORD ...	–	1	–	–	–	–
ALTON	–	1	–	–	–	–
BASINGSTOKE ...	–	–	1	–	–	–
DROXFORD ...	–	1	–	–	–	–
FAREHAM ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON—*cont.*						
Rural Districts—*cont.*						
HARTLEY WINTNEY	–	8	–	–	–	–
HAVANT	–	–	1	–	–	–
NEW FOREST ...	–	2	–	–	–	–
SOUTH STONEHAM	–	–	–	–	–	M. 1
STAFFORD	–	78	20	–	29	C. 1 D. 1 L. 1 M. 9
†BURTON UPON TRENT C.B.	–	–	–	–	1	–
†SMETHWICK C.B.	–	2	3	–	3	C. 1 M. 2
†STOKE ON TRENT C.B.	–	20	4	–	10	L. 1 M. 3
†WALSALL C.B. ...	–	3	3	–	2	–
†WEST BROMWICH C.B.	–	1	4	–	2	–
†WOLVERHAMPTON C.B.	–	–	–	–	1	M. 1
Boroughs and Urban Districts:—						
AMBLECOTE ...	*	*	*	*	*	*
†BILSTON	–	1	1	–	2	–
†BRIERLEY HILL...	*	*	*	*	*	*
†BROWNHILLS ...	–	1	1	–	1	–
†CANNOCK	–	2	–	–	–	–
†COSELEY	–	1	–	–	–	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	–	1	–	–	–
KIDSGROVE ...	–	1	–	–	–	–
†LEEK	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	–	1	–	–	M. 1
†ROWLEY REGIS ...	–	10	–	–	1	–
†STAFFORD ...	–	1	–	–	–	–
†TIPTON	–	4	1	–	–	M. 1
UTTOXETER ...	–	1	–	–	–	
†WEDNESBURY ...	–	1	–	–	1	–
WEDNESFIELD ...	–	–	–	–	–	D. 1
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WILLENHALL ...	–	1	1	–	–	–
†WOLSTANTON UNITED	–	3	–	–	2	–
Rural Districts:—						
CANNOCK	–	–	–	–	2	–
CHEADLE	–	4	–	–	–	–
KINGSWINFORD ...	–	1	–	–	–	M. 1
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	4	–	–	–	–
SEISDON	–	1	–	–	–	–
STAFFORD ...	–	–	–	–	1	–
WALSALL... ...	–	13	–	–	–	–
SUFFOLK, EAST ...	–	7	4	4	–	C. 2
†IPSWICH C.B. ...	–	1	–	–	–	C. 1
Boroughs and Urban Districts:—						
BECCLES	–	2	–	–	–	–
†FELIXSTOWE ...	–	–	1	–	–	–
†LOWESTOFT ...	–	–	2	4	–	–
WOODBRIDGE ...	–	1	–	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	2	1	–	–	–
SAMFORD... ...	–	1	–	–	–	–
WOODBRIDGE ...	–	–	–	–	–	C. 1
SUFFOLK, WEST ...	–	–	–	1	–	–
Rural Districts:—						
MELFORD... ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SURREY	–	28	19	3	7	C. 1 M. 2
†CROYDON C.B. ...	–	6	3	1	1	–
Boroughs and Urban Districts:—						
†BARNES	–	1	–	–	–	–
†BEDDINGTON AND WALLINGTON	–	3	1	–	–	–
†CATERHAM ...	–	1	–	1	–	–
†COULSDON AND PURLEY	–	1	–	–	–	–
†EPSOM	–	1	1	–	4	–
†ESHER AND THE DITTONS	–	1	–	–	–	–
†FARNHAM ...	–	–	2	–	–	–
†GUILDFORD ...	–	2	–	–	–	–
†KINGSTON ON THAMES	–	2	–	–	–	–
†MITCHAM... ...	–	1	–	1	–	–
†REIGATE	–	–	1	–	–	–
†RICHMOND ...	–	1	–	–	–	–
†SUTTON	–	1	–	–	1	–
†WIMBLEDON ...	–	1	6	–	–	–
Rural Districts:—						
DORKING	–	–	1	–	–	–
EPSOM	–	–	–	–	–	C. 1 M. 1
FARNHAM ...	–	–	–	–	–	M. 1
GUILDFORD ...	–	4	–	–	–	–
HAMBLEDON ...	–	2	4	–	–	–
REIGATE	–	–	–	–	1	–
SUSSEX, EAST ...	–	13	6	–	1	E. 1
†BRIGHTON C.B. ...	–	6	4	–	1	E. 1
†EASTBOURNE C.B.	–	1	1	–	–	–
†HASTINGS C.B. ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
NEWHAVEN ...	–	1	–	–	–	–
SUSSEX, EAST—*cont.*						
Rural Districts:—						
CUCKFIELD ...	–	1	–	–	–	–
HAILSHAM ...	–	–	1	–	–	–
SUSSEX, WEST ...	–	7	3	1	–	M. 1
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	1	–	–	–	–
†HORSHAM ...	–	1	–	–	–	–
†WORTHING ...	–	–	3	1	–	M. 1
Rural Districts:—						
HORSHAM ...	–	1	–	–	–	–
MIDHURST ...	–	1	–	–	–	–
WESTBOURNE ...	–	2	–	–	–	–
WESTHAMPNETT	–	1	–	–	–	–
WARWICK	–	69	55	–	36	C. 3 E. 1 M. 11
†BIRMINGHAM C.B.	–	51	45	–	27	C. 3 E. 1 M. 9
†COVENTRY C.B. ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	1	2	–	1	M. 1
†ROYAL LEAMINGTON SPA	–	1	–	–	3	–
†RUGBY	–	–	2	–	–	–
STRATFORD ON AVON	–	1	–	–	–	–
†SUTTON COLDFIELD	–	1	–	–	–	–
†WARWICK ...	–	1	–	–	1	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
FOLESHILL ...	–	2	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts— *cont.*						
MERIDEN	–	1	5	–	1	–
NUNEATON ...	–	1	–	–	1	–
RUGBY	–	2	–	–	–	–
SOUTHAM... ...	–	–	–	–	1	–
TAMWORTH (part)	–	–	1	–	–	–
WARWICK ...	–	1	–	–	–	M. 1
WESTMORLAND ...	–	1	–	1	–	–
Rural Districts:—						
EAST WESTMORLAND	–	1	–	1	–	–
WIGHT, ISLE OF ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
SANDOWN ...	–	2	–	–	–	–
WILTS	–	14	2	–	–	M. 1
Boroughs and Urban Districts:—						
BRADFORD-ON-AVON	–	1	–	–	–	–
CALNE	–	1	–	–	–	–
MELKSHAM ...	–	–	1	–	–	–
†SALISBURY ..	–	1	1	–	–	–
†SWINDON... ...	–	–	–	–	–	M. 1
†TROWBRIDGE ...	–	1	–	–	–	–
WARMINSTER ...	*	*	*	*	*	*
Rural Districts:—						
AMESBURY ...	–	4	–	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
DEVIZES	–	1	–	–	–	–
PEWSEY	–	1	–	–	–	–
SALISBURY ...	–	3	–	–	–	–
WARMINSTER ...	*	*	*	*	*	*
WORCESTER ...	–	18	3	–	3	M. 2
†DUDLEY C.B. ...	–	6	–	–	–	–
†WORCESTER C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	*	*	*	*	*	*
†LYE AND WOLLESCOTE	–	2	–	–	–	–
NORTH BROMSGROVE	*	*	*	*	*	*
†OLDBURY... ...	–	3	1	–	1	–
†REDDITCH ...	–	2	1	–	1	–
†STOURBRIDGE ...	–	–	–	–	–	M. 1
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
FECKENHAM ...	–	1	–	–	–	–
HALESOWEN ...	–	2	–	–	–	–
SHIPSTON ON STOUR	–	–	–	–	–	M. 1
UPTON ON SEVERN	–	–	1	–	1	–
YORKS ... ... (East Riding.)	–	12	5	–	4	M. 1
†KINGSTON UPON HULL C.B.	–	7	5	–	2	M. 1
Boroughs and Urban Districts:—						
COTTINGHAM ...	–	1	–	–	–	–
WITHERNSEA ...	–	–	–	–	1	–
Rural Districts:—						
BEVERLEY ...	–	1	–	–	–	–
BRIDLINGTON ...	–	1	–	–	–	–
SCULCOATES ...	–	–	–	–	1	–
SHERBURN ..	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (North Riding.)	–	56	1	1	11	–
†MIDDLESBROUGH C.B.	–	35	1	–	3	–
Boroughs and Urban Districts:—						
†ESTON	–	3	–	–	–	–
LOFTUS	–	1	–	–	–	–
MASHAM	–	1	–	–	–	–
NORTHALLERTON	–	3	–	–	–	–
†SCARBOROUGH ...	–	1	–	–	3	–
†THORNABY ON TEES	–	1	–	–	–	–
†WHITBY	–	5	–	–	4	–
Rural Districts:—						
FLAXTON	–	1	–	1	–	–
GUISBOROUGH ...	–	1	–	–	–	–
KIRKBY MOORSIDE	–	–	–	–	1	–
SCARBOROUGH ...	–	4	–	–	–	–
YORKS ... ... (West Riding.)	3	170	49	4	83	C. 9 M. 8
†BARNSLEY C.B. ...	–	2	1	–	1	C. 1 M. 1
†BRADFORD C.B. ...	–	10	2	–	4	C. 1 M. 1
†DEWSBURY C.B....	–	3	–	–	–	C. 1
†HALIFAX C.B. ...	–	1	3	–	–	–
†HUDDERSFIELD C.B.	–	2	3	–	3	M. 1
†LEEDS C.B. ...	–	40	5	–	14	C. 4
†ROTHERHAM C.B.	–	2	–	–	7	–
†SHEFFIELD C.B....	–	37	15	1	30	C. 1 M. 2
†WAKEFIELD C.B.	–	5	–	–	–	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	3	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
ALTOFTS	–	–	–	–	1	–
†BARNOLDSWICK ...	–	–	1	–	–	–
†BATLEY	–	1	1	–	–	–
†BINGLEY	–	1	–	–	–	–
BIRKENSHAW ...	–	1	–	–	–	–
†BOLTON UPON DEARNE	–	2	1	–	–	–
†BRIGHOUSE ...	–	2	–	–	–	M. 1
BURLEY IN WHARFEDALE	–	1	–	–	–	–
†CASTLEFORD ...	–	1	–	–	–	–
†CONISBROUGH ...	–	1	–	–	–	–
CUDWORTH ...	–	1	2	–	2	–
DARFIELD ...	–	3	–	–	1	–
†DARTON	–	–	–	–	1	–
DODWORTH ...	–	1	–	–	–	–
†DONCASTER ...	–	2	2	–	2	–
†ELLAND	–	–	–	–	1	–
†FEATHERSTONE ...	–	–	–	1	1	–
†GOOLE	–	4	2	–	1	–
GREETLAND ...	–	2	–	–	–	–
GUISELEY ...	–	1	–	–	–	–
†HARROGATE ...	–	–	1	–	–	–
HECKMONDWIKE	–	–	2	–	–	–
†HEMSWORTH ...	–	3	–	–	1	–
HIPPERHOLME ...	–	1	1	–	–	C. 1
†HOLMFIRTH ...	–	–	–	1	–	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	–	–	–	1	–
ILKLEY	–	–	1	–	–	–
†KEIGHLEY ...	–	1	–	–	–	–
KNOTTINGLEY ...	–	3	–	–	–	–
MELTHAM ...	–	–	1	–	–	–
†MIRFIELD ...	–	–	–	–	1	–
†MORLEY	–	–	–	–	2	–
†NORMANTON ...	–	–	–	1	2	–
†OSSETT	–	1	–	–	–	–
OTLEY	–	1	–	–	–	–
†PONTEFRACT ...	–	2	–	–	–	–
†RAWMARSH ...	–	2	–	–	–	–
RISHWORTH ...	–	1	–	–	–	–
†ROTHWELL ...	–	–	–	–	1	–
†SHIPLEY	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
†SKIPTON	–	2	–	–	–	–
SOUTH CROSLAND	–	1	–	–	–	–
SOYLAND	–	–	–	–	–	M. 1
†SPENBOROUGH ...	–	2	–	–	–	–
†STANLEY	–	3	1	–	–	–
STOCKSBRIDGE ...	–	2	–	–	–	–
†TODMORDEN ...	–	1	–	–	2	–
†WOMBWELL ...	–	1	–	–	–	–
YEADON	–	–	–	–	2	–
Rural Districts—						
BARNSLEY ...	*	*	*	*	*	*
DONCASTER ...	–	–	–	–	1	–
HALIFAX	–	2	–	–	–	–
HEMSWORTH ...	–	2	–	–	–	–
HUNSLET... ...	–	1	–	–	–	–
KIVETON PARK ...	–	2	–	–	–	–
PONTEFRACT ...	–	2	1	–	–	–
ROTHERHAM ...	–	2	–	–	–	M. 1
WAKEFIELD ...	–	1	1	–	–	–
WHARFEDALE (SOUTH)	–	–	1	–	1	–
County Borough :—						
§†YORK	–	1	–	–	–	–
WALES.						
ANGLESEY	–	1	3	–	–	–
Rural Districts:—						
VALLEY	–	1	3	–	–	–
BRECKNOCK ...	–	2	–	1	–	–
Urban Districts :—						
BRECKNOCK ...	–	–	–	1	–	–
BRECKNOCK—*cont.*						
Rural Districts :—						
VAYNOR AND PENDERYN	–	2	–	–	–	–
CARMARTHEN ...	–	4	2	–	3	–
Boroughs and Urban Districts :—						
BURRY PORT ...	–	1	–	–	–	–
†LLANELLY ...	–	3	–	–	2	–
NEWCASTLE EMLYN	*	*	*	*	*	*
Rural Districts :—						
LLANDILO FAWR..	–	–	1	–	–	–
LLANELLY ...	–	–	1	–	1	–
NEWCASTLE IN EMLYN	*	*	*	*	*	*
CARNARVON ...	–	–	1	–	–	–
Rural Districts :—						
CONWAY	–	–	1	–	–	–
DENBIGH	–	3	2	–	1	M. 1
Boroughs and Urban Districts :—						
†WREXHAM ...	–	–	1	–	–	–
Rural Districts :—						
LLANGOLLEN ...	–	2	–	–	–	–
UWCHALED ...	–	–	–	–	1	–
WREXHAM ...	–	1	1	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

§ York C.B. is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
FLINT	–	3	1	1	1	J. 1
Boroughs and Urban Districts:—						
FLINT	–	1	–	–	–	–
HOLYWELL ...	–	–	–	1	–	–
PRESTATYN ...	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	1	–	–	1	–
HOLYWELL (HOLYWELL DIV.)	–	–	1	–	–	J. 1
GLAMORGAN ...	–	52	35	2	34	C. 1 E. 2 M. 7
†CARDIFF C.B. ...	–	5	2	–	3	E. 2 M. 2
†MERTHYR TYDFIL C.B.	–	3	1	1	1	–
†SWANSEA C.B. ...	–	6	12	–	–	–
Boroughs and Urban Districts:—						
†ABERDARE ...	–	5	–	–	4	–
†BARRY	–	–	4	–	11	–
†CAERPHILLY ...	–	1	2	–	–	–
†GELLIGAER ...	–	–	2	1	–	–
†GLYNCORWG ...	–	1	–	–	2	–
†MAESTEG ...	–	1	–	–	1	M. 1
†MOUNTAIN ASH ...	–	2	1	–	2	–
†NEATH	–	–	1	–	1	–
†OGMORE AND GARW	–	4	–	–	–	–
†PENARTH ...	–	1	–	–	–	–
†PONTYPRIDD ...	–	–	–	–	2	–
†PORT TALBOT ...	–	–	5	–	–	–
†RHONDDA ...	–	16	4	–	5	C. 1 M. 4
Rural Districts:—						
CARDIFF	–	–	1	–	–	–
COWBRIDGE ...	–	–	–	–	1	–
NEATH	–	3	–	–	–	–
SWANSEA... ...	–	4	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MERIONETH ...	–	6	–	–	–	–
Urban Districts:—						
FESTINIOG ...	–	3	–	–	–	–
TOWYN	–	1	–	–	–	–
Rural Districts:—						
DOLGELLEY ...	–	2	–	–	–	–
MONMOUTH ...	–	21	5	1	6	G. 2 M. 2
†NEWPORT C.B. ...	–	5	–	–	2	M. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	–	3	–	–	–	–
ABERGAVENNY ...	–	2	–	–	–	G. 1
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	1	1	–	–	–
BEDWAS AND MACHEN	–	1	2	–	1	–
†BEDWELLTY ...	–	1	1	–	–	–
CHEPSTOW ...	–	–	–	1	–	–
†EBBW VALE ...	–	5	–	–	2	–
LLANTARNAM ...	–	–	1	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	1	–
†RISCA	–	1	–	–	–	–
†TREDEGAR ...	–	–	–	–	–	M. 1
Rural Districts:—						
ABERGAVENNY ...	–	–	–	–	–	G. 1
SAINT MELLONS...	–	1	–	–	–	–
MONTGOMERY ...	–	3	–	–	1	–
Boroughs and Urban Districts:—						
MACHYNLLETH ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONTGOMERY—*cont.*						
Rural Districts:—						
FORDEN	–	–	–	–	1	–
LLANFYLLIN ...	–	2	–	–	–	–
PEMBROKE	–	2	3	–	–	G. 1 M. 1
Boroughs and Urban Districts:—						
GOODWICK ...	–	1	–	–	–	–
HAVERFORDWEST	–	–	3	–	–	–
MILFORD HAVEN	–	–	–	–	–	M. 1
†PEMBROKE ...	–	–	–	–	–	G. 1
PEMBROKE—*cont.*						
Rural Districts:—						
ST. DOGMELLS ...	–	1	–	–	–	–
Total of Part II. ...	25	1498	562	56	549	C. 33 D. 6 E. 10 F. 1 G. 11 J. 1 L. 5 M. 104

PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LIVERPOOL	–	–	–	–	–	L. 1
PLYMOUTH	–	–	–	–	1	
Total of Part III.	–	–	–	–	1	L.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H. Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part IV.—England and Wales.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	220	181	5	90	C. 5 D. 1 G. 1 M. 20
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	25	1498	562	56	549	C. 33 D. 6 E. 10 F. 1 G. 11 J. 1 L. 5 M. 104
Total of Part III.—Port Sanitary Districts	–	–	–	–	1	L. 1
Total (*i.e.*, of returns received), England and Wales ...	25	1718	743	61	640	C. 38 D. 7 E. 10 F. 1 G. 12 J. 1 L. 6 M. 124

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 1268, 1269, 1270, 1274, and 1279.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Aug. 18.	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov 10.
LONDON :—													
DEATHS—all ages	718	813	782	799	807	868	928	831	869	853	885	905	822
„ 0 to 1 year ..	76	111	122	106	115	116	149	128	129	104	119	104	75
GREAT TOWNS, aggregate (including London) :—													
BIRTHS	7,910	7,798	7,482	7,682	7,281	7,154	7,428	6,905	7,078	7,464	7,182	7,721	6,870
DEATHS—all ages	3,269	3,282	3,287	3,428	3,395	3,616	3,660	3,474	3,650	3,579	3,676	3,619	3,734
„ 0 to 1 year ..	410	499	484	471	493	514	516	454	468	464	473	457	448
ENTERIC FEVER—Cases	24	27	26	31	38	32	37	35	53	44	29	40	31
„ Deaths	6	1	2	4	4	4	3	8	4	7	1	3	6
SMALL POX—Cases ..	9	10	12	10	17	16	9	16	26	4	7	9	3
„ Deaths ..	—	—	—	—	—	—	2	—	—	—	—	—	—
SCARLET FEVER—Cases	539	561	611	736	755	850	997	956	995	1,013	1,158	1,120	988
„ Deaths	6	6	7	11	6	9	9	8	11	15	8	9	11
DIPHTHERIA—Cases ..	344	362	391	374	467	500	473	450	525	498	536	585	480
„ Deaths ..	26	20	27	21	26	27	24	22	22	25	25	33	36
MEASLES—Deaths ..	30	14	15	15	15	17	6	10	8	15	16	19	21
INFLUENZA—Deaths ..	24	16	14	20	9	28	33	31	40	33	29	37	35

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 10th November, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	53	23	46·9	33·3	20	BRADFORD ..	46	26	41·6	31·9	15
BRIGHTON ..	52	27	48·0	37·4	28	SHEFFIELD ..	Not received.				
PORTSMOUTH ..	52	30	48·0	37·3	8	YORK (MUSEUM)	49	25	44·4	31·3	5
NORWICH (EATON).	49	25	44·6	33·1	35	HULL (PEARSON PARK).	49	25	44·7	31·1	14
PLYMOUTH ..	53	30	48·6	37·6	12	TYNEMOUTH ..	47	30	44·1	35·3	13
BRISTOL (CLIFTON).	47	29	44·4	35·0	15	CARDIFF	51	28	47·0	34·6	19
BIRMINGHAM (EDGBASTON)	49	29	43·7	33·9	8						
NOTTINGHAM ..	50	21	44·3	30·9	17	EDINBURGH ..	44·0	30·0	42·1	33·6	12
BIRKENHEAD (BIDSTON).	49	32	45·3	37·0	26	GLASGOW ..	46·9	30·9	43·5	34·1	12
MANCHESTER (WHITWORTH PARK).	48	26	44·0	34·1	28	DUBLIN (PHŒNIX PARK).	48·5	27·2	46·7	32·0	6
BURNLEY	54	26	43·7	32·1	17	FITZWILLIAM SQUARE.†	49·0	30·9	46·0	36·5	6
HUDDERSFIELD	49	25	43·1	30·4	16	BELFAST	53·0	27·5	48·0	33·0	20

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 10th November, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
NOVEMBER.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY	4	..	29·655	52·6	41·3	11·3	46·2	− 0·2	36·4	9·8	16·7	4·5	69	85·9	34·6	51·9	WSW	WSW	5·7	0·0	0·8	549	+ 270	0·00
MONDAY	5	In Equator	29·450	51·2	39·3	11·9	44·7	− 1·4	40·8	3·9	8·2	1·1	86	75·0	32·0	51·8	SW	SSW	0·8	0·0	0·0	212	− 67	0·20
TUESDAY	6	..	29·545	44·6	36·2	8·4	39·7	− 6·1	34·9	4·8	9·8	2·1	83	52·5	27·0	51·3	NNW: Calm.	NNW	0·6	0·0	0·0	179	− 100	0·00
WEDNESDAY	7	..	29·786	41·7	27·3	14·4	34·4	−11·0	29·3	5·1	10·8	0·0	81	55·8	18·6	51·1	NNW: W.	WNW: Calm.	0·7	0·0	0·0	219	− 63	0·00
THURSDAY	8	New Perigee	29·572	47·0	23·4	23·6	36·6	− 8·4	30·2	6·4	14·4	1·0	77	75·0	14·1	51·3	Calm	S	1·2	0·0	0·0	161	− 125	0·29
FRIDAY	9	..	29·394	42·2	34·0	8·2	37·3	− 7·3	35·1	2·2	9·5	0·5	91	48·9	27·3	51·2	Calm	Calm: ENE.	3·0	0·0	0·1	192	− 99	0·28
SATURDAY	10	..	30·050	47·8	37·1	10·7	42·1	− 2·2	36·3	5·8	10·1	4·5	80	67·9	28·1	51·9	NE	NNE	4·5	0·0	0·5	443	+ 148	0·01
MEANS		..	29·636	46·7	34·1	12·6	40·2	− 5·2	34·7	5·4	11·4	2·0	81	65·9	26·0	51·5	Variable		..	..	..	Sum 1,955	Sum − 36	Sum 0·78
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. NOVEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	4	wP	8·0	9·5	Cloudless generally with cloudy period between 12h. and 14h. Brisk wind till 16h.
MONDAY ..	5	wP till 19½h.; variably sP and sN till 22h.; then mP.	0·3	9·4	Cloudless till 3h., then overcast generally. Misty rain about 9h., and occasionally between 19¾h. and 21h.
TUESDAY ..	6	wP till 7h.; mP till 19h.; then wP.	0·2	9·4	Partially cloudy till 20½h., then nearly cloudless. Slight mist till 12h. Hoar frost in morning and at night.
WEDNESDAY	7	wP till 10h.; mP till 15h.; sP till 19h. then mP.	2·7	9·3	Cloudless till 11h., then partially cloudy clearing to cloudless by 19½h. Hoar frost. Mist in morning. Slight fog from 15h.
THURSDAY	8	wP till 13½h.; wN till 21h.; then variably sP and sN.	6·7	9·2	Cloudless till 12h., then clouding up to overcast by 19½h. Hoar frost in morning. Rain generally from 20½h.
FRIDAY ..	9	Variably sN and sP till 4h.; wN till 7h.; wP till 18¾h.; wN till 23h., then wP.	0·0	9·2	Variably cloudy. Rain till 4h. and between 19h. and 21h. Slight mist till 15h.
SATURDAY	10	wN till 7h.; wP till 10h.; then mP.	3·6	9·2	Variably cloudy, becoming cloudless by 15h. Brisk wind from 11h. till 17h. Rain 9h. till 9¾h.
			Sum 21·5	Sum 65·2	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·63 in. at the beginning of the week to 29·68 in. by 9h. on 4th; decreased to 29·31 in. by 23h. on 5th; increased to 29·81 in. by 20h. on 7th; decreased to 29·27 in. by 6h. on 9th; increased and was 30·14 in. by midnight on the 10th.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS
11-17, Hare Street, E.2

FOR OFFICIAL USE.

1923. No. 46

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 17TH NOVEMBER, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 17TH NOVEMBER, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-sixth week of the year numbered 7,128 and corresponded to an annual rate of 19·4 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,179 and corresponded to an annual rate of 11·4 per 1,000 of their aggregate civilian population, which is estimated at 19,170,699 in the year 1922. In the preceding three weeks the rates had been 10·0, 9·8 and 10·2. Infant mortality was 71 per 1,000 births, against 66, 59 and 65 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,690 births, corresponding to a rate of 19·4 per 1,000, and 947 deaths of civilians, corresponding to a rate of 10·9, as against 10·2, 10·4 and 9·5 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 10·3 per 1,000. The infant mortality was 65 as against 69, 55 and 46 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 445 in the total deaths last week, and the deaths from influenza rose from 35 to 55. In London the number of deaths from all causes rose from 822 to 947; while the deaths from diphtheria, which had been 8, 12 and 10 in the preceding three weeks, fell to 7 last week, and those of infants under two years of age from diarrhœal diseases, which had been 33, 17 and 11 in the preceding three weeks, rose to 19 last week.

Just Published:

Census of England and Wales, 1921.

County of Chester. Price 12*s.* 6*d.* net.

County of Derby. Price 10*s.* net.

County of Nottingham. Price 7*s.* 6*d.* net.

County of Norfolk. Price 9*s.* net.

County of Suffolk. Price 10*s.* net.

County of Sussex. Price 11*s.* net.

The Registrar General's Statistical Review, 1922.

Tables, Part I. Medical. Price 15*s.* net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. { **Births and Deaths registered in the week ended 17th November, 1923.**

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,699*	7,128	4,179	505	2	20	6	13	18	63	55
London	4,534,230*	1,690	947	109	1	10	–	1	7	19	14
Towns in Outer Ring:											
Croydon C.B. ..	192,300	69	53	5	–	–	–	–	–	1	–
Wimbledon ..	61,730	14	10	1	–	–	–	–	–	–	–
Ealing	67,890	24	16	2	–	–	–	–	–	–	1
Acton	62,390	24	15	2	–	–	–	–	–	1	–
Willesden ..	168,200	39	24	3	–	–	–	–	–	–	–
Hendon	55,930	23	6	–	–	–	–	–	–	–	–
Hornsey	87,310	13	16	1	–	–	–	–	–	–	–
Wood Green ..	51,290	11	10	–	–	–	–	–	–	–	2
Tottenham ..	150,500	40	32	3	–	–	–	–	–	1	–
Edmonton ..	68,700	57	18	4	–	–	–	–	–	–	–
Enfield	62,010	16	8	–	–	–	–	–	–	–	–
West Ham C.B. ..	310,200	154	62	11	–	–	–	–	–	–	2
East Ham C.B. ..	145,800	34	24	–	–	–	–	–	–	–	1
Leyton	131,600	46	25	2	–	–	–	–	–	–	–
Walthamstow ..	129,700	43	35	4	–	–	–	–	–	–	1
Ilford	86,370	29	24	2	–	–	–	–	–	–	–
Gillingham	48,630*	29	8	2	–	–	–	–	–	–	–
Canterbury C.B ..	23,680	12	7	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	19	14	–	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	13	4	–	–	–	–	–	–	–	–
Brighton C.B. ..	135,279†	46	28	3	–	–	–	–	–	–	–
Portsmouth C.B. ..	236,630*	89	51	3	–	–	–	1	–	–	–
Bournemouth C.B. ..	81,500	18	24	1	–	–	–	–	–	–	–
Southampton C.B. ..	163,700	51	41	4	–	–	–	–	1	–	1
Reading C.B.	92,990	20	11	–	–	–	–	–	–	–	–
Oxford C.B.	56,510	20	7	3	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	23	25	3	–	–	–	–	–	–	–
Luton	58,260	28	6	1	–	–	–	–	–	1	–
Cambridge	59,200	18	12	–	–	–		–	–	–	–
Southend-on-Sea C.B.	91,430	30	13	–	–	–	–	–	–	–	–
Ipswich C.B.	80,950	27	15	3	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	18	22	1	–	–	–	–	–	1	–
Norwich C.B ..	122,900	53	25	4	–	–	–	–	–	1	–
Swindon	55,680	18	6	1	–	–	–	–	–	–	–
Exeter C.B.	59,700	27	16	1	–	–	–	–	–	–	–
Plymouth C.B. ..	200,370*	76	48	1	–	–	–	–	–	–	–
Bath C.B.	68,530	19	25	1	–	–	–	–	–	1	–
Bristol C.B.	383,900	134	91	9	1	2	–	–	2	–	–
Gloucester C.B. ..	52,210	16	15	–	–	1	–	–	–	–	–
Stoke-on-Trent C.B.	274,300	139	62	14	–	–	–	–	–	4	–
Burton-upon-Trent C.B.	49,630	21	14	2	–	–	–	–	1	–	–
Wolverhampton C.B.	105,700	53	18	2	–	–	–	1	–	–	–
Walsall C.B.	99,890	50	15	2	–	–	–	–	–	–	–
West Bromwich C.B.	76,260	44	22	1	–	–	–	–	–	–	–
Dudley C.B.	57,860	26	6	–	–	–	–	–	1	–	–
Worcester C.B. ..	49,240	24	16	–	–	–	–	–	–	–	–
Birmingham C.B. ..	945,100	347	209	21	–	–	1	–	2	3	4
Smethwick C.B. ..	78,140	17	15	2	–	–	–	–	–	–	–
Coventry C.B. ..	131,200	42	13	2	–	–	–	–	–	–	–
Leicester C.B. ..	238,800	88	49	14	–	–	–	–	–	1	–
Lincoln C.B.	66,930	29	15	1	–	–	–	–	–	–	–
Grimsby C.B.	84,650	43	15	1	–	–	–	1	–	–	–
Nottingham C.B. ..	267,900	106	68	7	–	–	–	–	–	–	1
Derby C.B.	132,400	47	32	5	–	–	–	–	–	1	–
Chesterfield ..	63,380	23	11	3	–	2	–	–	–	–	–
Stockport C.B. ..	125,800	41	19	1	–	–	–	–	–	–	–
Chester C.B.	41,190	13	11	–	–	–	–	–	–	–	–
Birkenhead C.B. ..	149,200	65	35	5	–	–	–	–	–	–	–
Wallasey C.B. ..	89,790	22	22	4	–	–	–	1	–	–	2
Liverpool C.B. ..	826,400	395	216	45	–	3	1	–	–	8	1
Bootle C.B.	79,750	48	26	10	–	1	–	–	–	–	–
St. Helens C.B. ..	106,400	35	19	2	–	–	1	–	–	–	–

* Population adjusted by the exclusion of non-civilians.
† As extended 1st October, 1923.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	13	14	1	–	–	–	–	–	–	–
WIGAN C.B.	91,750	34	22	6	–	–	–	–	–	–	–
WARRINGTON C.B. ..	79,150	28	9	2	–	–	–	–	–	–	–
BOLTON C.B.	182,700	60	30	3	–	–	–	–	–	3	2
BURY C.B.	57,400	16	16	2	–	–	–	–	–	–	–
MANCHESTER C.B. ..	748,500	285	167	16	–	1	–	1	1	3	3
SALFORD C.B.	240,700	87	60	5	–	–	–	1	–	–	2
OLDHAM C.B.	148,300	45	40	5	–	–	–	–	–	–	–
ROCHDALE C.B... ..	92,510	24	20	3	–	–	–	–	–	–	–
BURNLEY C.B.	105,100	31	35	4	–	–	–	1	–	1	1
BLACKBURN C.B. ..	129,600	30	32	1	–	–	–	–	–	–	–
PRESTON C.B.	120,900	40	36	13	–	–	–	–	–	1	4
BLACKPOOL C.B. ..	74,050	15	17	2	–	–	–	–	–	–	1
BARROW-IN-FURNESS C.B.	75,690	21	14	1	–	–	–	–	–	–	–
HUDDERSFIELD C.B. ..	111,600	29	23	–	–	–	–	–	–	–	–
HALIFAX C.B.	100,500	29	11	2	–	–	–	–	–	1	–
BRADFORD C.B. ..	291,300	105	62	8	–	–	–	–	–	–	1
LEEDS C.B.	466,700	128	102	11	–	–	–	1	–	1	–
DEWSBURY C.B. ..	55,170	22	19	–	–	–	–	–	–	–	–
WAKEFIELD C.B. ..	53,840	15	12	2	–	–	–	–	–	1	–
BARNSLEY C.B. ..	69,540	32	14	3	–	–	–	–	–	–	–
SHEFFIELD C.B. ..	522,600	170	107	17	–	–	–	–	–	2	2
ROTHERHAM C.B. ..	69,840	23	15	1	–	–	–	–	–	–	–
DONCASTER	55,020	25	10	3	–	–	–	–	–	1	1
YORK C.B.	84,980	26	16	–	–	–	–	–	–	–	–
HULL C.B.	294,000	129	64	8	–	–	–	1	–	–	1
MIDDLESBROUGH C.B.	134,800	66	46	6	–	–	–	–	–	–	1
DARLINGTON C.B. ..	66,710	28	10	–	–	–	–	–	–	–	–
STOCKTON-ON-TEES ..	65,950	34	13	–	–	–	–	–	–	–	–
WEST HARTLEPOOL C.B.	70,020	32	12	3	–	–	–	–	–	–	–
SUNDERLAND C.B. ..	162,900	76	38	5	–	–	–	1	–	–	–
SOUTH SHIELDS C.B. ..	122,400	51	28	2	–	–	–	–	–	–	1
GATESHEAD C.B. ..	127,300	40	24	4	–	–	–	1	1	–	–
NEWCASTLE-ON-TYNE C.B.	281,600	121	67	6	–	–	2	–	–	1	–
TYNEMOUTH C.B. ..	64,640	31	12	1	–	–	–	–	–	–	1
CARLISLE C.B.	53,490	22	12	1	–	–	–	–	–	1	–
NEWPORT (MON.) C.B.	94,880	35	15	2	–	–	–	–	–	1	–
CARDIFF C.B.	223,830	88	66	9	–	–	–	1	–	2	1
RHONDDA	167,500	74	28	5	–	–	1	–	–	1	2
MERTHYR TYDFIL C.B.	82,680	34	23	4	–	–	–	–	2	–	–
ABERDARE	56,580	22	16	3	–	–	–	–	–	–	–
SWANSEA C.B.	161,000	64	35	1	–	–	–	–	–	–	1
GREATER LONDON ..	7,563,730*	2,718	1,517	165	1	10	–	2	7	24	25
OUTER RING	3,029,500*	1,028	570	56	–	–	–	1	–	5	11
16 GREAT TOWNS IN OUTER RING	1,831,920	636	378	40	–	–	–	–	–	3	7
REMAINDER OF OUTER RING	1,197,580*	392	192	16	–	–	–	1	–	2	4
EDINBURGH†	426,000	144	105	13	–	–	1	–	–	–	3
GLASGOW†	1,041,400	497	292	42	–	28	–	3	4	1	–
DUBLIN (REGISTRATION AREA)†	431,000	179	126	14	–	–	–	2	–	1	1
BELFAST†	429,000	159	113	16	–	–	–	1	–	2	–

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available period.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years)	Influenza.
		1923.											
LONDON‡	4,534,230	Nov. 17	1690	947	10·9	1	–	10	–	1	7	19	14
CALCUTTA	896,067	Oct. 13											
BOMBAY	1,220,120	„ 13	479‖	676§	28·8	3	1	–	?	–	–	48	1
MADRAS	526.911	„ 6	462	335§	33·1	1	1	–	?	1	–	24	1
SYDNEY AND SUBURBS	955,900	Sept. (30 days)	1750	710	8·9	2	–	6	1	1	6	6	6
BRISBANE (Metropolitan Area).	230,200	„											
PERTH (Metropolitan Area).	161,773	Sept. 22	86	34	10·9	–	–	–	–	–	–	–	–
		„ 29	78	26	8·4	–	–		–	–	–	1	–
AUCKLAND (Urban Area).	167,760	Sept.											
WELLINGTON (Urban Area).	112,070	„											
CHRISTCHURCH (Urban Area).	113,400	„											
CAPE TOWN	106,727	Oct 13	53	17	8·3	–	–	–	–	–	–	–	–
JOHANNESBURG	156,858	„ 13	67	38	12·6	–		–	1	–	–	–	2
DURBAN	50,488	„ 13	30	22	22·7	–	–	–	–	–	–	–	–
PARIS	2,906,472	Nov. 10 (10 days)											
ANTWERP	302,286	Aug. 25	101	40	6·9	–	–	–	–	–	–	7	–
		Sept. 1	95	49	8·5	1	–	–	–	–	–	7	–
AMSTERDAM	702,658	Oct. 27	254	93	6·9	2	–	–	–	–	1	–	–
COPENHAGEN	570,000	Nov. 3	202	115	10·5	–	–	2	–	–	–	–	–
STOCKHOLM	424,944	Oct. 27	87	91	11·1	–	–	–	–	–	1	–	–
GOTHENBURG	228,074	„ 27											
CHRISTIANIA	258,962	Nov. 3	90	55	11·0	–	–	–	–	1	–	–	–
BERLIN	1,983,000	Oct. 20	295	423	11·1	–	?	–	1	–	–	4	2
BRESLAU	561,000	„ 20	168	137	12·7	1	?	–	–	1	1	12	1
COLOGNE	704,000	„ 20	205	115	8·5	2	?	–	–	1	2	11	2
DRESDEN	611,000	„ 20	122	130	11·1	1	?	–	–	–	1	3	–
FRANKFORT-ON-MAIN ..	474,000	„ 20	106	76	8·3	1	?	–	–	–	–	1	1
HAMBURG	1,079,000	„ 20	188	178	8·6	–	?	–	–	–	–	1	–
LEIPZIG	679,000	„ 20	184	137	10·5	–	?	–	–	–	–	2	2
MUNICH	685,000	„ 20	142	157	11·9	–	?	–	–	–	1	2	–
VIENNA	1,841,326	Sept. 29											
PRAGUE AND SUBURBS	697,111	Oct. 15 (15 days)											
BUDAPEST	946,000	Sept. 1											
WARSAW	956,087	Oct. 27	426	254	13·8	3	–	–	8	1	1	28	1
CAIRO	791,000	Aug. 12	718	583	38·3	9	–	1	–	?	6	137	?
		„ 19	748	536	35·2	11	–	1	–	?	6	106	?
ALEXANDRIA	466,700	„ 12	443	291	32·4	2	–	3	–	?	2	46	?
		„ 19	463	254§	28·3	2	–	–	–	?	–	45	?
NEW YORK	5,927,617	Sept. 15											
CHICAGO	2,886,121	Oct. 20	?	576	10·4	–	–	–	–	–	7	28	2
RIO DE JANEIRO ..	1,312,468	„ 13	653	457	18·1	4	–	4	–	20	–	75	7
MONTEVIDEO	348,989	July 7											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 2 deaths from Asiatic Cholera in Madras, and from Plague, 2 in Bombay, and 2 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 17th November, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	947	109	24	16	21	23	40	72	102	176	173	191
Enteric fever	1	–	–	–	–	–	–	1	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	10	3	–	6	1	–	–	–	–	–	–	–
Scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	1	–	1	–	–	–	–	–	–	–	–	–
Diphtheria	7	–	1	1	5	–	–	–	–	–	–	–
Influenza	14	1	–	–	–	–	1	–	2	5	5	–
Erysipelas	3	1	–	–	1	–	–	–	–	–	1	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	–	1	–	–	–	–
Meningococcal meningitis	1	–	–	–	–	–	–	–	–	–	1	–
Tuberculosis :—												
Respiratory system	74	1	2	–	–	7	19	17	19	8	1	–
Nervous system	6	–	1	3	2	–	–	–	–	–	–	–
Intestines and peritoneum	1	1	–	–	–	–	–	–	–	–	–	–
Other forms	7	–	1	1	2	–	–	1	–	2	–	–
Venereal diseases	6	4	–	–	–	–	–	–	–	2	–	–
Cancer	118	1	–	–	–	2	–	6	18	40	26	25
Rheumatic fever	2	–	–	–	1	–	–	1	–	–	–	–
Diabetes	8	–	–	–	–	–	–	–	1	5	1	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	55	–	–	–	–	–	–	2	4	17	20	12
Epilepsy	3	–	–	–	–	2	–	–	1	–	–	–
"Convulsions" (not puerperal) ..	3	3	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	21	1	–	–	2	1	1	2	6	5	2	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	5	–	–	–	1	–	3	–	–	–	1	–
Other diseases of heart	139	–	–	–	2	2	3	9	13	26	39	45
Other diseases of circulatory system	42	–	–	–	–	–	–	2	7	8	11	14
Bronchitis	71	5	1	1	–	–	–	1	5	16	13	29
Broncho-pneumonia	35	8	9	1	–	–	2	3	–	3	4	5
Lobar-pneumonia	28	–	3	1	–	1	–	5	6	4	4	4
Pneumonia (type not distinguished) ..	24	4	2	–	–	–	2	5	–	5	3	3
Other diseases of respiratory system	13	2	1	–	–	1	–	1	1	2	3	2
Diarrhœa and enteritis	24	18	1	–	–	–	1	2	–	–	1	1
Appendicitis, Typhlitis	6	–	–	–	2	–	–	1	–	1	2	–
Hernia, Intestinal obstruction	4	–	–	–	–	–	–	1	2	–	–	1
Cirrhosis of liver	4	–	–	–	–	–	–	–	1	1	1	1
Other diseases of digestive system ..	23	2	1	–	–	–	–	3	5	3	7	2
Acute nephritis	–	–	–	–	–	–	–	–	–	–	–	–
Chronic Bright's disease	23	–	–	–	–	–	1	–	2	7	9	4
Other diseases of genito-urinary system.	22	–	–	–	–	–	–	1	3	6	6	6
Puerperal sepsis	1	–	–	–	–	–	–	1	–	–	–	–
Other causes incident to childbirth ..	1	–	–	–	–	–	–	1	–	–	–	–
Congenital malformations	3	3	–	–	–	–	–	–	–	–	–	–
Premature birth	29	29	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	13	13	–	–	–	–	–	–	–	–	–	–
Old age	32	–	–	–	–	–	–	–	–	1	3	28
Suicide	10	–	–	–	–	–	2	2	3	2	–	1
Burns and scalds	4	–	–	1	–	3	–	–	–	–	–	–
Drowning	3	–	–	–	–	1	–	–	1	1	–	–
Suffocation in bed	3	3	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	7	–	–	–	–	–	–	1	1	4	1	–
Other deaths by violence	11	–	–	–	–	–	2	–	1	–	3	5
Other specified causes	25	6	–	1	2	3	3	2	–	2	5	1
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 17th November, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	242	189	7	86	C. 6 G. 3 M. 11
†CITY OF LONDON	–	2	–	–	1	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	6	8	2	9	M. 2
†BERMONDSEY ...	–	8	8	–	7	–
†BETHNAL GREEN	–	9	10	–	1	C. 1 G. 2
†CAMBERWELL ...	–	6	12	–	2	–
†CHELSEA	–	2	–	–	–	–
†DEPTFORD ...	–	8	2	2	2	–
†FINSBURY ...	–	6	5	–	–	C. 2
†FULHAM	–	7	6	–	7	–
†GREENWICH ...	–	3	1	–	1	–
†HACKNEY ...	–	14	9	–	1	–
†HAMMERSMITH ...	–	4	5	1	1	M. 1
†HAMPSTEAD ...	–	3	3	–	1	–
†HOLBORN... ...	–	2	1	–	–	–
†ISLINGTON ...	–	35	22	–	–	C. 1 M. 2

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	3	7	–	2	–
†LAMBETH ...	–	27	14	1	–	M. 1
†LEWISHAM ...	–	11	4	–	–	–
†PADDINGTON ...	–	5	2	–	6	–
†POPLAR	–	12	2	–	13	C. 1
†ST. MARYLEBONE	–	1	1	–	1	–
†ST. PANCRAS ...		9	7	–	4	–
†SHOREDITCH ...	–	8	8	–	2	M. 2
†SOUTHWARK ...	–	9	18	–	4	M. 1
†STEPNEY	–	15	14	–	–	–
†STOKE NEWINGTON	–	–	1	–	1	–
†WANDSWORTH ...	–	13	9	–	8	G. 1
†WESTMINSTER, CITY OF	–	3	8	–	3	M. 1
†WOOLWICH ...	–	11	2	1	9	C. 1 M. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	3	2	–	2	–
Boroughs and Urban Districts:—						
†BEDFORD ...	–	–	1	–	–	–
BIGGLESWADE ...	–	–	–	–	1	–
†LUTON	–	–	1	–	–	–
Rural Districts:—						
AMPTHILL ...	–	2	–	–	–	–
BEDFORD... ...	–	1	–	–	1	–
BERKS	–	5	2	–	2	–
†READING C.B. ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
ABINGDON ...	–	–	1	–	–	–
†NEW WINDSOR	–	1	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	2	1	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	17	5	–	4	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	–	–
BEACONSFIELD ...	*	*	*	*	*	*
†CHEPPING WYCOMBE ...	–	–	1	–	2	–
ETON	–	6	–	–	–	–
†SLOUGH	–	1	–	–	–	–
†WOLVERTON ...	–	–	–	–	1	–
Rural Districts:—						
AMERSHAM ...	–	1	–	–	–	–
AYLESBURY ...	–	2	–	–	1	–
ETON	–	3	–	–	–	–
LONG CRENDON...	–	1	–	–	–	–
WYCOMBE ...	–	2	4	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	4	2	–	–	–
Borough:—						
†CAMBRIDGE ...	–	4	2	–	–	–
CHESTER	–	62	6	1	22	C. 2 M. 4
†BIRKENHEAD C.B.	–	10	1	–	3	–
†CHESTER C.B. ...	–	–	1	–	2	–
†STOCKPORT C.B.	–	10	–	–	2	C. 1 M. 2
†WALLASEY C.B. ...	–	2	1	–	5	M. 1
Boroughs and Urban Districts:—						
†BEBINGTON AND BROMBOROUGH	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	3	1	–	1	–
†CHEADLE AND GATLEY	–	2	–	–	–	–
†CONGLETON ...	–	1	–	–	–	–
†CREWE	–	–	–	–	1	–
†DUKINFIELD ...	–	–	–	–	3	C. 1
HALE	*	*	*	*	*	*
†HYDE	–	2	–	–	–	M. 1
†MACCLESFIELD ...	–	2	–	–	–	–
†NORTHWICH ...	–	2	–	–	–	–
†RUNCORN ...	–	–	–	–	3	–
†SALE	–	1	–	–	–	–
SANDBACH ...	–	1	–	–	–	–
†STALYBRIDGE ...	–	5	–	–	–	–
†WINSFORD ...	–	11	–	–	–	–
Rural Districts:—						
CONGLETON ...	–	–	1	–	–	–
MACCLESFIELD ...	–	4	–	1	–	–
NANTWICH ...	–	–	–	–	1	–
NORTHWICH ...	–	2	–	–	–	–
TARVIN	–	2	–	–	–	–
WIRRAL	–	1	1	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	6	–	–	4	M. 1
Boroughs and Urban Districts:—						
†CAMBORNE ...	–	–	–	–	1	–
†FALMOUTH ...	–	4	–	–	–	–
HELSTON	*	*	*	*	*	*
LAUNCESTON ...	–	–	–	–	1	–
NEWQUAY ...	*	*	*	*	*	*
SAINT AUSTELL	–	1	–	–	–	–
Rural Districts:—						
LAUNCESTON ..	–	–	–	–	–	M. 1
REDRUTH ...	–	–	–	–	2	–
SAINT AUSTELL...	–	1	–	–	–	–
CUMBERLAND ...	–	7	5	–	2	M. 1
†CARLISLE C.B. ...	–	3	–	–	–	M. 1
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	–	–	1	–
CLEATOR MOOR ...	*	*	*	*	*	*
†MARYPORT ...	–	2	–	–	–	–
PENRITH	–	1	–	–	–	–
Rural Districts:—						
BRAMPTON ...	*	*	*	*	*	*
CARLISLE ...	–	–	4	–	–	–
COCKERMOUTH ...	–	1	1	–	–	–
PENRITH	–	–	–	–	1	–
DERBY	15	44	11	1	14	C. 2
†DERBY C.B. ...	–	13	–	–	11	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	1	–		–
BAKEWELL ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts— *cont.*						
†BELPER	–	1	–	–	–	–
†BOLSOVER ...	–	1	–	–	–	–
†BUXTON	–	1	–	–	–	–
†CHESTERFIELD ...	–	2	–	1	–	–
CLAY CROSS ...	–	1	–	–	–	–
†HEANOR	2	1	–	–	–	–
†ILKESTON ...	–	2	–	–	1	–
†LONG EATON ...	–	–	–	–	1	–
NEW MILLS ...	–	7	1	–	–	–
†RIPLEY	1	–	–	–	1	–
Rural Districts:—						
BAKEWELL ...	–	2	1	–	–	–
BELPER	–	3	1	–	–	–
BLACKWELL ...	12	3	1	–	–	–
CHAPEL EN LE FRITH	–	–	1	–	–	–
CHESTERFIELD ...	–	2	3	–	–	C. 2
GLOSSOP DALE ...	–	–	1	–	–	–
HARTSHORN AND SEALS	*	*	*	*	*	*
HAYFIELD ...	–	1	–	–	–	–
NORTON	–	2	–	–	–	–
REPTON	–	2	–	–	–	–
DEVON	–	25	5	–	8	–
†EXETER C.B. ...	–	–	1	–	3	–
†PLYMOUTH C.B....	–	9	2	–	1	–
Boroughs and Urban Districts:—						
ASHBURTON ...	–	1	–	–	–	–
†BARNSTAPLE ...	–	1	–	–	–	–
†EXMOUTH ...	–	–	1	–	–	–
GREAT TORRINGTON	–	2	–	–	–	–
HONITON	*	*	*	*	*	*
†ILFRACOMBE ...	–	–	1	–	–	–
SIDMOUTH ...	–	1	–	–	–	–
†TEIGNMOUTH ...	–	–	–	–	1	–
†TORQUAY ...	–	7	–	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
Holsworthy (part)	–	2	–	–	–	–
Honiton ...	*	*	*	*	*	*
Okehampton ...	–	1	–	–	–	–
St. Thomas ...	–	1	–	–	–	–
Tavistock ...	–	–	–	–	1	–
DORSET	–	3	1	–	1	–
Boroughs and Urban Districts:—						
†Portland ...	–	–	–	–	1	–
Rural Districts:—						
Blandford ...	–	1	–	–	–	–
Poole	–	2	–	–	–	–
Weymouth ...	–	–	1	–	–	–
DURHAM	1	152	17	1	31	C. 2 M. 10
†Darlington C.B.	–	3	2	–	–	–
†Gateshead C.B.	1	11	2	–	–	M. 1
†South Shields C.B.	–	15	–	–	3	C. 1
†Sunderland C.B.	–	7	–	–	6	M. 5
†West Hartlepool C.B	–	8	–	–	–	C. 1 M. 1
Boroughs and Urban Districts:—						
†Annfield Plain	–	2	1	–	1	M. 1
Benfieldside ...	–	1	–	–	1	–
Billingham ...	–	1	–	–	–	–
†Bishop Auckland	–	2	–	–	–	–
†Blaydon... ...	–	1	–	–	–	–
†Chester le Street	–	1	–	–	–	–
†Consett	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Crook	–	3	–	–	–	–
†Durham	–	1	–	–	–	–
†Felling	–	1	–	–	–	–
†Hebburn ...	–	2	–	–	2	–
†Hetton	–	5	–	–	2	–
†Houghton le Spring	–	4	–	–	2	–
†Jarrow	–	5	–	–	2	–
†Seaham Harbour	–	–	1	–	1	–
†Shildon	–	1	–	–	–	–
†Southwick on Wear	–	1	–	–	1	–
†Stanley	–	5	3	–	1	–
†Stockton on Tees	–	13	1	–	2	M. 1
†Tanfield ...	–	2	–	–	–	–
†Washington ...	–	6	–	–	–	–
†Whickham ...	–	4	1	–	–	–
Willington ...	–	6	–	–	–	–
Rural Districts:—						
Auckland ...	–	9	–	–	–	M. 1
Barnard Castle	–	2	–	–	–	–
Chester le Street	–	6	–	1	1	–
Durham	–	4	–	–	–	–
Easington ...	–	5	1	–	1	–
Hartlepool ...	–	1	–	–	–	–
Houghton le Spring	–	4	–	–	3	–
Lanchester ...	–	5	–	–	–	–
Sedgefield ...	–	2	1	–	–	–
South Shields...	–	–	3	–	–	–
Stockton ...	–	–	–	–	1	–
Sunderland ...	–	2	–	–	1	–
ELY, ISLE OF ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
Ely	–	–	–	–	1	–
March	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	63	41	1	20	C. 1 G. 2 M. 4
†EAST HAM C.B. ...	–	2	3	–	–	M. 1
†SOUTHEND-ON-SEA C.B.	–	–	–	–	2	M. 1
†WEST HAM C.B. ...	–	16	21	–	10	M. 2
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	1	–	–	–	–
BRIGHTLINGSEA	–	–	–	–	1	–
BURNHAM ON CROUCH	–	1	–	–	–	–
†CHELMSFORD ...	–	–	–	–	1	–
†COLCHESTER ...	–	–	–	–	–	G. 1
†GRAYS THURROCK	–	–	3	–	–	–
†HARWICH ...	–	–	3	–	–	–
†ILFORD	–	4	–	–	1	–
†LEYTON	–	4	1	1	–	C. 1 G. 1
†WALTHAMSTOW ...	–	18	6	–	2	–
†WANSTEAD ...	–	1	–	–	–	–
†WOODFORD ...	–	10	2	–	–	–
Rural Districts:—						
BILLERICAY ...	–	2	–	–	–	–
BRAINTREE ...	–	–	–	–	1	–
EPPING	–	–	1	–	–	–
HALSTEAD ...	–	–	–	–	1	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
MALDON... ...	–	–	–	–	1	–
ONGAR	–	1	–	–	–	–
ORSETT	–	1	–	–	–	–
ROMFORD... ...	–	1	1	–	–	–
GLOUCESTER ...	11	41	41	7	9	D. 1 E. 1 G. 1
†BRISTOL C.B. ...	–	18	35	–	5	D. 1 E. 1 G. 1
†GLOUCESTER C.B.	6	5	1	3	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	4	3	1	–	–
COLEFORD ...	–	1	–	–	–	–
NEWNHAM ...	–	1	–	–	–	–
TETBURY... ...	–	–	1	–	–	–
TEWKESBURY ...	–	–	–	–	2	–
WESTBURY ON SEVERN	–	–	–	1	–	–
Rural Districts:—						
CHELTENHAM ...	–	–	1	–	–	–
CHIPPING SODBURY	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES ...	5	1	–	–	1	–
GLOUCESTER ...	–	–	–	2	–	–
NEWENT	–	1	–	–	–	–
THORNBURY ...	–	1	–	–	–	–
WARMLEY ...	–	3	–	–	–	–
WEST DEAN ...	–	5	–	–	–	–
HEREFORD ...	–	2	3	–	2	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	–	–	–	1	–
ROSS	–	–	–	–	1	–
Rural Districts:—						
WHITCHURCH ...	–	1	–	–	–	–
WIGMORE ...	–	1	3	–	–	–
HERTFORD ..	–	10	2	–	3	–
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	1	–	–	–	–
GREAT BERKHAMPSTEAD	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†HERTFORD ...	–	2	–	–	–	–
†ST. ALBANS ...	–	–	1	–	1	–
WARE	–	–	1	–	–	–
Rural Districts:—						
ASHWELL ...	–	1	–	–	–	–
HADHAM	–	2	–	–	–	–
HERTFORD ...	–	1	–	–	–	–
ST. ALBANS ...	–	1	–	–	–	–
WATFORD ...	–	1	–	–	2	–
HUNTINGDON ...	–	1	1	–	3	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	1	–	1	–
Rural Districts:—						
NORMAN CROSS ...	–	–	–	–	2	–
SIBSON CUM STIBBINGTON (parish)	–	1	–	–	–	–
KENT	1	26	16	2	8	C. 1
Boroughs and Urban Districts:—						
†BROMLEY ...	–	1	–	–	–	–
†CHATHAM ...	1	–	1	–	–	–
†DEAL	–	–	1	–	–	
†DOVER	–	–	2	–	–	–
†ERITH	–	7	1	–	3	–
†FAVERSHAM ...	–	–	1	–	–	–
†FOLKESTONE ...	–	2	–	–	1	–
†GILLINGHAM ...	–	–	3	–	–	–
†GRAVESEND ...	–	1	–	–	–	–
†HERNE BAY ...	–	1	–	–	–	–
HYTHE	–	1	–	–	–	–
†MAIDSTONE ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MARGATE ...	–	1	–	–	–	–
†NORTHFLEET ...	–	1	1	–	–	–
†PENGE	–	–	1	–	–	–
†RAMSGATE ...	–	1	–	2	–	–
†ROCHESTER ...	–	3	–	–	–	–
†SHEERNESS ...	–	1	–	–	2	–
Rural Districts:—						
BROMLEY ...	–	1	–	–	–	–
DARTFORD ...	–	–	3	–	–	–
HOLLINGBOURNE	–	4	–	–	–	–
MALLING	–	1	–	–	–	–
MILTON	–	–	1	–	–	C. 1
TONBRIDGE ...	–	–	1	–	1	–
LANCASTER ...	–	249	76	7	227	C. 9 E. 3 G. 3 L. 3 M. 29
†BARROW IN FURNESS C.B.	–	7	–	–	–	–
†BLACKBURN C.B.	–	3	–	–	2	–
†BLACKPOOL C.B.	–	1	–	–	3	–
†BOLTON C.B. ...	–	10	6	–	4	M. 1
†BOOTLE C.B. ...	–	7	1	–	1	–
†BURNLEY C.B. ...	–	–	1	–	1	–
†BURY C.B. ...	–	4	–	–	8	–
†LIVERPOOL C.B. ...	–	56	15	–	94	C. 3 E. 2 M. 14
†MANCHESTER C.B.	–	40	9	1	57	C. 3 M. 5
†OLDHAM C.B. ...	–	3	1	–	3	G. 1
†PRESTON C.B. ...	–	6	2	–	1	C. 1
†ROCHDALE C.B. ...	–	3	1	1	–	–
†ST. HELENS C.B. ...	–	10	3	–	1	M. 1
†SALFORD C.B. ...	–	15	12	–	3	C. 1 M. 2
†SOUTHPORT C.B.	–	2	2	1	1	–
†WARRINGTON C.B.	–	7	1	–	1	–
†WIGAN C.B. ...	–	3	–	2	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; F, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K. Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	4	–
†ACCRINGTON ...	–	1	1	–	–	M. 1
ADLINGTON ...	–	–	–	–	1	–
†ASHTON IN MAKERFIELD	–	1	3	–	–	–
†ASHTON UNDER LYNE	–	8	–	–	2	–
†ATHERTON ...	–	3	–	–	3	–
†BACUP	–	–	–	1	–	–
†CHORLEY... ...	–	–	1	–	4	–
†CROMPTON ...	–	1	–	–	–	–
†DARWEN	–	2	–	–	–	C. 1
†DROYLSDEN ...	–	1	1	–	–	–
†ECCLES	–	2	–	–	–	G. 1
†FAILSWORTH ...	–	–	–	–	1	–
†FARNWORTH ...	–	1	–	–	–	–
†HEYWOOD ...	–	2	–	–	–	–
†HINDLEY... ...	–	1	–	–	1	–
†HORWICH ...	–	1	1	–	1	–
HUYTON WITH ROBY ...	–	1	–	–	–	–
†INCE IN MAKERFIELD	–	1	1	–	1	–
IRLAM	–	–	3	–	–	–
KEARSLEY ...	–	5	1	–	–	–
KIRKHAM ..	–	4	–	–	–	–
†LANCASTER ...	–	1	–	–	–	–
LATHOM AND BURSCOUGH	–	1	–	–	–	–
†LEIGH	–	2	–	–	–	M. 1
LITTLE HULTON.	–	–	1	–	–	–
†LYTHAM, ST. ANNE'S	–	1	–	–	–	–
†MIDDLETON ...	–	5	1	–	4	–
†MORECAMBE ...	–	1	–	–	–	–
†MOSSLEY	–	–	–	–	–	M. 1
†NEWTON IN MAKERFIELD	–	–	–	–	3	–
†OSWALDTWISTLE	–	1	–	–	–	M. 1
PRESCOT	–	–	1	–	–	–
†PRESTWICH ...	–	2	1	–	–	–
†RADCLIFFE ...	–	1	–	–	3	M. 1
†RAMSBOTTOM ...	–	–	–	–	–	M. 1
†RAWTENSTALL ...	–	1	–	–	–	–
RISHTON	–	–	1	–	1	–
STANDISH WITH LANGTREE	–	–	–	–	1	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†STRETFORD... ...	–	1	–	–	1	–
†SWINTON AND PENDLEBURY	–	4	1	–	5	–
TOTTINGTON ...	–	1	–	–	2	–
†TYLDESLEY WITH SHAKERLEY	–	–	1	–	–	–
UPHOLLAND ...	–	–	–	1	–	–
†WESTHOUGHTON	–	–	1	–	–	–
WHITEFIELD ...	*	*	*	*	*	*
†WIDNES	–	5	1	–	2	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	G. 1
CLITHEROE ...	–	–	–	–	–	L. 2
FYLDE	–	2	–	–	–	–
GARSTANG ...	–	–	1	–	–	–
LEIGH	–	1	–	–	3	–
LIMEHURST ...	–	1	–	–	–	–
PRESTON	–	–	–	–	–	E. 1
SEFTON	–	–	–	–	2	–
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	–	–	–	1	–
WEST LANCASHIRE	–	4	–	–	–	–
WHISTON... ...	–	–	–	–	–	L. 1
WIGAN	–	–	–	–	1	–
LEICESTER... ...	–	15	7	1	6	M. 2
†LEICESTER C.B. ...	–	9	2	–	5	M. 1
Boroughs and Urban Districts:—						
ASHBY DE LA ZOUCH	–	–	–	–	1	–
ASHBY WOULDS...	*	*	*	*	*	*
†COALVILLE ...	–	2	1	1	–	–
†HINCKLEY ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LEICESTER—*cont.*						
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	3	–	–	–
BLABY	–	–	1	–	–	–
HINCKLEY ...	–	1	–	–	–	–
MARKET BOSWORTH	–	1	–	–	–	M. 1
LINCOLN (parts of Holland).	–	3	–	–	–	–
Boroughs and Urban Districts:—						
†SPALDING ...	–	3	–	–	–	–
LINCOLN (parts of Kesteven).	–	3	–	–	2	–
Boroughs and Urban Districts:—						
BOURNE	–	1	–	–	–	–
†GRANTHAM ...	–	–	–	–	1	–
STAMFORD ...	–	1	–	–	–	–
Rural Districts:—						
BOURNE	–	1	–	–	–	–
GRANTHAM ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	5	18	1	2	–
†GRIMSBY C.B. ...	–	2	3	–	–	–
†LINCOLN C.B. ...	–	–	4	–	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	1	4	–	–	–
†GAINSBOROUGH ...	–	–	1	–	–	–
MABLETHORPE ...	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	1	5	–	1	–
LINCOLN (parts of Lindsey)—*cont.*						
Rural Districts:—						
CAISTOR	–	–	1	–	1	–
SPILSBY	–	–	–	1	–	–
MIDDLESEX ...	–	64	34	–	22	C. 3 D. 1 G. 2
Boroughs and Urban Districts:—						
†ACTON	–	5	–	–	–	–
†BRENTFORD ...	–	1	1	–	1	–
†CHISWICK ...	–	1	1	–	–	–
†EALING	–	6	–	–	1	–
†EDMONTON ...	–	4	1	–	6	–
†ENFIELD	–	3	1	–	–	–
FELTHAM ...	–	–	–	–	1	G. 1
†FINCHLEY ...	–	1	–	–	2	–
GREENFORD ...	–	–	1	–	–	–
†HANWELL ...	–	4	8	–	–	–
HAYES	–	1	1	–	–	–
†HENDON	–	3	–	–	–	–
†HESTON AND ISLEWORTH	–	2	4	–	1	–
†HORNSEY... ...	–	2	1	–	–	C. 2
†SOUTHGATE ...	–	3	–	–	–	–
SUNBURY ON THAMES	–	–	1	–	–	–
†TEDDINGTON ...	–	2	–	–	–	–
†TOTTENHAM ...	–	14	6	–	5	G. 1
†TWICKENHAM ...	–	–	–	–	1	–
†UXBRIDGE ...	–	1	–	–	–	C. 1
†WILLESDEN ...	–	8	7	–	3	D. 1
†WOOD GREEN ...	–	1	–	–	–	–
Rural Districts:—						
HENDON	–	–	–	–	1	–
STAINES	–	1	1	–	–	–
UXBRIDGE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK	–	48	3	–	3	M. 1
†GREAT YARMOUTH C.B.	–	3	–	–	–	–
†NORWICH C.B. ...	–	23	2	–	–	–
Boroughs and Urban Districts:—						
EAST DEREHAM ...	*	*	*	*	*	*
NORTH WALSHAM	–	2	–	–	–	M. 1
Rural Districts:—						
AYLSHAM... ...	–	3	–	–	–	–
BLOFIELD ...	–	2	–	–	–	–
DEPWADE ...	–	1	–	–	2	–
EAST AND WEST FLEGG	–	–	1	–	–	–
ERPINGHAM ...	–	2	–	–	–	–
MITFORD AND LAUNDITCH	*	*	*	*	*	*
ST. FAITH'S ...	–	4	–	–	–	–
SMALLBURGH ...	–	3	–	–	–	–
SWAFFHAM ...	–	2	–	–	–	–
WALSINGHAM ...	–	3	–	–	–	–
WAYLAND ...	–	–	–	–	1	–
NORTHAMPTON ...	–	22	3	–	8	–
†NORTHAMPTON C.B.	–	10	1	–	6	–
Boroughs and Urban Districts:—						
†KETTERING ...	–	7	–	–	–	–
†RUSHDEN ...	–	1	–	–	–	–
†WELLINGBOROUGH	–	1	–	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	–	1	–	–	–
DAVENTRY ...	–	1	–	–	–	–
HARDINGSTONE ...	–	1	–	–	–	–
NORTHAMPTON ...	–	–	–	–	1	–
TOWCESTER ...	–	–	1	–	1	–
WELLINGBOROUGH	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND	–	47	6	–	16	C. 1 M. 1
†NEWCASTLE UPON TYNE C.B.	–	22	2	–	7	C. 1 M. 1
†TYNEMOUTH C.B.	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†BEDLINGTONSHIRE	*	*	*	*	*	*
†BLYTH	–	5	–	–	5	–
CRAMLINGTON ...	–	3	–	–	–	–
†EARSDON	–	–	1	–	–	–
HEXHAM	–	–	–	–	1	–
†LONGBENTON ...	–	2	1	–	–	–
†NEWBURN ...	–	2	1	–	–	–
PRUDHOE... ...	–	1	–	–	2	–
SEGHILL	–	–	1	–	–	–
†WALLSEND ...	–	3	–	–	1	–
†WHITLEY AND MONKSEATON	–	1	–	–	–	–
Rural Districts:—						
ALNWICK... ...	–	2	–	–	–	–
BELLINGHAM ...	–	2	–	–	–	–
CASTLE WARD ..	–	2	–	–	–	–
HALTWHISTLE ...	*	*	*	*	*	*
MORPETH... ...	–	1	–	–	–	–
NOTTINGHAM ...	13	45	15	2	10	C. 1 G. 1 M. 2
†NOTTINGHAM C.B.	–	19	10	–	1	C. 1 M. 2
Boroughs and Urban Districts:—						
†ARNOLD	–	1	–	–	–	–
†BEESTON	–	2	–	–	–	–
†CARLTON	–	2	–	–	–	–
†EAST RETFORD ...	–	–	1	–	3	–
†HUCKNALL ...	8	1	–	–	2	–
HUTHWAITE ...	–	–	–	1	–	–
†KIRKBY IN ASHFIELD	–	1	1	–	–	–
†MANSFIELD ...	–	5	1	–	–	–
†MANSFIELD WOODHOUSE	–	1	1	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague : encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM— *cont.*						
Boroughs and Urban Districts— *cont.*						
†NEWARK	–	4	1	–	–	–
†SUTTON IN ASHFIELD	–	1	–	–	–	–
†WEST BRIDGFORD	–	–	–	–	1	–
†WORKSOP... ...	–	–	–	1	1	G. 1
Rural Districts:—						
BASFORD	5	5	–	–	–	–
BINGHAM... ...	–	1	–	–	1	–
NEWARK	–	2	–	–	–	–
OXFORD	–	20	–	–	–	–
†OXFORD C.B. ...	–	13	–	–	–	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	1	–	–	–	–
Rural Districts:—						
BICESTER... ...	–	1	–	–	–	–
HEADINGTON ...	–	4	–	–	–	–
THAME	–	1	–	–	–	–
PETERBOROUGH (Soke of)	–	1	–	–	–	M. 1
Borough:—						
†PETERBOROUGH...	–	1	–	–	–	M. 1
RUTLAND	–	1	–	–	–	–
Rural Districts:—						
OAKHAM ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SALOP	–	4	4	–	3	G. 1 M. 1
Boroughs and Urban Districts:—						
DAWLEY	–	–	1	–	–	–
†SHREWSBURY ...	–	–	3	–	–	–
WELLINGTON ...	–	–	–	–	2	–
†WENLOCK ...	–	–	–	–	–	M. 1
Rural Districts:—						
NEWPORT ...	–	3	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
WELLINGTON ...	–	–	–	–	1	G. 1
SOMERSET	–	19	2	1	4	M. 1
†BATH C.B. ...	–	4	–	–	–	M. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	3	–	–	–	–
ILMINSTER ...	–	–	–	–	1	–
RADSTOCK ...	–	1	–	–	–	–
STREET	*	*	*	*	*	*
†TAUNTON... ...	–	2	–	–	–	–
WATCHET ...	*	*	*	*	*	*
†YEOVIL	–	1	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	4	1	–	–	–
CHARD	–	1	–	–	1	–
FROME	–	1	–	–	–	–
LANGPORT ...	–	1	–	–	1	–
LONG ASHTON ...	–	–	–	–	1	–
WILLITON ...	–	–	1	–	–	–
WINCANTON ...	–	–	–	1	–	–
YEOVIL	–	1	–	–	–	–
SOUTHAMPTON ...	–	36	29	3	3	G. 1 M. 3
†BOURNEMOUTH C.B.	–	6	1	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON— *cont.*						
†PORTSMOUTH C.B.	–	14	11	1	1	G. 1 M. 1
†SOUTHAMPTON C.B.	–	5	4	–	–	M. 1
Boroughs and Urban Districts:—						
ANDOVER	–	–	3	–	–	–
†BASINGSTOKE ...	–	–	1	–	–	M. 1
CHRISTCHURCH ...	–	–	1	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	–	–
†FAREHAM ...	–	2	1	–	1	–
†GOSPORT	–	2	4	–	–	–
WARBLINGTON ...	–	1	–	–	–	–
†WINCHESTER ...	–	–	1	–	–	–
Rural Districts:—						
FAREHAM ...	–	2	–	–	–	–
HURSLEY	–	–	2	–	–	–
NEW FOREST ...	–	–	–	1	–	–
RINGWOOD ...	–	2	–	–	–	–
WHITCHURCH ...	–	1	–	–	1	–
STAFFORD	–	77	20	1	33	C. 2 M. 10
†BURTON UPON TRENT C.B.	–	–	–	–	1	–
†SMETHWICK C.B.	–	4	4	–	1	–
†STOKE ON TRENT C.B.	–	20	4	–	19	C. 1 M. 8
†WALSALL C.B. ...	–	2	1	–	1	M. 1
†WEST BROMWICH C.B.	–	5	4	–	2	–
†WOLVERHAMPTON C.B.	–	2	1	–	–	–
Boroughs and Urban Districts:—						
†AUDLEY	–	1	–	–	–	–
BIDDULPH ...	–	4	–	–	–	–
†BRIERLEY HILL...	–	–	–	–	3	–
†BROWNHILLS ...	–	–	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD— *cont.*						
Boroughs and Urban Districts— *cont.*						
†CANNOCK	–	2	–	–	1	–
†DARLASTON ...	–	–	–	–	–	M. 1
†HEATHTOWN OR WEDNESFIELD HEATH	–	–	1	–	–	–
†NEWCASTLE UNDER LYME	–	3	2	–	–	–
†ROWLEY REGIS ...	–	2	–	–	1	–
RUGELEY	–	2	–	–	–	–
†SEDGLEY	–	1	–	–	1	–
†STAFFORD ...	–	2	1	–	–	–
†TIPTON	–	6	–	–	–	–
UTTOXETER ...	–	2	–	–	–	–
†WEDNESBURY ...	–	–	1	–	1	–
WEDNESFIELD ...	*	*	*	*	*	*
†WOLSTANTON UNITED	–	6	–	–	–	–
Rural Districts:—						
CHEADLE	–	1	–	–	–	–
KINGSWINFORD ...	–	2	–	–	–	–
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	1	–	–	–	–
SEISDON	–	–	–	1	–	–
UTTOXETER ...	–	1	–	–	–	–
WALSALL	–	7	–	–	1	C. 1
SUFFOLK, EAST ...	–	10	3	2	1	–
†IPSWICH C.B. ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
BECCLES	–	1	–	–	–	–
†LOWESTOFT ...	–	–	–	1	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	1	–	–	–	–
HOXNE	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts—*cont.*						
MUTFORD AND LOTHINGLAND	–	–	1	1	–	–
PLOMESGATE ...	–	–	1	–	–	–
SAMFORD	–	3	–	–	–	–
WOODBRIDGE ...	–	3	–	–	–	–
SUFFOLK, WEST ...	–	1	–	1	–	D. 1
Boroughs and Urban Districts:—						
NEWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
COSFORD	–	–	–	1	–	–
MELFORD... ...	–	–	–	–	–	D. 1
SURREY	–	38	14	–	3	C. 1
†CROYDON C.B. ...	–	9	5	–	–	–
Boroughs and Urban Districts:—						
†BARNES	–	2	–	–	2	–
†BEDDINGTON AND WALLINGTON	–	2	2	–	–	–
†CARSHALTON ...	–	1	–	–	–	–
†CATERHAM ...	–	2	–	–	–	–
†COULSDON AND PURLEY	–	–	1	–	–	–
†EGHAM	–	1	–	–	–	–
†GUILDFORD ...	–	2	–	–	–	–
†KINGSTON ON THAMES	–	5	1	–	–	–
†MERTON AND MORDEN	–	–	1	–	–	–
†MITCHAM... ...	–	2	–	–	–	–
†RICHMOND ...	–	3	–	–	–	C. 1
†SUTTON	–	–	2	–	–	–
†WIMBLEDON ...	–	2	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
DORKING	–	2	–	–	–	–
EPSOM	–	1	1	–	–	–
FARNHAM ...	–	1	–	–	–	–
GODSTONE ...	–	1	–	–	–	–
GUILDFORD ...	–	1	–	–	1	–
REIGATE	–	1	–	–	–	–
SUSSEX, EAST ...	–	23	8	–	4	D. 1 M. 1
†BRIGHTON C.B. ...	–	6	7	–	1	D. 1 M. 1
†HASTINGS C.B. ...	–	2	1	–	1	–
Boroughs and Urban Districts:—						
BURGESS HILL ...	–	–	–	–	1	–
†HOVE	–	5	–	–	1	–
†LEWES	–	1	–	–	–	–
PORTSLADE BY SEA	–	1	–	–	–	–
RYE	–	1	–	–	–	–
Rural Districts:—						
CHAILEY... ...	–	5	–	–	–	–
CUCKFIELD ...	–	1	–	–	–	–
RYE	–	1	–	–	–	–
SUSSEX, WEST ...	–	3	1	–	1	E. 1
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	1	–	–	–	–
†CHICHESTER ...	–	–	–	–	1	–
†LITTLEHAMPTON	–	1	–	–	–	–
†WORTHING ...	–	–	1	–	–	–
Rural Districts:—						
WESTHAMPNETT	–	1	–	–	–	E. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK	–	92	43	2	39	C. 8 G. 1 M. 15
†BIRMINGHAM C.B.	–	67	31	1	25	C. 7 M. 15
†COVENTRY C.B. ...	–	2	2	–	5	C. 1
Boroughs and Urban Districts:—						
†NUNEATON ...	–	2	1	–	3	–
†ROYAL LEAMINGTON SPA	–	–	–	–	1	G. 1
†RUGBY	–	–	1	–	1	–
STRATFORD ON AVON	–	–	1	–	–	–
†SUTTON COLDFIELD	–	1	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	2	1	–	–	–
FOLESHILL ...	–	2	–	1	–	–
MERIDEN... ...	–	7	4	–	4	–
NUNEATON ...	–	1	–	–	–	–
RUGBY	–	6	–	–	–	–
TAMWORTH (part)	–	–	1	–	–	–
WARWICK ...	–	1	1	–	–	–
WESTMORLAND ...	–	3	2	–	3	–
Boroughs and Urban Districts:—						
APPLEBY... ...	–	1	–	–	–	–
†KENDAL	–	–	–	–	2	–
SHAP	–	2	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	1	–
SOUTH WESTMORLAND	–	–	2	–	–	–
WIGHT, ISLE OF ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
SANDOWN ...	–	3	–	–	–	–
WILTS	–	19	6	–	2	M. 1
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
MELKSHAM ...	*	*	*	*	*	*
†SALISBURY ...	–	1	2	–	–	–
†SWINDON... ...	–	7	–	–	2	–
Rural Districts:—						
AMESBURY ...	–	1	–	–	–	–
BRADFORD-ON-AVON	–	–	2	–	–	–
CALNE	–	1	–	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
MELKSHAM ...	*	*	*	*	*	*
PEWSEY	–	3	–	–	–	–
SALISBURY ...	–	–	2	–	–	–
TISBURY	–	–	–	–	–	M. 1
WARMINSTER ...	–	4	–	–	–	–
WORCESTER ...	–	20	3	1	6	–
†DUDLEY C.B. ...	–	5	1	–	–	–
†WORCESTER C.B.	–	–	1	–	1	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	5	–	–	–	–
†LYE AND WOLLESCOTE	–	–	–	–	1	–
†MALVERN ...	–	–	–	–	1	–
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY... ...	–	2	1	–	–	–
†REDDITCH ...	–	2	–	1	1	–
†STOURBRIDGE ...	–	2	–	–	–	–
Rural Districts:—						
HALESOWEN ...	–	1	–	–	1	–
MARTLEY... ...	–	2	–	–	–	–
UPTON ON SEVERN	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding.)	–	14	4	–	7	E. 1 M. 1
†KINGSTON UPON HULL C.B.	–	9	4	–	5	E. 1 M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	–	–
COTTINGHAM ...	–	1	–	–	–	–
GREAT DRIFFIELD	–	1	–	–	–	–
Rural Districts:—						
HOWDEN	–	–	–	–	2	–
SHERBURN ...	–	2	–	–	–	–
YORKS ... ... (North Riding.)	–	58	3	–	9	–
†MIDDLESBROUGH C.B.	–	28	–	–	4	–
Boroughs and Urban Districts:—						
†ESTON	–	11	–	–	–	–
GUISBOROUGH ...	–	1	–	–	3	–
LOFTUS	–	1	–	–	–	–
†REDCAR	–	2	–	–	1	–
RICHMOND ..	–	1	–	–	–	–
†SCARBOROUGH ...	–	–	1	–	1	–
†SKELTON AND BROTTON	–	3	–	–	–	–
†WHITBY	–	9	2	–	–	–
Rural Districts:—						
RICHMOND ...	–	2	–	–	–	–
YORKS ... ... (West Riding.)	3	199	46	11	93	C. 3 D. 1 E. 1 G. 1 M. 10
YORKS (West Riding) —*cont.*						
†BARNSLEY C.B. ...	–	3	1	2	2	M. 1
†BRADFORD C.B. ...	–	26	3	1	8	M. 2
†DEWSBURY C.B....	–	5	–	–	–	–
†HALIFAX C.B. ...	–	1	–	–	–	–
†HUDDERSFIELD C.B.	–	–	3	1	4	–
†LEEDS C.B. ...	–	26	3	–	13	C. 1 M. 1
†ROTHERHAM C.B.	–	7	–	–	6	–
†SHEFFIELD C.B....	–	47	7	2	26	C. 2 G. 1 M. 3
†WAKEFIELD C.B.	–	3	1	–	4	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	3	–	1	–	–	D. 1
ALTOFTS	–	–	–	–	1	–
ARDSLEY, EAST AND WEST	–	–	–	–	1	–
BAILDON	–	2	–	–	–	–
BARKISLAND ...	–	1	–	–	–	–
†BATLEY	–	3	–	–	–	–
†BENTLEY WITH ARKSEY	–	1	–	–	–	–
†BINGLEY	–	–	1	–	1	–
BIRSTAL	–	1	–	–	–	–
†BOLTON UPON DEARNE	–	1	2	2	–	–
†BRIGHOUSE ...	–	6	–	–	–	–
†CASTLEFORD ...	–	2	–	–	1	–
CUDWORTH ...	–	–	2	–	–	–
DARFIELD ...	–	2	–	1	–	–
DENHOLME ...	–	1	–	–	–	–
DODWORTH ...	–	1	–	–	–	–
†DONCASTER ...	–	3	3	–	–	–
†FEATHERSTONE ...	–	2	–	–	–	–
†GOOLE	–	3	1	–	1	–
†HARROGATE ...	–	–	1	–	1	–
†HEMSWORTH ...	–	3	–	–	2	–
HORBURY ...	–	1	1	–	–	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	*	*	*	*	*	*
HUNSWORTH ...	–	1	–	–	–	–
ILKLEY	–	1	–	–	–	–
†KEIGHLEY ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio. J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
KIRKHEATON ...	–	–	–	–	1	–
KNARESBOROUGH	–	–	2	–	1	–
KNOTTINGLEY ...	–	2	–	–	–	–
LINTHWAITE ...	–	2	–	–	–	–
†MEXBOROUGH ...	–	1	–	–	–	–
†MIRFIELD ...	–	2	–	–	1	–
†MORLEY	–	–	–	–	2	–
†NORMANTON ..	–	1	–	–	3	–
†OSSETT	–	1	–	–	–	–
†PONTEFRACT ...	–	–	1	–	–	–
RAWDON	*	*	*	*	*	*
†ROTHWELL ...	–	–	–	–	1	M. 1
ROYSTON	–	1	–	–	–	–
†SADDLEWORTH ...	–	1	–	–	–	–
SELBY	–	1	–	–	–	–
†SHIPLEY	–	1	–	–	–	–
†SKIPTON	–	1	3	–	–	–
†SOWERBY BRIDGE	–	1	–	–	–	–
†SPENBOROUGH ...	–	3	–	–	1	M. 1
†STANLEY	–	2	–	–	1	–
†SWINTON	–	1	–	–	3	–
THURNSCOE ...	–	1	–	–	–	–
†TODMORDEN ...	–	–	–	–	–	E. 1
WHITWOOD ...	–	–	–	–	1	–
†WOMBWELL ...	–	–	1	–	1	–
Rural Districts—						
DONCASTER ...	–	2	1	–	1	M. 1
GOOLE	–	–	1	1	–	–
HALIFAX	–	2	–	–	1	–
HEMSWORTH ...	–	8	1	–	4	–
HUNSLET... ...	–	1	–	–	–	–
KIVETON PARK ...	–	1	–	–	–	–
KNARESBOROUGH	–	1	–	–	–	–
PENISTONE ...	–	–	–	1	–	–
RIPON	*	*	*	*	*	*
ROTHERHAM ...	–	5	–	–	–	–
TADCASTER ...	–	–	1	–	–	–
THORNE	–	–	2	–	–	–
WAKEFIELD ...	–	–	3	–	–	–
WORTLEY ...	–	1	–	–	–	–
County Borough :—						
§†YORK	–	1	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	–	1	–	–	–	–
Boroughs and Urban Districts :—						
AMLWCH	–	1	–	–	–	–
BRECKNOCK ...	–	–	–	–	1	–
Urban Districts :—						
BRYNMAWR ...	–	–	–	–	1	–
Rural Districts :—						
BRECKNOCK (MERTHYR CYNOG)	*	*	*	*	*	*
CARDIGAN	–	–	–	–	1	–
Boroughs and Urban Districts :—						
†ABERYSTWYTH ...	–	–	–	–	1	–
CARMARTHEN ...	–	10	3	–	2	M. 1
Boroughs and Urban Districts :—						
BURRY PORT ...	–	2	–	–	–	–
†CARMARTHEN ...	–	1	–	–	–	–
CWMAMMAN ...	–	–	–	–	1	–
LLANDILO ...	*	*	*	*	*	*
†LLANELLY ...	–	5	–	–	–	–
Rural Districts :—						
LLANELLY ...	–	2	3	–	1	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

§ York C.B. is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON ...	–	2	1	–	–	–
Boroughs and Urban Districts:—						
CONWAY	–	1	–	–	–	–
LLANFAIRFECHAN	–	1	–	–	–	–
Rural Districts:—						
GEIRIONYDD ...	–	–	1	–	–	–
DENBIGH	–	3	1	1	5	–
Boroughs and Urban Districts:—						
DENBIGH... ...	–	–	1	1	1	–
LLANGOLLEN ...	–	1	–	–	–	–
†WREXHAM ...	*	*	*	*	*	*
Rural Districts:—						
CHIRK	–	–	–	–	1	–
LLANGOLLEN ...	–	2	–	–	–	–
LLANSILIN ...	–	–	–	–	3	–
WREXHAM ...	*	*	*	*	*	*
FLINT	–	11	1	–	1	–
Boroughs and Urban Districts:—						
CONNAH'S QUAY...	–	–	1	–	–	–
FLINT	–	2	–	–	–	–
†RHYL	–	8	–	–	1	–
Rural Districts:—						
ST. ASAPH (FLINT)	–	1	–	–	–	–
GLAMORGAN ...	–	49	33	2	28	C. 1 E. 6 M. 5
†CARDIFF C.B. ...	–	7	7	–	3	E. 6 M. 1
†MERTHYR TYDFIL C.B.	–	2	6	1	2	–
†SWANSEA C.B. ...	–	14	4	–	1	C. 1 M. 1
GLAMORGAN—*cont.*						
Boroughs and Urban Districts:—						
†ABERDARE ...	–	3	1	–	4	–
†BARRY	–	1	2	–	1	–
BRIDGEND ...	–	–	–	1	–	–
†CAERPHILLY ...	–	4	2	–	–	–
†GELLIGAER ...	–	–	1	–	–	–
MAESTEG... ...	–	–	–	–	–	M. 1
†MOUNTAIN ASH ...	–	3	1	–	2	–
†NEATH	–	–	1	–	1	–
†OGMORE AND GARW	–	1	–	–	–	–
†PONTYPRIDD ...	–	1	–	–	3	–
†RHONDDA ...	–	6	4	–	8	M. 2
Rural Districts:—						
CARDIFF	–	1	2	–	1	–
COWBRIDGE ...	–	–	–	–	1	–
LLANTRISANT AND LLANTWITFARDRE	–	1	–	–	–	–
NEATH	–	1	1	–	1	–
PENYBONT ...	–	–	1	–	–	–
SWANSEA... ...	–	4	–	–	–	–
MERIONETH ...	–	6	1	–	2	–
Urban Districts:—						
FESTINIOG ...	–	4	1	–	–	–
TOWYN	–	2	–	–	–	–
Rural Districts:—						
EDEIRNION ...	–	–	–	–	2	–
MONMOUTH ...	–	29	6	3	5	E. 1 M. 2
†NEWPORT C.B. ...	–	4	–	–	3	E. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	–	9	–	–	–	–
ABERGAVENNY ...	–	1	–	–	–	–
†ABERSYCHAN ...	–	3	1	1	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ABERTILLERY ...	–	3	1	1	1	–
BEDWAS AND MACHEN	–	2	–	–	–	–
†BEDWELLTY ...	–	3	1	–	–	–
†MYNYDDISLWYN	–	3	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	–	M. 1
†TREDEGAR ...	–	–	1	–	–	–
Rural Districts:—						
CHEPSTOW ...	–	–	–	1	–	–
MONMOUTH ...	–	–	2	–	–	–
SAINT MELLONS...	–	1	–	–	1	–
MONTGOMERY ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
LLANIDLOES ...	*	*	*	*	*	*
MACHYNLLETH ...	–	4	–	–	–	–
MONTGOMERY—*cont.*						
Rural Districts:—						
NEWTOWN AND LLANIDLOES	*	*	*	*	*	*
PEMBROKE... ...	–	1	3	–	–	–
Boroughs and Urban Districts:—						
FISHGUARD ...	–	1	–	–	–	–
HAVERFORDWEST	–	–	1	–	–	–
Rural Districts:—						
HAVERFORDWEST	–	–	1	–	–	–
NARBERTH ...	–	–	1	–	–	–
Total of Part II. ...	44	1731	559	52	688	C. 37 D. 5 E. 14 G. 13 L. 3 M. 108

PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LIVERPOOL	–	–	–	–	1	–
PORT OF LONDON ...	–	–	1	–	1	–
Total of Part III.... ..	–	–	1	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ *note below*).
Total of Part I.—London	–	242	189	7	86	C. 6 G. 3 M. 11
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	44	1731	559	52	688	C. 37 D. 5 E. 14 G. 13 L. 3 M. 108
Total of Part III.—Port Sanitary Districts	–	–	1	–	2	–
Total (*i.e.*, of returns received), England and Wales ...	44	1973	749	59	776	C. 43 D. 5 E. 14 G. 16 L. 3 M. 119

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 1296, 1297, 1298, 1299, 1302, 1303, and 1307.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSE and DEATHS of INFANTS under 1 YEAR o AGE) and NOTIFIED CASES of certain IN FECTIOUS DISEASES in the last THIRTEE WEEKS.

Week ended :—	Aug. 25.	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.
LONDON :—													
DEATHS—all ages	813	782	799	807	868	928	831	869	853	885	905	822	947
„ 0 to 1 year ..	111	122	106	115	116	149	128	129	104	119	104	75	109
GREAT TOWNS, aggregate (including London) :—													
BIRTHS	7,798	7,482	7,682	7,281	7,154	7,428	6,905	7,078	7,464	7,182	7,721	6,870	7,128
DEATHS—all ages	3,282	3,287	3,428	3,395	3,616	3,660	3,474	3,650	3,579	3,676	3,619	3,734	4,179
„ 0 to 1 year ..	499	484	471	493	514	516	454	468	464	473	457	448	505
ENTERIC FEVER—Cases	27	26	31	38	32	37	35	53	44	29	40	31	30
„ Deaths	1	2	4	4	4	3	8	4	7	1	3	6	2
SMALL POX—Cases ..	10	12	10	17	16	9	16	26	4	7	9	3	7
„ Deaths ..	—	—	—	—	—	2	—	—	—	—	—	—	—
SCARLET FEVER—Cases	561	611	736	755	850	997	956	995	1,013	1,158	1,120	988	1,104
„ Deaths	6	7	11	6	9	9	8	11	15	8	9	11	6
DIPHTHERIA—Cases ..	362	391	374	467	500	473	450	525	498	536	585	480	491
„ Deaths ..	20	27	21	26	27	24	22	22	25	25	33	36	18
MEASLES—Deaths ..	14	15	15	15	17	6	10	8	15	16	19	21	20
INFLUENZA—Deaths ..	16	14	20	9	28	33	31	40	33	29	37	35	55

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 17th November, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	55	26	49·4	35·7	14	BRADFORD ..	53	30	45·6	35·6	89
BRIGHTON ..	54	32	52·0	40·1	23	SHEFFIELD ..	Not received.				
PORTSMOUTH ..	54	35	50·5	42·2	21	YORK (MUSEUM)	55	30	47·9	37·0	33
NORWICH (EATON).	53	27	47·0	35·3	23	HULL (PEARSON PARK).	52	29	47·4	35·4	30
PLYMOUTH ..	53	28	52·1	39·3	22	TYNEMOUTH ..	56	33	47·0	38·1	23
BRISTOL (CLIFTON).	52	29	47·0	36·1	64	CARDIFF	52	30	49·9	35·4	66
BIRMINGHAM (EDGBASTON)	50	29	46·1	36·0	29	EDINBURGH ..	55·0	31·0	43·9	34·4	26
NOTTINGHAM ..	52	25	46·4	36·4	26	GLASGOW ..	54·1	31·3	43·9	35·1	44
BIRKENHEAD (BIDSTON).	55	35	49·0	38·6	51	DUBLIN (PHŒNIX PARK).	54·9	31·5	48·6	36·6	24
MANCHESTER (WHITWORTH PARK).	53	27	47·6	37·3	77	FITZWILLIAM SQUARE.†	56·0	35·0	49·7	39·3	21
BURNLEY.. ..	52	26	45·1	34·3	129	BELFAST	55·2	28·2	49·2	33·5	48
HUDDERSFIELD	52	29	46·6	36·4	80						

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 17th November, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
NOVEMBER.			in.	°	°	°	°		°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	11	..	30·104	47·3	29·4	17·9	38·3	− 5·7	33·1	5·2	10·3	0·0	81	65·0	19·7	49·7	NNE	Calm	1·3	0·0	0·0	185	− 113	0·00
MONDAY -	12	Greatest Declination S.	29·783	49·7	26·0	23·7	40·1	− 3·6	36·9	3·2	9·5	4·3	88	69·6	14·0	49·3	Calm	SW	1·1	0·0	0·1	218	− 81	0·00
TUESDAY -	13	..	29·338	54·8	44·5	10·3	49·9	+ 6·4	43·3	6·6	11·4	2·4	78	72·9	42·4	49·1	SW	SW	9·2	0·2	1·5	601	+ 302	0·07
WEDNESDAY	14	..	29·198	50·2	36·2	14·0	42·2	− 1·1	32·7	9·5	14·4	2·9	69	72·4	27·4	48·8	SSW : SW : WNW.	W : WSW.	9·8	0·0	0·8	518	+ 221	0·19
THURSDAY -	15	First Quarter.	29·052	49·6	31·1	18·5	42·5	− 0·6	36·5	6·0	12·5	0·4	79	56·0	22·1	48·6	SW : S	S : SW	12·5	0·0	1·1	551	+ 256	0·11
FRIDAY -	16	..	29·497	49·0	38·7	10·3	43·4	+ 0·6	36·0	7·4	12·5	5·3	75	66·4	30·0	48·6	SSW : SW	SW : SSW.	10·2	0·1	0·6	501	+ 206	0·00
SATURDAY -	17	..	29·463	46·9	36·9	10·0	41·4	− 1·2	34·0	7·4	10·3	2·8	75	71·6	30·5	48·2	SSW : SW	SW	6·4	0·1	0·6	550	+ 256	0·19
MEANS -		..	29·491	49·6	34·7	15·0	42·5	− 0·7	36·1	6·5	11·6	2·6	78	67·7	26·6	48·9	SW		..	..	..	Sum 3,124	Sum +1047	Sum 0·56
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. NOVEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	11	wP	6·7	9·1	Nearly overcast clearing to cloudless by 18h. Slight fog from 17½h. Hoar frost in morning and at night.
MONDAY ..	12	wP till 12h.; then mP.	4·9	9·0	Partially cloudy becoming overcast by 12h. Cloudy generally from 16h. Hoar frost and slight fog in morning. Dew at night.
TUESDAY ..	13	wP	0·5	9·0	Partially cloudy till 9h., then overcast. Dew in morning. Brisk wind throughout. Frequent rain from 17½h.
WEDNESDAY	14	Variably wP and wN till 6¼h.; variably sP and sN till 6¾h.; sP till 20h.; then mP.	5·8	8·9	Partially cloudy till 21h., then cloudless generally. Rain till 5h. Brisk wind till 17h. Hoar frost at night.
THURSDAY	15	wP till 12h.; wN till 13h.; variably sN and sP till 14h.; mP till 20h.; then wP.	1·0	8·9	Overcast generally till 15h.; partially cloudy till 17½h., then nearly cloudless. Hoar frost in morning. Rain from 10¾h. till 13¾h. Brisk wind from 11h. Moderate gale 22h. till midnight.
FRIDAY ..	16	wP till 8h.; then mP.	2·9	8·8	Variably cloudy. Moderate gale till 1h. Brisk wind till 5h., and from 11h. to 19h. Slight damping 10¼h. till 11h. Lunar halo 19h. to 21h.
SATURDAY	17	wP till 4½h.; variably sP and sN till 6½h.; then mP.	3·9	8·8	Partially cloudy. Shower 2½h. Rain 5½h. till 6½h. Squall with sleet 5¾h. Brisk wind from 4h. till 19h. Hoar frost at night.
			Sum 25·7	Sum 62·5	
No. of Col. ..		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·14 in. at the beginning of the week to 30·17 in. by 8h. on 11th; decreased to 28·84 in. by 4h. on 14th; increased to 29·45 in. by 4h. on 15th; decreased to 28·91 in. by 21h. on 15th; increased to 29·59 in. by 20h. on 16th; decreased to 29·30 in. by 6h. on 17th; increased and was 29·57 in. by midnight on the same day.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS
11-17, Hare Street, E.2

FOR OFFICIAL USE.

1923. No. 47.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 24TH NOVEMBER, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course

NOTES FOR THE WEEK ENDED 24TH NOVEMBER, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-seventh week of the year numbered 7,233 and corresponded to an annual rate of 19·6 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,331 and corresponded to an annual rate of 11·8 per 1,000 of their aggregate civilian population, which is estimated at 19,170,699 in the year 1922. In the preceding three weeks the rates had been 9·8, 10·2 and 11·4. Infant mortality was 71 per 1,000 births, against 59, 65 and 71 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,688 births, corresponding to a rate of 19·4 per 1,000, and 1,037 deaths of civilians, corresponding to a rate of 11·9, as against 10·4, 9·5 and 10·9 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 10·7 per 1,000. The infant mortality was 52 as against 55, 46 and 64 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 152 in the total deaths last week, and the deaths from influenza rose from 55 to 58. In London the number of deaths from all causes rose from 947 to 1,037; while the deaths from diphtheria, which had been 12, 10 and 7 in the preceding three weeks, rose to 13 last week, and those of infants under two years of age from diarrhœal diseases, which had been 17, 11 and 19 in the preceding three weeks, fell to 15 last week.

Just Published:

Census of England and Wales, 1921.

County of Chester. Price 12*s.* 6*d.* net.

County of Derby. Price 10*s.* net.

County of Nottingham. Price 7*s.* 6*d.* net.

County of Norfolk. Price 9*s.* net.

County of Suffolk. Price 10*s.* net.

County of Sussex. Price 11*s.* net.

The Registrar General's Statistical Review, 1922.

Tables, Part I. Medical. Price 15*s.* net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 24th November, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age.	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,699*	7,233	4,331	510	1	29	8	27	30	74	58
London	4,534,230*	1,688	1,037	87	–	15	3	6	13	15	14
Towns in Outer Ring.											
Croydon C.B. ..	192,300	50	43	3	–	–	–	–	–	2	–
Wimbledon ..	61,730	22	11	1	–	–	–	–	–	–	–
Ealing	67,890	19	13	2	–	–	–	–	–	–	1
Acton	62,390	18	13	–	–	–	–	–	–	–	1
Willesden ..	168,200	46	36	1	–	–	–	–	–	–	–
Hendon	55,930	16	11	1	–	–	–	–	–	1	–
Hornsey	87,310	22	17	1	–	–	–	–	–	–	–
Wood Green ..	51,290	16	8	1	–	–	–	–	–	–	–
Tottenham ..	150,500	48	23	1	–	–	–	–	–	–	–
Edmonton ..	68,700	38	10	3	–	–	–	–	–	1	–
Enfield	62,010	22	12	1	–	–	–	–	–	–	–
West Ham C.B. ..	310,200	160	63	5	–	2	–	1	2	–	2
East Ham C.B. ..	145,800	47	27	2	–	–	–	–	–	–	2
Leyton	131,600	37	18	3	–	–	–	–	–	–	–
Walthamstow ..	129,700	47	29	4	–	–	–	–	–	1	–
Ilford	86,370	28	16	–	–	–	–	–	–	–	–
Gillingham	48,630*	22	10	1	–	–	–	–	–	–	–
Canterbury C.B ..	23,680	6	3	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	25	22	4	–	–	–	–	–	1	–
Eastbourne C.B. ..	53,700	16	9	–	–	–	–	–	–	–	–
Brighton C.B. ..	135,279†	28	29	–	–	–	–	–	1	–	2
Portsmouth C.B. ..	236,630*	76	56	6	–	–	–	–	2	–	–
Bournemouth C.B. ..	81,500	21	9	–	–	–	–	–	–	–	–
Southampton C.B. ..	163,700	64	40	2	–	–	–	–	–	–	–
Reading C.B.	92,990	29	18	2	–	–	–	–	–	–	–
Oxford C.B.	56,510	17	11	–	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	35	29	2	–	–	–	–	–	1	–
Luton	58,260	15	6	2	–	–	–	–	–	–	–
Cambridge	59,200	14	14	–	–	–		–	–	–	1
Southend-on-Sea C.B.	91,430	22	19	1	–	–	–	–	–	–	–
Ipswich C.B.	80,950	24	20	4	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	10	11	–	–	–	–	–	–	–	–
Norwich C.B ..	122,900	28	23	1	–	–	–	–	1	–	–
Swindon	55,680	19	9	–	–	–	–	–	–	–	–
Exeter C.B.	59,700	21	14	1	–	–	–	–	–	–	–
Plymouth C.B. ..	200,370*	73	46	8	–	–	–	1	–	1	–
Bath C.B.	68,530	16	22	–	–	–	–	–	–	–	2
Bristol C.B.	383,900	139	102	10	–	1	–	–	1	2	1
Gloucester C.B. ..	52,210	12	13‡	1	–	–	–	–	–	–	–
Stoke-on-Trent C.B.	274,300	136	72	20	–	–	–	1	–	7	1
Burton-upon-Trent C.B.	49,630	14	10	1	–	–	–	–	–	1	–
Wolverhampton C.B.	105,700	38	31	7	–	–	–	3	–	1	–
Walsall C.B.	99,890	45	23	1	–	–	–	–	–	–	–
West Bromwich C.B.	76,260	37	18	4	–	–	–	–	1	–	–
Dudley C.B.	57,860	78	23	4	–	–	–	–	–	1	–
Worcester C.B. ..	49,240	17	10	2	–	–	–	1	–	–	1
Birmingham C.B. ..	945,100	363	204	33	–	1	–	–	–	5	1
Smethwick C.B. ..	78,140	17	16	4	–	–	–	–	1	1	1
Coventry C.B. ..	131,200	39	15	2	–	–	–	–	–	–	–
Leicester C.B. ..	238,800	84	47	7	–	–	–	–	–	2	–
Lincoln C.B.	66,930	19	11	1	–	–	–	1	–	–	–
Grimsby C.B.	84,650	40	23	3	–	–	–	–	–	–	–
Nottingham C.B. ..	267,900	92	55	8	–	–	1	–	–	–	–
Derby C.B.	132,400	61	38	4	–	–	–	–	–	–	–
Chesterfield ..	63,380	30	18	5	–	1	–	–	–	–	–
Stockport C.B. ..	125,800	47	40	7	–	–	–	–	–	–	4
Chester C.B.	41,190	26	9	1	–	–	–	–	–	1	–
Birkenhead C.B. ..	149,200	63	34	4	–	–	–	–	–	–	–
Wallasey C.B. ..	89,790	31	18	2	–	–	–	–	–	–	2
Liverpool C.B. ..	826,400	362	232	42	–	6	2	2	1	8	1
Bootle C.B.	79,750	40	15	6	–	–	–	–	–	1	–
St. Helens C.B. ..	106,400	56	24	6	–	–	–	–	1	1	–

* Population adjusted by the exclusion of non-civilians.
† As extended 1st October, 1923.
‡ Including one death from small-pox.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	18	19	–	–	–	–	–	–	–	–
WIGAN C.B.	91,750	36	27	7	–	–	1	–	–	–	–
WARRINGTON C.B. ..	79,150	34	10	3	–	–	–	–	–	1	–
BOLTON C.B.	182,700	58	43	5	–	–	–	–	–	–	–
BURY C.B.	57,400	14	11	3	–	–	–	–	–	–	1
MANCHESTER C.B. ..	748,500	281	234	36	–	3	1	1	–	7	4
SALFORD C.B.	240,700	99	55	5	–	–	–	–	–	–	1
OLDHAM C.B.	148,300	46	52	8	–	–	–	2	1	2	–
ROCHDALE C.B... ..	92,510	28	24	4	–	–	–	–	1	–	–
BURNLEY C.B.	105,100	28	18	2	–	–	–	–	–	–	–
BLACKBURN C.B. ..	129,600	41	34	5	1	–	–	1	–	1	1
PRESTON C.B.	120,900	45	40	5	–	–	–	2	1	1	2
BLACKPOOL C.B. ..	74,050	19	16	1	–	–	–	–	–	1	–
BARROW-IN-FURNESS C.B.	75,690	26	12	–	–	–	–	–	–	–	–
HUDDERSFIELD C.B. ..	111,600	37	17	1	–	–	–	–	–	–	–
HALIFAX C.B.	100,500	32	22	–	–	–	–	–	–	–	–
BRADFORD C.B. ..	291,300	94	63	7	–	–	–	–	–	–	2
LEEDS C.B.	466,700	176	98	10	–	–	–	2	–	1	2
DEWSBURY C.B. ..	55,170	13	15	2	–	–	–	–	–	–	–
WAKEFIELD C.B. ..	53,840	23	18	1	–	–	–	1	–	–	–
BARNSLEY C.B. ..	69,540	32	14	1	–	–	–	1	–	–	–
SHEFFIELD C.B. ..	522,600	190	97	12	–	–	–	–	–	–	–
ROTHERHAM C.B. ..	69,840	34	12	1	–	–	–	–	–	–	–
DONCASTER	55,020	15	14	–	–	–	–	–	–	–	2
YORK C.B.	84,980	35	13	2	–	–	–	–	–	1	–
HULL C.B.	294,000	140	60	7	–	–	–	–	1	–	–
MIDDLESBROUGH C.B.	134,800	75	25	4	–	–	–	–	–	1	–
DARLINGTON C.B. ..	66,710	15	11	2	–	–	–	–	–	–	–
STOCKTON-ON-TEES ..	65,950	38	11	2	–	–	–	–	–	–	1
WEST HARTLEPOOL C.B.	70,020	31	14	1	–	–	–	–	–	–	–
SUNDERLAND C.B. ..	162,900	62	41	3	–	–	–	1	–	–	1
SOUTH SHIELDS C.B. ..	122,400	60	22	5	–	–	–	–	–	–	–
GATESHEAD C.B. ..	127,300	49	27	2	–	–	–	–	–	–	–
NEWCASTLE-ON-TYNE C.B.	281,600	148	64	12	–	–	–	–	–	1	1
TYNEMOUTH C.B. ..	64,640	25	11	1	–	–	–	–	–	–	–
CARLISLE C.B.	53,490	32	4	–	–	–	–	–	–	–	–
NEWPORT (MON.) C.B.	94,880	42	22	2	–	–	–	–	–	1	–
CARDIFF C.B.	223,830	101	45	7	–	–	–	–	–	–	1
RHONDDA	167,500	58	31	2	–	–	–	–	1	–	1
MERTHYR TYDFIL C.B.	82,680	27	17	1	–	–	–	–	1	1	–
ABERDARE	56,580	24	10	1	–	–	–	–	–	–	–
SWANSEA C.B.	161,000	61	30	2	–	–	–	–	–	1	1
GREATER LONDON ..	7,563,730*	2,716	1,648	137	–	17	3	7	19	23	22
OUTER RING	3,029,500*	1,028	611	50	–	2	–	1	6	8	8
16 GREAT TOWNS IN OUTER RING	1,831,920	636	350	29	–	2	–	1	2	5	6
REMAINDER OF OUTER RING	1,197,580*	392	261	21	–	–	–	–	4	3	2
EDINBURGH†	426,000	141	109	7	–	–	3	–	1	2	2
GLASGOW†	1,041,400	501	312	44	1	30	1	7	2	5	1
DUBLIN (REGISTRATION AREA)†	431,000	206	132	17	–	1	1	1	–	3	–
BELFAST†	429,000	204	111	14	–	1	1	–	1	–	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available period.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years)	Influenza.
		1923.											
LONDON‡	4,534,230	Nov. 24	1688	1037	11·9	–	–	15	3	6	13	15	14
CALCUTTA	896,067	Oct. 13	?	489§	27·9	?	–	?	?	?	?	?	3
BOMBAY	1,220,120	„ 20	444‖	696§	29·7	2	1	–	?	1	–	45	–
MADRAS	526,911	„ 13	472	298	29·4	1	..	–	?	–	–	21	–
SYDNEY AND SUBURBS	955,900	Oct. (31 days)											
BRISBANE (Metropolitan Area).	230,200	Sept. (30 days)											
PERTH (Metropolitan Area).	161,773	Oct 6	81	30	9·6	–	–	–	–	–	–	–	–
		„ 13	74	20	6·4	–	–	–	–	–	–	1	–
AUCKLAND (Urban Area).	167,760	Sept. (30 days)											
WELLINGTON (Urban Area).	112,070	„											
CHRISTCHURCH (Urban Area).	113,400	„											
CAPE TOWN	106,727	Oct. 20	39	22	10·7	–	–	1	–	–	–	–	–
JOHANNESBURG	156,858	„ 20	74	39	12·9	–	–	–	11	–	–	1	–
DURBAN	50,488	„ 20	31	12	12·4	–	–	–	–	–	–	–	–
PARIS	2,906,472	Nov. 10 (10 days)	1313	1060	13·3	3	–	2	1	–	5	35	2
ANTWERP	301,881	Sept. 8	110	51	8·8	1	–	–	–	1	–	5	–
		„ 15	101	36	6·2	–	–	–	–	–	–	–	–
AMSTERDAM	702,658	Nov. 3	230	113	8·4	1	–	–	–	–	1	–	–
COPENHAGEN	570,000	„ 10	177	121	11·1	–	–	1	–	–	1	1	–
STOCKHOLM	424,944	„ 3	90	86	10·5	–	–	–	–	–	1	–	–
GOTHENBURG	228,074	Oct. 27	?	32	7·3	–	–	–	–	–	–	–	–
CHRISTIANIA	258,962	Nov. 10	62	51	10·2	–	–	–	–	1	–	–	–
BERLIN	1,983,000	Oct. 27											
BRESLAU	561,000	„ 27											
COLOGNE	704,000	„ 27											
DRESDEN	611,000	„ 27											
FRANKFORT-ON-MAIN..	474,000	„ 27											
HAMBURG	1,079,000	„ 27											
LEIPZIG	679,000	„ 27											
MUNICH	685,000	„ 27											
VIENNA	1,841,326	Sept. 29	491	372	10·4	–	–	–	1	4	3	7	–
PRAGUE AND SUBURBS	697,111	Oct. 15 (15 days)											
BUDAPEST	946,000	Sept. 1											
WARSAW	956,087	Nov. 3	319	233	12·6	6	–	2	8	–	3	22	1
CAIRO	791,000	Aug. 26	792	513	33·7	8	–	–	–	?	8	85	?
ALEXANDRIA	466,700	„ 26	403	267	29·7	4	–	1	–	?	1	47	?
NEW YORK	5,927,617	Sept. 15											
CHICAGO	2,886,121	Oct. 27	?	528	9·5	–	–	–	2	1	8	25	2
RIO DE JANEIRO ..	1,312,468	„ 20											
MONTEVIDEO	348,989	July 7											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 1 death from Asiatic Cholera in Calcutta, and from Plague, 3 in Bombay

‖ The registration of births in Bombay is incomplete

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 24th November, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1037	87	35	16	31	46	54	68	125	157	203	215
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	15	1	11	3	–	–	–	–	–	–	–	–
Scarlet fever	3	–	1	–	2	–	–	–	–	–	–	–
Whooping cough	6	1	4	1	–	–	–	–	–	–	–	–
Diphtheria	13	1	2	4	6	–	–	–	–	–	–	–
Influenza	14	2	–	–	–	2	2	–	1	1	4	2
Erysipelas	1	–	–	1	–	–	–	–	–	–	–	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	–	–	–	1	–	–	–
Meningococcal meningitis	1	–	1	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	93	–	–	–	–	21	25	15	17	10	4	1
Nervous system	6	1	–	1	4	–	–	–	–	–	–	–
Intestines and peritoneum	1	–	–	–	1	–	–	–	–	–	–	–
Other forms	5	–	–	–	–	2	2	–	–	1	–	–
Venereal diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	138	–	–	–	1	1	1	9	26	48	38	14
Rheumatic fever	4	–	–	–	3	–	1	–	–	–	–	–
Diabetes	7	–	–	–	–	–	–	–	2	2	1	2
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	50	–	–	–	–	–	–	1	5	11	13	20
Epilepsy	3	–	–	1	–	–	–	1	–	1	–	–
"Convulsions" (not puerperal) ..	4	3	1	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	22	–	1	1	–	4	–	5	2	6	2	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	4	–	–	–	1	1	1	–	–	1	–	–
Other diseases of heart	128	–	–	–	–	2	4	8	17	14	38	45
Other diseases of circulatory system	52	2	–	–	1	–	–	2	3	11	15	18
Bronchitis	103	3	3	1	1	–	1	1	7	15	31	40
Broncho-pneumonia	35	7	5	–	2	–	–	1	2	3	7	8
Lobar-pneumonia	31	–	1	–	1	1	3	5	5	4	10	1
Pneumonia (type not distinguished) ..	19	1	1	1	1	–	1	1	4	–	2	7
Other diseases of respiratory system	13	–	–	–	–	1	–	1	3	1	2	5
Diarrhœa and enteritis	19	12	3	1	–	–	–	–	2	–	–	1
Appendicitis, Typhlitis	5	–	–	–	1	–	1	1	1	–	1	–
Hernia, Intestinal obstruction	9	–	–	–	1	1	1	1	1	–	2	2
Cirrhosis of liver	6	–	–	–	–	–	–	1	1	2	1	1
Other diseases of digestive system ..	25	3	–	–	–	–	–	3	8	4	6	1
Acute nephritis	3	–	–	1	1	–	–	–	–	–	1	–
Chronic Bright's disease	30	–	–	–	1	1	–	2	–	12	8	6
Other diseases of genito-urinary system.	11	–	–	–	–	1	–	1	2	2	3	2
Puerperal sepsis	1	–	–	–	–	–	–	1	–	–	–	–
Other causes incident to childbirth ..	4	–	–	–	–	–	2	2	–	–	–	–
Congenital malformations	4	3	–	–	–	–	–	–	1	–	–	–
Premature birth	29	29	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	9	9	–	–	–	–	–	–	–	–	–	–
Old age	33	–	–	–	–	–	–	–	–	–	6	27
Suicide	11	–	–	–	–	2	4	–	2	1	2	–
Burns and scalds	4	–	1	–	–	–	–	–	1	1	–	1
Drowning	2	–	–	–	–	–	–	–	1	1	–	–
Suffocation in bed	1	1	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	7	–	–	–	1	–	–	–	3	–	1	2
Other deaths by violence	13	–	–	–	–	2	2	1	1	1	1	5
Other specified causes	36	7	–	–	2	4	3	5	6	2	4	3
Ill-defined causes	2	–	–	–	–	–	–	–	–	2	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 24th November, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	227	197	4	109	C. 5 E. 1 G. 1 M. 5
†CITY OF LONDON	–	4	2	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	13	9	–	3	–
†BERMONDSEY ...	–	7	4	–	2	–
†BETHNAL GREEN	–	9	11	–	9	C. 1
†CAMBERWELL ...	–	17	16	–	–	–
†CHELSEA	–	2	2	–	–	–
†DEPTFORD ...	–	7	3	–	2	–
†FINSBURY ...	–	1	7	–	3	–
†FULHAM	–	6	2	–	6	C. 1
†GREENWICH ...	–	–	1	1	–	M. 1
†HACKNEY ...	–	16	13	–	3	–
†HAMMERSMITH ...	–	4	6	–	1	–
†HAMPSTEAD ...	–	2	1	–	1	–
†HOLBORN... ...	–	1	3	–	2	–
†ISLINGTON ...	–	33	17	–	4	M. 2

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†KENSINGTON ...	–	4	8	–	5	–
†LAMBETH ...	–	16	17	–	6	C. 1 E. 1
†LEWISHAM ...	–	9	3	1	1	–
†PADDINGTON ...	–	4	6	2	9	C. 1
†POPLAR	–	7	7	–	8	C. 1 M. 1
†ST. MARYLEBONE	–	2	–	–	–	M. 1
†ST. PANCRAS ...	–	12	4	–	5	–
†SHOREDITCH ...	–	9	9	–	5	–
†SOUTHWARK ...	–	6	18	–	4	–
†STEPNEY	–	13	15	–	14	–
†WANDSWORTH ...	–	18	5	–	6	G. 1
†WESTMINSTER, CITY OF	–	2	3	–	4	–
†WOOLWICH ...	–	3	5	–	6	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD	–	3	2	–	–	M. 1
Boroughs and Urban Districts:—						
†BEDFORD ...	–	1	–	–	–	–
BIGGLESWADE ...	–	–	1	–	–	–
LEIGHTON BUZZARD	–	1	–	–	–	–
Rural Districts:—						
AMPTHILL ...	*	*	*	*	*	*
BIGGLESWADE ..	–	–	–	–	–	M. 1
EATON BRAY ...	–	1	1	–	–	–
BERKS	–	10	7	1	–	–
†READING C.B. ..	–	2	2	1	–	–
Boroughs and Urban Districts:—						
ABINGDON ...	–	1	–	–	–	–
†NEW WINDSOR	–	1	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	3	2	–	–	–
NEWBURY ...	–	2	1	–	–	–
WALLINGFORD ...	–	1	–	–	–	–
WINDSOR... ...	–	–	2	–	–	–
BUCKINGHAM ...	–	12	2	–	7	–
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE ...	–	4	–	–	1	–
ETON	–	3	–	–	–	–
MARLOW	–	–	–	–	1	–
†SLOUGH	–	–	–	–	4	–
†WOLVERTON ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts:—						
AMERSHAM ...	–	1	–	–	–	–
AYLESBURY ...	–	1	–	–	–	–
ETON	–	1	–	–	–	–
WYCOMBE ...	–	2	2	–	–	–
CAMBRIDGE ...	–	6	6	–	–	M. 1
Borough:—						
†CAMBRIDGE ...	–	2	3	–	–	–
Rural Districts:—						
CHESTERTON ...	–	4	3	–	–	M. 1
CHESTER	–	49	20	1	24	C 1 G. 1 M. 3
†BIRKENHEAD C.B.	–	11	8	1	12	M. 1
†CHESTER C.B. ...	–	–	2	–	1	–
†STOCKPORT C.B.	–	3	3	–	1	–
†WALLASEY C.B ...	–	2	4	–	2	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	1	–	–	–	–
†ALTRINCHAM ...	–	–	–	–	–	M. 1
†BEBINGTON AND BROMBOROUGH	–	1	–	–	–	–
BOLLINGTON ...	–	3	–	–	–	M. 1
BUGLAWTON ...	–	1	–	–	–	–
†CONGLETON ...	–	1	–	–	1	–
†CREWE	–	–	2	–	2	–
†DUKINFIELD ...	–	1	–	–	–	–
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE	–	1	–	–	–	C. 1
†MACCLESFIELD ...	–	2	–	–	1	–
†NORTHWICH ...	–	1	–	–	–	–
†RUNCORN ...	–	1	1	–	1	–
†SALE	–	1	–	–	–	–
SANDBACH ...	–	6	–	–	–	–
†STALYBRIDGE ...	–	1	–	–	–	–
WILMSLOW ...	–	1	–	–	–	–
†WINSFORD ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	1	–	–	2	–
DISLEY	–	1	–	–	–	–
MACCLESFIELD ...	–	3	–	–	–	G. 1
NANTWICH ...	–	1	–	–	–	–
NORTHWICH ...	–	3	–	–	–	–
RUNCORN ...	–	–	–	–	1	–
CORNWALL ...	–	5	–	1	1	M. 1
Boroughs and Urban Districts:—						
†FALMOUTH ...	–	1	–	–	–	–
PAUL	–	1	–	–	–	–
PENRYN	–	1	–	–	–	–
STRATTON AND BUDE	–	–	–	1	–	–
WADEBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
SAINT AUSTELL...	–	2	–	–	–	M. 1
CUMBERLAND ...	–	14	5	–	2	M. 1
†CARLISLE C.B. ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
COCKERMOUTH ...	–	2	–	–	–	–
†MARYPORT ...	–	4	1	–		–
WHITEHAVEN ...	–	–	–	–	2	M. 1
Rural Districts:—						
COCKERMOUTH ...	–	4	1	–	–	–
PENRITH	–	–	3	–	–	–
DERBY	9	33	16	2	17	C. 1 M. 1
†DERBY C.B. ...	–	5	2	–	8	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts:—						
†ALFRETON ...	–	3	1	–	–	–
†BOLSOVER ...	–	1	1	–	–	–
†BUXTON	–	–	–	–	1	–
†CHESTERFIELD ...	1	4	7	–	3	C. 1
†GLOSSOP	–	–	–	–	1	–
†HEANOR	6	2	–	–	–	–
†ILKESTON ...	–	–	–	–	1	–
†LONG EATON ...	–	2	1	–	–	–
NEW MILLS ...	–	4	1	–	–	M. 1
†RIPLEY	–	1	–	–	1	–
†SWADLINCOTE DISTRICT	–	–	–	–	1	–
Rural Districts:—						
BAKEWELL ...	–	1	–	–	–	–
BELPER	–	3	–	–	–	–
BLACKWELL ...	1	–	1	–	–	–
CHAPEL EN LE FRITH	–	5	–	–	–	–
CHESTERFIELD ..	–	1	2	2	–	–
CLOWNE	–	1	–	–	–	–
HARTSHORN AND SEALS	*	*	*	*	*	*
REPTON	–	–	–	–	1	–
SHARDLOW ...	1	–	–	–	–	–
DEVON	–	22	11	1	8	L. 2
†EXETER C.B. ...	–	–	3	–	1	–
†PLYMOUTH C.B....	–	4	3	1	–	–
Boroughs and Urban Districts:—						
ASHBURTON ...	–	1	–	–	–	–
†BARNSTAPLE ...	–	1	–	–	2	–
DARTMOUTH ...	–	–	–	–	2	–
†EXMOUTH ...	–	–	1	–	–	–
†NEWTON ABBOT...	–	1	–	–	–	–
OTTERY ST. MARY	–	1	–	–	–	–
†PAIGNTON ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
SEATON	–	1	–	–	–	–
SOUTH MOLTON...	*	*	*	*	*	*
†TEIGNMOUTH ...	–	1	–	–	1	–
†TORQUAY ...	–	3	–	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	–	1	–	–	–
CREDITON ...	–	1	1	–	–	–
KINGSBRIDGE ...	–	–	–	–	1	–
NEWTON ABBOT...	–	1	–	–	–	–
OKEHAMPTON ...	–	1	–	–	–	–
ST. THOMAS ...	–	1	–	–	–	L. 2
SOUTH MOLTON ...	–	–	1	–	–	–
TAVISTOCK ...	–	1	–	–	–	–
TORRINGTON ...	–	1	–	–	–	–
TOTNES	–	1	1	–	1	–
DORSET	–	1	1	–	–	–
Boroughs and Urban Districts:—						
SWANAGE... ..	–	1	–	–	–	–
Rural Districts:—						
WEYMOUTH ...	–	–	1	–	–	–
DURHAM	–	128	25	1	39	C. 2 M. 4
†DARLINGTON C.B	–	4	1	–	–	–
†GATESHEAD C.B.	–	6	3	–	–	C. 1
†SOUTH SHIELDS C.B.	–	5	1	–	4	–
†SUNDERLAND C.B.	–	6	1	–	8	–
†WEST HARTLEPOOL C.B.	–	10	2	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
BARNARD CASTLE	–	1	–	–	–	–
BENFIELDSIDE ...	–	1	–	–	–	C. 1
†BISHOP AUCKLAND	–	2	1	–	–	–
†BLAYDON... ...	–	3		1	1	–
†CHESTER LE STREET	–	3	–	–	–	–
†CONSETT	–	–	1	–	–	–
†CROOK	–	–	–	–	–	M. 1
†DURHAM	–	1	–	–	–	–
†FELLING	–	6	–	–	–	–
†HARTLEPOOL ...	–	1	–	–	–	–
†HEBBURN ...	–	–	2	–	1	–
†HETTON	–	2	–	–	1	–
†HOUGHTON LE SPRING	–	1	–	–	–	–
†JARROW	–	–	–	–	2	–
†SEAHAM HARBOUR	–	1	1	–	–	–
†SHILDON	–	1	2	–	–	–
†SOUTHWICK ON WEAR	–	1	–	–	–	–
†SPENNYMOOR ...	–	1	1	–	–	–
†STANLEY	–	1	–	–	–	–
†STOCKTON ON TEES	–	12	1	–	4	M. 1
†TANFIELD ..	–	4	1	–	1	–
TOW LAW ...	–	1	–	–	–	–
†WASHINGTON ...	–	3	–	–	–	–
†WHICKHAM ..	–	2	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	10	2	–	2	–
CHESTER LE STREET	–	12	1	–	1	–
DURHAM	–	2	–	–	1	–
EASINGTON ...	–	10	–	–	1	–
HARTLEPOOL ...	–	1	–	–	–	–
HOUGHTON LE SPRING	–	3	1	–	7	M. 1
LANCHESTER ...	–	7	–	–	1	–
SEDGEFIELD ...	–	3	1	–	–	–
SOUTH SHIELDS...	–	1	2	–	–	–
SUNDERLAND ...	–	–	–	–	1	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
WHITTLESEY ...	–	1	–	–	–	–
ESSEX	–	54	46	1	13	C. 1
†EAST HAM C.B. ...	–	5	3	–	–	–
†SOUTHEND-ON-SEA C.B.	–	1	3	–	–	–
†WEST HAM C.B. ...	–	16	20	1	6	C. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	–	–	1	–
†COLCHESTER ...	–	2	–	–	2	–
†GRAYS THURROCK	–	3	–	–	1	–
†HARWICH ...	–	–	5	–	–	–
†ILFORD	–	5	3	–	1	–
†LEYTON	–	1	2	–	–	–
MALDON	–	–	2	–	–	–
†ROMFORD ...	–	3	–	–	–	–
SHOEBURYNESS ...	–	–	–	–	1	–
†WALTHAMSTOW ...	–	11	6	–	1	–
†WANSTEAD ...	–	–	1	–	–	–
†WOODFORD ...	–	1	–	–	–	–
Rural Districts:—						
BILLERICAY ...	–	3	–	–	–	–
EPPING	–	–	1	–	–	–
MALDON... ...	–	2	–	–	–	–
ROCHFORD ...	–	1	–	–	–	–
GLOUCESTER ...	11	30	35	13	14	G. 1 M. 3
†BRISTOL C.B. ...	–	14	28	3	11	G. 1 M. 1
†GLOUCESTER C.B.	–	6	2	8	1	M. 2
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	5	1	–	–
STROUD	–	2	–	–	–	–
TEWKESBURY ...	–	–	–	–	1	–
GLOUCESTER—*cont.*						
Rural Districts:—						
CIRENCESTER ...	–	1	–	–	–	–
DURSLEY... ...	–	–	–	–	1	–
EAST DEAN AND UNITED PARISHES ...	11	2	–	–	–	–
GLOUCESTER ...	–	–	–	1	–	–
NEWENT	–	2	–	–	–	–
WEST DEAN ...	–	1	–	–	–	–
WINCHCOMB(part)	–	1	–	–	–	–
HEREFORD ...	–	6	1	–	1	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	–	–	–	–
LEOMINSTER ...	–	1	–	–	–	–
ROSS	–	–	–	–	1	–
Rural Districts:—						
LEOMINSTER ...	–	4	–	–	–	–
WIGMORE ...	–	–	1	–	–	–
HERTFORD ..	–	7	3	10	1	M. 1
Boroughs and Urban Districts:—						
BALDOCK ...	–	–	–	–	–	M. 1
BISHOP'S STORTFORD	–	3	–	10	–	–
†CHESHUNT ...	–	–	–	–	1	–
GREAT BERKHAMPSTEAD	–	1	–	–	–	–
†HERTFORD ...	–	1	1	–	–	–
†ST. ALBANS ...	–	1	–	–	–	–
Rural Districts:—						
BARNET	–	–	1	–	–	–
ST. ALBANS ...	–	–	1	–	–	–
WARE	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	2	–	–	1	–
Rural Districts:—						
NORMAN CROSS ...	–	–	–	–	1	–
ST. NEOTS, No. 3 ..	–	2	–	–	–	–
KENT	–	52	8	2	9	D. 1 M. 1
†CANTERBURY C.B	–	5	–	–	–	–
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	1	–	–	–	–
†BEXLEY	–	1	–	–	–	D. 1
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	–	–
†BROMLEY ...	–	1	–	–	1	–
†CHATHAM ...	–	1	–	–	–	–
CHISLEHURST ...	–	–	2	–	–	–
†CRAYFORD ...	–	–	–	–	1	–
†DEAL	–	1	–	–	–	–
†DOVER	–	2	–	–	–	–
†ERITH	–	5	–	–	1	–
†FOLKESTONE ...	–	3	1	–	1	–
†GILLINGHAM ...	–	2	–	–	–	–
†GRAVESEND ...	–	1	–	–	–	–
†HERNE BAY ...	–	1	–	–	–	–
†MAIDSTONE ...	–	1	–	–	–	–
†MARGATE ...	–	3	1	–	–	–
†NORTHFLEET ...	–	5	–	–	–	–
†PENGE	–	–	1	–	–	–
†RAMSGATE ...	–	2	–	–	–	–
†ROCHESTER ...	–	3	–	–	–	–
†ROYAL TUNBRIDGE WELLS	–	4	1	–	–	M. 1
SANDWICH ...	–	–	–	–	1	–
†SHEERNESS ...	–	2	–	–	–	–
SITTINGBOURNE	–	1	–	–	2	–
WALMER	–	1	–	–	–	–
WHITSTABLE ...	–	–	–	–	1	–
Rural Districts:—						
BRIDGE	–	–	–	–	1	–
BROMLEY ...	–	3	–	–	–	–
CRANBROOK ...	*	*	*	*	*	*
KENT—*cont.*						
Rural Districts—*cont.*						
DARTFORD ...	–	1	2	–	–	–
HOO	–	–	–	1	–	–
MALLING	–	–	–	1	–	–
MILTON	–	1	–	–	–	–
LANCASTER ...	–	188	59	5	209	C. 6 D. 1 E. 3 F. 1 G. 5 L. 2 M. 21
†BARROW IN FURNESS C.B	–	4	–	–	–	–
†BLACKBURN C.B.	–	2	–	–	5	–
†BLACKPOOL C.B.	–	–	–	–	–	M. 1
†BOLTON C.B. ...	–	12	–	–	2	M. 1
†BOOTLE C.B. ...	–	4	2	–	1	D. 1
†BURNLEY C.B. ...	–	1	2	–	1	C. 1 F. 1
†BURY C.B. ...	–	3	–	–	3	–
†LIVERPOOL C.B. ...	–	33	22	–	69	C. 1 E. 3 G. 4 L. 1 M. 7
†MANCHESTER C.B.	–	31	7	1	51	C. 2 M. 6
†OLDHAM C.B. ...	–	2	2	–	1	–
†PRESTON C.B. ...	–	6	3	–	3	C. 1 M. 1
†ROCHDALE C.B. ...	–	5	2	1	2	–
†ST. HELENS C.B....	–	2	–	–	4	L. 1
†SALFORD C.B. ...	–	10	1	–	–	–
†SOUTHPORT C.B.	–	10	–	–	3	–
†WARRINGTON C.B.	–	5	2	–	8	–
†WIGAN C.B. ...	–	1	–	1	4	–
Boroughs and Urban Districts:—						
†ACCRINGTON ...	–	1	–	–	1	–
†ASHTON IN MAKERFIELD	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ASHTON UNDER LYNE	–	3	–	–	2	–
ASPULL	–	–	1	–	3	–
†ATHERTON ...	–	–	–	–	2	–
†BACUP	–	–	–	–	1	–
BRIERFIELD ...	–	1	–	–	–	–
†CHADDERTON ..	–	–	–	–	2	–
†CHORLEY... ...	–	–	–	–	1	–
CLAYTON LE MOORS	*	*	*	*	*	*
†COLNE	–	–	1	–	1	–
†DALTON IN FURNESS	–	2	–	–	–	–
†DARWEN	–	1	–	–	–	–
†DENTON	–	–	1	–	1	–
†DROYLSDEN ...	–	–	–	–	1	–
†ECCLES	–	1	–	–	2	–
†FAILSWORTH ...	–	–	1	–	1	–
†FARNWORTH ...	–	–	–	–	1	–
†FLEETWOOD ...	–	3	–	–	–	–
†GREAT HARWOOD	–	3	–	–	–	–
†HEYWOOD ...	–	3	1	–	–	–
†HINDLEY... ...	–	1	–	–	1	–
HUYTON WITH ROBY ...	*	*	*	*	*	*
†INCE IN MAKERFIELD	–	–	–	–	3	M. 2
IRLAM	–	–	1	–	–	–
†LANCASTER ...	–	–	–	–	–	C. 1
LATHOM AND BURSCOUGH	–	–	1	–	–	–
†LEIGH	–	6	1	–	2	G. 1 M. 2
LITTLE HULTON	–	1	–	–	–	–
†LYTHAM, ST. ANNE'S	–	–	–	1	–	–
†MIDDLETON ...	–	1	–	–	4	–
†NEWTON IN MAKERFIELD	–	1	–	–	2	–
ORMSKIRK ...	–	1	–	–	–	–
ORRELL	–	–	1	–	–	–
†OSWALDTWISTLE	–	–	–	–	1	–
†PADIHAM... ...	–	1	–	–	–	–
PRESCOT	–	1	–	–	–	–
†RADCLIFFE ...	–	3	2	–	2	–
†RAMSBOTTOM ...	–	2	–	–	–	–
†RAWTENSTALL ...	–	1	–	–	1	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†ROYTON	–	–	1	–	–	–
†STRETFORD... ...	–	4	–	–	2	–
†SWINTON AND PENDLEBURY	–	4	1	–	1	M. 1
THORNTON ...	–	–	–	–	1	–
†TURTON	–	1	1	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	1	1	–	1	–
URMSTON... ..	–	–	–	–	2	–
†WALTON LE DALE	–	–	–	–	1	–
†WATERLOO WITH SEAFORTH	–	1	1	–	–	–
†WESTHOUGHTON	–	1	–	–	–	–
†WIDNES	–	4	–	–	4	–
Rural Districts:—						
BARTON UPON IRWELL	–	1	–	–	–	–
BURY	–	1	–	–	–	–
CLITHEROE ...	*	*	*	*	*	*
GARSTANG ...	–	1	–	–	–	–
LEIGH	–	1	–	1	–	–
LIMEHURST ...	*	*	*	*	*	*
WARRINGTON ...	–	–	–	–	2	–
WHISTON... ...	–	–	–	–	1	–
LEICESTER... ...	–	6	6	–	5	–
†LEICESTER C.B. ...	–	4	1	–	4	–
Boroughs and Urban Districts:—						
ASHBY WOULDS...	*	*	*	*	*	*
†COALVILLE ...	–	–	1	–	–	–
†LOUGHBOROUGH	–	1	1	–	–	–
Rural Districts:—						
BLABY	–	–	–	–	1	–
HINCKLEY ...	–	–	1	–	–	–
MARKET BOSWORTH	–	1	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	-	4	-	-	-	-
Rural Districts:—						
BOSTON	-	4	-	-	-	-
LINCOLN (parts of Kesteven).	-	2	-	-	2	D. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	*	*	*	*	*	*
Rural Districts:—						
BOURNE	-	2	-	-	1	-
GRANTHAM ...	-	-	-	-	-	D. 1
SLEAFORD ...	-	-	-	-	1	-
LINCOLN (parts of Lindsey).	-	10	12	1	1	D. 1 M. 1
†GRIMSBY C.B. ...	-	2	1	-	-	D. 1
Boroughs and Urban Districts:—						
ALFORD	-	1	-	-	-	-
BARTON UPON HUMBER	-	-	1	-	-	-
†GAINSBOROUGH ...	-	-	1	-	-	-
LOUTH	-	-	-	1	-	-
MABLETHORPE ...	-	1	-	-	-	-
†SCUNTHORPE AND FRODINGHAM	-	4	7	-	-	-
Rural Districts:—						
GAINSBOROUGH ...	-	-	-	-	1	-
GLANFORD BRIGG	-	-	-	-	-	M. 1
ISLE OF AXHOLME	-	-	1	-	-	-
SPILSBY	-	1	-	-	-	-
WELTON	-	1	1	-	-	-

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	-	62	41	-	17	C. 1 D. 1 M. 1
Boroughs and Urban Districts:—						
†ACTON	-	5	1	-	1	-
†BRENTFORD ...	-	1	1	-	1	-
†CHISWICK ...	-	4	-	-	-	-
†EALING	-	2	-	-	-	-
†EDMONTON ...	-	7	2	-	2	-
†ENFIELD	-	2	1	-	-	-
FELTHAM ...	-	1	-	-	3	-
†FINCHLEY ...	-	2	-	-	2	-
†FRIERN BARNET	*	*	*	*	*	*
†HAMPTON ...	-	1	-	-	-	-
†HANWELL ...	-	6	12	-	1	-
HAYES	-	-	1	-	-	-
†HENDON	-	1	-	-	1	-
†HESTON AND ISLEWORTH	-	2	5	-	-	-
†HORNSEY	-	3	2	-	-	D. 1
STAINES	-	-	2	-	-	-
†TEDDINGTON ...	-	2	-	-	-	-
†TOTTENHAM ...	-	11	3	-	3	-
†WILLESDEN ...	-	9	9	-	3	C. 1 M. 1
†WOOD GREEN ...	-	1	-	-	-	-
Rural Districts:—						
HENDON	-	1	1	-	-	-
STAINES	-	-	1	-	-	-
UXBRIDGE ...	-	1	-	-	-	-
NORFOLK	-	40	2	1	4	C. 1 M. 1
†NORWICH C.B. ...	-	18	1	-	1	M. 1
Boroughs and Urban Districts:—						
†KING'S LYNN ...	-	-	-	-	-	C. 1
NORTH WALSHAM	-	4	-	-	-	-
WELLS	*	*	*	*	*	*
Rural Districts:—						
DEPWADE ...	-	7	-	-	-	-
FOREHOE ...	-	1	-	-	-	-

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK—*cont.*						
Rural Districts—*cont.*						
FREEBRIDGE LYNN	–	2	–	–	–	–
HENSTEAD ...	–	1	1	–	–	–
MITFORD AND LAUNDITCH	–	2	–	–	–	–
ST. FAITH'S ...	–	–	–	–	1	–
SMALLBURGH ...	–	–	–	1	–	–
SWAFFHAM ...	–	3	–	–	–	–
WALSINGHAM ...	–	2	–	–	2	–
NORTHAMPTON ...	–	19	4	–	15	–
†NORTHAMPTON C.B.	–	7	3	–	13	–
Boroughs and Urban Districts:—						
BURTON LATIMER	*	*	*	*	*	*
DESBOROUGH ...	–	2	–	–	–	–
†KETTERING ...	–	3	1	–	–	–
ROTHWELL ...	–	1	–	–	–	–
†RUSHDEN ...	–	2	–	–	–	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	–	–	–	1	–
HARDINGSTONE ...	–	–	–	–	1	–
KETTERING ...	–	1	–	–	–	–
OXENDEN... ...	–	1	–	–	–	–
NORTHUMBERLAND	–	45	15	3	19	E. 1 M. 2
†NEWCASTLE UPON TYNE C.B.	–	12	9	–	11	–
†TYNEMOUTH C.B.	–	1	–	–	1	M. 1
NORTHUMBERLAND—*cont.*						
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	1	–	1	–	–
†BEDLINGTONSHIRE	–	3	–	–	3	–
†BLYTH	–	1	–	–	–	–
CRAMLINGTON ...	–	8	–	–	–	–
†GOSFORTH ...	–	–	1	–	–	–
†LONGBENTON ...	–	1	–	–	1	–
†NEWBURN ...	–	3	–	–	2	–
PRUDHOE... ...	–	1	–	1	–	–
SEATON DELAVAL	–	1	–	–	–	–
SEGHILL	–	–	3	–	–	–
†WALLSEND ...	–	1	1	–	1	E. 1 M. 1
WEETSLADE ...	–	4	–	–	–	–
†WHITLEY AND MONKSEATON	–	2	–	1	–	–
Rural Districts:—						
BELLINGHAM ...	–	1	–	–	–	–
CASTLE WARD ..	–	1	–	–	–	–
HALTWHISTLE ...	–	4	1	–	–	–
NOTTINGHAM ...	16	29	9	–	11	C. 1 M. 5
†NOTTINGHAM C.B.	–	11	5	–	5	C. 1 M. 2
Boroughs and Urban Districts:—						
†ARNOLD	–	1	–	–	–	–
†CARLTON	–	1	–	–	1	M. 1
†EAST RETFORD ...	–	–	–	–	2	–
EASTWOOD ...	–	1	–	–	–	–
†HUCKNALL ...	12	1	–	–	–	–
†KIRKBY IN ASHFIELD	3	–	–	–	–	–
†MANSFIELD ...	–	6	–	–	2	–
†NEWARK	–	3	3	–	–	–
†WEST BRIDGFORD	–	1	–	–	1	–
†WORKSOP... ...	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague : encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NOTTINGHAM— *cont.*						
Rural Districts:—						
BASFORD	1	2	–	–	–	–
BLYTH AND CUCKNEY	–	1	–	–	–	–
NEWARK	–	–	1	–	–	–
STAPLEFORD ...	–	1	–	–	–	M. 1
OXFORD	–	22	–	–	2	–
†OXFORD C.B. ...	–	7	–	–	–	–
Boroughs and Urban Districts:—						
†BANBURY ...	–	2	–	–	–	–
BICESTER... ...	–	1	–	–	–	–
WHEATLEY ...	–	4	–	–	–	–
Rural Districts:—						
CULHAM	–	3	–	–	–	–
HEADINGTON ...	–	3	–	–	–	–
THAME	–	1	–	–	–	–
WITNEY	–	1	–	–	2	–
PETERBOROUGH (Soke of)	–	–	1	–	1	M. 1
Borough:—						
†PETERBOROUGH...	–	–	1	–	–	–
Rural Districts:—						
PETERBOROUGH...	–	–	–	–	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SALOP	–	11	3	1	5	–
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	–	–	–	1	–
DAWLEY	–	–	1	–	1	–
†OAKENGATES ...	–	1	–	–	–	–
OSWESTRY ...	–	3	–	–	–	–
†SHREWSBURY ...	–	–	–	–	1	–
WELLINGTON ...	–	–	–	–	1	–
Rural Districts:—						
BRIDGNORTH ...	–	–	1	–	–	–
ELLESMERE ...	–	4	–	–	–	–
LUDLOW	–	2	–	–	–	–
NEWPORT ...	–	–	–	–	1	–
OSWESTRY ...	–	1	1	–	–	–
WEM	–	–	–	1	–	–
SOMERSET	–	25	2	2	7	M. 3
†BATH C.B. ...	–	10	–	1	1	M. 1
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	2	–	–	–
BURNHAM ON SEA	–	1	–	–	–	–
HIGHBRIDGE ...	–	–	–	1	–	–
MIDSOMER NORTON	*	*	*	*	*	*
RADSTOCK ...	–	2	–	–	–	–
†TAUNTON... ...	–	–	–	–	1	M. 1
†WESTON SUPER MARE	–	2	–	–	–	–
†YEOVIL	–	1	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	3	–	–	2	–
CHARD	–	1	–	–	1	–
KEYNSHAM ...	–	1	–	–	–	–
LONG ASHTON ...	–	2	–	–	–	–
WILLITON ...	–	–	–	–	1	–
WINCANTON ...	–	2	–	–	–	–
YEOVIL	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ...	–	36	30	–	4	C. 1 M. 4
†BOURNEMOUTH C.B.	–	2	4	–	–	–
†PORTSMOUTH C.B.	–	15	14	–	–	M. 3
†SOUTHAMPTON C.B.	–	13	3	–	–	–
Boroughs and Urban Districts:—						
ANDOVER... ...	–	–	5	–	–	M. 1
†EASTLEIGH AND BISHOPSTOKE	–	1	–	–	3	–
†WINCHESTER ...	–	–	3	–	–	–
Rural Districts:—						
DROXFORD ...	–	–	–	–	1	–
FAREHAM ...	–	–	1	–	–	–
NEW FOREST ...	–	–	–	–	–	C. 1
SOUTH STONEHAM	–	2	–	–	–	–
WHITCHURCH ...	–	1	–	–	–	–
WINCHESTER ...	–	2	–	–	–	–
STAFFORD	–	93	15	6	36	M. 8
†BURTON UPON TRENT C.B.	–	–	–	–	–	M. 1
†SMETHWICK C.B.	–	5	3	–	4	–
†STOKE ON TRENT C.B.	–	28	2	6	15	M. 5
†WALSALL C.B. ...	–	2	–	–	1	M. 1
†WEST BROMWICH C.B.	–	4	4	–	7	–
†WOLVERHAMPTON C.B.	–	2	2	–	1	–
Boroughs and Urban Districts:—						
†AUDLEY	–	4	–	–	–	–
BIDDULPH ..	–	5	–	–	–	
†BRIERLEY HILL...	–	–	–	–	–	M. 1
†BROWNHILLS ...	–	1	–	–	–	–
†CANNOCK	–	2	–	–	–	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	–	–	–	1	–
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†LEEK	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	–	–	–	1	–
PERRY BARR ...	–	2	–	–	–	–
QUARRY BANK ...	–	–	–	–	1	–
†ROWLEY REGIS ...	–	8	–	–	1	–
†SEDGLEY	–	1	–	–	–	–
UTTOXETER ...	–	1	–	–	–	–
†WEDNESBURY ...	–	–	1	–	1	–
†WILLENHALL ...	–	1	–	–	–	–
†WOLSTANTON UNITED	–	5	2	–	–	–
Rural Districts:—						
CHEADLE... ...	–	1	–	–	–	–
KINGSWINFORD ...	–	3	1	–	–	–
LEEK	–	2	–	–	–	–
LICHFIELD ...	–	1	–	–	–	–
SEISDON	–	1	–	–	1	–
STONE	–	7	–	–	1	–
TUTBURY... ...	–	1	–	–	–	–
WALSALL... ...	–	5	–	–	1	–
SUFFOLK, EAST ...	–	9	6	1	4	C. 1
†IPSWICH C.B. ...	–	–	4	–	1	C. 1
Boroughs and Urban Districts:—						
BECCLES	–	1	–	–	–	–
BUNGAY	–	–	–	–	1	–
†LOWESTOFT ...	–	3	2	–	–	–
STOWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
BOSMERE AND CLAYDON	–	–	–	–	1	–
MUTFORD AND LOTHINGLAND	–	–	–	1	–	–
SAMFORD... ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts—*cont.*						
WANGFORD ...	–	–	–	–	1	–
WOODBRIDGE ...	–	3	–	–	–	–
SUFFOLK, WEST ...	–	–	–	–	–	–
Rural Districts:—						
COSFORD	*	*	*	*	*	*
SURREY	–	24	10	–	3	C. 1 M. 1
†CROYDON C.B. ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
†BEDDINGTON AND WALLINGTON	–	–	1	–	–	–
†CARSHALTON ...	–	1	2	–	–	–
†CHERTSEY ...	–	2	–	–	–	M. 1
EAST AND WEST MOLESEY	–	1	–	–	–	–
†ESHER AND THE DITTONS	–	1	–	–	–	–
†FARNHAM ...	–	1	1	–	–	–
HAM	–	2	–	–	–	–
†KINGSTON ON THAMES	–	–	1	–	–	–
†MERTON AND MORDEN	–	2	1	–	–	–
†MITCHAM... ...	–	1	1	–	1	–
†REIGATE	–	1	–	–	–	–
†RICHMOND ...	–	–	1	–	–	–
†SUTTON	–	1	1	–	–	–
†WIMBLEDON ...	–	3	–	–	–	–
†WOKING	–	–	–	–	–	C. 1
Rural Districts:—						
CHERTSEY ...	–	1	–	–	–	–
DORKING	–	1	–	–	–	–
EPSOM	–	3	–	–	1	–
GODSTONE ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST ...	–	15	7	1	3	E. 2 L. 2
†BRIGHTON C.B. ...	–	9	6	1	2	E. 2
†HASTINGS C.B. ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	1	–	–	–	–
†HOVE	–	3	–	–	–	–
PORTSLADE BY SEA	–	1	–	–	–	–
Rural Districts:—						
CHAILEY... ...	*	*	*	*	*	*
HAILSHAM ...	–	–	–	–	–	L. 2
STEYNING EAST...	–	–	1	–	–	–
SUSSEX, WEST ...	–	6	1	–	1	C. 1 M. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	2	–	–	–	–
†CHICHESTER ...	–	–	–	–	1	–
†HORSHAM ...	–	2	–	–	–	–
†WORTHING ...	–	1	1	–	–	–
Rural Districts:—						
THAKEHAM ...	–	–	–	–	–	M. 1
WESTBOURNE ...	–	–	–	–	–	C. 1
WESTHAMPNETT	–	1	–	–	–	–
WARWICK	–	73	43	–	31	C. 5 E. 1 F. 1 M. 6
†BIRMINGHAM C.B.	–	53	35	–	23	C. 5 E. 1 F. 1 M. 5
†COVENTRY C.B. ...	–	3	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
†NUNEATON ...	–	1	–	–	1	–
†ROYAL LEAMINGTON SPA	–	2	–	–	–	–
†RUGBY	–	1	–	–	1	–
STRATFORD ON AVON	–	–	1	–	–	–
†SUTTON COLDFIELD	–	–	–	–	–	M. 1
Rural Districts:—						
ATHERSTONE ...	–	2	2	–	2	–
COVENTRY ...	–	1	–	–	–	–
FOLESHILL ...	–	–	–	–	1	–
MERIDEN... ...	–	4	1	–	1	–
NUNEATON ...	–	2	–	–	–	–
RUGBY	–	–	1	–	–	–
TAMWORTH (part)	–	–	3	–	–	–
WARWICK ...	–	4	–	–	–	–
WESTMORLAND ...	–	2	3	–	1	–
Boroughs and Urban Districts:—						
†KENDAL	–	2	2	–	–	–
KIRKBY LONSDALE	–	–	–	–	1	–
Rural Districts:—						
SOUTH WESTMORLAND	–	–	1	–	–	–
WIGHT, ISLE OF ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
†COWES	–	1	–	–	–	–
†NEWPORT... ...	–	–	–	–	1	–
SANDOWN ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	7	3	–	–	M. 3
Boroughs and Urban Districts:—						
CHIPPENHAM ...	–	–	–	–	–	M. 1
DEVIZES	–	1	–	–	–	–
†SALISBURY ...	–	–	2	–	–	–
†SWINDON... ...	–	1	–	–	–	M. 1
Rural Districts:—						
CHIPPENHAM ...	–	3	–	–	–	–
MERE	–	–	1	–	–	–
PEWSEY	–	1	–	–	–	M. 1
WARMINSTER ...	–	1	–	–	–	–
WORCESTER ...	–	20	–	–	4	M. 1
†DUDLEY C.B. ...	–	4	–	–	1	–
†WORCESTER C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
†KIDDERMINSTER	–	1	–	–	–	–
†LYE AND WOLLESCOTE	–	1	–	–	–	M. 1
†OLDBURY... ...	–	2	–	–	1	–
†REDDITCH ...	*	*	*	*	*	
STOURPORT ...	–	1	–	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
FECKENHAM ...	–	2	–	–	–	–
HALESOWEN ...	–	–	–	–	1	–
MARTLEY... ...	–	2	–	–	–	–
PERSHORE ...	–	1	–	–	–	–
SHIPSTON ON STOUR	–	1	–	–	–	–
TEWKESBURY (part)	–	1	–	–	–	–
UPTON ON SEVERN	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding.)	–	8	5	–	4	C. 1
†KINGSTON UPON HULL C.B.	–	6	5	–	4	C. 1
Boroughs and Urban Districts:—						
HESSLE	–	1	–	–	–	–
Rural Districts:—						
BEVERLEY ...	*	*	*	*	*	*
PATRINGTON ...	–	1	–	–	–	–
SHERBURN ...	*	*	*	*	*	*
YORKS ... ... (North Riding.)	–	58	8	–	10	M. 2
†MIDDLESBROUGH C.B.	–	29	4	–	6	M. 2
Boroughs and Urban Districts:—						
†ESTON	–	6	–	–	–	–
LOFTUS	–	2	–	–	1	–
NORTHALLERTON	–	1	–	–	–	–
†REDCAR	–	1	1	–	–	–
SALTBURN BY THE SEA	–	1	–	–	–	–
†SCARBOROUGH ...	–	2	1	–	–	–
†SKELTON AND BROTTON	–	–	1	–	–	–
†THORNABY ON TEES	–	4	–	–	–	–
†WHITBY	–	9	1	–	–	–
Rural Districts:—						
GUISBOROUGH ...	–	1	–	–	–	–
KIRKBY MOORSIDE	–	–	–	–	2	–
NORTHALLERTON	–	1	–	–	–	–
PICKERING ...	–	–	–	–	1	–
SCARBOROUGH ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (West Riding.)	1	178	41	5	94	C. 5 G. 1 M. 8
†BARNSLEY C.B. ...	–	–	2	1	2	C. 1 M. 2
†BRADFORD C.B. ...	–	12	1	–	10	C. 1 M. 1
†DEWSBURY C.B....	–	2	–	–	2	–
†HALIFAX C.B. ...	–	3	–	–	–	–
†HUDDERSFIELD C.B.	–	1	2	1	1	M. 1
†LEEDS C.B. ...	–	31	7	–	11	C. 2 M. 1
†ROTHERHAM C.B.	–	6	–	–	5	–
†SHEFFIELD C.B....	–	44	8	–	22	C. 1
†WAKEFIELD C.B.	–	1	2	–	2	M. 1
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	4	–	1	–
BAILDON	–	1	–	–	–	–
†BARNOLDSWICK ...	–	–	–	–	2	–
†BATLEY	–	2	1	–	3	–
†BENTLEY WITH ARKSEY	1	3	–	–	–	–
†BINGLEY	–	2	–	–	1	–
BIRSTAL	–	1	–	–	–	–
†BOLTON UPON DEARNE	–	–	–	1	–	–
†BRIGHOUSE ...	–	8	–	–	–	–
†CASTLEFORD ...	–	1	–	–	–	–
†CONISBROUGH ...	–	1	–	–	–	–
CUDWORTH ...	–	–	1	–	–	–
†DARTON	–	–	–	–	1	–
DODWORTH ...	–	1	–	–	–	–
†DONCASTER ...	–	2	2	–	–	–
DRIGHLINGTON ...	–	–	–	–	1	–
†ELLAND	–	1	–	–	–	–
†FEATHERSTONE ...	–	5	–	–	–	–
†GOOLE	–	4	3	1	–	G. 1
†HARROGATE ...	–	–	2		1	–
HECKMONDWIKE	–	–	–	–	–	M. 1
†HEMSWORTH ...	–	3	–	–	1	–
†HOLMFIRTH ...	–	–	–	1	–	–
HORBURY ...	–	1	–	–	–	–
†HOYLAND NETHER	*	*	*	*	*	*
†KEIGHLEY ...	–	1	–	–	–	–
KIRKBURTON ...	–	1	–	–	–	–
KNOTTINGLEY ...	–	2	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MEXBOROUGH ...	–	2	–	–	1	–
†MORLEY	–	1	–	–	1	–
MYTHOLMROYD ...	–	–	–	–	1	–
†NORMANTON ..	–	–	–	–	6	–
OTLEY	–	–	–	–	5	–
†PONTEFRACT ...	–	4	–	–	–	–
†PUDSEY	–	–	1	–	–	–
RAWDON	*	*	*	*	*	*
†RAWMARSH ...	–	3	–	–	–	–
SELBY	–	1	–	–	–	–
†SHIPLEY	–	1	1	–	–	–
†SKIPTON	–	–	–	–	1	–
SLAITHWAITE ...	–	–	1	–	–	–
†SPENBOROUGH ...	–	2	–	–	1	–
†STANLEY	–	1	1	–	2	–
STOCKSBRIDGE ...	–	1	–	–	–	–
†SWINTON... ...	–	–	–	–	2	M. 1
THURSTONLAND...	–	1	–	–	–	–
†TODMORDEN ...	–	–	1	–	–	–
†WATH UPON DEARNE	–	1	–	–	–	–
WHITLEY UPPER	–	–	–	–	1	–
†WOMBWELL ...	–	–	–	–	2	–
†WORSBOROUGH ...	–	–	–	–	1	–
Rural Districts—						
BISHOPTHORPE ...	–	1	–	–	–	–
DONCASTER ...	–	1	–	–	2	–
HEMSWORTH ...	–	6	–	–	–	–
HUNSLET... ...	–	1	–	–	–	–
KIVETON PARK ...	–	1	–	–	–	–
KNARESBOROUGH	–	–	1	–	–	–
PENISTONE ...	*	*	*	*	*	*
PONTEFRACT ...	–	3	–	–	1	–
RIPON	*	*	*	*	*	*
ROTHERHAM ...	–	5	–	–	–	–
TADCASTER ...	–	1	–	–	–	–
WORTLEY ...	–	1	–	–	–	–
County Borough :—						
§†YORK	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	–	2	1	–	1	–
Boroughs and Urban Districts :—						
AMLWCH	–	–	–	–	1	–
†HOLYHEAD ...	–	2	–	–	–	–
Rural Districts :—						
VALLEY	–	–	1	–	–	–
BRECKNOCK ...	–	1	–	1	3	–
Urban Districts :—						
BRYNMAWR ...	–	–	–	1	1	–
Rural Districts :—						
LLANWRTHWL (parish)	*	*	*	*	*	*
VAYNOR AND PENDERYN	–	1	–	–	–	–
YSTRADFELLTE (parish)	–	–	–	–	1	–
YSTRADGYNLAIS	–	–	–	–	1	–
CARDIGAN	–	1	–	–	–	–
Rural Districts :—						
ABERYSTWYTH (NORTH)	–	1	–	–	–	–
CARMARTHEN ...	–	6	10	–	3	–
Boroughs and Urban Districts :—						
LLANDILO ...	–	–	2	–	–	–
LLANDOVERY ...	*	*	*	*	*	*
†LLANELLY ...	–	4	2	–	1	–
Rural Districts :—						
LLANDOVERY ...	*	*	*	*	*	*
LLANELLY ...	–	2	6	–	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

§ York C.B. is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON ...	–	8	1	1	–	–
Boroughs and Urban Districts:—						
BETHESDA ...	–	1	–	–	–	–
CARNARVON ...	–	1	1	–	–	–
CONWAY	–	1	–	–	–	–
PORTMADOC ...	–	–	–	1	–	–
Rural Districts:—						
CONWAY	–	1	–	–	–	–
GWYRFAI	–	1	–	–	–	–
LLEYN	–	1	–	–	–	–
OGWEN	–	2	–	–	–	–
DENBIGH	–	1	1	–	–	–
Boroughs and Urban Districts:—						
DENBIGH... ...	–	1	1	–	–	–
†WREXHAM ...	*	*	*	*	*	*
Rural Districts:—						
WREXHAM ...	*	*	*	*	*	*
FLINT	–	7	5	–	2	–
Boroughs and Urban Districts:—						
BUCKLEY... ...	–	1	–	–	–	–
CONNAH'S QUAY...	–	1	2	–	–	–
†RHYL	–	2	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	–	–	2	–
HOLYWELL (HOLYWELL DIV.)	–	–	2	–	–	–
ST. ASAPH (FLINT)	–	3	–	–	–	–
GLAMORGAN ...	–	54	48	2	22	C. 1 M. 6
†CARDIFF C.B. ...	–	2	4	–	3	M. 2
†MERTHYR TYDFIL C.B.	–	2	5	–	–	–
†SWANSEA C.B. ...	–	21	12	–	1	M. 1
GLAMORGAN—*cont.*						
Boroughs and Urban Districts:—						
†ABERDARE ...	–	4	–	–	4	–
†BARRY	–	–	7	1	1	–
†CAERPHILLY ...	–	4	2	–	–	–
†GELLIGAER ...	–	–	1	–	–	–
†GLYNCORWG ...	–	1	–	–	–	–
†MAESTEG... ...	–	–	1	–	2	M. 1
†MOUNTAIN ASH...	–	–	1	–	2	–
†NEATH	–	–	3	–	1	–
†OGMORE AND GARW	–	2	–	–	–	–
†PENARTH ...	–	1	1	–	–	–
†PONTYPRIDD ...	–	2	–	–	1	–
PORTHCAWL ...	–	–	3	–	–	–
†PORT TALBOT ...	–	2	2	–	–	–
†RHONDDA ..	–	7	5	–	5	C. 1 M. 1
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
COWBRIDGE ...	*	*	*	*	*	*
GOWER	*	*	*	*	*	*
LLANTRISANT AND LLANTWITFARDRE	–	–	–	1	–	M. 1
NEATH	–	4	1	–	2	–
SWANSEA... ...	–	2	–	–	–	–
MERIONETH ...	–	3	–	–	1	–
Urban Districts:—						
FESTINIOG ...	–	2	–	–	–	–
Rural Districts:—						
DEUDRAETH ...	–	1	–	–	–	–
DOLGELLEY ...	–	–	–	–	1	–
MONMOUTH ...	–	39	8	–	9	C. 3 L. 1 M. 1
†NEWPORT C.B. ...	–	–	–	–	4	C. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	–	5	–	–	–	–
ABERGAVENNY ...	–	2	–	–	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	3	1	–	–	L. 1
BEDWAS AND MACHEN	–	–	–	–	1	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Bedwellty ...	–	5	–	–	–	–
†Ebbw Vale ...	–	20	–	–	–	–
Llantarnam ...	–	–	–	–	1	–
†Nantyglo and Blaina	–	–	–	–	1	M. 1
†Pantyg	–	1	–	–	–	–
Pontypool ...	–	1	–	–	–	–
†Rhymney ...	–	–	2	–	–	–
†Risca	–	–	3	–	–	–
†Tredegar ...	–	–	2	–	2	–
Rural Districts:—						
Pontypool ...	–	–	–	–	–	C. 1
Saint Mellons...	–	1	–	–	–	–
MONTGOMERY ...	–	2	–	–	1	–
Boroughs and Urban Districts:—						
Machynlleth ...	–	1	–	–	–	–
Rural Districts:—						
Llanfyllin ...	–	1	–	–	1	–
Newtown and Llanidloes	*	*	*	*	*	*
PEMBROKE	–	1	3	–	–	M. 1
Boroughs and Urban Districts:—						
Haverfordwest	–	–	1	–	–	–
†Pembroke ...	–	–	–	–	–	M. 1
Rural Districts:—						
Narberth ...	–	–	2	–	–	–
St. Dogmells ...	–	1	–	–	–	–
RADNOR	–	2	–	–	–	–
Rural Districts:—						
Knighton ...	–	2	–	–	–	–
Rhayader ...	*	*	*	*	*	*
Total of Part II. ...	37	1556	592	63	673	C. 33 D. 5 E. 7 F. 2 G. 8 L. 7 M. 94

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Cardiff	1	–	–	–	–	–
Colchester	*	*	*	*	*	*
Manchester	–	–	–	2	–	–
Plymouth	–	–	–	–	–	L. 1
Southampton ...	–	–	–	1	–	–
Wells (Norfolk) ...	*	*	*	*	*	*
Port of London ...	–	3	–	–	1	–
Total of Part III. ...	1	3	–	3	1	L.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part IV.—England and Wales.

	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	227	197	4	109	C. 5 E. 1 G. 1 M. 5
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	37	1556	592	63	673	C. 33 D. 5 E. 7 F. 2 G 8 L. 7 M. 94
Total of Part III.—Port Sanitary Districts	1	3	–	3	1	L. 1
Total (*i.e.*, **of returns received), England and Wales** ...	38	1786	789	70	783	C. 38 D. 5 E. 8 F. 2 G. 9 L. 8 M. 99

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; , Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-ncephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Typhus or Plague notified during the week. The ses of Small-pox notified appear on pages 1324, 1326, 1330, 1335, and 1338.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. } BIRTHS, DEATHS (distinguishing certain CAUSE and DEATHS of INFANTS under 1 YEAR o AGE) and NOTIFIED CASES of certain IN FECTIOUS DISEASES in the last THIRTEE WEEKS.

Week ended :—	Sept. 1.	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.
LONDON :—													
DEATHS—all ages	782	799	807	868	928	831	869	853	885	905	822	947	1,037
„ 0 to 1 year ..	122	106	115	116	149	128	129	104	119	104	75	109	87
GREAT TOWNS, aggregate (including London) :—													
BIRTHS	7,482	7,682	7,281	7,154	7,428	6,905	7,078	7,464	7,182	7,721	6,870	7,128	7,233
DEATHS—all ages	3,287	3,428	3,395	3,616	3,660	3,474	3,650	3,579	3,676	3,619	3,734	4,179	4,331
„ 0 to 1 year ..	484	471	493	514	516	454	468	464	473	457	448	505	510
ENTERIC FEVER—Cases	26	31	38	32	37	35	53	44	29	40	31	30	33
„ Deaths	2	4	4	4	3	8	4	7	1	3	6	2	[illegible]
SMALL POX—Cases ..	12	10	17	16	9	16	26	4	7	9	3	7	[illegible]
„ Deaths ..	—	—	—	—	2	—	—	—	—	—	—	—	[illegible]
SCARLET FEVER—Cases	611	736	755	850	997	956	995	1,013	1,158	1,120	988	1,104	938
„ Deaths	7	11	6	9	9	8	11	15	8	9	11	6	8
DIPHTHERIA—Cases ..	391	374	467	500	473	450	525	498	536	585	480	491	529
„ Deaths ..	27	21	26	27	24	22	22	25	25	33	36	18	30
MEASLES—Deaths ..	15	15	15	17	6	10	8	15	16	19	21	20	29
INFLUENZA—Deaths ..	14	20	9	28	33	31	40	33	29	37	35	55	58

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 24th November, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	44	30	39·7	32·4	1
BRIGHTON ..	47	31	42·4	33·6	0
PORTSMOUTH ..	46	31	42·1	33·7	1
NORWICH (EATON).	42	29	39·4	31·4	16
PLYMOUTH ..	47	27	44·0	32·9	7
BRISTOL (CLIFTON).	45	29	40·3	32·6	1
BIRMINGHAM (EDGBASTON)	43	26	39·6	31·7	6
NOTTINGHAM ..	44	24	40·7	31·9	3
BIRKENHEAD (BIDSTON).	44	30	41·4	35·3	3
MANCHESTER (WHITWORTH PARK).	43	23	39·6	31·0	5
BURNLEY.. ..	41	21	38·6	28·3	6
HUDDERSFIELD	45	25	42·0	31·6	5
BRADFORD ..	41	28	38·9	31·4	5
SHEFFIELD ..	Not received.				
YORK (MUSEUM)	44	29	40·4	32·6	8
HULL (PEARSON PARK).	44	30	41·6	32·6	18
TYNEMOUTH ..	44	33	41·3	34·9	27
CARDIFF	46	26	42·7	31·7	1
EDINBURGH ..	40·0	28·0	38·9	32·7	3
GLASGOW ..	43·9	22·8	40·0	30·9	0
DUBLIN (PHŒNIX PARK).	43·0	22·1	37·7	27·3	6
FITZWILLIAM SQUARE.†	43·0	26·2	38·2	30·7	4
BELFAST	45·0	27·0	42·4	30·0	23

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 24th November, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
NOVEMBER.			in.	°	°	°	°		°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	18	In Equator	29·442	42·2	31·9	10·3	36·9	− 5·5	32·3	4·6	10·3	2·0	84	46·0	24·9	48·0	SW : WSW.	WSW	2·2	0·0	0·1	305	+ 12	0·00
MONDAY -	19	..	29·401	44·1	33·0	11·1	39·1	− 3·2	32·6	6·5	9·2	3·7	78	52·5	25·2	47·9	WSW : WNW.	NW	2·2	0·0	0·2	365	+ 70	0·00
TUESDAY -	20	..	29·338	39·2	29·9	9·3	35·5	− 6·7	30·9	4·6	6·4	3·3	83	47·0	21·9	47·5	SW : WSW.	WNW : NNW.	0·5	0·0	0·0	233	− 63	0·00
WEDNESDAY	21	..	29·478	40·3	34·1	6·2	37·8	− 4·3	34·7	3·1	5·2	2·4	89	48·7	26·9	47·2	NNW	NNW : NW.	0·9	0·0	0·0	203	− 93	0·00
THURSDAY -	22	Apogee	29·592	39·6	34·3	5·3	37·0	− 5·1	34·3	2·7	4·8	1·4	90	44·0	28·4	47·0	W : NW : NNW.	NNW	0·4	0·0	0·0	206	− 94	0·02
FRIDAY -	23	Full	29·707	39·9	32·2	7·7	36·2	− 5·8	30·7	5·5	7·5	3·2	81	48·1	26·1	46·9	NNW	NNW : NNE.	0·8	0·0	0·0	201	− 103	0·00
SATURDAY -	24	..	29·962	36·7	31·7	5·0	32·8	− 9·2	31·0	1·8	3·2	1·0	94	36·9	30·2	46·6	NNW	Calm	0·0	0·0	0·0	116	− 192	0·00
MEANS -		..	29·560	40·3	32·4	7·8	36·5	− 5·7	32·4	4·1	6·7	2·4	86	46·2	26·2	47·3	NNW		..	..	..	Sum 1,629	Sum − 463	Sum 0·02
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. NOVEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	18	wP till 4½h.; then mP.	1·8	8·7	Variably cloudy. Mist till 15h. Hoar frost in morning and at night.
MONDAY ..	19	mP till 13h.; then sP.	0·3	8·7	Variably cloudy, clearing to cloudless by 21h. Damping 4h. Hoar frost in morning.
TUESDAY ..	20	mP till 2h.; then loss of Register.	0·0	8·6	Partially cloudy till 9h., then overcast. Hoar frost in morning. Mist from 9h. till 15h. Gloom 13½h.
WEDNESDAY	21	Loss of Register.	0·0	8·6	Overcast. Slight shower 9¾h. Mist from 9h.
THURSDAY	22	Loss of Register till 12¾h.; sP till 19h.; then mP.	0·0	8·5	Overcast generally. Rain 2h. till 3h. Damping 8h. till 9h. and 15h. till 18h. Partial lunar halo 15h. Mist and hoar frost at night.
FRIDAY ..	23	mP till 5h.; sP till 14h., then mP.	0·1	8·5	Overcast. Hoar frost in morning.
SATURDAY	24	mP	0·0	8·4	Overcast. Misty from 9h.
			Sum 2·2	Sum 60·0	
No. of Col. ..		26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·57 in. at the beginning of the week to 29·32 in. by 14h. on 20th; increased and was 30·01 in. by midnight on the 24th.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS
11-17, Hare Street, E.2

(45962) Wt. 392—P 31 2250 11/28 H St. G 43

FOR OFFICIAL USE.

1923. No. 48.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 1st DECEMBER, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course

NOTES FOR THE WEEK ENDED 1ST DECEMBER, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-eighth week of the year numbered 6,645 and corresponded to an annual rate of 18·0 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,232 and corresponded to an annual rate of 14·2 per 1,000 of their aggregate civilian population, which is estimated at 19,170,699 in the year 1922. In the preceding three weeks the rates had been 10·2, 11·4 and 11·8. Infant mortality was 79 per 1,000 births, against 65, 71 and 70 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,564 births, corresponding to a rate of 18·0 per 1,000, and 1,335 deaths of civilians, corresponding to a rate of 15·4, as against 9·5, 10·9 and 11·9 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 11·9 per 1,000. The infant mortality was 68 as against 46, 64 and 52 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 904 in the total deaths last week, and the deaths from influenza rose from 58 to 68. In London the number of deaths from all causes rose from 1,037 to 1,335; while the deaths from diphtheria, which had been 10, 7 and 13 in the preceding three weeks, fell to 9 last week, and those from measles, which had been 8, 10 and 15 in the preceding three weeks, rose to 37 last week.

Just Published:

Census of England and Wales, 1921.

County of Nottingham. Price 7*s*. 6*d*. net.

County of Norfolk. Price 9*s*. net.

County of Suffolk. Price 10*s*. net.

County of Sussex. Price 11*s*. net.

County of Hampshire. Price 12*s*. net.

Counties of Lincoln and Rutland. Price 16*s*. net.

The Registrar General's Statistical Review, 1922.

Tables, Part I. Medical. Price 15*s*. net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 1st December, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,699*	6,645	5,232	528	2	56	15	28	29	57	68
London	4,534,230*	1,564	1,335	106	1	37	2	4	9	14	14
Towns in Outer Ring.											
Croydon C.B. ..	192,300	57	52	6	–	–	–	–	–	3	–
Wimbledon ..	61,730	10	6	1	–	–	–	–	–	–	–
Ealing	67,890	18	20	2	–	–	–	–	–	–	–
Acton	62,390	11	15	–	–	–	–	–	–	–	–
Willesden ..	168,200	33	37	3	–	–	–	1	–	2	–
Hendon	55,930	12	9	–	–	–	–	–	–	–	–
Hornsey	87,310	20	26	1	–	–	–	–	–	–	–
Wood Green ..	51,290	7	13	2	–	–	–	–	–	–	–
Tottenham ..	150,500	54	42	7	–	1	–	–	–	3	–
Edmonton ..	68,700	23	17	–	–	–	–	–	–	–	–
Enfield	62,010	21	14	2	–	–	–	–	–	–	–
West Ham C.B. ..	310,200	113	91	9	–	1	–	–	1	–	1
East Ham C.B. ..	145,800	29	42	1	–	2	–	–	–	–	–
Leyton	131,600	31	29	–	–	–	–	–	–	–	1
Walthamstow ..	129,700	49	20	4	–	–	–	–	–	–	–
Ilford	86,370	28	13	1	–	–	–	–	–	–	–
Gillingham	48,630*	14	13	1	–	–	–	–	–	1	1
Canterbury C.B ..	23,680	8	10	–	–	–	–	–	–	–	–
Hastings C.B.	59,500	13	21	1	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	10	9	–	–	–	–	–	–	–	–
Brighton C.B. ..	135,279†	51	50	–	–	–	–	–	2	–	–
Portsmouth C.B. ..	236,630*	119	60	9	–	–	–	1	1	–	1
Bournemouth C.B. ..	81,500	18	23	–	–	–	–	–	–	–	–
Southampton C.B. ..	163,700	40	32	2	–	–	–	–	–	–	2
Reading C.B.	92,990	28	27	3	–	2	–	–	–	–	1
Oxford C.B.	56,510	14	19	–	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	33	27	2	–	–	–	–	–	–	2
Luton	58,260	17	22	1	–	–	–	–	–	–	–
Cambridge	59,200	17	11	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	91,430	22	31	1	–	–	–	–	–	–	1
Ipswich C.B.	80,950	19	16	1	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	22	19	–	–	–	–	–	–	–	–
Norwich C.B ..	122,900	48	29	2	–	–	–	–	–	–	–
Swindon	55,680	12	14	2	–	–	–	–	–	–	–
Exeter C.B.	59,700	18	15	2	–	–	–	–	1	–	–
Plymouth C.B. ..	200,370*	66	49	2	–	–	–	1	–	–	1
Bath C.B.	68,530	13	30	1	–	–	–	–	–	–	2
Bristol C.B.	383,900	113	120	5	–	1	–	–	3	1	2
Gloucester C.B. ..	52,210	14	23	2	–	2	–	–	–	–	3
Stoke-on-Trent C.B.	274,300	122	76	8	–	–	–	1	–	3	3
Burton-upon-Trent C.B.	49,630	16	13	–	–	–	–	–	–	–	–
Wolverhampton C.B.	105,700	50	27	5	–	–	–	–	–	–	–
Walsall C.B.	99,890	56	26	3	–	–	–	–	–	–	–
West Bromwich C.B.	76,260	39	21	1	–	–	–	–	–	–	1
Dudley C.B.	57,860	31	14	–	–	–	1	–	–	–	–
Worcester C.B. ..	49,240	12	20	1	–	–	–	1	–	–	–
Birmingham C.B. ..	945,100	331	240	26	–	–	3	1	1	4	4
Smethwick C.B. ..	78,140	25	18	–	–	–	–	–	–	–	–
Coventry C.B. ..	131,200	35	29	2	–	–	–	–	–	1	1
Leicester C.B. ..	238,800	73	69	3	–	–	–	–	1	–	1
Lincoln C.B.	66,930	25	14	1	–	–	–	–	–	–	–
Grimsby C.B.	84,650	34	17	–	–	–	–	–	–	–	–
Nottingham C.B. ..	267,900	83	75	6	–	–	1	–	–	2	–
Derby C.B.	132,400	46	27	1	–	–	–	–	–	–	–
Chesterfield ..	63,380	29	8	1	–	1	–	–	–	–	–
Stockport C.B. ..	125,800	36	30	2	–	–	–	–	–	–	1
Chester C.B.	41,190	23	8	1	–	–	–	–	–	–	1
Birkenhead C.B. ..	149,200	62	44	2	–	–	–	–	1	–	–
Wallasey C.B. ..	89,790	31	18	–	–	–	–	–	–	–	1
Liverpool C.B. ..	826,400	389	291	61	–	7	2	3	1	3	2
Bootle C.B.	79,750	40	20	4	–	2	–	1	–	–	–
St. Helens C.B. ..	106,400	44	28	4	–	–	–	–	–	–	–

* Population adjusted by the exclusion of non-civilians.
† As extended 1st October, 1923.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	13	22	3	-	-	-	-	-	-	-
WIGAN C.B.	91,750	33	21	1	-	-	-	1	-	-	-
WARRINGTON C.B. ..	79,150	41	16	-	-	-	-	-	-	-	1
BOLTON C.B.	182,700	46	53	7	-	-	-	-	-	-	-
BURY C.B.	57,400	14	24	3	-	-	-	-	-	-	-
MANCHESTER C.B. ..	748,500	277	236	27	-	-	1	1	1	3	3
SALFORD C.B.	240,700	85	70	8	-	-	1	-	-	1	3
OLDHAM C.B.	148,300	47	41	6	-	-	-	2	-	1	2
ROCHDALE C.B... ..	92,510	21	27	4	-	-	-	-	-	-	1
BURNLEY C.B.	105,100	22	31	2	-	-	-	-	-	-	-
BLACKBURN C.B. ..	129,600	47	38	6	-	-	-	2	-	-	1
PRESTON C.B.	120,900	33	29	4	-	-	-	-	-	-	-
BLACKPOOL C.B. ..	74,050	16	25	4	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	75,690	27	19	3	-	-	-	-	-	-	-
HUDDERSFIELD C.B. ..	111,600	25	36	3	1	-	-	-	1	1	-
HALIFAX C.B.	100,500	27	26	3	-	-	-	-	-	-	-
BRADFORD C.B. ..	291,300	88	77	6	-	-	-	-	-	1	3
LEEDS C.B.	466,700	156	99	12	-	-	-	4	1	2	-
DEWSBURY C.B. ..	55,170	16	13	2	-	-	-	-	-	-	-
WAKEFIELD C.B. ..	53,840	22	11	1	-	-	-	-	1	-	-
BARNSLEY C.B. ..	69,540	34	13	-	-	-	-	-	1	-	-
SHEFFIELD C.B. ..	522,600	161	105	12	-	-	-	-	-	1	1
ROTHERHAM C.B. ..	69,840	26	15	3	-	-	-	-	-	-	-
DONCASTER	55,020	22	22	3	-	-	-	-	2	-	1
YORK C.B.	84,980	24	25	4	-	-	-	-	-	-	-
HULL C.B.	294,000	115	83	10	-	-	-	1	-	2	-
MIDDLESBROUGH C.B.	134,800	60	36	5	-	-	1	-	-	-	-
DARLINGTON C.B. ..	66,710	29	10	2	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	65,950	30	16	2	-	-	-	-	-	-	-
WEST HARTLEPOOL C.B.	70,020	32	13	-	-	-	1	-	-	-	1
SUNDERLAND C.B. ..	162,900	59	44	7	-	-	-	1	-	1	1
SOUTH SHIELDS C.B. ..	122,400	49	28	3	-	-	-	-	-	-	-
GATESHEAD C.B. ..	127,300	50	31	7	-	-	-	-	-	1	-
NEWCASTLE-ON-TYNE C.B.	281,600	89	61	12	-	-	-	1	1	-	1
TYNEMOUTH C.B. ..	64,640	25	15	4	-	-	-	-	-	-	1
CARLISLE C.B.	53,490	24	18	2	-	-	1	-	-	-	-
NEWPORT (MON.) C.B.	94,880	31	23	2	-	-	-	-	-	-	-
CARDIFF C.B.	223,830	104	63	10	-	-	-	-	-	3	-
RHONDDA	167,500	61	40	6	-	-	1	-	-	-	1
MERTHYR TYDFIL C.B.	82,680	40	19	5	-	-	-	-	-	1	-
ABERDARE	56,580	25	15	2	-	-	-	-	-	1	-
SWANSEA C.B.	161,000	64	39	8	-	-	-	1	-	1	-
GREATER LONDON ..	7,563,730*	2,407	2,054	162	1	41	2	5	12	24	19
OUTER RING	3,029,500*	843	719	56	-	4	-	1	3	10	5
16 GREAT TOWNS IN OUTER RING	1,831,920	516	446	39	-	4	-	1	1	8	2
REMAINDER OF OUTER RING	1,197,580*	327	273	17	-	-	-	-	2	2	3
EDINBURGH†	426,000	143	120	9	-	-	1	-	1	3	1
GLASGOW†	1,041,400	477	334	44	-	37	1	10	7	5	3
DUBLIN (REGISTRATION AREA)†	431,000	190	131	18	-	-	-	-	2	7	1
BELFAST†	429,000	175	130	21	1	5	1	-	2	1	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available period

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still	DEATHS. born.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years)	Influenza.
		1923.											
LONDON‡	4,534,230	Dec. 1	1564	1335	15·4	1	–	37	2	4	9	14	14
CALCUTTA	896,067	Oct. 20	?	495§	28·4	?	–	?	?	?	?	?	4
BOMBAY	1,220,120	„ 27	478‖	629§	26·8	5	1	–	?	–	2	32	7
MADRAS	526,911	„ 20	424	349	34·4	1	–	–	?	–	–	20	–
SYDNEY AND SUBURBS	955,900	Oct. (31 days)											
BRISBANE (Metropolitan Area).	230,200	Sept. (30 days)											
PERTH (Metropolitan Area).	161,773	Oct 20	89	40	12·9	–	–	–	–	–	–	1	–
AUCKLAND (Urban Area).	167,760	Sept. (30 days)	236	122	8·8	–	–	–	–	–	–	1	3
WELLINGTON (Urban Area).	112,070	„	167	77	8·3	–	–	–	–	1	1	–	3
CHRISTCHURCH (Urban Area).	113,400	„	170	98	10·3	–	–	–	–	–	–	–	10
CAPE TOWN	106,727	Oct. 27	38	22	10·7	–	–	1	–	–	–	–	–
JOHANNESBURG	156,858	„ 27	74	61	20·2	–	–	1	–	–	–	2	–
DURBAN	50,488	„ 27	21	9	9·3	–	–	–	–	–	–	1	–
PARIS	2,906,472	Nov. 20 (10 days)	956	956	12·0	4	–	1	2	1	3	26	1
ANTWERP	301,881	Sept. 22	103	50	8·7	–	–	–	–	–	–	4	–
		„ 29	112	42	7·3	1	–	–	–	–	–	4	–
AMSTERDAM	702,658	Nov. 10	288	119	8·8	2	–	–	–	1	–	2	–
COPENHAGEN	570,000	„ 17	188	114	10·4	–	–	2	–	1	1	–	–
STOCKHOLM	424,944	„ 10	112	79	9·7	–	–	–	–	–	–	–	–
GOTHENBURG	228,074	„ 3	?	30	6·8	–	–	–	–	–	–	1	–
CHRISTIANIA	258,962	„ 17	65	54	10·8	–	–	–	–	–	–	1	–
BERLIN	1,983,000	Oct. 27	257	545	14·3	–	?	1	–	1	–	7	2
BRESLAU	561,000	„ 27	149	140	13·0	1	?	–	–	–	1	13	–
COLOGNE	704,000	„ 27	211	143	10·6	1	?	–	–	–	3	11	1
DRESDEN	611,000	„ 27	116	142	12·1	–	?	–	–	3	1	1	–
FRANKFORT-ON-MAIN..	474,000	„ 27	81	84	9·2	1		–	–	–	4	3	–
HAMBURG	1,079,000	„ 27	259	175	8·4	–	?	–	–	–	1	1	1
LEIPZIG	679,000	„ 27	167	143	10·9	–	?	2	–	–	–	3	–
MUNICH	685,000	„ 27	147	139	10·6	–	?	–	–	–	–	4	–
VIENNA	1,841,326	„ 6	536	443	12·4	1	–	–	4	1	1	14	–
		„ 13	480	396	11·1	2	–	–	1	2	3	12	–
PRAGUE AND SUBURBS	697,111	Oct. 15 (15 days)											
BUDAPEST	946,000	Sept. 1											
WARSAW	956,087	Nov. 10	355	255	13·9	–	–	1	6	2	1	16	2
CAIRO	791,000	Sept. 2	675	507	33·3	12	–	1	–	?	9	81	?
ALEXANDRIA	466,700	„ 2	402	308§	34·3	3	–	1	–	?	1	55	?
NEW YORK	5,927,617	„ 15	2487	1064	9·4	6	–	2	1	3	5	44	5
		„ 22	2603	1096	9·6	6	–	–	1	6	6	60	4
CHICAGO	2,886,121	Nov. 3	?	573	10·4	2	–	–	–	–	9	18	1
RIO DE JANEIRO ..	1,312,468	Oct. 20											
MONTEVIDEO	348,989	July 7											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 6 deaths from Asiatic Cholera in Calcutta, and from Plague, 1 in Bombay and 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 1st December, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1335	106	40	41	24	45	68	103	155	184	269	300
Enteric fever	1	–	–	–	–	–	1	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	37	5	13	17	2	–	–	–	–	–	–	–
Scarlet fever	2	–	1	–	1	–	–	–	–	–	–	–
Whooping cough	4	1	1	2	–	–	–	–	–	–	–	–
Diphtheria	9	–	–	7	2	–	–	–	–	–	–	–
Influenza	14	–	–	–	–	–	3	–	5	2	1	3
Erysipelas	4	–	1	–	–	1	1	–	–	–	1	–
Acute Poliomyelitis, Polioencephalitis	1	1	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	1	–	–	–	–	1	–	–	–	–	–	–
Meningococcal meningitis	1	–	–	–	–	–	1	–	–	–	–	–
Tuberculosis :—												
Respiratory system	126	–	–	–	2	22	32	32	16	13	6	3
Nervous system	4	–	–	2	2	–	–	–	–	–	–	–
Intestines and peritoneum	1	–	–	–	–	–	–	–	1	–	–	–
Other forms	10	–	2	1	1	2	–	–	1	2	1	–
Venereal diseases	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	120	–	1	–	–	1	1	7	27	34	32	17
Rheumatic fever	3	–	–	–	1	–	1	–	–	1	–	–
Diabetes	9	–	–	–	–	1	–	–	1	1	5	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	3	–	1	–	–	2	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	55	–	–	–	–	–	–	1	6	8	18	22
Epilepsy	7	–	–	–	–	2	2	1	–	–	2	–
"Convulsions" (not puerperal) ..	7	5	1	1	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	40	1	1	1	2	1	3	6	6	5	13	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	9	–	–	–	1	1	2	3	–	2	–	–
Other diseases of heart	196	–	–	–	1	1	4	16	19	35	57	63
Other diseases of circulatory system	67	2	–	–	1	–	1	3	3	12	22	23
Bronchitis	171	7	2	–	–	–	2	4	21	24	45	66
Broncho-pneumonia	80	15	12	6	4	–	1	–	6	3	18	15
Lobar-pneumonia	33	1	2	–	–	–	3	1	5	11	5	5
Pneumonia (type not distinguished) ..	23	2	1	–	–	–	–	3	7	4	4	2
Other diseases of respiratory system	21	–	–	–	–	–	3	2	5	–	5	6
Diarrhœa and enteritis	16	14	–	–	–	–	–	–	–	–	–	2
Appendicitis, Typhlitis	9	–	–	1	–	3	–	2	1	1	–	1
Hernia, Intestinal obstruction	12	1	–	1	–	–	–	2	2	4	1	1
Cirrhosis of liver	3	–	–	–	–	–	–	–	2	1	–	–
Other diseases of digestive system ..	29	–	–	–	–	2	1	4	3	7	3	9
Acute nephritis	4	–	–	–	1	–	–	1	2	–	–	–
Chronic Bright's disease	35	–	–	–	–	–	–	4	7	7	10	7
Other diseases of genito-urinary system.	17	–	–	–	–	1	–	2	2	1	6	5
Puerperal sepsis	3	–	–	–	–	1	2	–	–	–	–	–
Other causes incident to childbirth ..	5	–	–	–	–	1	2	2	–	–	–	–
Congenital malformations	4	4	–	–	–	–	–	–	–	–	–	–
Premature birth	31	31	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	7	7	–	–	–	–	–	–	–	–	–	–
Old age	38	–	–	–	–	–	–	–	–	1	4	33
Suicide	9	–	–	–	–	2	–	2	2	–	1	2
Burns and scalds	2	–	–	1	–	–	–	1	–	–	–	–
Drowning	4	–	–	–	–	–	–	1	1	1	1	–
Suffocation in bed	2	2	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	11	–	–	1	3	–	1	–	2	1	3	–
Other deaths by violence	9	–	–	–	–	–	–	–	2	1	1	5
Other specified causes	26	7	1	–	–	–	1	3	–	2	4	8
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 1st December, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	240	158	2	125	C. 4 D. 2 E. 2 G. 3 L. 2 M. 11
†CITY OF LONDON	–	1	–	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	9	7	–	14	M. 1
†BERMONDSEY ...	–	8	6	1	4	D. 1
†BETHNAL GREEN	–	10	11	–	5	C. 1 G. 1
†CAMBERWELL ...	–	14	18	–	1	–
†CHELSEA	–	–	–	–	2	–
†DEPTFORD ...	–	8	1	–	2	–
†FINSBURY ...	–	5	2	–	1	–
†FULHAM	–	6	5	–	5	–
†GREENWICH ...	–	5	2	–	2	–
†HACKNEY ...	–	11	4	–	–	C. 1 M. 1
†HAMMERSMITH ...	–	10	4	–	–	M. 1
†HAMPSTEAD ...	–	9	3	–	–	–
†HOLBORN... ...	–	3	1	–	2	D. 1

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	33	17	–	4	–
†KENSINGTON ...	–	7	6	–	5	C. 1 E. 1
†LAMBETH ...	–	15	10	–	6	C. 1
†LEWISHAM ...	–	13	5	–	4	G. 1
†PADDINGTON ...	–	8	3	–	7	E. 1 L. 1
†POPLAR	–	9	4	–	7	G. 1 M. 1
†ST. MARYLEBONE	–	1	1	–	–	–
†ST. PANCRAS ...	–	5	5	–	10	L. 1 M. 3
†SHOREDITCH ...	–	7	11	–	3	–
†SOUTHWARK ...	–	3	14	–	3	–
†STEPNEY	–	12	10	–	14	M. 2
†STOKE NEWINGTON	–	1	–	–	–	–
†WANDSWORTH ...	–	13	5	1	16	–
†WESTMINSTER, CITY OF	–	5	1	–	1	M. 1
†WOOLWICH ...	–	9	2	–	7	M. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
BEDFORD	–	7	4	–	2	–
Boroughs and Urban Districts:—						
LEIGHTON BUZZARD	–	1	–	–	–	–
†LUTON	–	3	–	–	1	–
Rural Districts:—						
AMPTHILL ...	–	2	3	–	–	–
BEDFORD... ...	–	1	–	–	–	–
BIGGLESWADE ...	–	–	1	–	–	–
EATON SOCON No. 1	–	–	–	–	1	–
BERKS	–	12	6	–	1	C. 1
†READING C.B. ...	–	7	1	–	1	C. 1
Boroughs and Urban Districts:—						
ABINGDON ...	–	–	2	–	–	–
†NEWBURY ...	–	–	2	–	–	–
†NEW WINDSOR	–	1	–	–	–	–
Rural Districts:—						
ABINGDON ...	–	1	1	–	–	–
WALLINGFORD ...	–	1	–	–	–	–
WINDSOR... ...	–	1	–	–	–	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	9	–	–	2	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	–	–
CHESHAM... ...	–	–	–	–	1	–
ETON	–	3	–	–	–	–
Rural Districts:—						
AMERSHAM ...	–	1	–	–	–	–
ETON	–	1	–	–	–	–
LONG CRENDON...	–	2	–	–	–	–
WING	–	1	–	–	–	–
WYCOMBE ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CAMBRIDGE ...	–	5	4	–	–	–
Borough:—						
†CAMBRIDGE ...	–	4	4	–	–	–
Rural Districts:—						
CHESTERTON ...	–	1	–	–	–	–
CHESTER	–	46	13	1	35	C. 1 E. 2 G. 4 M. 2
†BIRKENHEAD C.B.	–	8	3	–	11	E. 2 G. 1
†CHESTER C.B. ...	–	–	–	1	5	–
†STOCKPORT C.B.	–	10	2	–	1	C. 1 M. 1
†WALLASEY C.B ...	–	4	2	–	5	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	–	–	–	1	–
†BEBINGTON AND BROMBOROUGH	–	1	–	–	–	–
BREDBURY AND ROMILEY	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
†CONGLETON ...	–	3	–	–	2	–
†CREWE	–	–	1	–	2	–
†DUKINFIELD ...	–	–	–	–	2	–
†ELLESMERE PORT AND WHITBY	–	–	–	–	1	G. 2
HALE	–	–	–	–	1	–
†HAZEL GROVE AND BRAMHALL	–	2	–	–	–	–
HOOLE	–	1	–	–	1	–
†HYDE	–	1	–	–	–	–
†MACCLESFIELD ...	–	1	–	–	–	M. 1
MIDDLEWICH ...	–	–	1	–	–	–
†RUNCORN ...	–	1	–	–	2	–
SANDBACH ...	–	4	–	–	–	–
†STALYBRIDGE ...	–	1	1	–	–	–
†WINSFORD ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
CONGLETON ...	–	–	1	–	–	–
DISLEY	–	–	1	–	–	–
MACCLESFIELD ...	–	5	–	–	–	–
NANTWICH ...	–	2	–	–	–	–
NORTHWICH ...	–	1	–	–	–	–
WIRRAL	–	–	1	–	–	G. 1
CORNWALL ...	–	11	1	1	3	–
Boroughs and Urban Districts:—						
CALLINGTON ...	–	–	–	1	–	–
†FALMOUTH ...	–	7	–	–	–	–
SALTASH	–	–	1	–	–	–
WADEBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
EAST KERRIER ...	–	2	–	–	–	–
HELSTON	–	1	–	–	–	–
REDRUTH ...	–	–	–	–	1	–
SAINT AUSTELL...	–	1	–	–	–	–
SAINT GERMANS...	–	–	–	–	1	–
CUMBERLAND ...	–	11	7	–	3	G. 1
†CARLISLE C.B. ...	–	1	2	–	1	G. 1
Boroughs and Urban Districts:—						
†MARYPORT ...	–	3	1	–	1	–
MILLOM	–	1	–	–	–	–
†WHITEHAVEN ...	–	1	–	–	1	–
Rural Districts:—						
BRAMPTON ...	*	*	*	*	*	*
CARLISLE ...	–	1	–	–		–
COCKERMOUTH ...	–	3	3	–	–	–
WIGTON	–	1	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DERBY	12	40	11	–	37	C. 2 M. 2
†DERBY C.B. ...	–	7	2	–	18	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	2	4	–	–	–
†BELPER	–	2	–	–	–	–
†BUXTON	–	1	–	–	–	–
†CHESTERFIELD ...	–	4	2	–	7	–
CLAY CROSS ...	–	–	–	–	–	M. 1
†GLOSSOP	–	1	–	–	–	–
†HEANOR	4	–	–	–	2	–
†ILKESTON ...	–	1	–	–	–	–
NEW MILLS ...	–	4	–	–	–	–
†RIPLEY	–	–	–	–	1	C. 1
†SWADLINCOTE DISTRICT	–	–	1	–	1	–
Rural Districts:—						
BAKEWELL ...	–	–	–	–	–	C. 1
BELPER	–	3	–	–	–	–
BLACKWELL ...	8	2	–	–	–	–
CHAPEL EN LE FRITH	–	2	–	–	1	–
CHESTERFIELD ...	–	6	–	–	3	–
GLOSSOP DALE ...	–	1	–	–	–	–
HARTSHORN AND SEALS	–	–	1	–	–	–
HAYFIELD ...	–	1	–	–	–	M. 1
REPTON	–	2	1	–	–	–
SHARDLOW ...	–	1	–	–	4	–
DEVON	–	19	16	2	6	M. 1
†EXETER C.B. ...	–	–	3	–	3	–
†PLYMOUTH C.B....	–	7	3	–	1	M. 1
Boroughs and Urban Districts:—						
AXMINSTER ...	–	–	1	–	–	–
†BARNSTAPLE ...	–	2	–	–	1	–
†ILFRACOMBE ...	–	1	–	1	–	–
†NEWTON ABBOT...	–	1	–	–	–	–
NORTHAM ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
OTTERY ST. MARY	–	–	–	1	–	–
†TEIGNMOUTH ...	–	–	–	–	1	–
TIVERTON ...	–	1	1	–	–	–
†TORQUAY ...	–	3	–	–	–	–
Rural Districts:—						
BARNSTAPLE ...	–	–	2	–	–	–
CREDITON ...	–	–	3	–	–	–
OKEHAMPTON ...	–	2	–	–	–	–
PLYMPTON ST. MARY	–	1	1	–	–	–
ST. THOMAS ...	–	–	1	–	–	–
TAVISTOCK ...	–	1	–	–	–	–
DORSET	–	4	1	–	3	D. 1
Boroughs and Urban Districts:—						
†POOLE	–	1	–	–	3	–
Rural Districts:—						
DORCHESTER ...	–	1	–	–	–	–
STURMINSTER ...	–	–	–	–	–	D. 1
WAREHAM AND PURBECK	–	1	–	–	–	–
WEYMOUTH ...	–	–	1	–	–	–
WIMBORNE AND CRANBORNE	–	1	–	–	–	–
DURHAM	–	124	7	–	28	C. 2 M. 5
†DARLINGTON C.B.	–	5	–	–	1	C. 1
†GATESHEAD C.B.	–	9	–	–	3	–
†SOUTH SHIELDS C.B.	–	17	1	–	3	M. 1
†SUNDERLAND C.B.	–	1	1	–	6	M. 1
†WEST HARTLEPOOL C.B.	–	5	–	–	1	C. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	1	–	–	–
BARNARD CASTLE	–	3	–	–	–	–
†BLAYDON... ...	–	5	–	–	–	–
†CHESTER LE STREET	–	–	1	–	1	–
†CONSETT	–	–	1	–	–	–
†CROOK	–	1	1	–	–	–
†DURHAM	–	1	–	–	–	–
†FELLING	–	4	–	–	–	–
†HARTLEPOOL ...	–	1	–	–	–	–
†HEBBURN ...	–	1	–	–	–	–
†HETTON	–	2	–	–	–	–
†HOUGHTON LE SPRING	–	–	–	–	1	–
†JARROW	–	5	–	–	–	–
LEADGATE ...	–	–	–	–	1	–
†SEAHAM HARBOUR	–	1	–	–	2	–
†SOUTHWICK ON WEAR	–	–	–	–	1	–
†STANLEY	–	1	–	–	–	–
†STOCKTON ON TEES	–	12	–	–	1	–
TOW LAW ...	–	2	–	–	–	–
†WASHINGTON ...	–	3	–	–	–	–
WILLINGTON ...	–	2	–	–	–	–
Rural Districts:—						
AUCKLAND ...	*	*	*	*	*	*
CHESTER LE STREET	–	5	–	–	1	–
DURHAM	*	*	*	*	*	*
EASINGTON ...	–	8	–	–	3	–
HOUGHTON LE SPRING	–	3	1	–	2	M. 2
LANCHESTER ...	–	2	–	–	–	–
SEDGEFIELD ...	–	12	–	–	1	–
STOCKTON ...	–	1	–	–	–	–
SUNDERLAND ...	–	12	–	–	–	M 1.
ELY, ISLE OF ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
ELY	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	50	35	–	22	J. 1 L. 3 M. 4
†EAST HAM C.B. ...	–	7	7	–	–	–
†SOUTHEND-ON-SEA C.B.	–	1	1	–	10	M. 1
†WEST HAM C.B. ...	–	11	18	–	5	M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	2	–	2	M. 1
BRIGHTLINGSEA	*	*	*	*	*	*
†COLCHESTER ...	–	7	–	–	–	–
†HARWICH ...	–	–	3	–	–	–
†ILFORD	–	1	–	–	–	L. 3 M. 1
†LEYTON	–	10	–	–	2	–
LOUGHTON ...	–	1	–	–	–	–
†WALTHAMSTOW...	–	9	3	–	–	–
†WOODFORD ...	–	1	–	–	–	–
Rural Districts:—						
BRAINTREE ...	–	–	–	–	1	–
DUNMOW	–	1	–	–	–	–
OBSETT	–	–	–	–	1	J 1
ROCHFORD ...	–	1	–	–	–	–
ROMFORD... ...	–	–	–	–	1	–
TENDRING ...	–	–	1	–	–	–
GLOUCESTER ...	13	39	18	10	15	M. 3
†BRISTOL C.B. ...	–	17	14	1	8	M. 2
†GLOUCESTER C.B.	–	6	–	2	–	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	1	1	–	–	–
†KINGSWOOD ...	–	2	–	–	–	–
STOW ON THE WOLD	–	–	–	–	–	M. 1
TEWKESBURY ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont.*						
Rural Districts:—						
CHELTENHAM ...	–	–	–	1	–	–
CHIPPING SODBURY	–	1	1	–	–	–
EAST DEAN AND UNITED PARISHES ...	13	–	2	–	2	–
GLOUCESTER ...	–	–	–	3	–	–
LYDNEY	–	1	–	–	–	–
NEWENT	–	2	–	–	–	–
TEWKESBURY (part)	–	–	–	1	–	–
THORNBURY ...	–	1	–	1	4	–
WEST DEAN ...	–	6	–	1	–	–
WINCHCOMB (part)	–	2	–	–	–	–
HEREFORD ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	–	–	–	–
LEOMINSTER ...	–	1	–	–	–	–
Rural Districts:—						
BROMYARD ...	–	1	–	–	–	–
LEOMINSTER ...	–	2	–	–	–	–
HERTFORD ...	–	20	2	–	3	F. 1
Boroughs and Urban Districts:—						
†CHESHUNT ...	–	5	–	–	–	–
†EAST BARNET VALLEY	–	1	1	–	–	–
GREAT BERKHAMPSTEAD	–	3	–	–	–	–
†HEMEL HEMPSTEAD	–	1	–	–	–	–
†HERTFORD ...	–	2	–	–	1	–
†HITCHIN	–	1	–	–	–	F. 1
†LETCHWORTH ...	–	1	–	–	1	–
TRING	–	1	–	–	–	–
†WATFORD ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
BARNET	–	–	1	–	–	–
HADHAM	–	2	–	–	–	–
ST. ALBANS ...	–	1	–	–	–	–
WARE	–	1	–	–	–	–
KENT	–	23	23	–	14	L. 1 M. 2
Boroughs and Urban Districts:—						
†BROADSTAIRS AND ST. PETER'S	–	1	–	–	1	–
†BROMLEY ...	–	2	–	–	–	–
†CHATHAM ...	–	1	–	–	–	–
†DARTFORD ...	–	2	–	–	–	L. 1
†DOVER	–	–	2	–	–	–
†ERITH	–	2	2	–	3	–
†FOLKESTONE ...	–	2	–	–	2	–
†GILLINGHAM ...	–	1	–	–	1	–
†GRAVESEND ...	–	–	3	–	–	–
†HERNE BAY ...	–	–	–	–	1	–
†MARGATE ...	–	2	1	–	–	–
†NORTHFLEET ...	–	1	1	–	–	–
†RAMSGATE ...	–	4	–	–	1	M. 1
†ROYAL TUNBRIDGE WELLS	–	2	2	–	1	–
SITTINGBOURNE	–	–	–	–	1	–
WHITSTABLE ...	–	–	–	–	2	–
WROTHAM ...	–	–	–	–	–	M. 1
Rural Districts:—						
BRIDGE	–	–	1	–	–	–
CRANBROOK ...	–	–	1	–	–	–
DARTFORD ...	–	1	4	–	–	–
FAVERSHAM ...	–	–	1	–	–	–
MALLING	–	1	1	–	1	–
STROOD	–	–	4	–	–	–
WEST ASHFORD...	–	1	–	–	–	–
LANCASTER ...	–	232	61	3	297	C. 10 D. 1 E. 1 G. 1 M. 21
LANCASTER—*cont.*						
†BARROW IN FURNESS C.B.	–	4	–	–	–	–
†BLACKBURN C.B.	–	2	1	1	8	–
†BLACKPOOL C.B.	–	–	–	–	–	M. 1
†BOLTON C.B. ...	–	9	–	–	1	–
†BOOTLE C.B. ...	–	6	1	–	5	C. 1 G. 1
†BURNLEY C.B. ...	–	3	–	–	4	M. 1
†BURY C.B. ...	–	4	1	–	1	C. 1
†LIVERPOOL C.B. ...	–	60	21	–	92	C. 1 D. 1 M. 10
†MANCHESTER C.B.	–	26	10	–	72	M. 4
†OLDHAM C.B. ...	–	3	2	–	2	–
†PRESTON C.B. ...	–	1	–	–	–	M. 1
†ROCHDALE C.B. ...	–	2	–	–	–	–
†ST. HELENS C.B....	–	5	1	–	1	M. 1
†SALFORD C.B. ...	–	21	–	–	6	–
†SOUTHPORT C.B.	–	2	1	–	1	–
†WARRINGTON C.B.	–	4	–	–	14	C. 1
†WIGAN C.B. ...	–	3	1	–	8	–
Boroughs and Urban Districts:—						
ABRAM	–	–	1	–	2	–
†ACCRINGTON ...	–	–	–	–	1	–
†ASHTON IN MAKERFIELD	–	1	2	–	2	C. 1
†ASHTON UNDER LYNE	–	1	–	–	1	–
ASPULL	–	3	–	–	3	–
†ATHERTON ...	–	2	1	–	3	–
†BACUP	–	–	–	–	–	C. 1
BRIERFIELD ...	–	1	–	–		–
†CHADDERTON ...	–	1	–	–	1	–
†CHORLEY... ...	–	–	–	–	1	–
†COLNE	–	–	2	–	3	–
†DALTON IN FURNESS	–	1	–	–	–	–
†DARWEN	–	1	–	–	–	–
†DENTON	–	1	–	–	3	–
†DROYLSDEN ...	–	–	–	–	1	–
†ECCLES	–	1	1	–	1	–
†FAILSWORTH ...	–	–	–	–	2	–
†FARNWORTH ...	–	2	–	–	–	–
†FLEETWOOD ...	–	2	–	–		E. 1
FORMBY	–	–	–	–	–	M. 1
FULWOOD ...	–	–	–	–	2	–
GOLBORNE ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K. Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GREAT CROSBY ...	–	2	–	–	–	–
†GREAT HARWOOD	–	–	1	–	–	–
†HASLINGDEN ...	–	1	–	–	–	–
HEYSHAM ...	–	1	–	–	–	–
†HEYWOOD ...	–	4	2	–	1	–
†HINDLEY... ...	–	1	1	–	12	–
†HORWICH ...	–	1	2	–	1	–
HURST	–	1	–	–	–	–
†INCE IN MAKERFIELD	–	1	–	–	3	–
IRLAM	–	–	–	–	–	C. 1
†LANCASTER ...	–	2	–	–	–	–
LATHOM AND BURSCOUGH	–	–	–	–	2	–
†LEIGH	–	6	–	–	1	C. 1
†LITHERLAND ...	–	–	–	–	–	M. 1
†LYTHAM, ST. ANNE'S	*	*	*	*	*	*
†MIDDLETON ...	–	–	–	–	2	–
†MORECAMBE ...	–	4	–	–	–	–
†MOSSLEY	–	1	–	–	–	–
†NELSON	–	–	–	–	2	–
†NEWTON IN MAKERFIELD	–	–	–	–	6	–
NORDEN	–	2	–	–	–	–
ORRELL	–	–	1	–	–	–
†PADIHAM... ...	–	–	–	–	–	C. 1
PRESCOT	–	1	1	–	–	–
†PRESTWICH ...	–	1	–	–	–	–
†RADCLIFFE ...	–	–	1	–	1	–
†RAMSBOTTOM ...	–	3	1	–	–	–
†RAWTENSTALL ...	–	–	–	–	1	C. 1
RISHTON	–	1	–	–	1	–
SKELMERSDALE ...	–	1	–	–	–	–
†STRETFORD... ...	–	6	1	–	1	–
†SWINTON AND PENDLEBURY	–	1	–	–	–	–
TOTTINGTON ...	–	–	–	–	4	–
†TYLDESLEY WITH SHAKERLEY	–	–	1	–	3	–
URMSTON... ..	–	–	–	–	–	M. 1
†WATERLOO WITH SEAFORTH	–	–	1	–	2	–
WHITEFIELD ...	–	–	–	–	1	–
†WIDNES	–	5	2	–	3	–
†WORSLEY... ...	–	5	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts:—						
BLACKBURN ...	–	1	–	–	–	–
BURY	*	*	*	*	*	*
CHORLEY	–	–	–	–	2	–
LANCASTER ...	–	1	–	–	–	–
LIMEHURST ...	–	–	–	–	1	–
LUNESDALE ...	–	1	–	–	–	–
PRESTON	–	–	–	–	1	–
SEFTON	–	2	–	–	–	–
ULVERSTON ...	–	2	–	1	–	–
WARRINGTON ...	–	–	–	–	2	–
WEST LANCASHIRE	–	1	–	–	1	–
WHISTON... ...	–	–	–	–	1	–
WIGAN	–	1	–	–	–	–
LEICESTER... ..	–	14	9	–	8	–
†LEICESTER C.B. ...	–	10	3	–	6	–
Boroughs and Urban Districts:—						
†COALVILLE ...	–	1	2	–	–	–
MARKET HARBOROUGH	–	1	–	–	–	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–	–	–
BARROW UPON SOAR	–	1	–	–	–	–
BELVOIR	–	–	–	–	1	–
CASTLE DONNINGTON	–	–	–	–	1	–
MARKET BOSWORTH	–	–	2	–	–	–
MARKET HARBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Holland).	–	8	–	1	5	–
Boroughs and Urban Districts:—						
†BOSTON	–	2	–	1	4	–
HOLBEACH ...	–	3	–	–	–	–
Rural Districts:—						
BOSTON	–	3	–	–	–	–
CROWLAND ...	–	–	–	–	1	–
LINCOLN (parts of Kesteven).	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	–	–	–	–
LINCOLN (parts of Lindsey).	–	8	5	1	4	C. 1 E. 1 M. 1
†GRIMSBY C.B. ...	–	–	–	–	1	–
†LINCOLN C.B. ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
ALFORD	–	1	–	–	–	–
†CLEETHORPES ...	–	–	–	1	–	–
†GAINSBOROUGH ...	–	–	3	–	–	–
HORNCASTLE ...	–	–	–	–	–	E. 1
†SCUNTHORPE AND FRODINGHAM	–	5	–	–	2	C. 1
Rural Districts:—						
GLANFORD BRIGG	–	–	–	–	1	M. 1
WELTON	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX ...	–	40	17	–	29	D. 1 G. 1
Boroughs and Urban Districts:—						
†ACTON	–	4	–	–	1	–
†EALING	–	1	–	–	–	D. 1
†EDMONTON ...	–	2	2	–	3	–
†ENFIELD	–	1	–	–	1	–
†FINCHLEY ...	–	3	–	–	2	–
†FRIERN BARNET	–	–	–	–	2	–
†HANWELL ...	*	*	*	*	*	*
†HENDON	–	3	6	–	1	–
†HESTON AND ISLEWORTH	–	4	–	–	4	–
†HORNSEY... ...	–	3	1	–	2	–
†TOTTENHAM ...	–	7	3	–	7	G. 1
†WEALDSTONE ...	–	–	–	–	1	–
†WILLESDEN ...	–	9	3	–	3	–
†WOOD GREEN ...	–	2	1	–	1	–
Rural Districts:—						
HENDON	–	–	–	–	1	–
STAINES	–	1	1	–	–	–
NORFOLK	–	46	1	–	4	M. 1
†GREAT YARMOUTH C.B.	–	3	–	–	1	M. 1
†NORWICH C.B. ...	–	29	1	–	2	–
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	–	–	1	–
NORTH WALSHAM	–	4	–	–	–	–
Rural Districts:—						
DEPWADE ...	–	4	–	–	–	–
ERPINGHAM ...	–	2	–	–	–	–
HENSTEAD ...	*	*	*	*	*	*
ST. FAITH'S ...	–	1	–	–	–	–
SMALLBURGH ...	–	1	–	–	–	–
WALSINGHAM ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON ...	–	21	2	3	12	C. 1 M. 1
†NORTHAMPTON C.B.	–	11	1	1	9	C. 1
Boroughs and Urban Districts:—						
BURTON LATIMER	*	*	*	*	*	*
IRTHLINGBOROUGH	–	2	–	–	1	–
†KETTERING ...	–	2	–	–	–	–
RAUNDS	–	–	–	–	1	–
†RUSHDEN ...	–	1	–	–	–	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	–	–	1	–	–
DAVENTRY ...	–	1	–	–	–	–
HARDINGSTONE ...	–	1	–	–	–	–
NORTHAMPTON ...	–	1	–	1	–	–
OXENDEN... ...	–	–	–	–	1	–
THRAPSTON (part)	–	–	1	–	–	M. 1
NORTHUMBERLAND	–	40	9	–	21	G. 1 M. 2
†NEWCASTLE UPON TYNE C.B.	–	20	3	–	11	–
†TYNEMOUTH C.B.	–	3	1	–	2	–
Boroughs and Urban Districts:—						
AMBLE	–	1	–	–	–	–
†ASHINGTON ...	–	1	–	–	–	M. 1
†BEDLINGTONSHIRE	–	2	–	–	3	–
†BLYTH	–	1	1	–	4	–
†EARSDON	–	–	2	–	–	–
†GOSFORTH ...	–	1	–	–	–	G. 1
†LONGBENTON ...	–	1	–	–	–	–
†NEWBURN ...	–	4	–	–	–	–
PRUDHOE... ...	–	–	–	–	1	–
SEATON DELAVAL	–	1	–	–	–	–
†WALLSEND ...	–	–	–	–	–	M. 1
†WHITLEY AND MONKSEATON	–	1	–	–	–	–
NORTHUMBERLAND —*cont.*						
Rural Districts:—						
ALNWICK ...	–	–	1	–	–	–
BELLINGHAM ...	–	1	–	–	–	–
CASTLE WARD ..	–	1	–	–	–	–
HALTWHISTLE ...	*	*	*	*	*	*
HEXHAM	–	–	1	–	–	–
MORPETH... ...	–	2	–	–	–	–
NOTTINGHAM ...	16	26	2	–	10	M. 2
†NOTTINGHAM C.B.	–	14	–	–	4	M. 2
Boroughs and Urban Districts:—						
†ARNOLD	*	*	*	*	*	*
†BEESTON	–	5	–	–	–	–
†CARLTON	–	–	1	–	–	–
†EAST RETFORD ...	–	–	–	–	2	–
†HUCKNALL ...	13	–	–	–	1	–
HUTHWAITE ...	–	1	–	–	–	–
†KIRKBY IN ASHFIELD	2	–	–	–	1	–
†MANSFIELD ...	–	2	–	–	–	–
†NEWARK	–	1	1	–	–	–
†SUTTON IN ASHFIELD	–	1	–	–	–	–
WARSOP	*	*	*	*	*	*
Rural Districts:—						
BASFORD	–	1	–	–	–	–
BINGHAM... ...	–	–	–	–	2	–
STAPLEFORD ...	1	1	–	–	–	–
OXFORD	–	11	1	2	2	–
†OXFORD C.B. ...	–	5	–	1	–	–
Rural Districts:—						
CULHAM	–	3	–	–	–	–
GORING	–	–	–	–	1	–
HEADINGTON ...	–	3	–	1	–	–
HENLEY	–	–	1	–	–	–
WOODSTOCK ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague: encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
PETERBOROUGH (Soke of)	–	–	–	–	2	–
Borough :—						
†PETERBOROUGH...	–	–	–	–	2	–
RUTLAND	–	2	–	–	–	–
Rural Districts :—						
OAKHAM ...	–	2	–	–	–	–
SALOP	–	9	1	–	1	C. 1 M. 2
Boroughs and Urban Districts :—						
DAWLEY	–	–	1	–	–	–
ELLESMERE ...	*	*	*	*	*	*
†OAKENGATES ...	–	2	–	–	–	–
†SHREWSBURY ...	–	1	–	–	–	–
†WENLOCK ...	–	–	–	–	–	C. 1
Rural Districts :—						
ATCHAM	–	–	–	–	1	–
CHIRBURY ...	–	2	–	–	–	–
CHURCH STRETTON	–	1	–	–	–	–
ELLESMERE ...	*	*	*	*	*	*
LUDLOW	–	–	–	–	–	M. 1
OSWESTRY ...	–	1	–	–	–	M. 1
SHIFNAL	–	1	–	–	–	–
WELLINGTON ...	–	1	–	–	–	–
SOMERSET	–	21	4	–	6	C. 2 G. 1
†BATH C.B. ...	–	4	1	–	2	–
Boroughs and Urban Districts :—						
BURNHAM ON SEA	–	–	–	–	–	G. 1
CHARD	–	–	–	–	1	–
PORTISHEAD ...	*	*	*	*	*	*
†TAUNTON... ...	–	–	1	–	1	C. 1
†YEOVIL	–	1	–	–	1	–
SOMERSET—*cont.*						
Rural Districts :—						
AXBRIDGE ...	–	1	–	–	–	–
CHARD	–	8	–	–	–	–
CLUTTON... ...	–	1	–	–	1	–
KEYNSHAM ...	–	1	1	–	–	–
LONG ASHTON ...	–	–	–	–	–	C. 1
SHEPTON MALLET	–	–	1	–	–	–
WINCANTON ...	–	2	–	–	–	–
YEOVIL	–	3	–	–	–	–
SOUTHAMPTON ...	–	31	30	2	7	C. 2 E. 1 M. 3
†BOURNEMOUTH C.B.	–	4	2	–	–	–
†PORTSMOUTH C.B.	–	14	21	1	1	M. 1
†SOUTHAMPTON C.B.	–	9	5	–	3	M. 1
Boroughs and Urban Districts :—						
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	3	E. 1
†FAREHAM ...	–	1	–	1	–	–
†GOSPORT	–	1	–	–	–	–
†WINCHESTER ...	–	–	1	–	–	C. 2 M. 1
Rural Districts :—						
ANDOVER... ...	–	–	1	–	–	–
FAREHAM ...	–	1	–	–	–	–
HARTLEY WINTNEY	–	1	–	–	–	–
STAFFORD	–	93	25	1	41	C. 1 M. 9
†BURTON UPON TRENT C.B.	–	2	1	–	1	M. 1
†SMETHWICK C.B.	–	5	1	–	3	C. 1
†STOKE ON TRENT C.B.	–	21	8	–	19	M. 5
†WALSALL C.B. ...	–	1	1	–	–	–
†WEST BROMWICH C.B.	–	2	3	–	5	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
†WOLVERHAMPTON C.B.	–	–	–	–	–	M. 1
Boroughs and Urban Districts:—						
AMBLECOTE ...	–	–	–	–	–	M. 1
†AUDLEY	–	6	–	–	–	–
BIDDULPH ...	–	4	1	–	–	–
†BILSTON	–	2	–	–	2	–
†BROWNHILLS ...	–	–	2	–	4	–
†CANNOCK	–	4	–	–	2	–
†COSELEY	–	1	–	–	–	–
†DARLASTON ...	–	2	–	–	1	–
†LEEK	–	–	1	–	–	–
LICHFIELD ...	–	1	–	–	–	–
†NEWCASTLE UNDER LYME	–	2	1	–	1	–
QUARRY BANK ...	–	–	–	–	1	–
†ROWLEY REGIS ...	–	5	–	–	1	–
RUGELEY	–	1	–	–	–	–
SHORT HEATH ...	–	1	–	–	–	–
†STAFFORD ...	–	1	–	–	–	–
†TIPTON	–	–	–	1	1	–
†WEDNESBURY ...	–	–	–	–	–	M. 1
†WOLSTANTON UNITED	–	4	1	–	–	–
Rural Districts:—						
CANNOCK	–	2	1	–	–	–
CHEADLE	–	1	1	–	–	–
KINGSWINFORD ...	–	2	2	–	–	–
LEEK	–	1	–	–	–	–
LICHFIELD ...	–	8	1	–	–	–
MAYFIELD ...	–	1	–	–	–	–
STONE	–	3	–	–	–	–
TAMWORTH (part)	–	1	–	–	–	–
WALSALL	–	9	–	–	–	–
SUFFOLK, EAST ..	–	8	–	–	3	C. 1 M. 1
†IPSWICH C.B. ...	–	–	–	–	1	C. 1
Boroughs and Urban Districts:—						
BECCLES	–	3	–	–	–	–
†LOWESTOFT ...	–	1	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
BLYTHING ...	–	1	–	–	–	–
EAST STOW ...	–	–	–	–	–	M. 1
WOODBRIDGE ...	–	3	–	–	–	–
SUFFOLK, WEST ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
NEWMARKET ...	–	1	–	–	–	–
Rural Districts:—						
COSFORD	–	–	1	–	–	–
SURREY	–	22	13	1	11	M. 3
†CROYDON C.B. ...	–	–	5	–	–	–
Boroughs and Urban Districts:—						
†BARNES	–	–	–	–	2	–
†BEDDINGTON AND WALLINGTON	–	–	1	–	–	–
†CARSHALTON ...	–	7	1	–	1	M. 1
†CATERHAM ...	–	–	–	–	1	–
†CHERTSEY ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	–	1	–	–	–
†EPSOM	–	–	–	–	2	–
†FARNHAM ...	–	3	1	–	–	–
GODALMING ...	–	–	–	–	–	M. 1
†KINGSTON ON THAMES	–	3	–	–	–	–
†MERTON AND MORDEN	–	1	–	–	–	–
†MITCHAM... ...	–	–	3	–	–	–
†SURBITON ...	–	–	1	–	1	–
†SUTTON	–	–	–	–	1	M. 1
†THE MALDENS AND COOMBE	–	–	–	–	1	–
†WIMBLEDON ...	–	3	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
DORKING	–	1	–	–	–	–
EPSOM	–	1	–	–	1	–
FARNHAM ...	–	–	–	1	–	–
GODSTONE ...	–	–	–	–	1	–
GUILDFORD ...	–	2	–	–	–	–
SUSSEX, EAST ...	–	11	6	–	5	L. 2
†BRIGHTON C.B. ...	–	9	6	–	2	–
†HASTINGS C.B. ...	–	1	–	–	3	–
Boroughs and Urban Districts:—						
†HOVE	–	1	–	–	–	–
Rural Districts:—						
CHAILEY	–	–	–	–	–	L. 1
HAILSHAM ...	–	–	–	–	–	L. 1
SUSSEX, WEST ...	–	3	1	–	2	–
Boroughs and Urban Districts:—						
†HORSHAM ...	–	2	1	–	–	–
Rural Districts:—						
HORSHAM ...	–	1	–	–	–	–
WESTBOURNE ...	–	–	–	–	2	–
WARWICK	–	91	32	–	42	C. 2 E. 2 G. 2 M. 14
†BIRMINGHAM C.B.	–	64	27	–	28	C. 2 E. 2 G. 1 M. 10
†COVENTRY C.B. ...	–	6	2	–	1	G. 1 M. 1
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	–	–	–	M. 1
†NUNEATON ...	–	–	–	–	3	M. 1
†ROYAL LEAMINGTON SPA	–	–	–	–	3	–
†RUGBY	–	4	–	–	–	M. 1
STRATFORD ON AVON	–	2	–	–	–	–
Rural Districts:—						
ATHERSTONE ...	–	–	1	–	–	–
FOLESHILL ...	–	2	–	–	1	–
MERIDEN	–	2	–	–	–	–
RUGBY	–	4	–	–	1	–
SOLIHULL ...	–	3	–	–	1	–
SOUTHAM... ...	–	–	–	–	1	–
STRATFORD ON AVON	–	1	1	–	–	–
TAMWORTH (part)	–	2	1	–	–	–
WARWICK ...	–	1	–	–	3	–
WESTMORLAND ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
APPLEBY	–	1	–	–	1	–
Rural Districts:—						
SOUTH WESTMORLAND	–	–	1	–	–	–
WIGHT, ISLE OF ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
SANDOWN ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WILTS	–	3	3	–	7	L. 1 M. 1
Boroughs and Urban Districts:—						
DEVIZES	–	1	–	–	–	–
†SALISBURY ...	–	1	3	–	–	–
†SWINDON... ...	–	1	–	–	6	M. 1
Rural Districts:—						
DEVIZES	–	–	–	–	–	L. 1
TISBURY	–	–	–	–	1	–
WORCESTER ...	–	6	4	1	8	M. 1
†DUDLEY C.B. ...	*	*	*	*	*	*
†WORCESTER C.B.	–	–	–	–	3	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
†LYE AND WOLLESCOTE	–	1	–	–	1	–
†OLDBURY... ...	–	1	–	–	1	–
†REDDITCH ...	–	2	–	–	–	–
†STOURBRIDGE ...	–	–	2	–	1	–
STOURPORT ...	–	–	1	–	–	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	1	–
HALESOWEN ...	–	–	1	–	1	–
REDMARLEY D'ABITÔT AND STAUNTON (parishes)	–	–	–	1	–	–
UPTON ON SEVERN	–	–	–	–	–	M. 1
YORKS ... ... (East Riding.)	–	9	4	1	3	M. 2
†KINGSTON UPON HULL C.B.	–	4	4	1	2	M. 2
YORKS (East Riding) *cont.*						
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	–	–
COTTINGHAM ...	–	1	–	–	–	–
HESSLE	–	1	–	–	–	–
Rural Districts:—						
SHERBURN ...	–	2	–	–	1	–
YORKS ... ... (North Riding.)	–	51	6	1	9	G. 1
†MIDDLESBROUGH C.B.	–	24	1	–	5	–
Boroughs and Urban Districts:—						
†ESTON	–	6	–	–	–	–
LOFTUS	–	4	–	–	–	–
NORTHALLERTON	–	3	–	–	–	–
†REDCAR	–	–	5	–	2	–
†SCARBOROUGH ...	–	3	–	–	–	G. 1
†SKELTON AND BROTTON	–	–	–	–	1	–
†THORNABY ON TEES	–	2	–	–	–	–
†WHITBY	–	7	–	–	1	–
Rural Districts:—						
FLAXTON... ...	–	–	–	1	–	–
MIDDLESBROUGH	*	*	*	*	*	*
STOKESLEY ...	–	1	–	–	–	–
WHITBY	–	1	–	–	–	–
YORKS ... ... (West Riding.)	4	199	54	3	95	C. 3 D. 1 G. 1 L. 2 M. 7

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
†BARNSLEY C.B. ...	–	7	2	–	2	–
†BRADFORD C.B. ...	–	27	2	–	9	–
†DEWSBURY C.B....	–	–	–	1	–	–
†HALIFAX C.B. ...	–	4	1	–	–	–
†HUDDERSFIELD C.B.	–	1	4	–	2	C. 1 M. 2
†LEEDS C.B. ...	–	26	5	–	8	M. 1
†ROTHERHAM C.B.	–	8	–	–	6	–
†SHEFFIELD C.B....	–	35	8	–	30	C. 1 D. 1 M. 3
†WAKEFIELD C.B.	–	2	2	–	2	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	3	–	2	–	1	–
ALTOFTS	–	–	–	–	1	C. 1
†BATLEY	–	1	–	–	–	–
†BENTLEY WITH ARKSEY	1	4	1	–	–	–
†BINGLEY	–	1	–	–	–	–
†BOLTON UPON DEARNE	–	1	–	–	–	–
†BRIGHOUSE ...	–	5	–	–	–	–
CALVERLEY ...	–	1	–	–	–	–
†CASTLEFORD ...	–	5	–	–	–	–
†CONISBROUGH ...	–	4	–	–	–	–
CUDWORTH ...	–	1	–	–	–	–
DENBY AND CUMBERWORTH	*	*	*	*	*	*
†DONCASTER ...	–	2	1	–	–	G. 1
†FEATHERSTONE ...	–	4	–	–	–	–
†GOOLE	–	3	2	–	1	–
†HARROGATE ...	–	–	1	–	2	–
HAWORTH ...	–	1	–	–	–	–
HEBDEN BRIDGE	–	1	–	–	–	–
†HEMSWORTH ...	–	3	1	–	–	–
†HOLMFIRTH ...	–	–	–	–	2	–
HONLEY	–	–	1	–	–	–
HORSFORTH ...	–	1	–	–	–	–
†HOYLAND NETHER	–	1	2	–	–	–
†KEIGHLEY ...	–	1	–	–	–	–
KNOTTINGLEY ...	–	5	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts— *cont.*						
†MEXBOROUGH ...	–	–	–	–	1	–
†MIRFIELD ...	–	–	–	–	1	–
†MORLEY	–	1	2	–	1	–
†NORMANTON ...	–	–	–	–	4	–
OTLEY	–	–	–	–	1	–
†PONTEFRACT ...	–	7	–	–	1	–
†RAWMARSH ...	–	1	1	–	–	–
†ROTHWELL ...	–	1	–	–	2	–
SELBY	–	3	–	–	–	–
†SHIPLEY	–	1	–	–	–	–
†SKIPTON	–	1	–	–	1	–
†SPENBOROUGH ...	–	1	–	–	2	–
†STANLEY	–	3	2	–	–	–
STOCKSBRIDGE ...	–	2	–	–	–	–
†SWINTON... ...	*	*	*	*	*	*
THURNSCOE ...	–	2	–	–	–	–
THURSTONLAND...	–	–	–	–	–	L. 2
†WATH UPON DEARNE	–	1	–	–	–	–
†WOMBWELL ...	–	3	–	–	3	–
YEADON	–	1	–	–	–	–
Rural Districts—						
BISHOPTHORPE ...	–	1	–	–	–	–
DONCASTER ...	–	3	2	–	4	M. 1
HALIFAX	–	1	–	–	–	–
HEMSWORTH ...	–	2	5	–	5	–
HUNSLET... ...	–	1	–	–	–	–
PENISTONE ...	–	–	1	–	–	–
PONTEFRACT ...	–	1	–	–	–	–
ROTHERHAM ...	–	1	–	–	1	–
SKIPTON	–	–	–	–	1	–
TADCASTER ...	–	2	1	1	1	–
TODMORDEN ...	–	1	–	–	–	–
WAKEFIELD ...	–	1	4	–	–	–
WORTLEY ...	–	2	1	1	–	–
County Borough:—						
§†YORK	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ York C.B. is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	–	–	4	–	–	–
Boroughs and Urban Districts:—						
AMLWCH	*	*	*	*	*	*
Rural Districts:—						
TWRCELYN ...	*	*	*	*	*	*
VALLEY	–	–	4	–	–	–
BRECKNOCK ...	–	–	3	–	1	–
Urban Districts:—						
BRYNMAWR ...	–	–	–	–	1	–
Rural Districts:—						
HAY	–	–	1	–	–	–
YSTRADGYNLAIS	–	–	2	–	–	–
CARDIGAN	–	4	–	–	–	–
Rural Districts:—						
ABERAYRON ...	–	4	–	–	–	–
CARMARTHEN ...	–	13	3	–	4	–
Boroughs and Urban Districts:—						
†CARMARTHEN ...	–	1	–	–	–	–
†LLANELLY ...	–	4	–	–	1	–
Rural Districts:—						
CARMARTHEN ...	–	–	–	–	2	–
LLANDILO FAWR	–	3	–	–	–	–
LLANELLY ...	–	5	3	–	1	–
WHITLAND ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON ...	–	6	3	1	–	–
Boroughs and Urban Districts:—						
BETHESDA ...	–	1	–	–	–	–
CARNARVON ...	–	–	2	–	–	–
†LLANDUDNO ...	–	1	–	–	–	–
PORTMADOC ...	–	–	–	1	–	–
Rural Districts:—						
CONWAY	–	1	–	–	–	–
GWYRFAI	–	–	1	–	–	–
OGWEN	–	3	–	–	–	–
DENBIGH	–	5	–	–	–	M. 1
Rural Districts:—						
CHIRK	–	1	–	–	–	–
WREXHAM ...	–	4	–	–	–	M. 1
FLINT	–	6	1	1	1	–
Boroughs and Urban Districts:—						
FLINT	–	1	–	–	–	–
HOLYWELL	–	–	1	–	–	–
†RHYL	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	2	–	–	1	–
HOLYWELL (HOLYWELL DIV.)	–	1	–	1	–	–
ST. ASAPH (FLINT)	–	1	–	–	–	–
GLAMORGAN ...	–	66	41	1	39	C. 2 M. 3
†CARDIFF C.B. ...	–	7	4	–	11	C. 1 M. 1
†MERTHYR TYDFIL C.B.	–	4	5	1	2	M. 1
†SWANSEA C.B. ...	–	21	11	–	4	C. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts:—						
†ABERDARE ...	–	–	–	–	1	–
†BARRY	–	2	4	–	4	–
†CAERPHILLY ...	–	3	4	–	–	–
†GELLIGAER ...	–	2	2	–	–	–
†MAESTEG... ...	–	1	–	–	1	–
†MOUNTAIN ASH ...	–	3	2	–	2	–
†NEATH	–	2	3	–	–	–
†OGMORE AND GARW	–	4	–	–	–	–
†PENARTH ...	–	–	1	–	–	–
†PONTYPRIDD ...	–	1	–	–	2	M. 1
PORTHCAWL ...	–	–	–	–	2	–
†RHONDDA ...	–	10	1	–	7	–
Rural Districts:—						
CARDIFF	–	1	–	–	–	–
COWBRIDGE ...	–	–	1	–	–	–
LLANTRISANT AND LLANTWITFARDRE	–	1	1	–	–	–
NEATH	–	2	–	–	–	–
PONTARDAWE ...	–	–	–	–	3	–
SWANSEA... ...	–	2	2	–	–	–
MERIONETH ...	–	1	1	–	1	–
Urban Districts:—						
FESTINIOG ...	–	1	–	–	–	–
TOWYN	–	–	1	–	–	–
Rural Districts:—						
PENLLYN... ...	–	–	–	–	1	–
MONMOUTH ...	–	24	7	6	4	E. 1 M. 1
†NEWPORT C.B. ...	–	3	1	–	1	–
Boroughs and Urban Districts:—						
†ABERCARN ...	–	5	–	–	–	–
ABERGAVENNY ...	–	2	–	–	–	–
†ABERSYCHAN ...	–	1	–	–	–	–
†ABERTILLERY ...	–	7	–	4	–	–
†BEDWELLTY ...	–	1	–	–	–	–
CAERLEON ...	–	–	–	–	–	E. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†EBBW VALE ...	–	2	–	–	–	–
LLANTARNAM ...	–	–	–	–	1	–
MONMOUTH ...	–	–	–	1	–	–
†MYNYDDISLWYN	–	–	1	–	–	–
†NANTYGLO AND BLAINA	–	–	–	1	2	–
†PANTEG	–	1	–	–	–	–
†RHYMNEY ...	–	–	1	–	–	–
†RISCA	–	–	3	–	–	–
†TREDEGAR ...	–	1	–	–	–	M. 1
Rural Districts:—						
MAGOR	–	1	1	–	–	–
PONTYPOOL ...	*	*	*	*	*	*
MONTGOMERY ...	–	6	–	–	–	–
Boroughs and Urban Districts:—						
MACHYNLLETH ...	–	3	–	–	–	–
Rural Districts:—						
MACHYNLLETH ...	–	3	–	–	–	–
PEMBROKE... ...	–	1	3	–	–	–
Boroughs and Urban Districts:—						
HAVERFORDWEST	–	1	1	–	–	–
Rural Districts:—						
HAVERFORDWEST	–	–	1	–	–	–
NARBERTH ...	–	–	1	–	–	–
ST. DOGMELLS ...	*	*	*	*	*	*
Total of Part II. ...	45	1569	507	43	860	C. 32 D. 4 E. 8 F. 1 G. 13 J. 1 L. 9 M. 95

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Dover (Deal Division)	–	–	1	–	–	–
Grimsby	–	–	–	–	1	–
Hartlepool	*	*	*	*	*	*
Liverpool	–	–	1	–	–	–
Port of London ...	–	–	–	1	–	–
Total of Part III.... ...	–	–	1	2	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica ; H. Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part IV.—England and Wales.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Total of Part I.—London	–	240	158	2	125	C. 4 D. 2 E. 2 G. 3 L. 2 M. 11
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	45	1569	507	43	860	C. 32 D. 4 E. 8 F. 1 G. 13 J. 1 L. 9 M. 95
Total of Part III.—Port Sanitary Districts	–	1	2	–	1	—
Total (*i.e.*, of returns received), England and Wales ...	45	1810	667	45	986	C. 36 D. 6 E. 10 F. 1 G. 16 J. 1 L. 11 M. 106

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-cephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ver; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The es of Small-pox notified appear on pages 1352, 1354, 1358, and 1363.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSES and DEATHS of INFANTS under 1 YEAR of AGE) and NOTIFIED CASES of certain INFECTIOUS DISEASES in the last THIRTEEN WEEKS.

Week ended :—	Sept. 8.	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.
LONDON :—													
DEATHS—all ages	799	807	868	928	831	869	853	885	905	822	947	1,037	1335
" 0 to 1 year ..	106	115	116	149	128	129	104	119	104	75	109	87	106
GREAT TOWNS, aggregate (including London) :—													
BIRTHS	7,682	7,281	7,154	7,428	6,905	7,078	7,464	7,182	7,721	6,870	7,128	7,233	6,645
DEATHS—all ages	3,428	3,395	3,616	3,660	3,474	3,650	3,579	3,676	3,619	3,734	4,179	4,328	5,232
" 0 to 1 year ..	471	493	514	516	454	468	464	473	457	448	505	507	528
ENTERIC FEVER—Cases	31	38	32	37	35	53	44	29	40	31	30	33	13
" Deaths	4	4	4	3	8	4	7	1	3	6	2	1	2
SMALL POX—Cases ..	10	17	16	9	16	26	4	7	9	3	7	1	—
" Deaths ..	—	—	—	2	—	—	—	—	—	—	—	1	—
SCARLET FEVER—Cases	736	755	850	997	956	995	1,013	1,158	1,120	988	1,104	938	1,024
" Deaths	11	6	9	9	8	11	15	8	9	11	6	8	15
DIPHTHERIA—Cases ..	374	467	500	473	450	525	498	536	585	480	491	529	428
" Deaths ..	21	26	27	24	22	22	25	25	33	36	18	30	29
MEASLES—Deaths ..	15	15	17	6	10	8	15	16	19	21	20	29	56
INFLUENZA—Deaths ..	20	9	28	33	31	40	33	29	37	35	55	58	68

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 1st December, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	45	23	36·6	27·6	3	BRADFORD ..	44	26	37·3	27·6	15
BRIGHTON ..	46	26	39·4	29·3	11	SHEFFIELD ..	Not received.				
PORTSMOUTH ..	46	23	39·5	28·6	11	YORK (MUSEUM)	41	26	37·6	29·0	13
NORWICH (EATON).	41	21	37·6	27·0	7	HULL (PEARSON PARK).	41	24	37·4	29·1	17
PLYMOUTH ..	50	24	41·6	29·7	16	TYNEMOUTH ..	43	29	40·6	31·6	24
BRISTOL (CLIFTON).	47	24	37·7	27·1	11	CARDIFF	47	24	38·1	29·4	19
BIRMINGHAM (EDGBASTON)	42	26	36·7	29·3	14	EDINBURGH ..	45·0	29·0	39·7	31·9	11
NOTTINGHAM ..	42	16	36·6	27·0	7	GLASGOW ..	43·3	23·0	40·5	32·1	14
BIRKENHEAD (BIDSTON).	48	30	40·3	32·1	3	DUBLIN (PHŒNIX PARK).	46·8	23·8	42·6	31·4	19
MANCHESTER (WHITWORTH PARK).	43	23	38·4	29·6	8	FITZWILLIAM SQUARE.†	45·0	28·1	41·8	34·1	18
BURNLEY.. ..	44	17	38·0	25·7	19	BELFAST	42·0	27·0	40·3	30·4	11
HUDDERSFIELD	42	25	37·6	28·9	11						

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 1st December, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
NOVEMBER.			in.	°	°	°	°		°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	25	..	29·971	33·2	25·5	8·4	28·9	−13·0	28·0	0·9	5·0	0·0	96	41·1	20·6	46·4	Calm	Calm	0·0	0·0	0·0	97	− 216	0·00
MONDAY -	26	Greatest Declination N.	29·723	30·[illegible]	22·7	7·6	27·2	−14·6	27·2	0·0	0·4	0·0	100	33·6	25·0	46·1	Calm	Calm	0·0	0·0	0·0	44	− 273	0·00
TUESDAY -	27	..	29·643	34·5	26·9	7·6	30·8	−10·9	28·5	2·3	4·8	0·5	91	47·0	25·0	46·0	Calm	Calm : E	1·0	0·0	0·0	126	− 192	0·00
WEDNESDAY	28	..	29·323	36·9	33·2	3·7	35·3	− 6·2	32·2	3·1	4·6	0·3	88	38·7	32·0	45·8	E : NE	NNE : Calm.	2·1	0·0	0·1	262	− 54	0·08
THURSDAY -	29	..	29·514	36·4	33·1	3·3	35·1	− 6·1	32·3	2·8	3·5	0·6	90	41·8	30·2	45·6	Calm : NNE.	NNE : N	0·9	0·0	0·1	207	− 105	0·00
FRIDAY -	30	..	29·918	37·9	27·5	10·4	32·8	− 8·2	30·7	2·1	6·2	0·0	92	44·5	18·1	45·4	NNW	Calm : SW.	1·1	0·0	0·0	176	− 134	0·00
DECEMBER. SATURDAY -	1	Last Quarter.	29·789	45·4	26·2	19·2	38·8	− 2·1	33·0	5·8	8·2	3·8	80	61·0	15·7	45·4	SSW : S	SSW : S	3·0	0·0	0·2	345	+ 35	0·00
MEANS -		..	29·697	36·5	27·9	8·6	32·7	− 8·7	30·3	2·4	4·7	0·7	91	43·9	23·8	45·8	Calm		..	..	..	Sum 1,257	Sum − 939	Sum 0·08
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. NOVEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	25	mP till 10h.; then sP.	0·2	8·4	Overcast till 10¾h., then partially cloudy. Mist till 15h., then fog. Hoar frost from 21h.
MONDAY ..	26	sP till 22h., then mP.	0·0	8·3	Fog and hoar frost throughout.
TUESDAY ..	27	mP till 21h.; then wP.	0·3	8·3	Fog and hoar frost till 10h. Cloudy generally, becoming overcast by 16h.
WEDNESDAY	28	wP till 10h.; then mP.	0·0	8·3	Overcast throughout. Snow or sleet from 16½h.
THURSDAY	29	wP till 4h.; then mP.	0·0	8·2	Overcast throughout.
FRIDAY ..	30	mP	0·2	8·2	Overcast till 10h., then variably cloudy. Mist from 12h.; fog from 15h. Slight hoar frost.
DECEMBER. SATURDAY	1	mP till 22h.; then wP.	1·1	8·1	Cloudless till 7h., then overcast generally. Hoar frost in morning. Slight rain about 13h. Brisk wind from 22h
			Sum 1·8	Sum 57·8	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·01 in. at the beginning of the week to 30·02 in. by 8h. on 25th; decreased to 29·29 in. by 15h. on 28th; increased to 29·96 in. by 22h. on 30th; decreased and was 29.57 in. by midnight on December 1st.

Printed and published by His Majesty's Stationery Office Press
11–17, Hare Street, E 2

FOR OFFICIAL USE.

1923. No. 49.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 8TH DECEMBER, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course

NOTES FOR THE WEEK ENDED 8TH DECEMBER, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the forty-ninth week of the year numbered 6,801 and corresponded to an annual rate of 18·5 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,503 and corresponded to an annual rate of 15·0 per 1,000 of their aggregate civilian population, which is estimated at 19,170,699 in the year 1922. In the preceding three weeks the rates had been 11·4, 11·8 and 14·2. Infant mortality was 86 per 1,000 births, against 71, 70 and 79 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,624 births, corresponding to a rate of 18·6 per 1,000, and 1,339 deaths of civilians, corresponding to a rate of 15·4, as against 10·9, 11·9 and 15·4 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 13·4 per 1,000. The infant mortality was 77 as against 64, 52 and 68 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 271 in the total deaths last week, and the deaths from influenza rose from 68 to 103. In London the number of deaths from all causes rose from 1,335 to 1,339; while the deaths from diphtheria, which had been 7, 13 and 9 in the preceding three weeks, rose to 13 last week, and those from measles, which had been 10, 15 and 37 in the preceding three weeks, fell to 32 last week. The deaths from influenza, which had been 14 in each of the three preceding weeks rose to 24 last week.

Just Published:

Census of England and Wales, 1921.

County of Suffolk. Price 10*s.* net.

County of Sussex. Price 11*s.* net.

County of Hampshire. Price 12*s.* net.

Counties of Lincoln and Rutland. Price 16*s.* net.

County of Leicester. Price 8*s.* 6*d.* net.

County of Northampton, including the Soke of Peterborough. Price 10*s.* net.

The Registrar General's Statistical Review, 1922.

Tables, Part I. Medical. Price 15*s.* net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 8th December, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,699*	6,801	5,503	588	1	55	9	30	27	80	103
London	4,534,230*	1,624	1,339	125	–	32	2	5	13	17	24
Towns in Outer Ring.											
Croydon C.B. ..	192,300	47	37	2	–	–	–	–	–	–	–
Wimbledon ..	61,730	11	15	3	–	2	–	–	–	–	–
Ealing	67,890	23	26	4	–	–	–	–	–	–	1
Acton	62,390	12	9	1	–	–	–	–	–	–	1
Willesden ..	168,200	58	46	1	–	–	–	–	–	–	1
Hendon	55,930	14	7	1	–	–	–	–	–	–	–
Hornsey	87,310	16	20	–	–	1	–	–	–	–	–
Wood Green ..	51,290	12	16	1	–	–	–	–	–	–	2
Tottenham ..	150,500	43	41	6	–	1	–	–	–	–	–
Edmonton ..	68,700	40	24	2	–	–	–	–	–	–	2
Enfield	62,010	12	10	–	–	–	–	–	–	–	–
West Ham C.B. ..	310,200	146	87	8	–	–	–	1	–	–	2
East Ham C.B. ..	145,800	45	25	3	–	–	–	–	–	1	–
Leyton	131,600	34	34	5	–	–	–	–	–	–	–
Walthamstow ..	129,700	47	33	1	–	–	–	–	–	–	–
Ilford	86,370	30	35	2	–	–	–	–	–	–	–
Gillingham	48,630*	22	12	–	–	–	–	–	–	–	–
Canterbury C.B ..	23,680	8	6	1	–	–	–	–	–	–	–
Hastings C.B.	59,500	14	28	–	–	–	–	–	–	–	–
Eastbourne C.B. ..	53,700	9	10	–	–	–	–	–	–	–	–
Brighton C.B. ..	135,279†	47	36	1	–	–	–	–	–	–	1
Portsmouth C.B. ..	236,630*	93	72	11	–	–	–	–	–	4	2
Bournemouth C.B. ..	81,500	23	30	1	–	–	–	–	–	–	–
Southampton C.B. ..	163,700	56	51	5	–	–	–	–	2	1	1
Reading C.B.	92,990	28	39	–	–	–	–	–	–	–	1
Oxford C.B.	56,510	19	22	–	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	21	23	4	–	–	–	–	–	–	–
Luton	58,260	10	10	1	–	–	–	–	–	–	–
Cambridge	59,200	17	15	1	–	–	–	–	1	–	–
Southend-on-Sea C.B.	91,430	24	25	1	–	–	–	–	–	–	–
Ipswich C.B.	80,950	19	30	1	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	16	17	1	–	–	–	–	–	–	–
Norwich C.B ..	122,900	53	22	2	–	–	–	–	–	–	–
Swindon	55,680	22	19	1	–	–	–	–	–	1	–
Exeter C.B.	59,700	17	27	1	–	–	–	–	1	–	1
Plymouth C.B. ..	200,370*	59	67	9	–	–	–	1	1	–	1
Bath C.B.	68,530	15	22	–	–	–	–	–	–	–	–
Bristol C.B.	383,900	133	111	10	–	1	–	–	–	3	3
Gloucester C.B. ..	52,210	22	12	–	–	3	1	–	–	–	–
Stoke-on-Trent C.B.	274,300	127	79	5	–	–	–	–	–	1	3
Burton-upon-Trent C.B.	49,630	19	11	1	–	–	–	–	–	–	–
Wolverhampton C.B.	105,700	45	27	6	–	–	–	–	–	–	–
Walsall C.B.	99,890	45	26	5	–	–	–	–	1	–	–
West Bromwich C.B.	76,260	29	19	–	–	–	–	1	–	–	2
Dudley C.B.	57,860	20	19	1	–	–	–	1	–	–	1
Worcester C.B. ..	49,240	12	25	1	–	–	–	–	–	–	1
Birmingham C.B. ..	945,100	362	249	19	–	–	–	1	1	5	4
Smethwick C.B. ..	78,140	23	15	3	–	–	–	–	–	–	–
Coventry C.B. ..	131,200	45	25	2	–	–	–	–	–	–	–
Leicester C.B. ..	238,800	91	69	8	–	–	–	–	–	2	1
Lincoln C.B.	66,930	15	15	3	–	–	–	–	1	1	–
Grimsby C.B.	84,650	43	21	5	–	–	–	1	–	–	1
Nottingham C.B. ..	267,900	83	91	8	–	–	–	–	–	1	–
Derby C.B.	132,400	48	37	2	–	–	–	–	1	1	–
Chesterfield ..	63,380	27	13	1	–	2	–	1	–	1	–
Stockport C.B. ..	125,800	30	24	1	–	–	–	–	–	–	–
Chester C.B.	41,190	10	6	3	–	–	–	–	–	1	–
Birkenhead C.B. ..	149,200	51	45	5	–	–	–	–	–	1	–
Wallasey C.B. ..	89,790	18	17	2	–	–	–	–	–	–	1
Liverpool C.B. ..	826,400	335	274	30	–	11	1	1	–	5	5
Bootle C.B.	79,750	38	23	4	–	–	–	–	–	–	–
St. Helens C.B. ..	106,400	43	26	6	–	–	–	–	–	–	2

* Population adjusted by the exclusion of non-civilians
† As extended 1st October, 1923.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	18	28	1	–	–	–	–	–	–	1
WIGAN C.B.	91,750	33	38	9	–	–	–	1	–	1	1
WARRINGTON C.B. ..	79,150	38	24	2	–	–	1	–	–	1	–
BOLTON C.B.	182,700	59	50	6	–	–	–	1	–	–	1
BURY C.B.	57,400	15	20	2	–	–	–	2	–	1	–
MANCHESTER C.B. ..	748,500	290	215	38	–	–	1	2	–	4	7
SALFORD C.B.	240,700	95	91	19	1	–	–	1	–	3	2
OLDHAM C.B.	148,300	40	57	9	–	1	–	1	1	–	2
ROCHDALE C.B... ..	92,510	22	20	1	–	–	–	–	1	–	–
BURNLEY C.B.	105,100	35	41	3	–	–	–	1	–	1	1
BLACKBURN C.B. ..	129,600	46	62	10	–	–	–	1	–	–	3
PRESTON C.B.	120,900	51	46	7	–	–	–	–	–	2	2
BLACKPOOL C.B. ..	74,050	21	21	1	–	–	–	–	–	–	–
BARROW-IN-FURNESS C.B.	75,690	20	19	4	–	–	1	–	–	1	–
HUDDERSFIELD C.B. ..	111,600	18	34	1	–	–	–	2	–	1	–
HALIFAX C.B.	100,500	26	41	5	–	–	–	–	1	–	–
BRADFORD C.B. ..	291,300	84	96	11	–	–	–	–	–	–	–
LEEDS C.B.	466,700	170	134	14	–	–	–	1	–	2	2
DEWSBURY C.B. ..	55,170	16	10	–	–	–	–	1	–	–	2
WAKEFIELD C.B. ..	53,840	22	18	2	–	–	–	–	–	–	–
BARNSLEY C.B. ..	69,540	33	24	6	–	–	–	–	–	–	4
SHEFFIELD C.B. ..	522,600	180	121	15	–	–	1	–	–	2	1
ROTHERHAM C.B. ..	69,840	21	17	2	–	–	–	–	–	–	1
DONCASTER	55,020	25	16	2	–	–	–	1	–	–	–
YORK C.B.	84,980	20	23	–	–	–	–	–	–	–	1
HULL C.B.	294,000	126	74	11	–	–	–	–	–	4	–
MIDDLESBROUGH C.B.	134,800	61	39	6	–	–	–	–	–	2	–
DARLINGTON C.B. ..	66,710	17	12	1	–	–	–	–	–	–	–
STOCKTON-ON-TEES ..	65,950	33	15	–	–	–	–	–	–	–	2
WEST HARTLEPOOL C.B.	70,020	38	17	3	–	–	–	–	1	–	2
SUNDERLAND C.B. ..	162,900	66	32	5	–	1	–	–	–	–	–
SOUTH SHIELDS C.B. ..	122,400	44	35	4	–	–	–	–	–	2	–
GATESHEAD C.B. ..	127,300	52	39	10	–	–	–	–	–	1	–
NEWCASTLE-ON-TYNE C.B.	281,600	114	73	6	–	–	–	1	–	3	–
TYNEMOUTH C.B. ..	64,640	27	18	1	–	–	–	–	–	1	–
CARLISLE C.B.	53,490	18	8	1	–	–	–	–	–	–	1
NEWPORT (MON.) C.B.	94,880	29	21	2	–	–	–	–	–	–	–
CARDIFF C.B.	223,830	94	70	14	–	–	–	–	–	1	1
RHONDDA	167,500	73	36	9	–	–	–	–	–	–	1
MERTHYR TYDFIL C.B.	82,680	27	24	3	–	–	–	–	1	–	–
ABERDARE	56,580	15	15	2	–	–	–	–	–	–	–
SWANSEA C.B.	161,000	49	43	3	–	–	1	1	–	1	1
GREATER LONDON ..	7,563,730*	2,577	2,084	177	–	36	2	7	13	18	39
OUTER RING	3,029,500*	953	745	52	–	4	–	2	–	1	15
16 GREAT TOWNS IN OUTER RING	1,831,920	590	465	40	–	4	–	1	–	1	9
REMAINDER OF OUTER RING	1,197,580*	363	280	12	–	–	–	1	–	–	6
EDINBURGH†	426,000	166	113	7	–	–	1	1	–	–	1
GLASGOW†	1,041,400	488	412	55	–	43	1	12	4	7	3
DUBLIN (REGISTRATION AREA)†	431,000	191	144	31	–	2	1	–	1	5	2
BELFAST†	429,000	158	162	22	–	1	–	1	–	1	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available period.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1923.											
LONDON‡	4,534,230	Dec. 8	1624	1339	15·4	–	–	32	2	5	13	17	24
CALCUTTA	896,067	Oct. 27	?	498§	28·5	?	–	?	?	?	?	?	6
		Nov. 3	?	506§	28·9	?	–	?	?	?	?	?	4
BOMBAY	1,220,120	,, 3	409‖	657	28·0	2	1	1	?	–	–	44	4
MADRAS	526,911	Oct. 27	467	343§	33·8	–	–	–	?	–	–	27	1
		Nov. 3	523	381§	37·6	2	–	–	?	2	–	25	–
SYDNEY AND SUBURBS	955,900	Oct. (31 days)											
BRISBANE (Metropolitan Area).	230,200	Sept. (30 days)											
PERTH (Metropolitan Area).	161,773	Oct 27	92	24	7·7	–	–	–	–	–	–	1	–
AUCKLAND (Urban Area).	167,760	Oct. (31 days)											
WELLINGTON (Urban Area).	112,070	,,											
CHRISTCHURCH (Urban Area).	113,400	,,											
CAPE TOWN	106,727	Nov. 3	49	21	10·2	–	–	–	–	–	–	–	–
JOHANNESBURG	156,858	,, 3	88	40	13·3	–	–	–	1	1	–	3	–
		,, 10	90	45	14·9	–	–	–	–	–	1	5	1
DURBAN	50,488	,, 3	32	16	16·5	1	–	–	–	–	–	–	1
		,, 10	31	9	9·3	–	–	–	–	–	–	1	1
PARIS	2,906,472	Nov. 30 (10 days)											
ANTWERP	301,881	Oct. 6	88	50	8·7	–	–	–	–	–	–	–	–
		,, 13	101	43	7·4	–	–	–	–	–	–	4	–
AMSTERDAM	703,931	Nov. 17	246	127	9·4	1	–	–	–	1	1	–	1
COPENHAGEN	570,000	,, 24	208	124	11·3	–	–	1	–	–	–	2	2
STOCKHOLM	424,944	,, 17	117	80	9·8	–	–	–	–	–	–	–	–
GOTHENBURG	228,074	,, 10	?	48	10·9	–	–	–	–	–	–	–	–
		,, 17	?	32	7·3	–	–	–	–	–	1	–	–
CHRISTIANIA	258,962	,, 24	67	67	13·4	1	–	–	–	–	–	–	–
BERLIN	1,983,000	,, 3	310	429	11·2	1	?	–	–	1	1	7	4
BRESLAU	561,000	,, 3	156	142	13·2	–	?	–	–	1	3	6	2
COLOGNE	704,000	,, 3	217	121	8·9	–	?	–	–	1	–	7	–
DRESDEN	611,000	,, 3	127	95	8·1	–	?	–	–	–	–	–	–
FRANKFORT-ON-MAIN..	474,000	,, 3	107	79	8·7	–	?	–	–	–	1	3	–
HAMBURG	1,079,000	,, 3	329	355	17·1	1	?	–	–	–	–	4	2
LEIPZIG	679,000	,, 3	155	140	10·7	–	?	–	–	–	–	2	1
MUNICH	685,000	,, 3	150	160	12·1	–	?	–	1	1	1	3	–
VIENNA	1,841,326	Oct. 20	522	384	10·7	1	–	–	1	5	2	13	1
		,, 27	434	380	10·6	5	–	–	1	–	3	5	–
PRAGUE AND SUBURBS	697,111	,, 15 (15 days)											
BUDAPEST	946,000	Sept. 1											
WARSAW	956,087	Nov. 17	355	228	12·4	3	–	–	10	1	1	9	2
CAIRO	791,000	Sept. 9	795	494	32·5	11	–	–	–	?	2	109	?
ALEXANDRIA	466,700	,, 9	431	277§	30·9	3	–	1	–	?	6	52	?
NEW YORK	5,927,617	,, 29	2686	1046	9·2	2	–	1	–	1	3	48	3
		Oct. 6	2462	1125	9·9	–	–	1	1	3	6	35	3
CHICAGO	2,886,121	Nov. 10											
RIO DE JANEIRO ..	1,312,468	Oct. 20											
MONTEVIDEO	348,989	July 7											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 4 and 5 deaths from Asiatic Cholera in Calcutta, and 0 and 1 in Madras, and from Plague, 2 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 8th December, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1339	125	38	35	31	30	50	85	140	203	259	343
Enteric fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	32	1	15	14	2	-	-	-	-	-	-	-
Scarlet fever	2	-	-	1	1	-	-	-	-	-	-	-
Whooping cough	5	1	3	1	-	-	-	-	-	-	-	-
Diphtheria	13	-	2	7	4	-	-	-	-	-	-	-
Influenza	24	-	-	-	-	1	1	2	3	8	5	4
Erysipelas	2	-	-	-	-	-	-	1	1	-	-	-
Acute Poliomyelitis, Polioencephalitis	-	-	-	-	-	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	-	-	-	1	-	-	-
Meningococcal meningitis	1	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	103	1	-	-	2	15	18	21	23	14	8	1
Nervous system	1	1	-	-	-	-	-	-	-	-	-	-
Intestines and peritoneum	1	-	1	-	-	-	-	-	-	-	-	-
Other forms	8	-	-	1	3	-	2	-	-	1	1	-
Venereal diseases	4	2	-	-	-	-	-	-	1	-	1	-
Cancer	125	-	-	-	1	-	4	6	21	42	29	22
Rheumatic fever	3	-	-	-	1	-	-	-	1	1	-	-
Diabetes	6	-	-	-	-	-	-	1	1	1	2	1
Alcoholism	1	-	-	-	-	-	1	-	-	-	-	-
Simple meningitis	2	-	-	1	-	-	-	-	1	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	46	-	-	-	-	-	1	1	1	9	16	18
Epilepsy	4	-	-	-	-	-	-	-	-	1	2	1
"Convulsions" (not puerperal) ..	4	4	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	31	2	-	-	2	2	2	5	6	8	2	2
Pericarditis	-	-	-	-	-	-	-	-	-	-	-	-
Acute endocarditis	4	-	-	-	-	2	1	1	-	-	-	-
Other diseases of heart	198	-	-	-	-	4	1	12	17	31	42	91
Other diseases of circulatory system	58	-	-	-	-	-	-	2	6	12	16	22
Bronchitis	187	4	-	-	-	-	2	5	18	27	54	77
Broncho-pneumonia	83	19	8	4	-	-	1	5	6	3	22	15
Lobar-pneumonia	48	3	-	-	2	1	5	6	11	7	9	4
Pneumonia (type not distinguished) ..	22	1	2	2	2	-	-	2	2	4	4	3
Other diseases of respiratory system	31	1	2	-	1	-	1	1	4	5	9	7
Diarrhœa and enteritis	22	16	1	2	-	-	-	-	1	1	1	-
Appendicitis, Typhlitis	6	-	-	-	1	1	1	-	1	2	-	-
Hernia, Intestinal obstruction	8	-	-	-	-	-	-	-	1	2	4	1
Cirrhosis of liver	7	-	-	-	-	-	-	-	1	2	3	1
Other diseases of digestive system ..	17	1	1	-	2	-	-	3	3	1	5	1
Acute nephritis	1	-	-	-	-	-	-	-	-	1	-	-
Chronic Bright's disease	27	-	-	-	-	-	-	2	4	6	7	8
Other diseases of genito-urinary system.	11	-	-	-	-	-	-	2	-	1	3	5
Puerperal sepsis	3	-	-	-	-	1	2	-	-	-	-	-
Other causes incident to childbirth ..	3	-	-	-	-	-	2	1	-	-	-	-
Congenital malformations	9	8	1	-	-	-	-	-	-	-	-	-
Premature birth	26	26	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	17	17	-	-	-	-	-	-	-	-	-	-
Old age	50	-	-	-	-	-	-	-	-	-	5	45
Suicide	5	-	-	-	-	-	1	1	1	2	-	-
Burns and scalds	3	1	-	-	-	-	-	-	1	-	-	1
Drowning	1	-	-	-	-	-	-	-	-	1	-	-
Suffocation in bed	3	3	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	7	-	-	-	2	1	1	1	1	-	-	1
Other deaths by violence	15	-	1	-	1	-	1	1	-	4	2	5
Other specified causes	48	12	1	2	4	2	2	3	2	6	7	7
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 8th December, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	214	213	7	166	C. 10 D. 1 E. 4 G. 2 L. 1 M. 8
†CITY OF LONDON	–	3	–	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	12	9	–	14	E. 1
†BERMONDSEY ...	–	5	14	–	6	–
†BETHNAL GREEN	–	11	14	1	4	–
†CAMBERWELL ...	–	9	20	1	3	–
†CHELSEA	–	4	–	–	3	–
†DEPTFORD ...	–	8	4	–	3	–
†FINSBURY ...	–	6	5	–	1	C. 1
†FULHAM	–	6	2	–	9	C. 1
†GREENWICH ...	–	3	3	1	–	–
†HACKNEY ...	–	6	21	–	2	C. 1 M. 1
†HAMMERSMITH ...	–	4	8	–	2	–
†HAMPSTEAD ...	–	8	–	–	2	E. 2
†HOLBORN... ...	–	1	2	–	–	M. 1

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	21	18	–	5	D. 1 M. 3
†KENSINGTON ...	–	5	1	–	6	C. 1 E. 1 L. 1
†LAMBETH ...	–	24	16	–	8	C. 3
†LEWISHAM ...	–	6	5	–	3	G. 1
†PADDINGTON ...	–	4	4	1	19	–
†POPLAR	–	9	6	–	20	C. 1 G. 1
†ST. MARYLEBONE	–	7	–	–	–	–
†ST. PANCRAS ...	–	8	9	–	6	M. 1
†SHOREDITCH ...	–	7	10	–	10	–
†SOUTHWARK ...	–	5	19	–	6	M. 1
†STEPNEY	–	11	12	1	11	C. 1 M. 1
†WANDSWORTH ...	–	6	7	1	14	C. 1
†WESTMINSTER, CITY OF	–	6	–	1	2	–
†WOOLWICH ...	–	9	4	–	7	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	11	4	–	2	–
Boroughs and Urban Districts:—						
LEIGHTON BUZZARD	–	2	1	–	–	–
†LUTON	–	4	2	–	1	–
Rural Districts:—						
AMPTHILL ...	–	3	–	–	1	–
EATON BRAY ...	–	2	1	–	–	–
BERKS	–	4	3	–	1	C. 1
†READING C.B. ...	–	1	2	–	1	C. 1
Boroughs and Urban Districts:—						
†NEW WINDSOR	–	2	–	–	–	–
Rural Districts:—						
WALLINGFORD ...	–	1	–	–	–	–
WOKINGHAM ...	–	–	1	–	–	–
BUCKINGHAM ...	–	8	3	–	5	–
Boroughs and Urban Districts:—						
†CHEPPING WYCOMBE ...	–	4	3	–	3	–
ETON	–	1	–	–	–	–
MARLOW	–	–	–	–	1	–
†WOLVERTON ...	–	2	–	–	–	–
Rural Districts:—						
ETON	*	*	*	*	*	*
WING	–	1	–	–	–	–
WYCOMBE ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	3	1	1	–	–
Borough:—						
†CAMBRIDGE ...	–	1	1	1	–	–
Rural Districts:—						
CHESTERTON ...	–	2	–	–	–	–
CHESTER	1	51	8	3	22	C. 1 D. 1 M. 3
†BIRKENHEAD C.B.	–	9	1	1	10	M. 1
†CHESTER C.B. ...	1	1	–	–	–	–
†STOCKPORT C.B.	–	4	1	–	2	D. 1
†WALLASEY C.B. ...	–	4	1	1	2	–
Boroughs and Urban Districts:—						
ALDERLEY EDGE	–	1	–	–	–	–
†BEBINGTON AND BROMBOROUGH	–	3	–	–	1	–
BOLLINGTON ...	–	1	–	–	–	–
†CONGLETON ...	–	2	–	–	–	–
†DUKINFIELD ...	–	–	–	–	1	–
†ELLESMERE PORT AND WHITBY	–	–	3	–	1	–
HALE	–	–	1	–	–	–
HANDFORTH ...	–	1	–	–	–	–
†HAZEL GROVE AND BRAMHALL	–	1	–	–	–	–
†HYDE	–	3	–	–	1	–
†MACCLESFIELD ...	–	5	–	1	1	–
MARPLE	–	1	–	–	–	–
†RUNCORN ...	–	1	–	–	2	–
SANDBACH ...	–	1	–	–	–	–
†STALYBRIDGE ...	–	1	–	–	–	M. 1
†WINSFORD ...	–	3	–	–	–	–
Rural Districts:—						
BUCKLOW ...	–	–	–	–	1	M. 1
CONGLETON ...	–	1	–	–	–	–
MACCLESFIELD ...	–	3	1	–	–	–
NANTWICH ...	–	4	–	–	–	–
NORTHWICH ...	–	1	–	–	–	–
TINTWISTLE ...	–	–	–	–	–	C. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CORNWALL ...	–	4	–	–	2	D. 1 M. 1
Boroughs and Urban Districts:—						
†FALMOUTH ...	–	1	–	–	–	–
MADRON	–	–	–	–	–	D. 1
PADSTOW... ...	–	–	–	–	1	–
SAINT AUSTELL	–	–	–	–	–	M. 1
SALTASH	*	*	*	*	*	*
WADEBRIDGE ...	*	*	*	*	*	*
Rural Districts:—						
EAST KERRIER ...	–	3	–	–	–	–
REDRUTH ...	–	–	–	–	1	–
CUMBERLAND ...	–	13	6	–	2	–
†CARLISLE C.B. ...	–	4	1	–	–	–
Boroughs and Urban Districts:—						
ASPATRIA ...	–	–	–	–	1	–
CLEATOR MOOR ...	–	–	3	–	–	–
†MARYPORT ...	–	3	–	–	–	–
Rural Districts:—						
BRAMPTON ...	–	1	–	–	–	–
COCKERMOUTH ...	–	4	–	–	1	–
LONGTOWN ...	–	–	1	–	–	–
WHITEHAVEN ...	–	1	1	–	–	–
DERBY	24	33	20	–	36	M. 2
†DERBY C.B. ...	–	6	5	–	7	–
Boroughs and Urban Districts:—						
†ALFRETON ...	1	2	1	–	–	–
†BELPER	-	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY—*cont.*						
Boroughs and Urban Districts—*cont.*						
†BOLSOVER ...	5	–	–	–	2	–
†BUXTON	–	1	–	–		–
†CHESTERFIELD ...	–	–	–	–	5	–
DRONFIELD ...	–	–	2	–	–	–
†GLOSSOP	–	–	–	–	1	–
†HEANOR	4	–	–	–	2	–
†ILKESTON ...	–	3	–	–	2	–
†LONG EATON ...	–	1	–	–	3	–
NEW MILLS ...	–	–	1	–	–	M. 1
†RIPLEY	–	1	–	–	–	–
†SWADLINCOTE DISTRICT	–	1	1	–	4	–
Rural Districts:—						
BAKEWELL ...	–	4	–	–	–	–
BELPER	–	2	–	–	–	–
BLACKWELL ...	14	2	2	–	–	–
CHAPEL EN LE FRITH	–	2	–	–	–	–
CHESTERFIELD ...	–	3	8	–	2	M. 1
CLOWNE	–	1	–	–	–	–
HAYFIELD ...	–	1	–	–	–	–
REPTON	–	–	–	–	1	–
SHARDLOW ...	–	2	–	–	6	–
DEVON	-	16	7	–	8	C. 1 M. 1
†EXETER C.B. ...	–	–	4	–	–	M. 1
†PLYMOUTH C.B....	–	5	1	–	1	–
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	3	–	–	1	–
†ILFRACOMBE ...	–	1	1	–	–	–
NORTHAM ...	–	–	–	–	1	–
SIDMOUTH ...	–	–	–	–	1	–
TIVERTON ...	–	–	–	–	–	C. 1
†TORQUAY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
AXMINSTER ...	–	–	–	–	2	–
BARNSTAPLE ...	–	–	–	–	1	–
CREDITON ...	–	–	1	–	–	–
HOLSWORTHY (part)	–	1	–	–	–	–
PLYMPTON ST. MARY	–	1	–	–	–	–
ST. THOMAS ...	–	4	–	–	–	–
TOTNES	–	–	–	–	1	–
DORSET	–	4	–	–	4	C. 2 G. 1
Boroughs and Urban Districts:—						
BLANDFORD FORUM	–	1	–	–	2	–
†POOLE	–	1	–	–	–	C. 2 G. 1
†WEYMOUTH AND MELCOMBE REGIS	*	*	*	*	*	*
Rural Districts:—						
BLANDFORD ...	–	–	–	–	2	–
WAREHAM AND PURBECK	–	1	–	–	–	–
WIMBORNE AND CRANBORNE	–	1	–	–	–	–
DURHAM	–	119	14	1	35	C. 1 M. 6
†DARLINGTON C.B.	–	5	1	–	1	–
†GATESHEAD C.B.	–	7	2	–	2	M. 1
†SOUTH SHIELDS C.B.	–	20	3	–	4	M. 1
†SUNDERLAND C.B.	–	7	1	–	4	M. 1
†WEST HARTLEPOOL C.B.	–	9	1	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	2	1	–	2	M. 1
†BISHOP AUCKLAND	–	1	–	–	–	–
†BLAYDON... ...	–	1	–	–	–	–
†CONSETT	–	1	–	–	–	–
†DURHAM	–	–	–	–	1	–
†FELLING	–	2	–	–	1	–
†HEBBURN ...	–	5	–	–	2	–
†HETTON	–	4	–	–	–	–
†HOUGHTON LE SPRING	–	–	–	–	2	–
†JARROW	–	–	–	–	2	–
LEADGATE ...	–	–	–	–	2	–
†SEAHAM HARBOUR	–	–	–	–	1	–
†SHILDON	–	1	–	–	–	–
†SOUTHWICK ON WEAR	–	–	–	–	1	–
†SPENNYMOOR ...	–	1	1	–	–	–
STANHOPE ...	–	–	–	–	2	–
†STANLEY	–	3	–	–	–	–
†STOCKTON ON TEES	–	12	–	–	2	–
†TANFIELD ...	–	3	1	–	–	–
†WASHINGTON ...	–	1	–	–	–	–
WILLINGTON ...	–	2	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	6	–	–	1	–
CHESTER LE STREET	–	4	–	1	1	–
DURHAM	–	2	–	–	–	–
EASINGTON ...	–	6	2	–	1	–
HOUGHTON LE SPRING	–	5	–	–	2	–
LANCHESTER ...	–	3	–	–	–	–
SEDGEFIELD ..	–	3	–	–	–	C. 1
SOUTH SHIELDS...	–	1	–	–	–	–
STOCKTON ...	–	1	–	–	–	–
SUNDERLAND ...	–	1	–	–	1	M. 1
WEARDALE ...	–	–	1	–	–	–
ELY, ISLE OF ...	–	–	1	1	2	–
Boroughs and Urban Districts:—						
ELY	–	–	1	–	2	–
†WISBECH.. ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX	–	58	44	–	36	C. 2 L. 4 M. 3
†EAST HAM C.B. ...	–	4	3	–	3	–
†SOUTHEND-ON-SEA C.B.	–	2	–	–	6	–
†WEST HAM C.B. ...	–	10	19	–	7	–
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	–	–	3	M. 1
BRENTWOOD ...	–	1	2	–	–	–
†CHELMSFORD ...	–	–	1	–	1	–
CHINGFORD ...	–	1	–	–	–	–
†COLCHESTER ...	–	5	5	–	–	–
EPPING	–	–	–	–	2	–
†ILFORD	–	1	2	–	2	L. 4
†LEYTON	–	15	3	–	3	C. 1
†ROMFORD ...	–	3	1	–	–	–
SHOEBURYNESS ...	–	–	–	–	2	–
†WALTHAMSTOW ...	–	10	5	–	5	C. 1 M. 1
†WANSTEAD ..	–	1	–	–	–	–
†WOODFORD ...	–	1	1	–	–	–
Rural Districts:—						
DUNMOW	–	–	–	–	2	M. 1
EPPING	–	2	–	–	–	–
ORSETT	*	*	*	*	*	*
ROMFORD... ...	–	2	2	–	–	–
GLOUCESTER ...	16	46	27	10	17	C. 3 D. 1 M. 1
†BRISTOL C.B. ...	–	20	23	–	7	C. 3 M. 1
†GLOUCESTER C.B.	–	5	1	5	4	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	–	–	–	2	–
CIRENCESTER ...	–	3	–	–	–	–
COLEFORD ...	–	1	–	–	–	–
†KINGSWOOD ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont*						
Rural Districts:—						
CAMPDEN... ...	–	2	–	–	–	–
DURSLEY... ...	–	1	–	–	1	D. 1
EAST DEAN AND UNITED PARISHES ...	16	–	1	–	2	–
GLOUCESTER ...	–	–	–	2	–	–
NEWENT	–	–	–	1	–	–
STOW ON THE WOLD (part)	–	–	1	–	–	–
STROUD	–	–	–	2	–	–
TETBURY (part)	–	1	–	–	–	–
THORNBURY ...	–	–	–	–	1	–
WARMLEY ...	–	1	–	–	–	–
WEST DEAN ...	–	9	–	–	–	–
WINCHCOMB(part)	–	3	–	–	–	–
HEREFORD ..	–	5	2	1	–	G. 1
Boroughs and Urban Districts:—						
LEOMINSTER ...	–	1	–	–	–	–
Rural Districts:—						
KINGTON	–	–	–	1	–	–
LEOMINSTER ...	–	3	–	–	–	–
ROSS	–	–	1	–	–	G. 1
WIGMORE ...	–	1	1	–		–
HERTFORD ..	–	11	2	–	3	L. 1 M. 1
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	–	1	–	–	–
BUSHEY	–	1	–	–	–	–
HARPENDEN ...	–	1	–	–	–	–
†HEMEL HEMPSTEAD	–	1	–	–	–	–
†HERTFORD ...	–	1	1	–	–	–
ROYSTON	–	2	–	–	–	–
SAWBRIDGEWORTH	–	1	–	–	–	–
†WATFORD ...	–	1	–	–	3	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Rural Districts:—						
BERKHAMPSTEAD	–	2	–	–	–	–
HEMEL HEMPSTEAD	–	1	–	–	–	–
WATFORD ..	–	–	–	–	–	L. 1
HUNTINGDON ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	–	–	1	–
KENT	–	30	16	1	17	M. 1
Boroughs and Urban Districts:—						
†ASHFORD... ...	–	–	–	–	2	–
†BECKENHAM ...	–	2	–	–	1	–
†BROMLEY ...	–	2	–	–	3	–
†CHATHAM ...	–	4	–	–	1	–
†DARTFORD ...	–	–	–	–	3	–
†DEAL	–	–	1	–	–	–
†DOVER	–	1	–	–	–	M. 1
†ERITH	–	3	1	–	1	–
†FAVERSHAM ...	–	1	1	–	–	–
†FOLKESTONE ...	–	2	–	–	2	–
†GILLINGHAM ...	–	5	–	–	–	–
†GRAVESEND ...	–	–	2	–	–	–
†MAIDSTONE ...	–	–	1	–	–	–
†MARGATE ...	–	–	–	1	–	–
†NORTHFLEET ...	–	1	1	–	–	–
†PENGE	–	–	–	–	1	–
†RAMSGATE ...	–	1	1	–	–	–
†ROYAL TUNBRIDGE WELLS	–	3	–	–	1	–
WHITSTABLE ...	–	–	–	–	2	–
Rural Districts:—						
BROMLEY ...	–	2	–	–	–	–
DARTFORD ...	–	1	2	–	–	–
DOVER	–	–	1	–	–	–
MALLING... ...	–	1	–	–	–	–
MILTON	–	1	–	–	–	–
SEVENOAKS ...	–	–	5	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER ...	–	207	60	2	333	C. 9 D. 1 E. 1 G. 5 M. 26
†BARROW IN FURNESS C.B.	–	3	–	–	–	–
†BLACKBURN C.B.	–	3	–	–	9	C. 1 M. 1
†BLACKPOOL C.B.	–	–	1	–	1	–
†BOLTON C.B. ...	–	13	–	–	5	E. 1
†BOOTLE C.B. ...	–	4	–	–	3	–
†BURNLEY C.B. ...	–	2	1	–	2	–
†BURY C.B. ...	–	–	1	–	5	M. 1
†LIVERPOOL C.B. ...	–	68	23	–	72	C. 1 G. 2 M. 11
†MANCHESTER C.B.	–	30	10	1	106	C. 3 M. 7
†OLDHAM C.B. ...	–	3	2	–	4	G. 3
†PRESTON C.B. ...	–	2	–	–	1	–
†ROCHDALE C.B. ...	–	6	3	–	1	–
†ST. HELENS C.B....	–	4	1	–	8	D. 1 M. 2
†SALFORD C.B. ...	–	5	3	–	8	–
†SOUTHPORT C.B.	–	1	2	–	1	M. 2
†WARRINGTON C.B.	–	2	–	–	13	C. 2
†WIGAN C.B. ...	–	1	1	1	6	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	4	–
†ACCRINGTON ...	–	1	–	–	6	–
†ASHTON IN MAKERFIELD	–	–	1	–	–	–
†ASHTON UNDER LYNE	–	6	–	–	6	–
ASPULL	–	1	–	–	–	–
†ATHERTON ..	–	3	1	–	–	C. 1
BILLINGE... ...	–	–	1	–	–	–
†CHADDERTON ...	–	5	–	–	–	–
†CHORLEY... ...	–	–	–	–	3	–
CHURCH	–	–	–	–	2	–
CLAYTON LE MOORS	–	1	–	–	–	–
†COLNE	–	–	2	–	4	–
†CROMPTON ...	–	–	–	–	1	–
†DALTON IN FURNESS	–	1	–	–	–	–
†DENTON	–	–	–	–	3	–
†ECCLES	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FAILSWORTH ...	–	1	–	–	7	–
†FARNWORTH ...	–	–	–	–	1	–
†FLEETWOOD ...	–	–	2	–	1	–
†HASLINGDEN ...	–	–	–	–	1	–
†HAYDOCK ...	*	*	*	*	*	*
†HEYWOOD ...	*	*	*	*	*	*
†HINDLEY... ...	–	–	–	–	5	–
†HORWICH ...	–	–	1	–	–	–
HURST	–	2	–	–	–	–
†INCE IN MAKERFIELD	–	–	–	–	1	–
KEARSLEY ...	–	–	–	–	1	–
†LANCASTER ...	–	–	–	–	1	–
†LEIGH	–	3	–	–	1	M. 1
†LITHERLAND ...	–	1	–	–	–	–
LONGRIDGE ...	–	–	–	–	1	–
†MIDDLETON ...	–	3	–	–	1	–
†MORECAMBE ...	–	2	–	–	–	–
†NEWTON IN MAKERFIELD	–	–	–	–	8	–
NORDEN	–	–	–	–	–	C. 1
†OSWALDTWISTLE	–	–	–	–	1	–
†RADCLIFFE ...	–	–	–	–	2	–
RAINFORD ...	–	–	–	–	1	–
†RAMSBOTTOM ...	–	3	–	–	–	–
†RAWTENSTALL ...	–	2	–	–	–	–
†STRETFORD... ...	–	7	–	–	–	–
†SWINTON AND PENDLEBURY	–	3	1	–	3	M. 1
TOTTINGTON ...	*	*	*	*	*	*
†TURTON	–	1	–	–	–	–
†TYLDESLEY WITH SHAKERLEY	–	–	–	–	3	–
†ULVERSTON ...	–	1	–	–	–	–
WARDLE	–	1	–	–	–	–
†WATERLOO WITH SEAFORTH	–	1	–	–	4	–
†WESTHOUGHTON	–	–	1	–	1	–
†WIDNES	–	3	1	–	3	–
Rural Districts:—						
BURY	–	1	–	–	–	*
CHORLEY	–	–	–	–	2	–
LEIGH	–	–	–	–	1	–
SEFTON	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Rural Districts—*cont.*						
ULVERSTON ...	–	1	–	–	–	–
WARRINGTON ...	–	–	1	–	7	–
WEST LANCASHIRE	–	1	–	–	–	–
WHISTON... ...	–	3	–	–	–	–
WIGAN	–	–	–	–	1	–
LEICESTER... ...	–	12	6	1	9	–
†LEICESTER C.B. ...	–	11	4	–	6	–
Boroughs and Urban Districts:—						
MELTON MOWBRAY	–	–	–	–	1	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	1	–	–	–	–
BARROW UPON SOAR	–	–	–	–	1	–
MARKET BOSWORTH	–	–	2	1	1	–
LINCOLN (parts of Holland).	–	3	–	–	–	–
Rural Districts:—						
BOSTON	–	2	–	–	–	–
EAST ELLOE ...	–	1	–	–	–	–
LINCOLN (parts of Kesteven).	–	1	–	–	1	M. 1
Boroughs and Urban Districts:—						
†GRANTHAM ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Kesteven)—*cont.*						
Rural Districts:—						
BOURNE	–	–	–	–	1	–
BRANSTON ...	–	–	–	–	–	M.1
LINCOLN (parts of Lindsey).	–	10	8	1	4	M. 1
†GRIMSBY C.B. ...	–	3	–	–	1	–
†LINCOLN C.B. ...	–	–	5	–	–	M. 1
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	2	–	–	–
LOUTH	–	–	–	1	–	–
MABLETHORPE ...	–	1	–	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	5	1	–	2	–
Rural Districts:—						
GAINSBOROUGH ...	*	*	*	*	*	*
GRIMSBY	–	1	–	–	–	–
ISLE OF AXHOLME	–	–	–	–	1	–
MIDDLESEX ...	–	54	34	1	24	C. 1 E. 1
Boroughs and Urban Districts:—						
†ACTON	–	5	3	–	–	–
†BRENTFORD ...	–	2	–	–	2	–
†CHISWICK ...	–	1	–	–	1	–
†EALING	–	–	–	1	1	–
†EDMONTON ...	–	2	1	–	1	–
†ENFIELD	–	2	–	–	3	–
FELTHAM ...	–	–	–	–	1	–
†FINCHLEY ...	–	1	–	–	–	–
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FRIERN BARNET	–	–	2	–	–	–
†HAMPTON ...	–	–	–	–	1	–
†HANWELL ...	–	10	2	–	–	–
†HARROW ON THE HILL	–	–	1	–	–	–
†HENDON	–	2	3	–	1	–
†HESTON AND ISLEWORTH	–	1	3	–	2	–
†HORNSEY	–	7	3	–	1	–
KINGSBURY ...	*	*	*	*	*	*
†SOUTHGATE ...	–	2	1	–	1	–
†TOTTENHAM ...	–	8	2	–	3	C. 1
†WEALDSTONE ...	–	1	–	–	1	–
†WEMBLEY ...	–	–	–	–	3	–
†WILLESDEN ...	–	6	12	–	2	E. 1
†WOOD GREEN ...	–	4	–	–	–	–
Rural Districts:—						
STAINES	–	–	1	–	–	–
NORFOLK	–	34	2	1	3	E. 1
†GREAT YARMOUTH C.B.	–	1	2	–	–	E. 1
†NORWICH C.B. ...	–	21	–	1	1	–
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	1	–	–	2	–
NORTH WALSHAM	–	2	–	–	–	–
Rural Districts:—						
DEPWADE ...	–	1	–	–	–	–
HENSTEAD ...	–	2	–	–	–	–
MARSHLAND ...	–	1	–	–	–	–
SMALLBURGH ...	–	1	–	–	–	–
WALSINGHAM ...	–	3	–	–	–	–
WAYLAND ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHAMPTON ...	–	30	–	–	6	C. 1
†NORTHAMPTON C.B.	–	13	–	–	4	–
Boroughs and Urban Districts:—						
†KETTERING ...	–	6	–	–	–	–
ROTHWELL ...	–	1	–	–	–	–
†RUSHDEN ...	–	1	–	–	–	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	–	–	–	1	–
HARDINGSTONE ...	–	3	–	–	–	–
KETTERING ...	–	2	–	–	–	–
NORTHAMPTON ...	–	1	–	–	1	C. 1
THRAPSTON (part)	–	1	–	–	–	–
NORTHUMBERLAND	1	43	10	–	29	M. 3
†NEWCASTLE UPON TYNE C.B.	–	16	5	–	18	M. 3
†TYNEMOUTH C.B.	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	1	–	–	–	–
†BEDLINGTONSHIRE	–	6	–	–	1	–
†BLYTH	–	1	–	–	5	–
CRAMLINGTON ...	–	1	–	–	1	–
†EARSDON	–	–	1	–	–	–
†GOSFORTH ...	–	2	2	–	–	–
HEXHAM	–	–	–	–	1	–
†LONGBENTON ...	–	2	–	–	–	–
MORPETH... ...	–	1	–	–	–	–
†NEWBURN ...	–	4	–	–	–	–
†WALLSEND ...	–	2	1	–	2	–
WEETSLADE ...	–	2	–	–	–	–
†WHITLEY AND MONKSEATON	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND —*cont.*						
Rural Districts:—						
ALNWICK ...	*	*	*	*	*	*
CASTLE WARD ..	–	1	–	–	–	–
HALTWHISTLE ...	–	3	–	–	–	–
MORPETH... ...	1	–	–	–	–	–
NOTTINGHAM ...	14	37	6	–	10	L. 2 M. 1
†NOTTINGHAM C.B.	–	24	–	–	6	L. 2 M. 1
Boroughs and Urban Districts:—						
†BEESTON	–	2	–	–	–	–
†CARLTON	–	2	1	–	1	–
†HUCKNALL ...	7	–	–	–	–	–
†KIRKBY IN ASHFIELD	3	–	–	–	–	–
†MANSFIELD ...	–	1	–	–	1	–
†MANSFIELD WOODHOUSE	*	*	*	*	*	*
†NEWARK	–	–	1	–	–	–
†SUTTON IN ASHFIELD	–	3	–	–	2	–
†WEST BRIDGFORD	–	2	–	–	–	–
†WORKSOP... ...	–	–	1	–	–	
Rural Districts:—						
BASFORD	4	–	1	–	–	–
BLYTH AND CUCKNEY	–	–	1	–	–	–
NEWARK	–	3	1	–	–	–
OXFORD	–	15	1	1	2	M. 1
†OXFORD C.B. ...	–	7	–	–	1	–
Rural Districts:—						
BICESTER... ...	–	–	–	1	–	–
CULHAM	–	3	–	–	–	–
HEADINGTON ...	–	3	–	–	1	M. 1
HENLEY	–	–	1	–	–	–
WITNEY	–	1	–	–	–	–
WOODSTOCK ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague : encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
PETERBOROUGH (Soke of)	–	2	–	–	2	M. 1
Borough :—						
†PETERBOROUGH...	–	2	–	–	1	M. 1
Rural District :—						
PETERBOROUGH...	–	–	–	–	1	–
SALOP	–	10	4	–	4	M. 1
Boroughs and Urban Districts :—						
DAWLEY	–	–	4	–	–	–
LUDLOW	–	–	–	–	1	–
†OAKENGATES ...	–	1	–	–	–	–
WEM	–	1	–	–	–	–
†WENLOCK ...	–	1	–	–	–	–
Rural Districts :—						
ATCHAM	–	1	–	–	–	–
BRIDGNORTH ...	–	–	–	–	1	–
CHIRBURY ...	–	–	–	–	1	M. 1
ELLESMERE ...	–	2	–	–	–	–
LUDLOW	–	–	–	–	1	–
OSWESTRY ...	–	1	–	–	–	–
SHIFNAL	–	3	–	–	–	–
SOMERSET	–	14	2	–	11	D. 1 M. 1
†BATH C.B. ...	–	4	1	–	1	–
Boroughs and Urban Districts :—						
MIDSOMER NORTON	–	3	–	–	–	–
RADSTOCK ...	–	–	–	–	1	–
†TAUNTON... ...	–	1	–	–	1	D. 1
†WESTON SUPER MARE	–	2	–	–	–	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SOMERSET—*cont.*						
Rural Districts :—						
AXBRIDGE ...	–	–	–	–	2	–
CHARD	–	–	1	–	1	–
LONG ASHTON ...	–	–	–	–	1	–
SHEPTON MALLET	–	1	–	–	–	–
TAUNTON ...	–	1	–	–	2	–
WELLS	–	–	–	–	1	–
WINCANTON ...	–	2	–	–	–	–
YEOVIL	–	–	–	–	1	–
SOUTHAMPTON ...	–	31	26	1	4	C. 1 G. 1 M. 4
†BOURNEMOUTH C.B.	–	2	–	–	–	–
†PORTSMOUTH C.B.	–	11	16	1	–	M. 3
†SOUTHAMPTON C.B.	–	8	3	–	1	C. 1
Boroughs and Urban Districts :—						
ANDOVER... ...	–	–	–	–	1	–
†BASINGSTOKE ...	–	–	1	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–	–	–	1	–
†GOSPORT	–	1	1	–	–	M. 1
ROMSEY	–	–	–	–	–	G. 1
Rural Districts :—						
ALRESFORD ...	–	1	–	–	–	–
BASINGSTOKE ...	–	–	4	–	–	–
DROXFORD ...	–	–	–	–	1	–
FAREHAM ...	–	1	–	–	–	–
HARTLEY WINTNEY	–	1	1	–	–	–
NEW FOREST ...	–	1	–	–	–	–
SOUTH STONEHAM	–	2	–	–	–	–
WHITCHURCH ...	–	2	–	–	–	–
WINCHESTER ...	–	1	–	–	–	–
STAFFORD	–	78	30	1	58	C. 2 M. 10
†BURTON UPON TRENT C.B.	–	–	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
†SMETHWICK C.B.	–	3	5	–	6	–
†STOKE ON TRENT C.B.	–	28	9	–	29	C. 1 M. 5
†WALSALL C.B. ...	–	2	2	1	1	M. 1
†WEST BROMWICH C.B.	–	3	2	–	1	–
†WOLVERHAMPTON C.B.	–	2	–	–	2	M. 3
Boroughs and Urban Districts:—						
BIDDULPH ..	–	2	1	–	–	–
†BILSTON	–	1	–	–	4	–
†BROWNHILLS ...	–	–	–	–	2	–
†CANNOCK	–	3	–	–	3	M. 1
†DARLASTON ...	–	1	–	–	–	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	1	3	–	–	–
KIDSGROVE ...	–	1	–	–	2	–
†LEEK	–	1	2	–	–	–
†ROWLEY REGIS ...	–	7	–	–	1	–
†STAFFORD ...	–	–	1	–	–	–
†WEDNESBURY ...	–	–	1	–	1	–
†WILLENHALL ...	–	1	–	–	1	–
†WOLSTANTON UNITED	–	3	1	–	–	–
Rural Districts:—						
CHEADLE	–	3	2	–	2	–
GNOSALL	–	–	–	–	1	–
KINGSWINFORD ...	–	3	–	–	–	–
LICHFIELD ...	–	7	1	–	–	C. 1
SEISDON	–	1	–	–	–	–
WALSALL	–	5	–	–	–	–
SUFFOLK, EAST ...	–	6	3	2	1	M. 1
†IPSWICH C.B. ...	–	1	2	–	–	–
Boroughs and Urban Districts:—						
BECCLES	–	1	–	–	–	–
†LOWESTOFT ...	–	–	–	2	1	–
STOWMARKET ...	–	–	–	–	–	M. 1
WOODBRIDGE ...	–	–	1	–	–	–
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
WOODBRIDGE ...	–	4	–	–	–	–
SURREY	–	26	19		14	M. 3
†CROYDON C.B. ...	–	5	4	–	–	M. 1
Boroughs and Urban Districts:—						
†BEDDINGTON AND WALLINGTON	–	–	2	–	–	–
†CARSHALTON ...	–	2	5	–	–	–
†CATERHAM ...	–	1	–	–	–	–
†CHERTSEY ...	–	–	1	–	–	–
†COULSDON AND PURLEY	–	–	–	–	2	–
EAST AND WEST MOLESEY	–	1	1	–	3	–
†EPSOM	–	1	–	–	1	M. 1
†FARNHAM ...	–	1	2	–	–	–
†FRIMLEY	–	1	–	–	–	–
†GUILDFORD ...	–	1	1	–	1	–
†KINGSTON ON THAMES	–	3	–	–	–	M. 1
†MERTON AND MORDEN	–	2	–	–	–	–
†MITCHAM	–	–	–	–	1	–
†SURBITON ...	–	–	–	–	1	–
†WIMBLEDON ...	–	2	2	–	–	–
Rural Districts:—						
DORKING	–	2	–	–	–	–
EPSOM	–	–	1	–	2	–
FARNHAM ...	–	–	–	–	2	–
GODSTONE ...	–	1	–	–	1	–
GUILDFORD ...	–	3	–	–	–	–
SUSSEX, EAST ...	–	14	4	1	6	L. 3
†BRIGHTON C.B. ...	–	8	3	–	–	–
†EASTBOURNE C.B.	–	–	–	–	2	–
†HASTINGS C.B. ...	–	2	–	–	3	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	1	1	–	–	–
†HOVE	–	3	–	–	–	–
RYE	–	–	–	1	–	–
Rural Districts:—						
CHAILEY	–	–	–	–	–	L. 1
HAILSHAM ...	–	–	–	–	1	L. 2
SUSSEX, WEST ...	–	6	–	1	2	M. 1
Boroughs and Urban Districts:—						
†BOGNOR	–	4	–	–	–	–
†HORSHAM ...	–	1	–	–	1	M. 1
Rural Districts:—						
HORSHAM ...	–	1	–	–	–	–
MIDHURST ...	–	–	–	–	1	–
WESTHAMPNETT	–	–	–	1	–	–
WARWICK	–	74	33	1	55	C. 3 F. 1 M. 7
†BIRMINGHAM C.B.	–	56	28	–	43	C. 3 F. 1 M. 7
†COVENTRY C.B. ...	–	6	2	–	2	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	3	–	–	3	–
†ROYAL LEAMINGTON SPA	–	1	–	–	2	–
†RUGBY	–	–	–	–	1	–
STRATFORD ON AVON	–	3	–	–	–	–
†SUTTON COLDFIELD	–	–	–	1	–	–
†WARWICK ...	–	–	–	–	1	–
WARWICK—*cont.*						
Rural Districts:—						
FOLESHILL ...	–	1	–	–	–	–
MERIDEN	–	–	–	–	1	–
NUNEATON ...	–	1	–	–	–	–
RUGBY	–	–	–	–	1	–
SOLIHULL ...	–	1	–	–	1	–
TAMWORTH (part)	–	2	2	–	–	–
WARWICK ...	–	–	1	–	–	–
WESTMORLAND ...	–	8	–	–	3	–
Boroughs and Urban Districts:—						
APPLEBY	–	1	–	–	–	–
†KENDAL	–	1	–	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	2	–
SOUTH WESTMORLAND	–	–	–	–	1	–
WEST WARD ...	–	6	–	–	–	–
WIGHT, ISLE OF ...	–	7	1	–	–	–
Boroughs and Urban Districts:—						
†COWES	–	3	–	–	–	–
†NEWPORT... ...	–	2	–	–	–	–
SANDOWN ...	–	–	1	–	–	–
Rural Districts:—						
ISLE OF WIGHT ..	–	2	–	–	–	–
WILTS	–	4	–	–	12	M. 1
Boroughs and Urban Districts:—						
MALMESBURY ...	–	–	–	–	–	M. 1
†SALISBURY ...	–	–	–	–	2	–
†SWINDON... ...	–	–	–	–	8	–
WARMINSTER ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio- J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
AMESBURY ...	–	3	–	–	–	–
RAMSBURY ...	–	–	–	–	2	–
WORCESTER ...	–	18	1	–	9	–
†DUDLEY C.B. ...	–	3	–	–	1	–
†WORCESTER C.B.	–	–	–	–	2	–
Boroughs and Urban Districts:—						
†KIDDERMINSTER	–	2	–	–	1	–
†OLDBURY... ...	–	4	–	–	1	–
†REDDITCH ...	–	4	–	–	2	–
†STOURBRIDGE ...	–	–	1	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	1	–	–	–	–
FECKENHAM ...	–	–	–	–	1	–
HALESOWEN ...	–	1	–	–	–	–
KIDDERMINSTER	–	1	–	–	–	–
PERSHORE ...	–	2	–	–	–	–
UPTON ON SEVERN	*	*	*	*	*	*
YORKS ... ... (East Riding.)	–	11	12	–	6	M. 1
†KINGSTON UPON HULL C.B.	–	7	11	–	5	M. 1
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	3	–	–	–	–
Rural Districts:—						
BEVERLEY ...	–	–	1	–	1	–
BRIDLINGTON ...	–	1	–	–	–	–
NORTON	*	*	*	*	*	*
YORKS ... ... (North Riding.)	–	34	3	2	13	M. 1
†MIDDLESBROUGH C.B.	–	13	–	–	7	–
Boroughs and Urban Districts:—						
†ESTON	–	4	–	–	–	–
LOFTUS	–	–	–	–	1	–
MALTON	*	*	*	*	*	*
NORTHALLERTON	–	3	–	–	–	–
†REDCAR	–	2	1	–	1	–
†SCARBOROUGH ..	–	–	–	–	–	M. 1
†SKELTON AND BROTTON	–	1	1	–	–	–
†THORNABY ON TEES	–	3	–	–	–	–
†WHITBY	–	7	–	–	–	–
Rural Districts:—						
AYSGARTH ...	–	–	–	1	–	–
FLAXTON... ...	–	–	–	1	–	–
HELMSLEY ...	*	*	*	*	*	*
KIRKBY MOORSIDE	–	–	–	–	3	–
MALTON	*	*	*	*	*	*
STOKESLEY ...	–	–	1	–	1	–
THIRSK	–	1	–	–	–	–
YORKS ... ... (West Riding.)	4	179	47	17	126	C. 6 D. 1 L. 8 M. 12
†BARNSLEY C.B. ...	–	2	4	2	–	–
†BRADFORD C.B. ...	–	9	3	1	6	–
†DEWSBURY C.B....	–	3	–	–	2	–
†HALIFAX C.B. ...	–	4	1	–	–	–
†HUDDERSFIELD C.B.	–	–	1	–	4	C. 1
†LEEDS C.B. ...	–	38	11	–	21	C. 1 M. 1
†ROTHERHAM C.B.	–	13	–	–	6	D. 1
†SHEFFIELD C.B....	–	40	11	2	36	C. 4 M. 6
†WAKEFIELD C.B.	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts:—						
†ADWICK LE STREET	3	–	2	–	–	–
ALTOFTS	–	–	–	–	2	–
ARDSLEY, EAST AND WEST	*	*	*	*	*	*
†BATLEY	–	1	–	–	3	M. 1
†BENTLEY WITH ARKSEY	1	1	–	–	–	–
†BINGLEY	–	1	–	–	1	–
†BOLTON UPON DEARNE	–	1	–	–	1	–
†BRIGHOUSE ...	–	4	–	–	–	–
†CASTLEFORD ...	–	3	–	–	–	–
†CONISBROUGH ...	–	–	–	–	2	M. 1
DARFIELD ...	–	–	–	–	3	–
†DARTON	–	–	1	–	1	–
†DONCASTER ...	–	2	1	–	4	–
†ELLAND	–	–	–	–	1	–
FARSLEY	–	–	–	1	–	–
†FEATHERSTONE ...	–	1	–	–	1	–
GILDERSOME ...	–	–	–	–	1	–
†GOOLE	–	1	–	–	1	M. 1
†HARROGATE ...	–	2	1	1	3	–
HEBDEN BRIDGE	–	1	2	–	–	–
HECKMONDWIKE	–	–	–	–	–	M. 1
†HEMSWORTH ...	–	6	–	–	–	–
†HOLMFIRTH ...	–	–	–	–	1	–
HORSFORTH ...	–	–	–	–	1	–
†HOYLAND NETHER	–	–	1	–	–	–
†KEIGHLEY ...	–	2	–	–	1	–
KIRKBURTON ...	–	–	–	–	1	–
KNOTTINGLEY ...	–	4	–	–	–	–
METHLEY ...	*	*	*	*	*	*
†MEXBOROUGH ...	–	1	–	–	–	–
†MORLEY	–	3	1	1	4	–
†NORMANTON ...	–	–	–	1	3	–
OTLEY	–	–	–	–	1	–
†PONTEFRACT ...	–	3	–	–	–	–
†PUDSEY	–	3	–	–	–	–
†RAWMARSH ...	–	1	1	–	1	–
†ROTHWELL ...	–	1	–	–	–	–
†SADDLEWORTH ...	–	–	–	1	–	–
SELBY	–	1	–	–	–	–
SHELF	*	*	*	*	*	*
SILSDEN	–	1	–	–	–	–
†SKIPTON	–	1	1	–	–	–
SOUTHOWRAM ...	*	*	*	*	*	*
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts— *cont.*						
†SOWERBY BRIDGE	–	–	1	–	–	–
†SPENBOROUGH ...	–	–	–	–	2	–
†STANLEY	–	–	1	–	2	–
STOCKSBRIDGE ...	–	1	–	–	1	–
†TODMORDEN ...	–	–	–	–	1	–
†WATH UPON DEARNE	–	2	–	–	–	–
†WOMBWELL ...	–	–	–	–	1	–
†WORSBOROUGH ...	–	1	–	–	–	–
Rural Districts—						
BARNSLEY ...	*	*	*	*	*	*
DONCASTER ...	–	–	1	–	2	–
HEMSWORTH ...	–	1	–	–	1	–
HUNSLET... ...	–	4	–	–	–	–
KIVETON PARK ...	–	1	–	–	–	–
PENISTONE ...	–	1	–	–	–	–
PONTEFRACT ...	–	–	1	–	–	–
RIPON	*	*	*	*	*	*
ROTHERHAM ...	–	7	–	6	–	–
TADCASTER ...	–	1	–	–	1	–
THORNE	–	1	–	–	–	–
TODMORDEN ...	–	–	–	–	1	–
WAKEFIELD ...	–	1	1	–	–	–
WETHERBY ...	–	1	–	–	–	–
WHARFEDALE (SOUTH)	–	1	–	1	–	L. 7 M. 1
WORTLEY ...	–	2	–	–	1	L. 1
County Borough:—						
§†YORK	–	6	2	–	1	–
WALES.						
ANGLESEY	–	2	–	–	1	–
Boroughs and Urban Districts:—						
AMLWCH	–	1	–	–	–	–
Rural Districts:—						
TWRCELYN ...	–	–	–	–	1	–
VALLEY	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ York C.B. is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRECKNOCK ...	–	1	–	–	1	L. 2
Urban Districts:—						
BRECKNOCK ...	–	–	–	–	–	L. 2
Rural Districts:—						
YSTRADFELLTE (parish)	–	1	–	–	–	–
YSTRADGYNLAIS	–	–	–	–	1	–
CARDIGAN	–	–	–	1	–	–
Boroughs and Urban Districts:—						
CARDIGAN ...	–	–	–	1	–	–
CARMARTHEN ...	–	8	2	1	4	–
Boroughs and Urban Districts:—						
BURRY PORT ...	–	–	–	–	2	–
†LLANELLY ...	–	2	1	1	1	–
Rural Districts:—						
LLANELLY ...	–	6	1	–	1	–
CARNARVON ...	–	1	2	–	1	–
Boroughs and Urban Districts:—						
CARNARVON ...	–	–	2	–	–	–
CONWAY	–	1	–	–	–	–
Rural Districts:—						
GWYRFAI	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH	–	7	–	–	6	–
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN ...	–	–	–	–	2	–
DENBIGH... ...	*	*	*	*	*	*
†WREXHAM ...	–	1	–	–	–	–
Rural Districts:—						
ST. ASAPH (DENBIGH)	–	–	–	–	1	–
WREXHAM ...	–	6	–	–	3	–
FLINT	–	5	1	–	1	D. 1
Boroughs and Urban Districts:—						
FLINT	–	1	–	–	–	–
†RHYL	–	3	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	1	–	–	D. 1
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	1	–
ST. ASAPH (FLINT)	–	1	–	–	–	–
GLAMORGAN ...	–	56	44	–	49	C. 1 D. 1 E. 2 G. 2 M. 1
†CARDIFF C.B. ...	–	6	4	–	11	D. 1 E. 2 G. 2 M. 1
†MERTHYR TYDFIL C.B.	–	–	2	–	3	–
†SWANSEA C.B. ...	–	15	9	–	3	C. 1
Boroughs and Urban Districts:—						
†ABERDARE ...	–	2	–	–	5	–
†BARRY	–	1	1	–	3	–
†CAERPHILLY ...	–	–	7	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
†GELLIGAER ...	–	2	–	–	–	–
†GLYNCORWG ...	*	*	*	*	*	*
†MAESTEG... ...	–	1	1	–	1	–
†MOUNTAIN ASH ...	–	4	2	–	1	–
†NEATH	–	–	3	–	–	–
†OGMORE AND GARW	–	3	–	–	–	–
†PENARTH ...	–	–	–	–	3	–
†PONTYPRIDD ...	–	1	–	–	–	–
†PORT TALBOT ...	–	1	1	–	–	–
†RHONDDA ..	–	14	3	–	14	–
Rural Districts:—						
CARDIFF	–	1	3	–	–	–
GOWER	–	–	–	–	1	–
LLANTRISANT AND LLANTWITFARDRE	–	1	–	–	3	–
NEATH	–	2	6	–	–	–
PENYBONT ...	–	–	1	–	–	–
SWANSEA... ...	–	2	1	–	1	–
MERIONETH ...	–	4	1	–	–	–
Urban Districts:—						
FESTINIOG ...	–	4	1	–	–	–
MONMOUTH ...	–	21	11	–	11	M. 4
†NEWPORT C.B. ...	–	6	1	–	5	–
Boroughs and Urban Districts:—						
†ABERCARN ...	*	*	*	*	*	*
†ABERSYCHAN ...	–	1	1	–	–	–
†ABERTILLERY ...	–	2	–	–	1	M. 1
BEDWAS AND MACHEN	–	–	–	–	1	–
†BEDWELLTY ...	–	3	–	–	1	–
†EBBW VALE ...	–	7	1	–	–	–
LLANTARNAM ...	–	–	–	–	1	–
†MYNYDDISLWYN	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†NANTYGLO AND BLAINA	–	–	–	–	1	M. 1
PONTYPOOL ...	–	–	1	–	–	–
†RHYMNEY ...	–	–	3	–	–	–
†RISCA	–	1	2	–	–	–
†TREDEGAR ...	–	–	–	–	1	M. 2
Rural Districts:—						
MAGOR	–	–	1	–	–	–
SAINT MELLONS...	–	1	–	–	–	–
MONTGOMERY ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
MACHYNLLETH ...	–	1	–	–	–	–
Rural Districts:—						
FORDEN	–	–	–	–	1	–
MACHYNLLETH ...	–	–	1	–	–	–
NEWTOWN AND LLANIDLOES	*	*	*	*	*	*
PEMBROKE... ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
GOODWICK ...	–	1	–	–	–	–
Rural Districts:—						
HAVERFORDWEST	*	*	*	*	*	*
Total of Part II. ...	60	1497	534	53	1016	C. 35 D. 8 E. 5 F. 1 G. 10 L. 20 M. 101

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
CARDIFF	–	–	1	–	–	–	SOUTHAMPTON ...	–	–	–	1	–	–
COLCHESTER	*	*	*	*	*	*	PORT OF LONDON ...	–	–	–	–	1	–
FOLKESTONE	–	1	–	–	–	–							
NEWPORT (MON.) ...	–	–	–	–	1	–	**Total of Part III....** .	–	1	1	1	2	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica : H. Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	214	213	7	166	C. 10 D. 1 E. 4 G. 2 L. 1 M. 8
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	60	1497	534	53	1016	C. 35 D. 8 E. 5 F. 1 G 10 L. 20 M. 101
Total of Part III.—Port Sanitary Districts	–	1	1	1	2	—
Total (*i.e.*, **of returns received), England and Wales** ...	60	1712	748	61	1184	C. 45 D. 9 E. 9 F. 1 G. 12 L. 21 M. 109

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 1379, 1380, 1382, 1386, 1390, and 1391.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. } BIRTHS, DEATHS (distinguishing certain CAUSE and DEATHS of INFANTS under 1 YEAR O AGE) and NOTIFIED CASES of certain IN FECTIOUS DISEASES in the last THIRTEE WEEKS.

Week ended :—	Sept. 15.	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec 8.
LONDON :—													
DEATHS—all ages	807	868	928	831	869	853	885	905	822	947	1,037	1335	133
" 0 to 1 year ..	115	116	149	128	129	104	119	104	75	109	87	106	12
GREAT TOWNS, aggregate (including London) :—													
BIRTHS	7,281	7,154	7,428	6,905	7,078	7,464	7,182	7,721	6,870	7,128	7,233	6,645	6,80
DEATHS—all ages	3,395	3,616	3,660	3,474	3,650	3,579	3,676	3,619	3,734	4,179	4,328	5,232	5,50
" 0 to 1 year ..	493	514	516	454	468	464	473	457	448	505	507	528	58
ENTERIC FEVER—Cases	38	32	37	35	53	44	29	40	31	30	33	13	2
" Deaths	4	4	3	8	4	7	1	3	6	2	1	2	
SMALL POX—Cases ..	17	16	9	16	26	4	7	9	3	7	1	—	
" Deaths ..	—	—	2	—	—	—	—	—	—	—	1	—	—
SCARLET FEVER—Cases	755	850	997	956	995	1,013	1,158	1,120	988	1,104	938	1,026	99
" Deaths	6	9	9	8	11	15	8	9	11	6	8	15	
DIPHTHERIA—Cases ..	467	500	473	450	525	498	536	585	480	491	529	428	52
" Deaths ..	26	27	24	22	22	25	25	33	36	18	30	29	2
MEASLES—Deaths ..	15	17	6	10	8	15	16	19	21	20	29	56	5
INFLUENZA—Deaths ..	9	28	33	31	40	33	29	37	35	55	58	68	10

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 8th December, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	48	27	43·9	32·1	6
BRIGHTON ..	48	30	46·1	33·3	17
PORTSMOUTH ..	50	29	46·7	36·3	19
NORWICH (EATON).	46	24	40·6	29·1	13
PLYMOUTH ..	52	34	47·9	36·6	38
BRISTOL (CLIFTON).	49	31	44·1	35·6	18
BIRMINGHAM (EDGBASTON)	47	30	42·0	34·4	7
NOTTINGHAM ..	46	27	41·7	33·0	8
BIRKENHEAD (BIDSTON).	47	32	42·7	35·6	18
MANCHESTER (WHITWORTH PARK).	47	31	42·3	34·3	18
BURNLEY.. ..	45	28	40·7	32·3	26
HUDDERSFIELD	46	25	42·3	30·3	8

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD ..	45	29	40·9	33·3	14
SHEFFIELD ..	Not received.				
YORK (MUSEUM)	46	28	40·3	32·0	11
HULL (PEARSON PARK).	45	30	40·9	31·9	16
TYNEMOUTH ..	45	30	40·3	34·7	6
CARDIFF	48	31	44·9	33·9	31
EDINBURGH ..	45·0	32·0	40·9	32·7	21
GLASGOW ..	45·6	30·5	41·0	33·5	10
DUBLIN (PHŒNIX PARK).	52·0	26·5	44·3	32·7	12
FITZWILLIAM SQUARE.†	52·0	32·4	44·6	35·8	9
BELFAST	49·0	30·0	44·9	31·2	29

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 8th December, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
DECEMBER.		in.	°	°	°	°		°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY - 2	..	29·239	47·1	32·8	14·3	40·7	− 0·2	39·3	1·4	6·3	0·3	94	55·0	24·0	45·1	S	WSW	5·4	0·0	0·4	322	+ 9	0·12
MONDAY - 3	In Equator	29·417	39·0	29·9	9·1	34·1	− 7·0	31·9	2·2	6·0	0·4	92	35·0	19·7	45·0	WSW	Calm	0·2	0·0	0·0	164	− 158	0·00
TUESDAY - 4	..	29·117	46·0	28·9	17·1	38·3	− 3·0	36·7	1·6	3·9	1·2	94	53·0	18·4	45·0	Calm : S	SSW	4·0	0·0	0·2	287	− 44	0·05
WEDNESDAY 5	..	29·277	40·3	32·1	8·2	37·2	− 4·3	36·0	1·2	2·6	0·5	95	50·2	22·2	44·7	Calm	NE : NNE.	0·2	0·0	0·0	193	− 143	0·00
THURSDAY - 6	..	29·785	39·9	27·3	12·6	34·8	− 6·7	33·7	1·1	3·5	0·0	96	47·2	21·6	44·7	N	N : Calm	1·0	0·0	0·1	189	− 151	0·00
FRIDAY - 7	Perigee	29·541	45·1	27·4	14·7	37·9	− 3·4	36·5	1·4	3·8	0·0	95	48·6	21·8	44·3	Calm	S : SSW	5·2	0·0	0·3	311	− 27	0·09
SATURDAY - 8	New	29·350	48·0	39·5	8·5	44·4	+ 3·4	39·6	4·8	6·6	1·7	83	51·8	30·0	44·2	SW : WSW.	WSW : Calm : N.	2·9	0·0	0·2	290	− 43	0·01
MEANS -	..	29·389	43·6	31·1	12·1	38·2	− 3·0	36·2	2·0	4·7	0·6	93	48·7	22·5	44·7	Calm		..	..	..	Sum 1,756	Sum − 557	Sum 0·27
No. of COLUMN	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. DECEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	2	Variably wP and wN till 3½h., variably sN and mP till 12½h., than mP.	0·1	8·1	Overcast till 14½h., then partially cloudy. Brisk till 3h. Hoar frost at night.
MONDAY ..	3	mP till 20h.; then wP.	0·0	8·1	Overcast till 7h., then partially cloudy becoming cloudless by 21h. Mist and hoar frost throughout.
TUESDAY ..	4	mP till 5h.; wP till 9h.; sN till 12h.: variably sP and mN till 19h., then sP.	0·1	8·1	Cloudless till 1h., becoming overcast by 3h. Cloudless from 21h. Frequent slight rain from 7½h. till 19½h. Hoar frost in morning and at night.
WEDNESDAY	5	mP	0·0	8·0	Nearly cloudless till 7h., then overcast. Mist 6h. till 12h. Hoar frost in morning.
THURSDAY	6	mP till 15h.; then sP.	0·1	8·0	Overcast till 11h., then partially cloudy. Mist 15h. till 20h.; fog afterwards. Hoar frost at night.
FRIDAY ..	7	sP till 12h.; mP till 14h.; wP till 15½h.; wN till 16h.; then wP.	0·0	8·0	Cloudless till 5½h., then overcast. Fog till 5h. Hoar frost in morning. Slight rain or damping from 14½h. Brisk wind from 18h.
SATURDAY	8	wP till 7½h.; mP till 10½h., then Loss of Register,	0·0	8·0	Overcast. Brisk wind till 6h. Damping till 2h. Solar halo 11h. Mist from 17h. till 21h.
			Sum 0·3	Sum 56·3	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea: no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·57 in. at the beginning of the week to 29·21 in. by 14h. on 2nd; increased to 29·52 in. by 0h. on 4th; decreased to 29·06 in. by 18h. on 4th; increased to 29·85 in. by 19h. on 6th; decreased to 29·21 in. by 4h. on 8th; increased and was 29·48 in. by midnight on the same day.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS
11-17, Hare Street, E.2

FOR OFFICIAL USE.

1923. No. 50.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 15TH DECEMBER, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 15TH DECEMBER, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fiftieth week of the year numbered 7,335 and corresponded to an annual rate of 19·9 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,411 and corresponded to an annual rate of 14·7 per 1,000 of their aggregate civilian population, which is estimated at 19,170,699 in the year 1922. In the preceding three weeks the rates had been 11·8, 14·2 and 15·0. Infant mortality was 81 per 1,000 births, against 70, 79 and 86 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,715 births, corresponding to a rate of 19·7 per 1,000, and 1,423 deaths of civilians, corresponding to a rate of 16·4, as against 11·9, 15·4 and 15·4 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 14·8 per 1,000. The infant mortality was 70 as against 52, 68 and 77 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 90 in the total deaths last week, and the deaths from influenza fell from 103 to 92. In London the number of deaths from all causes rose from 1,339 to 1,423; while the deaths from diphtheria, which had been 13, 9 and 13 in the preceding three weeks, were again 13 last week, and those from measles, which had been 15, 37 and 32 in the preceding three weeks, were again 32 last week. The deaths from influenza, which had been 14, 14 and 24 in the three preceding weeks further rose to 27 last week. One death from small pox was registered in Chester.

During the weeks ended 1st and 8th December, fog was more or less prevalent in the Metropolis, and as is invariably the case there was a marked increase in the death-rate. Respiratory diseases showed very substantial increases, and this was particularly the case with deaths from bronchitis and broncho-pneumonia, where the atmospheric conditions would be most directly detrimental. The deaths from these two causes from the week ended 17th November up to that just ended were: 106, 138, 251, 270 and 303, respectively.

Just Published:

Census of England and Wales, 1921.

County of Sussex. Price 11*s*. net.

County of Hampshire. Price 12*s*. net.

Counties of Lincoln and Rutland. Price 16*s*. net.

County of Leicester. Price 8*s*. 6*d*. net.

County of Northampton, including the Soke of Peterborough. Price 10*s*. net.

County of Somerset. Price 10*s*. net.

The Registrar General's Statistical Review, 1922.

Tables, Part I. Medical. Price 15*s*. net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 15th December, 1923.

TOWNS.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,699*	7,335	5,411	594	2	54	10	35	26	57	92
London	4,534,230*	1,715	1,423	120	-	32	3	6	13	13	27
Towns in Outer Ring.											
Croydon C.B. ..	192,300	79	68	7	-	-	-	-	-	1	-
Wimbledon ..	61,730	12	15	-	-	-	1	-	-	-	-
Ealing	67,890	34	23	3	-	-	-	-	-	-	-
Acton	62,390	19	15	2	-	-	-	-	-	-	-
Willesden ..	168,200	55	39	2	-	-	-	-	1	-	-
Hendon	55,930	20	7	1	-	-	-	-	-	-	-
Hornsey	87,310	21	18	2	-	2	-	-	-	-	-
Wood Green ..	51,290	13	24	2	-	1	-	-	-	-	1
Tottenham ..	150,500	44	36	2	-	-	-	1	-	-	-
Edmonton ..	68,700	42	19	3	-	-	-	-	1	-	-
Enfield	62,010	25	12	1	-	-	-	-	-	-	-
West Ham C.B. ..	310,200	150	60	5	-	-	-	-	-	1	2
East Ham C.B. ..	145,800	63	25	3	-	-	-	-	-	-	-
Leyton	131,600	39	24	1	-	-	-	-	-	-	-
Walthamstow ..	129,700	39	28	1	-	-	-	-	-	-	-
Ilford	86,370	29	31	2	-	-	-	-	-	1	1
Gillingham	48,630*	20	14	-	-	-	-	-	-	-	-
Canterbury C.B ..	23,680	6	6	1	-	-	-	-	-	-	-
Hastings C.B.	59,500	15	19	1	-	-	-	1	-	-	-
Eastbourne C.B. ..	53,700	11	14	1	-	-	-	-	-	-	-
Brighton C.B. ..	135,279	45	42	1	-	-	-	-	-	-	1
Portsmouth C.B. ..	236,630*	85	64	5	-	-	-	-	-	1	3
Bournemouth C.B. ..	81,500	17	32	2	-	-	-	-	-	-	-
Southampton C.B. ..	163,700	50	57	6	-	-	-	-	-	1	2
Reading C.B.	92,990	35	30	2	-	2	-	1	-	1	-
Oxford C.B.	56,510	20	12	-	-	-	-	-	-	-	-
Northampton C.B. ..	92,950	34	18	2	-	-	1	-	-	-	-
Luton	58,260	29	6	2	-	-	-	-	-	-	-
Cambridge	59,200	23	13	1	-	-	-	-	-	-	1
Southend-on-Sea C.B.	91,430	27	25	2	-	-	-	-	-	-	-
Ipswich C.B.	80,950	35	22	3	-	-	-	1	-	-	-
Great Yarmouth C.B.	56,700	25	10	1	-	-	-	-	-	-	-
Norwich C.B ..	122,900	33	28	3	-	-	1	1	-	-	2
Swindon	55,680	18	15	1	-	-	-	-	1	-	-
Exeter C.B.	59,700	20	20	1	-	-	-	-	-	-	2
Plymouth C.B. ..	200,370*	74	61	6	-	-	-	1	-	1	1
Bath C.B.	68,530	22	24	1	-	-	-	-	-	-	-
Bristol C.B.	383,900	147	128	13	-	1	-	1	3	-	4
Gloucester C.B. ..	52,210	21	18	1	-	1	-	-	-	-	1
Stoke-on-Trent C.B.	274,300	121	94	11	-	-	1	-	-	1	4
Burton-upon-Trent C.B.	49,630	12	11	-	-	-	-	-	-	-	-
Wolverhampton C.B.	105,700	48	23	3	-	-	-	-	-	1	2
Walsall C.B.	99,890	41	23	6	-	-	-	-	2	1	-
West Bromwich C.B.	76,260	26	19	1	-	-	-	-	-	-	-
Dudley C.B.	57,860	23	18	-	-	-	-	-	-	-	-
Worcester C.B. ..	49,240	20	8	1	-	-	-	-	-	-	-
Birmingham C.B. ..	945,100	363	229	11	-	-	-	1	2	1	3
Smethwick C.B. ..	78,140	20	18	2	-	-	-	-	-	-	1
Coventry C.B. ..	131,200	42	29	4	-	-	-	-	1	-	-
Leicester C.B. ..	238,800	93	62	6	-	-	-	-	-	-	2
Lincoln C.B.	66,930	23	19	1	-	-	-	1	1	-	-
Grimsby C.B.	84,650	38	20	4	-	-	-	1	-	1	1
Nottingham C.B. ..	267,900	82	76	4	-	-	-	-	-	-	1
Derby C.B.	132,400	59	23	1	-	-	-	-	-	-	-
Chesterfield ..	63,380	23	15	5	-	2	-	-	-	1	-
Stockport C.B. ..	125,800	39	35	1	-	-	-	-	-	-	-
Chester C.B.	41,190	19	13†	1	-	-	-	-	-	-	-
Birkenhead C.B. ..	149,200	51	37	6	-	-	-	-	-	1	1
Wallasey C.B. ..	89,790	18	18	2	-	-	-	-	-	-	1
Liverpool C.B. ..	826,400	369	263	55	-	11	1	3	-	4	-
Bootle C.B.	79,750	36	22	3	-	1	-	-	-	-	-
St. Helens C.B. ..	106,400	49	27	5	-	-	-	-	-	-	1

* Population adjusted by the exclusion of non-civilians
† Includes one death from small-pox.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	16	21	1	-	-	-	-	-	-	-
WIGAN C.B.	91,750	42	29	3	-	-	-	-	-	-	-
WARRINGTON C.B. ..	79,150	31	22	3	-	-	-	-	-	1	-
BOLTON C.B.	182,700	74	48	5	-	-	-	-	-	-	1
BURY C.B.	57,400	18	15	3	-	-	-	-	-	-	-
MANCHESTER C.B. ..	748,500	290	250	40	1	-	-	2	-	5	6
SALFORD C.B.	240,700	102	56	9	-	-	-	-	-	-	1
OLDHAM C.B.	148,300	46	47	7	-	-	-	1	-	1	-
ROCHDALE C.B... ..	92,510	25	35	5	-	-	-	-	-	-	-
BURNLEY C.B.	105,100	24	28	5	-	-	-	2	-	-	-
BLACKBURN C.B. ..	129,600	35	41	3	-	-	1	-	-	1	1
PRESTON C.B.	120,900	48	35	5	-	-	-	-	-	-	-
BLACKPOOL C.B. ..	74,050	27	38	5	-	-	-	-	-	-	-
BARROW-IN-FURNESS C.B.	75,690	26	14	1	-	-	-	-	-	-	-
HUDDERSFIELD C.B. ..	111,600	26	24	1	1	-	-	-	-	-	-
HALIFAX C.B.	100,500	38	33	7	-	-	-	-	-	1	-
BRADFORD C.B. ..	291,300	103	71	5	-	-	-	2	-	1	-
LEEDS C.B.	466,700	161	128	14	-	-	-	1	-	2	1
DEWSBURY C.B. ..	55,170	21	24	4	-	-	-	-	-	-	-
WAKEFIELD C.B. ..	53,840	28	10	1	-	-	-	-	-	-	-
BARNSLEY C.B. ..	69,540	40	18	5	-	-	-	-	-	-	1
SHEFFIELD C.B. ..	522,600	198	120	19	-	-	-	-	-	1	3
ROTHERHAM C.B. ..	69,840	26	8	2	-	-	-	-	-	-	-
DONCASTER	55,020	24	17	2	-	-	-	-	-	-	1
YORK C.B.	84,980	25	17	1	-	-	-	1	-	-	-
HULL C.B.	294,000	122	72	14	-	-	-	2	-	4	1
MIDDLESBROUGH C.B.	134,800	64	48	8	-	-	-	-	-	2	1
DARLINGTON C.B. ..	66,710	30	21	2	-	-	-	-	-	-	1
STOCKTON-ON-TEES ..	65,950	31	16	4	-	-	-	-	-	-	-
WEST HARTLEPOOL C.B.	70,020	34	10	2	-	-	-	-	-	1	-
SUNDERLAND C.B. ..	162,900	75	46	7	-	1	-	1	-	1	-
SOUTH SHIELDS C.B. ..	122,400	69	29	5	-	-	1	-	-	2	-
GATESHEAD C.B. ..	127,300	63	40	9	-	-	-	1	-	1	-
NEWCASTLE-ON-TYNE C.B.	281,600	133	67	11	-	-	-	2	-	-	1
TYNEMOUTH C.B. ..	64,640	25	14	1	-	-	-	-	-	-	1
CARLISLE C.B.	53,490	21	18	2	-	-	-	-	-	-	1
NEWPORT (MON.) C.B.	94,880	26	29	2	-	-	-	-	-	-	-
CARDIFF C.B.	223,830	107	80	9	-	-	-	1	-	-	2
RHONDDA	167,500	74	45	7	-	-	-	-	-	-	-
MERTHYR TYDFIL C.B.	82,680	33	23	2	-	-	-	-	-	1	1
ABERDARE	56,580	27	12	2	-	-	-	-	-	-	-
SWANSEA C.B.	161,000	81	45	5	-	-	-	-	1	1	3
GREATER LONDON ..	7,563,730*	2,805	2,174	178	-	37	4	7	19	16	36
OUTER RING	3,029,500*	1,090	751	58	-	5	1	1	6	3	9
16 GREAT TOWNS IN OUTER RING	1,831,920	684	444	37	-	3	1	1	2	3	4
REMAINDER OF OUTER RING	1,197,580*	406	307	21	-	2	-	-	4	-	5
EDINBURGH†	426,000	170	111	10	-	-	-	-	3	2	1
GLASGOW†	1,041,400	487	366	69	1	42	1	10	4	3	1
DUBLIN (REGISTRATION AREA)†	431,000	178	124	21	2	1	-	-	1	3	-
BELFAST†	429,000	170	123	18	-	2	2	-	-	1	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week ; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available period

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years).	Influenza.
		1923.											
LONDON‡	4,534,230	Dec. 15	1715	1423	16·4	–	–	32	3	6	13	13	27
CALCUTTA	896,067	Nov. 10	?	492§	28·2	?	–	?	?	?	?	?	3
BOMBAY	1,220,120	" 10	500‖	627§	26·7	3	3	1	?	1	–	31	1
		" 17	455‖	635§	27·1	–	3	–	–	–	1	53	2
MADRAS	526,911	" 10	471	372	36·5	–	1	–	?	2	–	24	1
SYDNEY AND SUBURBS	955,900	Oct. 31 (31 days)	1940	801	10·1	3	–	6	2	–	3	9	6
BRISBANE (Metropolitan Area).	230,200	Sept. 30 (30 days)	472	209	10·9	–	–	–	–	–	1	3	3
PERTH (Metropolitan Area).	161,773	Nov. 3	68	14	4·5	–	–	–	–	–	–	–	–
AUCKLAND (Urban Area).	167,760	Oct. 31 (31 days)											
WELLINGTON (Urban Area).	112,070	"											
CHRISTCHURCH (Urban Area).	113,400	"											
CAPE TOWN	106,727	Nov. 10	37	27	13·1	–	–	–	–	–	–	–	–
JOHANNESBURG	156,858	" 17	66	49	16·2	–	–	–	–	1	–	3	–
DURBAN	50,488	" 17	30	20	20·6	–	–	–	–	–	–	–	–
PARIS	2,906,472	" 30 (10 days)	1125	1163	14·6	3	–	1	–	2	3	14	–
ANTWERP	301,881	Oct. 20	108	48	8·3	–	–	–	–	–	–	5	–
		" 27	98	45	7·8	1	–	–	–	–	–	1	–
AMSTERDAM	703,931	Nov. 24	241	129	9·6	1	–	–	–	2	1	–	–
COPENHAGEN	570,000	Dec. 1	194	108	9·8	–	–	2	–	1	–	1	–
STOCKHOLM	424,944	Nov. 24	109	67	8·2	–	–	–	–	–	–	–	–
GOTHENBURG	228,074	" 24	?	37	8·4	–	–	1	–	1	–	–	–
CHRISTIANIA	258,962	Dec. 1	71	56	11·2	–	–	–	–	–	–	–	–
BERLIN	1,983,000	Nov. 10	321	467	10·7	–	?	–	1	1	1	3	–
BRESLAU	561,000	" 10	133	126	11·7	–	?	–	–	–	1	5	–
COLOGNE	704,000	" 10	210	144	10·6	1	?	–	–	–	4	4	–
DRESDEN	611,000	" 10	144	128	10·9	1	?	–	–	1	1	1	–
FRANKFORT-ON-MAIN..	474,000	" 10	90	72	7·9	–	?	–	–	–	–	1	–
HAMBURG	1,079,000	" 10	181	158	7·6	–	?	–	–	–	–	1	–
LEIPZIG	679,000	" 10	142	130	9·9	–	?	–	–	1	1	2	–
MUNICH	685,000	" 10	147	164	12·4	–	?	–	–	–	–	3	–
VIENNA	1,841,326	" 3											
PRAGUE AND SUBURBS	697,111	Oct 15 (15 days)											
BUDAPEST	946,000	Sept. 1											
WARSAW	956,087	Nov. 24	394	250	13·6	2	–	–	5	1	–	13	–
CAIRO	791,000	Sept. 16	671	475	31·2	6	–	–	–	?	6	69	–
ALEXANDRIA	466,700	" 16	444	283	31·5	3	–	–	–	?	1	48	–
NEW YORK	5,927,617	Oct. 13	2109	1054	9·3	4	–	–	2	–	10	34	–
		" 20	2749	1178	10·4	2	–	–	–	–	8	34	–
CHICAGO	2,886,121	Nov. 10											
RIO DE JANEIRO ..	1,312,468	Oct. 20											
MONTEVIDEO	348,989	July 7											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vien
Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.
† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *yea*
age for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.
‡ The estimated population and deaths refer to the civilian population only.
§ Including 4 deaths from Asiatic Cholera, in Calcutta and from Plague 0 and 2 in Bombay
‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 15th December, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1423	120	46	40	30	51	56	97	136	229	293	325
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	32	3	15	13	1	–	–	–	–	–	–	–
Scarlet fever	3	–	1	1	1	–	–	–	–	–	–	–
Whooping cough	6	3	2	1	–	–	–	–	–	–	–	–
Diphtheria	13	–	1	4	8	–	–	–	–	–	–	–
Influenza	27	2	–	–	–	–	2	4	4	6	3	6
Erysipelas	4	1	–	–	–	–	1	–	1	–	1	–
Acute Poliomyelitis, Polioencephalitis	–	–	–	–	–	–	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	93	1	–	1	–	18	15	26	18	11	2	1
Nervous system..	1	–	–	1	–	–	–	–	–	–	–	–
Intestines and peritoneum	6	1	4	–	–	1	–	–	–	–	–	–
Other forms	17	2	1	3	–	4	3	1	1	2	–	–
Venereal diseases	6	3	–	–	–	–	1	1	1	–	–	–
Cancer	142	–	–	–	1	1	2	13	20	38	43	24
Rheumatic fever	5	–	–	1	1	1	1	–	–	1	–	–
Diabetes	14	–	–	–	–	–	–	1	2	7	2	2
Alcoholism	1	–	–	–	–	–	–	–	–	1	–	–
Simple meningitis	2	1	–	–	–	–	–	–	1	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	60	–	1	–	–	–	–	4	1	7	16	31
Epilepsy	3	–	–	–	–	1	–	2	–	–	–	–
"Convulsions" (not puerperal) ..	2	2	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	36	2	1	1	5	1	3	3	6	2	6	6
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	7	–	–	–	1	–	2	2	1	–	–	1
Other diseases of heart	189	–	–	–	2	6	4	6	15	35	65	56
Other diseases of circulatory system	65	1	–	–	–	–	1	3	5	14	20	21
Bronchitis	205	10	–	2	–	–	–	7	20	35	61	70
Broncho-pneumonia	98	25	14	4	1	1	–	4	4	13	19	13
Lobar-pneumonia	28	–	1	–	–	1	2	3	2	11	5	3
Pneumonia (type not distinguished) ..	21	2	–	1	–	–	–	3	4	5	3	3
Other diseases of respiratory system	29	–	1	2	–	–	2	1	3	8	4	8
Diarrhœa and enteritis	20	12	1	–	–	1	–	1	1	1	1	2
Appendicitis, Typhlitis	6	–	–	–	2	1	2	–	–	–	1	–
Hernia, Intestinal obstruction	13	1	–	–	1	–	1	–	2	3	3	2
Cirrhosis of liver	10	–	–	–	–	–	–	–	2	6	1	1
Other diseases of digestive system ..	28	–	–	1	–	2	2	–	6	6	5	6
Acute nephritis	3	–	–	–	–	–	1	1	–	–	1	–
Chronic Bright's disease	28	–	–	–	–	1	2	1	1	3	8	12
Other diseases of genito-urinary system.	14	–	–	–	–	1	–	3	2	–	4	4
Puerperal sepsis	1	–	–	–	–	–	1	–	–	–	–	–
Other causes incident to childbirth ..	3	–	–	–	–	–	3	–	–	–	–	–
Congenital malformations	8	6	–	–	–	2	–	–	–	–	–	–
Premature birth	20	20	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	12	12	–	–	–	–	–	–	–	–	–	–
Old age..	48	–	–	–	–	–	–	–	–	2	5	41
Suicide	12	–	–	–	–	2	–	4	4	1	–	1
Burns and scalds	8	1	1	2	1	–	–	–	–	1	1	1
Drowning	2	–	–	–	–	1	–	–	1	–	–	–
Suffocation in bed	–	–	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	9	–	–	1	2	1	–	1	–	–	3	1
Other deaths by violence	21	–	1	–	1	1	2	1	4	1	5	5
Other specified causes	41	8	1	1	2	3	3	1	4	9	5	4
Ill-defined causes	–	–	–	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 15th December, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	211	184	12	154	C. 7 D. 1 E. 1 G. 2 M. 7
†CITY OF LONDON	–	1	1	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	5	4	–	11	–
†BERMONDSEY ...	–	5	10	–	9	–
†BETHNAL GREEN	–	8	9	–	2	–
†CAMBERWELL ...	–	5	25	–	5	M. 1
†CHELSEA	–	3	–	–	4	–
†DEPTFORD ...	–	12	4	–	2	–
†FINSBURY ...	–	3	5	–	4	–
†FULHAM	–	12	6	–	8	–
†GREENWICH ...	–	6	4	–	2	–
†HACKNEY ...	–	10	15	–	–	C. 2
†HAMMERSMITH ...	–	8	10	2	1	–
†HAMPSTEAD ...	–	1	3	–	1	–
†HOLBORN... ...	–	2	–	–	5	–

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	10	10	3	4	C. 1 G. 1
†KENSINGTON ...	–	4	4	–	7	M. 1
†LAMBETH ...	–	16	12	–	9	C. 1
†LEWISHAM ...	–	11	6	–	1	E. 1
†PADDINGTON ...	–	4	8	2	6	C. 1 M. 3
†POPLAR	–	5	2	1	13	M. 1
†ST. MARYLEBONE	–	4	1	–	–	–
†ST. PANCRAS ...	–	10	6	1	9	C. 2 M. 1
†SHOREDITCH ...	–	9	7	–	5	–
†SOUTHWARK ...	–	9	16	–	6	D. 1
†STEPNEY	–	19	9	1	10	–
STOKE NEWINGTON.	–	2	2	1	–	–
†WANDSWORTH ...	–	14	2	1	20	–
†WESTMINSTER, CITY OF	–	2	2	–	1	–
†WOOLWICH ...	–	11	1	–	9	G. 1

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	9	7	–	4	–
Boroughs and Urban Districts:—						
BIGGLESWADE ...	–	–	–	–	1	–
KEMPSTON ...	–	–	1	–	2	–
LEIGHTON BUZZARD	–	–	1	–	–	–
†LUTON	–	6	3	–	–	–
Rural Districts:—						
AMPTHILL ...	–	–	1	–	–	–
EATON BRAY ...	–	3	1	–	–	–
EATON SOCON No. 1	–	–	–	–	1	–
BERKS	–	12	2	1	4	–
†READING C.B. ...	–	2	–	1	2	–
Boroughs and Urban Districts:—						
†NEW WINDSOR	–	2	–	–	–	–
WOKINGHAM ...	–	–	1	–	–	–
Rural Districts:—						
ABINGDON ...	–	3	1	–	–	–
BRADFIELD ...	–	1	–	–	–	–
EASTHAMPSTEAD	–	1	–	–	–	–
WALLINGFORD ...	–	1	–	–	1	–
WINDSOR... ...	–	1	–	–	1	–
WOKINGHAM ...	–	1	–	–	–	–
BUCKINGHAM ...	–	11	1	–	4	C. 1 M. 1
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	–	–
BUCKINGHAM ...	*	*	*	*	*	*
†CHEPPING WYCOMBE ...	–	–	–	–	1	–
ETON	–	3	–	–	–	–
†SLOUGH	–	–	–	–	1	M. 1
†WOLVERTON ...	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BUCKINGHAM—*cont.*						
Rural Districts:—						
ETON	–	1	–	–	–	C. 1
WING	–	4	–	–	–	–
WYCOMBE ...	–	1	1	–	1	–
CAMBRIDGE ...	–	4	2	–	–	–
Borough:—						
†CAMBRIDGE ...	–	3	2	–	–	–
Rural Districts:—						
CHESTERTON ...	–	1	–	–	–	–
CHESTER	–	57	12	–	32	G. 1 M. 4
†BIRKENHEAD C.B.	–	6	1	–	18	M. 1
†CHESTER C.B. ...	–	3	1	–	1	–
†STOCKPORT C.B.	–	7	2	–	1	M. 1
†WALLASEY C.B. ...	–	14	–	–	1	G. 1
Boroughs and Urban Districts:—						
†BEBINGTON AND BROMBOROUGH	–	–	–	–	1	–
BOLLINGTON ...	–	1	–	–	–	–
BOWDON	*	*	*	*	*	*
†CHEADLE AND GATLEY	–	1	–	–	1	–
†CONGLETON ...	–	2	–	–	1	–
†CREWE	–	1	3	–	2	–
†DUKINFIELD ...	–	1	–	–	2	–
†HAZEL GROVE AND BRAMHALL	–	–	1	–	–	–
†HYDE	–	3	1	–	–	–
†MACCLESFIELD ...	–	1	–	–	–	–
†NORTHWICH ...	–	–	–	–	–	M. 1
†RUNCORN ...	–	1	–	–	2	
†SALE	–	1	–	–	–	–
SANDBACH ...	–	2	–	–	–	–
†STALYBRIDGE ...	–	1	–	–	–	M. 1
†WINSFORD ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
CHESTER	–	–	1	–	–	–
CONGLETON ...	–	4	–	–	–	–
MACCLESFIELD ...	–	2	2	–	–	–
NORTHWICH ...	–	1	–	–	–	–
RUNCORN ...	–	3	–	–	–	–
WIRRAL	–	–	–	–	2	–
CORNWALL ...	–	18	–	1	5	–
Boroughs and Urban Districts:—						
†FALMOUTH ...	–	1	–	–	–	–
NEWQUAY ...	*	*	*	*	*	*
PENRYN	–	–	–	–	1	–
†PENZANCE ...	–	–	–	1	–	–
TORPOINT ...	–	–	–	–	1	–
WADEBRIDGE ...	–	–	–	–	3	–
Rural Districts:—						
EAST KERRIER ...	–	12	–	–	–	–
SAINT AUSTELL	–	4	–	–	–	–
SAINT GERMANS...	–	1	–	–	–	–
CUMBERLAND ...	–	9	9	–	7	C. 1
†CARLISLE C.B. ...	–	2	5	–	–	–
Boroughs and Urban Districts:—						
ARLECDON AND FRIZINGTON	*	*	*	*	*	*
EGREMONT ..	–	1	–	–	–	–
HARRINGTON ...	–	–	1	–	–	–
†MARYPORT ...	–	2	1	–	–	C. 1
MILLOM	–	–	–	–	1	–
PENRITH	–	–	–	–	2	–
†WHITEHAVEN ...	–	–	–	–	1	–
Rural Districts:—						
CARLISLE ...	–	–	1	–	–	–
COCKERMOUTH ...	–	–	1	–	3	–
WHITEHAVEN ...	–	2	–	–	–	–
WIGTON	–	2	–	–	–	–
DERBY	23	29	9	–	34	C. 4
†DERBY C.B. ...	–	4	1	–	10	–
Boroughs and Urban Districts:—						
†ALFRETON ...	1	–	1	–	–	–
ALVASTON AND BOULTON	*	*	*	*	*	*
†BELPER	–	2	–	–	–	–
†BOLSOVER ...	§3	–	–	–	–	–
†CHESTERFIELD ...	2	–	1	–	1	–
CLAY CROSS ...	–	1	1	–	–	–
†GLOSSOP	–	–	1	–	1	–
†HEANOR	–	–	–	–	3	–
†ILKESTON ...	–	2	–	–	1	–
NEW MILLS ...	–	1	–	–	–	–
NORTH DARLEY...	*	*	*	*	*	*
†RIPLEY	–	–	–	–	2	–
†SWADLINCOTE DISTRICT	–	–	–	–	2	–
Rural Districts:—						
BAKEWELL ...	–	–	–	–	1	–
BELPER	–	3	–	–	–	–
BLACKWELL ...	15	–	1	–	3	–
CHAPEL EN LE FRITH	–	4		–	2	C. 1
CHESTERFIELD ..	–	9	2	–	3	C. 3
CLOWNE	–	–	1	–	–	–
GLOSSOP DALE ...	–	1	–	–	–	–
HARTSHORN AND SEALS	1	–	–	–	–	–
NORTON	–	2	–	–	–	–
REPTON	–	–	–	–	3	–
SHARDLOW ...	1	–	–	–	2	–
DEVON	–	20	7	–	13	–
†EXETER C.B. ...	–	4	–	–	2	–
†PLYMOUTH C.B....	–	4	3	–	2	–
Boroughs and Urban Districts:—						
†BARNSTAPLE ...	–	3	–	–	3	–
BIDEFORD ...	–	–	1	–	–	–
BUCKFASTLEIGH	*	*	*	*	*	*
†EXMOUTH ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica · H. Typhus Fever ; I, Relapsing Fever ;

§ These are doubtful cases.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
GREAT TORRINGTON	–	2	–	–	–	–
HONITON ...	–	–	1	–	–	–
†NEWTON ABBOT...	–	1	–	–	–	–
NORTHAM ...	–	–	1	–	1	–
TIVERTON ...	–	1	–	–	–	–
†TORQUAY ...	–	2	–	–	–	–
Rural Districts:—						
AXMINSTER ...	–	–	–	–	2	–
HONITON	–	–	1	–	–	–
NEWTON ABBOT...	–	–	–	–	1	–
OKEHAMPTON ...	–	3	–	–	–	–
PLYMPTON ST. MARY	–	–	–	–	1	–
DORSET	–	5	–	–	4	G. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	–	–	–	1	–
Rural Districts:—						
BEAMINSTER ...	–	–	–	–	–	G. 1
BLANDFORD ...	–	–	–	–	3	–
POOLE	–	3	–	–	–	–
SHERBORNE ...	–	1	–	–	–	–
WEYMOUTH ...	–	1	–	–	–	–
DURHAM	–	106	19	2	45	C. 1 M. 6
†DARLINGTON C.B	–	5	–	–	2	–
†GATESHEAD C.B.	–	4	1	–	–	–
†SOUTH SHIELDS C.B.	–	16	3	–	7	M. 1
DURHAM—*cont.*						
†SUNDERLAND C.B.	–	10	–	–	6	M. 1
†WEST HARTLEPOOL C.B.	–	6	1	–	3	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	–	2	–	1	–
†BISHOP AUCKLAND	–	3	–	1	–	–
†BLAYDON... ...	–	2	–	–	1	–
†CHESTER LE STREET	–	1	–	–	–	–
†CROOK	–	1	1	–	–	–
†FELLING	–	1	–	–	4	–
†HARTLEPOOL ...	–	1	–	–	–	–
†HEBBURN ...	–	1	1	–	1	M. 1
†HETTON	–	3	–	–	1	–
†JARROW	–	2	2	–	2	–
LEADGATE ...	–	–	1	–	–	–
†SEAHAM HARBOUR	–	–	–	–	2	M. 1
†SOUTHWICK ON WEAR	*	*	*	*	*	*
†SPENNYMOOR ...	–	2	–	–	–	–
†STANLEY	–	–	2	–	–	–
†STOCKTON ON TEES	–	5	–	–	3	C. 1 M. 1
†TANFIELD ...	–	3	1	–	–	–
†WASHINGTON ...	–	2	–	–	1	–
†WHICKHAM ...	–	–	–	–	1	–
WILLINGTON ...	–	5	–	–	–	–
Rural Districts:—						
AUCKLAND ...	–	6	2	–	–	–
CHESTER LE STREET	–	5	–	1	1	–
DURHAM	–	2	–	–	1	–
EASINGTON ...	–	6	2	–	2	–
HARTLEPOOL ...	–	1	–	–	–	–
HOUGHTON LE SPRING	–	6	–	–	2	–
LANCHESTER ...	–	3	–	–	–	–
SEDGEFIELD ...	–	2	–	–	2	–
SOUTH SHIELDS...	–	–	–	–	1	–
STOCKTON ...	–	1	–	–	–	–
SUNDERLAND ...	–	1	–	–	1	M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	2	–	–	1	C. 1
Boroughs and Urban Districts:—						
CHATTERIS ...	–	–	–	–	1	–
MARCH	–	1	–	–	–	–
Rural Districts:—						
WISBECH	–	1	–	–	–	C. 1
ESSEX	–	53	34	2	32	C. 2 G. 2 L. 6 M. 6
†EAST HAM C.B. ...	–	3	3	–	–	C. 2 M. 1
†SOUTHEND-ON-SEA C.B.	–	1	–	–	7	M. 2
†WEST HAM C.B. ...	–	21	12	–	4	M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	–	–	1	–
BRENTWOOD ...	–	3	–	–	–	–
†CHELMSFORD ...	–	–	1	–	–	–
CHINGFORD ...	–	3	–	–	1	–
†COLCHESTER ...	–	1	2	1	1	G. 1
FRINTON ON SEA	*	*	*	*	*	*
†GRAYS THURROCK	–	1	–	–	1	–
HALSTEAD ...	–	–	–	–	1	–
†HARWICH ...	–	1	4	–	–	–
†ILFORD	–	1	4	–	1	L. 6
†LEYTON	–	5	2	–	–	G. 1 M. 1
†ROMFORD ...	–	–	–	–	1	–
SHOEBURYNESS ...	–	–	–	–	5	–
WALTHAM HOLY CROSS	–	–	–	–	1	–
†WALTHAMSTOW...	–	5	5	1	2	M. 1
†WANSTEAD ...	–	–	–	–	1	–
†WOODFORD ...	–	2	–	–	2	–
Rural Districts:—						
BILLERICAY ...	–	1	–	–	–	–
BRAINTREE ...	–	–	1	–	–	–
EPPING	–		–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
Rural Districts—*cont.*						
LEXDEN AND WINSTREE	–	1	–	–	1	–
ORSETT	–	1	–	–	–	–
ROMFORD... ...	–	3	–	–	–	–
TENDRING ...	–	–	–	–	1	–
GLOUCESTER ...	33	37	22	7	19	M. 1
†BRISTOL C.B. ...	–	22	20	1	15	M. 1
†GLOUCESTER C.B.	–	1	–	2	4	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	2	–	1	–	–
†KINGSWOOD ...	–	–	1	–	–	–
STOW ON THE WOLD	*	*	*	*	*	*
Rural Districts:—						
EAST DEAN AND UNITED PARISHES ...	33	2	–	1	–	–
NEWENT	–	1	–	1	–	–
NORTHLEACH ...	–	–	1	–	–	–
THORNBURY ...	–	1	–	–	–	–
WARMLEY ...	–	1	–	–	–	–
WEST DEAN ...	–	7	–	1	–	–
HEREFORD ...	–	4	1	–	3	–
Boroughs and Urban Districts:—						
LEOMINSTER ...	–	1	–	–	–	–
Rural Districts:—						
HEREFORD ...	–	2	–	–	–	–
LEOMINSTER ...	–	1	–	–	1	–
WEOBLEY ...	–	–	–	–	2	–
WIGMORE ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD ...	–	15	1	–	3	–
Boroughs and Urban Districts:—						
BISHOP'S STORTFORD	–	1	–	–	–	–
BUSHEY	–	1	–	–	–	–
GREAT BERKHAMPSTEAD	–	1	–	–	–	–
HARPENDEN ...	–	2	–	–	–	–
†HEMEL HEMPSTEAD	–	1	–	–	–	–
†HERTFORD ...	–	2	–	–	–	–
RICKMANSWORTH	–	–	–	–	1	–
ROYSTON	–	1	–	–	–	–
TRING	–	1	–	–	–	–
Rural Districts:—						
ASHWELL ...	–	1	–	–	–	–
HADHAM	–	3	–	–	–	–
HERTFORD ...	–	–	–	–	1	–
WARE	–	–	–	–	1	–
WATFORD ...	–	1	1	–	–	–
HUNTINGDON ...	–	–	–	–	1	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	–	–	–	–	1	–
KENT	–	34	19	2	21	M. 2
Boroughs and Urban Districts:—						
†ASHFORD... ...	–	1	–	–	–	–
†BECKENHAM ...	–	1	–	–	–	–
†BROADSTAIRS AND ST. PETER'S	–	–	1	–	1	–
†BROMLEY ...	–	2	–	–	3	–
†CHATHAM ...	–	3	–	–	–	–
†DARTFORD ...	–	3	1	–	2	–
†DOVER	–	–	–	2	–	–
†ERITH	–	6	–	–	1	–
†FOLKESTONE ...	–	3	–	–	1	–
†GILLINGHAM ...	–	2	–	–	–	–
†GRAVESEND ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
LYDD	–	1	–	–	–	–
†MAIDSTONE ...	–	1	–	–	1	–
†MARGATE ...	–	–	1	–	2	–
†NORTHFLEET ...	–	1	1	–	–	–
†PENGE	–	1	–	–	–	–
QUEENBOROUGH	–	–	2	–	–	–
†RAMSGATE ...	–	2	–	–	–	–
†ROCHESTER ...	–	–	1	–	2	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	1	–
SEVENOAKS ...	–	–	1	–	–	–
WALMER	–	1	–	–	–	–
WHITSTABLE ...	–	–	–	–	3	M. 1
Rural Districts:—						
BRIDGE	–	1	–	–	–	–
BROMLEY ...	–	1	–	–	–	–
DARTFORD ...	–	–	5	–	–	–
EASTRY	–	2	–	–	–	–
ELHAM	–	–	–	–	2	–
FAVERSHAM ...	–	–	1	–	–	–
ISLE OF THANET	–	1	–	–	–	–
MAIDSTONE ...	–	–	1	–	–	–
SEVENOAKS ...	–	1	2	–	1	–
TONBRIDGE ...	–	–	1	–	1	M. 1
LANCASTER ...	–	198	80	5	372	C. 12 G. 4 L. 1 M. 24
†BARROW IN FURNESS C.B.	–	5	–	–	–	–
†BLACKBURN C.B.	–	2	–	–	10	G. 1 M. 1
†BLACKPOOL C.B.	–	–	–	–	5	M. 2
†BOLTON C.B. ...	–	10	–	–	9	M. 2
†BOOTLE C.B. ...	–	5	1	–	2	–
†BURNLEY C.B. ...	–	1	1	–	–	–
†BURY C.B. ...	–	6	2	–	3	C. 1
†LIVERPOOL C.B. ...	–	47	30	–	104	C. 3 G. 3 M. 11

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†Manchester C.B.	–	12	9	–	81	C. 6 M. 4
†Oldham C.B. ...	–	1	5	–	2	–
†Preston C.B. ...	–	3	3	–	–	–
†Rochdale C.B. ...	–	5	–	–	–	–
†St. Helens C.B. ...	–	1	–	–	9	C. 1
†Salford C.B. ...	–	10	4	–	15	–
†Southport C.B.	–	2	–	–	2	–
†Warrington C.B.	–	4	1	–	7	–
†Wigan C.B. ...	–	4	1	–	7	–
Boroughs and Urban Districts:—						
Abram	–	–	–	–	2	–
†Accrington ...	–	1	–	–	2	M. 1
†Ashton in Makerfield	–	2	2	–	2	–
†Ashton under Lyne	–	2	–	–	4	–
Aspull	–	–	–	–	–	M. 1
†Atherton ...	–	3	1	–	1	–
†Bacup	–	1	–	–	4	–
†Chadderton ...	–	1	–	–	1	–
†Chorley	–	–	–	–	1	–
†Clitheroe ...	–	2	–	–	–	–
†Colne	–	–	–	–	2	–
†Crompton ...	–	1	–	–	1	–
†Dalton in Furness	–	2	–	–	–	–
†Darwen	–	1	–	–	2	–
†Denton	–	–	1	–	2	–
†Droylsden ...	–	1	1	–	–	–
†Eccles	–	1	1	–	–	–
†Farnworth ...	–	–	1	–	2	–
†Fleetwood ...	–	–	–	–	1	–
Formby	–	1	–	–	–	–
Fulwood ...	–	1	–	–	–	–
Golborne ...	–	–	4	–	–	–
Grange	–	–	1	–	–	–
†Great Crosby ...	–	1	–	–	–	–
†Haslingden ...	–	–	–	–	1	–
†Haydock ...	–	1	–	–	1	–
†Heywood ...	–	1	–	–	3	–
†Hindley	–	1	–	–	28	–
†Horwich ...	–	2	–	–	2	–
Huyton with Roby ...	–	1	–	–	–	–
†Ince in Makerfield	–	–	–	–	6	–
Irlam	–	–	2	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Lancaster ...	–	1	2	–	–	M. 1
Lathom and Burscough	–	–	–	–	1	–
Lees	–	–	–	–	1	–
†Leigh	–	7	1	2	4	M. 1
Leyland	–	1	–	–	–	–
†Litherland ...	–	1	–	–	–	–
†Lytham, St. Anne's	–	–	–	–	1	–
†Middleton ...	–	7	–	–	–	–
†Newton in Makerfield	–	2	–	–	7	–
†Oswaldtwistle	–	–	–	–	1	–
†Padiham	–	1	–	–	–	–
†Prestwich ...	–	2	–	–	1	–
Rainford ...	–	–	–	–	1	–
†Ramsbottom ...	–	2	–	–	–	–
†Rawtenstall ...	–	–	–	–	1	–
Rishton	–	1	–	–	–	–
Standish with Langtree	–	–	–	–	2	–
†Stretford	–	3	–	–	–	–
†Swinton and Pendlebury	–	2	–	1	4	–
Tottington ...	–	3	–	–	1	–
†Tyldesley with Shakerley	–	2	2	–	4	–
Upholland ...	–	1	–	1	–	–
†Walton le Dale	–	1	–	–	1	–
†Waterloo with Seaforth	–	–	1	–	–	–
Whitefield ...	–	–	–	–	1	–
†Widnes	–	7	2	–	3	–
†Worsley	–	–	–	–	1	–
Rural Districts:—						
Barton upon Irwell	–	1	–	–	–	–
Bury	–	–	–	–	–	C. 1
Garstang ...	–	2	–	–	–	–
Leigh	–	1	–	–	3	–
Preston	–	–	–	–	2	–
Ulverston ...	–	2	1	1	4	–
Warrington ...	–	2		–	1	–
West Lancashire	–	–	–	–	1	–
Whiston	–	1	–	–	1	L. 1
Wigan	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER	–	9	9	–	10	C. 1 D. 1 M. 1
†LEICESTER C.B. ...	–	6	4	–	7	C. 1
Boroughs and Urban Districts:—						
†COALVILLE ...	–	–	1	–	–	–
†HINCKLEY ...	–	1	–	–	–	M. 1
MARKET HARBOROUGH	–	1	–	–	1	–
MELTON MOWBRAY	–	–	–	–	1	–
QUORNDON ...	–	1	–	–	–	–
Rural Districts:—						
BLABY	–	–	1	–	–	–
MARKET BOSWORTH	–	–	2	–	–	D. 1
MARKET HARBOROUGH	–	–	1	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	1	1	–	2	M. 1
Boroughs and Urban Districts:—						
†BOSTON	–	–	–	–	1	M.1
Rural Districts:—						
BOSTON	–	1	–	–	–	–
CROWLAND ...	–	–	1	–	1	–
LINCOLN (parts of Kesteven).	–	–	–	–	–	–
Rural Districts:—						
BOURNE	*	*	*	*	*	*
LINCOLN (parts of Lindsey).	–	9	9	–	2	M. 1
†GRIMSBY C.B. ...	–	1	1	–	–	–
†LINCOLN C.B. ...	–	1	1	–	–	M. 1
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	1	–	–	–	–
†CLEETHORPES ...	–	4	–	–	–	–
HORNCASTLE ...	–	–	1	–	–	–
MARKET RASEN...	*	*	*	*	*	*
†SCUNTHORPE AND FRODINGHAM	–	1	–	–	1	–
WINTERTON ...	*	*	*	*	*	*
Rural Districts:—						
GLANFORD BRIGG	–	–	6	–	1	–
WELTON	–	1	–	–	–	–
MIDDLESEX ...	1	56	44	2	33	C. 2 G. 1 M. 3
Boroughs and Urban Districts:—						
†ACTON	–	9	1	1	1	–
†BRENTFORD ...	–	3	1	–	1	–
†CHISWICK ...	–	2	2	–	–	–
†EALING	–	4	1	–	2	M. 1
†EDMONTON ...	–	5	1	–	1	M. 1
†ENFIELD	–	–	–	–	2	–
FELTHAM ...	–	2	–	–	–	–
†FINCHLEY ...	–	1	–	–	–	–
†HAMPTON ...	–	–	1	–	1	–
†HANWELL ...	–	1	1	–	1	–
†HARROW ON THE HILL	–	2	–	–	–	–
†HENDON	–	2	1	–	1	G. 1
†HESTON AND ISLEWORTH	–	3	10	–	5	C. 1
†HORNSEY... ...	–	1	–	–	4	C. 1
RUISLIP NORTHWOOD	–	1	–	–	–	–
SUNBURY ON THAMES	–	–	2	–	–	–
†TEDDINGTON ...	–	1	–	–	–	–
†TOTTENHAM ...	–	9	–	–	4	M. 1
†WEALDSTONE ...	–	–	1	–	–	–
†WEMBLEY ...	–	–	–	–	1	–
†WILLESDEN ...	–	3	20	1	7	–
†WOOD GREEN ...	1	4	–	–	1	–
YIEWSLEY ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Rural Districts:—						
HENDON	–	1	–	–	–	–
STAINES	–	1	1	–	–	–
UXBRIDGE ...	–	–	–	–	1	–
NORFOLK	–	45	6	–	5	M. 1
†GREAT YARMOUTH C.B.	–	4	1	–	–	–
†NORWICH C.B. ...	–	30	3	–	–	M. 1
Boroughs and Urban Districts:—						
DOWNHAM MARKET	–	–	–	–	1	–
Rural Districts:—						
DEPWADE ...	–	–	1	–	1	–
DOWNHAM ...	–	–	–	–	2	–
ERPINGHAM ...	–	1	–	–	–	–
FOREHOE ...	–	2	–	–	–	–
FREEBRIDGE LYNN	–	3	–	–	–	–
LODDON AND CLAVERING	*	*	*	*	*	*
MARSHLAND ...	*	*	*	*	*	*
MITFORD AND LAUNDITCH	–	2	–	–	1	–
ST. FAITH'S ...	–	1	–	–	–	–
THETFORD ...	–	1	–	–	–	–
WALSINGHAM ...	–	1	–	–	–	–
WAYLAND ...	–	–	1	–	–	–
NORTHAMPTON ...	–	30	6	2	16	–
†NORTHAMPTON C.B.	–	15	–	–	10	–
Boroughs and Urban Districts:—						
BURTON LATIMER	–	–	–	–	1	–
DESBOROUGH ...	–	–	–	–	1	–
IRTHLINGBOROUGH	–	–	1	–	–	–
†KETTERING ...	–	10	–	–	1	–
†RUSHDEN ...	–	–	–	–	1	–
†WELLINGBOROUGH	–	1	–	–	1	–
NORTHAMPTON—*cont.*						
Rural Districts:—						
BRIXWORTH ...	–	–	1	–	–	–
DAVENTRY ...	–	–	1	–	–	–
KETTERING ...	–	1	–	–	–	–
NORTHAMPTON ..	–	–	–	2	–	–
POTTERSPURY ...	–	2	–	–	–	–
THRAPSTON (part)	–	–	3	–	1	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND	–	38	15	1	32	C. 1 G. 2 M. 1
†NEWCASTLE UPON TYNE C.B.	–	20	4	–	17	G. 1
†TYNEMOUTH C.B.	–	2	1	–	3	M. 1
Boroughs and Urban Districts:—						
†ASHINGTON ...	–	1	–	1	–	–
†BEDLINGTONSHIRE	–	4	–	–	4	–
†BERWICK UPON TWEED	–	–	1	–	–	–
†BLYTH	–	2	1	–	6	–
CRAMLINGTON ...	–	1	–	–	–	–
†EARSDON	–	–	2	–	–	–
†GOSFORTH ...	–	1	2	–	1	–
†LONGBENTON ...	–	1	–	–	–	–
MORPETH... ...	*	*	*	*	*	*
NEWBIGGIN BY THE SEA	*	*	*	*	*	*
†NEWBURN ...	–	2	–	–	–	–
SEATON DELAVAL	–	–	–	–	1	–
†WALLSEND ...	–	–	–	–	–	C. 1 G. 1
WEETSLADE ...	–	2	1	–	–	–
Rural Districts:—						
CASTLE WARD ..	–	2	–	–	–	–
HEXHAM	–	–	3	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever:

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM ...	31	25	4	1	18	M. 2
†NOTTINGHAM C.B.	–	9	4	1	16	M. 2
Boroughs and Urban Districts:—						
†CARLTON	–	1	–	–	–	–
†EAST RETFORD ...	–	1	–	–	–	–
†HUCKNALL ...	18	–	–	–	–	–
†KIRKBY IN ASHFIELD	10	–	–	–	–	–
†MANSFIELD ...	–	6	–	–	–	–
†NEWARK	–	3	–	–	–	–
†SUTTON IN ASHFIELD	–	1	–	–	–	–
†WEST BRIDGFORD	–	1	–	–	–	–
†WORKSOP... ...	–	–	–	–	1	–
Rural Districts:—						
BASFORD	1	1	–	–	–	
BLYTH AND CUCKNEY	1	–	–	–	–	–
NEWARK	–	2	–	–	–	–
STAPLEFORD ...	1	–	–	–	1	–
OXFORD	–	16	–	1	–	C. 1 M. 1
†OXFORD C.B. ...	–	8	–	–	–	M. 1
Boroughs and Urban Districts:—						
BICESTER... ...	–	–	–	1	–	–
Rural Districts:—						
BICESTER... ...	–	1	–	–	–	–
CULHAM	–	2	–	–	–	–
HEADINGTON ...	–	2	–	–	–	–
HENLEY	–	1	–	–	–	–
WITNEY	–	2	–	–	–	C. 1
PETERBOROUGH (Soke of)	–	2	1	–	3	–
Borough:—						
†PETERBOROUGH...	–	2	1	–	2	–
Rural District:—						
PETERBOROUGH...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
RUTLAND	–	1	–	–	–	–
Rural Districts:—						
OAKHAM ...	–	1	–	–	–	–
SALOP	–	12	2	–	4	M. 1
Boroughs and Urban Districts:—						
DAWLEY	–	1	2	–	–	–
MARKET DRAYTON	–	1	–	–	–	–
†SHREWSBURY ...	–	1	–	–	1	–
†WENLOCK ...	–	1	–	–	1	M. 1
Rural Districts:—						
ATCHAM	–	1	–	–	2	–
CHIRBURY ...	–	1	–	–	–	–
CLEOBURY MORTIMER	–	1	–	–	–	–
ELLESMERE ...	–	2	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
WEM	–	2	–	–	–	–
SOMERSET	–	18	2	1	8	–
†BATH C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
CLEVEDON ...	–	3	–	–	–	–
RADSTOCK ...	–	–	–	–	1	–
STREET	–	–	–	–	2	–
†WESTON SUPER MARE	–	5	–	–	–	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	1	–
BRIDGWATER ...	–	1	–	–	–	–
CHARD	–	1	–	–	–	–
CLUTTON	–	–	1	–	1	–
KEYNSHAM ...	–	2	–	–	3	–
LONG ASHTON ...	–	1	1	1	–	–
TAUNTON ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOUTHAMPTON ...	–	27	25	1	10	C. 3 M. 3
†Bournemouth C.B.	–	1	4	–	–	–
†Portsmouth C.B.	–	9	10	–	2	M. 2
†Southampton C.B.	–	6	6	–	2	C. 1
Boroughs and Urban Districts:—						
Christchurch ...	–	1	–	–	1	–
†Fareham ...	–	1	–	–	1	–
†Gosport	–	1	–	–	1	M. 1
Havant	–	1	–	–	–	–
Warblington ...	–	–	–	1	–	–
†Winchester ...	–	–	2	–	–	C. 2
Rural Districts:—						
Basingstoke ...	–	1	2	–	–	–
Fareham ...	–	3	–	–	2	–
Hartley Wintney	–	1	–	–	–	–
Kingsclere ...	–	–	1	–	–	–
Whitchurch ...	–	1	–	–	1	–
Winchester ...	–	1	–	–	–	–
STAFFORD	–	131	33	–	51	C. 1 E. 1 G. 1 M. 12
†Burton upon Trent C.B.	–	2	1	–	–	M. 1
†Smethwick C.B.	–	1	7	–	–	–
†Stoke on Trent C.B.	–	91	9	–	27	M. 7
†Walsall C.B. ...	–	7	2	–	2	M 2
†West Bromwich C.B.	–	1	2	–	2	–
†Wolverhampton C.B.	–	3	1	–	1	–
Boroughs and Urban Districts:—						
†Audley	–	–	–	–	–	G. 1
Biddulph ..	–	3	1	–	–	–
†Bilston	–	–	–	–	3	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
†Brierley Hill...	–	3	–	–	–	–
†Brownhills ...	–	3	2	–	3	–
†Cannock	–	1	–	–	2	M. 1
†Coseley	–	–	1	–	–	–
†Darlaston ...	–	–	1	–	–	–
†Heathtown or Wednesfield Heath	–	–	1	–	–	–
Kidsgrove ...	–	2	–	–	1	–
†Leek	–	1	–	–	–	–
†Newcastle under Lyme	–	–	1	–	1	M. 1
†Rowley Regis ...	–	1	1	–	1	–
†Sedgley	–	1	–	–	–	–
†Stafford ...	–	2	1	–	3	–
†Tipton	–	–		–	1	E. 1
†Willenhall ...	–	2	1	–		–
†Wolstanton United	–	3	–	–	2	–
Rural Districts:—						
Cheadle... ...	–	–	–	–	1	C. 1
Kingswinford ...	–	1	–	–	–	–
Lichfield ...	–	3	1	–	–	–
Mayfield ...	*	*	*	*	*	*
Walsall... ...	–	–	–	–	1	–
SUFFOLK, EAST ...	–	5	4	–	4	–
†Ipswich C.B. ...	–	1	2	–	3	–
Boroughs and Urban Districts:—						
Bungay	–	–	–	–	1	–
†Felixstowe ...	–	–	1	–	–	–
Rural Districts:—						
Mutford and Lothingland	–	–	1	–	–	–
Samford... ...	–	3	–	–	–	–
Woodbridge ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUFFOLK, WEST ...	–	–	–	–	1	–
Rural Districts:—						
CLARE	–	–	–	–	1	–
SURREY	–	29	21	2	6	L. 2 M. 1
†CROYDON C.B. ...	–	9	3	1	–	–
Boroughs and Urban Districts:—						
†BARNES	–	2	–	–	2	–
†BEDDINGTON AND WALLINGTON	–	–	2	–	–	–
†CARSHALTON ...	–	–	3	–	–	–
†CATERHAM ...	–	2	–	–	–	–
DORKING	–	1	–	–	–	–
EAST AND WEST MOLESEY	–	1	–	–	–	–
†EGHAM	–	1	–	–	2	–
†EPSOM	–	1	–	–	–	–
†FARNHAM ...	–	–	1	–	1	–
†FRIMLEY	–	1	–	–	–	–
†KINGSTON ON THAMES	–	–	1	–	–	–
†MERTON AND MORDEN	–	–	1	–	–	–
†MITCHAM... ...	–	1	–	–	–	–
†REIGATE	–	1	–	–	–	–
†RICHMOND ...	–	–	1	1	–	–
†SUTTON	–	–	5	–	–	–
†THE MALDENS AND COOMBE	–	2	–	–	–	–
†WIMBLEDON ...	–	2	3	–	–	–
†WOKING	–	–	1	–	–	–
Rural Districts:—						
DORKING	–	1	–	–	–	–
EPSOM	–	1	–	–	1	–
FARNHAM ...	–	1	–	–	–	–
GODSTONE ...	–	1	–	–	–	–
GUILDFORD ...	–	1	–	–	–	–
HAMBLEDON ...	–	–	–	–	–	M. 1
REIGATE	–	–	–	–	–	L. 2
SUSSEX, EAST ...	–	6	4	1	10	C. 1
†BRIGHTON C.B. ...	–	3	4	–	3	–
†HASTINGS C.B. ...	–	1	–	–	2	–
SUSSEX, EAST—*cont.*						
Boroughs and Urban Districts:—						
†HOVE	–	1	–	–	1	–
NEWHAVEN ...	–	–	–	–	1	–
PORTSLADE BY SEA	–	1	–	–	1	C. 1
RYE	–	–	–	1	–	–
Rural Districts:—						
CHAILEY... ...	–	–	–	–	1	–
HAILSHAM ...	–	–	–	–	1	–
SUSSEX, WEST ...	–	8	1	5	3	–
Boroughs and Urban Districts:—						
ARUNDEL... ...	–	1	–	–	–	–
†CHICHESTER ...	–	–	–	2	–	–
†HORSHAM ...	–	1	–	–	–	–
†LITTLEHAMPTON	–	–	1	–	–	–
Rural Districts:—						
EAST PRESTON ...	–	–	–	–	1	–
HORSHAM ...	–	3	–	–	–	–
PETWORTH ...	–	1	–	–	1	–
STEYNING WEST...	–	1	–	–	–	–
WESTHAMPNETT	–	1	–	1	1	–
WARWICK	–	68	45	–	46	C. 2 E. 1 G. 1 L. 2 M. 8
†BIRMINGHAM C.B.	–	49	40	–	34	C. 2 E. 1 G. 1 L. 2 M. 4
†COVENTRY C.B. ...	–	5	1	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Boroughs and Urban Districts:—						
†KENILWORTH ...	–	–	–	–	1	–
†NUNEATON ...	–	–	–	–	1	M. 3
†ROYAL LEAMINGTON SPA	–	1	–	–	1	–
†RUGBY	–	2	–	–	3	–
STRATFORD ON AVON	–	1	–	–	–	–
†SUTTON COLDFIELD	–	1	–	–	–	–
Rural Districts:—						
ALCESTER ...	–	1	–	–	1	–
ATHERSTONE ...	–	1	3	–	–	–
COVENTRY ...	–	–	–	–	1	–
MERIDEN... ...	–	2	–	–	3	–
RUGBY	–	3	–	–	1	M. 1
SOLIHULL ...	–	–	1	–	–	–
SOUTHAM... ...	–	2	–	–	–	–
WESTMORLAND ...	–	10	2	–	3	–
Boroughs and Urban Districts:—						
AMBLESIDE ...	–	–	–	–	1	–
†KENDAL	–	10	–	–	1	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	1	–
SOUTH WESTMORLAND	–	–	2	–	–	–
WIGHT, ISLE OF ...	–	7	–	–	–	–
Boroughs and Urban Districts:—						
†COWES	–	1	–	–	–	–
SANDOWN ...	–	2	–	–	–	–
SHANKLIN ...	–	1	–	–	–	–
VENTNOR... ...	–	1	–	–	–	–
Rural Districts:—						
ISLE OF WIGHT	–	2	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	3	1	–	11	L. 1 M. 2
Boroughs and Urban Districts:—						
CALNE	–	–	–	–	–	M. 1
MELKSHAM ...	*	*	*	*	*	*
†SALISBURY ...	–	–	–	–	1	–
†SWINDON... ...	–	–	1	–	7	–
Rural Districts:—						
CHIPPENHAM ...	–	1	–	–	–	–
CRICKLADE AND WOOTTON BASSETT	–	–	–	–	1	–
DEVIZES	–	–	–	–	–	L. 1
MELKSHAM ...	*	*	*	*	*	*
MERE	–	–	–	–	–	M. 1
PEWSEY	–	2	–	–	1	–
WILTON	–	–	–	–	1	–
WORCESTER ...	–	10	2	1	8	–
†WORCESTER C.B.	–	–	–	–	1	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
†KIDDERMINSTER	–	1	–	–	–	–
†OLDBURY... ...	–	–	1	–	2	–
†REDDITCH ...	–	1	–	1	1	*
Rural Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
EVESHAM ...	–	1	–	–	–	–
HALESOWEN ...	–	1	–	–	2	–
KIDDERMINSTER	–	1	–	–	–	–
MARTLEY... ...	–	–	–	–	1	–
PERSHORE ...	–	1	1	–	–	–
UPTON ON SEVERN	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS ... ... (East Riding.)	–	10	7	–	4	C. 2
†KINGSTON UPON HULL C.B.	–	7	7	–	2	C. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	1	–
COTTINGHAM ...	–	1	–	–	–	–
Rural Districts:—						
HOWDEN	–	1	–	–	–	–
SCULCOATES ...	–	–	–	–	1	–
YORKS ... ... (North Riding.)	–	47	3	–	5	–
†MIDDLESBROUGH C.B.	–	16	–	–	2	–
Boroughs and Urban Districts:—						
†ESTON	–	5	1	–	–	–
NORTHALLERTON	–	1	–	–	–	–
†REDCAR	–	3	1	–	1	–
†SCARBOROUGH ...	–	1	1	–	1	–
†THORNABY ON TEES	–	3	–	–	–	–
†WHITBY	–	11	–	–	–	–
Rural Districts:—						
GUISBOROUGH ...	–	1	–	–	–	–
KIRKBY MOORSIDE	–	–	–	–	1	–
LEYBURN... ...	–	1	–	–	–	–
NORTHALLERTON	–	1	–	–	–	–
RICHMOND ...	–	1	–	–	–	–
SCARBOROUGH ...	–	2	–	–	–	–
WHITBY	–	1	–	–	–	–
YORKS ... ... (West Riding.)	–	189	49	3	133	C. 5 D. 1 L. 1 M. 16
YORKS (West Riding) —*cont.*						
†BARNSLEY C.B. ...	–	3	4	–	–	C. 1
†BRADFORD C.B. ...	–	16	4	–	18	–
†DEWSBURY C.B....	–	3	1	–	–	–
†HALIFAX C.B. ...	–	2	–	–	–	–
†HUDDERSFIELD C.B.	–	2	3	–	5	–
†LEEDS C.B. ...	–	37	6	–	10	C. 2 M. 5
†ROTHERHAM C.B.	–	10	–	1	11	–
†SHEFFIELD C.B....	–	45	8	–	40	M. 5
†WAKEFIELD C.B.	–	4	1	–	1	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	–	–	2	–	1	–
ALTOFTS	–	–	–	–	1	–
BAILDON	–	–	1	–	–	–
†BATLEY	–	2	–	–	2	–
†BINGLEY	–	–	2	–	1	–
BIRKENSHAW ...	–	1	–	–	–	–
BIRSTAL	–	–	1	–	–	–
†BOLTON UPON DEARNE	–	2	–	–	–	–
†BRIGHOUSE ...	–	5	–	–	–	–
†CASTLEFORD ...	–	2	–	–	–	–
CUDWORTH ...	–	–	–	–	1	M. 1
†DARTON	–	–	–	–	1	–
†DONCASTER ...	–	1	1	–	–	–
†ELLAND	–	–	–	–	3	–
†FEATHERSTONE ...	–	1	–	–	–	–
†GOLCAR	–	–	–	–	1	–
†GOOLE	–	3	1	–	–	–
GREETLAND ...	–	–	1	–	–	–
GUISELEY ...	–	–	1	–	–	–
†HARROGATE ...	–	2	–	–	1	–
†HEMSWORTH ...	–	7	–	–	2	–
HIPPERHOLME ...	–	–	–	–	1	–
†HOLMFIRTH ...	–	–	1	–	–	–
HORSFORTH ...	–	1	–	–	3	–
HOYLAND SWAINE	–	1	–	–	–	–
†KEIGHLEY ...	–	1	–	–	2	–
KNOTTINGLEY ...	–	2	–	–	–	–
METHLEY ...	–	–	1	–	–	–
†MORLEY	–	–	2	–	4	–
†NORMANTON ...	–	–	1	–	2	–
OTLEY	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio... J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

§ York C.B. is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding)—*cont.*						
Boroughs and Urban Districts—*cont.*						
PENISTONE ...	–	–	–	–	–	C. 1
†PONTEFRACT ...	–	2	–	–	–	–
†RAWMARSH ...	–	1	–	–	2	–
SHEPLEY... ...	–	–	–	–	1	–
SILSDEN	–	1	–	–	–	–
†SKIPTON	–	1	–	–	–	–
SOUTH CROSLAND	–	–	–	–	–	M. 1
†SPENBOROUGH ...	–	3	–	–	3	C. 1
†STANLEY	–	1	1	–	1	–
THURSTONLAND...	–	1	–	–	–	–
TICKHILL ...	–	–	–	–	1	–
†TODMORDEN ...	–	–	–	–	2	–
†WATH UPON DEARNE	–	1	–	–	–	–
WHITWOOD ...	–	2	–	–	–	–
†WOMBWELL ...	–	–	–	1	1	M. 3
Rural Districts—						
DONCASTER ...	–	2	–	–	1	–
GOOLE	–	1	–	–	–	–
HALIFAX	–	1	–	–	–	–
HEMSWORTH ...	–	2	2	–	4	–
KIVETON PARK ...	–	1	–	–	–	–
KNARESBOROUGH	–	–	–	–	1	–
PONTEFRACT ...	–	4	–	–	–	–
ROTHERHAM ...	–	4	1	1	–	M. 1
SKIPTON	–	1	–	–	–	D. 1
TADCASTER ...	–	3	2	–	1	–
TODMORDEN ...	–	–	–	–	1	–
WAKEFIELD ...	–	1	1	–	–	–
WETHERBY ...	–	1	–	–	–	–
WHARFEDALE (SOUTH)	–	–	–	–	–	L. 1
WORTLEY ...	–	2	–	–	2	–
County Borough :—						
†YORK	–	3	2	–	2	C. 1
WALES.						
ANGLESEY	1	4	2	–	–	–
Boroughs and Urban Districts :—						
AMLWCH	1	–	–	–	–	–
†HOLYHEAD ...	–	1	–	–	–	–
ANGLESEY—*cont.*						
Rural Districts :—						
AETHWY	–	1	–	–	–	–
VALLEY	–	2	2	–	–	–
BRECKNOCK ...	–	–	2	–	–	C. 1
Rural Districts :—						
YSTRADFELLTE (parish)	–	–	–	–	–	C. 1
YSTRADGYNLAIS	–	–	2	–	–	–
CARDIGAN	–	–	–	–	–	L. 4
Rural Districts :—						
CARDIGAN ...	–	–	–	–	–	L. 4
CARMARTHEN ...	–	5	4	–	–	G. 1
Boroughs and Urban Districts :—						
BURRY PORT ...	–	1	–	–	–	–
KIDWELLY ...	–	1	–	–	–	–
†LLANELLY ...	–	1	–	–	–	–
Rural Districts :—						
CARMARTHEN ...	–	–	–	–	–	G. 1
LLANDILO FAWR	–	–	4	–	–	–
LLANELLY ...	–	2	–	–	–	–
CARNARVON ...	–	1	–	–	–	–
Rural Districts :—						
CONWAY	–	1	–	–	–	–
DENBIGH	–	3	1	–	4	–
Boroughs and Urban Districts :—						
†COLWYN BAY AND COLWYN ...	–	–	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DENBIGH—*cont.*						
Rural Districts :—						
CHIRK	–	–	–	–	1	–
RUTHIN	–	–	–	–	2	–
WREXHAM ...	–	3	–	–	1	–
FLINT	–	3	–	1	3	C. 1
Boroughs and Urban Districts :—						
FLINT	–	1	–	–	–	..
HOLYWELL ...	–	–	–	1	–	–
PRESTATYN ...	–	–	–	–	1	–
Rural Districts :—						
HAWARDEN ...	–	1	–	–	2	–
HOLYWELL (MOLD DIV.)	–	–	–	–	–	C. 1
ST. ASAPH (FLINT)	–	1	–	–	–	–
GLAMORGAN ...	–	60	36	–	50	C. 2 E. 5 M. 7
†CARDIFF C.B. ...	–	4	7	–	8	E. 5 M. 4
†MERTHYR TYDFIL C.B.	–	1	4	–	4	–
†SWANSEA C.B. ...	–	15	8	–	1	–
Boroughs and Urban Districts :—						
†ABERDARE ...	–	3	2	–	1	–
†BARRY	–	2	1	–	9	–
†CAERPHILLY ...	–	3	2	–	–	C. 1
†MAESTEG... ...	–	2	–	–	1	–
†MOUNTAIN ASH ...	–	2	2	–	1	–
†NEATH	–	–	1	–	–	C. 1
†OGMORE AND GARW	–	4	1	–	2	M. 2
†PENARTH ...	–	1	–	–	–	–
†PONTYPRIDD ...	–	1	1	–	4	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts—*cont.*						
PORTHCAWL ...	–	–	–	–	1	–
†PORT TALBOT ...	–	1	–	–	–	–
†RHONDDA ..	–	8	3	–	14	M. 1
Rural Districts :—						
CARDIFF	–	2	1	–	–	–
COWBRIDGE ...	*	*	*	*	*	*
GOWER	–	–	–	–	2	–
LLANTRISANT AND LLANTWITFARDRE	–	–	1	–	1	–
NEATH	–	5	–	–	–	–
PENYBONT ...	–	1	–	–	–	–
SWANSEA... ...	–	5	2	–	1	–
MERIONETH ...	–	2	1	–	1	–
Urban Districts :—						
FESTINIOG ...	–	2	1	–	–	–
Rural Districts :—						
EDEIRNION ...	–	–	–	–	1	–
MONMOUTH ...	–	21	8	–	5	–
†NEWPORT C.B. ...	–	6	1	–	2	–
Boroughs and Urban Districts :—						
†ABERCARN ...	–	3	–	–	–	–
ABERGAVENNY ...	–	3	–	–	–	–
†ABERTILLERY ...	–	1	3	–	1	–
BEDWAS AND MACHEN	–	1	–	–	–	–
†BEDWELLTY ...	–	1	2	–	–	–
†BLAENAVON ...	–	–	–	–	1	–
†EBBW VALE ...	–	3	–	–	–	–
LLANFRECHFA UPPER	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†PANTEG	–	1	–	–	–	–
PONTYPOOL ...	–	1	–	–	–	–
†RISCA	–	–	1	–	–	–
†TREDEGAR ...	–	–	1	–	–	–
Rural Districts:—						
ABERGAVENNY ...	–	1	–	–	–	–
MONTGOMERY ...	–	4	1	–	1	–
Boroughs and Urban Districts:—						
MACHYNLLETH ...	–	1	–	–	–	–
WELSHPOOL ...	–	–	–	–	1	–
Rural Districts:—						
LLANFYLLIN ...	–	3	–	–	–	–
NEWTOWN AND LLANIDLOES	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
PEMBROKE	–	–	1	–	1	–
Boroughs and Urban Districts:—						
GOODWICK ...	*	*	*	*	*	*
MILFORD HAVEN	–	–	–	–	1	–
Rural Districts:—						
HAVERFORDWEST	–	–	1	–	–	–
RADNOR	–	1	–	–	–	–
Rural Districts:—						
NEW RADNOR ...	–	1	–	–	–	–
Total of Part II. ...	89	1542	579	40	1099	C. 46 D. 2 E. 7 G. 14 L. 17 M. 105

PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
LOWESTOFT	–	–	–	–	1	L. 1
TYNE	–	–	–	1	–	–

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see*
PORT OF LONDON ...	–	–	2	–	–	
Total of Part III. ...	–	–	2	1	1	L.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Total of Part I.—London	–	211	184	12	154	C. 7 D. 1 E. 1 G. 2 M. 7
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	89	1542	579	40	1099	C. 46 D. 2 E. 7 G 14 L. 17 M. 105
Total of Part III.—Port Sanitary Districts	–	–	2	1	1	L. 1
Total (*i.e.*, of returns received), England and Wales ...	89	1753	765	53	1254	C. 53 D. 3 E. 8 G. 16 L. 18 M. 112

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-ephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ver; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The es of Small-pox notified appear on pages 1408, 1410, 1413, 1415, and 1420.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. } BIRTHS, DEATHS (distinguishing certain CAUS and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain I FECTIOUS DISEASES in the last THIRTE WEEKS.

Week ended :—	Sept. 22.	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	De 15
LONDON :—													
DEATHS—all ages	868	928	831	869	853	885	905	822	947	1,037	1,335	1,339	1 4
„ 0 to 1 year ..	116	149	128	129	104	119	104	75	109	87	106	125	1
GREAT TOWNS, aggregate (including London) :—													
BIRTHS	7,154	7,428	6,905	7,078	7,464	7,182	7,721	6,870	7,128	7,233	6,645	6,801	7,3
DEATHS—all ages	3,616	3,660	3,474	3,650	3,579	3,676	3,619	3,734	4,179	4,328	5,232	5,501	5,4
„ 0 to 1 year ..	514	516	454	468	464	473	457	448	505	507	528	588	5
ENTERIC FEVER—Cases	32	37	35	53	44	29	40	31	30	33	13	27	
„ Deaths	4	3	8	4	7	1	3	6	2	1	2	1	
SMALL POX—Cases ..	16	9	16	26	4	7	9	3	7	1	—	1	
„ Deaths ..	—	2	—	—	—	—	—	—	—	1	—	—	
SCARLET FEVER—Cases	850	997	956	995	1,013	1,158	1,120	988	1,104	938	1,026	993	1,0
„ Deaths	9	9	8	11	15	8	9	11	6	8	15	9	
DIPHTHERIA—Cases ..	500	473	450	525	498	536	585	480	491	529	428	520	5
„ Deaths ..	27	24	22	22	25	25	33	36	18	30	29	27	
MEASLES—Deaths ..	17	6	10	8	15	16	19	21	20	29	56	55	
INFLUENZA—Deaths ..	28	33	31	40	33	29	37	35	55	58	68	103	

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 15th December, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	48	25	44·9	35·1	1
BRIGHTON ..	50	27	47·2	38·3	5
PORTSMOUTH ..	49	28	46·7	38·2	3
NORWICH (EATON).	47	27	43·1	34·4	4
PLYMOUTH ..	51	30	48·0	38·3	4
BRISTOL (CLIFTON).	47	30	46·0	36·4	2
BIRMINGHAM (EDGBASTON)	46	31	43·1	36·7	1
NOTTINGHAM ..	49	28	44·3	36·3	1
BIRKENHEAD (BIDSTON).	49	36	47·1	40·0	1
MANCHESTER (WHITWORTH PARK).	48	29	45·7	36·6	4
BURNLEY.. ..	47	23	45·0	34·0	6
HUDDERSFIELD	47	25	44·7	35·0	2

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.
	°	°	°	°	
BRADFORD ..	48	27	44·9	35·6	2
SHEFFIELD ..	Not received.				
YORK (MUSEUM)	47	28	44·9	35·0	4
HULL (PEARSON PARK).	47	27	44·3	34·9	2
TYNEMOUTH ..	48	29	44·9	37·6	8
CARDIFF	48	31	46·7	36·9	5
EDINBURGH ..	50·0	29·0	46·7	38·9	4
GLASGOW ..	49·3	30·6	47·8	38·9	16
DUBLIN (PHŒNIX PARK).	52·0	27·0	48·1	37·6	4
FITZWILLIAM SQUARE.†	53·0	32·0	49·0	40·1	1
BELFAST	52·0	31·0	47·9	40·6	12

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 15th December, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
DECEMBER.			in.	°	°	°	°		°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	9	Greatest Declination S.	29·819	41·0	26·5	14·5	33·3	− 7·3	29·2	4·1	8·1	0·0	85	41·0	19·5	44·1	N	N : Calm	0·2	0·0	0·0	171	− 155	0·00
MONDAY -	10	..	30·051	44·8	25·3	19·5	38·4	− 2·0	35·8	2·6	6·2	0·0	90	51·0	18·1	44·1	SW	SW	0·5	0·0	0·0	216	− 106	0·00
TUESDAY -	11	..	30·162	47·3	42·9	4·4	45·3	+ 5·1	44·0	1·3	2·8	0·9	95	53·4	35·1	44·1	SW	SW : SSW.	0·2	0·0	0·0	156	− 162	0·00
WEDNESDAY	12	..	30·155	46·0	42·5	3·5	44·3	+ 4·0	43·0	1·3	1·9	0·9	95	49·4	37·9	44·1	SSW	SSW	0·1	0·0	0·0	158	− 160	0·02
THURSDAY -	13	..	30·205	48·2	41·7	6·5	44·7	+ 4·2	41·7	3·0	5·3	2·1	90	67·0	35·0	44·0	Calm : SW.	W : NNE.	1·4	0·0	0·1	241	− 77	0·00
FRIDAY -	14	..	30·270	44·1	33·6	10·5	39·0	− 1·7	35·1	3·9	6·4	1·6	86	52·0	25·1	44·1	N : WSW.	WSW	2·8	0·0	0·2	276	− 42	0·00
SATURDAY -	15	First Quarter.	30·174	44·5	35·0	9·5	39·9	− 0·2	34·6	5·3	8·7	2·9	81	48·4	27·8	44·1	WSW : NNW.	NW : WSW.	1·5	0·0	0·2	319	+ 3	0·00
MEANS -		..	30·119	45·1	35·4	9·8	40·7	− 0·2	37·6	3·1	5·6	1·2	89	51·7	28·4	44·1	SW		..	..	..	Sum 1,537	Sum − 699	Sum 0·02
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. DECEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	9	Loss of Register	2·6	7·9	Overcast till 2h., then cloudless. Hoar frost in morning and at night. Mist 6h. till 19h., then fog.
MONDAY ..	10	Loss of Register till 16h.; mP till 19h.; wP till 23h.; then mP.	0·0	7·9	Cloudless till 3h., then overcast generally. Hoar frost in morning. Occasional slight damping from 19h.
TUESDAY ..	11	mP till 10½h.; then Loss of Register.	0·0	7·9	Overcast. Occasional damping 7h. till 9h.
WEDNESDAY	12	Loss of Register till 11½h., then mP.	0·0	7·8	Overcast. Slight rain or damping from 4h. till 12h.
THURSDAY	13	mP	0·5	7·8	Overcast with cloudy period between 8½h. and 12h. Damping 5h. till 7h., and between 14½h. and 19½h.
FRIDAY ..	14	mP	1·4	7·8	Variably cloudy till 12h., then nearly Overcast. Hoar frost and mist in morning.
SATURDAY	15	mP till 9h.; sP till 22h.; then mP.	0·2	7·8	Variably cloudy. Shower 0½h. Slight fog from 21h. Hoar frost at night.
			Sum 4·7	Sum 54·9	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased generally from 29·49 in. at the beginning of the week to 30·37 in. by 10h. on 14th; decreased to 30·09 in. by 2h. on 15th; increased and was 30·20 in. by midnight on the same day.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS
11-17, Hare Street, E.2

(15562) Wt. 392—P 31 2250 12/23 H. St. G. 43

FOR OFFICIAL USE.

1923. No. 51.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 22ND DECEMBER, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE
at the following addresses: Imperial House, Kingsway, London, W.C.2, and
28 Abingdon Street, London, S.W.1; York Street, Manchester;
1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1923

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked " C.B."

3. The names of districts in respect of which " Nil " returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading " Diphtheria " includes Membranous Croup, the heading " Enteric Fever " includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 22ND DECEMBER, 1923.

Births and Deaths.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fifty-first week of the year numbered 6,837 and corresponded to an annual rate of 18·6 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 4,961 and corresponded to an annual rate of 13·5 per 1,000 of their aggregate civilian population, which is estimated at 19,170,699 in the year 1922. In the preceding three weeks the rates had been 14·2, 15·0 and 14·7. Infant mortality was 82 per 1,000 births, against 79, 86 and 81 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,597 births, corresponding to a rate of 18·3 per 1,000, and 1,219 deaths of civilians, corresponding to a rate of 14·0, as against 15·4, 15·4 and 16·4 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 15·3 per 1,000. The infant mortality was 62 as against 68, 77 and 70 in the three weeks preceding.

In the aggregate of the great towns there was a decrease of 450 in the total deaths last week, but the deaths from influenza rose from 92 to 103. In London the number of deaths from all causes declined from 1,423 to 1,219; while the deaths from diphtheria, which had been 9, 13 and 13 in the preceding three weeks, were 12 last week, and those from measles, which had been 37, 32 and 32 in the preceding three weeks, fell to 26 last week. The deaths from influenza, which had been 14, 24 and 27 in the three preceding weeks fell to 24 last week.

Just Published:

Census of England and Wales, 1921.

County of Hampshire. Price 12*s*. net.

Counties of Lincoln and Rutland. Price 16*s*. net.

County of Leicester. Price 8*s*. 6*d*. net.

County of Northampton, including the Soke of Peterborough. Price 10*s*. net.

County of Somerset. Price 10*s*. net.

County of Wiltshire. Price 7*s*. 6*d*. net.

The Registrar General's Statistical Review, 1922.

Tables, Part I. Medical. Price 15*s*. net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 22nd December, 1923.

Towns.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,699*	6,837	4,961	563	3	51	13	39	29	55	103
London	4,534,230*	1,597	1,219	99	1	26	2	7	12	8	24
Towns in Outer Ring.											
Croydon C.B. ..	192,300	63	54	3	-	-	-	-	-	-	2
Wimbledon ..	61,730	11	15	-	-	1	-	-	-	-	1
Ealing	67,890	28	17	1	-	-	-	-	-	-	-
Acton	62,390	14	15	1	-	-	-	-	1	-	-
Willesden ..	168,200	39	35	3	-	-	-	-	-	-	1
Hendon	55,930	25	10	1	-	-	-	-	-	-	1
Hornsey	87,310	13	19	-	-	-	-	-	-	-	1
Wood Green ..	51,290	14	12	1	-	-	-	-	-	-	1
Tottenham ..	150,500	54	37	5	-	1	-	-	-	1	-
Edmonton ..	68,700	44	15	-	-	2	-	-	-	-	-
Enfield	62,010	10	13	1	-	-	-	-	-	-	-
West Ham C.B. ..	310,200	120	84	13	-	1	-	-	-	-	2
East Ham C.B. ..	145,800	41	32	5	-	1	-	-	-	-	1
Leyton	131,600	31	25	2	-	-	-	-	-	-	-
Walthamstow ..	129,700	36	24	2	-	-	-	-	-	-	1
Ilford	86,370	35	14	1	-	-	-	-	-	-	1
Gillingham	48,630*	24	6	-	-	-	-	-	-	-	-
Canterbury C.B ..	23,680	8	3	-	-	-	-	-	-	-	-
Hastings C.B.	59,500	11	15	-	-	-	-	-	-	-	-
Eastbourne C.B. ..	53,700	12	9	2	-	-	-	-	-	-	-
Brighton C.B. ..	135,279	35	28	1	-	-	-	-	1	-	-
Portsmouth C.B. ..	236,630*	87	68	8	-	-	-	-	-	-	1
Bournemouth C.B. ..	81,500	16	46	1	-	-	1	-	-	-	1
Southampton C.B. ..	163,700	54	30	1	-	-	-	-	-	-	-
Reading C.B.	92,990	22	19	2	-	2	-	-	-	1	-
Oxford C.B.	56,510	15	16	-	-	-	-	-	-	-	-
Northampton C.B. ..	92,950	29	23	4	-	-	-	-	-	-	-
Luton	58,260	12	14	1	-	-	-	-	-	1	-
Cambridge	59,200	16	15	-	-	-	-	-	-	-	1
Southend-on-Sea C.B.	91,430	30	26	1	-	-	-	-	-	-	-
Ipswich C.B.	80,950	27	12	-	-	-	-	-	-	-	-
Great Yarmouth C.B.	56,700	17	18	-	-	-	-	-	-	-	-
Norwich C.B ..	122,900	37	28	4	-	-	1	2	-	-	-
Swindon	55,680	24	9	2	-	-	-	-	-	-	-
Exeter C.B.	59,700	14	18	-	-	-	-	-	-	-	-
Plymouth C.B. ..	200,370*	72	51	2	-	-	-	-	-	-	1
Bath C.B.	68,530	24	17	-	-	-	-	-	-	-	1
Bristol C.B.	383,900	133	109	17	-	-	-	-	4	2	5
Gloucester C.B. ..	52,210	11	17	2	1	-	1	-	-	-	-
Stoke-on-Trent C.B.	274,300	141	80	10	-	-	1	-	1	3	3
Burton-upon-Trent C.B.	49,630	19	17	4	-	-	-	-	-	-	-
Wolverhampton C.B.	105,700	44	28	8	-	1	-	-	-	3	-
Walsall C.B.	99,890	39	24	6	-	-	-	-	-	1	-
West Bromwich C.B.	76,260	40	15	2	-	-	-	-	-	-	-
Dudley C.B.	57,860	25	18	2	-	-	-	-	-	-	1
Worcester C.B. ..	49,240	11	10	1	-	-	-	-	-	1	-
Birmingham C.B. ..	945,100	345	236	31	-	-	-	2	3	7	5
Smethwick C.B. ..	78,140	23	16	-	-	-	-	2	-	-	1
Coventry C.B. ..	131,200	35	25	4	-	-	-	1	-	1	-
Leicester C.B. ..	238,800	78	80	5	-	-	-	-	-	1	-
Lincoln C.B.	66,930	18	18	2	-	-	-	-	-	-	-
Grimsby C.B.	84,650	32	24	3	-	-	-	1	-	-	1
Nottingham C.B. ..	267,900	92	71	11	-	-	-	3	-	2	-
Derby C.B.	132,400	42	33	2	-	-	-	-	-	-	1
Chesterfield ..	63,380	30	15	4	-	1	-	-	-	-	-
Stockport C.B. ..	125,800	51	35	4	-	2	-	-	-	-	-
Chester C.B.	41,190	7	9	3	-	-	-	-	-	-	-
Birkenhead C.B. ..	149,200	55	47	10	-	-	-	-	1	-	1
Wallasey C.B. ..	89,790	27	17	2	-	-	-	-	-	-	3
Liverpool C.B. ..	826,400	342	237	39	-	11	2	2	1	5	1
Bootle C.B.	79,750	30	24	3	-	2	1	1	-	-	-
St. Helens C.B. ..	106,400	57	30	9	-	-	-	-	-	-	3

* Population adjusted by the exclusion of non-civilians

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	17	25	-	-	-	-	-	-	-	-
WIGAN C.B.	91,750	26	28	6	-	-	-	1	-	-	1
WARRINGTON C.B. ..	79,150	39	9	1	-	-	-	-	-	-	2
BOLTON C.B.	182,700	52	55	5	-	-	-	-	-	1	2
BURY C.B.	57,400	15	19	2	-	-	-	-	-	-	-
MANCHESTER C.B. ..	748,500	265	206	25	-	-	1	1	2	2	3
SALFORD C.B.	240,700	96	86	17	-	-	-	-	-	3	-
OLDHAM C.B.	148,300	42	56	10	-	-	-	1	1	-	2
ROCHDALE C.B... ..	92,510	34	25	6	-	-	-	-	-	-	-
BURNLEY C.B.	105,100	37	22	3	-	-	-	-	-	-	-
BLACKBURN C.B. ..	129,600	30	37	5	-	-	-	-	-	1	-
PRESTON C.B.	120,900	49	32	8	-	-	-	-	-	-	-
BLACKPOOL C.B. ..	74,050	23	27	1	-	-	-	-	1	-	-
BARROW-IN-FURNESS C.B.	75,690	27	15	5	-	-	-	1	-	-	-
HUDDERSFIELD C.B. ..	111,600	32	26	2	-	-	-	1	-	-	1
HALIFAX C.B.	100,500	27	32	4	-	-	-	-	-	-	-
BRADFORD C.B. ..	291,300	90	73	10	-	-	-	1	-	1	1
LEEDS C.B.	466,700	162	110	10	-	-	2	4	-	1	2
DEWSBURY C.B. ..	55,170	9	12	-	1	-	-	-	-	-	2
WAKEFIELD C.B. ..	53,840	24	14	1	-	-	-	-	-	-	-
BARNSLEY C.B. ..	69,540	21	21	-	-	-	-	1	-	-	1
SHEFFIELD C.B. ..	522,600	200	104	12	-	-	-	-	-	2	5
ROTHERHAM C.B. ..	69,840	43	15	3	-	-	-	-	-	-	-
DONCASTER	55,020	22	11	4	-	-	-	-	-	1	1
YORK C.B.	84,980	23	18	1	-	-	-	-	-	-	1
HULL C.B.	294,000	102	74	11	-	-	-	4	-	-	1
MIDDLESBROUGH C.B.	134,800	57	38	7	-	-	-	-	-	1	2
DARLINGTON C.B. ..	66,710	20	16	2	-	-	-	-	-	-	-
STOCKTON-ON-TEES ..	65,950	23	16	4	-	-	-	-	-	1	2
WEST HARTLEPOOL C.B.	70,020	23	6	1	-	-	-	-	-	-	-
SUNDERLAND C.B. ..	162,900	74	45	7	-	-	-	1	-	-	1
SOUTH SHIELDS C.B. ..	122,400	55	37	5	-	-	-	-	-	-	1
GATESHEAD C.B. ..	127,300	61	28	4	-	-	-	-	-	-	-
NEWCASTLE-ON-TYNE C.B.	281,600	128	74	4	-	-	-	1	-	1	1
TYNEMOUTH C.B. ..	64,640	22	11	2	-	-	-	-	-	-	-
CARLISLE C.B.	53,490	30	14	2	-	-	-	-	-	1	1
NEWPORT (MON.) C.B.	94,880	34	16	2	-	-	-	-	-	-	-
CARDIFF C.B.	223,830	91	63	8	-	-	-	1	-	-	2
RHONDDA	167,500	86	41	5	-	-	-	-	-	-	1
MERTHYR TYDFIL C.B.	82,680	46	16	3	-	-	-	-	1	-	1
ABERDARE	56,580	26	12	1	-	-	-	-	-	1	-
SWANSEA C.B.	161,000	66	30	3	-	-	1	-	-	1	-
GREATER LONDON ..	7,563,730*	2,493	1,924	157	1	34	2	7	14	12	42
OUTER RING	3,029,500*	896	705	58	-	8	-	-	2	4	18
16 GREAT TOWNS IN OUTER RING	1,831,920	578	421	39	-	6	-	-	1	1	12
REMAINDER OF OUTER RING	1,197,580*	318	284	19	-	2	-	-	1	3	6
EDINBURGH†	426,000	178	114	15	-	-	3	-	2	-	2
GLASGOW†	1,041,400	540	347	57	1	38	-	9	4	7	3
DUBLIN (REGISTRATION AREA)†	431,000	164	122	16	1	2	1	1	1	1	3
BELFAST†	429,000	182	111	11	-	2	1	2	-	-	3

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available period.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Still born.	DEATHS.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years.)	Influenza.
LONDON‡	4,534,230	1923. Dec. 22	1597	1219	14·0	1	–	26	2	7	12	8	24
CALCUTTA	896,067	Nov. 17	?	494§	28·3	?	–	?	?	?	?	?	3
BOMBAY	1,220,120	,, 24											
MADRAS	526,911	,, 17	439	402	39·7	2	1	–	?	–	–	29	2
SYDNEY AND SUBURBS	955,900	,, 30 (30 days)					–	–	–	–	–	–	–
BRISBANE (Metropolitan Area).	230,200	Oct. 31 (31 days)					–	–	–	–	–	–	–
PERTH (Metropolitan Area).	161,773	Nov. 10	86	37	11·9	–	–	–	–	–	1	–	–
AUCKLAND (Urban Area).	167,760	Oct. 31 (31 days)											
WELLINGTON (Urban Area).	112,070	,,											
CHRISTCHURCH (Urban Area).	113,400	,,											
CAPE TOWN	106,727	Nov. 17											
JOHANNESBURG	156,858	,, 24	86	28	9.3	–	–	–	–	–	1	2	–
DURBAN	50,488	,, 24	27	13	13·4	1	–	–	–	–	–	1	–
PARIS	2,906,472	Dec. 10 (10 days)											
ANTWERP	301,881	Nov 3	101	47	8·1	–	–	–	–	–	–	2	1
		,, 10	103	49	8·4	1	–	1	–	1	–	4	2
AMSTERDAM	703,931	Dec. 1	275	148	11·0	1	–	–	–	–	1	–	1
COPENHAGEN	570,000	,, 8	206	141	13·1	–	–	1	–	–	2	2	–
STOCKHOLM	424,944	,, 1	83	95	11·6	–	–	–	–	–	1	1	1
GOTHENBURG	228,074	,, 1											
CHRISTIANIA	258,962	,, 8											
BERLIN	1,983,000	Nov. 17	356	460	12·1	–	?	–	–	–	2	3	–
BRESLAU	561,000	,, 17	156	139	12·9	1	?	–	–	2	1	4	2
COLOGNE	704,000	,, 17	181	110	8·1	–	?	–	1	4	2	3	–
DRESDEN	611,000	,, 17	150	142	12·1	–	?	–	–	1	–	1	–
FRANKFORT-ON-MAIN..	474,000	,, 17	86	79	8·7	–	?	–	–	–	1	2	–
HAMBURG	1,079,000	,, 17	256	243	11·7	2	?	–	–	–	1	1	2
LEIPZIG	679,000	,, 17	184	152	11·6	–	?	–	–	–	–	2	–
MUNICH	685,000	,, 17	159	141	10·7	–	?	–	–	–	1	–	–
VIENNA	1,841,326	3											
PRAGUE AND SUBURBS	697,111	Oct 15 (15 days)											
BUDAPEST	946,000	Sept. 1											
WARSAW	956,087	Dec. 1	265	292	15·9	7	–	–	11	1	5	14	1
CAIRO	791,000	Sept. 23	733	472	31·0	13	–	1	–	?	9	67	?
ALEXANDRIA	466,700	,, 23	439	266	29·6	5	–	–	–	?	–	48	?
NEW YORK	5,927,617	Oct. 27	2547	1121	9·9	6	–	–	–	2	6	41	4
		Nov. 3	2143	1136	10·0	2	–	3	–	2	9	29	2
CHICAGO	2,886,121	,, 10	?	615	11·1	1	–	–	–	1	12	22	2
RIO DE JANEIRO ..	1,312,468	Oct. 20											
MONTEVIDEO	348,989	July 7											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year o age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 7 deaths from Asiatic Cholera

‖ The registration of births in Bombay is incomplete

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 22nd December, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and upwards.
ALL CAUSES	1219	99	37	33	27	46	52	76	151	220	230	248
Enteric fever	1	-	-	-	-	1	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	26	6	14	6	-	-	-	-	-	-	-	-
Scarlet fever	2	1	-	-	-	-	-	1	-	-	-	-
Whooping cough	7	3	1	3	-	-	-	-	-	-	-	-
Diphtheria	12	-	1	3	7	-	1	-	-	-	-	-
Influenza	24	-	-	-	-	1	1	-	6	7	6	3
Erysipelas	2	-	-	-	-	-	-	-	1	1	-	-
Acute Poliomyelitis, Polioencephalitis	1	-	-	-	1	-	-	-	-	-	-	-
Encephalitis lethargica	1	-	-	-	-	-	-	-	1	-	-	-
Meningococcal meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis :—												
Respiratory system	85	-	-	2	-	18	15	15	18	13	2	2
Nervous system..	8	-	1	3	3	-	-	1	-	-	-	-
Intestines and peritoneum	-	-		-	-	-	-	-	-	-	-	-
Other forms	7	-	1	-	1	1	1	-	1	1	1	-
Venereal diseases	3	1	-	-	-	1	-	-	1	-	-	-
Cancer	121	-	-	-	-	-	4	10	21	40	28	18
Rheumatic fever	3	-	-	-	-	2	1	-	-	-	-	-
Diabetes	11	-	-	-	-	-	-	2	3	4	1	1
Alcoholism	1	-	-	-	-	-	-	-	1	-	-	-
Simple meningitis	7	-	2	1	1	1	1	1	-	-	-	-
Cerebral hæmorrhage, &c., Apoplexy	65	-	-	-	-	-	2	1	6	13	27	16
Epilepsy	2	-	-	-	-	-	1	-	-	1	-	-
"Convulsions" (not puerperal) ..	4	4	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system ..	36	1	-	1	2	2	2	5	7	10	3	3
Pericarditis	2	-	1	-	-	-	-	-	-	1	-	-
Acute endocarditis	7	-	-	-	-	1	1	3	1	1	-	-
Other diseases of heart	168	-	-	-	3	-	3	7	18	40	50	47
Other diseases of circulatory system	53	-	-	-	-	1	-	2	3	12	19	16
Bronchitis	125	5	2	-	-	1	2	3	13	19	34	46
Broncho-pneumonia	70	23	9	4	1	1	1	2	4	10	7	8
Lobar-pneumonia	34	1	-	-	-	4	3	2	5	5	10	4
Pneumonia (type not distinguished) ..	29	4	3	1	-	1	2	1	4	3	6	4
Other diseases of respiratory system	25	2	1	-	-	2	-	-	8	3	5	4
Diarrhœa and enteritis	13	8	-	-	1	-	-	-	1	1	-	2
Appendicitis, Typhlitis	4	-	-	1	2	1	-	-	-	-	-	-
Hernia, Intestinal obstruction	15	2	-	-	-	1	2	-	-	4	3	3
Cirrhosis of liver	4	-	-	-	-	-	-	1	-	2	1	-
Other diseases of digestive system ..	24	-	-	-	2	1	-	3	4	7	7	-
Acute nephritis	3	-	-	-	-	-	-	1	1	-	-	1
Chronic Bright's disease	30	-	-	-	-	-	2	4	6	7	7	4
Other diseases of genito-urinary system.	15	-	-	-	1	-	1	1	2	1	5	4
Puerperal sepsis	3	-	-	-	-	-	1	2	-	-	-	-
Other causes incident to childbirth ..	1	-	-	-	-	-	1	-	-	-	-	-
Congenital malformations	8	7	-	1	-	-	-	-	-	-	-	-
Premature birth	14	14	-	-	-	-	-	-	-	-	-	-
Debility, atrophy (congenital)	3	3	-	-	-	-	-	-	-	-	-	-
Old age..	46	-	-	-	-	-	-	-	-	1	6	39
Suicide	7	-	-	-	-	-	2	1	4	-	-	-
Burns and scalds	7	1	1	2	-	-	-	-	-	1	-	2
Drowning	2	-	-	-	-	-	1	-	-	1	-	-
Suffocation in bed	3	3	-	-	-	-	-	-	-	-	-	-
Vehicles and horses	10	-	-	2	-	2	-	1	2	2	1	-
Other deaths by violence	21	4	-	1	-	-	1	2	2	3	-	8
Other specified causes	44	6	-	2	2	3	-	4	7	6	1	13
Ill-defined causes	-	-	-	-	-	-	-	-	-	-	-	-

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 22nd December, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	178	202	9	143	C. 10 D. 1 G. 1 M. 12
Metropolitan Boroughs:—						
†BATTERSEA ...	–	5	12	–	11	C. 1
†BERMONDSEY ...	–	6	4	–	4	D. 1
†BETHNAL GREEN	–	8	16	–	5	–
†CAMBERWELL ...	–	6	17	–	5	C. 1 M. 3
†CHELSEA	–	2	1	–	2	–
†DEPTFORD ...	–	4	7	–	3	M. 1
†FINSBURY ...	–	1	2	–	–	–
†FULHAM	–	6	6	–	3	C. 2
†GREENWICH ...	–	4	1	2	–	–
†HACKNEY ...	–	9	20	–	3	C. 2
†HAMMERSMITH ...	–	7	11	–	4	M. 1
†HAMPSTEAD ...	–	5	2	1	4	–
†HOLBORN... ...	–	–	2	–	1	–

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	17	13	–	2	M. 3
†KENSINGTON ...	–	5	1	1	1	-
†LAMBETH ...	–	14	19	1	14	M. 1
†LEWISHAM ...	–	3	6	–	3	G. 1
†PADDINGTON ...	–	8	3	1	8	M. 1
†POPLAR	–	5	6	–	17	C. 1
†ST. MARYLEBONE	–	3	–	2	1	–
†ST. PANCRAS ...	–	7	12	–	14	C. 1
†SHOREDITCH ...	–	5	10	–	7	M. 1
†SOUTHWARK ...	–	6	16	–	4	C. 1 M. 1
†STEPNEY	–	8	10	–	5	–
†STOKE NEWINGTON.	–	2	2	–	–	–
†WANDSWORTH ...	–	15	2	–	16	C. 1
†WESTMINSTER, CITY OF	–	5	–	1	–	–
†WOOLWICH ...	–	12	1		6	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	5	4	1	1	C. 1 M. 1
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	–	1	1	–	–
LEIGHTON BUZZARD	–	1	–	–	–	–
†LUTON	–	3	2	–	1	–
Rural Districts:—						
BEDFORD ...	–	1	–	–	–	–
BIGGLESWADE ...	–	–	1	–	–	C. 1 M. 1
LUTON	*	*	*	*	*	*
BERKS	–	7	6	–	1	E. 1
†READING C.B. ...	–	3	1	–	1	E. 1
Boroughs and Urban Districts:—						
†NEWBURY ...	–	–	1	–	–	–
Rural Districts:—						
ABINGDON ...	–	2	1	–	–	–
EASTHAMPSTEAD	–	–	1	–	–	–
WINDSOR... ...	–	1	–	–	–	–
WOKINGHAM ...	–	1	2	–	–	–
BUCKINGHAM ...	–	5	2	–	3	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	–	–
BLETCHLEY ...	–	–	–	–	1	–
†CHEPPING WYCOMBE ...	–	1	1	–	1	–
†WOLVERTON ...	–	–	–	–	1	–
Rural Districts:—						
ETON	–	1	–	–	–	–
WING	–	2	–	–	–	–
WYCOMBE ...	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	2	1	–	2	–
Borough:—						
†CAMBRIDGE ...	–	2	1	–	–	–
Rural Districts:—						
CHESTERTON ...	–	–	–	–	2	–
CHESTER	–	44	8	1	44	C. 1 L. 4 M. 2
†BIRKENHEAD C.B.	–	14	1	–	16	–
†CHESTER C.B. ...	–	–	–	–	1	–
†STOCKPORT C.B.	–	7	1	–	4	–
†WALLASEY C.B. ...	–	–	–	–	4	–
Boroughs and Urban Districts:—						
†ALTRINCHAM ...	–	–	–	–	1	–
†BEBINGTON AND BROMBOROUGH	–	–	–	–	9	–
BOWDON	*	*	*	*	*	*
BUGLAWTON ...	–	1	–	–	–	–
†CHEADLE AND GATLEY	–	–	–	–	1	M. 1
COMPSTALL ...	–	–	–	–	–	C. 1
†CONGLETON ...	–	1	–	–	–	–
†CREWE	–	–	–	–	1	–
†ELLESMERE PORT AND WHITBY	–	–	1	–	–	–
HOLLINGWORTH	–	–	1	–	–	–
†HOYLAKE AND WEST KIRBY	–	1	–	–	–	–
†HYDE	–	1	–	–	1	–
†MACCLESFIELD ...	–	1	–	–	1	–
NESTON AND PARKGATE	–	–	–	–	2	–
†NORTHWICH ...	–	2	–	–	–	–
†SALE	–	2	–	–	–	–
SANDBACH ...	–	1	–	–	–	–
†WINSFORD ...	–	2	–	–	1	–
YEARDSLEY CUM WHALEY	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts:—						
BUCKLOW ...	–	–	1	–	–	–
CHESTER	–	–	1	–	–	–
CONGLETON ...	–	1	1	–	–	L. 4
MACCLESFIELD ...	–	4	–	–	–	–
MALPAS	–	1	–	–	–	–
NANTWICH ...	*	*	*	*	*	*
NORTHWICH ...	–	–	–	–	–	M. 1
RUNCORN ...	–	1	–	1	–	–
WIRRAL	–	2	1	–	2	–
CORNWALL ...	–	10	–	2	4	–
Boroughs and Urban Districts:—						
LOOE	*	*	*	*	*	*
PENRYN	–	–	–	–	1	–
REDRUTH ...	–	1	–	–	2	–
Rural Districts:—						
BODMIN	–	–	–	–	1	–
EAST KERRIER ...	–	1	–	–	–	–
REDRUTH ...	–	–	–	1	–	–
SAINT GERMANS...	–	8	–	1	–	–
CUMBERLAND ...	–	16	6	–	4	–
†CARLISLE C.B. ...	–	3	3	–	1	–
Boroughs and Urban Districts:—						
COCKERMOUTH ...	–	1	–	–	–	–
†MARYPORT ...	–	1	–	–	–	–
MILLOM	–	1	–	–	1	–
PENRITH	–	–	–	–	2	–
†WORKINGTON ...	–	2	2	–	–	–
Rural Districts:—						
COCKERMOUTH ...	–	3	1	–	–	–
WHITEHAVEN ...	–	5	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	18	33	10	7	36	C. 1 M. 2
†DERBY C.B. ...	–	6	–	–	9	M. 1
Boroughs and Urban Districts:—						
†ALFRETON ...	–	1	–	–	3	–
†BOLSOVER ...	1	–	–	1	3	–
†CHESTERFIELD ...	–	2	–	6	–	–
CLAY CROSS ...	–	–	–	–	–	M. 1
DRONFIELD ...	–	–	–	–	1	–
†GLOSSOP	–	1	–	–	1	–
†HEANOR	7	1	–	–	2	–
†ILKESTON ...	–	1	–	–	2	–
†LONG EATON ...	–	–	–	–	2	–
NEW MILLS ...	–	2	–	–	–	–
†RIPLEY	*	*	*	*	*	*
†SWADLINCOTE DISTRICT	2	–	2	–	1	–
Rural Districts:—						
BAKEWELL ...	–	2	–	–	4	–
BELPER	–	6	–	–	1	–
BLACKWELL ...	7	–	–	–	–	–
CHAPEL EN LE FRITH	–	2		–	–	C. 1
CHESTERFIELD ..	–	4	6	–	3	–
CLOWNE	–	1	–	–	–	–
HAYFIELD ...	–	1	–	–	–	–
REPTON	–	–	–	–	1	–
SHARDLOW ...	1	3	2	–	3	–
DEVON	–	24	7	–	11	M. 1
†EXETER C.B. ...	–	1	2	–	1	M. 1
†PLYMOUTH C.B....	–	6	1	–	4	–
Boroughs and Urban Districts:—						
ASHBURTON ...	–	1	–	–	–	–
†BARNSTAPLE ...	–	1	–	–	–	–
BIDEFORD ...	–	–	1	–	–	–
BRIXHAM ...	–	–	1	–	1	–
BUCKFASTLEIGH	*	*	*	*	*	*
GREAT TORRINGTON	–	2	–	–	–	–
HONITON ...	–	3	–	–	–	–
†ILFRACOMBE ...	–	–	2	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G. Encephalitis Lethargica : H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DEVON—*cont.*						
Boroughs and Urban Districts—*cont.*						
LYNTON	*	*	*	*	*	*
†PAIGNTON ...	–	–	–	–	1	–
SALCOMBE ...	–	2	–	–	–	–
SOUTH MOLTON...	–	–	–	–	1	–
†TEIGNMOUTH ...	–	–	–	–	2	–
TIVERTON ...	–	1	–	–	–	–
†TORQUAY ...	–	4	–	–	–	–
TOTNES	*	*	*	*	*	*
Rural Districts:—						
HOLSWORTHY (part)	–	1	–	–	–	–
HONITON	–	1	–	–	–	–
ST. THOMAS ...	–	–	–	–	1	–
TOTNES	–	1	–	–	–	–
DORSET	–	6	–	–	2	G. 1
Boroughs and Urban Districts:—						
DORCHESTER ...	–	1	–	–	1	–
†POOLE	–	–	–	–	1	–
SWANAGE... ..	–	2	–	–	–	–
Rural Districts:—						
BEAMINSTER ...	–	–	–	–	–	G. 1
POOLE	–	2	–	–	–	–
WIMBORNE AND CRANBORNE	–	1	–	–	–	–
DURHAM	2	104	21	1	56	M. 2
†DARLINGTON C.B	–	1	–	–	4	–
†GATESHEAD C.B.	2	5	1	–	2	–
†SOUTH SHIELDS C.B.	–	8	3	1	4	–
†SUNDERLAND C.B.	–	3	2	–	12	M. 1
†WEST HARTLEPOOL C.B.	–	9	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	3	–	2	–
BARNARD CASTLE	–	2	–	–	–	–
†BISHOP AUCKLAND	–	1	–	–	–	–
†BLAYDON... ...	–	2	–	–	1	–
†BRANDON AND BYSHOTTLES	–	1	–	–	–	–
†CHESTER LE STREET	–	5	–	–	1	–
†CROOK	–	2	–	–	–	–
†DURHAM	–	–	1	–	–	–
†FELLING	–	1	–	–	–	–
†HARTLEPOOL ...	–	3	–	–	–	–
†HEBBURN ...	–	4	–	–	1	–
†HETTON	–	2	1	–	2	–
†HOUGHTON LE SPRING	–	1	1	–	3	–
†JARROW	–	4	1	–	5	–
†RYTON	–	5	–	–	–	–
†SEAHAM HARBOUR	–	–	2	–	2	–
†SPENNYMOOR ...	–	1	–	–	–	–
†STANLEY	–	1	–	–	–	–
†STOCKTON ON TEES	–	6	–	–	5	–
†TANFIELD ...	–	–	1	–	–	–
†WASHINGTON ...	–	4	3	–	–	–
†WHICKHAM ...	–	1	–	–	1	–
WILLINGTON ...	–	3	–	–	–	–
Rural Districts:—						
AUCKLAND ...	*	*	*	*	*	*
CHESTER LE STREET	–	3	–	–	2	–
DARLINGTON ...	–	1	–	–	–	–
DURHAM	–	1	–	–	–	M. 1
EASINGTON ...	–	3	–	–	4	–
HARTLEPOOL ...	–	4	–	–	–	–
HOUGHTON LE SPRING	–	4	–	–	1	–
LANCHESTER ...	–	5	–	–	–	–
SEDGEFIELD ...	–	3	2	–	–	–
SOUTH SHIELDS...	–	2	–	–	–	–
SUNDERLAND ...	–	–	–	–	2	–
WEARDALE ...	–	2	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ELY, ISLE OF ...	–	1	–	–	–	G. 1
Boroughs and Urban Districts:—						
MARCH	*	*	*	*	*	*
WHITTLESEY ...	–	1	–	–	–	–
Rural Districts:—						
ELY	–	–	–	–	–	G. 1
ESSEX	–	41	39	1	34	C. 5 G. 1 L. 3 M. 1
†EAST HAM C.B. ...	–	2	4	–	–	–
†SOUTHEND-ON-SEA C.B.	–	1	–	–	6	M. 1
†WEST HAM C.B. ...	–	10	19	–	7	C. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	2	–	–	2	–
BRENTWOOD ...	–	1	–	–	–	–
BUCKHURST HILL	–	–	–	–	1	–
CHINGFORD ...	–	1	–	–	1	–
†CLACTON	–	–	1	–	–	–
†COLCHESTER ...	–	–	3	–	2	–
EPPING	–	1	–	–	–	–
†GRAYS THURROCK	–	2	–	–	–	–
HALSTEAD ...	–	–	–	–	1	–
†HARWICH ...	–	1	1	–	–	–
†ILFORD	–	1	2	–	2	C. 1 G. 1 L. 3
†LEYTON	–	3	5	–	4	C. 2
SAFFRON WALDEN	*	*	*	*	*	*
†WALTHAMSTOW ...	–	5	4	–	2	–
†WANSTEAD ...	–	–	–	1	–	–
†WOODFORD ...	–	6	–	–	4	–
Rural Districts:—						
BILLERICAY ...	*	*	*	*	*	*
BUMPSTEAD ...	–	–	–	–	1	–
CHELMSFORD ...	–	1	–	–	–	–
LEXDEN AND WINSTREE	–	–	–	–	–	C. 1
ONGAR	–	1	–	–	–	–
ROCHFORD ...	–	3	–	–	–	–
ROMFORD... ...	–	–	–	–	1	–
SAFFRON WALDEN	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER ...	18	20	16	12	16	G. 1 M. 1
†BRISTOL C.B. ...	–	9	15	–	14	G. 1 M. 1
†GLOUCESTER C.B.	3	1	–	2	1	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	2	–	7	–	–
WESTBURY ON SEVERN	–	1	–	–	–	–
Rural Districts:—						
CAMPDEN... ...	–	1	–	–	–	–
CIRENCESTER ...	–	1	–	–	–	–
EAST DEAN AND UNITED PARISHES ...	15	–	–	1	1	–
NEWENT	–	–	–	1	–	–
TETBURY (part)	–	2	–	–	–	–
WARMLEY ...	–	1	–	–	–	–
WEST DEAN ...	–	2	1	–	–	–
WHEATENHURST	–	–	–	1	–	–
HEREFORD ...	–	4	–	–	2	–
Boroughs and Urban Districts:—						
†HEREFORD ...	–	1	–	–	–	–
LEOMINSTER ...	–	2	–	–	1	–
Rural Districts:—						
KINGTON	–	1	–	–	–	–
LEOMINSTER ...	–	–	–	–	1	–
WIGMORE ...	*	*	*	*	*	*
HERTFORD ..	–	16	4	2	6	–
Boroughs and Urban Districts:—						
BUSHEY	–	1	–	–	–	–
GREAT BERKHAMPSTEAD	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HERTFORD—*cont.*						
Boroughs and Urban Districts—*cont.*						
HARPENDEN ...	–	1	–	–	–	–
†HEMEL HEMPSTEAD	–	–	2	–	–	–
†HERTFORD ...	–	2	–	–	–	–
†LETCHWORTH ...	–	–	–	–	2	–
SAWBRIDGEWORTH	–	2	–	–	1	–
WARE	–	–	–	–	3	–
†WATFORD ...	–	5	–	–	–	–
Rural Districts:—						
BARNET	–	–	2	–	–	–
BERKHAMPSTEAD	–	1	–	–	–	–
HADHAM	–	1	–	–	–	–
HATFIELD ...	–	1	–	–	–	–
HITCHIN	–	1	–	–	–	–
ST. ALBANS ...	–	–	–	2	–	–
HUNTINGDON ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
OLD FLETTON ...	*	*	*	*	*	*
Rural Districts:—						
ST. IVES	–	1	–	–	–	–
KENT	–	28	18	–	22	C. 1 M. 1
†CANTERBURY C.B	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†ASHFORD... ...	–	1	–	–	–	–
†BECKENHAM ...	–	2	–	–	–	–
†BEXLEY	–	–	1	–	–	–
†BROMLEY ...	–	1	–	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHATHAM ...	–	1	–	–	–	M. 1
CHERITON ...	–	–	–	–	3	–
†CRAYFORD ...	–	–	–	–	1	–
†DOVER	–	2	–	–	1	–
†ERITH	–	5	–	–	–	–
†FAVERSHAM ...	–	–	1	–	–	–
†FOLKESTONE ...	–	–	1	–	2	–
†GRAVESEND ...	–	1	6	–	–	C. 1
†MAIDSTONE ...	–	1	–	–	1	–
†MARGATE ...	–	1	–	–	–	–
†PENGE	–	–	1	–	–	–
†RAMSGATE ...	–	1	1	–	3	–
SIDCUP	–	–	1	–	1	–
WALMER	*	*	*	*	*	*
WHITSTABLE ...	–	–	–	–	3	–
Rural Districts:—						
BLEAN	–	1	–	–	1	–
BRIDGE	–	3	–	–	–	–
BROMLEY ...	–	1	–	–	–	–
CRANBROOK ...	–	1	–	–	–	–
DARTFORD ...	–	2	2	–	–	–
DOVER	–	–	2	–	–	–
ELHAM	–	–	–	–	1	–
ISLE OF THANET	–	–	–	–	1	–
MAIDSTONE ...	–	–	1	–	–	–
MALLING... ...	–	–	–	–	2	–
SEVENOAKS ...	–	–	1	–	–	–
STROOD	–	2	–	–	–	–
LANCASTER ...	–	161	41	1	244	C. 4 E. 1 F. 1 L. 4 M. 17
†BARROW IN FURNESS C.B.	–	3	–	–	–	–
†BLACKBURN C.B.	–	3	–	–	10	M. 1
†BLACKPOOL C.B.	–	3	1	–	4	C. 1 M. 1
†BOLTON C.B. ...	–	8	–	–	7	M. 1
†BOOTLE C.B. ...	–	–	–	–	8	M. 1
†BURNLEY C.B. ...	–	–	–	–	1	–
†BURY C.B. ...	–	8	4	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K. Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—Part II.—Boroughs and other Urban Districts, and Rural Districts.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
†Liverpool C.B. ...	*	*	*	*	*	*
†Manchester C.B.	–	22	9	1	74	C. 2 F. 1 M. 4
†Oldham C.B. ...	–	3	–	–	5	–
†Preston C.B. ...	–	4	1	–	–	–
†Rochdale C.B. ...	–	4	1	–	–	M. 1
†St. Helens C.B. ...	–	3	1	–	6	L. 2
†Salford C.B. ...	–	15	2	–	13	M. 2
†Southport C.B.	–	5	–	–	2	–
†Warrington C.B.	–	1	–	–	4	–
†Wigan C.B. ...	–	1	1	–	7	–
Boroughs and Urban Districts:—						
Abram	–	2	–	–	2	–
†Accrington ...	–	1	–	–	–	–
†Ashton in Makerfield	–	1	–	–	2	–
†Ashton under Lyne	–	2	–	–	–	–
Aspull	–	–	–	–	2	–
†Atherton ...	–	4	–	–	1	C. 1 M. 1
†Chadderton ...	–	1	–	–	2	–
†Chorley	–	3	–	–	3	M. 1
Clayton le Moors	*	*	*	*	*	*
†Colne	–	–	2	–	1	–
†Crompton ...	–	–	–	–	–	M. 1
†Denton	–	–	–	–	2	–
†Droylsden ...	–	–	–	–	4	–
†Eccles	–	1	–	–	2	–
†Failsworth ...	–	3	–	–	2	–
†Farnworth ...	–	3	–	–	–	M. 1
Fulwood ...	–	1	–	–	–	–
†Great Crosby ...	–	3	–	–	–	–
†Haslingden ...	–	–	–	–	1	–
†Haydock ...	–	–	1	–	–	–
Heysham ...	–	–	1	–	–	–
†Heywood ...	–	1	1	–	–	–
†Hindley... ...	–	–	–	–	12	M. 1
Huyton with Roby ...	*	*	*	*	*	*
†Ince in Makerfield	–	–	–	–	4	–
Irlam	–	–	1	–	–	–
Kearsley ...	–	1	–	–	–	–
Kirkham ...	–	1	–	–	–	–
†Lancaster ...	–	–	4	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
Lathom and Burscough	–	1	1	–	1	–
†Leigh	–	4	–	–	–	–
†Litherland ...	–	2	1	–	–	–
†Lytham, St. Anne's	–	–	–	–	1	–
†Middleton ...	–	6	–	–	1	–
†Morecambe ...	–	1	–	–	–	–
†Newton in Makerfield	–	2	1	–	7	–
†Oswaldtwistle	–	–	–	–	2	–
†Prestwich ...	–	3	–	–	–	E. 1
†Radcliffe ...	–	–	–	–	5	–
†Ramsbottom ...	–	4	–	–	3	–
†Rawtenstall ...	–	–	–	–	1	–
Rishton	–	–	1	–	2	–
†Royton	–	1	–	–	3	–
Skelmersdale ...	*	*	*	*	*	*
Standish with Langtree	–	–	–	–	2	–
†Stretford... ...	–	5	–	–	2	M. 1
†Swinton and Pendlebury	–	3	1	–	3	–
Trawden ...	–	1	–	–	–	–
†Turton	–	1	1	–	–	–
†Tyldesley with Shakerley	–	–	–	–	2	–
Upholland ...	–	1	–	–	–	–
†Walton le Dale	–	1	1	–	–	–
†Waterloo with Seaforth	–	2	–	–	2	–
†Westhoughton	–	–	–	–	2	–
Whitworth ...	–	–	–	–	1	–
†Widnes	–	8	1	–	9	–
†Worsley... ...	–	1	–	–	–	–
Rural Districts:—						
Blackburn ...	–	–	–	–	1	–
Chorley	–	–	–	–	1	–
Clitheroe ...	–	–	1	–	–	–
Garstang ...	–	–	2	–	–	–
Ulverston ...	–	2	–	–	–	–
Warrington ...	–	–	–	–	5	–
West Lancashire	–	–	–	–	4	–
Whiston... ...	–	1	–	–	–	L. 2

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER... ...	5	6	16	–	12	M. 1
†LEICESTER C.B. ...	–	6	6	–	7	M. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	5	–	–	–	–	–
†COALVILLE ...	–	–	4	–	–	–
MELTON MOWBRAY	–	–	–	–	2	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	–	1	–	–	–
BARROW UPON SOAR	–	–	1	–	–	–
BELVOIR	–	–	–	–	1	–
HINCKLEY ...	–	–	1	–	1	–
MARKET BOSWORTH	–	–	3	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	–	–	–	1	–
Rural Districts:—						
CROWLAND ...	–	–	–	–	1	–
LINCOLN (parts of Kesteven).	–	1	2	–	1	–
Boroughs and Urban Districts:—						
BOURNE	–	–	1	–	–	–
SLEAFORD ...	–	–	–	–	1	–
STAMFORD ...	–	–	1	–	–	–
Rural Districts:—						
GRANTHAM ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LINCOLN (parts of Lindsey).	–	4	6	1	5	M. 1
†GRIMSBY C.B. ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
BARTON UPON HUMBER	–	–	2	–	–	–
BRIGG	–	–	–	–	1	–
†CLEETHORPES ...	–	–	1	–	–	–
†SCUNTHORPE AND FRODINGHAM	–	–	1	1	1	M. 1
Rural Districts:—						
GAINSBOROUGH...	–	–	–	–	1	–
GLANFORD BRIGG	–	2	2	–	2	–
MIDDLESEX ...	–	55	29	–	35	C. 6 M. 1
Boroughs and Urban Districts:—						
†ACTON	–	5	2	–	–	–
†BRENTFORD ...	–	2	1	–	2	–
†CHISWICK ...	–	–	–	–	1	C. 1
†EALING	–	2	–	–	1	C. 2
†EDMONTON ...	–	2	1	–	1	–
†ENFIELD	–	3	–	–	3	–
FELTHAM ...	–	1	1	–	–	–
†FINCHLEY ...	–	4	–	–	2	–
†FRIERN BARNET	–	–	–	–	1	–
†HAMPTON ...	–	–	–	–	1	–
†HANWELL ...	–	5	4	–	1	–
HAYES	*	*	*	*	*	*
†HENDON	–	2	2	–	1	–
†HESTON AND ISLEWORTH	–	–	2	–	1	C. 2
†HORNSEY... ...	–	6	2	–	6	–
KINGSBURY ...	–	1	–	–	–	–
RUISLIP NORTHWOOD	–	1	–	–	–	–
†SOUTHALL NORWOOD	–	–	1	–	–	–
†SOUTHGATE ...	–	1	–	–	–	–
†TOTTENHAM ...	–	6	4	–	6	–
†UXBRIDGE	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MIDDLESEX—*cont.*						
Boroughs and Urban Districts—*cont.*						
†WEALDSTONE ...	–	–	–	–	–	C. 1
†WEMBLEY ...	–	2	–	–	–	M. 1
†WILLESDEN ...	–	8	8	–	5	–
†WOOD GREEN ...	–	2	–	–	1	–
Rural Districts:—						
HENDON	–	–	–	–	1	–
STAINES	–	2	1	–	–	–
NORFOLK	–	31	1	–	2	–
†GREAT YARMOUTH C.B.	–	2	–	–	–	–
†NORWICH C.B. ...	–	23	1	–	1	–
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	–	–	1	–
NORTH WALSHAM	–	1	–	–	–	–
Rural Districts:—						
DOWNHAM ...	–	1	–	–	–	–
MITFORD AND LAUNDITCH	–	1	–	–	–	–
SMALLBURGH ...	–	2	–	–	–	–
SWAFFHAM ...	*	*	*	*	*	*
THETFORD ...	–	1	–	–	–	–
WAYLAND ...	*	*	*	*	*	*
NORTHAMPTON ...	–	27	7	–	14	–
†NORTHAMPTON C.B.	–	5	3	–	7	–
Boroughs and Urban Districts:—						
DESBOROUGH ...	–	1	–	–	–	–
IRTHLINGBOROUGH	–	–	–	–	1	–
NORTHAMPTON—*cont.*						
Boroughs and Urban Districts—*cont.*						
†KETTERING ...	–	13	–	–	1	–
RAUNDS	–	–	–	–	1	–
†RUSHDEN ...	–	2	1	–	–	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
DAVENTRY ...	–	–	–	–	1	–
KETTERING ...	–	–	3	–	1	–
MIDDLETON CHENEY	*	*	*	*	*	*
NORTHAMPTON ...	–	–	–	–	2	–
POTTERSPURY ...	–	2	–	–	–	–
THRAPSTON (part)	–	1	–	–	–	–
WELLINGBOROUGH	–	1	–	–	–	–
NORTHUMBERLAND	4	54	14	–	40	M. 3
†NEWCASTLE UPON TYNE C.B.	–	21	9	–	19	–
†TYNEMOUTH C.B.	–	3	–	–	3	M. 1
Boroughs and Urban Districts:—						
ALNWICK... ...	–	1	–	–	–	–
†ASHINGTON ...	–	–	–	–	1	–
†BEDLINGTONSHIRE	–	4	–	–	5	–
†BLYTH	–	2	–	–	4	M. 1
CRAMLINGTON ...	–	4	–	–	1	–
†EARSDON	–	–	–	–	1	–
HEXHAM	–	1	–	–	2	–
†LONGBENTON ...	–	4	–	–	–	–
MORPETH... ...	–	1	–	–	–	–
SEATON DELAVAL	–	1	–	–	–	–
SEGHILL	–	–	1	–	–	–
†WALLSEND ...	–	4	–	–	–	–
WEETSLADE ...	–	–	–	–	–	M. 1
†WHITLEY AND MONKSEATON	–	3	1	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
NORTHUMBERLAND —*cont.*						
Rural Districts:—						
CASTLE WARD ..	–	4	–	–	–	–
GLENDALE ...	–	–	–	–	1	–
HALTWHISTLE ...	–	–	1	–	–	–
HEXHAM	–	–	2	–	2	–
MORPETH... ...	4	1	–	–	1	–
NOTTINGHAM ...	13	19	11	–	14	M. 1
†NOTTINGHAM C.B.	–	7	5	–	5	M. 1
Boroughs and Urban Districts:—						
†ARNOLD	–	1	–	–	–	–
†CARLTON	–	1	1	–	–	–
†HUCKNALL ...	5	1	–	–	4	
†KIRKBY IN ASHFIELD	6	–	–	–	1	–
†MANSFIELD ...	–	2	3	–	1	–
†NEWARK	–	2	1	–	–	–
WARSOP	*	*	*	*	*	*
Rural Districts:—						
BASFORD	–	3	–	–	1	–
BINGHAM... ...	–	1	–	–	–	–
EAST RETFORD ...	–	1	–	–	1	–
NEWARK	–	–	1	–	1	–
STAPLEFORD ...	2	–	–	–	–	–
OXFORD	–	15	–	–	–	G. 1 M. 2
†OXFORD C.B. ...	–	6	–	–	–	M. 2
Boroughs and Urban Districts:—						
WHEATLEY ...	–	2	–	–	–	–
Rural Districts:—						
CROWMARSH ...	–	3	–	–	–	–
CULHAM	–	2	–	–	–	–
HEADINGTON ...	–	1	–	–	–	–
THAME	–	–	–	–	–	G. 1
WITNEY	–	1	–	–	–	–
PETERBOROUGH (Soke of)	–	1	–	–	3	–
Borough:—						
†PETERBOROUGH...	–	1	–	–	2	–
Rural Districts:—						
PETERBOROUGH...	–	–	–	–	1	–
RUTLAND	–	–	–	–	2	–
Rural Districts:—						
UPPINGHAM ...	–	–	–	–	2	–
SALOP	–	7	2	1	1	M. 1
Boroughs and Urban Districts:—						
BRIDGNORTH ...	–	1	–	–	–	–
DAWLEY	–	2	–	–	–	–
LUDLOW	–	–	–	–	–	M. 1
MARKET DRAYTON	–	1	–	–	–	–
†OAKENGATES ...	–	–	1	–	–	–
†SHREWSBURY ...	–	1	–	–	–	–
WHITCHURCH ...	–	–	–	1	–	–
Rural Districts:—						
BRIDGNORTH ...	–	–	–	–	1	–
SHIFNAL... ...	–	1	–	–	–	–
WELLINGTON ...	–	–	1	–	–	–
WEM	–	1	–	–	–	–
SOMERSET	–	9	1	–	10	E. 1 M. 1
†BATH C.B. ...	–	3	–	–	1	E. 1
Boroughs and Urban Districts:—						
GLASTONBURY ...	–	–	–	–	2	–
†TAUNTON... ...	–	–	–	–	1	–
†WESTON SUPER MARE	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	2	M. 1
BATH	–	2	–	–	–	–
BRIDGWATER ...	–	–	–	–	1	–
CHARD	–	1	–	–	–	–
CLUTTON	–	–	1	–	–	–
KEYNSHAM ...	–	1	–	–	–	–
TAUNTON ...	–	–	–	–	1	–
YEOVIL	–	1	–	–	2	–
SOUTHAMPTON ...	–	32	27	1	4	G. 2 M. 2
†BOURNEMOUTH C.B.	–	5	–	–	–	G. 1
†PORTSMOUTH C.B.	–	15	20	–	–	M. 2
†SOUTHAMPTON C.B.	–	8	3	1	–	–
Boroughs and Urban Districts:—						
ANDOVER... ...	–	–	–	–	–	G. 1
†GOSPORT	–	–	3	–	3	–
LYMINGTON ...	*	*	*	*	*	*
PETERSFIELD ...	*	*	*	*	*	*
WARBLINGTON ...	–	–	–	–	1	–
†WINCHESTER ...	–	2	–	–	–	–
Rural Districts:—						
ANDOVER... ...	–	–	1	–	–	–
CATHERINGTON ...	*	*	*	*	*	*
RINGWOOD ...	–	1	–	–	–	–
WHITCHURCH ...	–	1	–	–	–	–
STAFFORD	–	57	28	4	65	C. 1 G. 1 M. 7
†SMETHWICK C.B.	–	4	5	–	3	C. 1 M. 1
†STOKE ON TRENT C.B.	–	25	7	2	29	M. 2
†WALSALL C.B. ...	–	2	1	–	2	–
†WEST BROMWICH C.B.	–	1	1	–	4	–
†WOLVERHAMPTON C.B.	–	2	–	–	1	M. 1

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD—*cont.*						
Boroughs and Urban Districts:—						
†AUDLEY	–	2	–	–	–	–
†BROWNHILLS ...	–	–	3	–	6	–
†CANNOCK	–	–	–	–	1	–
†COSELEY	–	–	2	–	–	–
†HEATHTOWN OR WEDNESFIELD HEATH	–	–	2	–	–	–
KIDSGROVE ...	–	2	–	–	–	G. 1
†NEWCASTLE UNDER LYME	–	1	–	–	–	M. 1
QUARRY BANK ...	–	–	1	–	2	–
†ROWLEY REGIS ...	–	3	–	–	4	–
RUGELEY... ...	–	2	–	–	–	–
†STAFFORD ...	–	1	–	–	–	–
TETTENHALL ...	–	–	–	–	2	–
†TIPTON	–	1	–	1	–	–
†WEDNESBURY ...	–	–	–	–	1	–
†WOLSTANTON UNITED	–	4	2	–	5	M. 1
Rural Districts:—						
BLORE HEATH ...	–	–	–	–	1	–
CANNOCK	–	–	–	–	1	–
CHEADLE... ...	–	1	2	–	–	–
KINGSWINFORD ...	–	2	1	–	–	–
LEEK	–	–	–	–	1	–
LICHFIELD ...	–	–	1	–	–	M. 1
SEISDON	–	–	–	1	1	–
TAMWORTH (part)	–	1	–	–	–	–
TUTBURY... ...	–	2	–	–	–	–
WALSALL... ...	–	1	–	–	1	–
SUFFOLK, EAST ...	–	4	1	–	3	–
†IPSWICH C.B. ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
BECCLES	–	2	–	–	–	–
BUNGAY	–	–	–	–	1	–
†LOWESTOFT ...	–	–	1	–	–	–
Rural Districts:—						
SAMFORD... ...	–	–	–	–	1	–
WOODBRIDGE ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SUFFOLK, WEST ...	–	–	–	–	–	C. 1
Boroughs and Urban Districts:—						
†BURY ST. EDMUNDS	–	–	–	–	–	C. 1
SURREY	–	10	18	2	8	G. 1 M. 5
†CROYDON C.B. ...	–	4	2	–	1	M. 1
Boroughs and Urban Districts:—						
†BARNES	–	–	2	–	–	–
†BEDDINGTON AND WALLINGTON	–	–	1	–	–	–
†CATERHAM ...	–	2	–	–	–	–
†COULSDON AND PURLEY	–	–	2	–	–	–
EAST AND WEST MOLESEY	–	–	–	1	–	–
†EPSOM	–	–	1	–	–	–
†FARNHAM ...	–	–	1	–	2	–
†KINGSTON ON THAMES	–	–	–	–	1	–
†MERTON AND MORDEN	–	–	3	–	–	–
†MITCHAM... ...	–	–	–	–	–	M. 1
†SURBITON ...	–	–	–	–	1	–
†SUTTON	–	–	5	–	1	–
†THE MALDENS AND COOMBE	–	–	–	–	–	G. 1
†WIMBLEDON ...	–	2	–	–	–	M. 1
WINDLESHAM ...	–	–	–	–	–	M. 1
†WOKING	–	2	–	–	1	–
Rural Districts:—						
CHERTSEY ...	–	–	1	–	–	–
EPSOM	–	–	–	1	1	M. 1
SUSSEX, EAST ...	–	24	5	–	3	–
†BRIGHTON C.B. ...	–	14	5	–	1	–
†EASTBOURNE C.B.	–	–	–	–	1	–
†HASTINGS C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
EAST GRINSTEAD	–	1	–	–	1	–
HAYWARD'S HEATH	–	1	–	–	–	–
†HOVE	–	4	–	–	–	–
NEWHAVEN ...	*	*	*	*	*	*
PORTSLADE BY SEA	–	1	–	–	–	–
SUSSEX, WEST ...	–	7	–	1	1	–
Boroughs and Urban Districts:—						
†HORSHAM ...	–	1	–	–	–	–
†LITTLEHAMPTON	–	3	–	–	–	–
SOUTHWICK ...	–	–	–	–	1	–
Rural Districts:—						
HORSHAM ...	–	1	–	–	–	–
PETWORTH ...	–	1	–	–	–	–
WESTBOURNE ...	–	1	–	–	–	–
WESTHAMPNETT	–	–	–	1	–	–
WARWICK	–	49	43	3	57	C. 1 L. 8 M. 10
†BIRMINGHAM C.B.	–	39	38	2	41	C. 1 L. 8 M. 10
†COVENTRY C.B. ...	–	3	–	–	4	–
Boroughs and Urban Districts:—						
†NUNEATON ...	–	–	–	–	2	–
†RUGBY	–	–	2	–	1	–
†SUTTON COLDFIELD	–	2	–	–	2	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WARWICK—*cont.*						
Rural Districts:—						
ALCESTER ...	–	1	–	–	–	–
ATHERSTONE ...	–	–	–	–	1	–
COVENTRY ...	–	1	–	–	–	–
MERIDEN	–	3	–	–	1	–
NUNEATON ...	–	–	–	1	–	–
RUGBY	–	–	2	–	5	–
TAMWORTH (part)	–	–	1	–	–	–
WESTMORLAND ...	–	6	2	–	4	–
Boroughs and Urban Districts:—						
AMBLESIDE ...	–	–	–	–	1	–
APPLEBY	–	–	–	–	1	–
†KENDAL	–	4	–	–	–	–
KIRKBY LONSDALE	–	–	1	–	–	–
Rural Districts:—						
EAST WESTMORLAND	–	–	–	–	1	–
SOUTH WESTMORLAND	–	2	1	–	–	–
WEST WARD ...	–	–	–	–	1	–
WIGHT, ISLE OF ...	–	1	–	–	–	–
Boroughs and Urban Districts:—						
†COWES	–	1	–	–	–	–
ST. HELENS ...	*	*	*	*	*	*
WILTS	–	7	1	–	3	D. 1
Boroughs and Urban Districts:—						
MALMESBURY ...	–	–	–	–	1	–
†SWINDON	–	1	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS—*cont.*						
Rural Districts:—						
AMESBURY ...	–	3	–	–	–	–
CHIPPENHAM ...	–	1	–	–	–	–
DEVIZES	*	*	*	*	*	*
HIGHWORTH ...	–	–	1	–	1	D. 1
PEWSEY	–	1	–	–	–	–
WARMINSTER ...	–	1	–	–	–	–
WORCESTER ...	–	13	5	–	9	M. 3
†DUDLEY C.B. ...	–	8	–	–	–	M. 1
†WORCESTER C.B.	–	3	2	–	1	–
Boroughs and Urban Districts:—						
BROMSGROVE ...	*	*	*	*	*	*
EVESHAM	–	–	1	–	–	–
†KIDDERMINSTER	–	1	–	–	–	–
†MALVERN ...	–	–	1	–	–	–
NORTH BROMSGROVE	*	*	*	*	*	*
†OLDBURY	–	1	1	–	2	M. 1
†REDDITCH ...	*	*	*	*	*	*
†STOURBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
HALESOWEN ...	–	–	–	–	5	M. 1
YORKS ... ... (East Riding.)	–	12	8	–	11	M. 2
†KINGSTON UPON HULL C.B.	–	3	8	–	9	M. 2
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	3	–	–	1	–
NORTON	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague : encephalitis : G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding) *cont.*						
Rural Districts:—						
BEVERLEY ...	–	1	–	–	–	–
DRIFFIELD ...	*	*	*	*	*	*
HOWDEN	–	4	–	–	–	–
SCULCOATES ...	–	–	–	–	1	–
SHERBURN ...	*	*	*	*	*	*
SKIRLAUGH ...	–	1	–	–	–	–
YORKS ... ... (North Riding.)	–	32	2	–	10	–
†MIDDLESBROUGH C.B.	–	15	1	–	6	–
Boroughs and Urban Districts:—						
†ESTON	*	*	*	*	*	*
GUISBOROUGH ...	–	–	–	–	1	–
NORTHALLERTON	–	1	–	–	–	–
†REDCAR	–	–	–	–	1	–
SALTBURN BY THE SEA	–	1	–	–	–	–
†SCARBOROUGH ...	–	3	1	–	2	–
†WHITBY	–	6	–	–	–	–
Rural Districts:—						
LEYBURN... ...	–	1	–	–	–	–
STOKESLEY ...	–	3	–	–	–	–
WHITBY	–	2	–	–	–	–
YORKS ... ... (West Riding.)	1	142	46	10	124	C. 9 D. 2 E. 1 L. 12 M. 9
†BARNSLEY C.B. ...	–	2	5	1	2	C. 1
†BRADFORD C.B. ...	–	10	1	–	2	L. 1
†DEWSBURY C.B....	–	1	–	–	1	–
†HALIFAX C.B. ...	–	1	1	–	2	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) *—cont.*						
†HUDDERSFIELD C.B.	–	–	3	1	2	–
†LEEDS C.B. ...	–	24	4	–	10	C. 1
†ROTHERHAM C.B.	–	8	–	–	5	–
†SHEFFIELD C.B....	–	32	7	5	49	C. 3 D. 2 M. 6
†WAKEFIELD C.B.	–	2	1	–	2	–
Boroughs and Urban Districts:—						
†ADWICK LE STREET	1	–	1	–	–	–
ALTOFTS	–	1	–	–	2	–
†BARNOLDSWICK ...	–	–	–	–	1	–
†BINGLEY	–	1	2	–	1	–
BIRKENSHAW ...	–	1	–	–	–	–
BIRSTAL	–	–	1	–	–	–
†BOLTON UPON DEARNE	–	–	1	–	2	–
†BRIGHOUSE ...	–	1	–	–	1	–
†CASTLEFORD ...	–	3	–	–	–	–
†CONISBROUGH ...	–	2	–	–	–	–
DARFIELD ...	–	1	–	–	1	–
DENBY AND CUMBERWORTH	*	*	*	*	*	*
DENHOLME ...	–	1	–	–	–	–
†DONCASTER ...	–	2	4	–	1	–
†FEATHERSTONE ...	–	1	–	–	1	–
†GOOLE	–	1	–	–	3	–
GREETLAND ...	–	–	1	–	–	–
†HARROGATE ...	–	2	–	–	–	–
HEBDEN BRIDGE	–	–	1	–	–	–
HECKMONDWIKE	–	1	–	–	–	–
†HEMSWORTH ...	–	3	–	–	–	–
HORBURY ...	–	–	1	–	–	–
†HOYLAND NETHER	–	1	1	–	3	–
HOYLAND SWAINE	*	*	*	*	*	*
ILKLEY	–	1	–	–	1	–
†KEIGHLEY ...	–	2	–	–	1	–
KNOTTINGLEY ...	–	1	–	–	–	–
LUDDENDEN FOOT	–	1	1	–	–	–
†MEXBOROUGH ...	–	3	–	–	–	–
†MIRFIELD ...	–	–	–	–	–	C. 1
†MORLEY	–	–	3	–	2	–
NEW MILL ...	–	–	–	–	1	–
†NORMANTON ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
OTLEY	–	1	–	–	–	–
PENISTONE ...	*	*	*	*	*	*
†PONTEFRACT ...	–	2	–	–	1	M. 1
†RAWMARSH ...	–	1	–	–	–	–
RIPON	–	1	–	–	–	–
†ROTHWELL ...	–	1	–	–	1	–
SADDLEWORTH ...	–	–	–	–	–	C. 1
SELBY	–	2	–	–	–	–
†SKIPTON	–	1	1	–	–	–
†SPENBOROUGH ...	–	1	1	1	3	E. 1 M. 1
SPRINGHEAD ...	–	–	–	–	1	–
STAINLAND ...	–	–	–	–	1	–
†STANLEY	–	–	1	–	4	–
†SWINTON	–	–	–	–	1	–
THURSTONLAND...	–	–	–	–	–	L. 10
†TODMORDEN ...	–	–	–	–	5	–
†WATH UPON DEARNE	–	3	–	–	–	–
†WORSBOROUGH ...	–	2	–	–	–	–
Rural Districts—						
DONCASTER ...	–	–	1	–	3	–
GOOLE	–	–	–	–	1	–
HALIFAX	–	2	–	–	–	–
HEMSWORTH ...	–	3	1	–	1	C. 1
HUNSLET... ...	–	1	–	–	–	–
KNARESBOROUGH	–	–	–	–	2	–
PENISTONE ...	–	–	–	–	–	C. 1
PONTEFRACT ...	–	3	–	–	–	–
ROTHERHAM ...	–	4	1	1	–	M. 1
SKIPTON	–	1	–	–	–	–
TADCASTER ...	–	2	1	–	3	–
WAKEFIELD ...	–	1	–	1	–	–
WETHERBY ...	–	–	–	–	1	–
WHARFEDALE (SOUTH)	–	–	–	–	–	L. 1
County Borough :—						
§†YORK	–	4	1	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WALES.						
ANGLESEY	1	–	1	–	1	–
Boroughs and Urban Districts :—						
AMLWCH	1	–	–	–	–	–
†HOLYHEAD ...	*	*	*	*	*	*
Rural Districts :—						
TWRCELYN ...	–	–	–	–	1	–
VALLEY	–	–	1	–	–	–
BRECKNOCK ...	–	2	1	–	3	–
Urban Districts :—						
BRYNMAWR ...	–	1	–	–	2	–
LLANWRTYD ...	*	*	*	*	*	*
Rural Districts :—						
HAY	–	–	1	–	–	–
VAYNOR AND PENDERYN	–	1	–	–	1	–
CARDIGAN	–	–	1	–	–	–
Rural Districts :—						
ABERAYRON ...	–	–	1	–	–	–
CARMARTHEN ...	–	13	2	–	4	C. 1
Boroughs and Urban Districts :—						
BURRY PORT ...	–	1	–	–	2	–
†LLANELLY ...	–	6	–	–	1	–
Rural Districts :—						
LLANELLY ...	–	6	2	–	1	C. 1
WHITLAND ...	*	*	*	*	*	*

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

§ York C.B. is not associated with any of the three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON ...	–	1	–	–	1	–
Boroughs and Urban Districts:—						
†BANGOR	–	–	–	–	1	–
LLANFAIRFECHAN	–	1	–	–	–	–
DENBIGH	–	1	–	–	2	–
Boroughs and Urban Districts:—						
DENBIGH... ...	*	*	*	*	*	*
Rural Districts:—						
RUTHIN	–	–	–	–	2	–
WREXHAM ...	–	1	–	–	–	–
FLINT	–	1	1	2	4	M. 1
Boroughs and Urban Districts:—						
HOLYWELL ...	–	–	–	1	1	–
†RHYL	–	–	1	–	–	–
Rural Districts:—						
HAWARDEN ...	–	1	–	–	2	–
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	1	–
OVERTON ..	–	–	–	1	–	–
ST. ASAPH (FLINT)	–	–	–	–	–	M. 1
GLAMORGAN ...	–	52	42	1	56	C. 2 E. 1 M. 2
†CARDIFF C.B. ...	–	10	1	–	15	C. 2
†MERTHYR TYDFIL C.B.	–	1	2	–	2	–
†SWANSEA C.B. ...	–	13	6	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts:—						
†ABERDARE ...	–	3	–	–	3	–
†BARRY	–	2	3	1	13	M. 1
†CAERPHILLY ...	–	4	3	–	–	E. 1
†GELLIGAER ...	–	1	2	–	1	–
†MAESTEG... ...	–	–	1	–	–	–
†MOUNTAIN ASH...	–	1	2	–	2	–
†NEATH	–	–	2	–	–	–
†OGMORE AND GARW	–	4	2	–	–	–
†PENARTH ...	–	–	1	–	–	–
†PONTYPRIDD ...	–	1	1	–	4	–
†PORT TALBOT ...	–	1	3	–	–	–
†RHONDDA ...	–	2	8	–	12	M. 1
Rural Districts:—						
CARDIFF	*	*	*	*	*	*
COWBRIDGE ...	–	–	2	–	2	–
GOWER	*	*	*	*	*	*
NEATH	–	2	–	–	1	–
PONTARDAWE ...	–	3	2	–	–	–
SWANSEA... ...	–	4	1	–	–	–
MERIONETH ...	–	1	–	–	2	–
Urban Districts:—						
BALA	–	–	–	–	1	–
BARMOUTH ..	*	*	*	*	*	*
FESTINIOG ...	–	1	–	–	–	–
Rural Districts:—						
PENLLYN	–	–	–	–	1	–
MONMOUTH ...	–	21	11	2	12	C. 1 E. 1 M. 3
†NEWPORT C.B. ...	–	7	1	–	2	–
Boroughs and Urban Districts:—						
†ABERCARN ...	–	2	–	–	–	–
†ABERTILLERY ...	–	2	2	1	–	M. 2
BEDWAS AND MACHEN	–	–	–	–	1	–
†BEDWELLTY ...	–	2	1	–	–	–
CAERLEON ...	–	–	–	–	1	–
†EBBW VALE ...	–	4	2	–	3	C. 1
LLANTARNAM ...	–	–	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
J, Continued Fever ; K, Trench Fever ; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts—*cont.*						
†MYNYDDISLWYN	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	1	–
†PANTEG	–	2	–	–	–	–
†RHYMNEY ...	–	–	2	1	–	E. 1
†RISCA	–	–	2	–	–	–
†TREDEGAR ...	–	–	1	–	2	M. 1
Rural Districts:—						
MAGOR	–	–	–	–	1	–
MONMOUTH ...	–	1	–	–	–	–
MONTGOMERY ...	–	4	–	–	–	–
Boroughs and Urban Districts:—						
MACHYNLLETH ...	–	3	–	–	–	–
NEWTOWN AND LLANLLWCHAIARN ...	*	*	*	*	*	*
WELSHPOOL ...	–	1	–	–	–	–
MONTGOMERY—*cont.*						
Rural Districts:—						
NEWTOWN AND LLANIDLOES	*	*	*	*	*	*
PEMBROKE	–	–	1	–	1	–
Boroughs and Urban Districts:—						
FISHGUARD ...	*	*	*	*	*	*
HAVERFORDWEST	–	–	1	–	–	–
Rural Districts:—						
HAVERFORDWEST	–	–	–	–	1	–
ST. DOGMELLS ...	*	*	*	*	*	*
Total of Part II. ...	62	1253	519	56	1017	C. 35 D. 3 E. 6 F. 1 G. 9 L. 31 M. 83

PART III.—PORT SANITARY DISTRICTS.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BRISTOL	–	–	–	–	–	L. 1
CARDIFF	–	–	1	–	–	–
HARTLEPOOL	*	*	*	*	*	*
LIVERPOOL	–	–	1	–	–	–
NEWHAVEN	*	*	*	*	*	*
PLYMOUTH	–	–	–	–	2	–
WEYMOUTH	–	–	–	1	–	–
PORT OF LONDON ...	–	–	1	–	–	–
Total of Part III. ...	–	–	3	1	2	L.

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro Spinal Fever; E, Acute Poliomyelitis; F, Acute Polioencephalitis; G, Encephalitis Lethargica; H. Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Total of Part I.—London	–	178	202	9	143	C. 10 D. 1 G. 1 M. 12
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	62	1253	519	56	1017	C. 35 D. 3 E. 6 F. 1 G. 9 L. 31 M. 83
Total of Part III.—Port Sanitary Districts	–	–	3	1	2	L. 1
Total (*i.e.*, of returns received), England and Wales ...	62	1431	724	66	1162	C. 45 D. 4 E. 6 F. 1 G. 10 L. 32 M. 95

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued Fever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The cases of Small-pox notified appear on pages 1436, 1437, 1438, 1441, 1443, 1447, and 1448.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUS and DEATHS of INFANTS under 1 YEAR AGE) and NOTIFIED CASES of certain I FECTIOUS DISEASES in the last THIRTE WEEKS.

Week ended :—	Sept. 29.	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec 22.
LONDON :—													
DEATHS—all ages	928	831	869	853	885	905	822	947	1,037	1,335	1,339	1,423	1,21
„ 0 to 1 year ..	149	128	129	104	119	104	75	109	87	106	125	120	9
GREAT TOWNS, aggregate (including London) :—													
BIRTHS	7,428	6,905	7,078	7,464	7,182	7,721	6,870	7,128	7,233	6,645	6,801	7,335	6,83
DEATHS—all ages	3,660	3,474	3,650	3,579	3,676	3,619	3,734	4,179	4,328	5,232	5,501	5,411	4.96
„ 0 to 1 year ..	516	454	468	464	473	457	448	505	507	528	588	594	56
ENTERIC FEVER—Cases	37	35	53	44	29	40	31	30	33	13	27	22	3
„ Deaths	3	8	4	7	1	3	6	2	1	2	1	2	
SMALL POX—Cases ..	9	16	26	4	7	9	3	7	1	—	1	3	
„ Deaths ..	2	—	—	—	—	—	—	—	1	—	—	1	—
SCARLET FEVER—Cases	997	956	995	1,013	1,158	1,120	988	1,104	938	1,026	993	1,005	76
„ Deaths	9	8	11	15	8	9	11	6	8	15	9	10	1
DIPHTHERIA—Cases ..	473	450	525	498	536	585	480	491	529	428	520	512	47
„ Deaths ..	24	22	22	25	25	33	36	18	30	29	27	26	2
MEASLES—Deaths ..	6	10	8	15	16	19	21	20	29	56	55	54	5
INFLUENZA—Deaths ..	33	31	40	33	29	37	35	55	58	68	103	92	10

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 22nd December, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
LONDON (GREENWICH).	50	28	44·4	35·6	8
BRIGHTON ..	51	27	44·6	35·9	6
PORTSMOUTH ..	51	28	46·9	35·3	9
NORWICH (EATON).	48	29	42·3	34·6	24
PLYMOUTH ..	52	33	48·4	40·1	3
BRISTOL (CLIFTON).	53	30	48·0	38·3	9
BIRMINGHAM (EDGBASTON)	50	27	43·0	35·3	16
NOTTINGHAM ..	51	30	43·7	37·1	7
BIRKENHEAD (BIDSTON).	50	34	46·3	39·0	19
MANCHESTER (WHITWORTH PARK).	50	32	44·0	36·3	21
BURNLEY.. ..	48	29	42·9	34·9	19
HUDDERSFIELD	49	30	44·3	35·6	9

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°	
BRADFORD ..	49	28	43·9	34·4	7
SHEFFIELD ..	Not Received.				
YORK (MUSEUM)	51	32	44·6	35·7	12
HULL (PEARSON PARK).	50	29	44·6	34·0	14
TYNEMOUTH ..	51	32	43·0	36·6	15
CARDIFF	52	29	46·1	36·9	3
EDINBURGH ..	50·0	28·0	43·1	35·0	7
GLASGOW ..	51·0	30·4	45·1	36·0	6
DUBLIN (PHŒNIX PARK).	50·4	30·2	46·6	38·8	2
FITZWILLIAM SQUARE.†	52·0	33·1	47.3	39·3	2
BELFAST	53·0	29·6	47.9	38·2	11

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly.

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 22nd December, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
DECEMBER.			in.	°	°	°	°		°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	16	In Equator	30·063	48·7	34·2	14·5	42·8	+ 2·1	39·0	3·8	6·9	2·5	87	54·7	27·2	44·2	WSW.	W	2·9	0·0	0·3	417	+ 103	0·00
MONDAY -	17	..	30·039	49·5	42·6	6·9	46·9	+ 6·5	42·4	4·5	5·6	2·4	81	54·5	37·4	44·3	W: WSW.	WSW	2·0	0·0	0·2	390	+ 81	0·00
TUESDAY -	18	..	30·023	48·2	39·7	8·5	44·7	+ 4·7	36·2	8·5	12·2	2·5	72	55·4	31·2	44·2	WSW: W: WNW.	WNW: NW.	4·3	0·0	0·5	457	+ 155	0·00
WEDNESDAY	19	Apogee	30·002	40·5	31·6	8·9	36·9	− 2·6	30·3	6·6	8·1	2·1	77	45·5	26·0	44·2	W : NW	NNW	4·0	0·0	0·3	391	+ 96	0·04
THURSDAY -	20	..	30·200	36·1	28·5	7·6	32·9	− 6·1	27·1	5·8	10·4	2·1	79	41·5	21·1	44·1	NNW : N	N: NNW.	4·3	0·1	0·6	476	+ 187	0·03
FRIDAY -	21	..	29·963	35·7	28·5	7·2	32·9	− 5·8	28·3	4·6	10·7	1·5	83	39·0	21·1	44·0	NW	NNW	2·2	0·0	0·1	282	− 2	0·09
SATURDAY -	22	..	29·448	49·8	31·6	17·9	43·3	+ 4·8	40·2	3·1	5·0	1·7	89	47·5	31·2	44·0	Calm: WSW.	WNW	2·5	0·0	0·3	377	+ 97	0·16
MEANS -		..	29·963	44·1	33·9	10·2	40·1	+ 0·5	34·8	5·3	8·4	2·1	82	48·3	27·9	44·1	WNW		..	..	..	Sum 2,790	Sum + 717	Sum 0·32
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. DECEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	16	mP till 11½h.; then Loss of Register.	1·1	7·8	Variably cloudy. Shower 5h. Slight rain 14¾h. till 15½h.
MONDAY ..	17	Loss of Register till 11h., then mP.	0·2	7·8	Overcast with cloudless period about 1h. Shower 4h. Lunar halo 19¾h. Dew at night.
TUESDAY ..	18	wP till 6½h.; then sP.	1·1	7·8	Variably cloudy, becoming cloudless by 20h. Partially cloudy after 22h. Brisk wind 10h. till 17h.
WEDNESDAY	19	mP till 15½h.; sP till 22h., then Loss of Register.	0·0	7·8	Nearly overcast, clearing to cloudless by 19h. Snow 16¼h till 16¾h. Rain and sleet afterwards till 18½h. Brisk wind from 22h.
THURSDAY	20	Loss of Register	1·2	7·8	Cloudless till 2h., then nearly overcast till 17h., clearing to cloudless by 17½h. Snow 5¼h. Brisk wind till 6h.
FRIDAY ..	21	Loss of Register till 12h.; then mP.	0·0	7·8	Overcast. Snow from 12h. to 21h.
SATURDAY	22	mP till 5h.: variably wP and mN till 7½h.; mP till 22h.; then sN.	0·0	7·8	Overcast. Frequent snow till 5h., then slight rain till 9h. and at 13½h. Damping 21h. till 23h.
			Sum 3·6	Sum 54·6	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased generally from 30·210 in. at the beginning of the week to 29·96 in. by 5h. on 18th; increased to 30·07 in. by 21h. on 18th; decreased to 29·99 in. by 22h. on 19th; increased to 30·25 in. by 20h. on 20th.; decreased and was 29·41 in. by midnight on the 22nd.

Printed and published by His Majesty's Stationery Office Press
11-17, Hare Street, E.2

(45665) Wt. 392—P 31 8(1 o.s.) 12/23 H. St. G.43

FOR OFFICIAL USE.

1923. No. 52.

WEEKLY RETURN

OF

BIRTHS AND DEATHS

REGISTERED IN COUNTY BOROUGHS AND OTHER GREAT TOWNS

AND OF

CASES OF CERTAIN SPECIFIED

INFECTIOUS DISEASES

NOTIFIED IN BOROUGHS, URBAN AND RURAL DISTRICTS AND PORT SANITARY DISTRICTS

IN

ENGLAND AND WALES

DURING THE WEEK ENDED

SATURDAY, 29TH DECEMBER, 1923.

Issued by the Registrar General.

LONDON:
PRINTED & PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE
To be purchased through any Bookseller or directly from H.M. STATIONERY OFFICE at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.
1924

Price 1s. Net.

EXPLANATORY STATEMENT.

TABLE 1 shows, for the several towns, the births and deaths (distinguishing deaths from certain causes and those of infants under one year of age) for the week ended last Saturday.

TABLE 2 shows the births and deaths (distinguishing certain causes) and death rates in London and in certain cities in the British Empire and in foreign countries.

TABLE 3 shows the deaths in London at ages and by causes of death.

TABLE 4 is a summary of returns of notified cases of certain Infectious Diseases (*vide infra*).

TABLE 5 shows for (*a*) London and (*b*) the Great Towns in the aggregate the births, deaths (distinguishing those of infants under one year of age) and numbers of notified cases of and deaths from certain diseases in each of the preceding thirteen weeks.

TABLE 6 is a Report of the meteorological conditions in certain towns for the week as a whole.

TABLE 7 is a Report of the meteorological observations taken at Greenwich on each day of the week.

WEEKLY SUMMARY OF INFECTIOUS DISEASES (TABLE 4).

1. Table 4 is a weekly Summary of notified cases of certain specified infectious diseases in England and Wales and is based upon weekly returns received from the Medical Officers of Health of all Local Sanitary Authorities, including Port Sanitary Authorities. The figures are now included in the present publication by arrangement with the Ministry of Health in pursuance of Section 5 of the Census Act, 1920.

2. The arrangement of this Table is as follows :—

Particulars for London are contained in Part I. Part II. contains particulars for sanitary districts, outside London, arranged under county headings ; the counties being entered in alphabetical order. Particulars for Port Sanitary Districts are given in Part III.

Under each county, the names of (*a*) the Boroughs and Urban Districts and (*b*) the Rural Districts, are entered in alphabetical order.

The names of Boroughs and Urban Districts with populations of over 10,000, according to the last Census, are marked with a †.

County Boroughs are marked "C.B."

3. The names of districts in respect of which "Nil" returns have been received indicating that no cases of the specified infectious diseases have been notified during the week, are omitted from this Summary.

4. The infectious diseases comprised in this Summary include the more important infectious diseases which are notifiable under the general law, and also cerebro-spinal fever, acute poliomyelitis, plague, acute polio-encephalitis, encephalitis lethargica, pneumonia, dysentery, trench fever and ophthalmia neonatorum, which are notifiable either under the general law or under Orders which were made by the Local Government Board.

The first five columns of the Summary relate to diseases specified in the headings to the columns : the heading "Diphtheria" includes Membranous Croup, the heading "Enteric Fever" includes Typhoid and Paratyphoid. The sixth column is intended to contain a figure (or figures) relating to one or more of the undermentioned diseases. In order to show to what disease any such figure relates, one of the following symbols is employed, viz. :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum. Cases of Plague (if any) are mentioned specially in footnotes.

5. Quarterly and annual summaries of the information, adjusted in respect of any returns or corrections received too late for the weekly issues, will be published in due course.

NOTES FOR THE WEEK ENDED 29TH DECEMBER, 1923.

BIRTHS AND DEATHS.

In the 105 County Boroughs and Great Towns of England and Wales the births registered in the fifty-second week of the year numbered 5,385 and corresponded to an annual rate of 14·6 per 1,000 living.

The civilian deaths corrected as far as possible for non-residents numbered 5,045 and corresponded to an annual rate of 13·7 per 1,000 of their aggregate civilian population, which is estimated at 19,170,699 in the year 1922. In the preceding three weeks the rates had been 15·0, 14·7 and 13·5. Infant mortality was 117 per 1,000 births, against 86, 81 and 82 in the preceding three weeks.

In London (Administrative County including the City of London) there were 1,222 births, corresponding to a rate of 14·0 per 1,000, and 1,209 deaths of civilians, corresponding to a rate of 13·9, as against 15·4, 16·4 and 14·0 for the preceding three weeks. For the four weeks ended Saturday last the death rate averaged 14·9 per 1,000. The infant mortality was 94 as against 77, 70 and 62 in the three weeks preceding.

In the aggregate of the great towns there was an increase of 84 in the total deaths last week, but the deaths from influenza fell from 103 to 93. In London the number of deaths from all causes declined from 1,219 to 1,209; while the deaths from diphtheria, which had been 13, 13 and 12 in the preceding three weeks, rose to 14 last week, and those from measles, which had been 32, 32 and 27 in the preceding three weeks, rose to 38 last week. The deaths from influenza, which had been 24, 27 and 24 in the three preceding weeks fell to 21 last week.

Just Published:

Census of England and Wales, 1921.

Counties of Lincoln and Rutland. Price 16*s.* net.

County of Leicester. Price 8*s.* 6*d.* net.

County of Northampton, including the Soke of Peterborough. Price 10*s.* net.

County of Somerset. Price 10*s.* net.

County of Wiltshire. Price 7*s.* 6*d.* net.

County of Dorset. Price 7*s.* net.

The Registrar General's Statistical Review, 1922.

Tables, Part I. Medical. Price 15*s.* net.

To be obtained from H.M. Stationery Office at the following addresses: Imperial House, Kingsway, London, W.C.2, and 28 Abingdon Street, London, S.W.1; York Street, Manchester; 1 St. Andrew's Crescent, Cardiff; or 120 George Street, Edinburgh.

Table 1.—105 County Boroughs and Great Towns, Greater London, and Four Scottish and Irish Towns. } { Births and Deaths registered in the week ended 29th December, 1923.

TOWNS.	Adjusted Population, Mid. 1922	Births.	Deaths.	Deaths of Infants under 1 Year of Age	Including Deaths from: Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
105 Great Towns ..	19,170,699*	5,385	5,045	632	–	53	4	45	32	63	93
London	4,534,230*	1,222	1,209	115	–	38	–	6	14	15	21
Towns in Outer Ring.											
Croydon C.B. ..	192,300	50	36	3	–	–	–	–	–	–	2
Wimbledon ..	61,730	10	15	1	–	–	–	1	–	–	–
Ealing	67,890	11	23	1	–	–	–	–	–	–	–
Acton	62,390	6	14	3	–	–	–	–	–	–	1
Willesden ..	168,200	33	37	3	–	–	–	–	–	–	1
Hendon	55,930	8	17	1	–	–	–	–	–	–	–
Hornsey	87,310	11	26	1	–	–	–	–	–	–	–
Wood Green ..	51,290	6	14	1	–	–	–	–	–	–	–
Tottenham ..	150,500	26	23	2	–	1	–	–	–	1	–
Edmonton ..	68,700	28	12	1	–	1	–	–	–	–	–
Enfield	62,010	13	12	1	–	–	–	–	–	1	1
West Ham C.B. ..	310,200	123	72	10	–	1	–	–	–	–	–
East Ham C.B. ..	145,800	35	31	2	–	–	–	–	–	–	1
Leyton	131,600	40	29	1	–	–	–	–	–	–	–
Walthamstow ..	129,700	41	23	2	–	–	–	–	1	1	–
Ilford	86,370	21	21	2	–	–	–	–	1	–	–
Gillingham	48,630*	16	13	1	–	–	–	–	–	–	–
Canterbury C.B ..	23,680	6	4	–	–	–	–	–	–	–	1
Hastings C.B.	59,500	11	19	1	–	–	–	–	–	–	1
Eastbourne C.B. ..	53,700	11	10	1	–	–	–	–	–	–	–
Brighton C.B. ..	135,279	38	38	2	–	–	–	–	–	–	1
Portsmouth C.B. ..	236,630*	73	44	3	–	–	–	–	–	–	–
Bournemouth C.B. ..	81,500	16	20	1	–	–	–	–	1	–	1
Southampton C.B. ..	163,700	47	44	5	–	–	–	–	–	–	1
Reading C.B.	92,990	30	22	3	–	–	–	–	–	–	–
Oxford C.B.	56,510	19	12	–	–	–	–	–	–	–	–
Northampton C.B. ..	92,950	24	26	1	–	–	–	–	–	–	–
Luton	58,260	17	13	–	–	–	–	–	–	–	1
Cambridge	59,200	14	10	–	–	–	–	–	–	–	–
Southend-on-Sea C.B.	91,430	23	29	4	–	–	–	–	–	–	–
Ipswich C.B.	80,950	22	28	2	–	–	–	–	–	–	–
Great Yarmouth C.B.	56,700	24	14	3	–	–	–	–	–	1	–
Norwich C.B ..	122,900	33	38	5	–	–	–	–	–	1	–
Swindon	55,680	14	11	–	–	–	–	–	–	–	–
Exeter C.B.	59,700	13	19	1	–	–	–	–	–	–	–
Plymouth C.B. ..	200,370*	68	55	5	–	–	–	1	1	–	–
Bath C.B.	68,530	16	14	–	–	–	–	–	–	–	1
Bristol C.B.	383,900	109	103	11	–	–	–	–	–	–	2
Gloucester C.B. ..	52,210	12	18	1	–	1	–	–	–	–	–
Stoke-on-Trent C.B.	274,300	82	88	18	–	–	–	–	–	3	3
Burton-upon-Trent C.B.	49,630	6	12	2	–	–	–	–	–	–	–
Wolverhampton C.B.	105,700	32	38	5	–	–	–	1	–	–	–
Walsall C.B.	99,890	30	12	2	–	–	–	–	1	–	–
West Bromwich C.B.	76,260	27	28	3	–	–	–	–	–	–	1
Dudley C.B.	57,860	12	12	1	–	–	1	–	–	–	–
Worcester C.B. ..	49,240	12	9	1	–	–	–	–	–	–	–
Birmingham C.B. ..	945,100	222	204	27	–	–	–	3	3	1	2
Smethwick C.B. ..	78,140	39	17	–	–	–	–	1	–	–	–
Coventry C.B. ..	131,200	29	23	3	–	–	–	–	–	–	–
Leicester C.B. ..	238,800	72	67	4	–	–	–	–	1	–	2
Lincoln C.B.	66,930	17	14	2	–	–	–	–	–	–	–
Grimsby C.B.	84,650	23	25	4	–	–	–	1	–	–	–
Nottingham C.B. ..	267,900	84	71	14	–	–	–	2	–	3	1
Derby C.B.	132,400	39	33	3	–	–	–	–	–	–	–
Chesterfield ..	63,380	25	23	2	–	–	–	–	–	–	–
Stockport C.B. ..	125,800	28	26	4	–	1	–	–	–	–	1
Chester C.B.	41,190	12	6	1	–	–	–	–	–	–	–
Birkenhead C.B. ..	149,200	45	40	9	–	–	–	–	–	3	–
Wallasey C.B. ..	89,790	16	17	1	–	–	–	–	–	1	1
Liverpool C.B. ..	826,400	285	240	47	–	9	2	–	3	5	4
Bootle C.B.	79,750	29	23	2	–	–	–	1	–	–	–
St. Helens C.B. ..	106,400	32	35	12	–	–	–	–	–	–	2

* Population adjusted by the exclusion of non-civilians.

TOWNS.	ADJUSTED POPULATION. Mid. 1922.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Including Deaths from Enteric Fever.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhœa and Enteritis under 2 years.	Influenza.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.
SOUTHPORT C.B. ..	72,020	10	15	–	–	–	–	–	–	–	–
WIGAN C.B.	91,750	34	33	4	–	–	–	1	–	–	1
WARRINGTON C.B. ..	79,150	29	27	6	–	–	–	–	1	2	2
BOLTON C.B.	182,700	50	46	8	–	–	–	–	–	–	3
BURY C.B.	57,400	17	11	–	–	–	–	–	–	–	–
MANCHESTER C.B. ..	748,500	232	240	45	–	–	–	1	–	5	5
SALFORD C.B.	240,700	79	83	14	–	–	–	4	–	–	3
OLDHAM C.B.	148,300	46	72	11	–	–	–	2	–	–	2
ROCHDALE C.B... ..	92,510	22	23	1	–	–	–	–	–	–	–
BURNLEY C.B.	105,100	27	22	3	–	–	–	–	–	1	–
BLACKBURN C.B. ..	129,600	22	36	4	–	–	–	1	–	1	1
PRESTON C.B.	120,900	39	40	7	–	–	–	–	–	–	2
BLACKPOOL C.B. ..	74,050	17	29	2	–	–	–	–	–	–	–
BARROW-IN-FURNESS C.B.	75,690	20	13	1	–	–	–	–	–	1	–
HUDDERSFIELD C.B. ..	111,600	18	36	4	–	–	–	1	–	–	2
HALIFAX C.B.	100,500	25	30	5	–	–	–	–	–	–	–
BRADFORD C.B. ..	291,300	80	79	8	–	–	–	1	–	1	1
LEEDS C.B.	466,700	115	138	21	–	–	–	6	–	1	2
DEWSBURY C.B. ..	55,170	19	21	2	–	–	–	–	–	–	2
WAKEFIELD C.B. ..	53,840	21	13	–	–	–	–	–	–	–	–
BARNSLEY C.B. ..	69,540	17	13	2	–	–	–	–	–	–	–
SHEFFIELD C.B. ..	522,600	125	114	20	–	1	–	–	1	1	1
ROTHERHAM C.B. ..	69,840	17	10	–	–	–	–	–	–	–	–
DONCASTER	55,020	12	10	2	–	–	–	–	–	1	–
YORK C.B.	84,980	14	28	2	–	–	–	1	–	–	1
HULL C.B.	294,000	89	91	14	–	–	–	3	2	3	2
MIDDLESBROUGH C.B.	134,800	49	38	8	–	–	–	–	–	2	1
DARLINGTON C.B. ..	66,710	32	14	1	–	–	–	–	–	–	–
STOCKTON-ON-TEES ..	65,950	23	26	7	–	–	–	5	–	–	–
WEST HARTLEPOOL C.B.	70,020	27	23	4	–	–	–	–	–	1	1
SUNDERLAND C.B. ..	162,900	55	39	3	–	–	–	–	–	–	–
SOUTH SHIELDS C.B. ..	122,400	36	32	5	–	–	–	–	–	–	1
GATESHEAD C.B. ..	127,300	45	38	3	–	–	–	–	–	–	–
NEWCASTLE-ON-TYNE C.B.	281,600	115	64	9	–	–	–	1	–	–	1
TYNEMOUTH C.B. ..	64,640	28	15	3	–	–	–	1	–	–	–
CARLISLE C.B.	53,490	15	18	1	–	–	–	–	2	–	–
NEWPORT (MON.) C.B.	94,880	27	18	4	–	–	1	–	–	–	–
CARDIFF C.B.	223,830	67	70	12	–	–	–	–	–	3	3
RHONDDA	167,500	44	28	8	–	–	–	–	–	1	1
MERTHYR TYDFIL C.B.	82,680	23	21	6	–	–	–	–	–	2	–
ABERDARE	56,580	16	14	3	–	–	–	–	–	–	–
SWANSEA C.B.	161,000	49	33	2	–	–	–	–	–	1	2
GREATER LONDON ..	7,563,730*	1,932	1,867	176	–	43	–	8	18	19	35
OUTER RING	3,029,500*	710	658	61	–	5	–	2	4	4	14
16 GREAT TOWNS IN OUTER RING	1,831,920	462	405	35	–	3	–	1	2	3	6
REMAINDER OF OUTER RING	1,197,580*	248	253	26	–	2	–	1	2	1	8
EDINBURGH†	426,000	139	140	18	–	–	1	–	2	–	1
GLASGOW†	1,041,400	476	384	65	–	43	2	10	8	5	3
DUBLIN (REGISTRATION AREA)†	431,000	113	121	13	1	4	1	–	1	–	–
BELFAST†	429,000	156	136	25	–	9	1	2	–	2	1

* Population adjusted by the exclusion of non-civilians.

† The populations relate to 1923. Deaths in Edinburgh and Glasgow are provisionally corrected by the deduction of deaths of non-residents domiciled in Scotland and by the addition of deaths of residents reported from elsewhere in Scotland during the week; those in Dublin Registration Area and Belfast are corrected by the exclusion of deaths of persons admitted into public institutions from without the respective areas.

Table 2.—LONDON and certain CITIES in the BRITISH EMPIRE and FOREIGN COUNTRIES. } BIRTHS and DEATHS for last available period.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1,000 living.	DEATHS FROM Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.*	Diarrhœal Diseases† (under 2 years.)	Influenza.
		1923.											
LONDON‡	4,534,230	Dec. 29	1222	1209	13·9	–	–	38	–	6	14	15	21
CALCUTTA	896,067	Nov. 24	?	510§	29·2	?	–	?	?	?	?	?	10
BOMBAY	1,220,120	„ 24	491‖	658	28·0	1	1	2	–	–	–	52	–
MADRAS	526,911	„ 24	516	454	44·8	–	–	–	?	1	–	44	–
SYDNEY AND SUBURBS	955,900	„ 30 (30 days)											
BRISBANE (Metropolitan Area).	230,200	Oct. 31 (31 days)											
PERTH (Metropolitan Area).	161,773	Nov. 17	76	38	12·2	–	–	–	–	1	–	–	–
AUCKLAND (Urban Area).	167,760	Oct. 31 (31 days)	281	139	9·8	–	–	–	–	–	–	1	–
WELLINGTON (Urban Area).	112,070	„	211	62	9·6	–	–	–	–	–	–	–	1
CHRISTCHURCH (Urban Area).	113,400	„	201	91	9·6	–	–	–	–	1	–	–	2
CAPE TOWN	106,727	Nov. 17	33	22	10·7	1	–	–	–	–	–	–	–
JOHANNESBURG	156,858	Dec. 1	86	39	12·9	–	–	1	1	–	–	2	–
DURBAN	50,488	„ 1	26	11	11·3	–	–	–	–	–	–	1	–
PARIS	2,906,472	„ 10 (10 days)	1419	1314	16·5	5	–	2	1	2	3	23	6
ANTWERP	301,169	Nov. 17	113	55	9·5	–	–	–	–	–	–	5	–
		„ 24	100	57	9·9	–	–	–	–	–	–	4	2
AMSTERDAM	703,931	Dec. 8	280	142	10·5	2	–	–	–	3	–	3	3
COPENHAGEN	570,000	„ 15	199	125	11·4	–	–	3	–	–	–	2	1
STOCKHOLM	424,944	„ 8	91	81	10·0	–	–	–	–	–	–	–	–
GOTHENBURG	228,074	„ 1	?	41	9·3	1	–	2	–	–	–	1	–
		„ 8	?	47	10·7	2	–	–	–	1	–	–	–
CHRISTIANIA	258,962	„ 8	67	64	12·8	–	–	–	–	–	–	–	–
BERLIN	1,983,000	Nov. 24	358	459	12·0	–	?	–	–	–	1	6	4
BRESLAU	561,000	„ 24	141	138	12·8	1	?	–	–	–	1	5	2
COLOGNE	704,000	„ 24	200	126	9·3	–	?	–	1	–	1	4	2
DRESDEN	611,000	„ 24	134	128	10·9	–	?	–	–	1	–	–	1
FRANKFORT-ON-MAIN..	474,000	„ 24	101	89	9·8	–	?	–	–	–	2	–	2
HAMBURG	1,079,000	„ 24	229	193	9·3	–	?	–	–	–	1	–	1
LEIPZIG	679,000	„ 24	171	163	12·5	–	?	–	1	–	–	2	1
MUNICH	685,000	„ 24	164	160	12·1	–	?	–	–	–	1	2	2
VIENNA	1,841,326	„ 3											
PRAGUE AND SUBURBS	697,111	Oct. 15 (15 days)	372	331	11·6	1	–	1	2	–	–	5	2
BUDAPEST	945,717	Sept. 1	322	334	18·4	4	–	1	1	4	–	40	–
		„ 8	258	364	20·0	11	–	1	3	2	–	26	–
WARSAW	956,087	Dec. 8											
CAIRO	791,000	Sept. 30	721	379	24·9	7	–	–	–	?	3	51	?
ALEXANDRIA	466,700	„ 30	436	276§	30·8	2	–	–	–	?	–	40	–
NEW YORK	5,927,617	Nov. 10	2340	1220	10·7	4	–	2	1	4	14	28	6
CHICAGO	2,886,121	„ 17											
RIO DE JANEIRO ..	1,312,468	Oct. 27	608	451	17·9	5	–	2	–	17	–	77	14
		Nov. 3	603	404	16·0	5	1	4	–	16	–	60	14
MONTEVIDEO	348,989	July 7											

* Including deaths from croup in Bombay, Paris, Antwerp, Amsterdam, Copenhagen, the German Cities, Vienna, Prague and Suburbs, Budapest, Warsaw, Rio de Janeiro, and Montevideo.

† The deaths in this column relate to *all ages* for Bombay, Madras, and Christiania, and *to children under* 1 *year of age* for Copenhagen, Stockholm, Gothenburg, the German Cities, Cairo, and Alexandria.

‡ The estimated population and deaths refer to the civilian population only.

§ Including 7 deaths from Asiatic Cholera in Calcutta and from Plague 1 in Alexandria.

‖ The registration of births in Bombay is incomplete.

Table 3.—LONDON. { DEATHS REGISTERED in the Week ended 29th December, 1923, by ages and causes.

CAUSES OF DEATH.	DEATHS OF PERSONS of the AGES.											
	ALL AGES.	Under 1 year.	1–2 years.	2–5 years.	5–15 years.	15–25 years.	25–35 years.	35–45 years.	45–55 years.	55–65 years.	65–75 years.	75 years and upwards.
ALL CAUSES	1209	115	47	35	33	44	49	83	128	160	257	258
Enteric fever	–	–	–	–	–	–	–	–	–	–	–	–
Small-pox	–	–	–	–	–	–	–	–	–	–	–	–
Measles	38	4	17	15	2	–	–	–	–	–	–	–
Scarlet fever	–	–	–	–	–	–	–	–	–	–	–	–
Whooping cough	6	1	4	1	–	–	–	–	–	–	–	–
Diphtheria	14	–	3	3	7	1	–	–	–	–	–	–
Influenza	21	1	–	–	–	–	2	3	3	2	5	5
Erysipelas	3	2	–	–	–	–	–	–	–	–	1	–
Acute Poliomyelitis, Polioencephalitis	1	–	–	–	–	1	–	–	–	–	–	–
Encephalitis lethargica	–	–	–	–	–	–	–	–	–	–	–	–
Meningococcal meningitis	–	–	–	–	–	–	–	–	–	–	–	–
Tuberculosis :—												
Respiratory system	79	1	–	–	2	13	15	24	12	8	4	–
Nervous system	2	–	–	–	1	–	1	–	–	–	–	–
Intestines and peritoneum	5	–	–	1	1	1	1	–	–	1	–	–
Other forms	6	–	1	–	–	–	–	–	1	1	2	1
Venereal diseases	3	–	–	–	–	–	1	2	–	–	–	–
Cancer	121	–	–	–	–	1	6	7	25	27	37	18
Rheumatic fever	5	–	–	–	–	–	–	1	–	2	2	–
Diabetes	10	–	–	–	–	1	–	–	1	3	4	1
Alcoholism	–	–	–	–	–	–	–	–	–	–	–	–
Simple meningitis	1	1	–	–	–	–	–	–	–	–	–	–
Cerebral hæmorrhage, &c., Apoplexy	68	–	–	–	–	–	–	4	4	10	26	24
Epilepsy	5	–	–	1	–	1	–	–	–	1	1	1
"Convulsions" (not puerperal) ..	4	4	–	–	–	–	–	–	–	–	–	–
Other diseases of nervous system ..	22	2	–	–	4	2	2	2	4	2	3	1
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–
Acute endocarditis	8	–	–	–	–	1	2	2	1	2	–	–
Other diseases of heart	168	–	–	–	2	7	4	6	17	30	50	52
Other diseases of circulatory system	43	–	–	–	–	–	–	–	3	6	14	20
Bronchitis	136	12	2	–	2	–	–	4	11	17	33	55
Broncho-pneumonia	85	26	9	8	1	1	4	3	6	6	10	11
Lobar-pneumonia	42	3	3	2	1	2	2	7	8	6	4	4
Pneumonia (type not distinguished) ..	14	1	1	–	1	1	–	–	2	3	2	3
Other diseases of respiratory system	13	–	–	–	–	2	–	1	2	4	4	–
Diarrhœa and enteritis	18	13	2	–	–	1	1	–	–	–	–	1
Appendicitis, Typhlitis	11	–	–	1	5	1	–	2	–	1	–	1
Hernia, Intestinal obstruction	11	1	2	–	–	–	1	–	1	2	3	1
Cirrhosis of liver	6	–	–	–	–	–	–	–	1	2	3	–
Other diseases of digestive system ..	36	1	–	2	1	1	1	7	8	3	7	5
Acute nephritis	5	1	–	–	–	–	–	2	–	–	1	1
Chronic Bright's disease	27	–	–	–	–	3	1	–	5	6	7	5
Other diseases of genito-urinary system.	15	–	–	–	–	–	–	–	2	4	6	3
Puerperal sepsis	5	–	–	–	–	–	3	2	–	–	–	–
Other causes incident to childbirth ..	–	–	–	–	–	–	–	–	–	–	–	–
Congenital malformations	14	12	1	–	–	–	1	–	–	–	–	–
Premature birth	18	18	–	–	–	–	–	–	–	–	–	–
Debility, atrophy (congenital)	3	3	–	–	–	–	–	–	–	–	–	–
Old age	39	–	–	–	–	–	–	–	–	1	5	33
Suicide	5	–	–	–	–	–	–	–	1	1	2	1
Burns and scalds	6	–	1	–	1	–	–	–	–	–	3	1
Drowning	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation in bed	2	2	–	–	–	–	–	–	–	–	–	–
Vehicles and horses	14	–	–	–	2	1	–	–	3	4	3	1
Other deaths by violence	15	–	–	–	–	–	1	2	3	3	3	3
Other specified causes	35	6	–	1	–	2	–	2	4	2	12	6
Ill-defined causes	1	–	1	–	–	–	–	–	–	–	–	–

Table 4.

PART I.—CITY OF LONDON AND METROPOLITAN BOROUGHS.
PART II.—BOROUGHS AND OTHER URBAN DISTRICTS AND RURAL DISTRICTS.
PART III.—PORT SANITARY DISTRICTS.
PART IV.—ENGLAND AND WALES.

Cases of certain Infectious Diseases notified in the week ended 29th December, 1923.

PART I.—LONDON, including CITY OF LONDON and METROPOLITAN BOROUGHS.

LONDON.	Small-pox.	Scarlet Fever	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
COUNTY OF LONDON	–	172	185	3	127	C. 4 D. 1 L. 1 M. 10
†CITY OF LONDON	–	3	–	–	–	–
Metropolitan Boroughs :—						
†BATTERSEA ...	–	7	5	–	12	–
†BERMONDSEY ...	–	5	11	–	–	M. 1
†BETHNAL GREEN	–	3	6	–	4	–
†CAMBERWELL ...	–	9	12	–	4	C. 1 M. 1
†CHELSEA	–	–	2	–	2	–
†DEPTFORD ...	–	9	7	–	–	–
†FINSBURY ...	–	2	5	–	2	–
†FULHAM	–	11	5	–	10	C. 1
†GREENWICH ...	–	4	5	–	–	–
†HACKNEY ...	–	8	9	–	–	–
†HAMMERSMITH ...	–	4	10	–	2	C. 1
†HAMPSTEAD ...	–	5	–	–	2	–
†HOLBORN... ...	–	1	3	–	3	–

LONDON	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
Metropolitan Boroughs—*cont.*						
†ISLINGTON ...	–	20	11	–	3	M. 1
†KENSINGTON ...	–	–	3	–	–	M. 2
†LAMBETH ...	–	9	15	1	3	C. 1
†LEWISHAM ...	–	6	4	–	1	–
†PADDINGTON ...	–	7	2	–	8	M. 1
†POPLAR	–	5	4	–	20	M. 1
†ST. MARYLEBONE	–	3	2	–	1	L. 1
†ST. PANCRAS ...	–	5	4	–	4	M. 1
†SHOREDITCH ...	–	6	17	–	5	–
†SOUTHWARK ...	–	9	19	–	6	–
†STEPNEY	–	11	15	–	14	M. 1
†STOKE NEWINGTON.	–	3	–		–	–
†WANDSWORTH ...	–	11	5	1	15	D. 1
†WESTMINSTER, CITY OF	–	–	2	1	2	M. 1
†WOOLWICH ...	–	6	2	–	4	–

† Population over 10,000.
‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
BEDFORD	–	5	1	–	3	–
Boroughs and Urban Districts:—						
†BEDFORD... ...	–	–	–	–	2	–
LEIGHTON BUZZARD	–	1	–	–	–	–
†LUTON	–	3	–	–	–	–
Rural Districts:—						
AMPTHILL ...	–	–	1	–	1	–
BEDFORD ...	–	1	–	–	–	–
BERKS	–	6	6	1	3	–
†READING C.B. ...	–	2	–	–	2	–
Boroughs and Urban Districts:—						
†MAIDENHEAD ...	–	–	–	1	–	–
Rural Districts:—						
ABINGDON ...	–	2	1	–	–	–
BRADFIELD ...	–	–	–	–	1	–
COOKHAM ...	–	–	3	–	–	–
EASTHAMPSTEAD	–	–	1	–	–	–
HUNGERFORD ...	–	1	–	–	–	–
WALLINGFORD ...	–	1	–	–	–	–
WOKINGHAM ...	–	–	1	–	–	–
BUCKINGHAM ...	–	9	1	–	–	–
Boroughs and Urban Districts:—						
†AYLESBURY ...	–	1	–	–	–	–
†CHEPPING WYCOMBE ...	–	4	1	–	–	–
ETON	–	1	–	–	–	–
Rural Districts:—						
AYLESBURY ...	–	1	–	–	–	–
WING	–	2	–	–	–	–
WYCOMBE ...	*	*	*	*	*	*

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CAMBRIDGE ...	–	8	2	–	1	–
Borough:—						
†CAMBRIDGE ...	–	1	2	–	1	–
Rural Districts:—						
MELBOURN ...	–	7	–	–	–	–
CHESTER	–	35	13	–	35	G. 1 L. 1 M. 3
†BIRKENHEAD C.B.	–	6	2	–	12	M. 1
†CHESTER C.B. ...	–	–	1	–	3	–
†STOCKPORT C.B.	–	4	2	–	–	M. 1
†WALLASEY C.B. ...	–	1	2	–	2	–
Boroughs and Urban Districts:—						
BOLLINGTON ...	–	2	–	–	–	–
BOWDON	*	*	*	*	*	*
BREDBURY AND ROMILEY	–	2	–	–	1	–
†CHEADLE AND GATLEY	–	–	–	–	1	–
†CREWE	–	2	1	–	4	–
†DUKINFIELD ...	–	–	–	–	1	G. 1
HOOLE	–	–	1	–	–	–
†HOYLAKE AND WEST KIRBY	–	–	1	–	–	–
†HYDE	–	1	–	–	2	–
LYMM	*	*	*	*	*	*
†MACCLESFIELD ...	–	1	–	–	–	L. 1
MIDDLEWICH ...	–	–	2	–	–	–
NESTON AND PARKGATE	–	–	–	–	1	–
†RUNCORN... ...	–	1	–	–	3	M. 1
†SALE	–	1	–	–	–	–
SANDBACH ...	–	5	–	–	–	–
†STALYBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
BUCKLOW ...	–	–	–	–	1	–
CHESTER	–	1	–	–	–	–
CONGLETON ...	–	1	1	–	–	–

* Returns not received. † Population over 10,000.

, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio-
, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CHESTER—*cont.*						
Rural Districts—*cont.*						
MACCLESFIELD ...	–	3	–	–	1	–
MALPAS	–	1	–	–	–	–
NORTHWICH ...	–	1	–	–	–	–
WIRRAL	–	2	–	–	2	–
CORNWALL ...	–	6	1	–	3	–
Boroughs and Urban Districts:—						
†FALMOUTH ...	–	1	–	–	–	–
LUDGVAN ...	–	–	1	–	–	–
†PENZANCE ...	–	1	–	–	–	–
TORPOINT ...	–	–	–	–	2	–
WADEBRIDGE ...	–	–	–	–	1	–
Rural Districts:—						
EAST KERRIER ...	–	1	–	–	–	–
LISKEARD ...	–	2	–	–	–	–
SAINT GERMANS...	–	1	–	–	–	–
CUMBERLAND ...	–	11	6	–	3	–
†CARLISLE C.B. ...	–	2	4	–	–	–
Boroughs and Urban Districts:—						
COCKERMOUTH ...	–	1	–	–	–	–
EGREMONT ..	–	–	1	–	–	–
HOLME CULTRAM	–	1	–	–	–	–
†MARYPORT ...	–	2	–	–	–	–
MILLOM	–	–	–	–	2	–
†WHITEHAVEN ...	–	1	–	–	–	–
†WORKINGTON ...	–	1	–	–	–	–
Rural Districts:—						
CARLISLE ...	*	*	*	*	*	*
COCKERMOUTH ...	–	2	1	–	–	–
WHITEHAVEN ...	–	1	–	–	–	–
WIGTON	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
DERBY	23	25	15	1	24	M. 1
†DERBY C.B. ...	–	6	–	–	9	–
Boroughs and Urban Districts:—						
†ALFRETON ...	–	–	3	–	1	–
†BELPER	–	–	–	–	–	M. 1
†BOLSOVER ...	1	–	–	–	–	–
†BUXTON	–	1	–	–	–	–
†CHESTERFIELD ...	2	–	1	–	–	–
CLAY CROSS ...	*	*	*	*	*	*
DRONFIELD ...	–	–	–	1	–	–
†GLOSSOP	–	1	–	–	–	–
†HEANOR	1	1	–	–	–	–
†ILKESTON ...	–	1	–	–	2	–
†LONG EATON ...	–	1	–	–	3	–
MATLOCK BATH AND SCARTHIN NICK	*	*	*	*	*	*
NEW MILLS ...	–	1	1	–	–	–
†SWADLINCOTE DISTRICT	2	1	–	–	1	–
Rural Districts:—						
BELPER	–	3	–	–	1	–
BLACKWELL ...	9	3	–	–	1	–
CHAPEL EN LE FRITH	–	1	–	–	1	–
CHESTERFIELD ..	–	3	7	–	–	–
CLOWNE	–	–	1	–	–	–
HARTSHORN AND SEALS	–	–	–	–	2	–
NORTON	–	–	1	–	–	–
REPTON	–	–	1	–	–	–
SHARDLOW ...	8	2	–	–	3	–
DEVON	–	19	6	–	5	M. 2
†PLYMOUTH C.B....	–	7	3	–	2	M. 2
Boroughs and Urban Districts:—						
ASHBURTON ...	–	1	–	–	–	–
†NEWTON ABBOT...	–	1	–	–	–	–
SALCOMBE ...	–	1	–	–	–	–
SIDMOUTH ...	–	–	–	–	1	–
†TEIGNMOUTH ...	–	–	–	–	2	–
†TORQUAY ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DEVON—*cont.*						
Rural Districts:—						
HONITON	–	2	–	–	–	–
OKEHAMPTON ...	–	1	–	–	–	–
PLYMPTON ST. MARY	–	–	3	–	–	–
ST. THOMAS ...	–	1	–	–	–	–
TAVISTOCK ...	–	2	–	–	–	–
TORRINGTON ...	–	1	–	–	–	–
TOTNES	–	1	–	–	–	–
DORSET	–	6	–	–	–	C. 1
Boroughs and Urban Districts:—						
†PORTLAND ...	–	1	–	–	–	C. 1
SWANAGE... ..	–	5	–	–	–	–
DURHAM	–	80	18	1	50	M. 5
†DARLINGTON C.B.	–	1	–	–	7	–
†GATESHEAD C.B.	–	6	4	–	2	–
†SOUTH SHIELDS C.B.	–	8	2	–	2	M. 2
†SUNDERLAND C.B.	–	3	3	–	5	–
†WEST HARTLEPOOL C.B.	–	6	–	–	–	–
Boroughs and Urban Districts:—						
†ANNFIELD PLAIN	–	1	3	–	–	–
BARNARD CASTLE	–	1	–	–	–	–
BENFIELDSIDE ...	–	–	–	–	1	–
BILLINGHAM ...	–	1	–	–	–	–
†BISHOP AUCKLAND	–	–	–	–	–	M. 1
†BLAYDON... ...	–	3	–	–	–	–
†BRANDON AND BYSHOTTLES	–	–	–	–		–
†CHESTER LE STREET	–	5	–	–	–	–
†CONSETT	–	1	–	–	–	–
†CROOK	–	–	1	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
DURHAM—*cont.*						
Boroughs and Urban Districts—*cont.*						
†FELLING	–	1	–	–	4	–
†HETTON	–	1	–	–	5	–
†JARROW	–	2	–	–	3	–
LEADGATE ...	–	1	2	–	–	–
†SEAHAM HARBOUR	–	–	–	–	3	–
†SHILDON	–	–	2	–	–	–
†SPENNYMOOR ...	–	3	–	–	–	–
†STANLEY	–	4	–	–	–	M. 1
†STOCKTON ON TEES	–	6	–	–	3	–
†TANFIELD ...	–	2	–	–	–	–
†WASHINGTON ...	–	3	1	–	–	–
†WHICKHAM ...	–	1	–	–	–	–
WILLINGTON ...	–	4	–	–	1	–
Rural Districts:—						
AUCKLAND ...	*	*	*	*	*	*
CHESTER LE STREET	–	5	–	–	2	–
DURHAM	–	3	–	–	–	–
EASINGTON ...	–	2	–	–	2	–
HOUGHTON LE SPRING	–	2	–	–	4	–
LANCHESTER ...	–	1	–	1	–	–
SEDGEFIELD ...	–	1	–	–	–	–
STOCKTON ...	–	1	–	–	–	–
SUNDERLAND ...	–	1	–	–	5	M. 1
WEARDALE ...	*	*	*	*	*	*
ELY, ISLE OF ...	–	–	1	–	–	M. 1
Boroughs and Urban Districts:—						
CHATTERIS ...	*	*	*	*	*	*
ELY	–	–	1	–	–	–
MARCH	–	–	–	–	–	M. 1
ESSEX	–	42	3	–	16	C. 2 M. 3
†EAST HAM C.B. ...	–	2	2	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
ESSEX—*cont.*						
†SOUTHEND-ON-SEA C.B.	–	2	–	–	3	–
†WEST HAM C.B. ...	–	11	24	–	3	M. 1
Boroughs and Urban Districts:—						
†BARKING TOWN...	–	–	–	–	–	M. 1
†COLCHESTER ...	–	2	–	–	–	–
†GRAYS THURROCK	*	*	*	*	*	*
HALSTEAD ...	–	2	–	–	–	–
†HARWICH ...	–	–	2	–	–	–
†ILFORD	–	5	1	–	1	–
†LEYTON	–	8	1	–	1	M. 1
MALDON	–	–	–	–	1	–
SHOEBURYNESS ...	–	–	–	–	1	C. 2
†WALTHAMSTOW ...	–	1	2	–	1	–
†WANSTEAD ...	–	3	–	–	–	–
†WOODFORD ...	–	1	–	–	2	–
Rural Districts:—						
BILLERICAY ...	–	1	–	–	–	–
BRAINTREE ...	–	–	1	–	1	–
BUMPSTEAD ...	–	1	–	–	–	–
DUNMOW	–	–	–	–	1	–
LEXDEN AND WINSTREE	–	1	–	–	–	–
MALDON	–	–	–	–	1	–
ORSETT	–	2	–	–	–	–
GLOUCESTER ...	22	34	20	9	22	C. 2 M. 1
†BRISTOL C.B. ...	–	19	15	–	14	C. 1
†GLOUCESTER C.B.	–	2	–	4	1	–
Boroughs and Urban Districts:—						
†CHELTENHAM ...	–	–	1	4	1	M. 1
CIRENCESTER ...	–	1	–	–	–	–
COLEFORD ...	–	1	–	–	–	–
STROUD	–	1	–	–	–	–
WESTBURY ON SEVERN	–	–	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
GLOUCESTER—*cont*						
Rural Districts:—						
DURSLEY... ...	–	–	–	–	2	–
EAST DEAN AND UNITED PARISHES ...	22	4	4	–	–	–
NEWENT	–	–	–	–	–	C. 1
THORNBURY ...	–	–	–	–	4	–
WEST DEAN ...	–	6	–	–	–	–
HEREFORD ...	–	6	3	–	–	–
Boroughs and Urban Districts:—						
LEOMINSTER ...	–	4	–	–	–	–
Rural Districts:—						
DORE	–	1	–	–	–	–
HEREFORD ...	–	–	2	–	–	–
KINGTON	–	–	1	–	–	–
WIGMORE ...	–	1	–	–	–	–
HERTFORD ...	–	13	1	3	–	–
Boroughs and Urban Districts:—						
†EAST BARNET VALLEY	–	3	–	–	–	–
GREAT BERKHAMPSTEAD	–	2	–	–	–	–
HARPENDEN ...	–	2	–	–	–	–
†HERTFORD ...	–	1	–	1	–	–
†HITCHIN	–	3	–	–	–	–
†ST. ALBANS ...	–	–	–	1	–	–
†WATFORD ...	–	1	1	–	–	–
Rural Districts:—						
BERKHAMPSTEAD	–	1	–	–	–	–
ST. ALBANS ...	–	–	–	1	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
HUNTINGDON ...	–	1	1	–	1	–
Boroughs and Urban Districts:—						
HUNTINGDON ...	–	–	1	–	–	–
OLD FLETTON ...	–	1	–	–	–	–
Rural Districts:—						
ST. NEOTS, No. 1 ..	–	–	–	–	1	–
ST. NEOTS, No. 2 ..	*	*	*	*	*	*
KENT	–	22	10	1	16	M. 3
Boroughs and Urban Districts:—						
†BECKENHAM ...	–	–	–	–	1	–
†BROMLEY ...	–	1	–	–	1	–
†CHATHAM ...	–	1	–	–	–	–
CHERITON ...	–	1	–	–	–	–
†DOVER	–	3	–	1	–	M. 1
†ERITH	–	2	–	–	–	–
†FAVERSHAM ...	–	–	1	–	–	–
†FOLKESTONE ...	–	2	–	–	2	–
†GILLINGHAM ...	–	2	1	–	–	–
†GRAVESEND ...	–	–	2	–	–	–
†HERNE BAY ...	–	–	2	–	1	–
LYDD	–	–	–	–	1	–
†MAIDSTONE ...	–	1	–	–	–	–
†MARGATE ...	–	2	1	–	–	–
†NORTHFLEET ...	–	1	–	–	–	–
†PENGE	–	–	–	–	2	–
†RAMSGATE ...	–	–	–	–	1	M. 1
†ROCHESTER ...	–	–	–	–	2	–
†ROYAL TUNBRIDGE WELLS	–	–	–	–	1	M. 1
SANDWICH ...	–	–	–	–	1	–
SEVENOAKS ...	–	1	–	–	–	–
SIDCUP	–	–	1	–	–	–
SITTINGBOURNE	–	–	–	–	1	–
Rural Districts:—						
BROMLEY ...	–	3	–	–	–	–
EASTRY	–	–	–	–	1	–
FAVERSHAM ...	–	1	–	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
KENT—*cont.*						
Rural Districts— *cont.*						
†MAIDSTONE ...	–	–	1	–	–	–
MILTON	–	1	–	–	–	–
STROOD	–	–	1	–	–	–
TONBRIDGE ...	–	–	–	–	1	–
LANCASTER ...	–	184	60	2	262	C. 4 G. 3 L. 3 M. 18
†BARROW IN FURNESS C.B.	–	7	1	–	–	–
†BLACKBURN C.B.	–	–	–	–	3	–
†BLACKPOOL C.B.	–	3	–	–	–	–
†BOLTON C.B. ...	–	6	–	–	4	–
†BOOTLE C.B. ...	–	–	3	–	1	–
†BURNLEY C.B. ...	–	3	2	–	4	–
†BURY C.B. ...	–	4	–	–	5	–
†LIVERPOOL C.B. ...	–	43	13	–	46	G. 1 M. 8
†MANCHESTER C.B.	–	22	7	1	56	C. 2 M. 3
†OLDHAM C.B. ...	–	4	2	–	6	–
†PRESTON C.B. ...	–	2	–	–	–	–
†ROCHDALE C.B. ...	–	7	1	–	–	–
†ST. HELENS C.B. ...	–	4	3	–	6	G. 1 L. 2
†SALFORD C.B. ...	–	3	3	–	7	C. 1 M. 1
†SOUTHPORT C.B.	–	3	–	–	1	G. 1
†WARRINGTON C.B.	–	2	2	–	5	–
†WIGAN C.B. ...	–	–	–	1	11	–
Boroughs and Urban Districts:—						
ABRAM	–	–	–	–	2	–
†ACCRINGTON ...	–	–	–	–	3	–
ADLINGTON ...	–	1	–	–	–	–
†ASHTON IN MAKERFIELD	–	2	1	–	2	–
†ASHTON UNDER LYNE	–	3	1	–	–	M. 1
†ATHERTON ...	–	5	–	–	4	–
†BACUP	–	1	–	–	–	–
BARROWFORD ...	–	–	–	–	1	–
BLACKROD ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K. Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†CHADDERTON ...	–	1	–	–	3	–
CHURCH	–	1	–	–	–	–
†COLNE	–	1	4	–	1	–
†DENTON	–	1	–	–	4	–
†DROYLSDEN ...	–	–	–		3	M. 1
†ECCLES	–	–	–	–	4	–
†FAILSWORTH ...	–	–	1	–	2	–
†FARNWORTH ...	–	–	–	–	2	–
†FLEETWOOD ...	–	–	2	–	–	–
FORMBY	–	1	–	–	–	–
†HAYDOCK ...	–	3	–	–	–	–
†HEYWOOD ...	–	–	–	–	8	–
†HINDLEY... ...	–	–	–	–	8	–
HURST	–	1	1	–	–	–
HUYTON WITH ROBY ...	*	*	*	*	*	*
†INCE IN MAKERFIELD	–	–	–	–	4	–
IRLAM	–	–	–	–	2	–
KEARSLEY ...	–	–	–	–	1	–
KIRKHAM ..	–	1	–	–	–	–
†LANCASTER ...	–	1	2	–	2	–
†LEIGH	–	4	1	–	2	–
LEYLAND... ...	–	–	1	–	–	–
†LITHERLAND ...	–	1	–	–	–	–
†LYTHAM, ST. ANNE'S	–	–	–	–	2	–
†MIDDLETON ...	–	1	1	–	4	–
†MORECAMBE ...	–	3	–	–	–	–
†NELSON	–	–	–	–	1	–
†NEWTON IN MAKERFIELD	–	–	1	–	5	–
NORDEN	–	–	–	–	1	–
†OSWALDTWISTLE	–	–	–	–	–	M. 1
PREESALL ...	*	*	*	*	*	*
†PRESTWICH ...	–	3	–	–	–	–
†RADCLIFFE ...	–	–	–	–	1	–
†RAMSBOTTOM ...	–	–	–	–	1	–
†RAWTENSTALL ...	–	–	–	–	1	–
RISHTON	–	–	1	–	–	–
†ROYTON	–	1	–	–	3	–
†STRETFORD... ...	–	5	–	–	3	M. 1
†SWINTON AND PENDLEBURY	–	3	–	–	3	–
TOTTINGTON ...	–	–	–	–	2	M. 1
TRAWDEN ...	–	1	–	–	–	–
LANCASTER—*cont.*						
Boroughs and Urban Districts—*cont.*						
†TYLDESLEY WITH SHAKERLEY	–	–	2	–	4	–
†ULVERSTON ...	–	1	–	–	–	–
URMSTON... ..	–	–	–	–	2	–
†WALTON LE DALE	–	–	1	–	–	–
†WATERLOO WITH SEAFORTH	–	1	1	–	–	–
†WESTHOUGHTON	–	1	–	–	1	–
†WIDNES	–	10	–	–	8	–
Rural Districts:—						
BURNLEY... ...	–	–	–	–	–	C. 1
CLITHEROE ...	–	–	–	–	1	L. 1
GARSTANG ...	–	1	1	–	–	–
LANCASTER ...	–	1	–	–	–	–
LEIGH	–	5	–	–	–	–
LIMEHURST ...	–	1	–	–	1	M. 1
PRESTON	–	2	–	–	–	–
ULVERSTON ...	–	1	–	–	1	–
WARRINGTON ...	–	–	–	–	2	–
WEST LANCASHIRE	–	–	1	–	1	–
WHISTON... ...	–	1	–	–	–	–
LEICESTER... ...	12	5	9	–	6	M. 2
†LEICESTER C.B. ...	–	2	1	–	3	M. 1
Boroughs and Urban Districts:—						
ASHBY WOULDS...	12	–	–	–	–	–
†COALVILLE ...	–	–	2	–	–	–
MARKET HARBOROUGH	–	–	1	–	–	–
MELTON MOWBRAY	–	–	–	–	2	–
Rural Districts:—						
ASHBY DE LA ZOUCH	–	2	1	–	–	–
CASTLE DONNINGTON	–	–	–	–	–	M. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
LEICESTER—*cont.*						
Rural Districts—*cont.*						
LUTTERWORTH ...	–	–	1	–	–	–
MARKET BOSWORTH	–	–	3	–	–	–
MARKET HARBOROUGH	–	1	–	–	–	–
MELTON MOWBRAY	–	–	–	–	1	–
LINCOLN (parts of Holland).	–	2	1	–	3	–
Boroughs and Urban Districts:—						
HOLBEACH ...	–	–	–	–	1	–
LONG SUTTON ...	–	–	–	–	2	–
†SPALDING ...	–	1	–	–	–	–
Rural Districts:—						
BOSTON	–	1	–	–	–	–
CROWLAND ...	–	–	1	–	–	–
LINCOLN (parts of Kesteven).	–	–	–	–	2	–
Rural Districts:—						
BOURNE	–	–	–	–	1	–
GRANTHAM ...	–	–	–	–	1	–
LINCOLN (parts of Lindsey).	–	11	5	–	4	–
†GRIMSBY C.B. ...	–	5	–	–	2	–
†LINCOLN C.B. ...	–	–	5	–	1	–
LINCOLN (parts of Lindsey)—*cont.*						
Boroughs and Urban Districts:—						
†CLEETHORPES ...	–	3	–	–	1	–
†SCUNTHORPE AND FRODINGHAM	–	1	–	–	–	–
Rural Districts:—						
GLANFORD BRIGG	–	2	–	–	–	–
MIDDLESEX ...	–	46	16	1	30	M. 3
Boroughs and Urban Districts:—						
†ACTON	–	1	1	–	–	M. 1
†BRENTFORD ...	–	–	1	–	1	–
†CHISWICK ...	–	2	–	–	–	–
†EALING	–	3	1	–	4	–
†EDMONTON ...	–	4	–	–	–	–
†ENFIELD	–	–	1	–	1	–
FELTHAM ...	–	–	–	–	1	–
†FINCHLEY ...	–	2	1	–	1	M. 1
†HAMPTON ...	–	–	–	–	2	–
†HANWELL ...	–	2	3	–	–	–
†HENDON	–	5	1	–	2	–
†HESTON AND ISLEWORTH	–	1	–	–	1	–
†HORNSEY... ...	–	1	2	–	2	–
RUISLIP NORTHWOOD	*	*	*	*	*	*
†SOUTHGATE ...	–	–	1	–	–	–
STAINES	–	4	–	–	–	–
†TOTTENHAM ...	–	8	–	–	6	–
†TWICKENHAM ...	–	1	–	–	–	–
†WEALDSTONE ...	–	–		–	1	–
†WEMBLEY ...	–	1	–	–	1	–
†WILLESDEN ...	–	6	3	1	4	M. 1
†WOOD GREEN ...	–	3	–	–	2	–
Rural Districts:—						
STAINES	–	1	1	–	–	–
UXBRIDGE ...	–	1	–	–	1	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORFOLK	–	27	3	–	3	–
†GREAT YARMOUTH C.B.	–	2	1	–	–	–
†NORWICH C.B. ...	–	16	–	–	1	–
Boroughs and Urban Districts:—						
†KING'S LYNN ...	–	–	–	–	1	–
THETFORD ...	*	*	*	*	*	*
Rural Districts:—						
DEPWADE ...	–	1	–	–	–	–
FOREHOE ...	–	1	–	–	–	–
HENSTEAD ...	–	2	–	–	–	–
MITFORD AND LAUNDITCH	–	1	–	–	–	–
ST. FAITH'S ...	–	–	1	–	–	–
THETFORD ...	–	–	–	–	1	–
WALSINGHAM ...	–	4	–	–	–	–
WAYLAND ...	–	–	1	–	–	–
NORTHAMPTON ...	–	37	2	1	9	D. 1 E. 1
†NORTHAMPTON C.B.	–	13	1	–	8	E. 1
Boroughs and Urban Districts:—						
†KETTERING ...	–	13	–	–	–	–
ROTHWELL ...	–	4	–	–	–	–
†RUSHDEN ...	–	2		–	–	–
†WELLINGBOROUGH	–	2	–	–	–	–
Rural Districts:—						
BRIXWORTH ...	–	1	1	–	–	–
DAVENTRY ...	–	–	–	–	1	–
KETTERING ...	–	1	–	–	–	–
MIDDLETON CHENEY	–	–	–	–	–	D. 1
NORTHAMPTON ...	–	1	–	1	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NORTHUMBERLAND	1	31	10	–	17	M. 3
†NEWCASTLE UPON TYNE C.B.	–	7	5	–	11	M. 3
†TYNEMOUTH C.B.	–	–	1	–	–	–
Boroughs and Urban Districts:—						
†BEDLINGTONSHIRE	–	3	–	–	1	–
†BLYTH	–	5	1	–	–	–
†EARSDON	–	–	1	–	–	–
†GOSFORTH ...	–	1	–	–	–	–
HEXHAM	–	–	–	–	2	–
†LONGBENTON ..	–	3	–	–	–	–
NEWBIGGIN BY THE SEA	*	*	*	*	*	*
SEATON DELAVAL	–	3	–	–	–	–
†WALLSEND ...	–	1	–	–	1	–
†WHITLEY AND MONKSEATON	–	2	2	–	1	–
Rural Districts:—						
ALNWICK... ...	–	1	–	–	–	–
CASTLE WARD ..	–	1	–	–	1	–
HALTWHISTLE ...	–	3	–	–	–	–
HEXHAM	–	1	–	–	–	–
MORPETH... ...	1	–	–	–	–	–
NOTTINGHAM ...	22	21	5	–	14	–
†NOTTINGHAM C.B.	–	7	1	–	5	–
Boroughs and Urban Districts:—						
†ARNOLD	–	1	–	–	–	–
†BEESTON	–	2	1	–	–	–
†CARLTON	–	1	–	–	1	–
†EAST RETFORD ...	–	1	–	–	2	–
†HUCKNALL ...	14	–	–	–	2	–
†KIRKBY IN ASHFIELD	7	1	–	–	2	
†MANSFIELD ...	–	6	1	–	–	–
†MANSFIELD WOODHOUSE	–	–	–	–	1	–
†NEWARK	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
NOTTINGHAM—*cont.*						
Rural Districts:—						
BASFORD	1	1	–	–	1	–
BINGHAM... ...	*	*	*	*	*	*
NEWARK	–	–	2	–	–	–
OXFORD	–	6	1	1	1	–
†OXFORD C.B. ...	–	3	–	–	–	–
Boroughs and Urban Districts:—						
WOODSTOCK ...	–	–	–	–	1	–
Rural Districts:—						
HEADINGTON ...	–	3	–	1	–	–
WITNEY	–	–	1	–	–	–
SALOP	–	6	1	–	5	G. 1
Boroughs and Urban Districts:—						
OSWESTRY ...	–	–	1	–	–	–
†SHREWSBURY ...	–	2	–	–	–	–
Rural Districts:—						
ATCHAM	–	1	–	–	–	–
BRIDGNORTH ...	–	–	–	–	–	G. 1
DRAYTON... ...	–	1	–	–	–	–
ELLESMERE ...	–	–	–	–	1	–
LUDLOW	–	–	–	–	2	–
NEWPORT ...	–	1	–	–	–	–
OSWESTRY ...	–	1	–	–	–	–
WEM	–	–	–	–	2	–
SOMERSET	–	14	2	–	6	–
†BATH C.B. ...	–	4	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
SOMERSET—*cont.*						
Boroughs and Urban Districts:—						
†BRIDGWATER ...	–	–	–	–	1	–
CHARD	–	2	–	–	1	–
CLEVEDON ...	–	1	–	–	–	–
†FROME	–	3	–	–	–	–
PORTISHEAD ...	*	*	*	*	*	*
STREET	–	1	–	–	1	–
†TAUNTON... ...	–	1	–	–	–	–
WIVELISCOMBE ...	–	–	–	–	1	–
Rural Districts:—						
AXBRIDGE ...	–	–	–	–	1	–
KEYNSHAM ...	–	–	2	–	–	–
YEOVIL	–	2	–	–	–	–
SOUTHAMPTON ...	–	28	20	–	12	–
†BOURNEMOUTH C.B.	–	–	1	–	1	–
†PORTSMOUTH C.B.	–	11	11	–	–	–
†SOUTHAMPTON C.B.	–	6	4	–	2	–
Boroughs and Urban Districts:—						
ANDOVER... ...	–	–	–	–	1	–
CHRISTCHURCH ...	–	2	–	–	–	–
†EASTLEIGH AND BISHOPSTOKE	–	–	1	–	1	–
†FAREHAM ...	–	–	–	–	2	–
†GOSPORT	–	1	–	–	–	–
WARBLINGTON ...	–	–	–	–	1	–
†WINCHESTER ...	–	1	–	–	–	–
Rural Districts:—						
ANDOVER... ...	–	–	1	–	1	–
BASINGSTOKE ...	–	–	2	–	–	–
DROXFORD ...	–	–	–	–	2	–
FORDINGBRIDGE..	–	1	–	–	1	–
NEW FOREST ...	–	2	–	–	–	–
RINGWOOD ...	–	2	–	–	–	–
ROMSEY	–	1	–	–	–	–
SOUTH STONEHAM	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
STAFFORD	–	43	15	1	45	C. 3 G. 1 M. 3
†BURTON UPON TRENT C.B.	–	2	1	–	–	–
†SMETHWICK C.B.	–	1	3	–	1	–
†STOKE ON TRENT C.B.	–	21	3	1	23	C. 1 G. 1 M. 1
†WALSALL C.B. ...	–	1	3	–	1	M. 1
†WEST BROMWICH C.B.	–	1	3	–	2	–
†WOLVERHAMPTON C.B.	–	4	–	–	3	C. 1
Boroughs and Urban Districts:—						
BIDDULPH ...	–	4	–	–	–	–
†BILSTON	–	2	–	–	–	–
†BROWNHILLS ...	–	1	–	–	–	–
†CANNOCK	–	–	–	–	1	–
†COSELEY	–	–	–	–	–	C. 1
KIDSGROVE ...	–	–	–	–	1	–
†ROWLEY REGIS ...	–	1	–	–	2	–
SHORT HEATH ...	–	–	–	–	1	–
†STAFFORD ...	–	–	–	–	1	–
TETTENHALL ...	–	–	–	–	1	–
†TIPTON	–	1	–	–	–	M. 1
†WILLENHALL ...	–	–	–	–	2	–
†WOLSTANTON UNITED	–	2	1	–	1	–
Rural Districts:—						
BLORE HEATH ...	–	–	–	–	1	–
CANNOCK	–	1	–	–	–	–
CHEADLE	–	–	–	–	2	–
LEEK	–	–	1	–	–	–
SEISDON	–	1	–	–	2	–
TUTBURY... ...	*	*	*	*	*	*
SUFFOLK, EAST ...	–	3	1	–	9	M. 2
†IPSWICH C.B. ...	–	–	1	–	3	M. 1
Boroughs and Urban Districts:—						
BUNGAY	–	–	–	–	1	–
LEISTON CUM SIZEWELL	–	1	–	–	–	–
†LOWESTOFT ...	–	1	–	–	1	–
SUFFOLK, EAST—*cont.*						
Rural Districts:—						
HARTISMERE ...	–	1	–	–	2	–
MUTFORD AND LOTHINGLAND	–	–	–	–	–	M. 1
SAMFORD... ...	–	–	–	–	1	–
WANGFORD ...	–	–	–	–	1	–
SUFFOLK, WEST ...	–	1	–	–	2	–
Rural Districts:—						
CLARE	–	–	–	–	2	–
COSFORD	–	1	–	–	–	–
SURREY	–	17	13	2	10	G. 1 L. 1 M. 1
†CROYDON C.B. ...	–	3	4	1	2	–
Boroughs and Urban Districts:—						
†BARNES	–	2	–	–	1	–
†BEDDINGTON AND WALLINGTON	–	–	2	–	1	–
†CATERHAM ...	–	1	–	–	–	–
†COULSDON AND PURLEY	–	1	–	–	1	–
EAST AND WEST MOLESEY	–	1	–	–	2	–
†ESHER AND THE DITTONS	–	–	1	–	–	–
†FRIMLEY	–	1	–	–	–	–
†GUILDFORD ...	–	2	–	–	–	–
†KINGSTON ON THAMES	–	2	1	–	–	–
†MITCHAM... ...	–	1	2	–	–	–
†RICHMOND ...	–	–	–	–	–	G. 1
†SURBITON ...	–	–	1	–	1	–
†WALTON UPON THAMES	–	–	–	–	1	–
†WIMBLEDON ...	–	–	2	–	–	–
†WOKING	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; encephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
SURREY—*cont.*						
Rural Districts:—						
EPSOM	–	–	–	–	1	–
GODSTONE ...	–	1	–	–	–	–
HAMBLEDON ...	–	1	–	1	–	M. 1
REIGATE	–	–	–	–	–	L. 1
SUSSEX, EAST ...	–	23	5	–	7	M. 3
†BRIGHTON C.B. ...	–	15	4	–	4	M. 1
†EASTBOURNE C.B.	–	1	–	–	–	–
†HASTINGS C.B. ...	–	1	–	–	2	–
Boroughs and Urban Districts:—						
BURGESS HILL ...	–	–	–	–	1	M. 1
†LEWES	–	1	–	–	–	–
PORTSLADE BY SEA	–	1	–	–	–	M. 1
Rural Districts:—						
CUCKFIELD ...	–	1	1	–	–	–
EAST GRINSTEAD	–	1	–	–	–	–
HAILSHAM ...	–	1	–	–	–	–
STEYNING EAST...	–	1	–	–	–	–
SUSSEX, WEST ...	–	4	1	–	3	–
Boroughs and Urban Districts:—						
†CHICHESTER ...	–	–	–	–	1	–
†HORSHAM ...	–	1	–	–	–	–
†WORTHING ...	–	–	1	–	–	–
Rural Districts:—						
HORSHAM ...	–	3	–	–	–	–
WESTBOURNE ...	–	–	–	–	1	–
WESTHAMPNETT	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
WARWICK	–	60	28	1	54	C. 3 D. 2 G. 1 L. 4 M. 2
†BIRMINGHAM C.B.	–	44	21	1	39	C. 3 G. 1 L. 4 M. 1
†COVENTRY C.B. ...	–	1	–	–	2	M. 1
Boroughs and Urban Districts:—						
KENILWORTH ...	–	–	1	–	–	–
†NUNEATON ...	–	4	–	–	3	–
†RUGBY	–	–	1	–	2	D. 1
Rural Districts:—						
ALCESTER ...	–	2	–	–	–	–
ATHERSTONE ...	–	–	–	–	1	–
FOLESHILL ...	–	1	–	–	1	–
MERIDEN... ...	–	5	3	–	4	–
RUGBY	–	1	1	–	2	D. 1
TAMWORTH (part)	–	2	1	–	–	–
WESTMORLAND ...	–	5	–	–	–	–
Boroughs and Urban Districts:—						
†KENDAL	–	4	–	–	–	–
Rural Districts:—						
SOUTH WESTMORLAND	–	1	–	–	–	–
WIGHT, ISLE OF ...	–	2	–	–	–	–
Boroughs and Urban Districts:—						
†COWES	–	1	–	–	–	–
SANDOWN ...	–	1	–	–	–	–

* Returns not received. † Population over 10,000.

C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polio- J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WILTS	–	2	–	–	3	C. 1
Boroughs and Urban Districts:—						
CALNE	–	1	–	–	–	–
†SWINDON... ...	–	–	–	–	1	–
Rural Districts:—						
HIGHWORTH ...	–	1	–	–	–	–
MERE	–	–	–	–	2	–
PEWSEY	–	–	–	–	–	C. 1
WORCESTER ...	–	15	3	–	6	M. 4
†WORCESTER C.B.	–	1	–	–	1	M. 1
Boroughs and Urban Districts:—						
BEWDLEY ...	–	–	–	–	–	M. 1
BROMSGROVE ...	–	1	–	–	–	–
†KIDDERMINSTER	–	2	1	–	–	–
†MALVERN ...	–	–	–	–	–	M. 1
NORTH BROMSGROVE	–	1	–	–	–	–
†OLDBURY... ...	–	2	1	–	3	–
†REDDITCH ...	–	2	–	–	1	–
†STOURBRIDGE ...	–	1	–	–	1	–
Rural Districts:—						
BROMSGROVE ...	–	2	–	–	–	–
EVESHAM ...	–	–	–	–	–	M. 1
KIDDERMINSTER	–	3	1	–	–	–
UPTON ON SEVERN	*	*	*	*	*	*
YORKS ... ... (East Riding.)	–	12	13	–	9	M. 2
†KINGSTON UPON HULL C.B.	–	10	12	–	5	M. 2

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (East Riding) *cont.*						
Boroughs and Urban Districts:—						
†BEVERLEY ...	–	1	–	–	1	–
HESSLE	–	1	–	–	1	–
POCKLINGTON ...	–	–	–	–	1	–
Rural Districts:—						
DRIFFIELD ...	–	–	1	–	–	–
PATRINGTON ...	*	*	*	*	*	*
POCKLINTON ...	*	*	*	*	*	*
SCULCOATES ...	–	–	–	–	1	–
YORKS ... ... (North Riding.)	–	32	3	–	5	–
†MIDDLESBROUGH C.B.	–	10	–	–	4	–
Boroughs and Urban Districts:—						
†ESTON	–	5	–	–	–	–
HINDERWELL ...	–	1	–	–	–	–
†REDCAR	–	–	1	–	–	–
RICHMOND ..	–	1	–	–	–	–
†THORNABY ON TEES	–	1	1	–	–	–
†WHITBY	–	5	–	–	–	–
Rural Districts:—						
KIRKBY MOORSIDE	–	1	–	–	1	–
RICHMOND ...	–	3	–	–	–	–
SCARBOROUGH ...	*	*	*	*	*	*
STOKESLEY ...	–	5	–	–	–	–
WHITBY	–	–	1	–	–	–
YORKS ... ... (West Riding.)	–	164	35	6	112	C. 4 D. 1 G. 1 M. 6
†BARNSLEY C.B. ...	–	2	1	–	2	–
†BRADFORD C.B. ...	–	9	3	–	11	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
YORKS (West Riding) —*cont.*						
†DEWSBURY C.B....	–	1	–	–	2	–
†HALIFAX C.B. ...	–	3	1	1	1	C. 1
†HUDDERSFIELD C.B.	–	4	2	–	6	–
†LEEDS C.B. ...	–	29	6	–	15	C. 2 M. 2
†ROTHERHAM C.B.	–	7	3	1	9	M. 1
†SHEFFIELD C.B....	–	25	4	–	30	C. 1 D. 1 G. 1 M. 1
†WAKEFIELD C.B.	–	2	3	1	–	–
Boroughs and Urban Districts:—						
ALTOFTS	–	1	–	–	–	–
BAILDON	*	*	*	*	*	*
†BATLEY	–	–	–	–	1	–
†BINGLEY	–	1	–	–	–	–
BIRSTAL	–	–	1	–	–	–
†BOLTON UPON DEARNE	–	3	–	–	3	–
†BRIGHOUSE ...	–	8	–	–	1	–
†CASTLEFORD ...	–	1	–	–	–	–
CLAYTON	–	1	–	–	–	–
CUDWORTH ...	–	3	–	–	–	–
†DARTON	–	–	–	–	1	–
DENHOLME ...	–	1	–	–	–	–
†DONCASTER ...	–	3	1	–	2	–
†FEATHERSTONE ...	–	6	–	–	–	–
†GOOLE	–	3	–	–	–	–
†HARROGATE ...	–	–	–	1	1	–
†HEMSWORTH ...	–	2	–	–	1	M. 1
HIPPERHOLME ...	–	1	–	–	1	–
†HOYLAND NETHER	–	–	1	–	3	–
ILKLEY	–	1	–	–	–	–
†KEIGHLEY ...	–	4	–	–	1	–
KNARESBOROUGH	–	–	1	–	–	–
KNOTTINGLEY ...	–	1	–	–	–	–
LUDDENDEN FOOT	–	2	–	–	–	–
†MEXBOROUGH ...	–	3	–	–	–	–
†MIRFIELD ...	–	–	–	–	1	–
†MORLEY	–	–	1	–	2	–
MYTHOLMROYD ...	*	*	*	*	*	*
†NORMANTON ...	*	*	*	*	*	*
YORKS (West Riding) —*cont.*						
Boroughs and Urban Districts—*cont.*						
OTLEY	–	1	–	–	–	–
†PONTEFRACT ...	–	4	–	1	–	–
†PUDSEY	–	1	1	–	–	–
†RAWMARSH ...	–	–	–	1	4	–
†ROTHWELL ...	–	–	1	–	1	–
SELBY	–	1	–	–	–	–
SKELMANTHORPE	–	–	1	–	–	–
†SPENBOROUGH ...	–	1	–	–	1	–
SPRINGHEAD ...	–	1	–	–	–	–
†STANLEY	–	–	1	–	4	–
†SWINTON	–	2	–	–	–	–
†WATH UPON DEARNE	–	2	–	–	–	–
WHITWOOD ...	–	1	–	–	–	–
†WOMBWELL ...	–	–	–	–	1	–
†WORSBOROUGH ...	–	1	–	–	–	–
Rural Districts—						
DONCASTER ...	–	–	–	–	2	–
GREAT OUSEBURN	–	–	–	–	1	–
HALIFAX	–	1	1	–	–	–
HEMSWORTH ...	–	5	–	–	–	M. 1
KIVETON PARK ...	–	2	–	–	1	–
PONTEFRACT ...	–	–	–	–	1	–
ROTHERHAM ...	–	8	–	–	–	–
SKIPTON	–	1	–	–	2	–
TADCASTER ...	–	3	1	–	–	–
WAKEFIELD ...	–	–	1	–	–	–
WETHERBY ...	–	1	–	–	–	–
WORTLEY ...	–	1	–	–	–	–
County Borough:—						
§†YORK	–	–	–	–	–	D. 1 M. 1

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

§ York C.B. is not associated with any the of three Ridings.

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
WALES.						
ANGLESEY	–	–	1	–	–	–
Rural Districts:—						
AETHWY	–	–	1	–	–	–
BRECKNOCK ...	–	3	–	–	4	–
Urban Districts:—						
BRYNMAWR ...	–	–	–	–	2	–
Rural Districts:—						
BRECKNOCK (MERTHYR CYNOG)	–	2	–	–	–	–
VAYNOR AND PENDERYN	–	–	–	–	2	–
YSTRADFELLTE (parish)	–	1	–	–	–	–
CARDIGAN	–	–	–	–	2	–
Rural Districts:—						
CARDIGAN ...	*	*	*	*	*	*
TREGARON ...	–	–	–	–	2	–
CARMARTHEN ...	–	3	4	–	2	G. 1
Boroughs and Urban Districts:—						
AMMANFORD ...	–	–	–	–	1	–
BURRY PORT ...	–	–	–	–	1	–
†LLANELLY ...	–	1	1	–	–	G. 1
Rural Districts:—						
LLANELLY ...	–	2	3	–	–	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).
CARNARVON ...	–	1	1	–	–	–
Boroughs and Urban Districts:—						
CARNARVON ...	–	–	1	–	–	–
Rural Districts:—						
CONWAY	–	1	–	–	–	–
DENBIGH	–	5	5	1	3	–
Boroughs and Urban Districts:—						
†COLWYN BAY AND COLWYN ...	–	1	5	–	–	–
DENBIGH... ...	–	–	–	–	1	–
Rural Districts:—						
LLANGOLLEN ...	–	1	–	–	–	–
LLANSILIN ...	–	2	–	–	–	–
WREXHAM ...	–	1	–	1	2	–
FLINT	–	1	1	–	4	–
Boroughs and Urban Districts:—						
HOLYWELL ...	–	–	–	–	1	–
†RHYL	–	1	–	–	–	–
Rural Districts:—						
HAWARDEN ...	–	–	1	–	–	–
HOLYWELL (HOLYWELL DIV.)	–	–	–	–	3	–
GLAMORGAN ...	–	37	39	–	20	C. 1 E. 1 M. 2
†CARDIFF C.B. ...	–	3	2	–	5	E. 1
†MERTHYR TYDFIL C.B.	–	1	6	–	2	–
†SWANSEA C.B. ...	–	6	5	–	–	–

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; encephalitis ; G, Encephalitis Lethargica ; H, Typhus Fever ; I, Relapsing Fever ;

Table 4 (*continued*).—PART II.—BOROUGHS and other URBAN DISTRICTS, and RURAL DISTRICTS.

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
GLAMORGAN—*cont.*						
Boroughs and Urban Districts:—						
†ABERDARE ...	–	3	–	–	1	–
†BARRY	–	1	2	–	–	–
†CAERPHILLY ...	–	1	3	–	–	–
†GELLIGAER ...	–	1	1	–	–	–
†MAESTEG... ...	–	–	–	–	1	–
†MOUNTAIN ASH...	–	–	–	–	–	M. 1
†NEATH	–	–	6	–	–	–
†OGMORE AND GARW	–	1	–	–	–	–
†PONTYPRIDD ...	–	1	–	–	1	–
PORTHCAWL ...	–	–	1	–	–	–
†PORT TALBOT ...	–	2	–	–	1	–
†RHONDDA ...	–	10	6	–	4	C. 1
Rural Districts:—						
CARDIFF	–	1	3	–	–	–
COWBRIDGE ...	–	–	–	–	1	–
LLANTRISANT AND LLANTWITFARDRE	–	–	–	–	2	–
NEATH	–	4	1	–	1	–
PENYBONT ...	–	–	1	–	–	–
PONTARDAWE ...	–	–	2	–	1	–
SWANSEA... ...	–	2	–	–	–	M. 1
MERIONETH ...	–	3	–	–	–	–
Urban Districts:—						
TOWYN	–	1	–	–	–	–
Rural Districts:—						
DOLGELLEY ...	–	2	–	–	–	–
MONMOUTH ...	–	16	5	2	26	M. 3
†NEWPORT C.B. ...	–	5	3	–	9	M. 1
Boroughs and Urban Districts:—						
†ABERCARN ...	–	4	–	–	–	–
ABERGAVENNY ...	–	2	–	–	–	–
†ABERTILLERY ...	–	–	–	1	–	–
BEDWAS AND MACHEN	–	–	–	–	1	–
CHEPSTOW ...	–	–	–	1	–	–
†EBBW VALE ...	–	4	1	–	–	–
LLANTARNAM ...	–	–	–	–	1	–

Boroughs, Urban and Rural Districts, and the Counties in which they are situate.	Small-pox	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see † note below).
MONMOUTH—*cont.*						
Boroughs and Urban Districts— *cont.*						
†MYNYDDISLWYN	–	1	–	–	–	–
†NANTYGLO AND BLAINA	–	–	–	–	13	M. 2
†RHYMNEY ...	–	–	1	–	–	–
†TREDEGAR ...	–	–	–	–	1	–
USK	–	–	–	–	1	–
MONTGOMERY ...	–	1	–	–	3	M. 1
Boroughs and Urban Districts:—						
LLANFYLLIN ...	–	–	–	–	–	M. 1
WELSHPOOL ...	–	–	–	–	1	–
Rural Districts:—						
FORDEN	–	–	–	–	1	–
LLANFYLLIN ...	–	1	–	–	1	–
PEMBROKE... ...	–	3	1	–	–	–
Boroughs and Urban Districts:—						
GOODWICK ...	*	*	*	*	*	*
MILFORD HAVEN	–	–	1	–	–	–
Rural Districts:—						
ST. DOGMELLS ...	–	3	–	–	–	–
RADNOR	–	–	1	–	–	–
Urban Districts:—						
PRESTEIGNE ...	–	–	1	–	–	–
Total of Part II. ...	80	1202	448	34	885	C. 21 D. 5 E. 2 G. 10 L. 9 M. 75

* Returns not received. † Population over 10,000.

C, Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-
J, Continued Fever; K, Trench Fever; L, Dysentery; M, Ophthalmia Neonatorum.

Part III.—Port Sanitary Districts.

Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below).	Name of Port Sanitary Districts.	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (see ‡ note below)
Barnstaple	*	*	*	*	*	*	Hull and Goole ...	1	–	–	–	–	–
Bristol	–	–	–	1	–	–	Liverpool	–	–	–	–	–	G. 1
Hartlepool	*	*	*	*	*	*							
							Total of Part III.... ...	1	–	–	1	–	G. 1

* Returns not received. † Population over 10,000.

‡ The letters in this column denote the following diseases :—A, Cholera ; B, Plague ; C, Puerperal Fever ; D, Cerebro-Spinal Fever ; E, Acute Poliomyelitis ; F, Acute Polioencephalitis ; G, Encephalitis Lethargica : H. Typhus Fever ; I, Relapsing Fever ; J, Continued Fever ; K, Trench Fever ; L, Dysentery ; M, Ophthalmia Neonatorum.

Table 4 (*continued*).—PART IV.—ENGLAND AND WALES.

—	Small-pox.	Scarlet Fever.	Diphtheria.	Enteric Fever.	Pneumonia.	Other Diseases (*see* ‡ note below).
Total of Part I.—London	–	172	185	3	127	C. 4 D. 1 L. 1 M. 10
Total of Part II.—Boroughs and other Urban Districts, and Rural Districts, outside London.	80	1202	448	34	885	C. 21 D. 5 E. 2 G. 10 L. 9 M. 75
Total of Part III.—Port Sanitary Districts	1	–	–	1	–	G. 1
Total (*i.e.*, of returns received), England and Wales ...	81	1374	633	38	1012	C. 25 D. 6 E. 2 G. 11 L. 10 M. 85

‡ The letters in this column denote the following diseases:—A, Cholera; B, Plague; , Puerperal Fever; D, Cerebro-Spinal Fever; E, Acute Poliomyelitis; F, Acute Polio-ncephalitis; G, Encephalitis Lethargica; H, Typhus Fever; I, Relapsing Fever; J, Continued ever; K, Trench Fever; L, Dysentery; M, Opthalmia Neonatorum.

There were no cases of Cholera, Plague or Typhus Fever notified during the week. The ses of Small-pox notified appear on pages 1464, 1466, 1468, 1470, 1471, and 1478.

Table 5.—LONDON and GREAT TOWNS in the AGGREGATE. { BIRTHS, DEATHS (distinguishing certain CAUSE and DEATHS of INFANTS under 1 YEAR o AGE) and NOTIFIED CASES of certain IN FECTIOUS DISEASES in the last THIRTEE WEEKS.

Week ended :—	Oct. 6.	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec 29.
LONDON :—													
DEATHS—all ages	831	869	853	885	905	822	947	1,037	1,335	1,339	1,423	1,219	1,20
„ 0 to 1 year ..	128	129	104	119	104	75	109	87	106	125	120	99	11
GREAT TOWNS, aggregate (including London) :—													
BIRTHS	6,905	7,078	7,464	7,182	7,721	6,870	7,128	7,233	6,645	6,801	7,335	6,837	5,38
DEATHS—all ages	3,474	3,650	3,579	3,676	3,619	3,734	4,179	4,328	5,232	5,501	5,411	4,961	5,04
„ 0 to 1 year ..	454	468	464	473	457	448	505	507	528	588	594	563	63
ENTERIC FEVER—Cases	35	53	44	29	40	31	30	33	13	27	22	31	1
„ Deaths	8	4	7	1	3	6	2	1	2	1	2	3	—
SMALL POX—Cases ..	16	26	4	7	9	3	7	1	—	1	3	5	
„ Deaths ..	—	—	—	—	—	—	—	1	—	—	1	—	—
SCARLET FEVER—Cases	956	995	1,013	1,158	1,120	988	1,104	938	1,026	993	1,005	735	82
„ Deaths	8	11	15	8	9	11	6	8	15	9	10	13	
DIPHTHERIA—Cases ..	450	525	498	536	585	480	491	529	428	520	512	437	50
„ Deaths ..	22	22	25	25	33	36	18	30	29	27	26	29	3
MEASLES—Deaths ..	10	8	15	16	19	21	20	29	56	55	54	52	5
INFLUENZA—Deaths ..	31	40	33	29	37	35	55	58	68	103	92	103	9

Table 6.—METEOROLOGY in certain Towns during the Week ended Saturday, 29th December, 1923. (*Supplied by the Meteorological Office.*)

TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡	TOWNS.	Temperature of Air.* Highest.	Lowest.	Mean Maximum.	Mean Minimum.	Rainfall in Millimetres.‡
	°	°	°	°			°	°	°	°	
LONDON (GREENWICH).	50	24	44·4	31·7	28	BRADFORD ..	41	24	37·9	29·6	41
BRIGHTON ..	51	27	46·4	32·6	33	SHEFFIELD ..	Not received.				
PORTSMOUTH ..	50	26	47·1	37·3	31	YORK (MUSEUM)	42	25	37·3	30·6	32
NORWICH (EATON).	40	26	38·1	30·7	31	HULL (PEARSON PARK).	42	25	38·4	30·7	35
PLYMOUTH ..	52	30	50·6	41·1	32	TYNEMOUTH ..	42	26	37·9	32·4	15
BRISTOL (CLIFTON).	50	27	47·1	35·1	29	CARDIFF	51	27	48·3	35·3	45
BIRMINGHAM (EDGBASTON)	47	25	40·6	33·3	23	EDINBURGH ..	39·0	27·0	36·7	29·1	12
NOTTINGHAM ..	43	24	38·0	32·7	34	GLASGOW ..	40·4	18·1	37·3	30·4	30
BIRKENHEAD (BIDSTON).	47	30	43·9	34·9	31	DUBLIN (PHŒNIX PARK).	51·5	24·3	48·4	34·7	20
MANCHESTER (WHITWORTH PARK).	45	24	40·4	32·4	40	(FITZWILLIAM SQUARE†).	52·0	29·9	49·4	37·1	21
BURNLEY	42	20	38·7	29·2	32	BELFAST	54·0	30·0	45·9	38·5	49
HUDDERSFIELD	46	25	40·0	30·4	24						

* The hours of observation are given in the Monthly Weather Report of the Meteorological Office.
† Kindly furnished by Sir John W. Moore, M.A., M.D., D.Sc., F.R.Met. Soc., Dublin.
‡ 1 millimetre = ·04 inch nearly ; 1 inch = 25·4 millimetres exactly

Table 7.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 29th December, 1923.

[*Under the Superintendence of the Astronomer Royal.*]

1923. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity. (Saturation equals 100.)	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 4 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 50 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.
DECEMBER.			in.	°	°	°	°		°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.
SUNDAY -	23	Greatest Declination N. Full.	29·570	45·2	36·3	8·9	40·6	+ 2·4	32·4	8·2	11·9	3·0	73	52·0	28·4	43·8	NW: WNW: NNW.	NNW: NW.	9·8	0·1	0·6	506	+ 225	0·00
MONDAY -	24	..	29·574	41·7	30·4	11·3	37·0	− 1·2	35·1	1·9	6·1	1·4	93	42·5	24·2	43·8	W: WSW.	WSW: N.	5·4	0·0	0·2	373	+ 86	0·08
TUESDAY -	25	..	29·808	47·9	24·3	23·6	34·0	− 4·4	29·6	4·4	11·9	0·8	84	44·6	18·0	43·7	Calm	SSW: WSW.	4·3	0·0	0·2	243	− 53	0·43
WEDNESDAY	26	..	29·524	48·0	32·7	15·3	38·5	− 0·1	35·9	2·6	3·7	0·8	90	46·0	31·6	43·4	WSW: WNW: N.	NNE: Calm:	2·5	0·0	0·1	283	− 25	0·09
THURSDAY -	27	..	29·541	46·3	32·7	13·6	39 2	+ 0·4	38·3	0·6	2·3	0·6	97	41·2	31·6	43·2	Calm NW.	NNW: SW.	1·9	0·0	0·0	189	− 132	0·24
FRIDAY -	28	..	29·610	49·9	36·3	13·6	40·8	+ 1·9	37·6	3·2	5·2	0·6	88	48·0	27·9	43·2	WSW: N	N.	5·0	0·0	0·4	399	+ 69	0·05
SATURDAY -	29	..	30·226	38·0	27·7	10·3	34·1	− 4·2	30·0	4·1	6·1	0·0	85	38·0	22·0	43·0	NNW: WSW.	WSW.	0·2	0·0	0·0	195	− 140	0·01
MEANS -		..	29·693	45·3	31·5	13·8	37·7	− 0·8	34·1	3·6	6·7	1·0	87	44·6	26·2	43·4	Westerly		..	..	..	Sum 2,188	Sum + 30	Sum 0·90
No. of COLUMN		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

DATE. DECEMBER.		ELECTRICITY. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY ..	23	mP	3·9	7·8	Variably cloudy becoming nearly cloudless by 21h. Brisk wind 7h. till 18h.
MONDAY ..	24	mP till 7½h.; sN till 13h., then mP.	0·0	7·8	Nearly cloudless till 1h.; then overcast clearing to nearly cloudless by 21h. Rain from 7h. till 12h. Hoar frost at night.
TUESDAY ..	25	sP till 4h.; mP till 18h.; sN till 22½h.; then wP.	2·7	7·8	Cloudless till 9h., then overcast. Hoar frost in morning. Rain and brisk wind generally from 17½h.
WEDNESDAY	26	wP till 4h.; sN till 4½h.; wP till 16h.; then mP.	0·0	7·8	Overcast throughout. Damping till 8¾h. Snow from 21h.
THURSDAY	27	wP till 1½h., sN till 2h., wP till 7h., mP till 13h., sP till 21h., then mP.	0·0	7·8	Overcast. Snow till 1h., then rain till 5h., and slight rain 13¾h. and from 20¼h. Mist between 6h. and 9h.
FRIDAY ..	28	wP till 1h.; variably sN and sP till 2h.; wP till 5½h.; mP till 14h.; then sP.	0·0	7·8	Overcast becoming variably cloudy by 21h. Slight rain or or damping till 2h. and between 6h. and 9h. Brisk wind 7h. till 12h.
SATURDAY	29	mP till 13h., sP till 22½h.; then variably sN and sP.	0·0	7·8	Variably cloudy being overcast by 15h. Haze between 9h. and 12h. Slight rain from 21h.
			Sum 6·6	Sum 54·6	
No. of Col.	..	26	27	28	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 152 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the 50 years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 50 years ending 1916.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 27, derived from the Campbell Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·42 in. at the beginning of the week to 29·39 in. by 5½h. on 23rd; increased to 29·75 in. by 1h. on 24th; decreased to 29·47 in. by 15h. on 24th; increased to 30·00 in. by 10h. on 25th.; decreased to 29·27 in. by 4h. on 26th; increased to 29·66 in. by 18¾h on 26th; decreased to 29·02 in. by 5h. on 28th; increased to 30·27 in. by 12h. on 29th; decreased and was 30·11 in. by midnight on the same day.

Printed and published by HIS MAJESTY'S STATIONERY OFFICE PRESS
11-17, Hare Street, E.2